

# Synthesis, Reactivity, and Computational Analysis of Halophosphines Supported by Dianionic Guanidinate Ligands


Allison L. Brazeau,<sup>†</sup> Mikko M. Hänninen,<sup>‡</sup> Heikki M. Tuononen,<sup>‡</sup> Nathan D. Jones,<sup>†</sup> and Paul J. Ragogna<sup>\*,†</sup>

<sup>†</sup>Department of Chemistry, The University of Western Ontario, Chemistry Building, 1151 Richmond Street, London, N6A 5B7 Ontario, Canada

<sup>‡</sup>Department of Chemistry, University of Jyväskylä, P.O. Box 35, FI-40014 Finland

**S** Supporting Information

**ABSTRACT:** The reported chemistry and reactivity of guanidinate supported group 15 elements in the +3 oxidation state, particularly phosphorus, is limited when compared to their ubiquity in supporting metallic elements across the periodic table. We have synthesized a series of chlorophosphines utilizing homo- and heteroleptic (dianionic)guanidates and have completed a comprehensive study of their reactivity. Most notable is the reluctance of these four-membered rings to form the corresponding *N*-heterocyclic phosphonium cations, the tendency to chemically and thermally eliminate carbodiimide, and the scarcely observed ring expansion by insertion of a chloro(imino)phosphine into a P–N bond of the P–N–C–N framework. Computational analysis has provided corroborating evidence for the unwillingness of the halide abstraction reaction by demonstrating the exceptional electron acceptor properties of the target phosphonium cations and the underscoring strength of the P–X bond.



## INTRODUCTION

A major theme in the field of synthetic main group chemistry is to push the limits of the bonding environments surrounding a central p-block element and impose a stress that will then allow for access to unprecedented yet controlled reactivity. There are many variables associated with forcing such a condition within a molecule that include modifications to the electronics, sterics, charge, and ring strain. Over the past decade there has been a shift in research efforts to design main group molecules that are capable of reactivity previously reserved for the transition metals. Highlights include the ability of “frustrated Lewis pairs”, low-valent group 13 species, and heavy group 14 analogues of *N*-heterocyclic carbenes, alkenes, and alkynes to activate small molecules, including H<sub>2</sub>, NH<sub>3</sub>, PH<sub>3</sub>, and P<sub>4</sub>.

Power et al. were the first to demonstrate the bifurcation of dihydrogen by a main group metal, with the addition of H<sub>2</sub> across the Ge≡Ge bond in unsaturated digermynes at ambient temperature and pressure to give a combination of digermenes and germanes.<sup>1</sup> Several years later he also showed the addition of dihydrogen to distannynes to give tin(II) hydrides.<sup>2–8</sup> A notable surge in the reported reactivity of “frustrated Lewis pairs” (FLP) was kickstarted by Stephan et al., where they reported metal-free reversible hydrogen activation by the unquenched reactivity of a phosphine-borane ((C<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>)<sub>2</sub>P-(C<sub>6</sub>F<sub>4</sub>)B(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>), which features a Lewis acidic boron and Lewis basic phosphorus.<sup>9</sup> Since then, many different FLP systems have been developed,<sup>10</sup> and reactivity with a variety of substrates has been observed, including B–H bonds,<sup>11</sup>

CO<sub>2</sub>,<sup>12,13</sup> unsaturated bonds,<sup>10</sup> and even catalytic, metal-free hydrogenation.<sup>14–18</sup>

The silylene LSi (L = CH{(C=CH<sub>2</sub>)(CMe)(2,6-*i*-Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>N)<sub>2</sub>}) will oxidatively add ammonia to give four-coordinate LSi(H)-NH<sub>2</sub><sup>19</sup> and is the only reported main group molecule that has been successfully used in the activation of PH<sub>3</sub>, yielding LSi(H)PH<sub>2</sub>.<sup>20</sup>


Phosphonium cations [R<sub>2</sub>P]<sup>+</sup> are a class of phosphorus-containing molecules that have a rich history of reactivity, including reactions with Lewis bases<sup>21–23</sup> and inorganic and organic unsaturated bonds,<sup>24</sup> and acting as ligands on transition metals.<sup>25–32</sup> Phosphonium cations are also known to catenate, which is demonstrated by the many examples from Burford et al. in which a [R<sub>2</sub>P]<sup>+</sup> fragment is inserted into cyclic and acyclic P–P bonds, to expand the ring or chain by an additional P atom to give *catena*-polyphosphorus cations.<sup>33</sup> Weigand has recently shown the ability of phosphonium cations to activate small molecules by novel examples of controlled reactivity with P<sub>4</sub> using a *N*-heterocyclic phosphonium cation (NHP) supported within a strained four-membered ring system to form cationic P<sub>5</sub> clusters.<sup>34,35</sup> Substitution reactions on acyclic cations of the type [LPCl<sub>2</sub>]<sup>+</sup> and [L<sub>2</sub>PCL]<sup>2+</sup> to replace the Cl with CN- or N<sub>3</sub>-groups have also been accomplished by this same group.<sup>36</sup>

The phosphonium cation in particular presents a unique environment where the molecule is Lewis amphoteric given that

Received: January 18, 2012

Published: February 21, 2012


Chart 1. (a) NHC versus NHP and (b) Known and Target Four-Membered NHP Species



the cationic phosphorus atom can be an electron donor or electron acceptor, which opens the floodgates for unique structures, bonding arrangements, and reactivity. The NHP is isoivalent with the *N*-heterocyclic carbene (NHC) but has inverse electronic properties, in that they are poor  $\sigma$ -donors but have excellent  $\pi$ -accepting capabilities (Chart 1a).

We envisaged designing an NHP within a highly strained four-membered ring so that the phosphorus atom could be probed for new and unobserved reactivity. While several four-membered rings incorporating NHP are known (Chart 1b), they are all of the type P–N–X–N where X = P,<sup>34,37</sup> Si, or Al,<sup>35,38</sup> all electropositive elements; however, the example where X = C has surprisingly been absent from the literature. We sought to extend this series and fill the void by using the nitrogen-based, chelating, guanidinate ligand (Chart 2a,b);

Chart 2. (a) Monoanionic versus (b) Dianionic Guanidinate Ligands, and (c) Amidinate Ligands



despite its widespread use for supporting metallic elements spanning the periodic table, little is known about the role in stabilizing group 15 centers in the +3 oxidation state. Jones et al. have synthesized several (monoanionic)guanidinate pnictogen(III) dihalides (pnictogen = Pn = P, As, Sb) as precursors to amido-dipnictenes (Chart 3c).<sup>39</sup> Related (monoanionic)amidinate ligands (Chart 2c) have been used in stabilizing heavier group 15 atoms (As, Sb, Bi)<sup>40–43</sup> as shown in Chart 3a,b. We have previously reported a (monoanionic)-guanidinate ligand capable of supporting a dicationic arsenic center with additional stabilization from a Lewis base (Chart 3c).<sup>44</sup> For the synthesis of an NHP it would be ideal to have the “free” cation, which therefore calls for the use of a (dianionic)-guanidinate (Chart 2b). There is only one previous report of a (dianionic) guanidinate being used to support a group 15 atom involving antimony<sup>45</sup> (Chart 3d), and one example of a phosphorus center<sup>39</sup> being supported by a guanidinate ligand.

In this context, we report the first synthesis and comprehensive characterization of a series of chlorophosphines supported by homo- and heteroleptic (dianionic)guanidinates. The reactivity of the model compound tris(2,4,6-trimethylphenyl)guanidinato

chlorophosphine (2,4,6-trimethylphenyl = Mes) has been studied extensively. We have explored the tendency of these compounds to retain the halogen and therefore the reluctance to form the “free” NHP. A base-stabilized NHP however was easily accessible, and computational analysis has provided insight on this rather counterintuitive result and gave valuable data on the nature of the electronics about the phosphorus atom, and why these particular systems are resistant to halide abstraction. Novel chemically instigated carbodiimide elimination was observed in conjunction with metal coordination, resulting in the first structurally characterized metal complex with a cationic iminophosphine ligand. A study between chlorophosphine and a gentle one-electron reductant was explored to give the clean synthesis of the reductively coupled product featuring a dimeric structure with  $\mu$ -*N,N'* bridging guanidinates and a P–P bond. Upon investigating the thermal stability of the tris(Mes)guanidinato chlorophosphine, we discovered the thermally induced ejection of carbodiimide and subsequent insertion of chloro(imino)phosphine into the P–N bond of the initial diaminochlorophosphine resulting in a new ring expansion product with a  $\mu$ -*N,N'* bridging guanidinate and a  $\mu$ -bridging N-Mes. This ring expansion chemistry is extremely rare within P(III)–N chemistry. These observations collectively give a deeper perception on the nature and reactivity of diaminochlorophosphines constrained in a four-membered ring.

## EXPERIMENTAL SECTION

**General Procedures.** All manipulations were performed in an inert atmosphere in a nitrogen filled MBraun Labmaster dp glovebox or by using standard Schlenk techniques unless stated otherwise. Reagents were obtained from commercial sources. Triethylamine was distilled from CaH<sub>2</sub>, and phosphorus(III) chloride and phosphorus(III) bromide were distilled prior to use, while all other reagents were used without further purification. All solvents were dried using an MBraun controlled atmospheres solvent purification system and stored in Straus flasks under an N<sub>2</sub> atmosphere or over 4 Å molecular sieves in the glovebox. Chloroform-*d* was dried over CaH<sub>2</sub>, distilled prior to use, and stored in the glovebox over 4 Å molecular sieves. The synthesis of *N,N'*-bis(2,6-diisopropylphenyl)carbodiimide (2,6-diisopropylphenyl = Dipp),<sup>46</sup> *N,N'*-bis(Mes)carbodiimide,<sup>46</sup> *N,N,N',N'*-tris(Mes)guanidine<sup>44</sup> (1), *N,N,N'*-tris(Dipp)guanidine<sup>47</sup> (2), and *N,N,N'*-tris(cyclohexyl)guanidine<sup>48</sup> (5) followed literature procedures. <sup>1</sup>H, <sup>13</sup>C{<sup>1</sup>H}, <sup>19</sup>F{<sup>1</sup>H}, and <sup>31</sup>P{<sup>1</sup>H} data were collected on a 400 MHz Varian Inova spectrometer (399.762 MHz for <sup>1</sup>H, 100.52 MHz for <sup>13</sup>C, 376.15 for <sup>19</sup>F, and 161.825 MHz for <sup>31</sup>P). Spectra were recorded at room temperature (rt), unless otherwise indicated, in CDCl<sub>3</sub> using the residual protons of the deuterated solvent for reference and are listed in ppm, with coupling constants listed in Hz. Phosphorus and fluorine NMR spectra were recorded unlocked relative to an external standard (85% H<sub>3</sub>PO<sub>4</sub>,  $\delta_P$  = 0.00; CF<sub>3</sub>C<sub>6</sub>H<sub>5</sub>,  $\delta_F$  = –63.9). Single crystal X-ray diffraction data were collected on a Nonius Kappa-CCD area detector or a Bruker Apex II-CCD detector using Mo *K* $\alpha$  radiation ( $\lambda$  = 0.710 73 Å) and at a temperature of 150(2) K. Crystals were





884(15), 1046(13), 1108(11), 1261(4), 1308(10), 1382(12), 1444(5), 1588(2), 2866(7), 2917(1). HRMS:  $C_{34}H_{47}N_3$  calcd (found) 497.3770 (497.3771). Anal. Calcd for  $C_{34}H_{47}N_3$ : C 82.04, H 9.52, N 8.44. Found: C 81.93, H 9.47, N 8.46.

**1PCL.** To a toluene solution (30 mL) of **1** (2.64 g, 6.39 mmol) were added  $PCl_3$  (0.72 mL, 8.31 mmol) and  $NEt_3$  (2.30 mL, 16.5 mmol) sequentially. The cloudy reaction mixture was stirred at rt for 2.5 h. The reaction mixture was cannula transferred to a Schlenk filter frit, and the yellow filtrate was dried *in vacuo* to give a yellow powder. The powder was dissolved in  $CH_2Cl_2$  (2 mL), and  $CH_3CN$  (5 mL) was added with vigorous stirring to precipitate a white powder. The suspension was centrifuged and the yellow solution decanted. This process was repeated, and the decanted solutions were combined and placed in the freezer ( $-30\text{ }^\circ\text{C}$ ) for 30 min, during which more white powder precipitated. The solution was decanted, and the powder was dissolved in  $CH_2Cl_2$  (2 mL) and added to those collected by centrifugation. The volatiles were removed *in vacuo* to give **1PCL** as a white powder (2.11 g, 4.42 mmol). Yield: 69%. Mp: 143–146  $^\circ\text{C}$ . Single crystals suitable for X-ray diffraction experiments were grown by diffusion of  $CH_3CN$  into a concentrated  $CH_2Cl_2$  solution of the bulk material at  $-30\text{ }^\circ\text{C}$  for 4 weeks.  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  6.87 (s, 2H, aryl), 6.77 (s, 2H, aryl), 6.57 (s, 1H, aryl), 6.24 (s, 1H, aryl), 2.49 (s, 6H,  $CH_3$ ), 2.41 (s, 6H,  $CH_3$ ), 2.26 (s, 3H,  $CH_3$ ), 2.22 (s, 6H,  $CH_3$ ), 2.02 (s, 3H,  $CH_3$ ), 1.88 (s, 3H,  $CH_3$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  144.8 (d,  $^2J_{13\text{C-P}} = 6.0$ ), 138.5, 138.3, 137.8, 135.9 (br), 131.3, 130.0, 129.2, 128.9 (d,  $^2J_{13\text{C-P}} = 5.3$ ), 128.0, 127.7 (d,  $^3J_{13\text{C-P}} = 3.7$ ), 127.3, 127.2, 21.1, 20.7, 20.3, 19.9 (br), 19.1, 18.4.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  181.1 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 448(6), 562(8), 682(10), 714(15), 756(11), 849(4), 948(14), 986(3), 1173(13), 1263(2), 1312(9), 1480(5), 1608(12), 1720(1), 2915(7). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 120(9), 193(11), 225(14), 253(7), 391(15), 448(8), 574(1), 1008(12), 1347(5), 1381(6), 1485(10), 1610(3), 1716(4), 2916(2), 3018(13). Anal. Calcd for  $C_{28}H_{33}N_3\text{PCL}$ : C 70.35, H 6.96, N 8.79. Found: C 69.32, H 7.18, N 8.65.

**General Synthesis for Halophosphine.** To a toluene solution (20 mL) of guanidine (**1–5**) were added 1.3 and 2.6 equiv of  $PX_3$  ( $X = \text{Cl, Br}$ ) and  $NEt_3$ , respectively, in a sequential fashion. The reaction mixture was left to stir at rt overnight, during which time the solution became cloudy. Volatiles were removed *in vacuo* giving an off-white solid, which was resuspended in THF. The white solid was removed by centrifugation, and the liquid was concentrated *in vacuo* to give an off-white solid. The product was washed with  $CH_3CN$  ( $2 \times 4\text{ mL}$ ), decanting the colored solution each time. The product was dried *in vacuo* to give a white solid.

**Specific Procedures for Halophosphines.** **2PCL.** This compound was prepared from **2** (0.75 g, 1.39 mmol),  $PCl_3$  (0.16 mL, 1.83 mmol), and  $NEt_3$  (0.50 mL, 3.59 mmol). Yield: 72%. Mp: 127–130  $^\circ\text{C}$ . X-ray quality colorless crystals were obtained from a concentrated  $CH_2Cl_2$  solution after four weeks at  $-20\text{ }^\circ\text{C}$ .  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  7.30 (t, 2H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.22 (d, 2H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.13 (m, 2H, aryl), 7.00 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 6.81 (t, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 6.61 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 3.42 (m, 4H,  $CH(CH_3)_2$ ), 3.31 (br sept, 1H,  $CH(CH_3)_2$ ), 2.47 (br sept, 1H,  $CH(CH_3)_2$ ), 1.41 (d, 6H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ), 1.32 (d, 6H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ), 1.26 (d, 6H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ), 1.18 (m, 9H,  $CH(CH_3)_2$ ), 0.86 (d, 6H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ), 0.56 (d, 6H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.0$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  149.5, 147.5, 141.3 (d,  $^2J_{13\text{C-P}} = 5.6$ ), 140.0, 138.5, 137.4, 130.6 (d,  $^2J_{13\text{C-P}} = 4.8$ ), 128.8, 124.1, 124.0, 123.4, 123.0, 121.2, 30.1, 30.0, 28.9, 28.2, 27.4, 27.3, 23.6, 23.3, 22.9, 22.6, 22.4.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  179.9 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 527(15), 674(11), 752(8), 786(4), 984(3), 1121(10), 1219(7), 1260(5), 1323(9), 1363(14), 1386(12), 1438(6), 1588(13), 1717(1), 2965(2). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 137(6), 279(9), 451(13), 887(5), 1048(15), 1104(12), 1252(14), 1299(10), 1353(8), 1443(4), 1589(1), 1718(3), 2867(7), 2909(2), 3062(11). Anal. Calcd for  $C_{37}H_{51}N_3\text{PCL}$ : C 73.55, H 8.51, N 6.95. Found: C 72.69, H 8.66, N 6.90.

**3PCL.** This compound was synthesized from **3** (1.10 g, 2.42 mmol),  $PCl_3$  (0.27 mL, 3.12 mmol), and  $NEt_3$  (0.87 mL, 6.25 mmol). Yield:

35%. Mp: 142–146  $^\circ\text{C}$ . X-ray quality colorless crystals were obtained after three days from a concentrated hexanes solution at  $-20\text{ }^\circ\text{C}$ .  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  7.38 (t, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.30 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.26 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 6.76 (s, 1H, aryl), 6.58 (s, 1H, aryl), 6.54 (s, 1H, aryl), 6.25 (s, 1H, aryl), 3.81 (sept, 1H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ), 3.42 (sept, 1H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ), 2.49 (s, 3H,  $CH_3$ ), 2.27 (s, 3H,  $CH_3$ ), 2.21 (s, 3H,  $CH_3$ ), 2.15 (s, 3H,  $CH_3$ ), 2.02 (s, 3H,  $CH_3$ ), 1.90 (s, 3H,  $CH_3$ ), 1.38 (m, 9H,  $CH(CH_3)_2$ ), 1.32 (d, 3H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  150.2, 148.1, 145.5 (d,  $^2J_{13\text{C-P}} = 5.9$ ), 138.4, 137.6, 137.1, 134.6, 131.4, 130.2, 129.2, 129.1 (d,  $^2J_{13\text{C-P}} = 2.8$ ), 128.95, 128.9, 128.6, 128.1, 127.8, 127.3, 124.4, 123.9, 29.5 (d,  $J_{13\text{C-P}} = 4.2$ ), 28.8, 25.8, 25.5 (d,  $J_{13\text{C-P}} = 4.8$ ), 24.6, 24.3, 21.0, 20.7, 20.1 (d,  $J_{13\text{C-P}} = 9.9$ ), 19.8, 19.1, 18.3.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  180.5 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 462(4), 561(13), 681(10), 714(15), 767(9), 803(5), 846(12), 985(6), 1227(11), 1266(2), 1317(8), 1466(7), 1608(14), 1698(1), 2963(3). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 97(15), 143(7), 226(6), 461(8), 575(2), 1009(14), 1316(10), 1358(5), 1455(9), 1590(12), 1609(4), 1701(3), 2863(11), 2917(1), 2964(13).

**4PCL.** This compound was synthesized from **4** (0.75 g, 1.51 mmol),  $PCl_3$  (0.17 mL, 1.96 mmol), and  $NEt_3$  (0.55 mL, 3.92 mmol). Yield: 61%. Mp: 138–141  $^\circ\text{C}$ . X-ray quality colorless crystals were obtained after two weeks from a concentrated  $CH_2Cl_2$ /Et<sub>2</sub>O solution at  $-20\text{ }^\circ\text{C}$ .  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  7.43 (t, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.34 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 7.30 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 6.92 (d, 1H, aryl,  $^3J_{\text{H-H}} = 7.2$ ), 6.78 (s, 1H, aryl), 6.75 (t, 1H, aryl,  $^3J_{\text{H-H}} = 7.6$ ), 6.53 (d, 1H, aryl), 6.51 (s, 1H, aryl), 3.80 (sept, 1H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ), 3.39 (m, 2H,  $CH(CH_3)_2$ ), 2.94 (sept, 1H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ), 2.47 (s, 3H,  $CH_3$ ), 2.15 (s, 3H,  $CH_3$ ), 2.13 (s, 3H,  $CH_3$ ), 1.41 (m, 9H,  $CH(CH_3)_2$ ), 1.35 (d, 3H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ), 1.32 (d, 3H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.8$ ), 0.95 (m, 6H,  $CH(CH_3)_2$ ), 0.83 (d, 3H,  $CH(CH_3)_2$ ,  $^3J_{\text{H-H}} = 6.4$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  150.7, 148.4, 142.7 (d,  $^2J_{13\text{C-P}} = 5.6$ ), 139.7, 138.6, 138.3, 137.1, 137.0, 134.4, 130.3, 129.5 (d,  $^2J_{13\text{C-P}} = 4.0$ ), 129.0, 128.95, 128.9, 124.2, 123.6, 122.7, 121.6, 120.6, 29.5 (d,  $J_{13\text{C-P}} = 2.9$ ), 29.0, 28.9, 28.4, 26.5 (d,  $J_{13\text{C-P}} = 8.0$ ), 26.4, 25.2, 24.9, 24.1, 23.9, 21.2, 21.0, 20.5, 19.8 (d,  $J_{13\text{C-P}} = 10.9$ ), 19.2.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  178.6 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 432(11), 461(9), 558(15), 675(12), 754(5), 782(7), 883(14), 986(4), 1268(3), 1317(8), 1362(13), 1465(6), 1587(10), 1705(1), 2965(2). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 109(9), 200(14), 462(8), 578(5), 625(11), 887(7), 1011(13), 1259(10), 1319(12), 1360(4), 1448(6), 1590(2), 1708(3), 2925(1), 3065(15). Anal. Calcd for  $C_{34}H_{45}N_3\text{PCL}$ : C 72.64, H 8.07, N 7.47. Found: C 71.97, H 8.06, N 7.37.

**5PCL.** This compound was synthesized from **5** (0.55 g, 1.80 mmol),  $PCl_3$  (0.20 mL, 2.34 mmol), and  $NEt_3$  (0.65 mL, 4.68 mmol). Yield: 31%. Mp: 75–78  $^\circ\text{C}$ .  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  3.53–3.35 (m, 3H, CH), 2.10–2.01 (m, 4H,  $CH_2$ ), 1.82–1.14 (m, 26H,  $CH_2$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  145.6, 55.9, 54.5, 51.4, 35.5, 35.3, 33.6, 33.5, 33.4, 32.1, 31.8, 25.61, 25.56, 25.4, 25.2, 25.1, 25.0.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  181.5 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 433(7), 655(3), 699(8), 725(14), 839(10), 890(9), 988(4), 1109(13), 1148(12), 1215(5), 1298(11), 1361(15), 1449(6), 1704(2), 2930(1). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 85(8), 143(14), 216(6), 430(10), 659(13), 728(12), 811(7), 1027(9), 1253(11), 1347(15), 1444(4), 1702(3), 2854(2), 2887(5), 2938(1). Anal. Calcd for  $C_{19}H_{33}N_3\text{PCL}$ : C 61.69, H 8.99, N 11.36. Found: C 61.35, H 9.26, N 11.17.

**1PBr.** This compound was synthesized from **1** (0.93 g, 2.24 mmol),  $PBr_3$  (0.27 mL, 2.92 mmol), and  $NEt_3$  (0.81 mL, 5.81 mmol). Yield: 70%. Mp: 117–123  $^\circ\text{C}$ . Single crystals suitable for X-ray diffraction experiments were grown by diffusion of  $CH_3CN$  into a concentrated  $CH_2Cl_2$  solution of the bulk material at  $-30\text{ }^\circ\text{C}$  for 3 days.  $^1\text{H NMR}$  ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  6.88 (s, 2H, aryl), 6.79 (br s, 2H, aryl), 6.61 (s, 1H, aryl), 6.26 (s, 1H, aryl), 2.49 (s, 6H,  $CH_3$ ), 2.47 (br s, 6H,  $CH_3$ ), 2.29 (s, 3H,  $CH_3$ ), 2.24 (s, 6H,  $CH_3$ ), 2.04 (s, 3H,  $CH_3$ ), 1.89 (s, 3H,  $CH_3$ ).  $^{13}\text{C}\{^1\text{H}\}$  NMR ( $-30\text{ }^\circ\text{C}$ ):  $\delta$  144.1 (d,  $^2J_{13\text{C-P}} = 5.13\text{ Hz}$ ), 138.2, 137.8, 135.6, 131.4, 129.8, 129.4, 129.0, 127.9, 127.8, 127.3, 21.1, 20.7, 20.3, 19.9, 19.8, 19.3, 18.3.  $^{31}\text{P}\{^1\text{H}\}$  NMR:  $\delta$  200.2 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 414(15), 559(7), 674(11), 756(9), 803(14), 849(6), 951(12), 983(3), 1268(2), 1315(8), 1374(13), 1478(4), 1609(10), 1698(1), 2916(5). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 97(8),

147(4), 177(15), 207(12), 240(9), 324(7), 413(13), 570(2), 1010(14), 1358(6), 1379(11), 1489(10), 1610(3), 1700(1), 2918(5). Anal. Calcd for  $C_{28}H_{33}N_3PBr$ : C 64.37, H 6.37, N 8.04. Found: C 64.06, H 6.42, N 7.93.

**General Synthesis for 6M, M = Al, Ga.** To a  $CH_2Cl_2$  solution (5 mL) of **1PCI**, a  $CH_2Cl_2$  solution (3 mL) of  $MCl_3$  was added slowly with stirring. In all cases the reaction mixtures turned yellow. The reactions were stirred at rt for 3 h, during which time the yellow color became less intense. The volatiles were removed *in vacuo* to give slightly yellow powders.

**6Al.** Compound **6Al** was prepared from **1PCI** (0.20 g, 0.41 mmol) and  $AlCl_3$  (0.055 g, 0.41 mmol). The crude product was purified by liquid diffusion of hexane into a concentrated  $CH_2Cl_2$  solution of the bulk powder at  $-30^\circ C$  for 48 h. This gave a microcrystalline white powder. Yield: 53%. Decomposition point: 160–164  $^\circ C$ . X-ray quality crystals were obtained from slow evaporation of a concentrated  $CH_2Cl_2$  solution of the bulk powder at rt for a two week period.  $^1H$  NMR:  $\delta$  7.02 (s, 1H, aryl), 7.00 (s, 1H, aryl), 6.76 (s, 1H, aryl), 6.68 (s, 1H, aryl), 6.52 (s, 1H, aryl), 6.19 (s, 1H, aryl), 2.72 (s, 3H,  $CH_3$ ), 2.64 (s, 3H,  $CH_3$ ), 2.55 (s, 3H,  $CH_3$ ), 2.51 (d, 3H,  $CH_3$ ,  $J_{H-P} = 2.0$ ), 2.35 (s, 3H,  $CH_3$ ), 2.20 (s, 3H,  $CH_3$ ), 2.11 (s, 3H,  $CH_3$ ), 2.07 (s, 6H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR:  $\delta$  160.8 (d,  $^2J_{13C-P} = 9.95$ ), 140.8, 140.0, 139.0, 138.8, 137.7, 137.3, 136.6, 135.3, 133.6, 133.3, 130.5, 130.2, 130.0, 129.6, 129.0, 128.5, 127.3, 21.4, 21.3 (d,  $J_{13C-P} = 7.34$ ), 21.0, 20.9, 20.8, 20.7, 20.6, 20.3, 19.2.  $^{31}P\{^1H\}$  NMR:  $\delta$  171.4 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 412(14), 429(9), 471(11), 505(2), 661(6), 711(10), 748(4), 855(3), 885(15), 981(8), 1195(12), 1282(5), 1352(13), 1555(1), 2922(7). FT-Raman ( $cm^{-1}$  (ranked intensity)): 186(7), 221(9), 283(10), 430(8), 495(5), 574(2), 661(13), 1018(14), 1321(12), 1352(4), 1386(6), 1482(11), 1609(3), 2925(1), 3024(15).

**6Ga.** Compound **6Ga** was synthesized from **1PCI** (0.25 g, 0.52 mmol) and  $GaCl_3$  (0.093 g, 0.53 mmol). The crude product was purified by redissolving in  $CH_2Cl_2$  and precipitating white solids by the addition of hexanes with rapid stirring. The solution was decanted, and the white product was dried *in vacuo*. Yield: 66%. Decomposition point: 171–179  $^\circ C$ .  $^1H$  NMR:  $\delta$  7.02 (s, 1H, aryl), 7.01 (s, 1H, aryl), 6.75 (s, 1H, aryl), 6.68 (s, 1H, aryl), 6.51 (s, 1H, aryl), 6.20 (s, 1H, aryl), 2.73 (s, 3H,  $CH_3$ ), 2.65 (s, 3H,  $CH_3$ ), 2.53 (s, 3H,  $CH_3$ ), 2.51 (d, 3H,  $CH_3$ ,  $J_{H-P} = 2.4$ ), 2.35 (s, 3H,  $CH_3$ ), 2.20 (s, 3H,  $CH_3$ ), 2.07 (virtual d, 9H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR:  $\delta$  159.7 (d,  $^2J_{13C-P} = 10.3$ ), 140.8, 139.9, 139.0, 138.8, 137.9, 137.4, 136.5, 135.3, 133.4, 133.3, 130.7, 130.1 (d,  $^3J_{13C-P} = 3.32$ ), 130.06, 129.6, 129.4, 129.0, 128.4, 127.0 (d,  $^3J_{13C-P} = 1.81$ ), 21.4, 21.2 (d,  $J_{13C-P} = 3.22$ ), 21.0, 20.9, 20.8, 20.7, 20.6, 20.1, 19.2.  $^{31}P\{^1H\}$  NMR:  $\delta$  172.7 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 463(15), 493(2), 552(5), 657(9), 705(14), >750(7), 855(3), 980(8), 1280(4), 1321(10), 1352(12), 1477(6), 1560(1), 1611(13), 2921(11). FT-Raman ( $cm^{-1}$  (ranked intensity)): 199(6), 241(13), 360(4), 388(11), 493(7), 573(2), 657(15), 1017(12), 1321(10), 1352(5), 1385(8), 1482(9), 1609(3), 2924(1), 3023(14). Anal. Calcd for  $C_{28}H_{33}N_3P_2Cl_4Ga$ : C 51.41, H 5.09, N 6.42. Found: C 50.95, H 5.31, N 6.32.

**7.** A  $CH_2Cl_2$  solution (8 mL) of **1PCI** (0.35 g, 0.73 mmol) was added to solid  $Pt(PPh_3)_4$  (0.91 g, 0.73 mmol) to give a clear orange solution. After 45 min of stirring at rt,  $Me_3SiOTf$  was added, and the color changed instantly to dark red. The volatiles were removed after stirring at rt for 30 min resulting in a waxy brown product. Hexanes washes ( $3 \times 5$  mL) yielded a brown powder. The bulk material was dissolved in  $CH_2Cl_2$  (3 mL) and stirred vigorously as hexanes (8 mL) were added leading to the precipitation of brown powder. The supernatant was decanted and discarded and the bulk material once again dissolved in  $CH_2Cl_2$  (3 mL) and set up for recrystallization by layering hexanes (6 mL) and keeping at  $-30^\circ C$  for 4 days. Yield: 56%. Decomposition point: 87–92  $^\circ C$ .  $^1H$  NMR:  $\delta$  7.34 (t, 9H, aryl,  $^3J_{H-H} = 8.0$ ), 7.07 (t, 18H, aryl,  $^3J_{H-H} = 8.0$ ), 6.94 (d, 18H, aryl,  $^3J_{H-H} = 8.0$ ), 6.68 (s, 2H, aryl), 2.15 (s, 3H,  $CH_3$ ), 1.67 (s, 6H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR:  $\delta$  133.5, 131.0, 129.0, 128.9, 21.6, 19.2.  $^{31}P\{^1H\}$  NMR:  $\delta$  147.0 (br t), 23.3 ( $^2J_{P-P} = 65$ ,  $^1J_{P-195Pt} = 3990$ ).  $^{19}F\{^1H\}$  NMR:  $\delta$  -78.3 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 418(12), 516(2), 637(7), 694(1), 744(5), 853(13), 998(14), 1030(6), 1092(9), 1147(10), 1222(15), 1272(3), 1435(4), 1480(8), 3054(11). FT-Raman ( $cm^{-1}$  (ranked intensity)): 97(8), 244(4),

313(13), 415(11), 618(15), 1001(2), 1029(10), 1075(12), 1094(9), 1302(7), 1382(14), 1492(1), 1585(6), 1605(3), 3059(5). Anal. Calcd for  $C_{64}H_{56}F_3NO_3P_4PtS$ : C 59.35, H 4.36, N 1.08. Found: C 59.04, H 4.42, N 1.07.

**8.** To a  $CH_2Cl_2$  solution (5 mL) of **1PCI** (0.40 g, 0.83 mmol) was added a  $CH_2Cl_2$  solution (2 mL) of 2,2'-bipyridine (0.13 g, 0.83 mmol) and  $Me_3SiOTf$  (150  $\mu L$ , 0.83 mmol). The previously colorless solution turned yellow after the addition of  $Me_3SiOTf$  and was allowed to stir at rt for 3.5 h before removing the volatiles *in vacuo* to give an orange waxy product. Washing with hexanes ( $2 \times 5$  mL) produced an orange powder. The powder was redissolved in  $CH_2Cl_2$  (3 mL), and hexanes (6 mL) were added to produce an oil. The supernatant was decanted and the oil dried to give an orange powder. This process was repeated three times. Yield: 72%. Decomposition point: 128–133  $^\circ C$ .  $^1H$  NMR:  $\delta$  9.22 (d, 2H, *bpy*,  $^3J_{H-H} = 8.0$ ), 8.59 (br d, 2H, *bpy*), 8.50 (t, 2H, *bpy*,  $^3J_{H-H} = 8.0$ ), 7.64 (br t, 2H, *bpy*), 2.76 (br s, 6H,  $CH_3$ ), 2.21 (s, 6H,  $CH_3$ ), 2.06 (s, 3H,  $CH_3$ ), 1.99 (s, 3H,  $CH_3$ ), 1.82 (br s, 6H,  $CH_3$ ), 1.77 (s, 3H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR:  $\delta$  146.6 (d,  $^2J_{13C-P} = 5.0$ ), 145.1, 144.6, 139.8, 138.1, 136.6, 136.1, 132.0, 131.3, 130.0, 128.8, 128.1, 127.8, 127.6 (d,  $^2J_{13C-P} = 4.0$ ), 125.8 (d,  $^2J_{13C-P} = 5.0$ ), 21.4, 21.0, 20.7, 19.8, 18.7, 18.5.  $^{31}P\{^1H\}$  NMR:  $\delta$  106.0 (s).  $^{19}F\{^1H\}$  NMR:  $\delta$  -78.6 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 476(14), 517(8), 564(12), 637(3), 724(13), 770(7), 854(10), 988(15), 1031(2), 1155(5), 1260(1), 1478(6), 1613(11), 1695(4), 2921(9). FT-Raman ( $cm^{-1}$  (ranked intensity)): 85(2), 394(14), 570(4), 633(13), 770(9), 1016(7), 1251(15), 1304(11), 1331(3), 1384(12), 1497(8), 1563(10), 1608(1), 1694(6), 2922(5).

**9.** A THF (3 mL) solution of  $Cp_2Co$  (0.43 g, 2.27 mmol) was added to a colorless THF (3 mL) solution of **1PCI** (1.08 g, 2.27 mmol). The reaction mixture turned a dark brown color, and after 48 h of stirring at rt, copious amounts of green precipitate were visible. The green precipitate was separated by centrifugation, and the dark solution was decanted and dried *in vacuo* to give an off-white solid. The product was washed with  $CH_3CN$  ( $2 \times 6$  mL) to remove remaining  $Cp_2Co$ , and the suspension was centrifuged. The solid white product was dissolved in  $CH_2Cl_2$  (3 mL) and precipitated with the addition of  $CH_3CN$ , the solution was decanted and discarded, and this process was repeated once more. After the second precipitation the vial was placed in the freezer ( $-30^\circ C$ ) for 45 min, the slightly colored solution was discarded, and the white precipitate was dried *in vacuo*. X-ray quality crystals were grown at  $-30^\circ C$  from the liquid diffusion of  $CH_3CN$  into a concentrated  $CH_2Cl_2$  solution of the bulk material over a one-week period. Yield: 61%. Decomposition point: 310–320  $^\circ C$ .  $^1H$  NMR ( $-50^\circ C$ ):  $\delta$  6.95 (s, 2H, aryl), 6.80 (s, 2H, aryl), 6.63 (s, 2H, aryl), 6.42 (s, 2H, aryl), 6.10 (s, 2H, aryl), 5.96 (s, 2H, aryl), 2.82 (s, 6H,  $CH_3$ ), 2.44 (s, 6H,  $CH_3$ ), 2.39 (s, 6H,  $CH_3$ ), 2.30 (s, 6H,  $CH_3$ ), 2.22 (s, 6H,  $CH_3$ ), 2.06 (s, 6H,  $CH_3$ ), 1.98 (s, 6H,  $CH_3$ ), 1.52 (s, 6H,  $CH_3$ ), 1.48 (s, 6H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR ( $-50^\circ C$ ):  $\delta$  146.2 (dd,  $^2J_{13C-P} = 6.0$ ), 142.2, 138.4, 138.2, 137.3 (br), 136.8, 135.8 (br), 134.5, 130.2 (br), 129.6 (br), 129.2, 128.3 (br), 128.1, 126.8 (dd,  $^2J_{13C-P} = 7.2$ ), 125.6, 21.8, 21.3 - 20.8 (br), 20.6, 20.2 (br), 19.0 (d,  $J_{13C-P} = 2.6$ ), 18.7 (br).  $^{31}P\{^1H\}$  NMR:  $\delta$  59.2 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 532(10), 562(7), 604(14), 719(5), 747(9), 848(6), 949(11), 1005(3), 1188(12), 1232(2), 1308(15), 1375(13), 1477(4), 1642(1), 2915(8). FT-Raman ( $cm^{-1}$  (ranked intensity)): 108(9), 243(14), 403(15), 430(10), 474(6), 531(11), 576(5), 968(12), 1019(13), 1220(8), 1307(4), 1381(7), 1609(1), 1660(3), 2915(2). Anal. Calcd for  $C_{36}H_{66}N_6P_2$ : C 75.99, H 7.52, N 9.49. Found: C 75.67, H 7.44, N 9.47.

**10.** Compound **1PCI** (0.54 g, 1.1 mmol) was dissolved in toluene (6 mL) and heated to 90  $^\circ C$  for 48 h. The solvent was removed *in vacuo* giving a colorless waxy material, which became a powder after stirring in pentane for 5 min. The solvent was decanted, and the white powder was dried *in vacuo*. The product was further purified by recrystallization from slow diffusion of  $CH_3CN$  into a concentrated  $CH_2Cl_2$  solution of the bulk material at  $-30^\circ C$ . Single crystals suitable for X-ray diffraction studies were grown in a similar fashion after 11 days in the freezer. Yield: 34%. Mp: 178–182  $^\circ C$ .  $^1H$  NMR:  $\delta$  6.94 (s, 4H, aryl), 2.64 (s, 12H,  $CH_3$ ), 2.29 (s, 6H,  $CH_3$ ).  $^{13}C\{^1H\}$  NMR:  $\delta$  138.3, 138.1, 132.0, 129.8, 21.1, 19.6.  $^{31}P\{^1H\}$  NMR:  $\delta$  211.0 (s). FT-IR ( $cm^{-1}$  (ranked intensity)): 408(2), 485(5), 511(7), 558(3),

600(10), 716(14), 896(1), 1035(13), 1158(9), 1218(6), 1263(11), 1308(15), 1375(12), 1476(4), 2916(8). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 181(14), 221(2), 379(3), 405(11), 486(10), 543(12), 577(4), 632(8), 984(15), 1274(6), 1317(1), 1386(9), 1482(13), 1612(5), 2920(7). HRMS for  $\text{C}_{18}\text{H}_{22}\text{N}_2\text{Cl}_2\text{P}_2^+$  calcd(found) 398.0635(398.0622). Anal. Calcd for  $\text{C}_{18}\text{H}_{22}\text{Cl}_2\text{N}_2\text{P}_2$ : C 54.15, H 5.55, N 7.02. Found: C 53.97, H 5.51, N 6.92.


11. In a pressure tube  $\text{IPCl}$  (0.54 g, 1.1 mmol) was dissolved in  $\text{CDCl}_3$  (3 mL) and heated in an oil bath at  $90^\circ\text{C}$  overnight. The solvent was removed *in vacuo*, producing a wax-like colorless product. This was washed with pentane (6 mL), which produced a white powder. The suspension was centrifuged, and the decanted solution was transferred to a vial and kept in the freezer ( $-35^\circ\text{C}$ ) for 1 h. The centrifuged white solid was dissolved in  $\text{CH}_2\text{Cl}_2$ , transferred to a vial, and dried *in vacuo* to give a sticky white solid. Resuspension in pentane and drying *in vacuo* produced a fine white powder. The cooled solution had a white precipitate, which was isolated by decanting the pentane and drying *in vacuo* to give a white powder, which was combined with the previous isolated product. Single crystals suitable for X-ray diffraction studies were grown from a concentrated  $\text{CH}_3\text{CN}$  solution of the bulk material at  $-30^\circ\text{C}$  for two weeks. Yield: 33%. Mp:  $204\text{--}209^\circ\text{C}$ .  $^1\text{H}$  NMR:  $\delta$  6.94 (br s, 2H, aryl), 6.88 (br s, 2H, aryl), 6.61 (br s, 2H, aryl), 6.30 (br s, 2H, aryl), 2.86 (s, 6H,  $\text{CH}_3$ ), 2.56 (br s, 6H,  $\text{CH}_3$ ), 2.35 (br s, 6H,  $\text{CH}_3$ ), 2.27 (br s, 3H,  $\text{CH}_3$ ), 2.22 (s, 3H,  $\text{CH}_3$ ), 2.21 (s, 3H,  $\text{CH}_3$ ), 2.04 (s, 3H,  $\text{CH}_3$ ), 1.87 (s, 6H,  $\text{CH}_3$ ).  $^{13}\text{C}\{\text{H}\}$  NMR:  $\delta$  141.9, 138.8, 138.7, 138.0, 137.9, 137.8, 137.7, 136.7, 136.6, 136.1, 135.9, 131.2, 130.2, 129.9, 129.0, 127.8, 126.7, 21.5, 21.4, 21.0, 20.9, 20.6, 20.5, 20.4, 19.7.  $^{31}\text{P}\{\text{H}\}$  NMR:  $\delta$  140.2 (s). FT-IR ( $\text{cm}^{-1}$  (ranked intensity)): 452(3), 563(9), 600(11), 722(15), 853(5), 950(7), 981(10), 1056(4), 1140(14), 1183(8), 1222(1), 1475(6), 1608(12), 1649(2), 2919(13). FT-Raman ( $\text{cm}^{-1}$  (ranked intensity)): 86(6), 204(7), 396(14), 421(8), 443(10), 511(15), 580(4), 1058(11), 1307(5), 1381(9), 1535(13), 1610(2), 1652(3), 2921(1), 3007(12). HRMS for  $\text{C}_{37}\text{H}_{44}\text{N}_4\text{Cl}_2\text{P}_2^+$  calcd(found) 676.2418(676.2413). Anal. Calcd for  $\text{C}_{37}\text{H}_{44}\text{N}_4\text{Cl}_2\text{P}_2$ : C 65.58, H 6.54, N 8.27. Found: C 65.81, H 6.94, N 8.15.

**Computational Details.** All calculations were done with the program packages Turbomole 6.3<sup>51</sup> and ADF 2010.2.<sup>52</sup> Geometries of the studied systems were optimized using the PBE1PBE density functional<sup>53–56</sup> in combination with the def2-TZVP basis sets.<sup>57,58</sup> The nature of stationary points found was assessed by calculating full Hessian matrices at the respective level of theory. Partial atomic charges were calculated with the natural population analysis (NPA) as implemented in Turbomole 6.3.<sup>59</sup> The nature of phosphorus–chlorine interaction in the studied chlorophosphines was inspected with the energy decomposition analysis (EDA) procedure<sup>60</sup> as implemented in ADF 2010.2.<sup>61–63</sup> The analyses were performed at the PBE1PBE/def2-TZVP optimized geometries using the PBE1PBE density functional in together with the all electron Slater-type TZP basis sets.<sup>64</sup> The program gOpenMol was used for all visualizations of molecular structures and Kohn–Sham orbitals.<sup>65,66</sup>

## RESULTS AND DISCUSSION

**Synthesis.** Synthesis of  $N,N',N''$ -tris(aryl)guanidines (**1–4**, aryl = Mes and Dipp) followed the literature procedure of Boeré et al.<sup>47</sup> Preparations were accomplished by refluxing  $N,N'$ -bis(R)carbodiimide and lithium (R')anilide in THF for 2 h; the addition of water gave either the homoleptic guanidines **1** and **2** (R = R' = Mes for **1**; R = R' = Dipp for **2**), or the heteroleptic guanidines **3** and **4** (R = Mes; R' = Dipp for **3**; R = Dipp; R' = Mes for **4**; Scheme 1). Upon removal of THF, compounds **3** and **4** deposited as waxlike materials on the sides of the flask. Further recrystallization from hexanes produced white powders, which were sampled for analysis by proton NMR spectroscopy. Spectra of the isolated materials demonstrated dynamic behavior indicative of sterically bulky guanidines.<sup>47</sup> These phenomena have been documented elsewhere (for **2**)<sup>47</sup> using variable temperature NMR spectroscopy


### Scheme 1. Synthetic Route for $N,N',N''$ -Tris(aryl)guanidines (**1–4**)



and will not be discussed further (see Supporting Information, SI, for sample spectra). Single crystals of **3** and **4** were grown from concentrated  $\text{CH}_3\text{CN}$  solutions of the bulk powder at  $-20^\circ\text{C}$ , and subsequent X-ray diffraction studies confirmed the synthesis of the heteroleptic guanidines in moderate to low yields (58% and 33%, respectively; see SI for solid-state structures). Synthesis of  $N,N',N''$ -tris(cyclohexyl)guanidine (**5**) followed the reported facile procedure of Richeson et al. where cyclohexylamine and  $N,N'$ -dicyclohexylcarbodiimide are combined and heated at  $90^\circ\text{C}$  in hexane in a pressure tube for two days.<sup>48</sup>

The sequential addition of  $\text{PCl}_3$  and  $\text{NEt}_3$  to a toluene solution of  $N,N',N''$ -tris(aryl)guanidine (**1–4**) or  $N,N',N''$ -tris(cyclohexyl)guanidine (**5**) (Scheme 2) in a 1.3:2.6:1

### Scheme 2. General Method for Synthesizing Halophosphines with (Dianionic)guanidinate Ligands



stoichiometry at room temperature generated copious amounts of white precipitate. Aliquots of the reaction mixture were sampled every hour and analyzed by  $^{31}\text{P}\{\text{H}\}$  NMR spectroscopy, which in all cases showed the emergence of signals shifted upfield from  $\text{PCl}_3$ , consistent with the chemical shifts reported for diaminochlorophosphines ( $\delta_{\text{p}} = 178\text{--}181$ , Table 1; cf.  $\delta_{\text{p}} = 102\text{--}210$ ).<sup>25,29,67–70</sup> A distinct difference in reaction completion times emerged on the basis of the steric bulk of the ligands; when the steric demand was increased, reaction times were correspondingly longer from **1** (**1**, **3–5**) to **12** (**2**) h. Upon no further change in the  $^{31}\text{P}\{\text{H}\}$  NMR spectra, the reaction mixtures were filtered or centrifuged. Removal of the volatiles of the supernatant *in vacuo* gave light yellow powders in all cases. Further washing of the powders with  $\text{CH}_3\text{CN}$  yielded white powders, which were sampled for multinuclear NMR spectroscopic analysis, where the  $^{31}\text{P}\{\text{H}\}$  NMR spectra showed only a single peak identical to that observed for their respective reaction mixtures, with the exception of **3PCl**. The initial reaction mixture of **3PCl** taken after 1 h showed the emergence of two peaks ( $\delta_{\text{p}} = 178$  and  $181$ ) with equal intensities; no change was observed in the  $^{31}\text{P}\{\text{H}\}$  NMR spectrum after continuing to monitor the reaction for 24 h. The purified product had a single resonance ( $\delta_{\text{p}} = 181$ ). The proton



Table 1. Isolated Yields (%) and  $^{31}\text{P}\{^1\text{H}\}$  NMR Spectroscopy Chemical Shifts (ppm,  $\text{CDCl}_3$  solution) for **1PCI**–**5PCI**, **1PBr**, **6Al**, **6Ga**, and **7–11** and Selected Bond Lengths (Å) and Bond Angles (deg) for **1PCI**–**4PCI**, **1PBr**, **6Al**

	<b>1PCI</b>	<b>2PCI</b>	<b>3PCI</b>	<b>4PCI</b>	<b>5PCI</b>	<b>1PBr</b>	<b>6Al</b>	<b>6Ga</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>
yield	69	72	35	61	31	70	53	66	56	72	61	34	33
$\delta_p$	181	180	181	179	182	200	171	173	147(t), 23(d)	106	59	211	140
P(1)–N(1)	1.7081(14)	1.716(2)	1.717(5)	1.7592(15)		1.722(2)	1.742(3)						
P(1)–N(2)	1.7235(15)	1.707(2)	1.690(4)	1.7193(15)		1.711(2)	1.743(3)						
C(1)–N(1)	1.403(2)	1.427(3)	1.418(7)	1.437(2)		1.427(3)	1.375(4)						
C(1)–N(2)	1.420(2)	1.410(3)	1.433(7)	1.477(2)		1.411(3)	1.398(4)						
C(1)–N(3)	1.252(2)	1.249(3)	1.256(7)	1.261(2)		1.255(4)	1.304(4)						
P(1)–X(1)	2.1141(7)	2.0936(10)	2.095(3)	2.0476(7)		2.2936(10)	2.0603(15)						
N(1)–P(1)–N(2)	75.73(7)	75.88(9)	76.1(2)	78.61(7)		75.97(11)	74.24(12)						

NMR spectrum of crude **3PCI** supported the conclusion that two products were present on the basis of the extra resonances observed when compared to a spectrum of pure **3PCI** at  $\delta_p = 181$ . Presumably, the products at  $\delta_p = 178$  and  $181$  were the symmetric and asymmetric chelating guanidates, respectively (Chart 4). Single crystals of the product with a phosphorus

Chart 4. (a) Symmetric and (b) Asymmetric Chelating Guanidates for **3PCI**




chemical shift of 181 ppm were grown, which confirmed an asymmetric chelating guanidate (Chart 4b). In an attempt to isomerize to one product, an aliquot of the reaction mixture was transferred to an NMR tube and heated at 90 °C overnight. The  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum revealed that two peaks were still present in approximately the same ratio, but that the resonances had now shifted downfield approximately 30 ppm to  $\delta_p = 210.9$  and  $211.1$ . There were no observable N–H peaks in the  $^1\text{H}$  NMR spectra of **1PCI**–**5PCI**, and the IR spectra of the solids lacked N–H vibrations in the range  $\nu = 3100$ – $3500\text{ cm}^{-1}$ .<sup>44,71</sup> Given these data, the compounds were assigned as the chlorophosphines **1PCI**, **2PCI**, **3PCI**, **4PCI**, and **5PCI** isolated in low to good yields (Table 1). X-ray quality crystals were grown from samples of the bulk powders for **1PCI**–**4PCI**, and subsequent X-ray diffraction experiments confirmed the synthesis of the strained, four-membered, cyclic diaminochlorophosphines.

**Reactivity.** Given the strained nature of these ring systems, we surmised that conversion to the NHP would generate highly reactive cationic phosphorus centers. This transformation was attempted using several metathetical reagents, including a variety of triflate salts (EOTf; E =  $\text{Me}_3\text{Si}$ , Ag, Na, Li; OTf =  $[\text{F}_3\text{CSO}_3]^-$ ). A stoichiometric amount of  $\text{Me}_3\text{SiOTf}$  was added to  $\text{CH}_2\text{Cl}_2$  solutions of **1PCI**–**5PCI**, and reaction mixtures were monitored by  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy. At room temperature for **1PCI**–**4PCI** no change was detected over the course of 7 days, even after the addition of excess amounts of  $\text{Me}_3\text{SiOTf}$ . Identical reaction mixtures were heated to 100 °C in toluene and monitored by  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy, which showed the slow evolution of multiple products, with one peak downfield of the chlorophosphines at  $\delta_p = 211$ , indicative of the generation of the phosphetidine  $\text{Cl}_2\text{P}_2\text{N}_2\text{Mes}_2$  (*vide infra*).<sup>68</sup> Analogous results were observed using the sources of metal triflates with **1PCI** over 7 days at 100 °C. Only compound **1PCI** was employed as a model system in subsequent reactivity studies given the simplicity of its solution  $^1\text{H}$  NMR spectrum. In the case of **5PCI** the addition of  $\text{Me}_3\text{SiOTf}$  results in several products as evidenced by the many signals in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum.

Given the difficulty associated with removing chloride from the chlorophosphines, we looked to the bromo- derivatives, as heavier halides generally undergo more facile metathesis.<sup>72</sup> The bromophosphine **1PBr** was synthesized in a similar manner to **1PCI** (Scheme 2, Table 1) and subjected to identical metathesis conditions. Again, no reaction or multiple products were observed, none of which corresponded to a downfield chemical shift expected of an NHP in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectra.

Given the puzzling failure of the salt metathesis routes, the Lewis acids  $\text{AlCl}_3$  and  $\text{GaCl}_3$  were employed as halide abstracting reagents for **1PCl**. These reactions were also monitored by  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy and revealed the formation of single products with upfield chemical shifts ( $\Delta\delta_p \approx 10$ , Table 1). The volatiles were removed *in vacuo*, and the bulk powders were redissolved in  $\text{CDCl}_3$  to obtain the  $^1\text{H}$  NMR spectra, which in both cases showed sharp peaks indicating that there was no longer a slow exchange process on the NMR time scale, and furthermore that all symmetry in the molecule was lost. Given the upfield chemical shift in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectra and the lack of symmetry noted in the  $^1\text{H}$  NMR spectra, it was hypothesized that halide abstraction was not effected: rather, a Lewis acid ( $\text{AlCl}_3$ ,  $\text{GaCl}_3$ )/Lewis base (N or P) adduct was formed (Scheme 3). Single crystals

**Scheme 3. Lewis Acid/Lewis Base Adduct Formation of 6Al and 6Ga**




suitable for X-ray diffraction studies were obtained for the product containing  $\text{AlCl}_3$ , and the solid-state structure confirmed an  $\text{N} \rightarrow \text{Al}$  adduct of  $\text{AlCl}_3$  from the exocyclic nitrogen of the guanidinate ligand (**6Al**). Although suitable single crystals for X-ray diffraction studies could not be grown for the  $\text{GaCl}_3$  adduct (**6Ga**), an identical structure was assigned on the basis of identical  $^1\text{H}$  NMR spectra and a similar chemical shift in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum.

Given the production of **6Al** and **6Ga**, two stoichiometric equivalents of  $\text{AlCl}_3$  were added to a  $\text{CH}_2\text{Cl}_2$  solution of **1PCl** at rt, where it was envisaged that the exocyclic nitrogen could be blocked and the second Lewis acid would be free to abstract the chloride ion. After 24 h **6Al** was completely consumed, and two phosphorus resonances at  $\delta_p = 165$  and  $184$  were observed. The volatiles were removed *in vacuo*, and an orange powder was isolated. A sample of the powder was redissolved in  $\text{CDCl}_3$ , and a  $^1\text{H}$  NMR spectrum of the crude material was obtained, which confirmed the presence of multiple products none of which could be isolated separately.


It should be noted that while halide abstraction with these four-membered diaminochlorophosphines appears to be non-trivial, the analogous reaction of those with unsaturated five-membered rings is generally facile.<sup>28,73–77</sup> One major difference between these two species is the additional stabilization gained from the delocalization of a  $6\pi$ -electron system in the case of the five-membered ring, contrary to the  $4\pi$ -electrons present in the four-membered ring. While aromaticity is not a necessity for the isolation of NHPs<sup>25,34,35,37,38,67</sup> and has been found to be a weak factor in their stabilization,<sup>75</sup> the lack thereof in our four-membered diaminochlorophosphines may be a contributing factor to the difficulty in halide abstraction.

Given that the isolation of the free NHP was proving to be a difficult feat, an attempt was made to trap the desired phosphonium cation by reaction with a  $\text{Pt}(0)$  metal center (Scheme 4),


**Scheme 4. Using  $\text{Pt}(0)$  as a Trapping Agent**




**Scheme 5. Synthesis of Base-Stabilized Cationic 8**



**Scheme 6. Redox Reaction for the Synthesis of 9**




**Scheme 7. Carbodiimide Elimination and Ring Expansion Producing 10 and 11**



of which several examples with NHP as ancillary ligands are known.<sup>26,27</sup> The 1:1:1 stoichiometric reaction of **1PCl**,  $\text{Pt}(\text{PPh}_3)_4$ , and  $\text{Me}_3\text{SiOTf}$  was monitored by  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy. Combining **1PCl** and  $\text{Pt}(\text{PPh}_3)_4$  resulted in an orange solution which had a change in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum from a singlet to a downfield triplet with Pt satellites for the phosphorus atom of **1PCl** ( $\text{P}_{\text{1PCl}}$ ) and an upfield doublet with Pt satellites for coordinated  $\text{PPh}_3$  ( $\text{P}_{\text{PPh}_3}$ ); also, free  $\text{PPh}_3$  was observed. The splitting pattern was indicative of an  $\text{AX}_2$  spin system. The addition of  $\text{Me}_3\text{SiOTf}$  caused a color change to red, and an aliquot sampled for  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy showed an upfield shift for the triplet of  $\text{P}_{\text{1PCl}}$ , which had broadened out significantly. The solvent was removed *in vacuo* yielding a red waxy material that became a powder after agitation in hexanes. A sample of the bulk material was used for  $^1\text{H}$  NMR spectroscopy (see SI for spectrum), and analysis of the spectrum showed the presence of two products, one of



Scheme 8. Proposed Routes to 11 by (a) Insertion of MesNPCl or (b) Insertion of Carbodiimide<sup>a</sup>

<sup>a</sup>(a) Reaction pathway for the insertion of MesNPCl into a P–N bond of 1PCI. The following describes the individual steps: (eq 1a) the thermal ejection of carbodiimide from 1PCI to give phosphetidine 10, (eq 1b) monomer/dimer equilibrium of 10 and MesNPCl, and (eq 1c) the insertion of MesNPCl into a P–N bond of 1PCI to give 11. Overall, the reaction starts with 2 equiv of 1PCI and ends with equal equivalents of carbodiimide and 11. (b) Reaction pathway for the insertion of carbodiimide into a P–N bond of 10. The following describes the individual steps: (eq 2a) the thermal ejection of carbodiimide from 1PCI to give MesNPCl, (eq 2b) dimerization of MesNPCl to 10, and (eq 2c) the insertion of carbodiimide into a P–N bond of 10 to give 11. Overall, the reaction starts with 2 equiv of 1PCI and ends with equal equivalents of carbodiimide and 11.

which was identified as free *N,N'*-bis(Mes)carbodiimide. The other product could be isolated in pure form from repeated recrystallizations ( $\times 2$ ) from DCM/hexanes at  $-30$  °C. X-ray diffraction studies revealed that the phosphorus containing product was actually the iminophosphine complex of  $\text{Pt}(\text{PPh}_3)_3$ , 7.<sup>78</sup> Although there has been a previous report of cationic


iminophosphines acting as ancillary ligands for  $\text{Ni}(0)$  and  $\text{Pt}(0)$ , no solid-state structures have been obtained.<sup>79</sup>

Similar to previous work reported by our group,<sup>44</sup> we sought to employ a Lewis base to help support the coordinatively unsaturated phosphonium center. In this regard, 1 equiv of 2,2'-bipyridine (bpy) was added to 1PCI followed by the addition of


$\text{Me}_3\text{SiOTf}$  (Scheme 5). The color of the solution changed from colorless to yellow. The  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum showed an upfield shift by  $\Delta\delta_p = 75$  from **1PCI**, as well as a shift corresponding to the starting material, showing no change in intensity between 3 and 24 h. A proton NMR spectrum was collected after removing the solvent *in vacuo* and showed four resonances corresponding to coordinated bpy, and four resonances for free bpy. The product was purified by redissolving in  $\text{CH}_2\text{Cl}_2$  and adding hexanes to give an oil, which became a powder after drying *in vacuo*. Multinuclear NMR spectroscopy of the purified material showed a single resonance in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum at  $\delta_p = 106$  and the loss of peaks corresponding to free bpy in the  $^1\text{H}$  NMR spectrum. Single crystals were grown, and a solid-state structure was obtained, which confirmed that bpy and a dianionic ligand were coordinated to the phosphorus atom to give the base-stabilized cation, **8**.<sup>78</sup>

Jones et al. attempted to reduce a dichlorophosphine supported by a bulky (monoanionic)guanidinate with  $\text{KC}_8$ , anticipating a diphosphene; however, the result was many nonisolable phosphorus-containing products.<sup>39</sup> In this context, we investigated the reactivity of **1PCI** with the one-electron reducing agent cobaltocene ( $\text{Cp}_2\text{Co}$ ). The 1:1 stoichiometric reaction of **1PCI** and  $\text{Cp}_2\text{Co}$  in THF at room temperature (Scheme 6) produced copious amounts of green precipitate (cobaltocenium chloride;  $\delta_{\text{H}} = 5.9$ ), and monitoring the reaction by  $^{31}\text{P}\{^1\text{H}\}$  NMR spectroscopy revealed the production of a single product at  $\delta_p = 59$  ( $\Delta\delta_p = 123$ ). The reaction was complete after 48 h, at which time the green precipitate was removed by centrifugation, the volatiles were removed from the supernatant *in vacuo*, and the product was washed with  $\text{CH}_3\text{CN}$  yielding a white powder. The  $^1\text{H}$  NMR spectrum of the white powder in  $\text{CDCl}_3$  at room temperature had four signals in the aryl region and five methyl resonances; however, if the sample was cooled to  $-50^\circ\text{C}$ , six aryl and nine methyl signals were observed. X-ray diffraction studies revealed that reductive coupling had occurred, resulting in a dimeric structure with  $\mu\text{-N,N'}$  bridging guanidinates for **9**.

The thermal stability of the cyclic four-membered diamino-chlorophosphines was investigated given the multiple instances of a peak emerging at  $\delta_p \approx 211$  upon heating of these species. This was accomplished by heating a toluene solution of **1PCI** at  $90^\circ\text{C}$  overnight to deduce what had occurred. Resembling the attempted isomerization of **3PCI** and halide abstraction of **1PCI**–**4PCI**, a 30 ppm downfield chemical shift was noted in the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum after 2 days at  $90^\circ\text{C}$ , giving a singlet at  $\delta_p = 211$ . The product was waxy after the solvent was removed *in vacuo*, but became a white powder after stirring in pentane for 5 min. Decanting the supernatant and drying the powder under reduced pressure yielded pure product as evidenced by  $^1\text{H}$  NMR spectroscopy, which showed a drastically simplified spectrum (see SI). X-ray diffraction studies revealed that the product was indeed the dichlorodiazadiphosphetidine, **10** (see SI for solid-state structure). The proposed route from **1PCI** to **10** is by elimination of  $\text{N,N'}$ -bis(Mes)carbodiimide resulting in a chloro(2,4,6-trimethylphenylimino)phosphine ( $\text{MesNPCI}$ ), which dimerizes to give a dichlorodiazadiphosphetidine.<sup>80</sup> An analogous dichlorodiazadiazetidine,  $[\{2\text{-}(6\text{-Me})\text{C}_5\text{H}_3\text{N}\}\text{NAsCl}]_2$ , has been observed by the thermal elimination of  $\text{Me}_3\text{SiCl}$  from  $[\{2\text{-}(6\text{-Me})\text{C}_5\text{H}_3\text{N}\}\text{NSiMe}_3]\text{AsCl}_2$ .<sup>42</sup> The thermally induced removal of a carbodiimide fragment from guanidinato molecular species has been comprehensively studied by Barry et al. and is a




**Figure 1.** (a) Plot of the integration of  $\delta_p$  **1PCI**, **10**, and **11** relative to normalized  $\text{PPh}_3$  and the sum of the integrations as a function of time. (b) Stacked plot of  $^{31}\text{P}\{^1\text{H}\}$  NMR spectra for monitoring the production of **11** from **1PCI**.



**Figure 2.** Stack plot of  $^1\text{H}$  NMR spectra for (a) pure **11**, (b) crude completed ring expansion, and (c) pure  $\text{N,N'}$ -bis(Mes)carbodiimide.

known pathway in their thermal decomposition.<sup>81,82</sup> While **10** was the major product from heating **1PCI**, there was a minor product at  $\delta_p = 140$ . This species could be isolated from collecting the  $\text{CH}_3\text{CN}$  washes of **10**. Single crystals suitable for X-ray diffraction studies revealed that the minor product was actually a dinuclear compound featuring a  $\mu\text{-N,N'}$  bridging guanidinate and a bridging  $\text{N-Mes}$  (Scheme 7), **11**. Heating an NMR tube charged with **1PCI** in a  $\text{CDCl}_3$  solution at  $90^\circ\text{C}$  overnight in an oil bath also produces **11** in nearly quantitative yields (92%) according to the  $^{31}\text{P}\{^1\text{H}\}$  NMR spectrum. Possible routes for the ring expansion are proposed as either



**Figure 3.** Solid-state structures of (a) **1PCI**, (b) **2PCI**, (c) **3PCI**, (d) **4PCI**, (e) **1PBr**, and (f) **6Al**. Ellipsoids are drawn to 50% probability. The methyl groups on the <sup>i</sup>Pr substituents, and the hydrogen atoms have been omitted for clarity.

(a) ring-opening of **1PCI** to dimerize with MesNPCl, or (b) insertion of *N,N'*-bis(Mes)carbodiimide into a P–N bond of **10** (Scheme 8). To elucidate the likely reaction pathway this reaction was monitored by <sup>31</sup>P{<sup>1</sup>H} NMR spectroscopy where a spectrum was collected every hour for 43 h (Figure 1). It was determined that **10** is a short-lived intermediate in the reaction when CDCl<sub>3</sub> is used as the solvent (Figure 1b), as the reaction appears to be solvent dependent.<sup>83</sup> Regardless of the route following proposed mechanism a or b, a 1:1 stoichiometric ratio of **11** and carbodiimide should be observed in the <sup>1</sup>H NMR spectrum of the crude material upon the completion of the reaction, which is indeed the case (Figure 2). Given that the reaction between isolated **10** and *N,N'*-bis(Mes)carbodiimide (Scheme 8b, eq 2c) in various stoichiometries (1:1, 1:2, 1:5), solvents, and temperatures (toluene (90 °C), xylene (140 °C), and CDCl<sub>3</sub> (90 °C)) gave no change in the signals observed

within the <sup>31</sup>P{<sup>1</sup>H} NMR spectra, it was deduced that the mechanism most likely follows route a. This is similar to the Lewis acid induced oligomerization observed by Burford et al., where an iminophosphine, in equilibrium with the corresponding phosphetidine, is formally inserted into a phosphazane.<sup>84</sup>

**X-ray Crystallographic Studies.** Single crystals suitable for X-ray diffraction studies were grown for compounds **1PCI**–**4PCI** and **1PBr** by various techniques and solvent combinations (see Experimental Section for details). The solid-state structures of **1PCI**–**4PCI** and **1PBr** (Figure 3a–e) are analogous and were all crystallized in the monoclinic *P2<sub>1</sub>/c* space group (Table 2, see Table 1 for summary of important metrical parameters). In all cases, the coordination of the guanidinate ligand to phosphorus is  $\kappa^2$ -*N,N'* chelating, which generates a strained four-membered ring. The N–P–N bond angles range from 75.73(7)° to 78.61(7)°, which are on the



Table 2. X-ray Details for 1PCI–4PCI, 1PBr, 6Al, 9, 11

	1PCI	2PCI	3PCI	4PCI	1PBr	6Al	9	11
empirical formula	C <sub>28</sub> H <sub>33</sub> ClN <sub>3</sub> P	C <sub>37</sub> H <sub>51</sub> ClN <sub>3</sub> P	C <sub>31</sub> H <sub>39</sub> ClN <sub>3</sub> P	C <sub>34</sub> H <sub>45</sub> ClN <sub>3</sub> P	C <sub>28</sub> H <sub>33</sub> BrN <sub>3</sub> P	C <sub>28</sub> H <sub>33</sub> AlCl <sub>4</sub> N <sub>3</sub> P	C <sub>56</sub> H <sub>66</sub> N <sub>6</sub> P	C <sub>29</sub> H <sub>94</sub> Cl <sub>6</sub> N <sub>10</sub> P <sub>4</sub>
fw (g/mol)	477.99	604.23	520.07	562.15	522.45	611.32	885.09	1520.22
cryst syst	monoclinic	monoclinic	monoclinic	monoclinic	monoclinic	monoclinic	monoclinic	triclinic
space group	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P2 <sub>1</sub> /c	P $\bar{1}$
a (Å)	8.6540(5)	15.829(3)	20.468(2)	10.744(2)	8.6103(17)	14.544(3)	15.278(3)	11.562(2)
b (Å)	26.8867(14)	11.199(2)	9.2821(10)	15.331(3)	14.299(3)	13.657(3)	21.301(4)	13.418(3)
c (Å)	12.6400(6)	24.175(8)	15.5195(18)	22.699(6)	21.572(4)	17.327(7)	21.126(7)	14.712(3)
$\alpha$ (deg)	90	90	90	90	90	90	90	65.35(3)
$\beta$ (deg)	115.843(3)	125.42(2)	92.061(4)	118.03(2)	91.13(3)	119.39(2)	133.195(17)	78.17(3)
$\gamma$ (deg)	90	90	90	90	90	90	90	88.20(3)
V (Å <sup>3</sup> )	2646.9(2)	3492.3(15)	2946.6(6)	3300.3(12)	2655.4(9)	2998.7(15)	5012(2)	2026.6(7)
Z	4	4	4	4	4	4	4	1
D <sub>c</sub> (mg m <sup>-3</sup> )	1.199	1.149	1.172	1.131	1.307	1.354	1.173	1.246
R <sub>int</sub>	0.0787	0.0578	0.0827	0.0756	0.0305	0.0534	0.0609	0.1067
R1 [I > 2 $\sigma$ (I)] <sup>a</sup>	0.0422	0.0550	0.0894	0.0371	0.0533	0.0557	0.0788	0.0606
wR2 (F <sup>2</sup> ) <sup>a</sup>	0.1035	0.1687	0.2347	0.1026	0.1424	0.1887	0.2300	0.1461
GOF (S) <sup>a</sup>	1.016	1.069	1.126	1.029	1.056	1.083	1.105	1.010

<sup>a</sup>R1 [I > 2 $\sigma$ (I)] =  $\sum ||F_o| - |F_c|| / \sum |F_o|$ ; wR2(F<sup>2</sup> [all data]) =  $[w(F_o^2 - F_c^2)^2]^{1/2}$ ; S(all data) =  $[w(F_o^2 - F_c^2)^2 / (n - p)]^{1/2}$  (n = no. of data; p = no. of parameters varied;  $w = 1/[\sigma^2(F_o^2) + (aP)^2 + bP]$  where  $P = (F_o^2 + 2F_c^2)/3$  and a and b are constants suggested by the refinement program.

smaller end of the scale compared to other similar four-membered rings derived from chelating nitrogen-based ligands on phosphorus (cf. 70.66–120.72°, mean = 87.21°).<sup>85,86</sup> The metrical parameters of the guanidinate ligands further confirmed its dianionic nature in 1PCI–4PCI and 1PBr. The C–N<sub>endo</sub> bond lengths within the ring are consistent with carbon–nitrogen single bonds C(1)–N(1) 1.403(2)–1.437(2) Å and C(1)–N(2) 1.410(3)–1.477(2) Å (cf. 1.42 (av) Å)<sup>48</sup> while the C–N<sub>exo</sub> bond lengths are representative of a carbon–nitrogen double bond C(1)–N(3) 1.249(3)–1.261(2) Å (cf. 1.28 Å).<sup>48</sup> The exocyclic nitrogen N(3) has a stereochemically active lone pair, and the aryl substituent on N(3) in 3PCI and 4PCI resides on the side of the endocyclic nitrogen bearing the substituent with the least bulk to minimize steric interactions in the case of the heteroleptic guanidinate. The expected trigonal planar geometry is observed about C(1) ( $\Sigma_{\text{ang}} = 360^\circ$ ) and a pyramidal geometry about P(1) ( $\Sigma_{\text{ang}} = 280.8$ – $287.2^\circ$ ). Short P(1)–Cl(1) bonds are noted for 1PCI–4PCI with bond lengths ranging from 2.0476(7) to 2.1141(7) Å. This is contrary to the characteristically long P–Cl bonds commonly observed for 6 $\pi$  aromatic cyclic diaminochlorophosphines in the larger five-membered ring, attributed to the hyperconjugation of  $\pi(\text{C}_2\text{N}_2) - \sigma^*(\text{P}-\text{Cl})$  (e.g., 2.24–2.70 Å).<sup>69,75,87</sup> The P–Cl bond lengths are even shorter than acyclic (NMe<sub>2</sub>)<sub>2</sub>P(1) (2.180(4)).<sup>88</sup> A possible reason for the failed metathesis reactions is the strong phosphorus–halide bond, reflected in the short P–X (X = Cl, Br (2.2936(10) Å, cf. 2.43–2.95 Å)<sup>28,72,74</sup>) bond distance for 1PCI–4PCI and 1PBr.

The solid-state structure of 6Al (Figure 3f, Table 2) confirmed the atom connectivity of N(3) to Al(1) with a bond length of 1.936(3) Å, which is in the typical range found for other AlCl<sub>3</sub> adducts.<sup>89,90</sup> Compared to 1PCI, 6Al has shortened C(1)–N(1), C(1)–N(2), and P(1)–Cl(1) bond lengths and an elongated C(1)–N(3) bond (Table 1). The Al–Cl bond lengths have also elongated from 2.068(4) Å in AlCl<sub>3</sub> to 2.1132(16)–2.1304(13) Å in 6Al.<sup>91</sup> Exocyclic N(3) and endocyclic N(1) have a trigonal planar geometry with the  $\Sigma_{\text{ang}} = 359.9^\circ$ , while the sum of the angles about N(2) is 349.8°


because of the Mes substituent on N(3) residing above, thus causing a slight pyramidalization to decrease steric interactions.

The most notable structural change of 1PCI upon reaction with Cp<sub>2</sub>Co to form 9 (Figure 4a, Table 2) is the change in the coordination mode of the guanidinate ligand from  $\kappa^2\text{-N}_2\text{N}'$  chelating to  $\mu\text{-N}_2\text{N}'$  bridging. The guanidinate ligand 1 retains its dianionic nature in the bridging mode, as indicated by the carbon–nitrogen bond lengths. The P(1)–P(2) bond length is 2.2251(14) Å, which is similar to an analogous structure with  $\mu\text{-N}_2\text{N}'$  bridging ureas (P–P 2.222(2) Å),<sup>92</sup> and consistent with typical P–P single bond lengths (cf. 2.21 Å).<sup>86,93</sup> Unlike the planar As<sub>2</sub>N<sub>4</sub>C bicyclic fragment in a (monoanionic)guanidinate-bridged diarsene,<sup>39</sup> 9 has a puckered arrangement of the two five-membered P<sub>2</sub>N<sub>2</sub>C rings, where the two planes are 100.4° to each other (Figure 4b). The molecular geometry about the phosphorus atoms is trigonal pyramidal with a stereochemically active lone pair of electrons indicative of an AX<sub>3</sub>E electron pair geometry.

The solid-state structure of 11 revealed that a ring expansion of 1PCI had occurred (Figure 4c). This was most likely the result of monomeric chloro(imino)phosphine inserting into the P–N bond of 1PCI.<sup>84</sup> Upon ring expansion the coordination of the guanidinate ligand changes from  $\kappa^2\text{-N}_2\text{N}'$  chelating to  $\mu\text{-N}_2\text{N}'$  bridging and retains its dianionic charge as indicated by the C(1)–N bond lengths (C(1)–N(1) 1.411(3) Å, C(1)–N(2) 1.416(3) Å, C(1)–N(3) 1.270(3) Å). The P(1)–Cl(1) and P(2)–Cl(2) bond lengths are 2.1228(11) and 2.1290(12) Å, respectively, and significantly longer than 1PCI. Unlike the phosphetidine 10 the chlorine atoms are in a *trans* conformation, and the ring is puckered with a mean deviation from the plane of 0.1425 Å, compared to nearly planar 10 with a mean deviation from the plane of 0.0571 Å. The P–N bonds range from 1.688(2) to 1.704(2) Å, which are shorter than 1PCI (1.7081(14)–1.7235(15) Å) and longer than that of a monomeric chloro(imino)phosphine (P–N 1.495(4) Å for Cl–P=N–Mes\*, Mes\* = 2,4,6-tri-*tert*-butylphenyl).<sup>94</sup>

**Computational Studies.** To shed light on the resistance of compounds 1PCI–5PCI and 1PBr to halide abstraction, the electronic structures of chlorophosphines 5PCI and





**Figure 5.** Lowest unoccupied molecular orbitals of the studied *N*-heterocyclic phosphines and their orbital energies (eV, in parentheses).

metathesis. To analyze the origin of this phenomenon in detail, we turned our attention to the frontier orbital structure of the corresponding NHPs.

Figure 5 shows the lowest unoccupied molecular (Kohn–Sham) orbitals (LUMOs) and orbital energies of NHPs with different backbones but identical *N*-substituents. This orbital is of particular interest in the study of the nature of bonding in equivalent chlorophosphines as it interacts directly with an electron pair from the halide anion to form the P–Cl bond. Although the overall morphology of the orbitals in Figure 5 is rather similar, a  $\pi$ -type molecular orbital (MO) with a major contribution from the  $p_z$  atomic orbital (AO) of phosphorus and a smaller admixture of AOs from the two flanking nitrogen nuclei, their orbital energies are vastly different with the LUMO of our target cations residing by far the lowest. Frontier MO theory based arguments predict that NHPs based on the P–N–C–N backbone should be the best electron acceptors in the series and form the most covalent P–X bonds. The observed differences in the charge distributions of the investigated halophosphines can therefore be correlated with the differing orbital characteristics of the corresponding NHPs. This holds not only for systems shown in Figure 5 but also for other chlorophosphines examined in the current work (see SI). In addition, we note that the morphology of the LUMO is consistent with the possibility to affect the details of the P–Cl interaction by changing the exocyclic substituents from  $\sigma$ - (alkyl) to  $\pi$ -type (aryl).

Given that our target cations appear to be much better electron acceptors than other known NHPs, the details of the P–X interaction in the corresponding halophosphines should be inferable not only from atomic partial charges but also from calculated bond strengths. We examined the nature of the P–Cl bond in compounds **5PCI** and **12PCI**–**15PCI** with the help of energy decomposition analysis (EDA) which partitions the bonding interaction between a cationic NHP and a chloride anion into physically meaningful components (see Table 4).<sup>60</sup>

**Table 4. Results from Energy Decomposition Analyses of P–Cl Bonding in the Studied Chlorophosphines<sup>a</sup>**

	$E_{\text{Pauli}}$	$E_{\text{elstat}}^b$	$E_{\text{orb}}^b$	$E_{\text{int}}$
<b>5PCI</b>	947	−875 (57%)	−651 (43%)	−580
<b>12PCI</b>	1065	−941 (56%)	−754 (44%)	−630
<b>13PCI</b>	1021	−924 (56%)	−717 (44%)	−621
<b>14PCI</b>	909	−883 (58%)	−628 (42%)	−602
<b>15PCI</b>	910	−870 (58%)	−619 (42%)	−579
<b>16PCI</b>	654	−726 (64%)	−402 (36%)	−475
<b>17PCI</b>	869	−827 (60%)	−551 (40%)	−509
<b>18PCI</b>	774	−801 (62%)	−511 (38%)	−539
<b>19PCI</b>	932	−873 (58%)	−639 (42%)	−580

<sup>a</sup>Energies are reported in  $\text{kJ mol}^{-1}$ . <sup>b</sup>Percentage of total attractive interactions given in parentheses

It should be noted here that the instantaneous interaction energy ( $E_{\text{int}}$ ) given by the EDA is not (the negative of) bond


dissociation energy, which takes into account the energy gained from relaxation of the fragment geometries upon bond breaking. However, when comparing bonding trends across multiple similar systems, the snapshot-type picture given by the EDA procedure is sufficient.

Table 4 lists the calculated EDA interaction energies along with their division into individual contributions from Pauli repulsion ( $E_{\text{Pauli}}$ ) and electrostatic ( $E_{\text{elstat}}$ ) and orbital interactions ( $E_{\text{orb}}$ ). The trend in  $E_{\text{int}}$  values confirms that the P–Cl bond is markedly stronger in all chlorophosphines with a P–N–C–N backbone as compared to systems previously reported to undergo salt metathesis. The only exception are the fully alkyl substituted **5PCI** and **15PCI** whose interaction energy equals that of **19PCI**. This is in accord with experimental observations, which demonstrated the increased reactivity of **5PCI** over other halophosphines studied in the present work. Changes in the percentage of  $E_{\text{orb}}$  from the total attractive interactions ( $E_{\text{orb}} + E_{\text{elstat}}$ ) show that as the P–Cl interaction weakens it also becomes more electrostatic in nature. These results are fully in accord with the picture gleaned from the calculated charge distributions and LUMO energies. A correlation analysis on the calculated P–Cl charge difference (Table 3) and the percentage of covalent (orbital-type) character in the P–Cl bond (Table 4) yields a linear relationship with a correlation coefficient  $R^2 = 0.93$  (Figure 6a). An equally good linear regression (Figure 6b) is obtained if the LUMO energies of NHPs (see SI) are plotted against the EDA interaction energies (Table 4).


Investigation of the unoccupied orbitals of the studied chlorophosphines offers a rationale for the role of bpy in capturing the targeted NHP as a base-stabilized cation. As shown in Figure 7 for **12PCI**, both of its two lowest unoccupied orbitals have suitable morphologies to accept electron density from a coordinating Lewis base. A geometry optimization for **12PCI** with bpy was run and led to the formation of an adduct with a slightly (0.05 Å) longer P–Cl bond as compared to **12PCI**. This is consistent with the antibonding nature of the orbitals in Figure 7, which in turn implies a weakened P–Cl interaction in the adduct. Consequently, an EDA calculation conducted for the bpy complex of **12PCI** yields a P–Cl interaction energy of  $−482 \text{ kJ mol}^{-1}$  which is significantly less than that obtained for free **12PCI** and similar to that found for chlorophosphines with either P–N–Si–N or P–N–C=C–N backbones (Table 4).

The collective results from computational investigations enable us to conclude that the exceptionally good electron acceptor properties of the target NHP cations render the corresponding halophosphines reluctant toward halide abstraction, unless there is additional stabilization from a Lewis base. The P–X bonds are not only stronger but also more covalent than in analogous systems known to undergo salt metathesis. Consequently, triflate-based reagents show no or only limited reactivity with **1PCI**–**5PCI**, most likely simply due to increased energy required to break the P–Cl bond.





**Figure 6.** Correlation between (a) the covalent contribution and the charge difference in the P–Cl bond of the studied chlorophosphines, and (b) correlation between the LUMO energies of the studied NHPs and the EDA P–Cl interaction energies of the studied chlorophosphines.



**Figure 7.** Two of the lowest unoccupied molecular orbitals of 12PCl.

## CONCLUSION

In summary, 1PCl–4PCl and 1PBr represent the first examples of *N*-heterocyclic chlorophosphines supported by (dianionic)-guanidinate ligands. The experimentally observed reluctance to form the corresponding *N*-heterocyclic phosphonium cations was rationalized by computational studies. Analysis of the charge distributions, orbital structures, and relative P–Cl bond energies of the computationally studied compounds gives corroborating evidence of the strong P–X bond and strong Lewis acidity of the cationic species. Reactivity studies of 1PCl demonstrate the high degree of strain induced by the four-membered ring, which leads to chemically and thermally induced carbodiimide elimination, as well as a novel ring expansion by insertion of chloro(imino)phosphine into a P–N bond of 1PCl. These results demonstrate the electronic nature and alluring reactivity of diaminochlorophosphines restricted in a four-membered ring.

## ASSOCIATED CONTENT

### Supporting Information

CIF data for 3, 1PCl–4PCl, 1PBr, 6Al, 9, 10, and 11; solid-state structures of 3, 4, 7, 8, and 10; selected  $^1\text{H}$  NMR spectra; optimized structures; and LUMO energies of computationally investigated compounds. This material is available free of charge via the Internet at <http://pubs.acs.org>.

## AUTHOR INFORMATION

### Corresponding Author

pragogna@uwo.ca

### Notes

The authors declare no competing financial interest.

## ACKNOWLEDGMENTS

The authors gratefully acknowledge the Natural Sciences and Engineering Research Council of Canada (NSERC), the Canada Foundation for Innovation, the Ontario Ministry of Research and Innovation Early Researcher Award (OMRI-ERA), The

University of Western Ontario, the Academy of Finland, the Technology Industries of Finland Centennial Foundation, and the University of Jyväskylä for financial support. We also thank CSC—The IT Center for Science in Espoo, Finland, for their support in providing computational resources. Dr. C.D. Martin and J.T. Price are also thanked for collection of X-ray diffraction data.

## REFERENCES

- (1) Spikes, G. H.; Fettingner, J. C.; Power, P. P. *J. Am. Chem. Soc.* **2005**, *127*, 12232.
- (2) Peng, Y.; Brynda, M.; Ellis, B. D.; Fettingner, J. C.; Rivard, E.; Power, P. P. *Chem. Commun.* **2008**, 6042.
- (3) Li, J.; Schenk, C.; Goedecke, C.; Frenking, G.; Jones, C. *J. Am. Chem. Soc.* **2011**, *133*, 18622.
- (4) Power, P. P. *Acc. Chem. Res.* **2011**, *44*, 627.
- (5) Peng, Y.; Guo, J.-D.; Ellis, B. D.; Zhu, Z.; Fettingner, J. C.; Nagase, S.; Power, P. P. *J. Am. Chem. Soc.* **2009**, *131*, 16272.
- (6) Peng, Y.; Ellis, B. D.; Wang, X.; Power, P. P. *J. Am. Chem. Soc.* **2008**, *130*, 12268.
- (7) Zhu, Z.; Wang, X.; Peng, Y.; Lei, H.; Fettingner, J. C.; Rivard, E.; Power, P. P. *Angew. Chem., Int. Ed.* **2009**, *48*, 2031.
- (8) Khan, S.; Michel, R.; Dieterich, J. M.; Mata, R. A.; Roesky, H. W.; Demers, J.-P.; Lange, A.; Stalke, D. *J. Am. Chem. Soc.* **2011**, *133*, 17889.
- (9) Welch, G. C.; Juan, R. R. S.; Masuda, J. D.; Stephan, D. W. *Science* **2006**, *314*, 1124.
- (10) Stephan, D. W.; Erker, G. *Angew. Chem., Int. Ed.* **2010**, *49*, 46.
- (11) Dureen, M. A.; Lough, A.; Gilbert, T. M.; Stephan, D. W. *Chem. Commun.* **2008**, 4303.
- (12) Mömming, C. M.; Otten, E.; Kehr, G.; Fröhlich, R.; Grimme, S.; Stephan, D. W.; Erker, G. *Angew. Chem., Int. Ed.* **2009**, *48*, 6643.
- (13) Ménard, G.; Stephan, D. W. *J. Am. Chem. Soc.* **2010**, *132*, 1796.
- (14) Chase, P. A.; Welch, G. C.; Jurca, T.; Stephan, D. W. *Angew. Chem., Int. Ed.* **2007**, *46*, 8050.
- (15) Chase, P. A.; Jurca, T.; Stephan, D. W. *Chem. Commun.* **2008**, 1701.
- (16) Spies, P.; Schwendemann, S.; Lange, S.; Kehr, G.; Fröhlich, R.; Erker, G. *Angew. Chem., Int. Ed.* **2008**, *47*, 7543.
- (17) Sumerin, V.; Schulz, F.; Atsumi, M.; Wang, C.; Nieger, M.; Leskelä, M.; Repo, T.; Pyykkö, P.; Rieger, B. *J. Am. Chem. Soc.* **2008**, *130*, 14117.

- (18) Wang, H.; Fröhlich, R.; Kehr, G.; Erker, G. *Chem. Commun.* **2008**, 5966.
- (19) Jana, A.; Schulze, C.; Roesky, H. W. *J. Am. Chem. Soc.* **2009**, *131*, 4600.
- (20) Präsang, C.; Stoelzel, M.; Inoue, S.; Meltzer, A.; Driess, M. *Angew. Chem., Int. Ed.* **2010**, *49*, 10002.
- (21) Payrastra, C.; Madaule, Y.; Wolf, J. G. *Heteroat. Chem.* **1992**, *3*, 157.
- (22) Burford, N.; Cameron, T. S.; Ragogna, P. J. *J. Am. Chem. Soc.* **2001**, *123*, 7947.
- (23) Burford, N.; Ragogna, P. J. *J. Chem. Soc., Dalton Trans.* **2002**, 4307.
- (24) Cowley, A. H.; Kemp, R. A. *Chem. Rev.* **1985**, *85*, 367.
- (25) Abrams, M. B.; Scott, B. L.; Baker, R. T. *Organometallics* **2000**, *19*, 4944.
- (26) Hardman, N. J.; Abrams, M. B.; Pribisko, M. A.; Gilbert, T. M.; Martin, R. L.; Kubas, G. J.; Baker, R. T. *Angew. Chem., Int. Ed.* **2004**, *43*, 1955.
- (27) Caputo, C. A.; Jennings, M. C.; Tuononen, H. M.; Jones, N. D. *Organometallics* **2009**, *28*, 990.
- (28) Caputo, C. A.; Brazeau, A. L.; Hynes, Z.; Price, J. T.; Tuononen, H. M.; Jones, N. D. *Organometallics* **2009**, *28*, 5261.
- (29) Spinney, H. A.; Yap, G. P. A.; Korobkov, I.; DiLabio, G.; Richeson, D. S. *Organometallics* **2006**, *25*, 3541.
- (30) Montemayor, R. G.; Sauer, D. T.; Fleming, S. S.; Bennett, D. W.; Thomas, M. G.; Parry, R. W. *J. Am. Chem. Soc.* **1978**, *100*, 2231.
- (31) Nakazawa, H.; Yamaguchi, Y.; Mizuta, T.; Miyoshi, K. *Organometallics* **1995**, *14*, 4173.
- (32) Burck, S.; Daniels, J.; Gans-Eichler, T.; Gudat, D.; Nättinen, K.; Nieger, M. Z. *Anorg. Allg. Chem.* **2005**, *631*, 1403.
- (33) Burford, N.; Dyker, C. A.; Decken, A. *Angew. Chem., Int. Ed.* **2005**, *44*, 2364.
- (34) Holthausen, M. H.; Weigand, J. J. *J. Am. Chem. Soc.* **2009**, *131*, 14210.
- (35) Holthausen, M. H.; Richter, C.; Hepp, A.; Weigand, J. J. *Chem. Commun.* **2010**, *46*, 6921.
- (36) Weigand, J. J.; Feldman, K.-O.; Henne, F. D. *J. Am. Chem. Soc.* **2010**, *132*, 16321.
- (37) Scherer, O. J.; Schnabl, G. *Chem. Ber.* **1976**, *109*, 2996.
- (38) Niecke, E.; Kröher, R. *Angew. Chem., Int. Ed.* **1976**, *15*, 692.
- (39) Green, S. P.; Jones, C.; Jin, G.; Stasch, A. *Inorg. Chem.* **2007**, *46*, 8.
- (40) Ergezinger, C.; Weller, F.; Dehnicke, K. Z. *Naturforsch., B: J. Chem. Sci.* **1988**, *43*, 1119.
- (41) Raston, C. L.; Skelton, B. W.; Tolhurst, V.-A.; White, A. H. *Polyhedron* **1998**, *17*, 935.
- (42) Raston, C. L.; Skelton, B. W.; Tolhurst, V.-A.; White, A. H. *J. Chem. Soc., Dalton Trans.* **2000**, 1279.
- (43) Lyhs, B.; Schulz, S.; Westphal, U.; Bläser, D.; Boese, R.; Bolte, M. *Eur. J. Inorg. Chem.* **2009**, 2247.
- (44) Brazeau, A. L.; Nikouline, A. S.; Ragogna, P. J. *Chem. Commun.* **2011**, *47*, 4817.
- (45) Bailey, P. J.; Gould, R. O.; Harmer, C. N.; Pace, S.; Steiner, A.; Wright, D. S. *Chem. Commun.* **1997**, 1161.
- (46) Findlater, M.; Hill, N. J.; Cowley, A. H. *Dalton Trans.* **2008**, 4419.
- (47) Boéré, R. E.; Boéré, R. T.; Masuda, J.; Wolmershäuser, G. *Can. J. Chem.* **2000**, *78*, 1613.
- (48) Tin, M. K. T.; Yap, G. P. A.; Richeson, D. S. *Inorg. Chem.* **1998**, *37*, 6728.
- (49) Attempts to obtain HRMS for 1PCI–SPCI, 1PBr were unsuccessful because the molecule fell apart, and only compounds 1–5 are observed in the spectrum.
- (50) Lower temperature NMR spectroscopy was used in acquiring the  $^1\text{H}$  and  $^{13}\text{C}\{^1\text{H}\}$  NMR spectra for compounds 1PCI–SPCI, 1PBr, and 9. At room temperature the resonances were broad due to dynamic processes.
- (51) TURBOMOLE V6.3 2011, A Development of University of Karlsruhe and Forschungszentrum Karlsruhe GmbH, 1989–2007; TURBOMOLE GmbH, since 2007; available from <http://www.turbomole.com>.
- (52) ADF2010, SCM; Theoretical Chemistry, Vrije Universiteit: Amsterdam, The Netherlands, 2010; <http://www.scm.com>.
- (53) Perdew, J. P.; Burke, K.; Ernzerhof, M. *Phys. Rev. Lett.* **1996**, *77*, 3865.
- (54) Perdew, J. P.; Burke, K.; Ernzerhof, M. *Phys. Rev. Lett.* **1997**, *78*, 1396.
- (55) Perdew, J. P.; Ernzerhof, M.; Burke, K. *J. Chem. Phys.* **1996**, *105*, 9982.
- (56) Adamo, C.; Barone, V. *J. Chem. Phys.* **1999**, *10*, 6158.
- (57) Weigend, F.; Häser, M.; Patzelt, H.; Ahlrichs, R. *Chem. Phys. Lett.* **1998**, *294*, 143.
- (58) Weigend, F.; Ahlrichs, R. *Phys. Chem. Chem. Phys.* **2005**, *7*, 3297.
- (59) Reed, A. E.; Weinstock, R. B.; Weinhold, F. *J. Chem. Phys.* **1985**, *83*, 735.
- (60) Bickelhaupt, F. M.; Baerends, E. J. In *Reviews in Computational Chemistry*; Lipkowitz, K. B., Boyd, D. B., Eds.; Wiley-VCH: New York, 2000; Vol. 15, p 1.
- (61) Morokuma, K. *J. Chem. Phys.* **1971**, *55*, 1236.
- (62) Kitaura, K.; Morokuma, K. *Int. J. Quantum Chem.* **1976**, *10*, 325.
- (63) Ziegler, T.; Rauk, A. *Theor. Chim. Acta* **1977**, *46*, 1.
- (64) van Lenthe, E.; Baerends, E. J. *J. Comput. Chem.* **2003**, *24*, 1142.
- (65) Laaksonen, L. *J. Mol. Graphics* **1992**, *10*, 33.
- (66) Bergman, D. L.; Laaksonen, L.; Laaksonen, A. *J. Mol. Graphics Modell.* **1997**, *15*, 301.
- (67) Caputo, C. A.; Price, J. T.; Jennings, M. C.; McDonald, R.; Jones, N. D. *Dalton Trans.* **2008**, 3461.
- (68) Burford, N.; Cameron, T. S.; Conroy, K. D.; Ellis, B.; Macdonald, C. L. B.; Ovans, R.; Phillips, A. D.; Ragogna, P. J.; Walsh, D. *Can. J. Chem.* **2002**, *80*, 1404.
- (69) Burck, S.; Gudat, D.; Nättinen, K.; Nieger, M.; Niemeyer, M.; Schmid, D. *Eur. J. Inorg. Chem.* **2007**, 5112.
- (70) Denk, M. K.; Gupta, S.; Ramachandran, R. *Tetrahedron Lett.* **1996**, *37*, 9025.
- (71) Pavia, D. L.; Lampman, G. M.; Kriz, G. S. *Introduction to Spectroscopy*, 2nd ed.; Saunders College Publishing: Orlando, FL, 1996.
- (72) Burck, S.; Gudat, D.; Nieger, M.; Benkö, Z.; Nyulási, L. Z. *Anorg. Allg. Chem.* **2009**, *635*, 245.
- (73) Reeske, G.; Cowley, A. H. *Inorg. Chem.* **2007**, *46*, 1426.
- (74) Dube, J. W.; Farrar, G. J.; Norton, E. L.; Szekely, K. L. S.; Cooper, B. F. T.; Macdonald, C. L. B. *Organometallics* **2009**, *28*, 4377.
- (75) Gudat, D.; Haghverdi, A.; Hupfer, H.; Nieger, M. *Chem.—Eur. J.* **2000**, *6*, 3414.
- (76) Carmalt, C. J.; Lomeli, V.; McBurnett, B. G.; Cowley, A. H. *Chem. Commun.* **1997**, 2095.
- (77) Denk, M. K.; Gupta, S.; Lough, A. J. *Eur. J. Inorg. Chem.* **1999**, 41.
- (78) Several solvents and techniques were attempted for the crystallization of 7 and 8, and while X-ray quality single crystals suitable for diffraction studies were grown and the data collected, a highly disordered anion was present in each, which could not be modelled appropriately. The solid-state structures of the cations, confirming the identity and connectivity, are presented in the SI.
- (79) Niecke, E.; Nixon, J. F.; Wenderoth, P.; Passos, B. F. T.; Nieger, M. *J. Chem. Soc., Chem. Commun.* **1993**, 846.
- (80) Lehmann, M.; Schulz, A.; Villingner, A. *Struct. Chem.* **2011**, *22*, 35.
- (81) Coyle, J. P.; Johnson, P. A.; DiLabio, G. A.; Barry, S. T.; Müller, J. *Inorg. Chem.* **2010**, *49*, 2844.
- (82) Ziffle, L. C.; Kenney, A. P.; Barry, S. T.; Müller, J. *Polyhedron* **2008**, *27*, 1832.
- (83) It was observed experimentally that 11 was produced in significantly higher yields and shorter time if  $\text{CDCl}_3$  was used as the solvent compared to toluene. However, no further solvent dependency experiments were conducted.
- (84) Burford, N.; Cameron, T. S.; Conroy, K. D.; Ellis, B.; Lumsden, M.; Macdonald, C. L. B.; McDonald, R.; Philips, A. D.; Ragogna, P. J.

Schurko, R. W.; Walsh, D.; Wasylishen, R. E. *J. Am. Chem. Soc.* **2002**, *124*, 14012.

(85) Average of the result of a query in the CSD for N–P–N angle of four-membered rings featuring chelating N-based ligands. Accessed 9 November 2011.

(86) Bruno, I. J.; Cole, J. C.; Edgington, P. R.; Kessler, M.; Macrae, C. F.; McCabe, P.; Pearson, J.; Taylor, R. *Acta Crystallogr., Sect. B* **2002**, *58*, 389.

(87) Gudat, D. *Acc. Chem. Res.* **2010**, *43*, 1307.

(88) Zaripov, N. M.; Naumov, V. A.; Tuzova, L. L. *Phosphorus* **1974**, *4*, 179.

(89) Grant, D. F.; Killean, R. C. G.; Lawrence, J. L. *Acta Crystallogr., Sect. B* **1969**, *B25*, 377.

(90) Thomas, F.; Bauer, T.; Schulz, S.; Nieger, M. *Z. Anorg. Allg. Chem.* **2003**, *629*, 2018.

(91) Timoshkin, A. Y.; Suvorov, A. V.; Bettinger, H. F.; Schaefer, H. F. *J. Am. Chem. Soc.* **1999**, *121*, 5687.

(92) Roesky, H. W.; Zamankhan, H.; Sheldrick, W. S.; Cowley, A. H.; Mehrotra, S. K. *Inorg. Chem.* **1981**, *20*, 2910.

(93) Mean value observed for P–P single bonds in literature based on a CSD search on 21 November 2011.

(94) Niecke, E.; Nieger, M.; Reichert, F. *Angew. Chem., Int. Ed.* **1988**, *27*, 1715.