## oil & soap-

the suggestion that this society investigate through one of its committees, the possibilities of using Isopropyl Alcohol as a solvent in free fatty acid determinations in crude cotton oil and in the oil from cottonseed meats either as a substitute for Specially Denatured Alcohol or as an alternative solvent. It is also suggested that the committee be requested to study further the possibility of recovering the Isopropyl Alcohol for re-use.

Acknowledgment is made to George H. Kyser of Barrow-Agee Laboratories, Inc., Cairo, Illinois, —**jul**y, 1938

for the original suggestion and part of the analytical work; to C. H. Cox and George H. Nelson of Barrow-Agee Laboratories, Inc., Memphis, Tennessee, for the additional analytical work, and to R. W. Greeff & Company, Inc., who provided the Isopropyl Alcohol.

# THE EFFECT OF VOLTAGE AND TYPE OF EYEPIECE ON LOVIBOND COLOR READINGS

## By W. T. WATKINS

LOOKOUT OIL & REFINING CO., CHATTANOOGA, TENNESSEE

#### Abstract

Small changes in line voltage have very little effect on Lovibond color readings. However, readings made at 120 volts are slightly higher than those made at 100 or 110 volts.

Color readings with the prismatic eyepiece are slightly lower than those obtained with the pinhole type. The large split field obtained with the prismatic eyepiece makes colors easier to match than the two small separate fields obtained with the pinhole type.

D URING the past few years our Chattanooga laboratory has made a number of tests to determine the effect of voltage, type of eyepiece, and other variable conditions on Lovibond color readings.

## Voltage

The Methods of the American Oil Chemists' Society require the use of a 100 watt blue frosted Mazda bulb in reading colors. However, recommendations are not made as to exact line voltage or voltage rating of the bulb. Since relatively small changes in line voltage produce small differences in quality and greater differences in the intensity of light, it was thought this might be responsible for occasional discrepancies in color readings.

Using the prismatic type eyepiece, and a new 115 volt 100 watt blue frosted bulb, two series of tests were made with the line voltage at 100, 110, 115 and 120. In the first series a color tube filled with white paraffin oil to a depth of  $5\frac{1}{4}$  inches, was used with the color glasses. In the second series an empty color tube was used. Readings were made by several observers, none of whom knew the voltage at which they were reading the colors. There was so little difference in the results of the individual observers that only the averages are reported (Table I).

The results indicate that small changes in voltage have very little effect on Lovibond color readings. in the literature, but apparently a comparison of the two on identical samples has not been published.

In these tests four samples of approximately the same color were read with the pinhole type eyepiece. The order of the samples was changed, and readings made with the prismatic type. An empty color tube was used with the color glasses, and all samples read by four observers (Table II).

TABLE II. COMPARISON OF RESULTS OBTAINED WITH PRISMATIC AND

	PINH	OLE EXEPTECES		
			Mean deviation from	
	Average Color-R.		Average Color-R.	
Sample No.	Prismatic –	Pinhole	Prismatic	Pinhole
7	. 2.30	2.53	0.00	0.03
8		2.47	0.03	0.03
9		2.70	0.03	0.07
10		2.73	0.00	0.09
Average		2.61	0.02	0.06
Average	. 2.10	2.01	0.04	0.06
11	. 5.65	5.73	0.10	0.14
12		5.60	0.08	0.10
13		5.45	0.08	0.10
14		5.53	0.08	0.09
Average		5.58	0.09	0.11
Average	. 9.90	0.08	0.09	0.11
15	. 7.53	7.70	0.08	0.10
16	7.28	7.45	0.09	0.15
17		7.45	0.11	0.10
18		7.90	0.04	0.10
Average	. 7.42	7.63	0.08	0.11
19	. 9.20	9.25	0.15	0.16
20		8.18	0.05	0.09
21		8.38	0.10	0.09
22		8.30	0.05	0.10
Average	. 8.41	8.53	0.09	0.11
Average all Samples	. 5.94	6.08	0.97	0.10

However, readings made at 120 volts were slightly higher than those made at 100 and 110 volts.

### Type of Eyepiece

Our rules permit the use of either the pinhole or prismastic type eyepiece for reading colors. The prismatic eyepiece used in our laboratory has the same outside dimensions as the pinhole type.

Both types have been mentioned

TABLE 1.	EFFECT OF	VOLTAGE	ON LOVIBOND	COLOR REAL	DINGS		
		100 volts	110 volts	115 volts	120 volts		
	No. of	Color	Color	Color	Color		
Sample	Observers	R.	R.	R.	R.		
A. 5¼" column o glasses.	f white paraffin	oil used in	color tube on si	de of tintomete	er with color		
1		2.57	2.60	2.67	2.63		
2		4.63	4.67	4.70	4.77		
3		9.93	10.00	10.00	10.17		
Average		5.71	5.76	5.79			
Average		9.41	5.70	5.79	5.86		
B. Empty color tube used with color glasses,							
4		2.45	2.48	2.45	2.53		
5		5.50	5,53	5.60	5.68		
6		7.98	8.00	8.10	8.08		
Average		5.31	5.34	5.38			
inverage		0.01	0.04	0.00	5.43		

On each of the sixteen samples it will be noted that the prismatic reading is slightly lower than the one obtained with the pinhole eyepiece. The mean deviation from the average for all samples is 0.07 red for the prismatic and 0.10 red for the pinhole type. While this difference is small it is in favor of the prismatic type in each series of four samples. The four observers agreed that the large split field obtained with the prismatic eyepiece made the colors easier to match than the two small separate fields obtained with the pinhole type.

Credit is due Mr. L. E. Smith of the Tennessee Electric Power Co., and Mr. W. G. Reece of the Lookout Oil & Refining Co. for their assistance in collecting data.