yayny

Synthesis of Unnatural Amino Acids Functionalized with Sterically Shielded Pyrroline Nitroxides

Ying Wang, Joseph T. Paletta, Kathleen Berg, Erin Reinhart, Suchada Rajca, and Andrzej Rajca*

Department of Chemistry, University of Nebraska, Lincoln, Nebraska 68588-0304, United States

S Supporting Information

[AB](#page-2-0)STRACT: [A series of un](#page-2-0)natural amino acids functionalized with sterically shielded pyrroline nitroxides were synthesized. Their reduction by ascorbate/glutathione indicates that Lcysteine functionalized with gem-diethylpyrroline nitroxide is reduced at the slowest rate and is comparable to that measured for the most resistant to reduction pyrroline and pyrrolidine nitroxides.

The spin labeling of proteins by incorporating unnatural
amino acids functionalized with nitroxides has many potential advantages over the established, site-directed spin labeling $(SDSL)$ methods.^{1,2} Unnatural amino acid spin labels offer access to novel approaches to spin labeling of proteins via nonsense codon suppressi[on](#page-2-0) of an introduced stop codon: (1) via a chemically aminoacylated tRNA^{3,4} or flexizyme-prepared aminoacylated tRNA^{5,6} and (2) via genetic encoding of unnatural, spin-labeled amino acids [in](#page-2-0) live cells.⁷ However, despite the tremendo[us p](#page-2-0)romise for genetic encoding strategies, a major challenge remains in the survival of such p[ro](#page-2-0)bes in the reducing conditions during the ribosome-mediated protein synthesis, resulting in partially irreversible chemical reduction of the nitroxide to the corresponding diamagnetic hydroxylamine.⁸ Thus, chemical modifications of the spin labels are required to render them resistant to such reduction before they can b[e](#page-2-0) applied for the structure−function study of expressed proteins in biological environments.

To this end, $we^{9,10}$ and others^{11,12} recently prepared sterically shielded pyrrolidine nitroxides that are by far the most resistant to asc[orbat](#page-2-0)e and ascorb[ate/g](#page-2-0)lutathione mediated reduction⁹ and, therefore, would be valuable as modified unnatural amino acid spin labels. Note that functionalization of L-amino [ac](#page-2-0)ids with racemic pyrrolidine nitroxides would give two possible stereoisomeric products, but in the case of pyrroline nitroxides, without stereocenters, only one enantiomer for the product is expected.

Here, we report the synthesis of amino acids 1−4, functionalized with sterically shielded pyrroline nitroxides (Figure 1), and their reduction kinetics by ascorbate/ glutathione. For reference, we study reduction kinetics of pyrroline nitroxides 5 and 6 (Figure 1).

Synthesis of amino acid 1 is outlined in Scheme 1. Dibromination of $7^{13,14}$ according to the previously published procedure, provided 8. ¹¹ Subsequent Favorskii rearrangeme[nt](#page-1-0)

Figure 1. Amino acids 1−4 and pyrroline nitroxides 5 and 6.

of 8 gave 5-membered ring amine 9. Selective reduction of 9 using Red-Al provided allylic alcohol amine 10, which was then selectively oxidized with *m*-CPBA (1.6 equiv) to yield pyrroline nitroxide $11.^{15}$ Note that the conversion of 8 to 10 was accomplished by modifications of reaction conditions for the analogous *g[em](#page-2-0)*-dimethylamines.^{17,18} Reaction of the allylic alcohol nitroxide 11 with MsCl gave mesylate nitroxide $12.^{15}$ Nucleophilic substitution of 12 [with](#page-2-0) the sulfhydryl group of Lcysteine provided the target amino acid 1.

The synthesis of amino acid 2 is outlined in Scheme 2. In the first step, alcohol amine $13^{9,15,16}$ is selectively oxidized to ketone amine 14¹⁵ using Dess-[M](#page-1-0)artin reagent (DMP).^{19,20} Subsequent steps leading [to m](#page-2-0)esylate nitroxide 18 are implemented in [an](#page-2-0) analogous way to that for spirocyclo[hexyl](#page-2-0) nitroxide 12. Given the increased steric hindrance of gemdiethyl groups, we were surprised to attain selective oxidation of amine 16 with m-CPBA (1.8 equiv) to provide pyrroline

Received: August 18, 2014 Published: September 16, 2014

Scheme 1. Synthesis of Amino Acid 1

Scheme 2. Synthesis of Amino Acid 2

nitroxide 17 in 78% yield (100% spin purity) and negligible amounts of alkene epoxidation byproduct. Finally, reaction of 18 with L-cysteine gave the target amino acid 2.

The synthesis of N-Boc-protected amino acids 3 and 4 as well as pyrroline nitroxides 5^{15} and 6 is outlined in Scheme 3. In the initial steps, the Favorskii rearrangement products 9 and 15 (Schemes 1 and 2) are su[bje](#page-2-0)cted to oxidation with m-CPBA to provide corresponding nitroxides 19 and 21. Ester hydrolysis of 19 and 21 gives the pyrroline nitroxides 5 and 6, respectively. The carboxylic acids in nitroxides 5 and 6 are converted to Nhydroxysuccinimidyl (NHS) esters by standard methods, using NHS and DCC, to give the corresponding NHS-active esters 20^{15} and 22, which are then coupled with N-Boc-dab to yield target N-Boc-protected amino acids 3 and 4, respectively.

[Th](#page-2-0)e high purity of the bulk samples of amino acid nitroxides 1−4, as well as pyrroline nitroxides 5 and 6, used for kinetic studies, is determined by paramagnetic ¹H NMR spectroscopy (Table S2, Supporting Information) and EPR spin concentrations. Pyrroline nitroxide 3 and 4 are reduced, using a large excess of a[scorbate and reduced gl](#page-2-0)utathione (GSH), to the corresponding diamagnetic hydroxylamines, and their structures are confirmed by ${}^{1}H$ NMR spectroscopy.²¹

EPR spectra of amino acid nitroxides 1−4 in chloroform show triplet patterns due to ¹⁴N hyperfine spli[ttin](#page-2-0)g, $a_N \approx 14-$

Scheme 3. Synthesis of N-Boc-Protected Amino Acids 3 and 4

16 G, and g values of about 2.006, similar to those for the reference pyrroline nitroxides 5 and 6.

Rates of reduction for pyrroline nitroxides 1−6 are studied under pseudo-first-order conditions using a 20-fold excess ascorbate and 25-fold exccess of GSH in pH 7.4 PBS buffer. Addition of GSH leads to higher conversion of nitroxide to hydroxylamine and provides only slightly increased initial rates of the reduction of nitroxides, compared to that in the absence of GSH (ascorbate only).^{9,11} Second-order rate constants, k , are obtained by monitoring the decay of the low-field EPR peak height of nitroxides at 2[95](#page-2-0) K (Figure 2 and Table 1). Single

Figure 2. Reduction profiles of 0.2 mM nitroxides with 4 mM ascorbate and 5 mM GSH in 25 mM PBS pH 7.4 at 295 K.

integrated peak heights are examined and found to produce similar values of k for most nitroxides (Table S1, Supporting Information).⁹ For comparison, the rate of reduction of the gem-dimethylpyrrolidine nitroxide (3-carboxy-PRO[XYL\),](#page-2-0)^{9,11,22} [is measured](#page-2-0) [un](#page-2-0)der identical conditions (Table 1).

gem-Diethylpyrroline nitroxides 2 ($k\approx 0.001\,{\rm\,M}^{-1}\,{\rm\,s}^{-1})$ $k\approx 0.001\,{\rm\,M}^{-1}\,{\rm\,s}^{-1})$ $k\approx 0.001\,{\rm\,M}^{-1}\,{\rm\,s}^{-1})$), [4](#page-2-0) (k \approx 0.003 M $^{-1}$ s $^{-1}$), and 6 ($k \approx$ 0.001 M $^{-1}$ s $^{-1}$ [\) a](#page-2-0)re reduced at significantly slower rates than the corresponding spirocyclohexyl nitroxides 1 ($k ≈ 0.08$ M⁻¹ s⁻¹), 3 ($k ≈ 0.14$ M⁻¹ s⁻¹),

Table 1. Second-Order Rate Constants, k $(\bold{M}^{-1} \; \bold{s}^{-1})$, for Initial Rates of Reduction of Pyrroline Nitroxides (0.2 or 1 mM) with 20-fold Excess Ascorbate and 25-fold Excess of GSH in PBS (25 or 125 mM) pH 7.4 at 295 $K^{a,b}$

0.2 mM spirocylohexyl nitroxides		1.0 mM gem-diethyl nitroxides	
	0.0845 ± 0.0018	2	0.0014 ± 0.0005
3	0.1370 ± 0.0023		0.0025 ± 0.0003
ς^c	0.0509 ± 0.0039		0.0012 ± 0.0000

 a Mean \pm two standard deviations from three measurements; see Table S1 in the Supporting Information. $b' = 0.0603 \pm 0.0025 \text{ M}^{-1} \text{ s}^{-1}$ was measured for 3-carboxy-PROXYL under identical conditions. $k = 0.07$ $\rm M^{-1}~s^{-1}$ was reported for 5, based on imprecise temperature control, which could vary 4−5° (ref 11).

and 5 ($k \approx 0.05 \, \text{M}^{-1} \, \text{s}^{-1}$). More importantly, all three gemdiethylpyrroline nitroxides, which require increased concentration (from 0.2 to 1 mM) to observe measurable initial decay, show a very small decrease in concentration, leaving 97+ % of 0.2 mM nitroxide intact after 3 h (Figure 2). These results imply that amino acids functionalized with gem-diethylpyrroline nitroxides have great potential for spin [la](#page-1-0)beling via the ribosome-mediated protein synthesis.

■ ASSOCIATED CONTENT

S Supporting Information

Additional experimental details. This material is available free of charge via the Internet at http://pubs.acs.org.

■ AUTHOR INFORMATION

Corresponding Author

*E-mail: arajca1@unl.edu.

Notes

The authors declare no competing financial interest.

■ ACKNOWLEDGMENTS

This work was primarily supported by a National Institutes of Health consortium grant (U54GM087519). Additional support was provided by the National Science Foundation (Grant Nos. CHE-1012578 and CHE-1362454), in particular for the research of undergraduate students (K.B. and E.R.). E.R. was supported in part by the Research Experiences for Undergraduates (REU) Program of the National Science Foundation (CHE-1156560). We thank Robert Nickel, an undergraduate at UNL, who was supported by the UCARE program, for his contribution to the early stages in the synthesis of amino acids. We thank Yao Liu, an undergraduate at UNL, for her contribution to the synthesis of 7 and 15. We thank Christopher Richardson (Hamilton College), who was supported by the above referenced REU Program, for his synthesis of nitroxide 19.

■ REFERENCES

(1) Hubbell, W. L.; Lopez, C. J.; Altenbach, C.; Yang, Z. Curr. Opin. Struct. Biol. 2013, 23, 725−733.

(2) Minnihan, E. C.; Yokoyama, K.; JoAnne Stubbe, J. A. F1000 Biol. Rep. 2009, 1, 88.

(3) Cornish, V. W.; Benson, D. R.; Altenbach, C. A.; Hideg, K.; Hubbell, W. L.; Schultz, P. G. Proc. Natl. Acad. Sci. U.S.A. 1994, 91, 2910−2914.

(4) Shafer, A. M.; Kalai, T.; Liu, S. Q. B.; Hideg, K.; Voss, J. C. Biochemistry 2004, 43, 8470−8482.

(5) Goto, Y.; Katoh, T.; Suga, H. Nat. Protoc. 2011, 6, 779−790.

(6) Goto, Y.; Suga, H. Methods Mol. Biol. 2012, 848, 465−478.

(7) Schmidt, M. J.; Borbas, J.; Drescher, M.; Summerer, D. J. Am. Chem. Soc. 2014, 136, 1238−1241.

(8) Belkin, S.; Mehlhorn, R. J.; Hideg, K.; Hankovsky, O.; Packer, L. Arch. Biochem. Biophys. 1987, 256, 232−243.

(9) Paletta, J. T.; Pink, M.; Foley, B.; Rajca, S.; Rajca, A. Org. Lett. 2012, 14, 5322−5325.

(10) (a) Rajca, A.; Wang, Y.; Boska, M.; Paletta, J. T.; Olankitwanit, A.; Swanson, M. A.; Mitchell, D. G.; Eaton, S. S.; Eaton, G. R.; Rajca, S. J. Am. Chem. Soc. 2012, 134, 15724−15727. (b) Correction: Rajca, A.; Wang, Y.; Boska, M.; Paletta, J. T.; Olankitwanit, A.; Swanson, M. A.; Mitchell, D. G.; Eaton, S. S.; Eaton, G. R.; Rajca, S. J. Am. Chem. Soc. 2014, 136, 3318−3318.

(11) Kirilyuk, I. A.; Polienko, Y. F.; Krumkacheva, O. A.; Strizhakov, R. K.; Gatilov, Y. V.; Grigor'ev, I. A.; Bagryanskaya, E. G. J. Org. Chem. 2012, 77, 8016−8027.

(12) Morozov, D. A.; Kirilyuk, I. A.; Komarov, D. A.; Goti, A.; Bagryanskaya, I. Y.; Kuratieva, N. V.; Grigor'ev, I. A. J. Org. Chem. 2012, 77, 10688−10698.

(13) Sakai, K.; Yamada, K.; Yamasaki, T.; Kinoshita, Y.; Mito, F.; Utsumi, H. Tetrahedron 2010, 66, 2311−2315.

(14) Rajca, A.; Kathirvelu, V.; Roy, S. K.; Pink, M.; Rajca, S.; Sarkar, S.; Eaton, S. S.; Eaton, G. R. Chem.-Eur. J. 2010, 16, 5778-5782.

(15) Spirocyclohexyl nitroxides 5, 11, 12, and 20 and gemdiethylamines 13 and 14 were prepared using different synthetic routes in refs 11 and 16, respectively.

(16) Wetter, C.; Gierlich, J.; Knoop, C. A.; Müller, C.; Schulte, T.; Studer, A. Chem.-Eur. J. 2004, 10, 1156-1166.

(17) Hatano, B.; Araya, H.; Yoshimura, Y.; Sato, H.; Ito, T.; Ogata, T.; Kijima, T. Heterocycles 2010, 81, 349−356.

(18) Krishna, M. C.; DeGraff, W.; Hankovszky, O. H.; Sár, C. P.; Kálai, T.; Jekő, J.; Russo, A.; Mitchell, J. B.; Hideg, K. J. Med. Chem. 1998, 41, 3477−3492.

(19) Meyer, S. D.; Schreiber, S. L. J. Org. Chem. 1994, 59, 7549− 7552.

(20) Boeckman, R. K., Jr.; Shao, P.; Mullins, J. J. Org. Synth. 2000, 77, 141−152.

(21) Compound 4 (∼5 mM) could be only partially reduced to hydroxylamine with ∼70% of its gem-diethyl nitroxide remaining. For ∼3 mM 3 reduced under similar conditions, only <1% of its spirocyclohexyl nitroxide remained (Supporting Information).

(22) Vianello, F.; Momo, F.; Scarpa, M.; Rigo, A. Magn. Reson. Imaging 1995, 13, 219−226.