pubs.acs.org/OPRD

## **Using Continuous Processes to Increase Production**

Neal G. Anderson

Anderson's Process Solutions, 7400 Griffin Lane, Jacksonville, Oregon 97530, United States

**ABSTRACT:** Continuous operations have become popular in both academia and the pharmaceutical industry. Continuous operations may be developed to make high-quality material safely, or because continuous operations are the only effective and economical way to make larger quantities of material. This review surveys the area of continuous processes used to make larger quantities of material and discusses the feasibility of developing economical continuous operations.

#### 1. INTRODUCTION

Multikilogram amounts of drug candidates are needed in drug development, increasing from perhaps 10 kg needed for phase 2 studies up to manufacturing batches that may be hundreds of kilograms. Batch operations, routinely used in the pharmaceutical and fine chemicals industries, are not always easy to scaleup. Warning signs may be seen in the laboratory if there is a change in product yield or quality with a change in (a) mixing speed, (b) additions (portionwise or continuous, rapid, or slow), (c) the position of a feed stream, (d) scale-up to a vessel with different geometry, or (e) holding time before workup. In such cases micromixing,<sup>2</sup> poor heat transfer, or the stability of intermediates or products is the cause. These issues may be identified early in laboratory development, through exploratory experiments run on a small scale and discarded after in-process monitoring. If micromixing is an issue, suitable approaches may include increasing the agitation rate,<sup>3</sup> extending the addition time of a key reagent, diluting reagent solutions for the addition, cooling the reaction or adjusting the pH to moderate the reaction, employing an inverse addition, resorting to a less reactive reagent, such as Ac<sub>2</sub>O instead of AcCl, or using continuous operations. Other processes that are candidates for continuous operations are those requiring close contact with sources of energy, such as photolyses, sonochemical reactions or microwave reactions, where the power of the energy source falls off as a function of the square of the distance from the energy source. Continuous operations, which may require some time initially to set up equipment and find optimal concentrations, temperatures, and flow rates, may provide the only practical approach.

In continuous operations, or flow operations, process streams flow through reactors where mixing, temperature, and other parameters can be tightly controlled. Continuous operations can use energy efficiently and produce materials with less waste, an approach to processing which has been termed process intensification. Often these reactors need only small footprints on a bench or plant floor, although continuous stirred tank reactors (CSTRs) may be quite large. For decades continuous operations have been used to economically manufacture high-volume compounds in sectors such as the petrochemical and food processing industries, as with sucrose. High-volume continuous processes within the chemical industries include the manufacture of 1,2-propanediol from glycerol, the manufacture of (S)-3-hydroxy  $\gamma$ -butyrolactone from (S)-malic acid, and the preparations of cyclopropylamine

industry has been using continuous operations as early as 1962, <sup>10</sup> and the use of continuous processing to streamline the manufacture of drugs has been increasing. <sup>11</sup>

Five considerations primarily drive the development of continuous processes.

- First, by efficiently mixing process streams and controlling reaction temperatures, side products from micromixing and temperature excursions can be minimized, 12 possibly reducing the number of rejected batches in manufacturing. For instance, static mixers are often tubular reactors that that create turbulent mixing through internal elements that split and twist the flow of streams. Due to the high surface area-to-volume ratios inherent in small reactors the application and removal of heat can be very efficient, allowing for fine control of reaction temperatures. Through efficient mixing, continuous operations may decrease solvent usage if high dilution had formerly been employed to decrease the formation of side products. The energy for mixing and temperature control can be applied more directly to a small reactor than to a large reactor, increasing the efficiency of energy usage.<sup>13</sup>
- Second, continuous operations can be applied economically for both cryogenic and high-temperature processes. Sometimes processes requiring cryogenic temperatures in batch mode can be carried out using higher temperatures with short contact times; such operations may eliminate the need for expensive reactors for cryogenic temperatures. These higher-temperature conditions are a variant of high temperature—short time (HTST) processing, which has been used for decades, as in the pasteurization of milk. Processes requiring high temperatures, such as 140–300 °C, can be carried out in coiled tubes immersed in heat transfer fluids or inserted in GC ovens; by constraining hot reaction streams to a small area the damage from any unexpected incidents can be localized and ideally minimized.
- Third, reactive species can be separated, thus minimizing side products and raising yields. For instance, if

Special Issue: Continuous Processes 2012

Received: December 1, 2011 Published: February 1, 2012



polymerization is an issue, unstable intermediates can be removed from reactors as they are formed and then be subjected to reaction conditions to generate the desired product. Alternatively, if a starting material is reactive towards both the product and another starting material, by efficiently mixing the two starting materials a rapid reaction can be carried out, and the product can then be continuously removed from the entry point of the reactive starting material.

- Fourth, by continuously circulating reaction streams past an energy source such as a lamp or a sonic horn, or through a bed of an immobilized catalyst, the forced contact can ensure rapid reactions. Continuous operations may be the only practical approach to generate large amounts of products from photolyses or sonochemical reactions.
- Finally, the above characteristics of continuous operations may be applied to develop safe processes. Toxic or highly energetic compounds, such as HCN, <sup>14</sup> phosgene <sup>15,16</sup> and diazomethane, <sup>17</sup> may be generated in the quantities needed for complete consumption, or consumed as they are formed, so that large amounts of such materials cannot accumulate and lead to an accident. For instance, Sigma-Aldrich markets a laboratory reactor for the continuous generation of phosgene from triphosgene. 18,19 Continuous flow operations can safely control processes that are exothermic slightly above the desired reaction temperature. 20,21 By using a heat exchanger to cool a reaction mixture immediately after passage through a heated zone, at any moment only a small amount of a reaction mixture may be subjected to high temperatures, thus lessening potential damage from any uncontrolled temperature excursions. Hence for safety reasons continuous operations may be preferred over batch or semibatch operations.

Other potential benefits and disadvantages of developing continuous processes may not be as obvious as those above. For instance, continuous operations may create the opportunity for intellectual property, which the inventors may elect not to disclose by patent or journal publication. A further benefit of continuous operations is that process streams can be continuously monitored using process analytical technology (PAT), fitting well into the quality by design (QbD) initiatives promoted by regulatory authorities. 22,23 The impurity profile of continuous operations may be different from that of batch operations; perhaps the level of unreacted starting material will be higher. A different impurity profile may prompt bridging toxicology studies. Reaction times may be shorter, as heat may be more efficiently removed from reaction streams. Unfortunately, developing the initial continuous process may require more time than desired. To summarize, the primary advantages of continuous operations are safety, yield, quality, and economics.<sup>24</sup>

To generate large amounts of product using continuous operations, three approaches are possible. The simplest approach is to run the process longer, "scaling out." Another approach is to run multiple processes in parallel, "numbering up";<sup>25</sup> complications can arise in simultaneously controlling conditions in multiple reactors. Significantly, no further process development is needed to generate larger amounts of products using those two approaches. The third approach is to develop a process in a larger, continuous reactor, and then scale up, exploiting other benefits of continuous operations.

The equipment and thinking used to develop continuous operations is slightly different from that used to develop batch or semibatch operations. Unless a commercial unit with all components is purchased, 26 more pieces of equipment are needed for continuous operations than for batch operations. Minimal needs include a pump, a reactor, and a vessel to collect the product, along with secure fittings, a device to prevent backflow, a pressure gauge, and a pressure relief valve. Additional components might include vessels, pumps and static mixers for adding starting materials, reagents, or quenches; heat exchangers; probes for in-line analyses, and separators. A reaction can be said to begin when the desired steady-state conditions are reached, which could include temperature, flow rate, or other parameters. For simplicity processes are generally developed to be complete after one passage through a continuous reactor, so the end of the reaction may be determined by the mean residence time,  $\tau$  (tau), which is essentially the average time needed for a molecule to pass through the reactor. To increase the turbulence in a static mixer a process stream is pumped more rapidly through the mixer, decreasing the  $\tau$ ; however, a decreased  $\tau$  may not afford enough time for sufficient reaction completion. For example, the hydroxamic acid 1 was prepared in coiled tubing in a Vapourtec system with 0.5 mm internal diameter (ID) PFA (perfluoroalkoxy copolymer resin) tubing (Scheme 1).<sup>27</sup> The authors described

Scheme 1. Variables examined in optimizing the preparation of a hydroxamic acid using continuous operations

		NaOMe,		flow rate	τ	temperature	•
		MeOH		(mL / min)	(min)	( <u>°C</u> )	conversion, %
	PhCO <sub>2</sub> CH <sub>3</sub>	<del></del>	0	0.5	5	50	52
			Ū	0.5	5	70	65
	+ H <sub>2</sub> NOH	70 °C	Ph NHOH	0.5	5	80	58
	(10 eq.)	$\tau$ = 30 min	1 (80%)	1.0	20	60	76
				1.0	20	70	74
				1.0	30	70	80

how  $\tau$  and the temperature of the coiled tubing influenced the yield. To change the stoichiometry streams may be pumped into a reactor at different rates. Other considerations to optimize continuous processes, such as concentration of reactants, equivalents of reagents, quenching or inverse quenching, are similar to those of optimizing batch processes.

Types of continuous reactors are classified in Figure 1. The first division is based on the concentration of molecules in the reactors. In CSTRs the contents exit from the tank at the same rate as process streams are continuously added, thus holding the volume constant. For the ideal CSTR the material being added to the reactor is evenly dispersed instantly. In contrast to CSTRs, in plug flow reactors (PFRs) the concentration of starting materials and products varies with the distance in the path of flow between the inlet and the outlet. As a simple illustration of a PFR, a bolus of starting material might be injected into the inlet of a small-diameter tube and through pressure and heat emerges from the outlet of the tube as a bolus of product. Other divisions of continuous reactors are shown in Figure 1 and discussed in this review. Nomenclature is summarized at the end of this review.

Upon scrutiny, what has been termed a continuous process can be seen to be a semi-batch or semi-continuous process. For instance, the feed solutions of starting materials and reagents may be prepared in the fashion of batch operations. The output from a continuous reaction may be combined and worked up and crystallized as batch operations. The terms "continuous reaction," "continuous process," and "continuous processing"




Figure 1. Classification of continuous reactors.

may be used to describe a process that includes a continuous operation.

Continuous operations have been reviewed.<sup>29–44</sup> This review focuses on continuous processes used to make products on scale. 45 The following two sections are loosely based on the size and type of the continuous processing equipment. Section 1.1 discusses microreactors and reactors using small-diameter tubing. Microreactors may be used to demonstrate proof of concept for continuous operations, for initial process optimization for scaleup, and to prepare large amounts of material. The size of a continuous reactor is determined by the  $\tau$ : longer residence times require reactors of larger volumes. Larger reactors may also be employed for increased throughput (kg/hour). Section 1.2 discusses continuous operations using larger-diameter reactors to prepare large quantities of material, without using commercial microreactors. Many of the operations in the Section 1.2 can be performed using equipment that is relatively common to laboratories and pilot plants.

1.1. Microreactors and Small-Diameter Tubing for Scale-Up. Microreactors may first come to mind for continuous operations. 44,46–48 Microreactors are manufactured by precision engineering from metal, glass, or ceramics, with the width of fluid channels generally ranging from submicrometers to submillimeters. Operations conducted in reactors larger than the channels of microreactors may be called mesofluidics. Mixing and heat exchange are efficient in these small channels. Components of microreactors include mixers for liquids and gases, 49 areas with immobilized reagents, 50 separators, 51 heat exchangers, 52 and gas separators; 53 to conserve space these components may be stacked on top of each other. 54 Many microreactors have become commercially available over the past 10 years.

Diverse applications have been demonstrated and promised for microfluidics. Biodiesel has been prepared using microreactors, 55-57 and the yield of crude oil may be increased by gas-to-liquid conversion using microreactors.<sup>58</sup> Velocys has developed microchannel reactors with immobilized catalysts to produce synthetic fuels.<sup>59</sup> Drug discovery and analyses have been carried out on a "lab on a chip".<sup>60</sup> Microreactors have been used in peptide synthesis, <sup>61</sup> polymerase chain reactions, <sup>62</sup> glycosylations, <sup>63</sup> and fluorinations. <sup>64</sup> Microreactors have been used for on-demand production of hazardous materials, such as H<sub>2</sub>O<sub>2</sub><sup>65-67</sup> and methyl ethyl ketone peroxide.<sup>68</sup> Trimethyl orthoacetate has been manufactured using tubes of 1 mm diameter. 69 Microreactors can be rugged; for instance, aminolyses in EtOH were carried out in a microreactor at 245 °C.<sup>70,71</sup> Using glass microreactors, Corning and DSM carried out a hazardous nitration under cGMP conditions, manufacturing more than 25 tons in four weeks.<sup>72</sup> A custom ceramic microreactor was used to generate 100 kg/week of a product from an exothermic Grignard reaction.<sup>73</sup> All types of PFRs shown in Figure 1 have been used in microreactors.

A striking example of an economical application of continuous operations using a microreactor is shown in Scheme 2. Custom

Scheme 2. Continuous manufacture of a monomer by Ritter reaction

metal microreactors were developed to manufacture the monomer 2. Using continuous operations DSM was able to control the exothermic Ritter reaction, decrease exposure to acrylonitrile, and rapidly process the product streams to decrease decomposition. Yields rose by 15%, waste decreased by 15%, and 40 tons/day of this monomer could be manufactured. 74,75

Some compounds made by commercially available microreactors on small scale are shown in Scheme 3. Quantities of oxadiazoles such as 3 were prepared as a library for discovery compounds.<sup>76</sup> Thales Nanotechnology developed the H-Cube Continuous-Flow Hydrogenation Reactor, which uses disposable packed catalyst cartridges and generates H2 by electrolysis.<sup>77</sup> Faster reductions are afforded by forcing contact of the reaction stream with the catalyst. 78 A group from Thales described reductions of nine functional groups,<sup>79</sup> and the Ley group has also described reductions of imines and hydrogenolyses.<sup>80</sup> In the example shown in Scheme 3 a benzyl group on amine 4 was removed;<sup>81</sup> a drug discovery group used this equipment routinely for such hydrogenolyses. 82 The pyrrole 5 was generated in essentially quantitative yield through an exothermic Paal-Knorr reaction run at 20 °C; with four microreactors running in parallel, in one hour 55.8 g of the pyrrole was produced.<sup>83</sup> Nitration of a sildenafil intermediate was carried out at about 90 °C, showing proof of concept; tight temperature control was necessary, as the reaction was exothermic and the product 6 decomposed above 100 °C.21 In the reduction of methyl butyrate using diisobutylaluminum hydride Lonza researchers showed that continuous reactions at -20 °C could be used to produce butyraldehyde 7 in a yield equivalent to batch operations in the laboratory at -65 °C; these researchers had found that in batch operations at  $-78~^{\circ}\text{C}$ 

Scheme 3. Some reactions carried out in commercially available microreactors

DIBAL-H reduction of another ester in the pilot plant generated more impurities than did similar reduction in the laboratory at −78 °C. Over-reduction to the primary alcohol could be a problem if  $k_2$  was fast relative to  $k_1$ , as shown for the reduction of methyl butyrate.84 The Jamison group found that with cryogenic temperatures, a short residence time and continuous quenching with MeOH they could reach excellent yields and selectivities for the DIBAL-H reduction of esters to aldehydes, as with the generation of **8**. 85 The aminotriazole **9** was prepared from cyanoacetamide and  $\beta$ -azidoethyl phenyl sulfide, as a safe synthon for ethyl azide; proof of concept for scale-up was demonstrated with the partial output from an input of about 5 g of cyanoacetamide. 86 Phenols have been converted to the triflates and then to biaryls by Suzuki-Miyaura couplings using an immobilized catalyst in a packed-bed reactor; the liquid-liquid extraction unit in the microreactor was critical to purify the intermediate triflate and allow the reaction sequence to proceed

in good yield.<sup>87,88</sup> Using microreactors the Yoshida group developed a Swern oxidation at 20 °C,<sup>89</sup> as opposed to the cryogenic conditions usually employed for a Swern oxidation.<sup>90,91</sup> A group from N. V. Organon showed that Swern oxidation processes were effective at -20 to 0 °C, probably because the short reaction times limited the formation of the side products from Pummerer rearrangement.<sup>92</sup> Wiles and Watts carried out Strecker reactions in a microreactor using TMSCN.<sup>93</sup> Peptides have been synthesized using triphosgene to activate the carboxylic acid.<sup>94,95</sup>

Thales Nanotech's X-Cube Flash reactor, which can operate continuously up to 200 bar and 350 °C, <sup>96</sup> has been used in a number of high-temperature applications, some of which were more efficient than the original microwave processes. <sup>97</sup> One application was the formation of the nitrophenyl pyrazole 10 in Scheme 4. <sup>98</sup> Contact of the process streams with the stainless steel (SS) tubing that was part of the X-Cube reactor led to the

Scheme 4. A reaction carried out in a commercially available continuous reactor at high temperature

$$\begin{array}{c} \text{AcOH} \\ \text{EtO}_2\text{C} \\ \text{EtO} \\ \hline \\ \text{EtO} \\ \hline \\ \text{EtO} \\ \hline \\ \text{EtO} \\ \hline \\ \text{IdO bar} \\ \text{HCI} \\ \tau = 1.5 \text{ min} \\ \text{HCI} \\ \tau = 1.5 \text{ min} \\ \text{Id, R = NO}_2, 91\% \\ \text{I1, R = NH}_2 \\ \hline \\ \text{NO}_2 \\ \text{(1.05 eq.)} \\ \hline \\ \text{NO}_2 \\ \text{(1.05 eq.)} \\ \end{array}$$

formation of the corresponding aniline side product, 10. By reducing the residence time the formation of 11 was minimized; however, pyrazole formation by reaction of p-nitrophenylhydrazine with another ketone gave the corresponding aniline as the primary product, despite a shortened residence time.

Reactors made of small-diameter coiled tubing have been used to prepare quantities of material through continuous operations (Scheme 5). In an example showing the promise of sequential operations, the McQuade group prepared ibuprofen (12) through the sequence of acylation, oxidative rearrangement, and hydrolysis. 99 Using 1 mm ID tubing substituted pyrrolidine 13 was prepared in high yield through a [3 + 2] dipolar cycloaddition. Reactions with hydrazine and methylhydrazine were carried safely and rapidly at 150-250 °C in a coiled tube reactor, affording benzopyrazoles such as 14. 101 When a Newman-Kwart rearrangement in DME was heated to 300 °C, pressures of 1000-1100 psi resulted, causing the solvent to become supercritical and double in volume. DME was chosen because the solvent could be readily chased by heptanes for extractive workup, and at the reaction temperature both starting material and product (15) were very soluble. A syringe pump that operated under pressure was used to charge the solution of starting material. <sup>102</sup> In batch operations the yield of a bromide-lithium exchange and subsequent reaction gave decreasing yields with increasing scale-up, probably due to the stability of the lithiated thiophene, and continuous operations were investigated. Conditions were developed that gave 92% overall conversion to 16, suitable for preparing larger amounts of material. 103,104 The rapid optimization of these conditions was limited by the time needed to prepare and run NMR samples to monitor the reaction. 105 Researchers from the Stahl group and Lilly developed continuous operations for an O<sub>2</sub>-mediated oxidation of alcohols such as 17 using a soluble palladium catalyst and a reactor made of 0.305 in ID SS tubing. To preclude combustion of the solvent vapors with  ${\rm O_2}^{106-108}$  the researchers used 8%  ${\rm O_2}$  in  ${\rm N_2}^{109}$  Using a syringe pump, a Y-mixer and a reaction coil of 0.5 mm ID PFA tubing, Leduc and Jamison developed conditions for the NaOCl-mediated oxidation of alcohols under biphasic conditions. A catalytic charge of tetrabutylammonium bromide was necessary for the oxidation; these flow conditions eliminated the need for passing the reaction streams through a bed of an immobilized catalyst. 110 Continuous nitrations were safely carried out in 1 mm ID PFA tubing to control the reaction temperatures below the temperature of decomposition, resulting in high yield and high productivity for 18 and other nitroarenes. 111 1-Decene was ozonolyzed in a Vapourtec R4 unit (1 mm ID tubing), giving productivity comparable to batch operations. Continuous operations were preferred for safety reasons because the temperature of potentially exothermic reactions could be readily controlled, and because reactive ozonides could be

continuously quenched. Continuous ozonolyses could be run at -10 °C instead of temperatures of about −78 °C routinely used for batch operations; the authors also described the fluid behavior of the reaction stream in the presence of this gas. 112,113 Researchers from the Kuraray Company developed a continuous process for a hetero-Diels-Alder reaction using a 4 mm ID Teflon tube, 8 ft long; semibatch operations gave a slightly lower yield of 19. Researchers from Actelion Pharmaceuticals and ZHAW Zurich University of Applied Sciences noted an exothermic polymerization in a Diels-Alder reaction between acrylonitrile and diene 20, and they developed a continuous process to control the reaction temperature and minimize the danger from polymerization. After carrying out scoping studies in a microwave oven, they developed a continuous process using 2.2 mm ID SS tubing. 116 Using a 2.0 mm ID stainless steel tube coiled in a GC oven, researchers from Lilly carried out a continuous Claisen rearrangement to prepare 22.117 Continuous operations were chosen for safety; the authors mentioned that stainless steel tubing that they used could withstand pressures of 110-300 bar. Lilly researchers also prepared benzyl azide 23 in a hot tube reactor (0.64 mm ID); further research indicated that a phase transfer-catalyzed continuous process may be more economical for manufacturing the product azide. 118 For safe operations in a cyclopropanation using dimethylsulfoxonium methylide at high temperatures, Lilly researchers found continuous operations to be promising for safe scale-up. A series of 12- to 22-membered macrocycles was formed in good yields by acetylene-azide cycloaddition, catalyzed by flow through 0.75 mm ID copper tubing. 120 These processes indicate the success possible with relatively simple equipment, using tubing no bigger than 4 mm ID.

Solids can clog or even plug microchannel reactors, tubing, and static mixers, prompting many researchers to develop homogeneous solutions for continuous processing. Some manufacturers of microreactors have approached this problem by constructing microreactors with deeper channels. The McQuade group has developed a system to encapsulate solids in mineral oil in tube reactors, and prevent plugging on a small scale. Eliminating constrictions and sonicating at key points can help prevent plugging. Merck researchers have shown that on a small scale magnetic stirbars in tubes can prevent plugging. Wiles and Watts have given a number of examples where operations using reaction streams with some insoluble components were carried out successfully in microreactors.

Many have promoted microreactors for rapid process optimization. 75,125–127 Sigma-Aldrich researchers discussed using microreactors for reaction screening and production in 2004. 128 Seeberger was quoted as saying that "Microreactors will become the round-bottom flasks of the 21st century." Microreactors have been used to demonstrate the feasibility of making large amounts of material through continuous operations.

**1.2. Continuous Operations Using Larger Reactors.** Other types of continuous reactors include PFRs such as static mixers and simple tubing, CSTRs, spinning discs, and spinning tube-in-tube reactors. These reactors are discussed below.

The operation of spinning disk reactors and spinning tube-intube reactors can produce thin films, permitting rapid heat exchange and promoting contact of the materials with the surface of the reactors. Solutions applied to the center of a spinning disk are driven to the edges by centrifugal forces, and the contact time with the disk is inversely proportional to the

Scheme 5. Some continuous processes carried out in coiled tubing

angular velocity. 130,131 A group from the University of Newcastle upon Tyne demonstrated the potential of a spinning disk reactor for the catalytic isomerization to afford campholenic aldehyde 25. Solutions of  $\alpha$ -pinene oxide 24 in 1,2-dichloroethane (DCE) were applied to the surface of a disk coated with Zn(OTf)<sub>2</sub>-silica catalysts, and isomerization to 25 was completed in less than 0.5 s (Scheme 6). The short contact time minimized further reactions of the product. The coated discs were reused 14 times with no decrease in selectivity, perhaps because the high-shear forces of the system promoted the movement of the molecules away from the surface of the disk. A spinning disk reactor was very effective with an intrinsic phase transfer-catalyzed Darzen's condensation, minimizing hydration of the desired nitrile 26 to the amide 27. 133 Under optimized conditions for continuous operations the desired epoxynitrile was 88% of the product composition; for some comparison, the epoxynitrile was isolated in

73% yield from batch operations.  $^{134}$  The SmithKline Beecham group estimated that by using spinning disk technology a throughput of 8 tons/year of the epoxynitrile was possible. These researchers also presented data that an API could be crystallized with a small particle size and with a narrow particle size distribution using a spinning disk reactor. Nanoparticles of trans- $\beta$ -carotene have been prepared through processing with spinning discs.  $^{135}$  Other uses may be developed for spinning discs, such as liquid—liquid separation; for instance, a device with vertically spinning grooved discs rapidly recovers oil from oil spills at sea.  $^{136}$  A microreactor spinning disk reactor is commercially available.  $^{137}$ 

A spinning tube-in-tube reactor (STT) has been developed to make biodiesel, with a stated capacity of 110,000 tons/year. Such reactors increase reaction rates by improved mixing through high shear rate, which is independent of the residence time and dependent upon the angular velocity and the gap

# Scheme 6. Some continuous processes carried out in spinning disc reactors

$$\begin{array}{c} \text{Zn}(\text{OTf})_2 / \text{SiO}_2 \\ \text{spinning disc, } 85 \, ^\circ\text{C} \\ \text{Z4 (in DCE)} \\ \\ \text{CN} \\ \text{H}_3\text{CO} \\ \text{CI} \\ \\ \text{Spinning disc, } 85 \, ^\circ\text{C} \\ \text{Z5} \\ \\ \text{Z6} \\ \text{CN} \\ \text{Spinning disc, } 20 \, ^\circ\text{C} \\ \text{CN} \\ \text{Spinning grooved disc, } 20 \, ^\circ\text{C} \\ \text{Z6} \\ \text{CN} \\ \text{Spinning grooved disc, } 20 \, ^\circ\text{C} \\ \text{Z6} \\ \text{CN} \\ \text{SPINCI (5 mol\%)} \\ \\ \text{SPINCI (5 mol\%)} \\ \text{Spinning grooved disc, } 20 \, ^\circ\text{C} \\ \text{Z6} \\ \text{CN} \\ \text{SPINCI (5 mol\%)} \\ \text{SPINCI (5 mol$$

between the spinning internal tube and the stationary external tube (Figure 2). 138 A STT has been used in biphasic





Figure 2. Diagram of a spinning tube-in-tube reactor. Reprinted with permission from Gonzalez, M. A.; Ciszewski, J. T. Org. Process Res. Dev. 2009, 13, 64. Copyright 2008 American Chemical Society.

TEMPO-mediated oxidations of benzylic and aliphatic alcohols to aldehydes and ketones in excellent yields. <sup>139</sup> Perhaps the high shear of that reactor minimized the formation of side products seen with poor agitation in some TEMPO oxidations. <sup>140</sup> Most of those oxidations in the STT were carried out using toluene and 3–6% aq NaOCl, but solvent-free oxidation of benzyl alcohol using 13% NaOCl gave benzaldehyde in a comparable yield. <sup>139,141</sup> A STT was used to prepare ionic liquids such as 28 (Scheme 7) under solvent-free conditions, with production rates as high as 18 kg/day. <sup>142</sup> STTs can also be used for processes that generate solids. STTs may be considered as true instruments of process intensification. <sup>143</sup> Both spinning disk reactors and STTs have considerable potential for generating large amounts of materials through continuous operations.

Scheme 7. Some continuous processes carried out in spinning tube-in-tube reactors

1.2.1. Use of CSTRs and Bubble Reactors. CSTRs can improve operations and quality of crystallized products, as described by Genck<sup>144</sup> and Tung and coauthors.<sup>145</sup> Ozonolyses can be hazardous, as both the addition of ozone to olefins and quenching the intermediate ozonides can be exothermic, and the ozonides can be reactive in high concentrations. 106 Abbott researchers developed CSTR conditions for the safe ozonolysis of styrene, as a model for the ozonolysis of an API intermediate (structure not disclosed). To minimize the release of unreacted ozone to the atmosphere, styrene was charged to the reactor based on the theoretical rate of ozone generation, so that 1.2 equivalents of O<sub>3</sub> was available for reaction. The reaction mixture containing ozonides overflowed from the 100 mL reactor into a quench solution, thus avoiding accumulation of the ozonides (Scheme 8). Using this reactor about 90 g/day of the API intermediate was generated (98% conversion, 81% isolated product). To increase the amount of material that could be produced daily an ozone generator with an output of about 15 mol/h was then used. With the increased flow of gases the loss of solvents through entrainment was a concern using the CSTR mentioned above, so a "bubble reactor" was designed and built to accommodate a higher gas flow. The O<sub>3</sub>-O<sub>2</sub> mixture was introduced at the bottom of the reactor through a coarse frit, generating fine bubbles to improve the reaction rate. The product stream overflowed through a valve on the side of the reactor. Under these conditions an output of about 80 g/h of the product was generated. Scaling up the size of the reactor was considered to be less complicated than numbering up, as running multiple reactors in parallel would have required multiple controls for safely handling ozone. 147 Using a bubble reactor constructed from a chromatography column packed with glass beads, Pfizer researchers ozonolyzed styrene 29. In this counter-current flow reactor the O<sub>3</sub>-O<sub>2</sub> mixture was introduced at the bottom of the column and the solution of the olefin was pumped into the top. The output solution of the ozonide was quenched into Me<sub>2</sub>S in MeOH. In this fashion 1 kg of the styrene was ozonolyzed. For safe operations using O2 BMS researchers scaled up a continuous oxidation to 30 in a stainless steel tube (0.875 in ID) filled with packings. 150 Using a microreactor the researchers had demonstrated the feasibility of continuous operations for this oxidation. In runs with a larger trickle bed reactor controlling the temperature of

Scheme 8. Continuous reactions carried out in CSTRs and bubble reactors



this exothermic oxidation was difficult, and increased levels of impurities were expected; to make larger amounts of material the operation was numbered up to four parallel tube reactors clustered inside a heat exchanger. Pfizer researchers used a CSTR to crystallize the desired acetal diastereomer 31 through a rapid crystallization-induced asymmetric transformation.  $^{\rm 1S1,1S2}$  The acetal formation was carried out in a PFR for safety reasons, as the isolated semisolid mixture of 31, 32 and excess  $\rm HClO_4$  was highly explosive.  $^{\rm 1S3}$ 

1.2.2. Plug Flow Reactors to Generate Large Amounts of Material. Laminar flow and turbulent flow are the two primary types of liquid flow in tubes. Laminar flow is motion mostly parallel to the axis of the tube, and can provide efficient mixing on the scale of microreactors but usually not for larger reactors. Turbulent flow is vigorous, random flow, and through turbulent flow both mass transfer and heat transfer can be efficient. In the ideal PFR mixing occurs only radially, not axially; conceptually reactants mix in thin discs moving away from the entry point, and the composition changes until a plug of product emerges

from the reactor.  $^{154,155}$  Turbulent flow can be measured by the dimensionless Reynolds number (Re), and for turbulence in PFR operations Re should be greater than 3500-4000 (eq 1).  $^{156,157}$  To reach the same Re in a reactor of twice the diameter the linear velocity would be halved; however, under these conditions the flow rate (liters/sec) would double. For effective scale-up to a larger PFR, calculations using both Re and the residence time distribution are key.  $^{158}$ 

$$Re = du\rho/\mu \tag{1}$$

where d = tube diameter (m),  $\mu$  = mean linear velocity (m/sec),  $\rho$  = bulk density of fluid (kg/m³), and  $\mu$  = dynamic viscosity (Newton·s/m²)

Static mixers, a type of PFR, create turbulence as materials flow past internal stationary elements that split and sometimes twist the flow of the stream (Figure 3). Static mixers are energy-saving devices that can mix materials as diverse as hydrocarbons and tomato paste. Static mixers range in size from 3/16 in. ID to 10 ft ID, with larger custom sizes possible, <sup>159</sup> and can be



**Figure 3.** Sanitary static mixer, showing removable internal mixing elements. (Used by permission of Chemineer, Inc.).

used in settings from the laboratory to the pilot plant to manufacturing. Applications include mixing low-viscosity or high-viscosity solutions, gases in liquids, suspensions of solids, or even solids. A static mixer made of Pyrex glass was used to observe the formation of solid hydrates. A specialized static ozone mixer is available that introduces ozone to process streams through a fritted tube oriented perpendicular to the axis of the PFR; Cozone is used to sterilize water in municipal water treatment plants. Compact mixers can also be clamped between the flanges of two pipes, and other mixers have been developed to disperse gases in liquids. Small static mixers are portable and could be considered cGMP friendly, as a new mixer could be used for each campaign. Many of the operations in the examples following could be carried out using static mixers.

1.2.3. Applications of Static Mixers in the Pharmaceutical Industry. Static mixers have been used to separate reactive starting materials, intermediates and products, as in Scheme 9. Merck researchers described the preparation of L-alanyl-L-proline (34), a penultimate intermediate for enalapril, using the N-carbonic anhydride derivative (NCA) of L-alanine (33). 167 This approach avoided the protection and deprotection of L-alanine. With batch operations the yield was 90% when the NCA was added in less than 5 s; the yield dropped to 65% when the addition was extended to 3 min. Unfortunately reduced yields resulted upon 50-fold scale-up. 168 In another publication E. Paul, an engineer involved with the project, explained that under batch operations the reduced yields resulted from formation of the tripeptide 35 from reaction of the product with the NCA.<sup>169</sup> A static mixer was used to thoroughly mix the starting materials and remove 34 from the entry point of the NCA, reducing the formation of impurity 35. Continuous operations were scaled up from 0.8 cm ID in the laboratory to 1 in. ID in the plant with no change in selectivity. Researchers have also shown that for the highly exothermic reaction of Boc<sub>2</sub>O with an amine static mixers could provide temperature control that was superior to batch operations, with better selectivity. For instance, at 20-25 °C the biphasic reaction mixture generated the protected enamine 36 in almost quantitative yield; higher temperatures led to some hydrolysis.<sup>171</sup> Static mixers have also been used to produce solutions of sodium  $\gamma$ -hydroxybutyrate (37); by controlling the mixing of aqueous NaOH and the temperatures no further adjustment of the pH was needed for subsequent formulation. 172 A Grignard reagent of pentafluorobenzene was generated by a bromidemetal exchange reaction using ethyl magnesium bromide, because the product Grignard 38 cannot be readily prepared using magnesium metal. <sup>173</sup> In pilot-plant trials, a static mixer was used to control the reaction temperature, and the product was generated in high yield. A Lilly group has also used continuous operations to prepare a Grignard reagent. 174 In a

striking example of practical scale-up of continuous operations, a continuous Swern oxidation was carried out at 40  $^{\circ}$ C with a residence time of 0.1 s.  $^{175}$  The reactor for this high-throughput process was only a 2.1 in. ID pipe with two 90 $^{\circ}$  bends to increase turbulence. The 61% isolated yield of **39** was only slightly better than the batch yield of 55%,  $^{176}$  but continuous operations afforded better control of the processing.  $^{177}$  The latter is a good example of HTST processing.

1.2.4. Continuous Processing Using Immobilized Catalysts. The use of immobilized catalysts and flow-through chemistry has been reviewed, 178,179 along with processes to immobilize catalysts. 180 By passing reaction streams through a bed of catalyst reaction rates often increase, due to the forced contact. Using Jones reagent (H<sub>2</sub>CrO<sub>4</sub>) supported on silica, benzylic alcohols were oxidized to aldehydes or acids; longer contact times with the reagent selectively produced the acids. 181 Researchers in the Poliakoff group have used fixed catalyst beds and supercritical CO<sub>2</sub> (sc CO<sub>2</sub>) to methylate amines, alcohols, and carboxylic acids by reaction with dimethyl carbonate, 182,183 and to hydrogenate isophorone to the saturated ketone. 184 Suzuki-Miyaura couplings were carried out in a fixed-bed reactor containing Pd(II)EnCat 40 catalyst using either toluene-MeOH or sc CO<sub>2</sub>-MeOH solutions (Scheme 10). With the latter solvent mixture, two passages through the catalyst were required for quantitative conversion to the biphenyl product 40. 185 Using immobilized Pd(0) nanoparticles a Heck reaction was conducted in DMF or EtOH at 130 °C. The Lectka group has used resin-bound reagents for synthesis by continuous flow through sequential columns.<sup>18</sup> Jacobsen group immobilized salen complexes onto silica for hydrolytic kinetic resolution of epoxides. 188 Boc-proline has been immobilized on silica for catalytic aldol reactions, using packed columns. 189,190 Acidic Amberlyst resins were used to catalyze the Michael addition of 2-methylindole to enones. 191 Immobilized Pd has been used in microreactors for Suzuki–Miyaura couplings <sup>192</sup> and C–N cross-couplings. <sup>193</sup> The Ley group has developed many processes for continuous flow synthesis. 194 Borane-based chemistry in a fixed bed reactor has been proposed as the most economically feasible route for the isomerization of linear internal olefins to linear alpha olefins. The Poliakoff group and others have investigated the use of sc CO<sub>2</sub> for hydrogenations in flow-through operations; H<sub>2</sub> dissolves readily in sc CO<sub>2</sub>, facilitating reductions. 196

1.2.5. Continuous Processing Using Enzymes. Reactions of immobilized enzymes may be considerably faster when the reactant streams flow through a packed bed of catalyst rather than in batch processing. Subjecting an immobilized enzyme to high shear in a stirred tank can also shorten the effective lifetime of an enzyme, making a packed bed reactor more attractive for long-term manufacturing. 197 For example, for two of three secondary alcohol substrates resolution using vinyl acetate and Candida antarctica lipase B (CAL-B) was faster when the immobilized enzyme was contained in columns. 198 Using an immobilized CAL-B in a packed bed reactor, a dynamic kinetic resolution was optimized to prepare chiral ester 41 (Scheme 11). 199 Tao and co-workers provided more details on the reduction of an  $\alpha$ -keto acid to the chiral alcohol **42** using a two-enzyme system. <sup>200</sup> A solution of the starting material was pumped into a reservoir containing D-lactate dehydrogenase (LDH), formate dehydrogenase (FDH), and NADH, and the reaction stream exited through a nanofiltration membrane, which retained the enzymes. (NAD(P)H cofactors have been regenerated electrochemically in a microreactor, 201 which could

Scheme 9. Some continuous operations using static mixers


Scheme 10. Continuous Suzuki-Miyaura coupling with an immobilized catalyst

eliminate the need for FDH.) Using an enzyme reactor, nanofiltration, and simulated moving bed chromatography, an efficient epimerization of D-fructose to D-psicose was demonstrated on a laboratory scale.<sup>202</sup> A column packed with raw almond meal, a source of oxynitrilases, was eluted with a solution of aromatic aldehydes and HCN in diisopropyl ether.<sup>203</sup> Chiral cyanohydrins such as **43** were prepared in as high as 99% ee, demonstrating the utility of continuous flow operations for crude enzyme preparations.<sup>204</sup> An immobilized mutase was used to convert aryl hydroxylamines to *o*-aminophenols.<sup>205</sup> Response surface methodology was used to optimize the esterification of stearic acid with racemic 1,2-isopropylidene glycerol, using an immobilized lipase and an

X-Cube.  $^{206}$  Enzymes may also be immobilized in microreactors, as with a  $\beta$ -glycoside hydrolase that was immobilized in a silicon rubber microreactor.  $^{207}$ 

1.2.6. Continuous Operations for Photolysis, Sonication, Microwave Chemistry, and Hot-Tube Reactions. Since the intensity of energy falls off with the square of the distance from a point source, reaction streams are best positioned close to the light source or sonic horn for photolysis and sonochemistry, respectively. Continuous operations are probably the most effective way to make more material through photolysis and sonication. Continuous operations can also localize the energy needed for microwave processes and hot-tube reactions.

Scheme 11. Continuous catalytic operations using enzymes



1.2.7. Photochemistry. Photochemistry can provide some powerful transformations<sup>208–210</sup> and has numerous applications. For instance, ultraviolet light can be used to purify water for injection.<sup>211</sup> Continuous photo-oxidation has been used to purify wastewater: sunlight excites a metal-porphyrin dye immobilized onto beads of an ion-exchange resin, generating singlet oxygen from oxygen bubbled through the reactor.<sup>212</sup> Photobioreactors have been used to grow algae, a source of energy as an alternative to petroleum distillates. 213,214 Exhaustive photolytic chlorination of dimethyl carbonate produces triphosgene.<sup>210</sup> Continuous photochemical chlorination of ethylene carbonate produced the tetrachloro derivative 44, and then heating in the presence of DMF formed oxalyl chloride and phosgene (Scheme 12).<sup>215</sup> Continuous "two-wavelength photolysis"<sup>216</sup> was used to prepare vitamin D3.<sup>217</sup> By coiling four layers of solvent-resistant, UV-transparent fluoropolymer tubing around a lamp, researchers passed streams of starting materials close to the light source and generated photolysis products in high yields; curiously, a lower yield of 45 was obtained when the solution of starting materials for the [2 + 2] reaction entered the inner layer instead of the outer layer of the coiled tubing. A high yield was also obtained for the intramolecular [2 + 2] reaction to afford 46.<sup>218</sup> The Seeberger group constructed a similar photoreactor for the

#### Scheme 12. Photolyses

singlet oxygen oxidation of citronellol (47) and other alkenes, using tetraphenylporphyrin (TPP) as a sensitizer. A commercial falling film microreactor made of glass was used in the singlet oxygen-mediated oxidation of cyclopentadiene; the reactive peroxide intermediate was quenched as it was generated. Artemisinin (48), a stable peroxide and antimalarial compound, way be manufactured by photochemistry. A photoreactor for continuous operations is commercially available.

1.2.8. Sonochemistry. Sonication produces microcavitation, or the formation and implosion of microbubbles, which can enhance mixing, raise temperatures microscopically, and exert considerable force on reaction components. The theory and applications of sonochemistry have been reviewed. 226-228 Continuous sonication at room temperature has been examined to oxidize sulfurous contaminants in marine gas oil.<sup>229</sup> Biodiesel and fine emulsions can be produced through sonication.<sup>230</sup> In an example from the pharmaceutical industry, on-scale sonication fractured large crystals, facilitating filtration and handling; Ostwald ripening subsequently removed the fines, making the crystals more uniform.<sup>231</sup> Such sonication and temperature cycling has been used to prepare irbesartan on large scale.<sup>232</sup> Sonication has been used to enhance crystallization by impinging jets, 233,234 and to generate particles small enough for inhalation. 235 Crystal slurries may be circulated from a vessel past a sonic probe, or passed through a flow cell fitted with external sonic sources mounted annularly or radially.<sup>226</sup> In the laboratory agitation was shown to have a significant effect in the sonochemistry of suspensions.<sup>236</sup>

1.2.9. Microwave Processes. Microwave-assisted chemistry has been powerful for drug discovery and organic synthesis. <sup>237–239</sup> In what are essentially HTST conditions, microwave (MW) processes can dramatically speed up and improve the yield of reactions. <sup>240</sup> For instance, under microwave irradiation the proline adduct 49 was formed by dipolar cycloaddition in significantly higher yield than by reaction under thermal conditions (Scheme 13). <sup>241</sup> Under

Scheme 13. Some continuous microwave and hot-tube reactions

$$\begin{array}{c} \text{Cl} & \text{xylene, MW} \\ 15 \text{ min } (80\%) \\ \text{or} \\ \text{xylene, reflux} \\ 2 \text{ h } (67\%) \\ \end{array}$$

microwave irradiation esterification of Boc-L-proline with dimethyl carbonate to afford **50** was about 80 times faster than esterification at 90 °C, the boiling point of dimethyl carbonate. Using stop-flow conditions citalopram **51** was prepared in almost quantitative yield. The Kappe group found that under continuous microwave processing Pd was leached from an insoluble (Pd/C) catalyst, and Pd(OAc)<sub>2</sub> was preferred as a precatalyst for continuous Mizoroki–Heck

reactions.<sup>245</sup> Microwave-assisted Suzuki-Miyaura couplings were carried out using continuous-flow conditions through an immobilized Pd catalyst; under the conditions employed the Pd catalyst became extremely hot, melting the polymer matrix. To prevent the reactor from plugging due to extended heating, a cycle of microwave radiation, then cooling was developed.<sup>246</sup> Using flow conditions the Leadbeater group prepared the 1,4dihydropyridine **52** in high yield, <sup>247</sup> and they also carried out carbonylations.<sup>248</sup> The Leadbeater group has described approaches to scale-up microwave reactions in continuous or batch mode. Microwave chemistry and hot-tube reactions may be considered together, as the Kappe group has shown that high temperatures are the essential part of microwave reactions.<sup>250</sup> By substituting heat for microwave irradiation cisplatin 53 was prepared using continuous operations. 251 The Kappe group showed that an aldol-Claisen reaction could be carried out in essentially quantitative yield without microwave irradiation, affording the chalcone 54.252 Groups have discussed how to translate high-temperature microwave processes in batch mode to continuous-flow operations for the production of larger amounts of material. 253–255 Commercial units are available for making larger amounts of material through continuous-flow and stop-flow microwave techniques, and for continuous-flow high-temperature reactions under PFR conditions.<sup>256</sup>

As with microreactors, plugging of microwave reaction tubing can be an issue. In one approach to this issue, the Leadbeater group has shown that under continuous operations process streams emerging from a reactor can be diluted with a suitable solvent to dissolve the product.<sup>257</sup> Precipitation need not be an issue that prevents microwave and hot-tube reactions from rapidly providing larger amounts of material.

### 2. SUMMARY AND PERSPECTIVE

Continuous operations may be the best way to generate large amounts of products when micromixing or rapid heat transfer is an issue, or when reactions on scale require the application of external energy, as with photolysis or sonication. Some processes benefit from the physical separation of reactants and products that is possible through continuous operations. Significantly, continuous operations may be employed for safe operations on scale.

Equipment for many continuous operations is simple and readily available, but some additional considerations may be warranted. Microreactors and other PFRs may inhibit the volatilization of low-boiling components, thus speeding reactions that might be slowed in a batch mode because a volatile component was localized in the headspace of the reactor. To Despite the fact that high pressures can be generated under some flow conditions, processes can be carried out safely through pressure regulators and pressure relief valves. If high temperatures and pressures are anticipated, the safety of the equipment can be assessed with initial trials using an inert solvent. Corrosion may be accelerated under reaction conditions, and equipment suppliers may have some data that can be applied to the reaction conditions. For safe operations most reactors for continuous operations can be heated or cooled to control reaction temperatures; in-line heaters or chillers can also be used before and after the reactors. Lapkin and Plucinski have discussed engineering factors for efficient continuous processes.<sup>4</sup> Reactors designed for large-scale continuous operations are commercially available.<sup>258</sup>

In selecting equipment for continuous operations a number of factors should be considered. With the passage of a suspension of solids in liquid, a microreactor may plug, and larger scale (mesofluidic)

reactors may be preferred. For reactions with gaseous reagents many reactors could be used, such as microreactors, static mixers, and CSTRs. PFRs may be preferred to contain volatile reagents and solvents in processes accelerated by heating, as mentioned earlier. PFRs would be a logical choice for reactions involving immobilized catalysts, photolysis, sonication, microwave irradiation, and high temperatures and low temperatures. STTs may be preferred to force intimate mixing of suspensions or viscous liquids. If extremely short residence times are needed, such as <1 s, a spinning disk reactor may be preferred; small-diameter discs may be necessary in this case, so that large quantities of product would be made by scaling out or numbering up. PFRs can also be employed for reactions with short residence times; high backpressure due to rapid flow may determine the practicability of such conditions. As discussed earlier, reaction temperatures can influence reaction kinetics, and correlating  $\tau$  with reaction kinetics is key for efficient operations. The Kirschning group has recently highlighted current issues in flow chemistry.

Some researchers may be dissuaded from developing continuous operations due to concerns about portions of process streams that were generated from nonsteady state operations and may be out of specification. Ideally only small amounts of such process streams would be generated in any run, perhaps two residence times at the beginning and end of the operation. At least three approaches are practical for cGMP manufacturing under continuous operations. First of all, an inert solvent could be pumped through a reactor until the desired parameters have been met, and then streams of reactants could be directed into the reactor. Second, substandard portions of the process streams, as detected by online analyses, could be separated from the main portion of the batch. Those portions could be reworked or sent for disposal. Alternatively, if the fate of the impurities were well understood, for instance if high levels of starting materials were present, then the subpar portions of the process streams could be returned to the continuous reactor for further processing. A third approach is to collect the entire process stream from continuous operations and process further to ensure homogeneity and high quality, such as by recrystallization. Collectively those operations become semicontinuous or semibatch. Although blending batches that fail specifications with acceptable batches in order to meet specifications is not acceptable, <sup>260</sup> semicontinuous operations to process the entire output of a batch could be successfully validated, once the ability of processing to tolerate impurities was well understood.<sup>261</sup>

Another cGMP-related concern may be how to define a batch generated under continuous operations. The output from semicontinuous operations, as mentioned above, could constitute a batch. The output generated every day or the output generated from a given quantity of a starting material could also constitute a batch. As long as a batch is logically defined, it is unlikely to fail regulatory approval.

Continuous processes are not suitable for all reactions. There may be little incentive to change batch operations, such as crystallizations, that routinely perform well. Reactions requiring hours, such as fermentations, multicomponent reactions, and crystallization-driven processes, <sup>151,152</sup> might be inappropriate, unless some advantages were available through CSTR.

The impact of continuous operations in the pharmaceutical industry has been debated. For example, in 2009 Federsel estimated that 10–20% of the processes in both the fine chemicals and pharmaceutical industries were continuous. <sup>262</sup> In 2005 Roberge and co-workers estimated that half of the processes used in the pharmaceutical industry could benefit

from continuous operations.<sup>263</sup> Dowle, of the Center for Process Innovation, stated that continuous processing would greatly reduce both operating expenses and capital expenses.<sup>264</sup> Cue and co-workers feel that continuous operations will decrease the percentages of rejected batches in manufacturing, in concord with PAT.<sup>265,266</sup> In 2005 a group of researchers from CPC Cellular Process Chemistry GmbH estimated that only a few microreactor plants were manufacturing products,<sup>267</sup> and in 2011 Ondrey estimated that worldwide 20–30 plants were using microstructured reactors for manufacturing.<sup>75</sup> Although the data above are only estimates, clearly the development of continuous processes within the pharmaceutical and associated industries has grown recently. Experienced CROs and CMOs are available to develop continuous processes. The push towards continuous processing as the means for cost-effective manufacturing operations will continue.

#### AUTHOR INFORMATION

#### **Corresponding Author**

nganderson@dishmail.net.

#### Notes

The authors declare no competing financial interest.

#### ACKNOWLEDGMENTS

I thank Martina Kotthaus and Professor Fuli Zhang for sharing information. I am grateful to those who reviewed this submission for their very insightful and constructive comments.

#### NOMENCLATURE

CAL-B Candida antarctica lipase B
CSTR continuous stirred tank reactors

HTST high temperature-short time processing

ID internal diameter LDH p-lactate dehydrogenase

FDH formate dehydrogenase (FDH)

MW microwave

NCA N-carbonic anhydride
PAT process analytical technology

PFA perfluoroalkoxy copolymer resin tubing

PFR plug flow reactor QbD quality by design Re Reynolds number sc CO<sub>2</sub> supercritical CO<sub>2</sub> SS stainless steel

STT spinning tube-in-tube reactor

τ residence time (tau)TPP tetraphenylporphyrin

#### REFERENCES

- (1) Anderson, N. G. Practical Process Research & Development; 2nd ed.; Academic Press: San Diego, 2012. This review is adapted from some material in Chapter 14.
- (2) Micromixing considers mixing on a molecular scale with reactions in milliseconds. Micromixing can occur in pseudohomogenous systems: Atherton, J. H.; Carpenter, K. J. *Process Development: Physicochemical Concepts*; Oxford University Press: Oxford, UK, 1999; pp 36–45.
- (3) Other approaches to increase the turbulence of a mixture in a batch reactor are to add another impeller on the agitator shaft or to use a reactor with more baffles.
- (4) Lapkin, A. A.; Plucinski, P. K. In Chemical Reactions and Processes under Flow Conditions; Luis, S. V.; Garcia-Verdugo, E., Eds.; RSC

- Green Chemistry, No. 5; The Royal Society of Chemistry: Cambridge, UK, 2010; pp 1–43.
- (5) For a description of operations using CSTRs to manufacture sucrose, see Hemplemann, R. *The VKT Continuous Vacuum Pan More than 20 Years of Experience*; http://www.sucrose.com/bsst/2006agm2.pdf (accessed 1/21/12).
- (6) For instance, see Rode, C. V.; Ghalwadkar, A. A.; Mane, R. B.; Hengne, A. M.; Jadkar, S. T.; Biradar, N. S. Org. Process Res. Dev. 2010, 14, 1385.
- (7) SK Energy has produced this lactone from malic acid by continuous esterification, continuous hydrogenation, and continuous cyclization: Rouhi, A. M. Chem. Eng. News 2005, 83 (3), 41.
- (8) (a) Diehl, H.; Blank, H. U.; Ritzer, E. (Kernforschunganlage Julich Gesellschaft). Process for the Preparation of Cyclopropylamine. U.S. Patent 5,032,687, 1991 (b) Kleemiss, W.; Kalz, T. (Huels Aktiengesellschaft). Process for the Preparation of Cyclopropanamine. U.S. Patent 5,728,873, 1998.
- (9) Clarkson, J. S.; Walker, A. J.; Wood, M. A. Org. Process Res. Dev. **2001**, 5, 630.
- (10) Tung, H.-H.; Paul, E. L.; Midler, M.; McCauley, J. A. *Crystallization of Organic Compounds, an Industrial Perspective*; Wiley: New York; 2009; see p 260 for mention of Merck's continuous crystallization to resolve conglomerates.
- (11) Mullin, R. Chem. Eng. News 2007, 85 (4), 11.
- (12) Understanding mass transport and heat transfer is one of the principles of green chemistry: Winterton, N. Green Chem. 2001, G73.
- (13) For this principle of green engineering, see: Anastas, P. T.; Zimmerman, J. B. Environ. Sci. Technol. 2003, 37, 95.
- (14) Acke, D. R. J.; Stevens, C. V. Green Chem. 2007, 9, 386.
- (15) (a) Centi, G.; Perathoner, S. From Green to Sustainable Industrial Chemistry. In *Sustainable Industrial Processes*; Cavani, F., Centi, G., Perathoner, S., Trifiró, F., Eds.; Wiley-VCH: Weinheim, Germany, 2009; pp 1–72. (b) Chemical Design, Inc. Phosgene Production. http://chemicaldesign.com/systems/phosgene-production.html (accessed 1/27/12).
- (16) Some safety aspects in handling phosgene have been discussed recently: (a) Johnson, J. Chem. Eng. News 2011, 89 (41), 34. (b) Cotarca, L. Org. Process Res. Dev. 1999, 3, 37.
- (17) (a) Proctor, L. D.; Warr, A. J. Org. Process Res. Dev. 2002, 6, 884. (b) Struempel, M.; Ondruschka, B.; Daute, R.; Stark, A. Green Chem. 2008, 10, 41 Diazomethane was generated in these procedures from Diazald, KOH, and Carbitol (diethylene glycol monoethyl ether).
- (18) http://www.sigmaaldrich.com/chemistry/chemical-synthesis/technology-spotlights/phosgene.html. Generation of phosgene begins at 80 °C by contact with an amine catalyst. See Eckert, H.; Gruber, B.; Dirsch, N. (Eckert GmbH). Method and Device for the Production of Phosgene from Diphosgene and/or Triphosgene. U.S. Patent 6,399,822 B1, 2002.
- (19) For conversion of triphosgene to phosgene using chloride, see Pasquato, L.; Modena, G.; Cotarca, L.; Delogu, P.; Mantovani, S. J. Org. Chem. **2000**, 65, 8224.
- (20) Bogaert-Alvarez, R. J.; Demena, P.; Kodersha, G.; Polomski, R. E.; Soundararajan, N.; Wang, S. S. Y. Org. Process Res. Dev. 2001, 5, 636.
- (21) Panke, G.; Schwalbe, T.; Stirner, W.; Taghavi-Moghadam, S.; Wille, G. Synthesis 2003, 18, 2827.
- (22) PAT A Framework for Innovative Pharmaceutical Development, Manufacturing, and Quality Assurance, Guidance for Industry; U.S. Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research (CDER): Rockville, MD, 2004; http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm070305. pdf (accessed 1/21/12).
- (23) ICH Q8 Pharmaceutical Development, (R2); U.S. Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research (CDER): Rockville, MD, 2009 http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatory-Information/Guidances/ucm073507.pdf (accessed 1/21/12).

- (24) (a) LaPorte, T.; Wang, C. Curr. Opin. Drug Discovery Dev. 2007, 10 (6), 738. (b) LaPorte, T.; Wang, C.; Hamedi, M. Presentation at Cambridge Healthtech Institute's 2nd Annual Process R&D Summit, Philadelphia, PA, October 3–6, 2006.
- (25) Jähnisch, K.; Hessel, V.; Löwe, H.; Baerns, M. Angew. Chem., Int. Ed. 2004, 43, 406.
- (26) For a discussion on commercially available microreactors and other equipment for continuous operations, see Wiles, C.; Watts, P. *Micro Reaction Technology in Organic Synthesis*; CRC Press: Boca Raton, FL, 2011; pp 24–30.
- (27) Vapourtec. Flow reactors. http://www.vapourtec.co.uk/products/reactors (accessed 1/21/12).
- (28) Riva, E.; Gagliardi, S.; Mazzoni, C.; Passarella, D.; Rencurosi, A.; Vigo, D.; Martinelli, M. J. Org. Chem. 2009, 74, 3540.
- (29) Wiles, C.; Watts, P. Micro Reaction Technology in Organic Synthesis; CRC Press: Boca Raton, FL, 2011.
- (30) LaPorte, T.; Wang, C.; Jones, G. S. In Chemical Engineering in the Pharmaceutical Industry: R&D to Manufacturing; am Ende, D. J., Ed.; Wiley: New York, 2010; p 437.
- (31) Luis, S. V.; Garcia-Verdugo, Eds. Chemical Reactions and Processes under Flow Conditions; RSC Green Chemistry, No. 5; RSC Publishing: Cambridge, UK, 2010.
- (32) Roberge, D. M.; Zimmermann, B.; Rainone, F.; Gottsponer, M.; Eyholzer, M.; Kockmann, N. Org. Process Res. Dev. 2008, 12, 905.
- (33) Ley, S. V.; Baxendale, I. R. Chimia 2008, 62, 162.
- (34) Mason, B. P.; Price, K. E.; Steinbacher, J. L.; Bogdan, A. R.; McQuade, D. T. Chem. Rev. 2007, 107, 2300.
- (35) (a) Watts, P.; Wiles, C. Org. Biomol. Chem. 2007, 5, 727.
  (b) Wiles, C.; Watts, P. Eur. J. Org. Chem. 2007, 10, 1655.
- (36) Becht, S.; Franke, R.; Geißelmann, A.; Hahn, H. Chem. Eng. Technol. 2007, 30, 295.
- (37) Schwalbe, T.; Simons, K. Chim. Oggi 2006, 24 (2), 56.
- (38) Roberge, D. M.; Ducry, L.; Bieler, N.; Cretton, P.; Zimmermann, B. Chem. Eng. Technol. 2005, 28, 318.
- (39) Doku, G. N.; Verboom, W.; Reinhoudt, D. N.; van den Berg, A. Tetrahedron 2005, 61, 2733.
- (40) Hessel, V.; Hardt, S.; Löwe, H. Chemical Micro Process Engineering: Fundamentals, Modelling and Reactions; Wiley-VCH: Weinheim, Germany, 2004.
- (41) (a) Penneman, H.; Watts, P.; Haswell, S. J.; Hessel, V.; Loewe, H. Org. Process Res. Dev. **2004**, *8*, 422. (b) Penneman, H.; Hessel, V.; Löwe, H. Chem. Eng. Sci. **2004**, *59*, 4789.
- (42) Costello, R. C. Chem. Eng. 2004, 111 (4), 27.
- (43) Jensen, K. V. Chem. Eng. Sci. 2001, 56, 293.
- (44) Ehrfeld, W.; Hessel, V.; Löwe, H. Microreactors: New Technology for Modern Chemistry; Wiley-VCH: Weinheim, Germany, 2000.
- (45) For an earlier review with this focus, see Anderson, N. G. Org. Process Res. Dev. 2001, 5, 613.
- (46) Nagy, K. D.; Jensen, K. F. Chim. Oggi 2011, 29, 18.
- (47) Wirth, T., Ed. Microreactors in Organic Synthesis and Catalysis; Wiley: New York, 2008.
- (48) Mak, X. Y.; Laurino, P.; Seeberger, P. H. Chim. Oggi 2008, 27, 15.
- (49) Ozonolysis in a microreactor: Wada, Y.; Schmidt, M. A.; Jensen, K. F. *Ind. Eng. Chem. Res.* **2006**, *45*, 8036.
- (50) For examples of microwave-assisted Suzuki-Miyaura and Mizoroki-Heck reactions using Pd immobilized in capillaries, see Shore, G.; Morin, S.; Organ, M. G. *Angew. Chem., Int. Ed.* **2006**, 45, 2761.
- (51) Benz, K.; Jäckel, K.-P.; Regenauer, K.-J.; Schiewe, J.; Drese, K.; Ehrfeld, W.; Hessel, V.; Löwe, H. Chem. Eng. Technol. 2001, 24, 11.
- (52) Ondrey, G. Chem. Eng. 2001, 108, 27.
- (53) Sun, X.; Gavriilidis, A. Org. Process Res. Dev. 2008, 12, 1218.
- (54) Hornung, C. H.; Mackley, M. R.; Baxendale, I. R.; Ley, S. V. Org. Process Res. Dev. 2007, 11, 399.
- (55) Petkewich, R. Chem. Eng. News 2006, 84 (18), 48.
- (56) Anonymous. Chim. Oggi 2006, 24, 6.

- (57) Kreido Biofuels have developed a spinning tube-in-tube reactor (STT system) for the preparation of biodiesel on a large scale: http://www.kreido.com/about pr 20070116.htm
- (58) Ondrey, G. Chem. Eng. 2008, 116 (1), 11.
- (59) Jenkins, S. Chem. Eng. 2011, 118 (10), 19.
- (60) Hrusovsky, K.; Roskey, M. Mod. Drug Discovery 2004, 7 (12), 24.
- (61) Watts, P.; Wiles, C.; Haswell, S. J.; Pombo-Villar, E.; Styring, P. Chem. Commun. 2001, 990.
- (62) Kopp, M. U.; de Mello, A. J.; Manz, A. Science 1998, 280, 1046.
- (63) Ratner, D. M.; Murphy, E. R.; Jhunjhunwala, M.; Snyder, D. A.; Jensen, K. F.; Seeberger, P. H. Chem. Commun. 2005, 578.
- (64) (a) Fluorinations with DAST: Gustafsson, T.; Gilmour, R.; Seeberger, P. H. *Chem. Commun.* **2008**, 3022. (b) Fluorinations with DAST or deoxyfluor: Negi, D. S.; Köppling, L.; Lovis, K.; Adballah, R.; Geisler, J.; Budde, U. *Org. Process Res. Dev.* **2008**, 12, 345. (c) Fluorinations with F<sub>2</sub>: Chambers, R. D.; Fox, M. A.; Holling, D.; Nakano, T.; Okazoe, T.; Sandford, G. *Lab Chip* **2005**, 5, 191. Ritter, S. K. *Chem. Eng. News* **2005**, 83 (7), 35.
- (65) (a) National Institute of Advanced Industrial Science and Technology (AIST): Hydrogen Peroxide Synthesis Using a Microreactor. http://www.aist.go.jp/aist\_e/latest\_research/2010/20101111/20101111.html (accessed 1/23/12); (b) Ondrey, G. Chem. Eng. 2010, 117 (12), 11.
- (66) (a) Freemantle, M. Chem. Eng. News **2004**, 82 (41), 39; (b) Chem. Eng. **2006**, 114 (5), 18.
- (67) Inoue, T.; Schmidt, M. A.; Jensen, K. F. Ind. Eng. Chem. Res. 2007, 46, 1153.
- (68) Wu, W.; Qian, G.; Zhou, X.-G.; Yuan, W.-K. Chem. Eng. Sci. 2007, 62, 5127.
- (69) Anonymous. Chem. Eng. 2006, 113(5), 13.
- (70) Bedore, M. W.; Zaborenko, N.; Jensen, K. F.; Jaimson, T. F. Org. Process Res. Dev. 2010, 14, 432.
- (71) Continuous reactors may be constructed of various materials and operate safely under pressure; however, suitable safety precautions should be put in place to protect workers from pressurized expulsion of process streams.
- (72) (a) Short, L. Chem. Eng. News 2008, 86 (42), 37. (b) For model nitration of phenol, see Ducry, L.; Roberge, D. M. Angew. Chem., Int. Ed. 2005, 44, 7972. (c) See also Chem. Eng. News 2009, 87(11), 17.
- (73) (a) Barthe, P.; Guermeur, C.; Lobet, O.; Moreno, M.; Woehl, P.; Roberge, D. M.; Bieler, N.; Zimmermann, B. *Chem. Eng. Technol.* **2008**, *31*, 1146. (b) Roberge, D. M.; Bieler, N.; Zimmermann, B.; Barthe, P.; Guermeur, C.; Lobet, O.; Moreno, M.; Woehl, P. *Chem. Eng. Technol.* **2008**, *31*, 1155.
- (74) Bohn, L.; Braune, S.; Kotthaus, M.; Kraut, M.; Pöchlauer, P. Vorbach, M.; Wenka, A.; Schubert, K. Poster presented at the IMRET-9, 9th International Conference on Microreaction Technology, Potsdam, Germany, September 6–8, 2006.
- (75) Ondrey, G. Chem. Eng. 2011, 118 (4), 17.
- (76) Grant, D.; Dahl, R.; Cosford, N. D. P. J. Org. Chem. 2008, 73, 7219.
- (77) Spadoni, C.; Jones, R.; Urge, L.; Darvas, L. Chim. Oggi 2006, No. February/March, 38.
- (78) http://www.thalesnano.com/products/h-cube.
- (79) Jones, R. V.; Godorhazy, L.; Varga, N.; Szalay, D.; Urge, L.; Darvas, F. *J. Comb. Chem.* **2006**, *8*, 110.
- (80) (a) Saaby, S.; Knudsen, K. R.; Ladlow, M.; Ley, S. V. Chem. Commun. 2005, 2909. (b) Knudsen, K. R.; Holden, J.; Ley, S. V.; Ladlow, M. Adv. Synth. Catal. 2007, 349, 535.
- (81) Darout, E.; Basak, A. Tetrahedron Lett. 2010, 51, 2998.
- (82) Tehim, A. Personal communication.
- (83) Nieuwland, P. J.; Segers, R.; Koch, K.; van Hest, J. C. M.; Rutjes, F. P. J. T. Org. Process Res. Dev. 2011, 15, 783.
- (84) Ducry, L.; Roberge, D. M. Org. Process Res. Dev. 2008, 12, 163.
- (85) Webb, D.; Jamison, T. F. Org. Lett. 2012, 14, 568 These researchers used 0.03 in. ID PFA tubing and T-shaped mixers.
- (86) Tinder, R.; Farr, R.; Heid, R.; Zhao, R.; Rarig, R. S. Jr.; Storz, T. Org. Process Res. Dev. 2009, 13, 1401.

- (87) Noël, T.; Kuhn, S.; Musacchio, A. J.; Jensen, K. F.; Buchwald, S. L. Angew. Chem., Int. Ed. 2011, 50, 5943.
- (88) Ritter, S. K. Chem. Eng. News 2011, 89 (23), 39.
- (89) Kawaguchi, T.; Miyata, H.; Ataka, K.; Mae, K.; Yoshida, J. Angew. Chem., Int. Ed. 2005, 44, 2413.
- (90) Smith, M. B.; March, J. March's Advanced Organic Chemistry, 6th ed.; Wiley: New York, 2007; p 1721.
- (91) A microreactor is commercially available for cryogenic conditions, as applied in Browne, D. L.; Baumann, M.; H. Harji, B. H.; Baxendale, I. R.; Ley, S. V. Org. Lett. 2011, 13, 3312.
- (92) van der Linden, J. J. M.; Hilberink, P. W.; Kronenburg, C. M. P.; Kemperman, G. J. Org. Process Res. Dev. 2008, 12, 911.
- (93) Wiles, C.; Watts, P. Org. Process Res. Dev. 2008, 12, 1001.
- (94) Fuse, S.; Tanabe, N.; Takahashi, T. Chem. Commun. **2011**, 47, 12661.
- (95) Triphosgene and diphosgene have also been used in solid phase-mediated synthesis of peptides: Falb, E.; Yechezkel, R.-G.; Salitra, Y. Processes for Coupling Amino Acids Using Bis-(trichloromethyl) Carbonate. U.S. Patent 7,045,592, 2006.
- (96) Thales Nanotechnology's X-Cube Flash. http://www.thalesnano.com/node/130
- (97) Bariwal, J. B.; Ermolat'ev, D. S.; Glasnov, T. N.; Van Hecke, K.; Mehta, V. P.; Van Meervelt, L.; Kappe, C. O.; Van der Eycken, E. V. Org. Lett. 2010, 12, 2774.
- (98) Obermayer, D.; Glasnov, T. N.; Kappe, C. O. J. Org. Chem. **2011**, 76, 6657.
- (99) Bogdan, A. R.; Poe, S. L.; Kubis, D. C.; Broadwater, S. J.; McQuade, D. T. *Angew. Chem., Int. Ed.* **2009**, 48, 8547.
- (100) Grafton, M.; Mansfield, A. C.; Fray, M. J. Tetrahedron Lett. 2010, 51, 1026.
- (101) Wheeler, R. C.; Baxter, E.; Campbell, I. B.; Macdonald, S. J. F. Org. Process Res. Dev. **2011**, 15, 565.
- (102) Tilstam, U.; Defrance, T.; Giard, T.; Johnson, M. D. Org. Process Res. Dev. 2009, 13, 321.
- (103) Gross, T. D.; Chou, S.; Bonneville, D.; Gross, R. S.; Wang, P.; Campopiano, O.; Ouellette, M. A.; Zook, S. E.; Reddy, J. P.; Moree, W. J.; Jovic, F.; Chopade, S. Org. Process Res. Dev. 2008, 12, 929.
- (104) For an example of a continuous lithiation in a microreactor, see Nagaki, A.; Kim, H.; Yoshida, J. *Angew. Chem., Int. Ed.* **2008**, 47, 7833. (105) Gross, T. D. Personal communication.
- (106) Caron, S.; Dugger, R. W.; Gut Ruggeri, S.; Ragan, J. A.; Brown Ripin, D. H. *Chem. Rev.* **2006**, *106*, 2943.
- (107) Slade, J.; Parker, D.; Girgis, M.; Mueller, M.; Vivelo, J.; Liu, H.; Bajwa, J.; Chen, G.-P.; Carosi, J.; Lee, P.; Chaudhary, A.; Wambser, D.; Prasad, K.; Bracken, K.; Dean, K.; Boehnke, H.; Repic, O.; Blacklock, T. J. Org. Process Res. Dev. 2006, 10, 78.
- (108) Astbury, G. W. Org. Process Res. Dev. 2002, 6, 893.
- (109) Ye, X.; Johnson, M. D.; Diao, T.; Yates, M. H.; Stahl, S. S. Green Chem. 2010, 12, 1180.
- (110) Leduc, A. B.; Jamison, T. F. Org. Process Res. Dev. 2011, DOI: 10.1021/op200118h.
- (111) Brocklehurst, C. A.; Lehmann, H.; La Vecchia, L. Org. Process Res. Dev. 2011, 15, 1447.
- (112) Roydhouse, M. D.; Ghaini, A.; Constantinou, A.; Cantu-Perez, A.; Motherwell, W. B.; Gavriilidis, A. *Org. Process Res. Dev.* **2011**, *15*, 989. References therein cite other ozonolyses carried out in microreactors
- (113) Continuous ozonolyses have also been developed using (a) Falling film microreactor: Steinfeld, N.; Abdallah, R.; Dingerdissen, U.; Jähnisch, K. *Org. Process Res. Dev.* **2007**, *11*, 1025. (b) Structured microreactors: Hübner, S.; Bentrup, U.; Budde, U.; Lovis, K.; Dietrich, T.; Freitag, A.; Küpper, L.; Jähnisch, K. *Org. Process Res. Dev.* **2009**, *13*, 952. (c) Semi-permeable Teflon membrane: O'Brien, M. O.; Baxendale, I. R.; Ley, S. V. *Org. Lett.* **2010**, *12*, 1596.
- (114) Fukumoto, T.; Ikarashi, R. Process for Producing 2-Azabicyclo[2.2.1]hept-5-en-3-one. U.S. Patent 6,232,473, 2001.
- (115) Griffiths, G. J.; Previdoli, F. E. J. Org. Chem. 1993, 58, 6129.
- (116) Abele, S.; Höck, S.; Schmidt, G.; Funel, J.-A.; Marti, R. Org. Process Res. Dev. 2011, DOI: 10.1021/op200320w.

- (117) Rincón, J. A.; Barberis, M.; Gonzalez-Esguevillas, M.; Johnson, M. D.; Niemeier, J. K.; Sun, W.-M. *Org. Process Res. Dev.* **2011**, *15*, 1428.
- (118) Kopach, M. E.; Murray, M. M.; Braden, T. M.; Kobierski, M. E.; William, O. L. Org. Process Res. Dev. 2009, 13, 152.
- (119) Delhaye, L.; Stevens, C.; Merschaert, A.; Delbeke, P.; Briône, W.; Tilstam, U.; Borghese, A.; Geldhof, G.; Diker, K.; Dubois, A.; Barberis, M.; Casarubios, L. *Org. Process Res. Dev.* **2007**, *11*, 1104.
- (120) Bogdan, A. R.; James, K. Chem.—Eur. J. 2010, 16, 14506.
- (121) Poe, S. L.; Cummings, M. A.; Haaf, M. P.; McQuade, D. T. Angew. Chem., Int. Ed. 2006, 45, 1544.
- (122) Hartman, R. L.; Naber, J. R.; Zaborenko, N.; Buchwald, S. L.; Jensen, K. F. Org. Process Res. Dev. 2010, 14, 1347.
- (123) Dolman, S. J.; Nyrop, J. L.; Kuethe, J. T. J. Org. Chem. 2011, 76, 993.
- (124) Wiles, C.; Watts, P. Micro Reaction Technology in Organic Synthesis; CRC Press: Boca Raton, FL, 2011; pp 12–13.
- (125) Gray, R. Curr. Drug Discovery 2004, No. July, 9.
- (126) Freemantle, M. Chem. Eng. News 2005, 83 (6), 11.
- (127) Zhang, X.; Stefanick, S.; Villani, F. J. Org. Process Res. Dev. 2004, 8, 455.
- (128) Rouhi, A. M. Chem. Eng. News **2004**, 82 (27), 18. See Müller, G.; Gaupp, T.; Wahl, F.; Wille, G. Chimia **2006**, 60, 618.
- (129) (a) Geyer, K.; Codée, J. D. C.; Seeberger, P. H. Chem.—Eur. J. **2006**, 12, 8434. (b) Snyder, D. A.; Noti, C.; Seeberger, P. H. Helv. Chim. Acta **2005**, 88, 1.
- (130) Ramshaw, C. In Re-engineering the Chemical Processing Plant: Process Intensification; Moulijn, J. A., Ed.; Marcel-Dekker: New York, 2007; p 69.
- (131) A group from Fluens Synthesis has recently described a multijet oscillating disc millireactor, with efficient mixing: Liguori, L.; Bjørsvik, H.-R. *Org. Process Res. Dev.* **2011**, *15*, 997.
- (132) Vicevic, M.; Boodhoo, K. V. K.; Scott, K. Chem. Eng. J. 2007, 133, 43.
- (133) (a) Brechtelsbauer, C.; Lewis, N.; Oxley, P.; Ricard, F. Org. Process Res. Dev. 2001, 5, 65. (b) Brechtelsbauer, C. M.; Oxley, P. Process for Epoxidizing Substituted Cyclohexanones. U.S. Patent 6,482,960 B1, 2002.
- (134) Badham, N. F.; Mendelson, W. L.; Allen, A.; Diederich, A. M.; Eggleston, D. S.; Filan, J. J.; Freyer, A. J.; Killmer, L. B. Jr.; Kowalski, C. J.; Liu, L.; Novack, V. J.; Vogt, F. G.; Webb, K. S.; Yang, J. J. Org. Chem. 2002, 67, 5440.
- (135) Anantachoke, M.; Makha, M.; Raston, C. L.; Reutrakul, V.; Smith, N. C.; Saunders, M. J. Am. Chem. Soc. **2006**, 128, 13847.
- (136) Elastec/AmericanMarine Innovative Environmental Products. Grooved Disc Technology. http://elastec.com/oilspill/oildrumskimmers/groovedisc/.
- (137) (a) The ULREA forced thin-film microreactor from M Technique Co. http://m-technique.co.jp/e/members/ulrea/kouzou. html (accessed 1/23/12); (b) Ondrey, G. *Chem. Eng.* **2011**, *118* (3), 11
- (138) Kreido Laboratories: http://www.kreido.com/downloads/ps\_stt30g.pdf (accessed 1/24/12); http://www.kreido.com/downloads/ps\_stt\_tech.pdf (accessed 1/24/12).
- (139) Hampton, P. D.; Whealon, M. D.; Roberts, L. M.; Yaeger, A. A.; Boydson, R. Org. Process Res. Dev. 2008, 12, 946.
- (140) Confalone, P. N.; Waltermire, R. E. In *Process Chemistry in the Pharmaceutical Industry*; Gadamasetti, K. G., Ed.; Marcel-Dekker: New York, 1999; p 208.
- (141) A multiphase membrane reactor has also been used to oxidize benzyl alcohol to benzaldehyde: Buonomenna, M G.; Drioli, E. Org. Process Res. Dev. 2008, 12, 982 The system used H<sub>2</sub>O<sub>2</sub> as bulk oxidant, catalytic ammonium molybdate, and no organic solvent. The membrane was involved in mass transport for successful oxidation.
- (142) Gonzalez, M. A.; Ciszewski, J. T Org. Process Res. Dev. 2009, 13, 64.
- (143) See also information from Four Rivers BioEnergy, Inc.: http://www.riv4ers.com/stt technology.html (accessed 1/24/12).
- (144) Genck, W. Chem. Eng. 2011, 118 (7), 28.

- (145) Tung, H.-H.; Paul, E. L.; Midler, M.; McCauley, J. A. Crystallization of Organic Compounds, an Industrial Perspective; Wiley: New York, 2009.
- (146) Allian, A. D.; Richter, S. M.; Kallemeyn, J. M.; Robbins, T. A.; Kishore, V. *Org. Process Res. Dev.* **2011**, *15*, 91.
- (147) Allian, A. D. Personal communication.
- (148) Bowles, D. M.; Boyles, D. C.; Choi, C.; Pfefferkorn, J. A.; Schuyler, S. *Org. Process Res. Dev.* **2011**, *15*, 148. Some residual acid must have been present during the quench, as the dimethyl acetal was formed. The acetal ester was converted to the desired aldehyde ester by treatment with NaOH and TFA, as shown in the scheme.
- (149) For a description of a countercurrent bubble reactor column, see Pelletier, M. J.; Barilli, M. L.; Moon, B. *Appl. Spectrosc.* **2007**, *61*, 1107.
- (150) LaPorte, T. L.; Hamedi, M.; DePue, J. S.; Shen, L.; Watson, D.; Hsieh, D. Org. Process Res. Dev. 2008, 12, 956.
- (151) Anderson, N. G. Org. Process Res. Dev. 2005, 9, 800.
- (152) Brands, K. M. J.; Davies, A. J. Chem. Rev. 2006, 106, 2711.
- (153) Van Alsten, J. G.; Reeder, L. M.; Stanchina, C. L.; Knoechel, D. J. Org. Process Res. Dev. 2008, 12, 989.
- (154) Michel, B. J. Chem. Process. 1989, No. July, 24.
- (155) Roberts, G. W. Chemical Reactions and Chemical Reactors; Wiley: New York, 2009.
- (156) Atherton, J. H.; Carpenter, K. J. Process Development: Physicochemical Concepts; Oxford University Press: Oxford, UK; 1999; pp 37–38.
- (157) The Engineering Toolbox. Reynolds Number: An Introduction and definition of the dimensionless Reynolds Number with online calculators. http://www.engineeringtoolbox.com/reynolds-number-d\_237.html (accessed 1/23/12).
- (158) Calculations for scaling up a PFR are beyond the scope of this review. See *Handbook of Industrial Mixing: Science and Practice*; Paul, E. L.; Atiemo-Obeng, V. A.; Kresta, S. M., Eds.; Wiley: New York; 2004; Vol. 1.
- (159) For instance, see Chemineer. Kenics Static Mixers. http://www.chemineer.com/kenics\_-\_static\_mixers.php (accessed 1/23/12). (160) Bayer. T.: Himmler. K.: Hessel. V. Chem. Eng. 2003, 110 (5).
- (160) Bayer, T.; Himmler, K.; Hessel, V. Chem. Eng. 2003, 110 (5),
- (161) Tajima, H.; Nakajima, Y.; Otomo, J.; Nagamoto, H.; Yamasaki, A.; Kiyoso, F. Chem. Lett. 2007, 36, 1212.
- (162) Komax Systems, Inc. Static Ozone Mixer. http://www.komax.com/Static-Mixer-Ozone.html (accessed 1/23/12).
- (163) Mysore, C.; Leparc, J.; Lake, R.; Agutter, P.; Prévost, M. Ozone: Sci. Eng. 2004, 26, 207 DOI: 10.1080/01919510490439609.
- (164) For an example of an ozonolysis carried out in water, see Fleck, T. J.; McWhorter, W. W.; DeKam, R. N.; Pearlman, B. A. *J. Org. Chem.* **2003**, *68*, 9612.
- (165) Other sparging devices can reduce the size of bubbles for increased availability. For instance, see Ondrey, G. *Chem. Eng.* **2006**, 113 (2), 15.
- (166) (a) Ondrey, G. Chem. Eng. 2005, 112 (7), 20. (b) Sulzer Chemtech Ltd.: http://www.sulzerchemtech.com/portaldata/11/Resources//brochures/mrt/Prospekt\_Compax\_e.pdfm (accessed 1/23/12).
- (167) Blacklock, T. J.; Shuman, R. F.; Butcher, J. W.; Shearin, W. E. Jr.; Budavari, J.; Grenda, V. J. J. Org. Chem. 1988, 53, 836.
- (168) NCAs of amino acids are used to make polyamino acids. The reactivity of *N*-alkyl NCAs is probably much lower than that of *N*–*H* NCAs. A quinapril precursor was prepared on scale using 2 mol% of acetic acid, perhaps as a catalyst for reacting with the *N*-alkyl NCA. The *tert*-butyl ester of (*S*)-1,2,3,4-tetrahydro-3-isoquinolinecarboxylic acid (from 30 kg of the tosic acid salt) in toluene was added over about 5 min to a solution of the ethyl ester of (2*S*,4*S*)-2-(4-methyl-2,5-dioxo-oxazolidin-3-yl)4-phenyl-butyric acid (23.5 kg) and 90 g of AcOH in toluene. No temperature was mentioned, and no yield was given, but the in-process HPLC data indicated the conversion was essentially quantitative. Jennings, S. M. Preparation of Quinapril Hydrochloride. U.S. Patent 6,858,735 B2, 2005.
- (169) Paul, E. L. Chem. Eng. Sci. 1988, 43, 1773.

- (170) Brechtelsbauer, C.; Ricard, F. Org. Process Res. Dev. 2001, 5, 646.
- (171) Choe, J.; Kim, Y.; Song, K. H. Org. Process Res. Dev. 2003, 7, 187.
- (172) Luchi, J.; Levin, D. Process for Preparing  $\gamma$ -Hydroxybutyrate. U.S. Patent Application 2011/0034727 A1, 2011.
- (173) Wakami, H.; Yoshida, J. Org. Process Res. Dev. 2005, 9, 787.
- (174) Kopach, M. E.; Singh, U. K.; Kobierski, M. E.; Trankle, W. G.; Murray, M. M.; Pietz, M. A.; Forst, M. B.; Stephenson, G. A.; Mancuso, V.; Giard, T.; Vanmarsenille, M.; DeFrance, T. Org. Process Res. Dev. 2009, 13, 209.
- (175) McConnell, J. R.; Hitt, J. E.; Daugs, E. D.; Rey, T. A. Org. Process Res. Dev. 2008, 12, 940.
- (176) Horgan, S. W.; Burkhouse, D. W.; Cregge, R. J.; Freund, D. W.; LeTourneau, M.; Margolin, A.; Webster, M. E. *Org. Process Res. Dev.* 1999, 3, 241.
- (177) McConnell, J. R.; in Rouhi, A. M. Chem. Eng. News 2003, 81 (28), 37.
- (178) Frost, C. G.; Mutton, L. Green Chem. 2010, 12, 1687.
- (179)
  (a) Jas, G.; Kirschning, A. Chem.—Eur. J. 2003, 9, 5708.
  (b) Singh, B. K.; Kaval, N.; Tomar, S.; Van der Eycken, E.; Parmar, V. S. Org. Process Res. Dev. 2008, 12, 468.
- (180) Alaerts, L.; Wahlen, J.; Jacobs, P. A.; De Vos, D. E. Chem. Commun. 2008, 1727.
- (181) Wiles, C.; Watts, P.; Haswell, S. J. Tetrahedron Lett. **2006**, 47, 5261.
- (182) Gooden, P. N.; Bourne, R. A.; Parrott, A. J.; Bevinakatti, H. S.; Irvine, D. J.; Poliakoff, M. Org. Process Res. Dev. 2010, 14, 411.
- (183) Parrott, A. J.; Bourne, R. A.; Gooden, P. N.; Bevinakatti, H. S.; Poliakoff, M.; Irvine, D. J. Org. Process Res. Dev. 2010, 14, 1420.
- (184) Stevens, J. G.; Gómez, P.; Bourne, R. A.; Drage, T. C.; George, M. W.; Poliakoff, M. Green Chem. **2011**, 13, 2727.
- (185) Leeke, G. A.; Santos, R. C. D.; Al-Duri, B.; Seville, J. P. K.; Smith, C. J.; Lee, C. K. Y.; Holmes, A. B.; McConvey, I. F. *Org. Process Res. Dev.* **2007**, *11*, 144. The authors noted that some Pd was leached from the catalyst during use.
- (186) Nickbin, N.; Ladlow, M.; Ley, S. M. Org. Process Res. Dev. 2007, 11, 458.
- (187) France, S.; Bernstein, D.; Weatherwax, A.; Lectka, T. Org. Lett. **2005**, 7, 3009.
- (188) Annis, D. A.; Jacobsen, E. N. J. Am. Chem. Soc. 1999, 121, 4147.
- (189) Massi, A.; Cavazzini, A.; Del Zoppo, L.; Pandoli, O.; Costa, V.; Pasti, L.; Giovannini, P. P. *Tetrahedron Lett.* **2011**, *52*, *619*.
- (190) For high-yielding, solvent-free aldol reactions using a proline catalyst, see Yang, H.; Carter, R. G. Org. Lett. 2008, 10, 4649.
- (191) Bandini, M.; Fagioli, M.; Umani-Ronchi, A. Adv. Synth. Catal. **2004**, 346, 545.
- (192) Phan, N. T. S.; Khan, J.; Styring, P. Tetrahedron 2005, 61, 12065.
- (193) Naber, J. R.; Buchwald, S. L. Angew. Chem., Int. Ed. 2010, 49, 9469.
- (194) (a) Lange, H.; Capener, M. J.; Jones, A. X.; Smith, C. J.; Nikbin, N.; Baxendale, I. R.; Ley, S. V. Synlett 2011, 869. (b) Baxendale, I. R.; Deeley, J.; Griffiths-Jones, C. M.; Ley, S. V.; Saaby, S.; Tranmer, G. K. Chem. Commun. 2006, 2566. (c) Baxendale, I. R.; Ley, S. V.; Smith, C. D.; Tranmer, G. K. Chem. Commun. 2006, 4835. (d) Baxendale, I. R.; Griffiths-Jones, C. M.; Ley, S. V.; Tranmer, G. K. Synlett 2006, 427.
- (195) De Klerk, A.; Hadebe, S. W.; Govender, J. R.; Jaganyi, D.; Mzinyati, A. B.; Robinson, R. S.; Xaba, N. *Ind. Eng. Chem. Res.* **2007**, 46, 400.
- (196) For example, see Bourne, R. A.; Stevens, J. G.; Ke, J.; Poliakoff, M. Chem. Commun. **2007**, 4632.
- (197) Yu, R. H.; Polniaszek, R. P.; Becker, M. W.; Cook, C. M.; L. Yu, L. H. Org. Process Res. Dev. **2007**, 11, 972.
- (198) In two cases using the flow-through system, resolution was 1.6 times or 1.8 times the reaction rate in shaken flasks. For the third substrate the resolution in the shaken flask was 1.6 times faster than

- reaction in the flow-through system Csajági, C.; Szatzker, G.; Töke, E. R.; Ürge, L.; Darvas, F.; Poppe, L. *Tetrahedron: Asymmetry* **2008**, *19*, 237.
- (199) Truppo, M. D.; Hughes, G. Org. Process Res. Dev. 2011, 15, 1033.
- (200) (a) Tao, J.; McGee, K. Org. Process Res. Dev. 2002, 6, 520. (b) Tao, J.; McGee, K. In Asymmetric Catalysis on Industrial Scale; Blaser, H. U., Schmidt, E., Eds.; Wiley-VCH: Weinheim, Germany, 2004; pp 321–334.
- (201) Yoon, S. K.; Choban, E. R.; Kane, C.; Tzedakis, T.; Kenis, P. J. A. J. Am. Chem. Soc. **2005**, 127, 10466.
- (202) Wagner, N.; Fuereder, M.; Bosshart, A.; Panke, S.; Bechtold, M. Org. Process Res. Dev. 2011, DOI: 10.1021/op200160e.
- (203) Warnings! (1) Use of HCN should be carried out only under very controlled conditions, perhaps through continuous generation. (2) Diisopropyl ether is prone to forming dangerous peroxides.
- (204) Chen, P.; Han, S.; Lin, G.; Li, Z. *J. Org. Chem.* **2002**, *67*, 8251. (205) Luckarift, H. R.; Nadeau, L. J.; Spain, J. C. *Chem. Commun.* **2005**, 383
- (206) Junior, I. I.; Flores, M. C.; Sutili, F. K.; Leite, S. G. F.; de M. Miranda, L. S.; Leal, I. C. R.; de Souza, R. O. M. A. *Org. Process Res. Dev.* **2011**, DOI: 10.1021/op200132y.
- (207) Thomsen, M. S.; Nidetzky, B. Eng. Life Sci. 2008, 8, 40.
- (208) Hoffmann, N. Chem. Rev. 2008, 108, 1052.
- (209) Van Gerven, T.; Mul, G.; Moulijn, J.; Stankiewicz, A. Chemical Engineering and Processing: Process Intensification 2007, 46, 78.
- (210) (a) Photochemistry. Ullmann's Encyclopedia of Industrial Chemistry [Online]; Wiley Online Library, Posted June 15, 2000; http://onlinelibrary.wiley.com/doi/10.1002/14356007.a19\_573/full#a19\_573-sec2-0006 (accessed 1/28/12). (b) Cotarca, L.; Delogu, P.; Nardelli, A.; Šunjić, V. Synthesis 1996, 553.
- (211) (a) For instance, see Watersolve International, LLC at *Preparation of Pharmaceutical Waters*; http://www.watersolve.com/USP%20technical.htm (accessed 1/23/12). (b) Units are also available from UV Sciences: http://www.uvsciences.com/UV-Zone\_demo\_skid.html (accessed 1/23/12).
- (212) (a) Prosys GmbH: http://www.prosys-bremen.de (accessed 1/23/12). In German; press "weiter". (b) Fecht, G. S. V. D.; Wöhrle, G.; Gerdes, R. Immobilized photocatalyst. EP 1,204,475 B1, 2004; (c) Ondrey, G. Chem. Eng. 2003, 110 (4), 15.
- (213) For a discussion on some of the advantages and disadvantages of photobioreactors, see (a) *Oilgae*; 2012, http://www.oilgae.com/algae/cult/pbr/pbr.html (accessed 1/23/12). (b) *Recharge News*; 2009, http://www.originoil.com/pdf/RechargeNews\_Algaes\_Green\_Oil\_090213.pdf (accessed 1/23/12).
- (214) Design of static mixers as photobioreactors: Ugwu, C. U.; Ogbonna, J. C.; Tanaka, H. J. Appl. Phycol. 2003, 15, 217.
- (215) Stokowski, R. J.; Tertzakian, G.; Ruo, T. C. S. Process for Producing Oxalyl Chloride and Intermediates. U.S. Patent 4,390,708, 1983.
- (216) For a discussion on the two-wavelength photolysis to make 1- $\alpha$ -hydroxyvitamin D<sub>5</sub>, see Moriarty, R. M.; Albinescu, D. *J. Org. Chem.* **2005**, 70, 7624.
- (217) Fuse, S.; Tanabe, N.; Yoshida, M.; Yoshida, H.; Doi, T.; Takahashi, T. Chem. Commun. 2010, 46, 8722.
- (218) Hook, B. D. A.; Dohle, W.; Hirst, P. R.; Pickworth, M.; Berry, M. B.; Booker-Milburn, K. I. *J. Org. Chem.* **2005**, *70*, 7558.
- (219) Lévesque, F.; Seeberger, P. H. Org. Lett. 2011, 13, 5008.
- (220) Wootton, R. C. R.; Fortt, R.; de Mello, A. J. Org. Process Res. Dev. 2002, 6, 187.
- (221) Quality Requirements for Artemisinin As a Starting Material in the Production of Antimalarial Active Pharmaceutical Ingredients (APIs); World Health Organization: Geneva, Switzerland, 2011, http://www.who.int/medicines/areas/quality\_safety/quality\_assurance/ArtesimininStartMat QAS10-349\_Rev2.pdf (accessed 1/23/12).
- (222) The Institute for OneWorld Health. *The Artemisinin Project: OneWorld Health's Breakthrough in the Global Fight Against Malaria* http://www.oneworldhealth.org/pdf/BetheChangeSaveaLifeMalaria% 28042511%29.pdf (accessed 1/23/12).

- (223) Dhainaut, J.; Dlubala, A.; Guevel, R.; Medard, A.; Oddon, G.; Raymond, N.; Turconi, J. Photochemical Process for Producing Artemisinin. WO 2011/026865 A1; this patent does not describe continuous operations.
- (224) The Seeberger group has prepared artemisinin from dihydroartemisinic acid using singlet oxygen in a continuous photochemical process: Lévesque, F.; Seeberger, P. H. *Angew. Chem., Int. Ed.* **2012**, DOI: 10.1002/anie.201107446, (accessed 1/23/12).
- (225) From mikroglas chemtech GmbH: http://www.mikroglas.com (accessed 1/23/12).
- (226) Nowak, F. M., Ed. Sonochemistry: Theory, Reactions and Syntheses, and Applications; Nova Science: Hauppauge, NY, 2010.
- (227) Ruecroft, G.; Hipkiss, D.; Ly, T.; Maxted, N.; Cains, P. W. Org. Process Res. Dev. 2005, 9, 923.
- (228) (a) Mason, T. J.; Peters, D.; Practical Sonochemistry: Power Ultrasound Uses and Applications; 2nd ed.; Woodhead Publishing: Cambridge, U.K.; 2002; (b) Mason, T. J. Chem. Soc. Rev. 1997, 26, 443.
- (229) Wan, M.-W.; Yen, T.-F. Energy Fuels 2008, 22, 1130.
- (230) Heilscher Ultrasonics GmbH: http://www.hielscher.com (accessed 1/23/12).
- (231) Kim, S.; Wei, C.; Kiang, S. Org. Process Res. Dev. 2003, 7, 997.
- (232) Franc, B.; Hoff, C.; Kiang, S.; Lindrud, M. D.; Monnier, O.; Wei, C. Form Of Irbesartan, Processes for Obtaining the Said and Pharmaceutical Compositions Containing It. U.S. Patent 7,008,959, 2006
- (233) Lindrud, M. D.; Kim, S.; Wei, C. Sonic Impinging Jet Crystallization Appartus and Process. U.S. Patent 6,302,958 B1, 2001 (234) am Ende, D. J.; Crawford, T. C.; Weston, N. P. Reactive Crystallization Method to Improve Particle Size. U.S. Patent 6,558,435, 2003.
- (235) Prosonix: http://www.prosonix.co.uk (accessed 1/23/12).
- (236) Kegelaers, Y.; Eulaerts, O.; Reisse, J.; Segebarth, N. Eur. J. Org. Chem. 2001, 3683.
- (237) Sharma, A.; Appukkuttan, P.; Van der Eycken, E. Chem. Commun. 2012, 48, 1623.
- (238) Kuznetsov, D. V.; Raev, V. A.; Kuranov, G. L.; Arapov, O. V.; Kostikov, R. R. Russ. J. Org. Chem 2005, 41, 1757.
- (239) Mavandadi, F.; Lidström, P. Curr. Top. Med. Chem. 2004, 4,
- (240) Roberts, B. A.; Strauss, C. R. Acc. Chem. Res. 2005, 38, 653.
- (241) Bashiardes, G.; Safir, I.; Barbot, F. Synlett 2007, 11, 1707.
- (242) Shieh, W.-C.; Dell, S.; Repic, O. Tetrahedron Lett. 2002, 43, 5607.
- (243) This reaction was probably used to demonstrate the ability of commercially available continuous microwave units. Without microwave irradiation, esterification with dimethyl carbonate has been carried out with (a) DABCO: Shieh, W.-C.; Dell, S.; Bach, A.; Repic, O.; Blacklock, T. J. J. Org. Chem. 2003, 68, 1954. (b) K<sub>2</sub>CO<sub>3</sub>/DMF: Jiang, X.; Tiwari, A.; Thompson, M.; Chen, Z.; Cleary, T. P.; Lee, T. B. K. Org. Process Res. Dev. 2001, 5, 604. (c) Acid catalysis: Rekha, V. V.; Ramani, M. V.; Ratnamala, A.; Rupakalpana, V.; Subbaraju, G. V.; Satyanarayana, C.; Rao, C. S. Org. Process Res. Dev. 2009, 13, 769.
- (244) Pitts, M. R.; McCormack, P.; Whittall, J. Tetrahedron **2006**, 62, 4705.
- (245) Glasnov, T. N.; Findenig, S.; Kappe, C. O. Chem.—Eur. J. 2009, 15, 1001.
- (246) Baxendale, I. R.; Griffiths-Jones, C. M.; Ley, S. V.; Tranmer, G. K. Chem.—Eur. J. **2006**, 12, 4407.
- (247) Bowman, M. D.; Holcomb, J. L.; Kormos, C. M.; Leadbeater, N. E.; Williams, V. A. Org. Process Res. Dev. 2008, 12, 41.
- (248) Iannelli, M.; Bergamelli, F.; Kormos, C. M.; Paravisi, S.; Leadbeater, N. E. *Org. Process Res. Dev.* **2009**, *13*, 634.
- (249) (a) Schmink, J. R.; Kormos, C. M.; Devine, W. G.; Leadbeater, N. E. *Org. Process Res. Dev.* **2010**, *14*, 205 and references therein. (b) For examples of semi-continuous Suzuki–Miyaura couplings in water, see Chanthavong, F.; Leadbeater, N. E. *Tetrahedron Lett.* **2006**, *47*, 1909.

- (250) Damm, M.; Glasnov, T. N.; Kappe, C. O. Org. Process Res. Dev. 2010, 14, 215.
- (251) Pedrick, E. A.; Leadbeater, N. E. Inorg. Chem. Commun. 2011, 14, 481.
- (252) Viviano, M.; Glasnov, T. N.; Reichart, B.; Tekautz, G.; Kappe, C. O. Org. Process Res. Dev. 2011, 15, 858.
- (253) Glasnov, T. N.; Kappe, C. O. Chem.—Eur. J. 2011, 17, 11956.
- (254) Dressen, M. H. C. L.; van de Kruijs, B. H. P.; Meuldijk, J.; Vekemans, J. A. J. M.; Hulshof, L. A. Org. Process Res. Dev. 2010, 14, 351
- (255) Lehmann, H.; LaVecchia, L. Org. Process Res. Dev. 2010, 14, 650.
- (256) For instance, Uniqsis Ltd. http://www.uniqsis.com/ (accessed 1/23/12).
- (257) Kelly, C. B.; Lee, C. X.; Leadbeater, N. E. Tetrahedron Lett. 2011, 52, 263.
- (258) For instance (a) Alfa Laval's ART plate reactor: http://www.alfalaval.com/solution-finder/products/art-plate-reactor/Documents/ART\_CC00182.pdf (accessed 1/23/12). (b) Corning's G4 ceramic reactor: Ondrey, G. Chem. Eng. 2011, 118 (7), 11. (c) Paar Instrument Company's tubular reactors: http://www.parrinst.com/products/specialty-custom-systems (accessed 1/23/12).
- (259) Wegner, J.; Ceylon, S.; Kirschning, A. Chem. Commun. 2011, 47, 4583.
- (260) ICH Q7A Good Manufacturing Practice Guidance for Active Pharmaceutical Ingredients. 2001: http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm073497.pdf (accessed 1/23/12).
- (261) For a review on process validation, see Anderson, N. G.; Burdick, D. C.; Reeve, M. M. Org. Process Res. Dev. 2011, 15, 162.
- (262) Federsel, H.-J. Acc. Chem. Res. 2009, 42, 671.
- (263) Roberge, D. M.; Ducry, L.; Bieler, N.; Cretton, P.; Zimmermann, B. Chem. Eng. Technol. 2005, 28, 318.
- (264) Rouhi, A. M. Chem. Eng. News 2005, 83 (3), 41.
- (265) Cue, B. W.; Berridge, J.; Manley, J. B. Pharm. Eng. 2009, 29 (2), 8.
- (266) See also Mullin, R. Chem. Eng. News 2011, 89 (30), 18.
- (267) Schwalbe, T.; Kursawe, A.; Sommer, J. Chem. Eng. Technol. 2005, 28, 408.