nahMh

Cyclopentanone as a Cation-Stabilizing Electron-Pair Donor in the Calcium-Catalyzed Intermolecular Carbohydroxylation of Alkynes

Tobias Stopka and Meike Niggemann*

Institute of Organic Chemistry, RWTH Aache[n U](#page-2-0)niversity, 52074 Aachen, Germany

S Supporting Information

[AB](#page-2-0)STRACT: [Although the](#page-2-0)y have been used as reactivitycontrolling additives in cationic polymerizations for decades, Lewis basic "electron pair donor" (ED) compounds were never used for the stabilization of cationic intermediates in transformations of small molecules. As such an ED, cyclopentanone proved highly efficient for the stabilization of allyl and vinyl cations in combination with our calcium-based catalyst system. Therefore, the first general transition-metal-free intermolecular carbohydroxylation of alkynes with allyl and propargyl alcohols was realized.

The direct functionalization of alkynes with carbon-
centered electrophiles represents a highly desirable yet scarcely explored C−C bond-formation reaction.¹ A challenging model transformation for this type of chemistry is the carbohydroxylation with inexpensive and rea[di](#page-2-0)ly available alcohols resulting in the formation of ketones.^{1d,2} As outlined in Scheme 1, this process consists of four elementary steps: (1) ionization of the alcohol; (2) nucleophilic atta[ck o](#page-2-0)f the alkyne

and formation of a vinyl cation intermediate; (3) interception of the vinyl cation with a water molecule; (4) keto enol

tautomerization. Even though fundamentally simple and benefiting from full atom economy, the process suffers from major limitations related to the first two of these elementary steps. First, only very few catalysts have been found competent for the direct ionization of alcohols 1 other than benzylic alcohols; the scope of the process with regard to the carbon electrophile A remains therefore severely limited,^{1d,2f-l} and stoichiometric use of "catalyst" is often necessary. Even more difficulties are associated with the low n[ucleop](#page-2-0)hilicity of the alkyne moiety in 2.³ Due to this low nucleophilicity, the addition of the alkyne 2 to the previously generated carbocation A tends to be rela[tiv](#page-2-0)ely slow, particularly in intermolecular transformations, so that the cation A is very likely to be entangled in unproductive side reactions especially when highly reactive due to the absence of stabilizing substituents. Furthermore, the reactive intermediate that is formed upon the successful addition, the vinyl cation B, is in any case even more reactive than A and its fate, hence, even more difficult to control.

Scheme 1. Carbohydroxylation of Alkynes

In recent years, our group has focused on the development of a simple calcium catalyst as a more sustainable alternative to expensive and highly toxic noble metal catalysts in synthetic chemistry.⁴ Decorated with a carefully balanced combination of noncoordinating anions, the Ca^{2+} ion was found to be a highly efficient [Le](#page-2-0)wis acid catalyst for the direct ionization of readily available and also nonbenzylic alcohols. In addition, cation formation was found to be generally accompanied by a reversible background reaction in which the cation was found to form ethers 4 (see Scheme 2),⁵ thereby maintaining the effective cation concentration at a low level that might be highly beneficial to avoid unproductive sid[e](#page-3-0) reactions of cation A.

Thus, having in hand a competent catalyst for the formation of an unprecedented scope of carbocations from alcohols and to maintain an equilibrium between these and a stable resting state, we set out to identify further reaction parameters that also allow for a reversible stabilization of the vinyl cation B. An extensive survey of the literature pointed us toward a series of papers that discusses the beneficial influence of electron-pair donors (EDs) for the control of reactivity in cationic polymerizations reactions.⁶ Although the exact mechanistic role of these EDs is still a subject of debate, it was uniformly found that the rate of [po](#page-3-0)lymerization was slowed in the presence of EDs and at the same time products of a more controlled process with fewer unwanted intramolecular selfalkylation and smaller molecular weight distributions were

Received: January 30, 2015 Published: March 5, 2015

Table 1. Optimization of the Reaction Conditions

	OН		catalyst/ additive		
	1a 2a		DCE	3a	
entry ^a	catalyst	additive	carbonyl- compound	temp $(^{\circ}C)$	yield $(%)^b$
1	$Ca(NTf_2)_2$	NH_4PF_6		rt	25
$\mathbf{2}$	$Sc(OTf)_{3}$			rt	0
3	FeCl ₃ .6H ₂ O			rt	10
$\overline{4}$	HNTf ₂			rt	16
5	HNTf ₂	NH_4PF_6		40	39
6	TfOH			rt	5
7	$Ca(NTf_2)_2$	NH_4PF_6		rt	45
8	Ca(NTf ₂) ₂	Bu ₄ NPF ₆		rt	traces
9	Ca(NTf ₂) ₂	PhMe ₂ HN ⁺ $B(C_6F_5)_4$		rt	0
10	$Ca(NTf_2)_2$	NH ₄ PF ₆		40	85
11	$Ca(NTf_2)_2$	NH_4PF_6		40	69
12	Ca(NTf ₂) ₂	NH_4PF_6		40	57
13	$Ca(NTf_2)_2$	NH_4PF_6		40	0
14	$Ca(NTf_2)_2$	NH_4PF_6		40	$\mathbf{0}$

 a Catalyst (5 mol %) and additive (15 mol %) were added to alcohol 1a (0.25 mmol) and alkyne 2a (0.75 mmol) in DCE (2.5 mL) and stirred for 16 h. ^bIsolated yield.

provided. This clearly points toward a reduction of reactivity of the cationic propagating species by the formation of Lewis acid/base pairs between the cation center and the lewis basic ED with more or less covalent character.⁷

Inspired by these findings from polymer chemistry, we chose the addition of phenylethanol (1a), yie[ld](#page-3-0)ing a still relatively stable benzylic cation, to phenylacetylene $(2a)$ as a starting point to test the influence of EDs on the title transformation. In an initial set of screening reactions, 5 mol % of $Ca(NTf_2)_2$ in the presence of 15 mol % of NH_4PF_6 proved to be the most effective catalyst system in the absence of EDs, yielding the desired product in 25% yield (Table 1, entry 1).

Even though they are generally competent for the first ionization step in this particular case, as it is a benzylic alcohol, commonly employed Lewis acids (Table 1, entries 2 and 3) as well as Brønsted acids (Table 1, entries 4 and 5) were less efficient than the calcium-based system and led to complex reaction mixtures. The addition and variation of additives such as NH_4PF_6 had no significant impact in combination with these catalysts. Further optimization confirmed that the presence of cyclopentanone significantly improved the results, and the desired product was isolated in a much better yield (Table 1, entry 8). Notably, if the reaction was carried out in other solvents or with an additive different from NH_4PF_6 (Table 1, entries 9 and 10) the reaction became sluggish again. Finally, slightly higher reaction temperatures $(40 °C)$ afforded the product with excellent yield (Table 1, entry 11).

Table 2. Addition of Alcohols to Phenylacetylene

 ${}^a\text{Ca(NTf}_2)$ ₂ (5 mol %) and NH_4PF_6 (15 mol %) were added to alcohols 1b−l (0.25 mmol), alkyne 2a (0.75 mmol), and cyclopentanone (1.25 mmol) in DCE (2.5 mL) and stirred for the indicated Fraction at room temperature. $\frac{b}{b}$ solated yield. Cheaction at 40 °C.

It ime at room temperature. $\frac{b}{c}$ solated yield. Cheaction at 40 °C. Mixture of regioisomers (see the Supporting Information). ^e10 equiv of alkyne was used.

Although other carbonyl [compounds](#page-2-0) [had](#page-2-0) [the](#page-2-0) ability to stabilize intermediates as well, inferior results were obtained in comparison with cyclopentanone (Table 1, entries 12 and 13). As these results reflect the carbonyl oxygens' binding affinity to Lewis acids, PhCHO \approx PhCOMe < cyclopentanone, the influence of dimethylformamide and tetramethylurea was analyzed.^{7,8} The presence of these two compounds with an even higher Lewis acid binding affinity resulted in the suppressi[on](#page-3-0) of the formation of ether 4 (cf. Scheme 2), therefore leading to oligomerization of the initially formed cation A. This finding indicates once more the importance [of](#page-0-0) a meticulous balancing of all stabilizing effects. Interestingly, the addition of carbonyl compounds had little influence in reactions catalyzed by the common Lewis/Brønsted acids in entries 2−5.

Having in hand the optimized reaction conditions, the generality and scope of the reaction were explored. Therefore, a

 ${}^a\text{Ca(NTf}_2)_2$ (5 mol %) and NH₄PF₆ (15 mol %) were added to 2cyclohexenol 1m (0.25 mmol), phenylacetylene 2a−f (0.75 mmol), and cyclopentanone (1.25 mmol) in DCE (2.5 mL) and stirred for the time indicated at room temperature.

series of different π -activated alcohols was reacted with phenylacetylene (2a, Table 2). It was found that a wide range of various alcohols reacted readily under the reaction conditions. Benzylic alcohols [b](#page-1-0)earing electron-rich or weakly withdrawing substituents afforded the corresponding products in good yields (Table 2, entries 1 and 2). With a more electrondeficient substrate the yield was slightly decreased (Table 2, entry 3). The linear [all](#page-1-0)ylic alcohol 1e reacted smoothly within 2.5 h.

Next, a range of truly nonbenzylic alcohols were tested, [as](#page-1-0) due to the low stability of the poorly stabilized corresponding cations they represent one of the aforementioned major limitations for this kind of transformations. To our delight, simple secondary and tertiary allylic alcohols afforded the corresponding aryl ketones even at room temperature (Table 2, entries 5−9). In some cases, the formation of regioisomers was observed due to double-bond isomerization of the initial[ly](#page-1-0) formed cations A (Table 2, entries 7−9). Furthermore, secondary and tertiary propargylic alcohols also reacted readily with the desired products (T[ab](#page-1-0)le 2, entries 10 and 11). Here, side reactions arising from the addition of the cation A to the alkyne moiety in the propargylic [alc](#page-1-0)ohol or the product could be avoided by using an excess amount of the alkyne.

Finally, the reactivity toward different kind of alkynes was explored. A wide range of phenylacetylenes was alkylated with 2-cyclohexenol $(1m)$, thus further showcasing the generality of the transformation of its poorly stabilized corresponding allyl cation (Table 3). Electron-rich alkynes afforded the corresponding products in excellent yields (entries 2−4). Sterically hindered substrates bearing substituents in the o-position could be used without a drop in yield or expanded reaction times (entry 3). In addition, electron-deficient alkynes reacted smoothly, albeit with a slightly diminished yield.

In summary, we demonstrate that cyclopentanone, as a weakly Lewis basic electron-pair donor, proves to be highly efficient for the stabilization of allyl and vinyl cation intermediates in combination with our calcium-based catalyst system. Therefore, a transformation that is typically plagued by side reactions originating in the fleeting nature of poorly stabilized cationic intermediates, the intermolecular carbohydroxylation of alkynes, was realized with allyl and propargyl alcohols as alkylation agents for the first time. Further investigations in our laboratories of the stabilizing influence of electron-pair donors in other transformations of small molecules with cation participation will be reported due course.

■ ASSOCIATED CONTENT

8 Supporting Information

Experimental procedures, full characterization of products, NMR spectra, and additional information. This material is available free of charge via the Internet at http://pubs.acs.org.

■ AUTHOR INFORMATION

Corresponding Author

*E-mail: niggemann@oc.rwth-aachen.de.

Notes

The authors declare no competing financial interest.

■ REFERENCES

(1) (a) Balog, A.; Geib, S. V.; Curran, D. P. J. Org. Chem. 1995, 60, 345−352. (b) Johnson, W. S.; Hughes, L. R.; Carlson, J. L. J. Am. Chem. Soc. 1979, 101, 1281−1282. (c) Kabalka, G. W.; Yao, M.-L.; Borella, S.; Wu, Z.; Ju, Y.-H.; Quick, T. J. Org. Chem. 2008, 73, 2668− 2673. (d) Kumar, R.; Van der Eycken, E. V. Chem. Soc. Rev. 2013, 42, 1121−1146. (e) Li, M.-M.; Zhang, Q.; Yue, H.-L.; Ma, L.; Ji, J.-X. Tetrahedron Lett. 2012, 53, 317−319. (f) Onishi, Y.; Nishimoto, Y.; Yasuda, M.; Baba, A. Org. Lett. 2014, 16, 1176−1179. (g) Ren, K.; Wang, M.; Wang, L. Eur. J. Org. Chem. 2010, 2010, 565−571. (h) Walkinshaw, A. J.; Xu, W.; Suero, M. G.; Gaunt, M. J. J. Am. Chem. Soc. 2013, 135, 12532−12535. (i) Wang, X.-C.; Yan, R.-L.; Zhong, M.- J.; Liang, Y.-M. J. Org. Chem. 2012, 77, 2064−2068. (j) Yadav, V. K.; Sriramurthy, V. Angew. Chem., Int. Ed. 2004, 43, 2669−2671.

(2) (a) Jana, U.; Biswas, S.; Maiti, S. Eur. J. Org. Chem. 2008, 2008, 5798−5804. (b) Jin, T.; Himuro, M.; Yamamoto, Y. Angew. Chem. 2009, 121, 6007−6010. (c) Liu, Y.; Zhou, S.; Li, G.; Yan, B.; Guo, S.; Zhou, Y.; Zhang, H.; Wang, P. G. Adv. Synth. Catal. 2008, 350, 797− 801. (d) Meyer, V. J.; Fu, L.; Marquardt, F.; Niggemann, M. Adv. Synth. Catal. 2013, 355, 1943−1947. (e) Wu, Y.-K.; West, F. G. Org. Lett. 2014, 16, 2534−2537. (f) Bu, X.; Hong, J.; Zhou, X. Adv. Synth. Catal. 2011, 353, 2111−2118. (g) Chen, Y.; Li, K.; Liu, X.; Zhu, J.; Chen, B. Synlett 2012, 24, 130−134. (h) Jefferies, L. R.; Cook, S. P. Tetrahedron 2014, 70, 4204−4207. (i) Li, H.; Li, W.; Liu, W.; He, Z.; Li, Z. Angew. Chem., Int. Ed. 2011, 50, 2975−2978. (j) Li, H.-H.; Jin, Y.-H.; Wang, J.-Q.; Tian, S.-K. Org. Biomol. Chem. 2009, 7, 3219− 3221. (k) Liu, C.-R.; Yang, F.-L.; Jin, Y.-Z.; Ma, X.-T.; Cheng, D.-J.; Li, N.; Tian, S.-K. Org. Lett. 2010, 12, 3832−3835. (l) Wu, C.; Liu, L.; Wang, D.; Chen, Y.-J. Tetrahedron Lett. 2009, 50, 3786−3789.

(3) (a) Laub, H. A.; Evano, G.; Mayr, H. Angew. Chem., Int. Ed. 2014, 53, 4968−4971. (b) Mayr, H.; Bug, T.; Gotta, M. F.; Hering, N.; Irrgang, B.; Janker, B.; Kempf, B.; Loos, R.; Ofial, A. R.; Remennikov, G.; Schimmel, H. J. Am. Chem. Soc. 2001, 123, 9500−9512. (c) Mayr, H.; Gonzalez, J. L.; Lüdtke, K. Chem. Ber. 1994, 127, 525–531. (d) Mayr, H.; Patz, M. Angew. Chem., Int. Ed. 1994, 33, 938−957.

(4) (a) Begouin, J.-M.; Niggemann, M. Chem.--Eur. J. 2013, 19, 8030−8041. (b) Haven, T.; Kubik, G.; Haubenreisser, S.; Niggemann, M. Angew. Chem., Int. Ed. 2013, 52, 4016−4019. (c) Niggemann, M.; Meel, M. J. Angew. Chem., Int. Ed. 2010, 49, 3684−3687.

(5) Haubenreisser, S.; Niggemann, M. Adv. Synth. Catal. 2011, 353, 469−474.

(6) (a) Duchemin, F.; Macedo, A.; Cheradame, H. Eur. Polym. J. 2002, 38, 587−596. (b) Gergely, A. L.; Turkarslan, O.; Puskas, J. E.; Kaszas, G. J. Polym. Sci., Part A: Polym. Chem. 2013, 51, 4717−4721. (c) Kaszas, G.; Puskas, J. E.; Chen, C. C.; Kennedy, J. P. Polym. Bull. 1988, 20, 413−419. (d) Kaszas, G.; Puskas, J. E.; Kennedy, J. P. Macromolecules 1992, 25, 1771−1774. (e) Li, Y.; Wu, Y.; Xu, X.; Liang, L.; Wu, G. J. Polym. Sci., Part A: Polym. Chem. 2007, 45, 3053−3061. (f) Storey, R. F.; Curry, C. L.; Hendry, L. K. Macromolecules 2001, 34, 5416−5432. (g) Wu, Y.; Tan, Y.; Wu, G. Macromolecules 2002, 35, 3801−3805.

(7) Mayr, H.; Ammer, J.; Baidya, M.; Maji, B.; Nigst, T. A.; Ofial, A. R.; Singer, T. J. Am. Chem. Soc. 2015, 137, 2580−2599.

(8) Maria, P. C.; Gal, J. F. J. Phys. Chem. 1985, 89, 1296−1304.