This article was downloaded by: On: *27 January 2011* Access details: *Access Details: Free Access* Publisher *Taylor & Francis* Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article Mohan, H. Rama and Rao, A. S.(1993) 'ENANTIOSELECTIVE SYNTHESIS OF (4R)-4-NONANOLIDE AND (5R)-5-DECANOLIDE FROM A COMMON INTERMEDIATE', Organic Preparations and Procedures International, 25: 3, 321 – 325

To link to this Article: DOI: 10.1080/00304949309457967 URL: http://dx.doi.org/10.1080/00304949309457967

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

ENANTIOSELECTIVE SYNTHESIS OF (4R)-4-NONANOLIDE AND (5R)-5-DECANOLIDE FROM A COMMON INTERMEDIATE[†]

H. Rama Mohan and A. S. Rao*

Indian Institute of Chemical Technology, Hyderabad 500 007, INDIA

There are many reports on the synthesis of γ - and δ -lactones since they are widely distributed in nature. Some of these lactones are important as insect pheromones and aroma compounds.¹ We now report the enantioselective synthesis of (4R)-4-nonanolide (1), an attractant for rice weevil^{1a} and of (5R)-5-decanolide (2) from a common intermediate, (+)-(2R,3R)-epoxy alcohol (3) (Schemes 1 and 2).

The (+) epoxy alcohol (3) was prepared through the Sharpless asymmetric epoxidation² of E-2 octenol (4). Based on the fact that Sharpless' epoxidation makes available a wide variety of either the (2R,3R) or (2S,3S)- α , β -epoxy alcohol in high optical purity, the present work makes it possible to prepare either the R or S enantiomer of a γ -lactone and also either R or S enantiomer of a δ -lactone starting from an appropriate allylic alcohol.



Allyl alcohol 4 was prepared from *n*-hexanal (Scheme 1). Sharpless' asymmetric epoxidation of 4 furnished (2R,3R)-epoxy alcohol 3 having 90% e.e.³ Red-Al reduction⁴ of 3 proceeded regioselectively to furnish the 1,3-diol (6). The primary hydroxyl group of 6 was selectively tosylated and the one-carbon homologation effected through reaction of the tosylate (7) with sodium cyanide. Hydrolysis of the nitrile 8 and subsequent acidification of the resulting γ -hydroxy acid furnished the γ -lactone (+)-(1).⁵

Tosylate 7, an intermediate of the synthesis of the lactone 1 was also used for the synthesis of the $(+)\delta$ -lactone 2 (Scheme 2). It was converted to the iodo compound 9a, whose hydroxyl group was blocked to give 9b. Two carbon homologation was carried out on the iodide 9b by reaction with diethyl malonate in the presence of a base; removal of blocking group furnished the hydroxy ester 10b which was saponified. Subsequent acidification furnished the $(+)\delta$ -lactone 2.⁶

© 1993 by Organic Preparations and Procedures Inc.



i) (EtO)₂^{*ij*}CH₂ ∞ ₂Et, NaH, ether, rt, 10 hrs; *ii*) DIBAL-H, CH₂Cl₂, 30 min at 0°, 1 hr at 25°; *iii*) (-)DIPT, Ti(OiPr)₄, TBHP, CH₂Cl₂; *iv*) Red-Al, THF; *v*) Tosyl chloride, CH₂Cl₂, NEt₃, DMAP *vi*) NaCN, DMF, NaI; *vii*) NaOH, EtOH, water; then H⁺, H₂O



i) NaI, DMF; ii) dihydropyran, pyridinium p-toluenesulfonate, CH₂Cl₂
iii) CH₂(CO₂Et)₂, NaH, DMF; iv) NaOH, EtOH, water; then H⁺, H₂O
v) pyridinium p-toluenesulfonate, EtOH

EXPERIMENTAL SECTION

The (-)-diisopropyl D-tartrate employed for this study was purchased from E. Merck Company (Schuchardt, Munich) and shows $[\alpha] = -16^{\circ}$ (neat). Silica gel (60-120 mesh) was used for column chromatography. IR spectra were recorded on a Perkin Elmer 683 spectrometer. ¹H NMR and ¹³C NMR were determined on a Varian FT-200 spectrometer (200 MHz) using TMS as internal standard and optical rotations were measured on a Jasco DIP 360 digital polarimeter at 25°. The GC analysis were carried out on a Hewlett Packard 5890 unit with 5% SE 30 on CHW column (8'x1/8'' i.d.) and FID detector. Temp. of injector: 300°; temp. of detector: 300°; temp. of oven: 200° for 1 min, then 30°/min to 300°. Carrier: N₂; 42 psi.

(2R,3R)-2,3-Epoxyoctan-1-ol (3). Method A.- The ester 5 was prepared in 91% yield starting from 1-hexanal employing the Horner-Emmons reaction and its ¹H NMR spectrum⁷ showed that it did not contain the Z-isomer. DIBAL-H reduction of 5 furnished in 92% yield (E)-2-octen-1-ol (4). A flask

containing dry CH₂Cl₂ (100 mL) under N₂ was cooled to -23°. To this were added the following reagents sequentially with stirring: i) titanium isopropoxide (9.096 g, 0.032 mole), ii) (-)-diisopropyl D-tartrate (7.496 g, 0.032 mole) and after a gap of 15 min., iii) allylic alcohol (4) (4.045 g, 0.032 mole) dissolved in dry CH₂Cl₂ (10 mL) and after a gap of 10 min., iv) anhydrous *tert*-butyl hydroper-oxide (5.768 g, 0.064 mole) dissolved in isooctane (10 mL). The reaction mixture was stirred at -23° for 1 hr and kept at -20° for 18 hrs. The product obtained after work-up according to a reported procedure⁸ was chromatographed. Elution with 1:9 mixture of ethyl acetate-hexane furnished the epoxy alcohol **3** (4.105 g, 90% yield) which solidified on refrigeration, mp. 31-32°, lit.⁹ mp. 34-35°, $[\alpha]_D$ +32° (c, 1.3, CHCl₃). This sample showed 90% e.e.³ ¹H NMR (CDCl₃): δ 0.90 (t, *J* = 7Hz, 3H), 1.2-1.7 (m, 8H), 2.80-2.95 (m, 2H), 3.58 (m, 1H) and 3.87 (m, 1H).

Method B.- This procedure is based on the work of Hanson *et al.*¹⁰ A mixture of powdered molecular sieves 4Å (0.102 g, E. Merck) and 10 mL of dichloromethane was cooled to -10°. (-)Diisopropyl D-tartrate (0.071 g, 0.3 mmole), titanium isopropoxide (0.056 g, 0.2 mmole) and *tert*-butyl hydroper-oxide (0.718 g, 8 mmoles) in isooctane were added sequentially. After 20 min the mixture was cooled to -20° and (E)-2-octen-l-ol (4) (0.510 g, 4 mmoles) dissolved in dry CH_2Cl_2 (2 mL) was added dropwise with stirring. After 3 hrs of stirring at -20° the reaction mixture was brought to 0° and quenched with water. The product obtained after workup was purified by chromatography; elution with 1:9 mixture of ethyl acetate-hexane furnished the epoxy alcohol 3 (0.492 g, 86% yield), mp. 33-34°, $[\alpha]_D$ +33° (c, 1.5, CHCl₃). The sample showed 92% e.e. After two recrystallizations from *n*-hexane the e.e. was raised to >96%.

(**R**)-1,3-Octanediol (6).- A mixture of (+)3 having 90% e.e. (3.45 g, 0.024 mole) in THF (80 mL) and sodium bis (2-methoxyethoxy) aluminium hydride (Red-Al) (14.11 mL, 3.4 M) in toluene was stirred at -20° under N₂ for 4 hrs and at 25° for 2 hrs. The product obtained after work-up was chromatographed. Elution with 1:4 mixture of ethyl acetate-hexane afforded the diol (6) (2.75 g, 79% yield); $[\alpha]_D + 2^\circ$ (c, 2.07, CHCl₃); purity: 97%; GC = t_{ret} : 3.43 min. (6). ¹H NMR (CDCl₃): δ 0.87 (t, J = 7Hz, 3H), 1.28-1.72 (m, 10H), 2.8 (s, 2H, disappears after D₂O exchange), 3.85 (m, 3H).

Anal. Calcd. for C₂H₁₂O₂: C, 65.71; H, 12.41. Found.: C, 65.98; H, 12.25

(**R**)-3-Hydroxyoctanyl Tosylate (7).- Tosylation of **6** (2.21 g, 0.015 mole) with tosy1 chloride (3.47 g, 0.018 mole), triethylamine (3.83 g, 0.038 mole) and 4-dimethylaminopyridine (0.050 g) in $(CH_2Cl_2 (40 \text{ mL}))$ was carried out at 0° for 50 hrs. The resulting tosylate was chromatographed using 1:99 mixture of ethyl acetate-hexane as eluent to furnish 7 (4.10 g, 90% yield). ¹H NMR (CDCl₃): δ 0.90 (t, *J* = 7Hz, 3H), 2.46 (s, 3H), 3.17 (m, 1H), 4.05-4.35 (m, 2H). 7.36 (d, *J* = 10Hz, 2H), 7.80 (d, *J* = 10Hz, 2H).

Anal. Calcd. for C₁₅H₂₄SO₄: C, 59.98; H, 8.05. Found: C, 59.71; H, 7.92

(R)-3-Hydroxyoctyl Cyanide (8).- A mixture of the tosylate 7 (1.20 g, 4.01 mmoles), N,N'dimethylformamide (12 mL), NaCN (0.393 g, 8.02 mmoles) dissolved in water (2 mL) and NaI (1.32 g, 8.81 mmoles) was heated at 110° for 3 hrs. The product obtained after work-up was chromatographed. Elution with 1:9 mixture of ethyl acetate-hexane gave the hydroxy nitrile 8 (0.516 g, 83% yield). IR (film): 3380, 2230 cm⁻¹. ¹H NMR(CDCl₃): δ 0.90 (t, J = 7Hz, 3H), 1.10-2.00 (m, 1H), 2.50 (t, J = 7Hz, 2H), 3.70 (m, 1H).

Anal. Calcd. for C₀H₁₇NO: C, 69.63; H, 11.04. Found: C, 69.54; H, 10.89

(4R)-4-Nonanolide (1).- A mixture of nitrile 8 (0.509 g, 3.28 mmoles), ethanol (5 mL) and NaOH (1.31 g, 33.0 mmoles) dissolved in water (1 mL) was heated under reflux for 8 hrs diluted with water (10 mL) and most of the ethanol was removed under vacuum. The residue was acidified with HCl and extracted with ethyl acetate (10 mL x 3). The product obtained after work-up was purified by chromatography using 1:9 mixture of ethyl acetate-hexane as eluent to afford the γ -lactone 1¹¹ (0.389 g, 76% yield), [α]_D +42° (c, 1.0, MeOH), lit.^{5b} [α]_D +47.2° (1.0, MeOH). The identity of 1 was established by comparing its GC, IR and ¹H NMR with those of an authentic sample of racemic γ -nonanolide; purity: 98%; GC = t_{ret}: 6.34 min (1). IR (film): 1770 cm⁻¹. ¹H NMR (CDCl₃): δ 0.88 (t, *J* = 7Hz, 3H), 1.10-2.55 (m, 12H), 4.42 (m, 1H). ¹³C NMR (CDCl₃): δ 13.6, 22.2, 24.6, 27.7, 28.9, 31.2, 35.2, 81.1, 177.7.

Anal. Calcd. for C₀H₁₆O₂: C, 69.19; H, 10.32. Found: C, 69.47; H, 10.19

(R)-3-Hydroxy-l-iodooctane (9a).- A mixture of tosylate 7 (1.80 g, 6.0 mmoles), NaI (2.25 g, 15 mmoles) and dry DMF (10 mL) was stirred at 50-60° for 5 hrs. The product obtained after work-up was chromatographed. Elution with 1:99 mixture of ethyl acetate-hexane afforded the iodo compound 9a (1.381 g, 90% yield), $[\alpha]_D$ -28° (c, 1.28, CHCl₃). ¹H NMR (CDCl₃): δ 0.92 (t, *J* = 6Hz, 3H), 1.10-2.10 (m, 10H), 3.31 (t, *J* = 7Hz, 2H), 3.70 (m, 1H).

Anal. Calcd. for C₈H₁₇IO: C, 37.51; H, 6.69. Found:C, 37.43; H, 6.48

1-Iodo-3-octyl 2-tetrahydropyranyl Ether (9b).- The iodo compound 9a (1.301 g, 5.08 mmoles) was reacted with dihydropyran in the presence of pyridinium *p*-toluenesulfonate to furnish the ether 9b (1.718 g, 99% yield).

Anal. Calcd. for C13H25IO2: C, 45.89; H, 7.40. Found: C, 45.75; H, 7.32

Ethyl 2-Ethoxycarbonyl-5-hydroxydecanoate (10b).- Diethyl malonate (1.214 g, 7.57 mmoles) in DMF (5 mL) was added slowly to a stirred suspension of NaH (0.182 g, 7.58 mmoles) in dry benzene (8 mL) and dry DMF (10 mL) under N₂. After 30 min the iodo compound 9b (1.718 g, 5.05 mmoles) in DMF (5 mL) was added. The reaction mixture was heated at 100° for 8 hrs. Workup furnished a mixture of 10a and diethyl malonate; the THP blocking group in 10a was removed by treatment with pyridinium *p*-toluenesulfonate in ethanol at 55° for 4 hrs and the product after work-up was chromatographed. The fraction eluted with 1:9 mixture of ethyl acetate-hexane furnished the hydroxy ester 10b (1.189 g, 82% yield for the two step conversion of 9b \rightarrow 10a \rightarrow 10b), [α]_D 4° (c, 2.56, CHCl₃); purity: 99%; GC: t_{ret}: 5.25 min (10b). ¹H NMR (CDCl₃): δ 0.90 (t, *J* = 7Hz, 3H), 1.28 (t, *J* = 7Hz, 6H), 3.36 (t, *J* = 7 Hz, 1H), 3.62 (m, 1H), 4.20 (q, *J* = 7Hz, 4H).

Anal. Calcd. for C15H20S: C, 62.47; H, 9.79. Found: C, 62.21; H, 9.58

(+)-(**R**)-5-Decanolide (2).- A mixture of hydroxy ester 10b (1.09 g, 3.78 mmoles), NaOH (1.515 g, 37 mmoles) and methanol (10 mL) was heated under reflux for 2 hrs cooled to rt, diluted with water and acidified. The product obtained after work-up was chromatographed. Elution with 1:9 mixture of ethyl acetate-hexane gave the δ -lactone 2 (0.450 g, 70% yield), $[\alpha]_D$ +48° (c, 1.0, MeOH), lit.^{1a} $[\alpha]_D$

+55.6° (MeOH); purity: 95%; GC: t_{rel} : 7.82 min (2). IR (film): 1720 cm⁻¹. ¹H NMR (CDCl₃): δ 0.90 (t, J = 7Hz, 3H), 1.20-2.70 (m, 14H), 4.30 (m, 1H). ¹³C NMR (CDCl₃): δ 13.9, 18.4, 22.5, 24.6, 27.7, 29.4, 31.5, 35.7, 80.6 and 172.0.

Anal. Calcd. for C₁₀H₁₈O₂: C, 70.54; H, 10.66. Found: C, 70.78; H, 10.51

Acknowledgement.- We thank Dr. A. V. Rama Rao for his keen interest in our work and the CSIR for awarding Emeritus Scientistship to one of us (ASR).

REFERENCES

- † IICT Communication No. 3101.
- a) M. Utaka, H. Watabu and A. Takeda; J. Org. Chem., 52, 4363 (1987); b) A. Gopalan, R. Lucero, H. Jacobs and K. Berryman, Synth. Commun., 21, 1321 (1991); c) A. Bernreuther, N. Christoph and P. Schreier, J. Chromatogr., 481, 363 (1989).
- R. A. Johnson and K. B. Sharpless in "Comprehensive Organic Synthesis", Vol. 7, p. 389, B. M. Trost and I. Fleming, Eds., Pergamon Press, Oxford, 1991.
- 3. To determine the e.e. of (+)-(3), it was esterified with (R)-(+) Mosher acid according to a reported procedure.¹² For comparison purpose the racemic epoxy alcohol (3) was separately esterified with (R)-(+) Mosher acid and NMR spectra of the two samples were compared.
- 4. S. M. Viti, Tetrahedron Lett., 23, 4541 (1982).
- For previous reports on the synthesis of (+)-(1) see: a) J. Cardellach, J. Font and R. M. Ortuno, J. Heterocyclic Chem., 21, 327 (1984); b) U. Ravid, R. M. Silverstein and I. R. Smith, Tetrahedron, 34, 1449 (1978); c) J. P. Vigneron and V. Bloy, Tetrahedron Lett., 21, 1735 (1980); d) L. Thijs, D. P. Waanders, E. H. M. Stokkingreef and B. Zwanenburg, Recl. Trav. Chim. Pays-Bas, 105, 332 (1986); e) Ref. 1a and ref. 1b of this paper.
- For previous reports on the synthesis of (+)-(2) see a) F. Nishida, Y. Mori, N. Rokkaku, S. Isobe, T. Furuse and M. Suzuki, *Chem. Pharm. Bull. Jpn.*, 38, 2381 (1990) and b) see Ref. 1a.
- 7. S. Matui, K. Tanaka and A. Kaji, Synthesis, 127 (1983).
- 8. J. G. Hill, K. B. Sharpless, C. M. Exon and R. Regenye, Org. Synth., 63, 66 (1985).
- 9. L. D. Corey, S. M. Singh and A. C. Oehlschlager, Can. J. Chem., 65, 1821 (1987).
- 10. R. M. Hanson and K. B. Sharpless, J. Org. Chem., 51, 1922 (1986).
- 11. J. J. Barchi, R. E. Moore and G. M. L. Patterson, J. Am. Chem. Soc., 106, 8193 (1984).
- 12. D. E. Ward and C. K. Rhee, Tetrahedron Lett., 32, 7165 (1991).

(Received November 5, 1992; in revised form February 17, 1993)