
This article was downloaded by: On: *27 January 2011* Access details: *Access Details: Free Access* Publisher *Taylor & Francis* Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Organic Preparations and Procedures International

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t902189982

IMPROVED PREPARATION OF SURFACTANTS DERIVED FROM SUCROSE WITH ULTRASOUND

Jacques Besson^a; Catherine Fayet^a; J. Gelas^a; Christelle Lamazzi^a ^a Ecole Nationale Supérieure de Chimie de Clermont-Ferrand Ensemble Scientifique des Cézeaux, Aubière, FRANCE

To cite this Article Besson, Jacques , Fayet, Catherine , Gelas, J. and Lamazzi, Christelle(1998) 'IMPROVED PREPARATION OF SURFACTANTS DERIVED FROM SUCROSE WITH ULTRASOUND', Organic Preparations and Procedures International, 30: 4, 460 – 463 **To link to this Article: DOI:** 10.1080/00304949809355311

URL: http://dx.doi.org/10.1080/00304949809355311

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

- 17. H. E. Ramsden (to Metal & Thermit Corp.), British Patent 806,710; Chem. Abstr., 54, 2264 (1945).
- J. March, Advanced Organic Chemistry: Reactions, Mechanisms, and Structure (4th Ed.), Wiley, New York, 1992, pp. 542 and 545 and references cited therein.
- D. Blaser, M. Calmes, J. Daunis, F. Natt, A. Tardy-Delassus and R. Jacquier, Org. Prep. Proced. Int., 25, 338 (1993).
- 20. D. J. Gale and J. F. K. Wilshire, Australian J. Chem., 28, 2447 (1975).
- 21. Ch. Grundmann and J. M. Dean, Angew. Chem., Int. Ed. Engl., 4, 955 (1965).
- 22. J. W. Rasburn and F. H. C. Stewart, J. Chem. Soc., 2237 (1957).
- 23. Z. R. Grabowski, J. Dobkowski and W. Kühnle, J. Mol. Struct., 114, 93 (1984).
- 24. Beilsteins Handbuch der Organischen Chemie, Vierte Auflage, Drittes und Viertes Ergänzungswerk, Springer Verlag, Berlin, 1978, p. 3667.
- 25. D. M. Brown and G. A. R. Kon, J. Chem. Soc., 2147 (1948).
- 26. P. A. S. Smith and T.-Y. Yu, J. Org. Chem., 17, 1281 (1952).
- 27. J. Sykulski, Acta Polon. Pharm., 33, 441 (1976); Chem. Abstr., 86, 171060z (1977).
- 28. T. Satoh, N. Mitsuo, M. Nishiki, Y. Inoue and Y. Ooi, Chem. Pharm. Bull. Jpn, 29, 1443 (1981).
- 29. R. Gawinecki, E. Kolehmainen and R. Kauppinen, J. Chem. Soc. Perkin 2, 25 (1998).

IMPROVED PREPARATION OF SURFACTANTS DERIVED FROM SUCROSE WITH ULTRASOUND


Submitted by Jacques Besson, Catherine Fayet, J. Gelas^{*} and Christelle Lamazzi (10/09/97)

Ecole Nationale Supérieure de Chimie de Clermont-Ferrand Ensemble Scientifique des Cézeaux, BP 187, Aubière, FRANCE

Sugars can constitute the hydrophilic part of a detergent, as they possess a number of hydroxy groups. For this purpose, they must be associated with a lipophilic tail, generally a linear alkyl chain. Such saccharide-derived materials have become a focus of great interest ¹ because (i) they

have excellent detergent properties, (*ii*) sugars are vast natural and renewable resources and (iii) they may confer biodegradability properties to their derivatives. Thus it seemed useful to improve procedures affording amphiphilic saccharide derivatives. Within this framework, we recently described the synthesis of long-chain acetals derived from sucrose and trehalose, which are a new class of nonionic surfactants, stable in basic medium.² We have shown that the direct transacetalation of sugar with 2,2-dimethoxyalkanes constitutes an efficient procedure to obtain such acetals. This paper deals with transacetalation of sucrose improved with ultrasonic irradiation, which is well known to increase the rate and the yield of a number of organic reactions.³

In accordance with the published procedure,² the transacetalation of sucrose carried out in N,N-dimethylformamide with 2,2-dimethoxyalkanes and in the presence of *p*-toluenesulfonic acid afforded as major product the monoacetal **1a**, **2a**, **3a** or **4a** in approximately 30% yield. The acetals



were identified on the basis of NMR spectral data ; their peracetylated derivatives (**1b-4b**) were also prepared. The optimum reaction time was found to be 120 minutes.

In the present study, the transacetalation was carried out under the same conditions with the use of ultrasonic irradiation. The progress of the reaction, monitored by TLC, revealed that the optimal reaction time had decreased to 10 minutes. The rate of solubilization of the starting sucrose was considerably increased with respect to standard conditions.² Compounds **1-4b** were obtained in approximately 45% yields (Table). Various catalysts were examined (camphorsulfonic acid, pyridinium *p*-toluenesulfonate, sulfuric acid) and the optimum yields were obtained with *p*-toluenesulonic acid. The use of other solvents such as acetonitrile, dichloromethane, acetone or the reagent itself led to no reaction or yields smaller than 5%.

Thus, it is clear that the application of ultrasound both accelerates the rate and substantially improves the yield of the transacetalation.

EXPERIMENTAL SECTION

All solvents were routinely distilled and dried prior to use. Evaporations were performed under reduced pressure. Ultrasonic reactions were performed with a 20 KHz generator connected to a direct immersion horn dipping in a round bottom cylindrical reactor controlled (water bath) in order to maintain the temperature below 35°. Column chromatography was carried out with Silica Gel 60 (E.

Merck 70-230 mesh), and TLC was carried out on precoated plates (E. Merck 5724), with detection by charring with H_2SO_4 . Optical rotations were mesured at 20°, on a Jasco DIP-370 polarimeter (*c* 1.0, chloroform or water).

Cmpd	$\mathbf{R}_1 = (\mathbf{CH}_2)_{\mathbf{n}} \mathbf{CH}_3$	R ₂	Y	Yield ^a (%)	Yield ^b (%)	[α] _D ²⁰
1a	4	CH ₃	Н			+17
1b	4	CH ₃	Ac	30±2	45+2	+53
2a	7	CH ₃	Н			+25
2 b	7	CH ₃	Ac	30±2	45+2	+43
3a	10	CH ₃	Н			+25
3b	10	CH ₃	Ac	30±2	45+2	+46
4a	5	(CH ₂) ₅ CH ₃	Н			+37
4b	5	(CH ₂₎₅ CH ₃	Ac	30±2	45+2	+55

TABLE. Yields and	$[\alpha]^{20}_{D}$ of Products
-------------------	---------------------------------

a) With stirring. b) With sonication.

Acetalation. General Sonochemical Procedure.- In the sonochemical reactor, 3.42 g of sucrose (0.01 mol), 50 mL of anhydrous *N*,*N*-dimethylformamide, 2 mol equiv of 2,2-dimethoxyalkane and a catalytic amount of *p*-toluenesulfonic acid were introduced ; the mixture was then subjected to ultrasound for 10 minutes. It was then neutralized with sodium carbonate, filtered, and the solvent was evaporated under reduced pressure. The syrupy residue was acetylated (1:1 acetic anhydride-pyridine, 0°) and the acetal obtained was purified by column chromatography (eluent 1:1 ethyl acetate-cyclohexane). Physical constants and spectral NMR data were identical to those previously described.²

Acknowledgements.- This work was carried out with the financial support of Béghin-Say and the Centre National de la Recherche Scientifique within the framework of the Groupement Scientifique "Sucrochimie".

REFERENCES

- F. A. Hughes and B.W. Lew, J. Am. Oil Chem. Soc., 47, 162 (1970); D. E. Koeltzow and A. Urfer, J. Am. Oil Chem. Soc., 61, 1651 (1984); T. Böcker and J. Thiem, Tenside, Surfactants, Deterg., 26,318 (1989); P. A. Egan, Chemtech, 758 (1989); R. W. Boggs, Fette, Seifen Anstrichm., 88, 154 (1986), Chem. Abstr., 105, 23468j (1986); V. Kollonitsh, Sucrose Chemicals, The International Sugar Research Foundation, Inc. Washington, DC 1970; L. Hough in F. W. Lichtenthaler, (Ed.), Carbohydrates as Organic Raw Materials, p. 33, VCH, Weinheim, 1991; M. Kunz, *ibid*, p.126; R. Khan and H. F. Jones, in M. A. Clarke and M. A. Godshall, (Eds.), Chemistry and Processing of Sugarbeet and Sugarcane, p. 367, Elsevier, Amsterdam, 1988.
- E. Fanton, C. Fayet and J. Gelas, *Carbohydr. Res.*, 298, 85 (1997); J. Besson, C. Fayet and J. Gelas, *ibid.*, 303, 159 (1997).

 J. L. Luche, Actual. Chim., 21 (1982), Chem. Abstr., 98, 33891t (1983); C. Einhorn, J. Einhorn and J. L. Luche, Synthesis, 787 (1989); T. J. Mason, J. P. Lorimer, Sonochemistry: Theory, Applications and Uses of Ultrasound in Chemistry, Ellis Holward, Chichester 1988; K. S. Suslck, Modern Synthetic Methods, 4. 1 (1986); C. Einhorn and J. L. Luche, Carbohydr. Res., 155, 258 (1986); G. J. F. Chittenden, Rec. Trav. Chim. Pays-Bas, 107, 607 (1988).

AN EFFICIENT AND FACILE PROCEDURE FOR DEPROTECTION OF 1,1-DIACETATES USING ANHYDROUS FERROUS SULFATE

Submitted by (10/27/98)

T.-S. Jin, Y.-R. Ma, Z.-H. Zhang and T.-S. Li*

Department of Chemistry, Hebei University Baoding 071002, P. R. CHINA

The selective protection and deprotection of functional groups is of great importance in synthetic organic chemistry. 1,1-Diacetates have received increasing attention because these compounds are stable to oxidants,^{1,2} readily prepared,^{3,9} easily converted to the parent aldehydes and can serve as alternatives to acetals for selective protection of aldehydes.¹⁰ They are also important starting materials for the synthesis of valuable intermediates of Diels-Alder reaction.^{11,12} A literature search revealed that a number of methods have been reported for the conversion of 1,1-diacetates to corresponding aldehydes.¹³ The following reagents have been used: alcoholic sulfuric¹ or hydrochloric² acid, either sodium hydroxide or potassium carbonate in aqueous THF,³ boron triiodide-N,N-diethylaniline complex,¹⁴ ceric ammonium nitrate (CAN) coated on silica gel in dichloromethane,¹⁵ neutral alumina,¹⁶ potassium phenoxides,¹⁷ montmorillonite K-10 and KSF¹⁸⁻²⁰ and expensive graphite.²¹ While each of the above methods has its own merit, some have drawbacks such as the need to use strong acids which other functional groups may not tolerate and long reaction time (no detailed results are given),³ low yield (<66%),¹⁴ and the use of microwave heating.^{16,18,19}

Anhydrous ferrous sulfate has been used as a catalyst for organic reactions.²²⁻²⁴ We previously developed an efficient procedure for preparation of 1,1-diacetates from aldehydes using a catalytic quantity of anhydrous ferrous sulfate.²² Herein we report a rapid and efficient procedure for the deprotection of 1,1-diacetates catalyzed by anhydrous ferrous sulfate in refluxing dichloromethane, benzene or toluene.

 $\begin{array}{c} \text{RCH(OAc)}_2 & \xrightarrow{\text{FeSO}_4} & \text{RCHO} + \text{Ac}_2\text{O} \\ \hline \Delta, \text{ solvent} & 2 (96-99\%) \end{array}$

When solutions of 1,1-diacetates (1) in dichloromethane, benzene or toluene are heated at reflux in the presence of anhydrous ferrous sulfate, the corresponding aldehydes (2) are obtained in

Downloaded At: 07:58 27 January 2011