

Organometallic Aromaticity

José A. Chamizo,* Jorge Morgado, and Plinio Sosa

Facultad de Química, Universidad Nacional Autónoma de México, 04510 México D.F., México

*Received August 20, 1992**

Summary: Absolute hardness (HOMO–LUMO gap) has been used as a theoretical parameter to recognize aromaticity in organometallic compounds.

Aromaticity has been traditionally associated in organic molecules with electronic delocalization measured indirectly through Hückel's rule.¹ Recently, however, more systematic approaches have been devised to recognize the presence of aromaticity in different compounds: resonance energy for π electrons,^{2,3} graphics theory,^{4,5} back-bonding electron donation in metallocycles,⁶ and molecular hardness.^{7,8} Here we use the molecular hardness characterization of aromaticity, previously used in organic molecules, to investigate this property in organometallic compounds.

The absolute hardness⁹ of a chemical species τ has been defined as the difference in energy between the HOMO and LUMO:

$$\tau = (E_{\text{LUMO}} - E_{\text{HOMO}})/2$$

Absolute hardness is a measure of stability and can be used in accordance with the HSAB principle.¹⁰ In this sense, the HSAB principle can be selective for reactivity among species when the chemical potentials (electronegativity) for the species are more or less the same.^{11,12} Recently, Zhou and Parr⁸ showed that it is directly related with aromaticity in organic compounds. Hence, with the knowledge of these energy levels, independent of the level of calculation, the aromaticity of different compounds can be evaluated. Table I shows absolute hardness for some metallacycles with four ($\text{W}(\text{C}-t\text{-BuCMeCMe})\text{Cl}_3$, 1),¹³ five ($\text{Cp}_2\text{Ti}(\text{C}_4\text{H}_4)$, 2;⁶ $[\mu\text{-ETOC}=\text{CHC}(\text{OC(O)Me})=\mu\text{-}t\text{BuS}]\text{Fe}_2(\text{CO})_6$, 3;¹⁴ $\text{CpCo}(\text{PH}_3)(\text{C}_4\text{H}_4)$, 4),⁶ and six ($\text{IrCHC}(\text{Me})$ –

Table I. Absolute Hardness Values for Organometallic Molecules

compd	orbital energy (eV)		
	LUMO	HOMO	abs hardness (eV)
cyclopentadienide	-6.82	-11.96	2.56
benzene	-8.27	-12.81	2.27
cyclosilapentadienide	-6.42	-10.76	2.18
thiophene	-7.86	-12.20	2.17
selenophene	-8.15	-12.28	2.06
phosphabenzene	-9.43	-12.75	1.66
W (1)	-8.25	-11.40	1.57
arsabenzene	-9.28	-12.41	1.56
Co (4)	-9.40	-11.90	1.25
stibabenzene	-9.62	-11.95	1.16
Ti (2)	-10.10	-12.09	1.00
Fe (3)	-9.60	-11.41	0.91
Ir (5)	-9.66	-10.86	0.60
cyclobutadiene	-10.70	-10.70	0.00

$\text{CHC}(\text{Me})\text{CH}(\text{PEt}_3)_3$, 5)¹⁵ atoms in the ring. Also listed are hardness values for group 15 heterobenzenes¹⁶ (phosphabenzene, 6; arsabenzene, 7; stibabenzene, 8) and heterocyclopentadienes (cyclosilapentadienide, 9;¹⁷ thiophene, 10; selenophene, 11). All the molecules have a planar ring with delocalized and multiple-bond character,¹⁸ and except for one (3 with two metallic atoms), the ring contains only carbon atoms and one heteroatom. Benzene, Cp^- , and cyclobutadiene calculations were done for comparison purposes.¹⁹

Organometallic compounds with large values of hardness are expected to have high stability and hence to be aromatic. From Table I the dividing line between aromatic and nonaromatic species corresponds arbitrarily to 1.28 eV (half the value between cyclopentadienide (2.56 eV) and cyclobutadiene (0.00 eV)). Hence, from this parameter the species with lower values, in spite of the presence of delocalized bonds, cannot be considered as aromatic molecules.

The results agree with the known fact that aromaticity decreases in a family with the size of the heteroatom in all the rings:¹⁶ $\text{Cp}^- >$ cyclosilapentadienide, thiophene $>$ selenophene, phosphabenzene $>$ arsabenzene $>$ stibabenzene. Also, there is qualitative agreement with the orbital criteria for maximizing delocalization.⁶ For example, π conjugation can be observed around the entire ring, in accordance with metal back-bonding electron

(14) Hoke, B. J.; Dewan, C. J.; Seydel, D. *Organometallics* 1987, 6, 1816.

(15) Bleeeke, J. R.; Xie, Y. F.; Peng, W. J.; Chiang, M. *J. Am. Chem. Soc.* 1989, 111, 4118.

(16) Ashe, A. J. *Acc. Chem. Res.* 1978, 11, 153.

(17) Damewood, J. R. *J. Org. Chem.* 1986, 51, 5028.

(18) Planarity is not necessarily a condition for aromaticity, as buckminsterfullerene indicates.²⁰

(19) The experimental hardness of benzene is 5.3 eV (Pearson, R. G. *Inorg. Chem.* 1988, 27, 734). The values obtained here are relative and are for comparison purposes only, because experimental data for all the compounds are not available.

- * Abstract published in *Advance ACS Abstracts*, October 15, 1993.
- (1) (a) Streitwieser, A., Jr. *Molecular Orbital Theory for Organic Chemists*; Wiley: New York, 1961. (b) Lloyd, D. *Carbocyclic Nonbenzenoid Aromatic Compounds*; Elsevier: New York, 1966. (c) Cook, M. J.; Katritzky, A. R.; Linda, P. *Adv. Heterocycl. Chem.* 1974, 17, 255.
- (2) Dewar, M. J. S.; de Llano, C. *J. Am. Chem. Soc.* 1969, 91, 789.
- (3) Hess, B. A., Jr.; Schaad, L. J. *J. Am. Chem. Soc.* 1971, 93, 305.
- (4) Gutman, I.; Milum, M.; Trinajstic, N. *J. Am. Chem. Soc.* 1977, 99, 1692.
- (5) Aihara, J. *Sci. Am.* 1992 (March), 258, 44.
- (6) Hoffmann, R.; Thorn, D. L. *Nouv. J. Chem.* 1979, 3, 39.
- (7) Zhou, Z.; Parr, R. G.; Garst, J. F. *Tetrahedron Lett.* 1988, 29, 4843.
- (8) Zhou, Z.; Parr, R. G. *J. Am. Chem. Soc.* 1989, 111, 7371.
- (9) (a) Parr, R. G.; Pearson, R. J. *J. Am. Chem. Soc.* 1983, 105, 7512. (b) Pearson, R. *Proc. Natl. Acad. Sci. U.S.A.* 1986, 83, 8440.
- (10) Pearson, R. G. *Hard and Soft Acids and Bases*; Dowden, Hutchinson and Ross: Stroudsburg, PA, 1973. Jensen, B. W. *The Lewis Acid-Base Concept*; Wiley: New York, 1980.
- (11) Parr, R. G.; Chattaraj, P. K. *J. Am. Chem. Soc.* 1991, 113, 1854.
- (12) Chattaraj, P. K.; Lee, H.; Parr, R. G. *J. Am. Chem. Soc.* 1991, 113, 1855.
- (13) Schrock, R. R.; Pederson, S. F.; Churchill, M. R.; Wasserman, H. J. *J. Am. Chem. Soc.* 1982, 104, 6808.





Figure 1. CACAO²⁹ drawings for (a, left) the complete HOMO, (b, top right) the partial LUMO, and (c, bottom right) partial HOMO of $[\mu\text{-ETOC}=\text{CHC}(\text{OC(O)Me})=\](\mu\text{-tBuS})\text{Fe}_2(\text{CO})_6$ (3).

Chart I



donation to an empty π^* carbon fragment orbital in 1 but not in 3, where the HOMO is mainly a metal–metal bond orbital (Figure 1). An unexpected result, however, is that Cp⁻ is more aromatic than benzene.

From this work²⁰ the concept of absolute hardness (HOMO-LUMO gap) emerges as a simple parameter to recognize theoretically the presence of aromaticity in organometallic compounds.

(20) One of the reviewers pointed out that, for simple hydrocarbons such as the ones studied by Zhou and Parr, the HOMO-LUMO gap is a direct indication of reactivity but that for organometallic molecules where the chemical potential can be different, the HOMO-LUMO gap may still do the job but the theoretical basis is less secure.

Appendix

All calculations were performed by using the extended Hückel method²¹ with the weighted H_{ii} formula.²² The bond lengths reported by Hoffmann,⁶ Schrock,¹³ Seydel,¹⁴ Bleeke,¹⁵ Ashe,¹⁶ and Damewood¹⁷ were used. Organic distances are well-known.²³ In 1, 3, and 5 organic

(21) (a) Hoffmann, R.; Lipscomb, W. N. *J. Chem. Phys.* 1962, 36, 2179; 1962, 37, 1397. (b) Hoffmann, R. *J. Chem. Phys.* 1963, 39, 1397.

(22) Ammeter, J. H.; Burgi, B.; Thibeault, J. C.; Hoffmann, R. *J. Am. Chem. Soc.* 1978, 100, 3886.

(23) *Tables of Interatomic Distances and Centrifugation of Molecules and Ions*; The Chemical Society: London, 1958.

Table II. Extended Hückel Parameters

atom	orbital	H_u (eV)	ξ_1	ξ_2	C_1^a	C_2^a	atom	orbital	H_u (eV)	ξ_1	ξ_2	C_1^a	C_2^a
Si	3s	-17.30	1.383				Co	4s	-9.21	2.000			
	3p	-9.20	1.383					4p	-5.29	2.000			
P	3s	-18.60	1.750				Fe	3d	-13.18	5.550	2.10	0.5680	0.6060
	3p	-14.00	1.300					4s	-9.17	1.900			
Cl	3s	-30.00	2.033				Fe	4p	-5.37	1.900			
	3p	-15.00	2.033					3d	-12.70	5.350	1.80	0.5366	0.6678
As	4s	-16.22	2.230				W	6s	-8.26	2.341			
	4p	-12.16	1.890					6p	-5.17	2.310			
Sb	5s	-18.80	2.323				Ir	5d	-10.37	4.980	2.068	0.6940	0.5631
	5p	-11.70	1.999					6s	-11.36	2.500			
Ti	4s	-8.97	1.075				Ir	6p	-4.50	2.200			
	4p	-5.44	0.675					5d	-12.17	5.800	2.557	0.63506	0.5556
	3d	-10.81	4.550	1.40	0.4206	0.7839							

^a Contraction coefficient used in the double- ξ expansion.

groups were replaced by H to facilitate calculations. The values for the H_u and orbital exponents are listed in Table II. The parameters of C, N, O, and H are the standard ones. The parameters of P,²⁴ Cl,²⁵ As,²⁶ Sb,²⁷ Ti,⁶ Co,⁶

(24) Chamizo, J. A.; Ruiz-Mazon, M.; Salcedo, R.; Toscano, R. A. *Inorg. Chem.* 1990, 29, 879.

(25) Eisenstein, O.; Hoffmann, R. *J. Am. Chem. Soc.* 1981, 103, 4308.

(26) Tremel, W.; Hoffmann, R.; Kerteaz, M. *J. Am. Chem. Soc.* 1989, 111, 2020.

Fe,²⁴ W,²⁵ and Ir²⁸ have been used in previous calculations.

OM920516U

(27) Hughbanks, T.; Hoffmann, R.; Whangbo, M. H.; Stewart, K. R.; Eisenstein, O.; Canadehl, E. *J. Am. Chem. Soc.* 1982, 104, 3876.

(28) Lundquist, E. G.; Folting, K.; Streib, W. E.; Hoffmann, J. C.; Eisenstein, O.; Caulton, K. G. *J. Am. Chem. Soc.* 1990, 112, 855.

(29) Mealli, C.; Proserpio, D. M. *J. Chem. Educ.* 1990, 67, 399.