
This article was downloaded by: [Pontificia Universidad Javeria]

On: 24 August 2011, At: 13:24 Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House,

37-41 Mortimer Street, London W1T 3JH, UK



Supramolecular Chemistry

Publication details, including instructions for authors and subscription information: http://www.tandfonline.com/loi/gsch20

Solid-state hydrogen-bonding self-assemblies and keto-enol tautomerism of 1,3-dipyrrolyl-1,3-propanediones

Yohei Haketa ^a , Nazuki Eifuku ^a , Yuya Bando ^a , Ippei Yamada ^a , Ayano Hagihara ^a & Hiromitsu Maeda ^{a b}

Available online: 13 Apr 2011

To cite this article: Yohei Haketa, Nazuki Eifuku, Yuya Bando, Ippei Yamada, Ayano Hagihara & Hiromitsu Maeda (2011): Solid-state hydrogen-bonding self-assemblies and keto-enol tautomerism of 1,3-dipyrrolyl-1,3-propanediones, Supramolecular Chemistry, 23:03-04, 209-217

To link to this article: http://dx.doi.org/10.1080/10610278.2010.521834

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.tandfonline.com/page/terms-and-conditions

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan, sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

^a College of Pharmaceutical Sciences, Institute of Science and Engineering, Ritsumeikan University, Kusatsu, 525-8577, Japan

^b PRESTO, Japan Science and Technology Agency (JST), Kawaguchi, 332-0012, Japan



Solid-state hydrogen-bonding self-assemblies and keto-enol tautomerism of 1,3-dipyrrolyl-1,3-propanediones

Yohei Haketa^a, Nazuki Eifuku^a, Yuya Bando^a, Ippei Yamada^a, Ayano Hagihara^a and Hiromitsu Maeda^{ab}*

^aCollege of Pharmaceutical Sciences, Institute of Science and Engineering, Ritsumeikan University, Kusatsu 525-8577, Japan; ^bPRESTO, Japan Science and Technology Agency (JST), Kawaguchi 332-0012, Japan

(Received 6 July 2010; final version received 25 August 2010)

Single-crystal X-ray analyses of various 1,3-dipyrrolyl-1,3-propanedione derivatives confirmed the formation of keto-based 1D N—H···O—C hydrogen-bonding chains and cis-enol-based hydrogen-bonding chains. The preferences for keto and enol tautomers in the solid state were found to depend significantly on the positions of substituents at pyrrole rings. α -Aryl-substituted derivatives afford keto forms, while β -alkyl- and β -aryl-substituted derivatives provide cis-enol forms.

Keywords: hydrogen bonding; pyrrole; self-assembly; supramolecular chemistry; tautomerism

1. Introduction

Hydrogen bonding is an essential non-covalent interaction that allows for the fabrication of biomacromolecular systems such as DNA double helices and protein folding structures and artificial supramolecular assemblies, including both crystals and soft materials (1, 2). In biotic and artificial systems, appropriately designing and arranging the hydrogen-bonding donor and acceptor sites in building components are crucial. One way to control hydrogen-bonding sites is through controlling tautomerism, the equilibrium between two or more states by intramolecular proton transfer. The equilibrium between a keto form and an enol form is a classic example of tautomerism and has been well studied (3). In particular, keto-enol tautomerism in linear 1,3-propanediones exhibits transition between mainly flexible keto forms and fairly rigid cis-enol forms with intramolecular hydrogen bonding. In the keto form, carbonyl oxygen moieties can behave as hydrogen-bonding acceptors, whereas, in the cis-enol form, hydroxy oxygen moieties contribute to the hydrogen-bonding interaction, but to a lesser extent.

The component of supramolecular assemblies, pyrrole, which is a π -conjugated heterocycle composed of functional biotic dyes such as haem and chlorophyll (4), affords various types of cyclic and acyclic anion receptors consisting of pyrrole ring(s) on the basis of the hydrogen-bonding donor NH site (5). Furthermore, self-assembled supramolecular networks of acyclic pyrrole derivatives with carbonyl groups at α -positions have been observed in the solid state as well as in the solution state (6). Therefore, increasing hydrogen-bonding sites, e.g. by the addition of pyrrole to 1,3-propanediones, would afford various supramolecular assemblies. For example, 1,3-dipyrrolyl-1,3-propanediones

(dipyrrolyldiketones; e.g. 1a; Figure 1(a)) (7), which are the essential precursors of anion-responsive boron complexes (8, 9) and pyrazole derivatives (10) (Figure 1(b)), form 1D N—H···O—C hydrogen-bonding chains and organised structures in the solid state (11). In this case, pyrrole NH acts as a hydrogen-bonding donor that is coplanar and faces the same side as the proximal carbonyl unit. A previous study reported that various pyrrole rings can be introduced in the core 1,3-propanedione spacer (11). Similar to other 1,3propanedione derivatives, keto-enol equilibria were observed in the solution state for these dipyrrolyldiketones. Control of keto-enol equilibria in solution and in the solid state enables the tuning of electronic and optical properties for fabrication of functional materials. However, enol tautomers of dipyrrolyldiketones have not been observed in the solid state thus far, presumably due to the formation of more stable intermolecular hydrogen bonding using keto carbonyl moieties. These initial findings have been used as a basis for the control of solid-state assembled structures and keto-enol tautomerism in an attempt to modify pyrrole rings.

2. Results and discussion

2.1 Solid-state hydrogen-bonding assemblies of α -aryl derivatives

As reported in a previous study, alkyl substitution at pyrrole α -positions as seen in **1b** (Figure 2) provides sheet-like solid-state organised structures for aliphatic chains (n=10,12,14,16) (11). In addition to alkyl chains, aryl moieties can extend π -planes and, essentially, behave as platforms to connect various substituents to the dipyrrolyldiketone core. We obtained single crystals of phenyl **2a**, 2,6-dimethylphenyl **2b**

Figure 1. (a) Keto-enol tautomerism of dipyrrolyldiketone ${\bf 1a}$ as the parent structure and (b) dipyrrolyldiketone-based BF $_2$ complex and pyrazole derivative.

(9e), o,m,p-methoxyphenyl $3\mathbf{a}-\mathbf{c}$ and m,p-octyloxyphenyl **3d,e** (9m). These diketones were synthesised from the corresponding pyrrole derivatives and malonyl chloride in CH₂Cl₂. As with the single-crystal structure of **1a** (9a, 11), those of α -aryl derivatives **2a**,**b** and **3a**–**e** exhibit keto forms in the solid state (Figure 3). The intramolecular dihedral angles between two planes consisting of five atoms (NH and CO with the bridging pyrrole α -C) were estimated to be 64.18°, 99.98°, 50.68°, 85.60°, 74.07°, 58.36° and 53.32° for **2a,b** and **3a-e**, respectively; these values are smaller than those of **1a** at 109.01° and 102.67°. Between two pyrrole rings, 2a,b and 3a-e had almost the same values to each angle of the above planes at 61.92°, 100.32°, 49.83°, 84.37°, 79.22°, 54.03° and 53.21°, respectively. Furthermore, the peripheral aryl rings of 2a are almost planar to the connecting pyrrole ring at 3.07° and 5.51°. In contrast, the 2,6-dimethylphenyl rings of 2b show significant distortion from the pyrrole planes at 84.44° and 76.16°; this is possible due to the steric hindrance between o-CH₃ and the pyrrole NH or pyrrole β -CH unit. The corresponding values for 3a-e are 22.49° for **3a**, 17.19° for **3b**, 2.57° and 7.44° for **3c**, 2.02° and 8.93° for 3d and 25.45° for 3e. o-Methoxy moieties of 3a facing the pyrrole NH site exhibit intramolecular hydrogenbonding N−H···O interactions.

The diketones 2a,b and 3a-e form 1D intermolecular hydrogen-bonding assemblies using pyrrole NH and diketone CO moieties (Figure 4). The distances between N(H) and (C)O are 2.92 and 2.95 Å for **2a**, 2.84 and 2.85 Å for **2b**, 2.94 Å for **3a**, 3.00 Å for **3b**, 2.87 and 2.93 Å for **3c**, 2.91 and 3.04 Å for **3d** and 2.95 Å for **3e**. Some of the diketones show weak intermolecular hydrogen bonding between aryl o-CH and carbonyl oxygen with the $C(-H)\cdots O$ distances of 3.35 and 3.36 Å for **2a**, 3.21 Å for **3b**, 3.41 and 3.42 Å for **3c**, 3.25 and 3.31 Å for **3d** and 3.43 Å for **3e**. The values of distances, as well as angles, of hydrogen-bonding assemblies are essential for exhibiting the versatility of the assembled structures depending on the pyrrole substituents. Regularly assembled structures are repeated by each two molecules in 1a; the diketone 1a, with chirality due to the twisted methylene (CH₂) unit, interacts with neighbouring enantiomers to afford racemic strands consisting of the RSRS··· configuration. Similar to 1a, α -aryl-substituted 2a,b and 3b-e also form racemic wires of the $RSRS \cdots$ configuration. In contrast, **3a** exhibits the formation of the equimolar chiral columns $RRRR \cdots$ and SSSS..., wherein o-methoxy moieties are located at the valley zone constructed by π -conjugated moieties. Hydrogen-bonding planes of 3a comprising NH and CO with the bridging pyrrole α -C are intermolecularly distorted at 50.68°, which is in sharp contrast to the completely parallel arrangements in 2a and 3b-e, where the parallel distances of the corresponding planes are 0.81, 0.74, 0.20, 0.29 and 0.028 Å, respectively. In addition, the planes are almost parallel in 2b with the dihedral angle of 3.60°. Due to the distortion around the sp³-CH₂ unit between two pyrrole moieties, hydrogen-bonding chains for 2a,b and 3b-e show alternating crinkled structures. For m-octyloxyphenyl 3d, alkyl chains of each hydrogenbonding chain are almost completely interdigitated to form lamella-like structures; in contrast, p-octyloxyphenyl **3e** exhibits layer structures assisted by partial interactions between alkyl chains.

$$\begin{array}{c} \text{1a } (\mathsf{R} = \mathsf{H}) \\ \text{1b } (\mathsf{R} = \mathsf{C}_{\mathsf{H}}\mathsf{H}_{2\mathsf{D}+1}) \\ \mathsf{n} = \mathsf{1, 10, 12, 14, 16} \\ \text{2a } (\mathsf{R} = \mathsf{C}_{\mathsf{6}}\mathsf{H}_{\mathsf{5}}) \\ \text{2b } (\mathsf{R} = & \\ \end{array} \begin{array}{c} \text{3b } (\mathsf{R} = & \\ \end{array} \begin{array}{c} \mathsf{OCH_3} \\ \mathsf{3b} (\mathsf{R} = & \\ \end{array} \\) \\ \mathsf{2b} (\mathsf{R} = & \\ \end{array} \begin{array}{c} \mathsf{OCH_3} \\ \mathsf{3b} (\mathsf{R} = & \\ \end{array} \begin{array}{c} \mathsf{OCH_3} \\ \mathsf{3b} (\mathsf{R} = & \\ \end{array} \\) \\ \mathsf{3c} (\mathsf{R} = & \\ \\ \mathsf{OC_8}\mathsf{H}_{\mathsf{17}} \\ \mathsf{3d} (\mathsf{R} = & \\ \end{array} \\) \\ \mathsf{3e} (\mathsf{R} = & \\ \\ \mathsf{OC_8}\mathsf{H}_{\mathsf{17}} \\ \end{array}$$

Figure 2. α -Aryl-substituted dipyrrolyldiketones 2a,b and 3a-e along with parent 1a and α -alkyl 1b.

Figure 3. ORTEP drawings (top and side views) of single-crystal X-ray structures of α -aryl-substituted dipyrrolyldiketones: (a) 2a, (b) 2b, (c) 3a, (d) 3b, (e) 3c, (f) 3d and (g) 3e. Thermal ellipsoids are scaled to the 50% probability level. Solvent molecules are omitted for clarity for 2b.




Figure 4. 1D hydrogen-bonding chains of (a) **2a**, (b) **2b**, (c) **3a**, (d) **3b**, (e) **3c**, (f) **3d** and (g) **3e**. Solvent molecules are omitted for clarity for **2b**. Atom colour code: brown, blue, pink and red represent carbon, nitrogen, hydrogen and oxygen, respectively.

2.2 Solid-state keto-enol equilibria of β -alkyl and β -aryl derivatives

Modifications of the molecular structures are crucial for controlling assembled structures and their electronic and optical properties. By focusing on the pyrrole rings, β-substituents can also be effective for the fabrication and control of functionally organised structures (9r). We obtained single crystals of β -methyl- and β -ethyl-substituted 4a-c(9h, l), and β -phenyl-substituted **4d** (Figure 5). The diketones 4a,b,d were synthesised from the corresponding pyrroles and malonyl chloride in CH₂Cl₂, whereas α-iodo-substituted **4c** was prepared by removal of a boron moiety for the precursory bisiodo-substituted BF₂ complex (9h) by treatment with AlCl₃ and tert-butyl alcohol. In contrast to the single-crystal structures of 1a, 2a, b and 3a-d, those of β -alkyl and β -aryl derivatives 4a-d form enol tautomers in the solid state (Figure 6). The distances between two oxygens of hydrogenbonding cyclic enol-type 1,3-diketones of 4a-d are 2.40/2.42, 2.43, 2.48 and 2.42 Å, respectively. The intramolecular dihedral angles between two planes consisting of five atoms (NH and CO with the bridging pyrrole α -C) were estimated to be 6.12°/7.14°, 17.30°, 4.61° and 20.02° for **4a**–**d**, respectively. Those between two pyrrole rings had almost the same values to each angle of the above planes at 4.99°/5.36°, 27.45°, 2.21° and 33.49° for **4a**–**d**, respectively. In solutions, the equilibrium between keto and enol forms was observed in **4a**–**d** as well as in the other derivatives **1a**, **2a**,**b** and **3a**–**d**; the correlations between the solid and solution states cannot be discussed at present and will be reported elsewhere.

β-Alkyl- and β-aryl-substituted **4a**–**d** in *cis*-enol forms also provide solid-state assembled structures through hydrogen bonding between pyrrole NH and carbonyl or hydroxy oxygen (Figure 7): the distances between N(H) and carbonyl oxygen in **4a**–**d** are 2.87, 2.91, 2.95 and 2.83 Å, respectively, whereas those for hydroxy oxygen in **4a**,**b**,**d** are

Figure 5. β -Alkyl- and β -aryl-substituted dipyrrolyldiketones 4a-d.

2.92, 2.89 and 2.88 Å, respectively. Among these derivatives, α -iodo-substituted 4c lacks interaction of pyrrole NH with hydroxy oxygen; instead, it forms N(-H) \cdots I hydrogen bonding with the distance of 3.79 Å. In these cases, as discussed in Section 1, building components are fairly planar due to intramolecular hydrogen bonding. Therefore, hydrogen-bonding chains exhibit tape-like structures, wherein molecules are arranged in a completely parallel and step-like form in 4b with the distances of 1.34 and 1.97 Å between the neighbouring hydrogen-bonded planar moieties comprising NH, CO and the bridging pyrrole α -C; they are almost parallel in 4d and are fairly distorted in 4a,c. The dihedral angles between hydrogen-bonding molecules, defined as 15 core atoms of two pyrrole rings and 1,3-

propanedione moiety, in 4a,c,d are $38.29^{\circ}/38.31^{\circ}$, 42.31° and 0.97° , respectively. Furthermore, β -methyl-substituted 4a exhibits infinitely stacking structures of the π -planes at a distance of 3.49 Å, which is defined as the average distance of stacking tetramers each comprising 15 core atoms, while 4c forms parallel stacking dimers at a distance of 3.45 Å. This is in sharp contrast to 4b,d, which have no significant stacking structures. These observations can be derived from the differences in the substituents, which affect the appropriate packing modes.

3. Experimental section

3.1 General procedures

Starting materials were purchased from Wako Pure Chemical Industries, Ltd. (Osaka, Japan), Nacalai Tesque Inc. (Kyoto, Japan), Sigma-Aldrich Co. (St Louis, MO) and used without further purification unless otherwise stated. NMR spectra used in the characterisation of products were recorded on a JEOL ECA-600 600 MHz spectrometer. All NMR spectra were referenced to solvent. Matrix-assisted laser desorption ionisation time-of-flight mass spectrometries (MALDI-TOF-MS) were recorded on




Figure 6. ORTEP drawings (top and side views) of single-crystal X-ray structures of β -alkyl- and β -aryl-substituted dipyrrolyldiketones: (a) **4a** (one of the two independent structures), (b) **4b**, (c) **4c** and (d) **4d**. Thermal ellipsoids are scaled to the 50% probability level. Solvent molecules are omitted for clarity for **4d**. The structure of **4b**, which has been reported as a keto form (6), was examined again and solved as a *cis*-enol form.




Figure 7. 1D hydrogen-bonding chains of (a) 4a, (b) 4b, (c) 4c and (d) 4d. Solvent molecules are omitted for clarity for 4d. Atom colour code: purple represents iodine.

a Shimadzu Axima-CFR plus using negative mode. TLC analyses were carried out on aluminium sheets coated with silica gel 60 (Merck 5554). Column chromatography was performed on Wakogel C-300 and Merck silica gel 60H.

3.2 1,3-Bis-(3,4-diethyl-5-iodopyrrol-2-yl)-1,3-propanedione (4c)

A solution of the BF₂ complex of **4c** (100 mg, 0.16 mmol) in dry CH₂Cl₂ (68 ml) was treated with AlCl₃ (129.5 mg, 0.97 mmol) and stirred for 5–10 min at reflux temperature. To the mixture was added t-BuOH (4.83 ml, 0.05 mmol) and stirred for 5-10 min at room temperature. To the mixture was added water and stirred for 17 h at the same temperature. The mixture was partitioned between water and CH₂Cl₂, and the combined extracts were dried over anhydrous MgSO₄ and evaporated. The residue was then purified by silica gel chromatography (Wakogel C-300, CH_2Cl_2 :hexane = 2:1) to give **4c** (34.4 mg, 0.06 mmol, 38%) as a yellow solid. $R_f = 0.32$ (CH₂Cl₂:hexane = 2:1). ¹H NMR (600 MHz, CDCl₃, 20°C; diketone **4c** was obtained as a mixture of keto and enol tautomers in the ratio of 0.19:1): keto form δ (ppm) 9.88 (s, 2H, NH), 4.17 (s, 2H, CH₂), 2.83 (q, J = 7.8 Hz, 4H, CH₂), 2.37 (q, $J = 7.8 \,\mathrm{Hz}, \,4\mathrm{H}, \,\mathrm{CH}_2), \,1.23 \,\,\mathrm{(m, 6H, CH_3)}, \,1.10 \,\,\mathrm{(m, 6H, CH_3)}$ CH₃); enol form δ (ppm) 17.40 (s, 1H, enol-OH), 9.10 (s, 2H, NH), 6.15 (s, 1H, CH), 2.75 (q, J = 7.8 Hz, 4H, CH₂), 2.40 (q, J = 7.8 Hz, 4H, CH₂), 1.23 (m, 6H, CH₃), 1.10 (m,6H, CH₃). MALDI-TOF-MS: *m*/*z* (% intensity): 565.0 (100). Calcd for $C_{19}H_{23}I_2N_2O_2$ ([M - H]⁻): 564.98.

3.3 1,3-Bis-(3,4-diphenylpyrrol-2-yl)-1,3-propanedione (4d)

Following the literature procedure (9a), to a CH₂Cl₂ (7.0 ml) solution of 3,4-diphenylpyrrole (12) (108.5 mg, 0.49 mmol) was added malonyl chloride (34.7 mg,

0.25 mmol) at room temperature and stirred for 1.5 h at the same temperature. After the consumption of the starting pyrrole confirmed by TLC analysis, the mixture was washed with saturated aqueous Na₂CO₃ and water, dried over anhydrous Na₂SO₄, filtered and evaporated to dryness. The residue was then chromatographed over a silica gel column (Wakogel C-300, 2% MeOH–CH₂Cl₂) and crystallisation from CH₂Cl₂-hexane afforded 4d $(88.9 \,\mathrm{mg}, 71\%)$ as a pale yellow solid. $R_{\mathrm{f}} = 0.37 \,(3\%)$ MeOH-CH₂Cl₂). ¹H NMR (600 MHz, CDCl₃, 20°C; diketone 4d was obtained as a mixture of keto and enol tautomers in the ratio of 1:0.35): δ (ppm) keto form 9.46 (s, 2H, NH), 7.23–7.11/7.06–6.98 (m, 20H, Ph-H), 7.17 (d, J = 3.6 Hz, 2H, pyrrole-H), 3.19 (s, 2H, CH₂); enol form δ (ppm) 16.78 (s, 1H, enol-OH), 9.03 (s, 2H, NH), 7.23-7.11/7.06-6.98 (m, 20H, Ph-H), 7.08 (d, J = 3.0 Hz, 2H, pyrrole-H), 5.41 (s, 1H, CH). MALDI-TOF-MS: m/z (% intensity): 505.2 (100), 506.2 (79). Calcd for C₃₅H₂₅N₂O₂ $([M - H]^{-}): 505.19.$

3.4 Single-crystal X-ray analysis

Crystallographic data for dipyrrolyldiketones are summarised in Table 1. All the data were collected at 123 K on a Rigaku RAXIS-RAPID diffractometer with graphite monochromated Mo K α radiation ($\lambda = 0.71075 \,\text{Å}$); the structure was solved by a direct method. A single crystal of 2a was obtained by vapour diffusion of hexane into a CH2Cl2 solution. The data crystal was a colourless prism of approximate dimensions, $0.40 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.10 \,\mathrm{mm}$. A single crystal of **2b** was obtained by vapour diffusion of hexane into a CHCl₃ solution with a small amount of toluene. The data crystal was a colourless prism of approximate dimensions, $0.40 \,\mathrm{mm} \times 0.30 \,\mathrm{mm} \times 0.30 \,\mathrm{mm}$. A single crystal of 3a was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution. The data crystal was a yellow prism of approximate dimensions, $0.45 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.20 \,\mathrm{mm}$. A single crystal of **3b** was obtained by vapour diffusion of

Table 1. Crystallographic details for compounds 2a,b, 3a-e and 4a-d.

	2a	2b	3a	3b	3c	3d	Зе	4a	4b ^a	4c	4d
Formula	$\mathrm{C}_{23}\mathrm{H}_{18}\mathrm{N}_{2}\mathrm{O}_{2}$	C ₂₃ H ₁₈ N ₂ O ₂ C ₂₇ H ₂₆ N ₂ O ₂ ·0.5CHCl ₃	$C_{25}H_{22}N_2O_4$	$C_{25}H_{22}N_2O_4$	$C_{25}H_{22}N_2O_4$	$C_{39}H_{50}N_2O_4$	$C_{39}H_{50}N_2O_4$	$C_{15}H_{18}N_2O_2$	$C_{25}H_{22}N_2O_4 C_{25}H_{22}N_2O_4 C_{25}H_{22}N_2O_4 C_{39}H_{50}N_2O_4 C_{39}H_{50}N_2O_4 C_{15}H_{18}N_2O_2 C_{19}H_{26}N_2O_2 C_{25}H_{22}N_2O_3 C_{25}H_{26}N_2O_3 C_{25}H$	$C_{19}H_{24}I_2N_2O_2$	C ₃₅ H ₂₆ N ₂ O ₂ ·CH ₂ Cl ₂
fw	354.39	469.68	414.45	414.45	414.45	610.81	610.81	258.31	314.42	566.20	591.50
Crystal size	0.40 ×		$0.45 \times$	× 09.0	0.50×	0.40 ×	0.40×	× 09.0	0.30 ×	0.30×	0.40 ×
(mm)	0.20×0.10	0.30×0.30	0.20×0.20	0.60×0.50	0.20×0.20	0.20×0.05	0.20×0.05	0.40×0.30	0.20×0.20	0.10×0.05	0.20×0.20
Crystal system	Triclinic		Monoclinic	Monoclinic	Triclinic	Triclinic	Monoclinic	Monoclinic	Monoclinic	Monoclinic	Orthorhombic
Space group	<i>P</i> 1 (no. 2)		<i>C2/c</i> (no.	(no.	<i>P</i> 1 (no. 2)	<i>P</i> 1 (no. 2)	C2/c (no.	$P2_1/n$ (no.	$P2_1/n$ (no.	<i>P2/n</i> (no.	F2dd (no. 43)
•			(51	(51			(CI	14)	14)	13)	
a (Å)	5.530 (3)	14.095 (4)	16.144 (14)	28.995 (19)	9.070 (5)	6.928 (2)	32.881 (10)	14.619 (9)	11.444 (4)	14.386 (5)	10.942 (3)
b (Å)	11.714 (6)		18.27 (3)	4.952 (2)	10.782 (6)	10.995 (5)	8.636 (3)	10.370 (8)	10.861 (4)	9.082 (3)	32.709 (7)
c (Å)	13.661 (9)		7.183 (9)	14.049 (7)	11.625 (5)	22.002 (8)	11.899 (5)	18.937 (13)	14.563 (8)	15.330 (6)	33.875 (8)
α (°)	81.86 (2)		06	06	75.049 (19)	86.724 (16)	06	06	06	06	06
β(°)	82.10 (3)	06	110.67 (2)	101.00 (3)	69.072 (19)	85.505 (12)	99.553 (15)	112.50 (2)	107.135 (16)	102.775 (15)	06
γ(°)	85.66 (2)	06	06	06	86.50 (2)	87.823 (16)	06	06	06	06	06
$V(\mathring{A}^3)$	866.3 (9)	4899 (2)	1983 (4)	1980.0 (18)	1025.3 (9)	1667.3 (11)	3332 (2)	2652 (3)	1729.6 (13)	1953.4 (12)	12124 (5)
$ ho_{ m calcd}~({ m gcm}^{-3})$	1.359	1.274	1.389	1.390	1.343	1.217	1.218	1.294	1.207	1.925	1.296
Z	2	~	4	4	2	2	4	~	4	4	16
T(K)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)	123 (2)
$\mu(\text{Mo-K}\alpha),$ (mm^{-1})	0.088	0.237	0.095	0.095	0.092	0.078	0.078	0.087	0.078	3.235	0.250
No. of reflections	8525	42,635	9681	2868	10,153	16,520	15,791	15,231	15,942	18,350	27,460
No. of unique reflections	3908	5622	2278	2260	4654	7552	3802	4672	3909	4461	9629
Variables	245	307	142	142	282	408	205	351	213	232	390
$\lambda_{ ext{Mo-K}lpha} (ext{Å})$	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075	0.71075
$R_1 (I > 2\sigma (I))$	0.0484		0.0441	0.0392	0.0409	0.0441	0.0487	0.0982	0.0444	0.0192	0.0402
$wR_2 (I > 2\sigma(I))$	0.1059	4	0.1142	0.1064	0.1064	0.1276	0.1129	0.2493	0.1100	0.0423	0.0891
GOF	1.041	1.057	1.081	1.095	1.071	1.041	1.030	1.144	1.052	1.080	1.033

^aRevised data of that reported in ref. (11).

hexane into a CH₂Cl₂ solution. The data crystal was a yellow prism of approximate dimensions, $0.60 \,\mathrm{mm} \times 0.60$ mm \times 0.50 mm. A single crystal of 3c was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution. The data crystal was a red block of approximate dimensions, $0.50 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.20 \,\mathrm{mm}$. A single crystal of 3d was obtained by vapour diffusion of MeOH into a CDCl₃ solution. The data crystal was a yellow prism of approximate dimensions, $0.80 \,\mathrm{mm} \times 0.30 \,\mathrm{mm} \times 0.10 \,\mathrm{mm}$. A single crystal of 3e was obtained by vapour diffusion of MeOH into a CHCl₃ solution. The data crystal was a yellow prism of approximate dimensions, $0.40 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.05 \,\mathrm{mm}$. A single crystal of 4a was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution. The data crystal was a yellow prism of approximate dimensions, $0.60 \,\mathrm{mm} \times 0.40$ mm \times 0.30 mm. A single crystal of **4b** was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution. The data crystal was a yellow prism of approximate dimensions, $0.30 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.20 \,\mathrm{mm}$. A single crystal of 4c was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution. The data crystal was a yellow prism of approximate dimensions, $0.30 \,\mathrm{mm} \times 0.10 \,\mathrm{mm} \times 0.05 \,\mathrm{mm}$. A single crystal of 4d was obtained by vapour diffusion of hexane into a CH₂Cl₂ solution with a small amount of toluene. The data crystal was a yellow prism of approximate dimensions, $0.40 \,\mathrm{mm} \times 0.20 \,\mathrm{mm} \times 0.20 \,\mathrm{mm}$. In each case, the nonhydrogen atoms were refined anisotropically. The calculations were performed using the Crystal Structure crystallographic software package of Molecular Structure Corporation. CIF files (CCDC-626137 for 4b (a revised structure), 664473 and 664474 for 2a and 2b, respectively and 782949–782956 for **3a-e** and **4a,c,d**) can be obtained free of charge from the Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif

4. Summary

As observed in a parent structure, α -aryl-substituted 1,3dipyrrolyl-1,3-propanedione (dipyrrolyldiketone) derivatives prefer keto tautomers and form solid-state 1D hydrogen-bonding chain structures, whose geometries differ according to the substituents. In contrast, β-alkyland \(\beta\)-aryl-substituted derivatives stabilise the cis-enol forms in the solid state, resulting in the formation of 1D hydrogen-bonding chains. At present, although it is not easy to discuss the details of the correlation of pyrrole substituents with tautomeric forms in the solid state, the existence of β-substituents seems to influence the packing structures and, as a result, preferred tautomeric forms. A series of dipyrrolyldiketones, the building subunits for molecular assemblies, afford complexes with not only boron but also various metal cations that exhibit fascinating electronic and optical properties along with the formation of functional materials. Further investigation to prepare various metal complexes is under way.

Acknowledgements

This work was supported by Ritsumeikan Global Innovation Research Organization (R-GIRO) Project (2008-2013). The authors thank Prof. Atsuhiro Osuka, Dr Shigeki Mori, Dr Shohei Saito, Mr Eiji Tsurumaki, Mr Taro Koide and Mr Takayuki Tanaka, Kyoto University, for single-crystal X-ray analyses and Prof. Hitoshi Tamiaki, Ritsumeikan University, for various measurements. Y.H. thanks JSPS for a Research Fellowship for Young Scientists.

References

- (1) Jeffrey, G.A.; Saenger, W. *Hydrogen Bonding in Biological Structures*; Springer: Berlin, Germany, 1991.
- (2) Prins, L.J.; Timmerman, P.; Reinhoudt, D.N. Angew. Chem., Int. Ed. 2001, 40, 2382–2426.
- (3) Reichardt, C. Solvents and Solvent Effects in Organic Chemistry; Wiley: Weinheim, 2003; Chapter 4.
- (4) (a) Kadish, K.M., Smith, K.M., Guilard, R., Eds.; *The Porphyrin Handbook*; Academic Press: San Diego, CA, 2000; (b) Kadish, K.M., Smith, K.M., Guilard, R., Eds.; *Handbook of Porphyrin Science*; World Scientific: Hackensack, NJ, 2010.
- (5) (a) Sessler, J.L.; Camiolo, S.; Gale, P.A. Coord. Chem. Rev. 2003, 240, 17–55; (b) Gale, P.A. Chem. Commun. 2005, 3761–3772.
- (6) (a) Sessler, J.L.; Weghorn, S.J.; Hiseada, Y.; Lynch, V. *Chem. Eur. J.* 1995, *1*, 56–67; (b) Scherer, M.; Sessler, J.L.; Gebauer, A.; Lynch, V. *J. Org. Chem.* 1997, 62, 7877–7881; (c) Scherer, M.; Sessler, J.L.; Moini, M.; Gebauer, A.; Lynch, V.M. *Chem. Eur. J.* 1998, 4, 152–158; (d) Sessler, J.L.; Berthon-Gelloz, G.; Gale, P.A.; Camiolo, S.; Anslyn, E.V.; Anzenbacher, P. Jr.; Furuta, H.; Kirkovits, G.J.; Lynch, V.M.; Maeda, H.; Morosini, P.; Scherer, M.; Shriver, J.; Zimmerman, R.S. *Polyhedron* 2003, 22, 2963–2983; (e) Schmuck, C.; Wienand, W. *J. Am. Chem. Soc.* 2003, *125*, 452–459; (f) Uno, H.; Ito, S.; Wada, M.; Watanabe, H.; Nagai, M.; Hayashi, A.; Murashima, T.; Ono, N. *J. Chem. Soc., Perkin Trans. 1* 2000, 4347–4355.
- (7) (a) Oddo, B.; Dainotti, C. Gazz. Chim. Ital. 1912, 42, 716–726; (b) Stark, W.M.; Baker, M.G.; Leeper, F.J.; Raithby, P.R.; Battersby, A.R. J. Chem. Soc., Perkin Trans. 1 1988, 1187–1201.
- (8) (a) Maeda, H. Eur. J. Org. Chem. 2007, 5313-5325;
 (b) Maeda, H. Chem. Eur. J. 2008, 14, 11274-11282;
 (c) Maeda, H. J. Incl. Phenom. 2009, 64, 193-214;
 (d) Maeda, H. In Handbook of Porphyrin Science; Kadish, K.M., Smith, K.M., Guilard, R., Eds.; World Scientific: Hackensack, NJ, 2010; Vol. 8, Chapter 38; (e) Maeda, H. In Anion Complexation by Supramolecular Chemistry. Topics in Heterocyclic Chemistry; Gale, P.A., Dehaen, W., Eds.; Springer-Verlag: Berlin, Germany, 2010; Vol. 24, pp 103-144; (f) Maeda, H. In Supramolecular Soft Matter: Applications in Materials and Organic Electronics; Nakanishi, T., Ed.; Wiley, submitted.
- (9) (a) Maeda, H.; Kusunose, Y. Chem. Eur. J. 2005, 11, 5661–5666; (b) Fujimoto, C.; Kusunose, Y.; Maeda, H. J. Org. Chem. 2006, 71, 2389–2394; (c) Maeda, H.; Ito, Y. Inorg. Chem. 2006, 45, 8205–8210; (d) Maeda, H.; Kusunose, Y.; Mihashi, Y.; Mizoguchi, T. J. Org. Chem. 2007, 72, 2612–2616; (e) Maeda, H.; Haketa, Y.; Nakanishi, T. J. Am. Chem. Soc. 2007, 129, 13661–13674; (f) Maeda, H.; Kusunose, Y.; Mihashi, Y.; Mizoguchi, T. J. Org. Chem. 2007, 72, 2612–2616; (g) Maeda, H.; Terasaki, M.; Haketa, Y.;

Mihashi, Y.; Kusunose, Y. Org. Biomol. Chem. 2008, 6, 433–436; (h) Maeda, H.; Fujii, Y.; Mihashi, Y. Chem. Commun. 2008, 4285–4287; (i) Maeda, H.; Haketa, Y. Org. Biomol. Chem. 2008, 6, 3091–3095; (j) Maeda, H.; Mihashi, Y.; Haketa, Y. Org. Lett. 2008, 10, 3179–3182; (k) Maeda, H.; Ito, Y.; Haketa, Y.; Eifuku, N.; Lee, E.; Lee, M.; Hashishin, T.; Kaneko, K. Chem. Eur. J. 2009, 15, 3706–3719; (l) Maeda, H.; Haketa, Y.; Bando, Y.; Sakamoto, S. Synth. Met. 2009, 159, 792–796; (m) Maeda, H.; Eifuku, N. Chem. Lett. 2009, 38, 208–209; (n) Maeda, H.; Fujii, R.; Haketa, Y. Eur. J. Org. Chem. 2010, 1469–1482; (o) Maeda, H.; Terashima, Y.; Haketa, Y.; Asano, A.; Honsho, Y.; Seki, S.; Shimizu, M.; Mukai, H.; Ohta, K. Chem. Commun. 2010, 46, 4559–4561; (p) Maeda, H.; Takayama, M.; Kobayashi, K.; Shinmori, H. Org. Biomol. Chem. 2010, 8, 4308–4315; (q) Maeda, H.;

- Bando, Y.; Haketa, Y.; Honsho, Y.; Seki, S.; Nakajima, H.; Tohnai, N. *Chem. Eur. J.* **2010**, *16*, in press; Doi: 10.1002/chem201001852; (r) Haketa, Y.; Sakamoto, S.; Nakanishi, T.; Maeda, H. submitted; (s) Haketa, Y.; Maeda, H. submitted.
- (10) Maeda, H.; Ito, Y.; Kusunose, Y.; Nakanishi, T. Chem. Commun. 2007, 1136–1138.
- (11) Maeda, H.; Kusunose, Y.; Terasaki, M.; Ito, Y.; Fujimoto, C.; Fujii, R.; Nakanishi, T. Chem. Asian J. 2007, 2, 350–357.
- (12) (a) Sera, A.; Fukumoto, S.; Tamura, M.; Takabatake, K.; Yamada, H.; Ito, K. Bull. Chem. Soc. Jpn. 1991, 64, 1787–1791; (b) Ono, N.; Miyagawa, H.; Ueta, T.; Ogawa, T.; Tani H. J. Chem. Soc., Perkin Trans. 1 1998, 1595–1601.