
This article was downloaded by:

On: 29 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Supramolecular Chemistry

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t713649759

Synthesis of *p*-tert-Butylcalix[4] Arenes with Diester Bridge Spanning the 1,3-(Distal) Positions on the Lower Rim

Manoj Kumar^a; Vandana Bhalla^a

^a Department of Chemistry, Guru Nanak Dev University, Amritsar, India

To cite this Article Kumar, Manoj and Bhalla, Vandana(2001) 'Synthesis of *p*-tert-Butylcalix[4] Arenes with Diester Bridge Spanning the 1,3-(Distal) Positions on the Lower Rim', Supramolecular Chemistry, 12: 4, 391 — 396

To link to this Article: DOI: 10.1080/10610270108027470 URL: http://dx.doi.org/10.1080/10610270108027470

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Synthesis of *p*-tert-Butylcalix[4] Arenes with Diester Bridge Spanning the 1,3-(Distal) Positions on the Lower Rim

MANOJ KUMAR* and VANDANA BHALLA

Department of Chemistry, Guru Nanak Dev University, Amritsar-143005, India

(Received November 26, 1999)

p-tert-Butylcalix[4]crown ether esters have been synthesized in good yield using two synthetic methods.

which Calixarenes structurally resemble spherands and natural cyclodextrins have received much attention over the past decade. 1 These are useful building blocks for preorganized lipophilic or water soluble cation receptors and carriers.² In particular *p*-tert-butylcalix[4]arene which is easily accessible in large quantities is a popular building block³ or platform for assembling more elaborate structures with ligating side arms or podands. The introduction of substituents on the phenolic OH groups of *p*-tert-butylcalix[4]arene produces derivatives with different shapes and conformational mobilities depending upon the nature and number of these substituents. Several tetra and disubstituted calix[4]arenes have been synthesized some of which are now well established as selective receptors for metal cations. 4-7 There are examples in which two calixarenes are joined by a single bridge⁸, the singly bridged calixcrowns [poly(oxyethylene)bridge]⁹⁻¹¹, calixspherands

(m-teranisyl bridge)¹², and double and triple calixarenes with metallocene (ferrocene) bridges.¹³ Use of various conformationally constrained spacers such as phthaloyl dichloride or biphenyl-4,4'-disulfonyl dichloride led to the formation of 1,2 bridged single calixarenes and bridged triple calixarenes. 14,15 In all these examthe parent p-tert-butylcalix[4]arene is reacted with an activated bifunctional reagent such as diacid dichloride, an oligoethylene glycol ditosyl ester or a bisbromomethylated teranisyl system. Calixarenes with diamide bridges spanning the 1,3-(distal) positions on the lower rim have been synthesized from syn 1,3 diacid dichloride of p-tert-butylcalix[4]arene and various bifunctional amines. 16 Interestingly calixarenes with diester bridges spanning the 1,3 distal positions on the lower rim have not been synthesized either from the parent p-tert-butylcalix[4]arene or from syn 1,3 diacid dichloride of p-tert-butylcalix[4] arene. The ester moieties are known to decrease the complexing ability of the ligand but increases the decomplexation property of their complexes – a combination of both

^{*} Corresponding Author.

these phenomena is one of the factors responsible for the selective ionophore character of naturally occuring nactins which possess ester moieties. In the present manuscript we have synthesized the calixcrown ether esters (Scheme 1) by using two synthetic methodolgies. On the one hand we have used the easily prepared polyethylene(dibromoacetate) and combined it with *p-tert*-butylcalix[4]arene to give calixcrown ether esters in yields ranging from 50–60% and on the other hand we have used the easily available syn 1,3-diacidichloride of p-tert-butylcalix[4]arene and combined it with polyethylene glycols under phase transfer conditions to give a calixcrown ether esters (Scheme 1) in good yields (65-75%). While this work was in progress Zheng et al reported¹⁷ the synthesis of these compounds using polyethylene(dichloracetate) instead of polyethylene(dibromoacetate) when bromine is a better leaving group as compared to chlorine. The bromoacetates of polyethylene glycols and 2-ethoxyethanol were prepared either by refluxing together glycol and bromoacetic acid in dry benzene in the presence of p-toluenesulphonic acid as catalyst or by stirring together a mixture of poyethylene glycols and bromoacetyl chloride in dry dichloromethane under phase transfer conditions. The structures of these bromoacetates were confirmed from their ¹H NMR and I.R. spectra. In the I.R. spectra an absorption band appears at 1750cm⁻¹ (ester). The ¹H NMR spectrum of "**2b**" shows a singlet at δ 3.65 (4H, OCOCH₂) and triplets at δ 3.76 (4H, OCH₂), δ3.91 (4H, OCH₂) and at δ 4.34 (4H, OCH₂). Two synthetic strategies (method A and method B) were used for all cyclization reactions. In method A a mixture of calix[4]arene, bisbromoacetate of glycol and potassium carbonate were refluxed in dry acetone under nitrogen for 14-18 hrs. Similar procedure was adopted for the synthesis of compund 3a. In method B a mixture of diacid dichloride of calix[4] arene and glycols were refluxed with stirring in the presence of tetrabutylammonium hydrogen sulfate(TBHSO₄) catalyst for 6–12 hrs in dry dichloromethane. The products were isolated and purified by chromatography. Mass spectrometric analysis showed that the capped calixarenes were the dominant products. Double or triple calixarenes were not isolated although there formation can not be ruled out. The ¹HNMR of compounds **3b-d** could be assigned completely and are fully consistent with capped structures all in the cone conformation.

The ¹H NMR spectral features for the calixarene skelton for example for 3d, are: two singlets at $\delta 1.00$ and at $\delta 1.25$ for the tert-butyl protons and two singlets at 87.01 and at 86.83 for the aromatic protons; two doublets at δ 3.33 and at $\delta 4.44$ for the methylene protons, ArCH₂Ar (indicating the equivalence of all the four methylene groups); a singlet at δ 4.76 for the -OCH₂CO- protons and another singlet at δ7.16 for OH protons; and for the crown ring, three triplets centered at $\delta 3.87$ (J = 6Hz, OCH₂), $\delta 3.72$ (t, 4H, J = 6Hz, OCH₂), $\delta 3.66$ (t, 4H, J = 5.4Hz, OCH₂) appear in the spectrum. In its I.R. spectrum, an absorption band appears at 1750 cm⁻¹ (ester). The ¹³C NMR spectrum further corroborates the structure of this compound. The presence of an AB system for the benzylic protons and a signal at $\delta 33.78$ ppm in the 13 C NMR respectively showed that the compound 3d exists in cone conformation. The spectral data of other compounds is similar and is given in the experimental.

X-ray diffraction analysis was also used to probe the solid state conformations of compound 3d (Fig. 1). The major conformation determining features in this molecule are the presence of two intramolecular O-H...O hydrogen bonds between the phenolic oxygens and the proximal ethereal oxygens[O10...O1 2.89(1) Å, H10A...O1 2.14(1) Å, angleO10A-H10A....O1 152.3(7)° and O11....O7 3.00(1) Å, H11A....O7 2.23(7) Å, angle O11-H11A....O7 156.9(6)°. These intramolecular hydrogen bonds are mainly responsible for the cone conformation of 3d.




FIGURE 1 A view of the molecule showing labelling scheme. Hydrogens have been omitted for the sake of clarity

EXPERIMENTAL

M.p's were determined in capillaries and are uncorrected. 1H NMR spectra were recorded on Bruker Acc 200 MHz spectrometer using TMS as an internal standard and CDCl₃ as solvent. FAB Mass spectra were recorded on a JEOL S $\times 102/DA$ -6000 mass spectrometer using Xenon (6KV, 10mA) as the FAB gas.

General Procedure for the Preparation of Bromoacetates: A solution of bromoacetic acid (9.313 g, 67 mmol), triethylene glycol **5b** (5g, 33.3 mmol) and a pinch of *p*-toluenesulphonic acid in dry ben-

zene were refluxed together for five hours. The water and benzene were collected in Dean and Stark apparatus. When no more water separated, reaction was considered complete. The reaction mixture was transfered to a separatory funnel and washed with 1% sodium carbonate solution. Organic layer was separated and dried over anhydrous sodium sulphate and distilled off. The yield of these bromoacetates were quantitative.

Compound **2a**: v_{max} (CHCl₃) 1740 cm⁻¹; ¹H NMR (CDCl₃) δ 1.22 (t,3H,OCH₂CH₃), 3.56 (q,2H,OCH₂CH₃), 3.66 (t,2H,OCH₂), 3.88 (s,2H,BrCH₂CO), 4.33 (t,2H,COOCH₂).

SCHEME 1

Compound **2b**: v_{max} (CHCl₃) 1745 cm⁻¹; ¹H NMR (CDCl₃) δ 3.73 (t,4H,OCH₂), 3.83 (4H,O CO CH₂), 4.33 (t, 4H, OCH₂).

Compound 2c: v_{max} (CHCl₃) 1740 cm⁻¹; ¹H NMR (CDCl₃) δ 3.65 (s,4H,OCOCH₂), 3.76 (t,4H,OCH₂), 3.91 (t,4H,OCH₂), 4.34 (t,4H,OCH₂).

Condensation of Compound 1 with Compound 2a

A solution of compound 1 (1g, 1.54 mmol), compound 2a (0.65g, 3 mmol) and K₂CO₃ (0.42g, 3.08 mmol) in dry acetone were refluxed together for 20 hours. After the completion of the reaction (tlc) the reaction mixture was cooled and passed through a bed of celite. The filtrate and dichloromethane washings of the celite were combined and distilled to remove the solvent. The residue was purified by column chromatography over silica using petroleum ether and ethyl acetate as eluent. Method A: Yield 80%. m.p. 127°c. v_{max} (CHCl₃) 1740 cm⁻¹; 1 H NMR (CDCl₃) δ 0.97 (s,18H,C(CH₃)₃), 1.16 (t,6H,CH₃), 1.26 (s,18H,C $(CH_3)_3$, 3.32 $(d_4H_1,ArCH_2Ar)$, 3.50 (q_4H_1,CH_2) , 3.68-3.70 (m_14H_1,OCH_2) , 4.36-4.41(m,8H,ArCH₂Ar,OCH₂), 4.76 (s,4H,OCH₂CO), 6.79 (s,4H,ArH), 6.97 (s,2H,OH),7.01(s,4H,ArH). ¹³C NMR(Normal/DEPT-135) (CDCl₃) $\delta 15.04$ $(CH_2CH_3)/+$ ve phase, 31.00 $[C(CH_3)]_3/+$ ve phase, 31.64 (ArCH₂Ar)/-ve phase, 31.78 $[C(CH_3)]_3$ /+ve phase, 33.79 $[C(CH_3)]_3$ / no signal, 64.41 (OCH₂)/-ve phase, 66.68 (OCH₂)/-ve phase, 68.10 $(OCH_2)/-ve$ phase, (PhOCH₂)/-ve phase, 125.06 (Ar)/+ve phase, 125.71 (Ar)/+ve phase, 127.98 (Ar)/ no signal, 132.36 (Ar)/ no signal, 147.05 (Ar)/ no signal, 150.27 (Ar)/ no signal. Mass spectrum(FAB, NBA): $m/z 909(M^+ +1)$

Synthesis of Calixcrown Ether-Esters

Method A

General Procedure: A solution of compound 1 (1g, 1.54 mmol), compound 2d (0.65g, 3.0 mmol) and potassium carbonate (0.46g, 3.30 mmol) in dry acetone was refluxed for 20 hrs. After the reaction was complete (t.l.c.) the solution was filtered through celite. The filtrate and dichloromethane washings of the celite were combined and distilled to remove the solvent. The solid residue was purified by column chromatogra-

phy over silica gel using petroleum ether and ethyl acetate as eluent. Similar procedure was used to prepare compounds **3a**, **3b** and **3c**.

Method B

General Procedure: A solution of 1,3-diacidchloride of p-tert-butylcalix[4]arene 4¹⁸ (2g, 2.50 mmol) and diethylene glycol 5a (0.266g, 2.50 mmol) in 100 ml of dry dichlormethane containing a suspension of K₂CO₃ (0.632g, 5 mmol) and hydrogen sulfate tetrabutylammonium (TBHSO₄) catalyst was stirred at room temperature and then refluxed. After the completion of the reaction (TLC, 10h), the suspension was filtered and the residue was washed with ethyl acetate. The combined filtrate and the washings were distilled and the crude reaction product was chromatographed on silica gel column using hexane-ethyl acetate as eluent to isolate the pure compound. Similarly 4 reacts with oligoethylene glycols and under the above reaction conditions to provide calixcrowns 3c and 3d respectively.

Compound 3b: Method A: Yield 60%., Method B: Yield 75%, m.p. 216°C(dec.). v_{max}/cm^{-1} (KBr) ^{1}H 1750cm^{-1} . **NMR** $(CDCl_3)$: δ (s,18H,C(CH₃)₃), 1.25 (s,18H,C(CH₃)₃), 3.31 (d, J = 13.2 Hz4H,ArCH₂Ar), 3.85 (t, $J = 6Hz, 4H, OCH_2$, 4.31–4.35 (m,8H,ArCH₂Ar, OCH₂), 4.75 (s,4H,OCH₂CO), 6.78 (s,4H,ArH), 6.96 (s,4H,ArH). Mass spectrum(FAB, NBA): $m/z 834(M^+ +1)$.

Compound 3c: Method A: Yield 50%., Method B: Yield 70%, m.p. 178–80°C. $v_{max}/cm^{-1}(KBr)$ 1750cm^{-1} . ^{1}H NMR $(CDCl_3)$: 0.97 δ (s,18H,C(CH₃)₃), 1.25 (s,18H,C(CH₃)₃), 3.31 (d, J = !3.2 Hz, 4H, $ArCH_2Ar$), 3.85 (t, J = 6Hz, 4H,OCH₂), 3.71 (s,4H,OCH₂),4.39 - 4.45(m,8H,ArCH₂Ar,OCH₂), 4.75 (s,4H,OCH₂CO), 6.78 (s,4H,ArH), 6.96 (s,4H,ArH). Mass spectrum(FAB, NBA): m/z 878(M^++1).

Compound 3d: Method A: Yield 60%., Method B: Yield 65%, m.p. 151–2°C. I.R. v_{max} . /cm⁻¹(KBr) 1750 (ester). ¹H NMR (CDCl₃): δ 1.00 (s, 18H, C(CH₃)₃), 1.25 (s, 18H, C(CH₃)₃), 3.33 (d, 4H, J = 13.2 Hz, ArCH₂Ar), 3.66 (t, 4H, J = 5.4 Hz,

OCH₂), 3.72 (t, 4H, J = 6.0, Hz, OCH₂), 3.87 (t, 4H, J = 6.0, Hz, OCH₂), 4.39–4.46 (m, 8H, ArCH₂Ar, OCH₂), 4.76 (s, 4H, OCH₂CO), 6.83 (s, 4H, ArH), 7.01 (s, 4H, ArH), 7.16 (s, 2H, ArOH); ¹³C NMR (CDCl₃): δ 31.46 (CH₃), 33.78 (CH₂), 33.93 (C(CH₃)₃), 64.74 (OCH₂), 66.85 (OCH₂), 70.99 (OCH₂), 72.39 (PhOCH₂), 125.06 (ArC), 125.78 (ArC), 127.99 (ArC), 132.59 (ArC), 141.57 (ArC), 147.23 (ArC), 150.11 (ArC), 150.55 (ArC), 169.18 (CO). Mass spectrum(FAB, NBA): m/z 922(M⁺).

Acknowledgements

We thank CSIR (New Delhi, India) for financial assistance (01/1399/96-EMR-II)

References

- C.D. Gutsche, Calixarenes: Monographs in Supramolecular Chemistry, ed. J.F. Stoddart, Royal Society of Chemistry, 1989. (b) V. Böhmer: Angew. Chem. Int. Ed. Engl. 1995, 713.
- Calixarenes: A Versatile Class of Macrocyclic Compounds, eds. J. Vicens and V. Böhmer, Kluwer Academic Publishers, Dordrecht 1991.
- 3. C.D. Gutsche and M. Iqbal, Org. Synth., 1989, **68**, 234.
- F. Arnaud-Neu, E. M. Collins, M. Desay, G. Ferguson, S. J. Harris, B. Kaitner, A. J. Lough, M. A. McKervey, E. Marques, B. L. Ruhl, M. J. Schwing-Weill and E. Seward, J. Am. Chem. Soc., 1989, 111, 8681.
- (a) M. A. McKervey, E. M. Seward, G. Ferguson, B. L. Ruhl and S. J. Harris, J. Chem. Soc., Chem. Commun., 1985, 388. (b) S. K. Chang and I. Cho, Chem. Lett. 1984, 477. (c) S. K. Chang and I. Cho, J. Chem. Soc., Perkin

- *Trans.* 1, 1986, 211. (d) A. Arduini, A. Pochini, S. Reverberi, R. Ungaro, G. D. Andreeti and F. Ugozzoli: *Tetrahedron*, 1986, **42**, 2089.
- (a) S. K. Chang, S. K. Kwon and I. Cho, Chem. Lett., 1987, 947.
 (b) A. Arduini, E. Ghidini, A. Pochini, R. Ungaro, G. D. Andreeti, G. Calestani and F. Ugozzoli, J. Incl. Phenom. 1986, 6, 119.
 (c) F.Arnaud-Neu, M. J. Schwing-Weill, K. Ziat, S. Cremin, S. J. Harris and M. A. McKervey, New J. Chem., 1991, 15, 33.
- M. A. McKervey, M. Owens, H. R. Schulten, W. Vogt and V. Böhmer, Angew. Chem. Int. Ed. Engl. 1990, 29, 280.
- 8. R. Ungaro, A. Pochini and G.D. Andreeti, J. Incl. Phenom., 1984, 2, 199.
- C. Alfieri, E. Dradi, A. Pochini, R. Ungaro and G. D. Andreeti, J. Chem. Soc., Chem. Commun. 1983, 1075.
- E. Ghidini, F. Ugozzoli, R. Ungaro, S. Harkema, A. A. El-Fadl and D. N. Reinhoudt, J. Am. Chem. Soc., 1990, 112, 6979.
- 11. A. Arduini, A. Casnati, L. Dodi, A. Pochini and R. Ungaro, J. Chem. Soc., Chem. Commun, 1990, 1597.
- D. N. Reinhoudt, P. J. Dijkstra, P. J. A. in't Veld, K. E. Bugge, S. Harkema, R. Ungaro and E. Ghidini, J. Am. Chem. Soc., 1987, 109, 4761.
- P. D. Beer, A. D. Keefe, A. M. Z. Slawin and D. J. Williams, J. Chem. Soc., Dalton Trans., 1990, 3975.
- J. D. van Loon, D. Kraft, M. J. K. Ankone, W. Verboom, S. Harkema, W. Vogt, V. Böhmer and D. N. Reinhoudt, J. Org. Chem., 1990, 55, 5176.
- D. Kraft, J. D. van Loon, M. Owens, W. Verboom, W. Vogt, M. A. McKervey, V. Böhmer and D. N. Reinhoudt, *Tetrahedron Lett.*, 1990, 31, 4941.
- V. Böhmer, G. Ferguson, J. F. Gallagher, A. J. Lough, M. A. McKervey, E. Madigan, M.B. Moran, J. Philips and G. Williams, J. Chem. Soc., Perkin Trans. 1, 1993, 1521.
- 17. Q-Y. Zheng, C-F. Chen and Z-T. Huang, *Tetrahedron*, 1997, **53**, 10345.
- YE, M. Collins, M. A. McKervey, E. Madigan, M., YB, Moran, M. Owens, G. Ferguson and S. J. Harris, J. Chem. Soc., Perkin Trans. 1, 1991, 3137.