## A NEW METHOD TO PREPARE 3'-MODIFIED OLIGONUCLEOTIDES

## Jari Hovinen,\* Andrei P. Gouzaev, Alex V. Azhayev, and Harri Lönnberg


University of Turku, Department of Chemistry, FIN-20500 Turku, FINLAND

Abstract: A new method to prepare oligonucleotides bearing a carboxy- or aminoalkyl spacer arm at their 3'-terminus is described.

A wide range of chemical procedures have been developed to synthesise oligonucleotides bearing various functionalities at their 5'-terminus.<sup>1</sup> Synthesis of 3'-modified oligonucleotides is more laborious, because it involves preparation of a modified solid support. Only two methods have been reported<sup>2,3</sup> that enable synthesis of various 3'-functionalised oligonucleotides on a single polymer support. They include the preparation of oligonucleotide 3'-phosphates<sup>2</sup> or 3'-thiophosphates,<sup>3</sup> followed by post-synthetic acylation<sup>2</sup> or alkylation<sup>3</sup> of deprotected and isolated material. Some other methods enabling the preparation of 3'-tethered oligonucleotides are also available, but the length of the spacer arm and the nature of the functional group are strictly determined by the structure of the solid support employed.<sup>4-7</sup> Moreover, an elegant method for the preparation of oligonucleotides bearing several amino groups at their 3'-terminus has been established.<sup>8</sup> This approach is based on a machine assisted synthesis of oligonucleotides is available. The only procedure described<sup>4</sup> is incompatible with standard procedures of base deprotection. We now report on a novel method to prepare 3'-amino- and 3'-carboxy-alkylated oligonucleotides using a single solid support (1, Scheme 1).


5'-O-Pivaloylthymidine<sup>9</sup> was first converted to 3'-O-methylthiomethyl-5'-O-pivaloylthymidine (2) as described previously for 5'-O-benzoylthymidine.<sup>10</sup> When 2 was treated with NBS in dry dichloroethane and then *in situ* with ethyl 4-hydroxybutyrate<sup>11</sup> in the presence of lutidine, 3 was formed in a high yield (87%). Deprotection with aqueous alkali and neutralisation with Dowex-50 resin (pyridinium form) gave 4<sup>12</sup> almost quantitatively. Dimethoxytritylation of 5'-hydroxyl group of 4 followed by esterification with 1,3-propanediol in the presence of DCC gave 5. The yield after purification on a silica gel column was 60 %.

Treatment of 5 with succinic anhydride<sup>12</sup> yielded the appropriate succinate (6),<sup>13</sup> which was immobilised on a long chain alkylamine CPG polymer support with N,N'-diisopropylcarbodiimide. Capping of the remaining amino groups by acetic anhydride / pyridine / N-methylimidazole (1:5:1, v/v) yielded a derivatised support (1). Dimethoxytrityl cation assay<sup>14</sup> showed loading of the spacer group to range from 7 to 9  $\mu$ mol per gram of the solid support.



Scheme 1. NBS - N-bromosuccinimide; DMTr - 4,4'-dimethoxytrityl; CPG - controlled pore glass.

In order to demonstrate the usefulness of the support (1) in preparation of 3'-modified oligonucleotides, the model sequences  $d(T)_5$ -3'-OCH<sub>2</sub>O(CH<sub>2</sub>)<sub>3</sub>COOH (7) and  $d(T)_5$ -3'-OCH<sub>2</sub>O(CH<sub>2</sub>)<sub>3</sub>COOH(CH<sub>2</sub>)<sub>3</sub>NH<sub>2</sub> (8) and the target sequences  $d(GC_2GTG_2AGTCGTT)$  bearing the same spacer arms at their 3'-end (9, 10) were synthesised (Scheme 2).



Scheme 2. i: 0.1M NaOH, then NH<sub>3</sub>-H<sub>2</sub>O at 55 °C; ii: hydrazine/acetic acid/pyridine, then 1,3diaminopropane : EtOH (1:1, v/v).

The oligonucleotides were assembled on a Applied Biosystems 392 DNA Synthesizer (0.04  $\mu$ mol of 1). Phosphoramidite chemistry and recommended protocols (DMTr-Off synthesis) were used in all cases. No differences in coupling efficiency (>98% as determined from trityl responses) were detected between the modified CPG supports and commercial nucleoside-derivatised columns. After the chain assembly was completed, the solid supports were treated with appropriate reagents. To obtain 7 and 9 the supports were treated with 0.1 M NaOH. This cleaves the phosphate protections and releases the carboxylic acid

group at the 3'-terminus. For 9, the partially deprotected oligomer was further treated with aqueous ammonia to cleave all remaining base protecting groups. To get the 3'-aminoalkylated oligonucleotide 10. the support was treated with the mixture of hydrazine/AcOH/pyridine which deblocks A and  $C^{15}$  (to avoid transamination of C in the next step), and with 1,3-diaminopropane to cleave the rest of the protecting groups and to introduce the desired amino function at 3'-end. For 8, the treatment with 1,3diaminopropane alone was enough to get the desired product. The deprotected material was analysed by ion exchange HPLC (Fig. 1). Compound 9 exhibited a longer and 10 a shorter retention time  $(t_p)$  than the corresponding unmodified sequence (Fig. 1, right). This in all likelihood results from the negative charge of the free carboxylate ion of 9, which increases t<sub>R</sub> approximately as an additional nucleotide. The amino group of 10 is, in turn, protonated in the eluant buffer (pH = 5.6), and this increases the mobility. The same effect is also seen on comparing the HPLC profiles of the modified pentamers 7 and 8 (Fig. 1, left). The oligonucleotides prepared were purified on a reversed phase column<sup>16</sup> and finally desalted by gel filtration.<sup>17</sup> The presence of the 3'-amino function was additionally verified by allowing 8 to react with phenyl isothiocyanate in a carbonate buffer.<sup>18</sup> The HPLC analysis<sup>19</sup> showed the disappearance of 8 and the appearance of a product with a longer t<sub>R</sub>. The reaction was quantitative, and demonstrated the presence of the primary amino group at the 3'-terminus of 8. Enzymatic digestion of derivatised oligomers gave the correct ratio of the expected products.




Fig. 1. Ion exchange HPLC profiles<sup>21</sup> of the crude oligonucleotides: left - 7 (A), 8 (B); right - 9 (C), 10 (D), and corresponding natural oligonucleotide (E).

## **REFERENCES AND NOTES**

1. For a recent review of methods that involve 5'-terminal functionalisation and ligand incorporation, see: Beaucage, S.L; Iyer R.P. *Tetrahedron*, **1993**, *49*, 1925-1963.

- 2. Gottikh, M.; Asseline, U.; Thuong, N.T. Tetrahedron Lett., 1990, 31, 6657-6660.
- a) Asseline, U.; Bonfils, E.; Kurfürst, R.; Chassignol, M.; Roig, V.; Thuong, N.T. Tetrahedron, 1992, 48, 1233-1254; b) Thuong, N.T.; Asseline, U. I. Oligonucleotides and Analogues: A Practical Approach; Eckstein, F. Ed.; IRL Press: Oxford, 1991, pp. 283-308.
- 4. Greenberg, M.M. Tetrahedron Letters, 1993, 34, 251-254.
- For procedures to introduce 3'-aminoalkyl spacer, see: a) Nelson, P.S.; Frye, R.A.; Liu, E. Nucleic Acids Res., 1989, 17, 7187-7194; b) Asseline, U.; Thuong, N.T. Tetrahedron Lett., 1990, 31, 81-84; Nucleosides & Nucleotides, 1991, 10, 359-362; c) Nelson, P.S.; Kent, M.; Muthini, S. Nucleic Acids Res., 1992, 20, 6253-6259.
- For procedures to introduce 3'-mercaptoalkyl spacer, see: a) Zuckermann, R.; Corey, D.; Schultz, P. Nucleic Acids Res., 1987, 15, 5305-5321; b) Gupta, K.C.; Sharma, P.; Sathyanarayana, S.; Kumar, P.Tetrahedron Lett., 1990, 31, 2471-2474; c) Gupta, K.C.; Sharma, P.; Kumar, P.; Sathyanarayana, S. Nucleic Acids Res., 1991, 19, 3019-3025; d) Gouzaev, A.P. Nucleic Acids Res. Symp. Ser., 1991, n.24, 236; e) Bonfils, E.; Thuong, N.T. Tetrahedron Lett., 1991, 32, 3053-3056.
- 7. For a procedure to introduce 3'-hydroxyalkyl spacer, see: Jäschke, A.; Fürste, J.P.; Cech, D.; Erdman, V.A. *Tetrahedron Lett.*, **1993**, *34*, 301-304.
- 8. Haralambidis, J.; Duncan, L.; Angus, K.; Tregear, G.W. Nucleic Acids Res., 1990, 18, 493 499.
- 9. Vial, J.-M.; Agback, P.; Chattopadhyaya, J. Nucleosides & Nucleotides, 1990, 10, 245 259.
- Zavgorodny, S.; Polianski, M.; Besidsky, E.; Kriukov, V.; Sanin, A.; Pokrovskaya, M.; Gurskaya, G.; Lönnberg, H.; Azhayev, A. Tetrahedron Lett., 1991, 32, 7593-7596.
- 11. Brown, H.C.; Keblys, K.A. J.Org. Chem., 1966, 31, 485-487.
- 3: <sup>1</sup>H NMR (D<sub>2</sub>O): 7.47 (1H, s, H-6); 6.10 (1H, dd, H-1'); 4.67 (2H, s, OCH<sub>2</sub>O, partially overlapping with HDO signal); 4.27 (1H, m, H-3'); 3.97 (1H, m, H-4'); 3.68 (1H, dd, H-5'); 3.60 (1H, dd, H-5''); 3.51 (2H, t, OCH<sub>2</sub>); 2.33 (1H, ddd, H-2''); 2.25 (3H, m, H-2'and t, CH<sub>2</sub>COOH); 1.73 (5H, s, 5-CH<sub>3</sub> and p,CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>).
- 6: purified on preparative TLC plates (CH<sub>2</sub>Cl<sub>2</sub>:MeOH:TEA, 89:8:3, v/v) as triethylammonium salt in 92 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 8.22 (1H, br, H-3); 7.67 (1H, s, H-6); 7.40 6.84 (13H, DMTr); 6.27 (1H, dd, H-1'); 4.69 (2H, s, OCH<sub>2</sub>O); 4.37 (1H, m, H-3'); 4.16 (5H, m, H-4'and 2 x CH<sub>2</sub>OCO); 3.76 (6H, s, 2 x OCH<sub>3</sub>); 3.65 (1H, m, H-5'); 3.46 (2H, m,OCH<sub>2</sub>); 3.31 (1H, m, H-5''); 2.61 (4H, m, 2 x CH<sub>2</sub>); 2.40 (1H, m, H-2''); 2.25 (1H, m, H-2') 1.97 (2H, p, CH<sub>2</sub>); 1.90 (2H, p, CH<sub>2</sub>); 1.43 (3H, s, 5-CH<sub>3</sub>). Spectrum exhibited also signals of triethylammonium group (q 3.07 and t 1.33).
- 14. Atkinson, T.; Smith, M. In Oligonucleotide Synthesis: A Practical Approach; Gait, M. J. Ed.; IRL Press: Oxford, 1984, pp. 47-49.
- 15. Miller, P. S.; Cushman, C.D.; Levis, J.T. Oligonucleotides and Analogues: A Practical Approach; Eckstein, F. Ed.; IRL Press: Oxford, 1991, pp. 137-154.
- 16. RP-18 column (Nucleosil 300-5C18, 4.0 x 250 mm, Macherey-Nagel), flow rate 1.0 mL min<sup>-1</sup>,  $\lambda = 270$  nm A = 0.1 M NH<sub>4</sub>OAc, B = A + 50 % MeCN (v/v); from 10 to 50 % B in 30 min.
- 17. TSKgel G2000SW (7.5 x 300 mm, Toso Haas) flow rate 1.0 mL min<sup>-1</sup> of water.
- Sinha, N. D.; Striepeke, S. Oligonucleotides and Analogues: A Practical Approach; Eckstein, F. Ed.; IRL Press: Oxford, 1991, pp. 185-210.
- 19. As in ref. 16, but from A to 50 % B in 30 min. t<sub>R</sub> (8) 23.7 min; t<sub>R</sub> (product) 28.4 min.
- 20. Applied Biosystems, User Bulletin, 1987, 13, p. A-4,
- 21. Ion exchange column (Synchropak AX-300, 6.5  $\mu$ m, 4.6x250 mm), flow rate 1.0 mL min<sup>-1</sup>,  $\lambda = 270$  nm, A = 0.03 M KH<sub>2</sub>PO<sub>4</sub>, 50 % formamide, B = 0.03 M KH<sub>2</sub>PO<sub>4</sub>, 0.6 M (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 50 % formamide. Left: from A to 20 % B in 25 min; Right: from 10 to 80 % B in 30 min.

(Received in UK 1 June 1993; accepted 18 June 1993)