Tetrahedron Letters 50 (2009) 4443-4445

Contents lists available at ScienceDirect

**Tetrahedron Letters** 

journal homepage: www.elsevier.com/locate/tetlet



## A fast and efficient method for the preparation of aryl azides using stable aryl diazonium silica sulfates under mild conditions

Amin Zarei<sup>a,b,\*</sup>, Abdol R. Hajipour<sup>b,c</sup>, Leila Khazdooz<sup>d</sup>, Hamidreza Aghaei<sup>e</sup>

<sup>a</sup> Department of Science, Islamic Azad University, Fasa Branch, PO Box No. 364, Fasa 7461713591, Fars, Iran

<sup>b</sup> Pharmaceutical Research Laboratory, College of Chemistry, Isfahan University of Technology, Isfahan 84156, Iran

<sup>c</sup> Department of Pharmacology, University of Wisconsin, Medical School, 1300 University Avenue, Madison 53706-1532, WI, USA

<sup>d</sup> Department of Science, Islamic Azad University, Khorasgan Branch, Isfahan, 81595-158, Iran

<sup>e</sup> Department of Chemistry, Islamic Azad University, Shahreza Branch, Shahreza, 311-86145, Isfahan, Iran

### ARTICLE INFO

Article history: Received 8 March 2009 Revised 3 May 2009 Accepted 15 May 2009 Available online 22 May 2009

Keywords: Aryl diazonium silica sulfates Sodium azide Aryl azides

### ABSTRACT

An efficient, fast, and straightforward procedure for the synthesis of aromatic azides using aryl diazonium silica sulfates and sodium azide at room temperature under mild conditions is described. The use of inexpensive materials, simple and clean work-up, short reaction times and good yields are advantages of this method.

© 2009 Elsevier Ltd. All rights reserved.

Aryl azides are versatile intermediates with various applications in organic and bioorganic chemistry.<sup>1</sup> A major application of these compounds is 1,3-dipolar cycloaddition to produce fivemembered heterocycles.<sup>2</sup> In addition, aromatic azides are well known for their use as photoaffinity labeling agents for proteins.<sup>3</sup> Typically, these compounds are prepared from aromatic amines with nitrous acid followed by addition of sodium azide at low temperature.<sup>1a,4</sup> Aryl azides have also been prepared by reaction of arylmagnesium halides or aryllithium reagents with para-toluenesulfonyl azide.5 The above-mentioned conversion has also been accomplished under mild conditions using a combination of aryl amine, TfN<sub>3</sub>, CuSO<sub>4</sub>, and triethylamine.<sup>6</sup> Direct coupling of aryl halides<sup>7</sup> or aryl boronic acids<sup>8</sup> with sodium azide catalyzed by copper salts has been reported. These compounds have also been synthesized from aromatic amines with t-BuONO followed by addition of NaN<sub>3</sub><sup>9</sup> or TMSN<sub>3</sub><sup>10</sup> under mild conditions. Furthermore, [ArN<sub>2</sub>][BF<sub>4</sub>] salts immobilized in [Bmim][PF<sub>6</sub>] ionic liquid with TMSN<sub>3</sub> have been reported for the preparation of aryl azides.<sup>11</sup> Although some of these methods utilize convenient protocols with good yields, some of them suffer from disadvantages such as long reaction times, low yields, and high temperatures leading to decomposition of the aryl azides, poor stability of the reagents, use of toxic solvents, and high costs.

In continuation of our studies on the stabilization of diazonium salts on silica sulfuric acid and their applications in organic synthesis,<sup>12</sup> we report herein an efficient, fast, and convenient procedure for the synthesis of aryl azides employing aryl diazonium silica sulfates in the presence of sodium azide at room temperature (Scheme 1).

Diazonium salts are versatile compounds in organic chemistry. However, their poor thermal stability limits their applications. Usually these compounds are synthesized at around 10 °C, and to avoid their decomposition, they are handled below 0 °C. In our previous work,<sup>12</sup> we reported an efficient, fast, and convenient method for the preparation of aryldiazonium salts supported on the surface of silica sulfuric acid<sup>13</sup> (aryldiazonium silica sulfates). We found that these aryldiazonium salts,  $ArN_2^{+-}OSO_3 - SiO_2$ , were sufficiently stable and could be kept at room temperature under anhydrous conditions.<sup>12</sup> For example, 4-nitrophenyl diazonium silica sulfate, which had been stored in a desiccator at room temperature for three days, reacted with sodium azide in H<sub>2</sub>O and provided almost the same yield of 1-azido-4-nitrobenzene as that prepared from fresh 4-nitrophenyl diazonium silica sulfate (Table 1, entry 12). To illustrate the scope of the present method, a range of aromatic amines were rapidly converted into the corresponding aryl

$$\operatorname{ArN}_{2}^{\dagger} \operatorname{OSO}_{3} \operatorname{SiO}_{2} \xrightarrow{\operatorname{NaN}_{3}, \operatorname{H}_{2}O} \operatorname{ArN}_{3}$$
  $\operatorname{ArN}_{3}$ 

Scheme 1.

<sup>\*</sup> Corresponding author. Tel.: +98 9171302528; fax: +98 3113912661. *E-mail address*: aj\_zarei@yahoo.com (A. Zarei).

<sup>0040-4039/\$ -</sup> see front matter  $\odot$  2009 Elsevier Ltd. All rights reserved. doi:10.1016/j.tetlet.2009.05.049

# Table 1 Conversion of aryl amines into the corresponding aryl azides using aryldiazonium silica sulfates at room temperature<sup>a</sup>

Entry	Substrate	Time (min)	Product	Yield (%)
1	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub>	10	$C_6H_5N_3$	77
2	4-MeC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub>	10	$4-MeC_6H_4N_3$	80
3	$4-MeOC_6H_4NH_2$	10	$4-MeOC_6H_4N_3$	78
4	$4-PhC_6H_4NH_2$	15	$4-PhC_6H_4N_3$	81
5	4-ClC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub>	10	$4-ClC_6H_4N_3$	83
6	3-ClC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub>	10	$3-CIC_6H_4N_3$	82
7	$4-BrC_6H_4NH_2$	10	$4-BrC_6H_4N_3$	84
8	4-H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> COOH	15	4-N <sub>3</sub> C <sub>6</sub> H <sub>4</sub> COOH	90
9	$2-H_2NC_6H_4COOH$	15	$2-N_3C_6H_4COOH$	84
10	4-MeCOC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub>	10	4-MeCOC <sub>6</sub> H <sub>4</sub> N <sub>3</sub>	86
11	$4-NCC_6H_4NH_2$	10	$4-NCC_6H_4N_3$	85
12	$4-O_2NC_6H_4NH_2$	10	$4-O_2NC_6H_4N_3$	82
13	$2-O_2NC_6H_4NH_2$	15	$2-O_2NC_6H_4N_3$	78
14	$3-O_2NC_6H_4NH_2$	10	$3-O_2NC_6H_4N_3$	83
	NH <sub>2</sub>		N <sub>3</sub>	
15	N N	10	N N	65
16	O NH <sub>2</sub>	15	O N <sub>3</sub>	85
17	O NH <sub>2</sub>	15	O N <sub>3</sub>	87
18	O NH <sub>2</sub>	15		76
19	H <sub>3</sub> C NH <sub>2</sub>	15	H <sub>3</sub> C N <sub>3</sub>	88

<sup>a</sup> Yield refers to isolated pure products which were characterized from their spectral data and by comparison with authentic samples.<sup>6-11,15,18</sup>

azides in good to high yields under mild conditions (Table 1).<sup>14,15</sup> In contrast to related methods, aromatic amines with electronwithdrawing groups or electron-donating groups also reacted. The steric effects of ortho-substituents had relatively little influence on the reaction time and yields (Table 1, entries 9, 13, and 16). The corresponding phenol derivatives were formed in trace yields as by-products. The crude products were obtained by filtration and work-up, and if necessary, were purified by short column chromatography. In contrast to conventional methods, the reaction rate increases on supporting the aryldiazonium salt on silica sulfuric acid, as the surface area for reaction increases.<sup>12,16</sup> Finally, after completion of the reaction and isolation of the product, the solid support could be recycled.<sup>12</sup> In addition, the present procedure for the preparation of aryldiazonium silica sulfates and aryl azides is safe and non-explosive because by supporting aryldiazonium salts on the surface of silica sulfuric acid as a bulky support, the stability of these salts increases.<sup>12,17</sup>

In summary, we have developed an efficient, rapid, experimentally simple, and environmentally benign method for the preparation of aryl azides using aryldiazonium silica sulfates. These reactions proceed at room temperature under mild conditions in high yields. Further investigations on new applications of this method are ongoing in our laboratories.

### Acknowledgments

We gratefully acknowledge the funding support received for this project from the Islamic Azad University of Fasa and the Isfahan University of Technology (IUT).

#### **References and notes**

- (a) Scriven, E. F. V.; Turnbull, K. Chem. Rev. 1988, 88, 297; (b) Bräse, S.; Gil, C.; Knepper, K.; Zimmermann, V. Angew. Chem., Int. Ed. 2005, 44, 5188.
- (a) Rostovsev, V. V.; Green, L. G.; Fokin, V. V.; Sharpless, K. B. Angew. Chem., Int. Ed. 2002, 41, 2596; (b) Wang, Q.; Chan, T. R.; Hilgraf, R.; Fokin, V. V.; Sharpless, K. B.; Fin, M. G. J. Am. Chem. Soc. 2003, 125, 3192; (c) Tornoe, C. W.; Christensen, C.; Meldal, M. J. Org. Chem. 2002, 67, 3057; (d) Avemaria, F.; Zimmermann, V.; Braese, S. Synlett 2004, 1163; (e) Lu, B.; Xie, X. A.; Zhu, J. D.; Ma, D. W. Chin. J. Chem. 2005, 23, 1637; (f) Lucas, R. L.; Powell, D. R.; Borovik, A. S. J. Am. Chem. Soc. 2005, 127, 11596; (g) Bart, S. C.; Lobkovsky, E.; Bill, E.; Chirik, P. J. J. Am. Chem. Soc. 2006, 128, 5302.
- (a) Gartner, C. A. Curr. Med. Chem. 2003, 10, 671; (b) Peng, Q.; Qu, F. Q.; Xia, Y.; Zhou, J. H.; Wu, Q. Y.; Peng, L. Chin. Chem. Lett. 2005, 16, 349; (c) Kuse, M.; Doi, I.; Kondo, N.; Kageyama, Y.; Isobe, M. Tetrahedron 2005, 61, 5754; (d) Han, S. Y.; Park, S. S.; Lee, W. G.; Min, Y. K.; Kim, B. T. Bioorg. Med. Chem. Lett. 2006, 16, 129; (e) Rizk, M. S.; Shi, X.; Platz, M. S. Biochemistry 2006, 45, 543.
- (a) Biffin, M. E. C.; Miller, J.; Paul, D. B. In *The Chemistry of the Azido Group*; Patai, S., Ed.; Wiley: New York, 1971; p 147; (b) Kauer, J. C.; Carboni, R. A. *J. Am. Chem. Soc.* **1967**, 89, 2633; (c) Takahashi, M.; Suga, D. *Synthesis* **1998**, 7, 986; (d) Dyall, L. K. *Aust. J. Chem.* **1986**, 39, 89.

- (a) Fischer, W.; Anselme, J.-P. J. Am. Chem. Soc. 1967, 89, 5284; (b) Nakajima, M.; Anselme, J. P. Tetrahedron Lett. 1976, 17, 4421.
- 6. Liu, Q.; Tor, Y. Org. Lett. 2003, 5, 2571.
- 7. Zhu, W.; Ma, D. Chem. Commun. 2004, 888.
- Tao, C. Z.; Cui, X.; Li, J.; Liu, A. X.; Liu, L.; Guo, Q. X. Tetrahedron Lett. 2007, 48, 3525.
- 9. Das, J.; Patil, S. N.; Awasthi, R.; Narasimhulu, C. P.; Trehan, S. Synthesis 2005, 1801.
- 10. Barral, K.; Moorhouse, A. D.; Moses, J. E. Org. Lett. 2007, 9, 1809.
- 11. Hubbard, A.; Okazaki, T.; Laali, K. K. J. Org. Chem. 2008, 73, 316.
- (a) Zarei, A.; Hajipour, A. R.; Khazdooz, L.; Mirjalili, B. F.; Najafichermahini, A. Dyes Pigments 2009, 81, 240; (b) Zarei, A.; Hajipour, A. R.; Khazdooz, L. Synthesis 2009, 941.
- (a) Zolfigol, M. A. Tetrahedron 2001, 57, 9509; (b) Zolfigol, M. A.; Shirini, F.; Ghorbani Choghamarani, A.; Mohammadpoor-Baltork, I. Green Chem. 2002, 4, 562; (c) Hajipour, A. R.; Mirjalili, B. B. F.; Zarei, A.; Khazdooz, L.; Ruoho, A. E. Tetrahedron Lett. 2004, 45, 6607; (d) Zolfigol, M. A.; Mirjalili, B. B. F.; Bamoniri, A.; Karimi, M. A.; Zarei, A.; Khazdooz, L.; Noei, J. Bull. Korean Chem. Soc. 2004, 25, 1414; (e) Hajipour, A. R.; Zarei, A.; Khazdooz, L.; Mirjalili, B. B. F.; Sheikhan, N.; Zahmatkesh, S.; Ruoho, A. E. Synthesis 2005, 3644; (f) Hajipour, A. R.; Zarei, A.; Ruoho, A. E. Synth. Commun. 2006, 36, 1039; (g) Hajipour, A. R.; Zarei, A.; Khazdooz, L.; Ruoho, A. E. Synth. Commun. 2005, 35, 2237.
- 14. General procedure for the preparation of aryl diazonium silica sulfate: An aromatic amine (1 mmol), silica sulfuric acid (0.70 g),<sup>13e,f</sup> and sodium nitrite (2 mmol) were ground in a mortar with a pestle for a few minutes to afford a homogeneous mixture. Then, a few drops of water were added gradually and the reaction mixture was ground for 10–15 min to give the corresponding aryl diazonium silica sulfate. Typical procedure for the preparation of 1-azido-4-bromobenzene: To a stirring solution of sodium azide (2.5 mmol), 0.163 g) in

 $\rm H_2O$  (3 mL), freshly prepared 4-bromophenyldiazonium silica sulfate (1 mmol) was added gradually and the reaction mixture was stirred at rt for 10 min. The mixture was diluted with EtOAc (15 mL) and was filtered after vigorous stirring. The residue was extracted with EtOAc (3  $\times$  12 mL) and the combined organic layer was washed with 5% NaOH solution (12 mL) and then dried over anhydrous Na<sub>2</sub>SO<sub>4</sub>. The solvent was evaporated to afford 1-azido-4-bromobenzene in 84% yield (0.165 g).

- 15. (4-Azidophenyl)(4-methylphenyl)methanone (Table 1, entry 19): pale yellow solid; mp 80–82 °C; <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  7.83 (2H, d, *J* = 8.8 Hz), 7.69 (2H, d, *J* = 8.0 Hz), 7.30 (2 H, d, *J* = 8.0 Hz), 7.12 (2 H, d, *J* = 8.8 Hz), 2.45 (3 H, s). <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>)  $\delta$  195.06, 144.19, 143.27, 134.85, 134.40, 132.00, 130.12, 129.06, 118.72, 21.68. IR (KBr) cm<sup>-1</sup>: 3025, 2923, 2129, 2089, 1642, 1597, 1496, 1412, 1306, 1286, 1178, 1115, 929, 851, 826, 752. Anal. Calcd for C<sub>14</sub>H<sub>11</sub>N<sub>3</sub>O: C, 70.88; H, 4.64; N, 17.72. Found: C, 70.75; H, 4.75; N, 17.63.
- Clark, J. H. Catalysis of Organic Reactions by Supported Inorganic Reagents; VCH: Weinheim, 1994.
- (a) Akelah, A.; Moet, A. Functionalized Polymers and Their Applications; Chapman and Hall: London, 1990; (b) Hodge, P.; Sherrington, D. C. Polymer-supported Reactions in Organic Synthesis; John Wiley & Sons: Chichester, 1980.
- (a) Goddard-Borger, E. D.; Stick, R. D. Org. Lett. 2007, 9, 3797; (b) Liang, T. Y.; Schuster, G. B. J. Am. Chem. Soc. 1987, 109, 7803; (c) Dyall, L. K.; Moloney, D. W. J.; Harvey, J. J.; Fulloon, B. E. Aust. J. Chem. 1996, 49, 761; (d) Dyall, L. K.; Wong, M. W. Aust. J. Chem. 1985, 38, 1045; (e) Ohba, Y.; Kubo, S.; Nakai, M.; Nagai, A.; Yoshimoto, M. Bull. Chem. Soc. Jpn. 1986, 59, 2317; (f) Airinei, A.; Barboiu, V.; Rusu, E.; Timpu, D. J. Photochem. Photobiol. A: Chem. 2004, 162, 579; (g) Adger, B. M.; Bradbury, S.; Keating, M.; Rees, C. W.; Storr, R. C.; Williams, M. J. Chem. Soc., Perkin Trans. 1 1975, 31; (h) Bednarek, P.; Wentrup, C. J. Am. Chem. Soc. 2003, 125, 9083.