Tetrahedron Letters 50 (2009) 6286–6289

Contents lists available at ScienceDirect

Tetrahedron Letters

journal homepage: www.elsevier.com/locate/tetlet



# An efficient synthesis of Baylis–Hillman adducts of acrylamide: Pd-catalyzed hydration of Baylis–Hillman adducts of acrylonitrile

Eun Sun Kim, Hyun Seung Lee, Jae Nyoung Kim \*

Department of Chemistry and Institute of Basic Science, Chonnam National University, Gwangju 500-757, Republic of Korea

## article info

#### abstract

Article history: Received 3 August 2009 Revised 28 August 2009 Accepted 31 August 2009 Available online 4 September 2009

Keywords: Baylis–Hillman adducts Palladium Nitrile Hydration Amide Acetaldoxime

The Baylis–Hillman reaction, which involves the coupling of activated vinylic systems with electrophiles under the catalytic influence of a tertiary amine, gives rise to adducts, so called Baylis–Hillman adducts, with a new stereocenter and has proven to be a very useful carbon–carbon bond-forming method in the syn-

thesis of highly functionalized molecules.<sup>1</sup> As the activated vinyl compounds, various compounds have been used in the Baylis–Hillman reaction including acrylates, acrylonitrile, vinyl ketones, vinyl sulfones, and acrylamides.<sup>1</sup> However, among the activated vinyl compounds acrylamide has not been used much for the synthesis of the corresponding Baylis–Hillman adducts due to its sluggish reactivity. $1-3$  The use of polar solvent in combination with 1.0 equiv of amine catalyst<sup>2a-e</sup> or expensive catalyst<sup>2c,d,f</sup> showed marginal success. In addition, most of the conditions can be applied to only reactive aldehydes like 4-nitrobenzaldehyde and pyridine 2-carboxaldehyde.<sup>2b,c</sup> As an example, the yield of Baylis–Hillman adducts of p-anisaldehyde and acrylamide remained maximum 21% up to date.<sup>2a</sup> An enzymatic hydration of Baylis–Hillman adduct of acrylonitrile to the corresponding amide derivative has been examined; $4$  however, an efficient access to Baylis–Hillman adducts of acrylamide is highly required based on the usefulness of these compounds in organic synthesis.<sup>[5](#page-2-0)</sup>

The hydration of nitriles to the corresponding amides is very important in view of its broad industrial and pharmacological applications.[6–8](#page-3-0) Hydrolysis of amides to carboxylic acids is a seri-

An efficient palladium-catalyzed two-step protocol for the synthesis of Baylis–Hillman adducts of acrylamide was developed. The method involved the preparation of Baylis–Hillman adducts of acrylonitrile and a Pd-catalyzed hydration of nitrile with acetaldoxime. - 2009 Elsevier Ltd. All rights reserved.

> ous problem in many cases under the conventional hydration conditions.[7](#page-3-0) Some useful methods for the selective hydration of nitrile to amide have been developed including the use of TFA/ $H_2$ SO $4^{7a}$  or the use of  $H_2O_2/K_2CO_3/DMSO$  at low temperature.<sup>7b</sup> Recently, transition metal-catalyzed selective hydration of nitriles has also been reported involving the use of Rh,<sup>8a,b</sup> Pt,<sup>8c,d</sup> Ru,<sup>8e–h</sup> Ir,<sup>8i</sup> Mo,<sup>8j</sup> and Co.<sup>8k,1</sup> Very recently, we reported an efficient Pd-catalyzed hydration method of nitriles to amides with the aid of acetaldoxime (Scheme  $1$ ). $9$  In these contexts, synthesis of Baylis-Hillman adducts of acrylamide could be realized in high yields via the indirect way combining the synthesis of Baylis–Hillman adducts of acrylonitrile and the following conversion of nitrile into amide functionality.

> Thus we examined the feasibility for the synthesis of 2a from 1a under Pd-catalyzed hydration conditions using acetaldoxime.<sup>[9](#page-3-0)</sup> Fortunately, compound 2a was obtained in high yield (81%) as shown in Scheme  $2<sup>10</sup>$  $2<sup>10</sup>$  $2<sup>10</sup>$  As a comparison experiment, we examined the hydration of 1a under different conditions including the use of  $MeOH/H_2SO_4$ ,<sup>5f</sup> TFA/H<sub>2</sub>SO<sub>4</sub>,<sup>5a,b,7a</sup> and  $H_2O_2/K_2CO_3/DMSO$ .<sup>7b</sup> Treatment of 1a with MeOH/H<sub>2</sub>SO<sub>4</sub> (rt to 50 °C) showed the formation of rearranged alcohol 4, methoxy derivative 6, and dimeric ether compound 7 in variable yields (see [Fig. 1](#page-1-0)). We did not observe the formation of any trace amounts of **2a**. The use of TFA/H<sub>2</sub>SO<sub>4</sub><sup>5a,b,7a</sup> showed the formation intractable complex mixtures and we did not observe the formation of 2a again. The use of  $H_2O_2/K_2CO_3$  in aqueous DMSO showed sluggish reactivity and we observed the formation of compound 2a in trace amounts. However we could not improve the conditions. The use of FeCl<sub>3</sub>/AcOH (reflux)<sup>5g</sup>



<sup>\*</sup> Corresponding author. Tel.: +82 62 530 3381; fax: +82 62 530 3389. E-mail address: kimjn@chonnam.ac.kr (J.N. Kim).

<sup>0040-4039/\$ -</sup> see front matter © 2009 Elsevier Ltd. All rights reserved. doi:10.1016/j.tetlet.2009.08.127

E. S. Kim et al. / Tetrahedron Letters 50 (2009) 6286–6289 6287

<span id="page-1-0"></span>

Table 1 Pd-catalyzed hydration of Baylis–Hillman nitrile to the corresponding amide derivatives



<span id="page-2-0"></span>

<sup>a</sup>Conditions: Nitrile (1.0 mmol), Pd(OAc)<sub>2</sub> (10 mol %), PPh<sub>3</sub> (20 mol %), and CH<sub>3</sub>CH=NOH (2.0 equiv), aq EtOH, reflux. b)<br><sup>b</sup>Oxime ether **3** (3%) was isolated as a syn/gnti (1:1) mixture

 $b$ Oxime ether 3 (3%) was isolated as a syn/anti (1:1) mixture.

<sup>c</sup>Trace amounts of starting materials were recovered (5-8%).

showed the formation of rearranged acetate 5 and intractable polar side products.

Encouraged by the results, we prepared various Baylis–Hillman adducts of acrylonitrile  $1b-k$  according to the known method<sup>1</sup> in good to high yields (69–98%). Pd-catalyzed hydration of 1b–k was carried out under the influence of  $Pd(OAc)_2$  (10 mol %),  $PPh_3$ (20 mol %), and  $CH<sub>3</sub>CH=NOH$  (2.0 equiv) in refluxing aqueous EtOH for 3–5 h, and the results are summarized in Table 1.

As shown in Table 1, the yields of amides 2b–k were good to high in all cases (60–84%) including the Baylis–Hillman adducts of 4-methoxy (entry 4, 71%), 2-methoxy (entry 5, 77%), and 3-pyridyl (entry 9, 75%). It is interesting to note that the yield of 4-methoxy derivative 2d reached 71%. This compound was synthesized in a very low yield (21%) via the direct Baylis–Hillman reaction approach with acrylamide (vide supra).<sup>2a</sup> In addition, the reaction of 3-pyridyl derivative 1i under the same reaction conditions provided 2i in 75% yield. Synthesis of this compound failed completely by the Baylis–Hillman reaction of acrylamide and pyridine-3 carboxaldehyde.<sup>2b,11</sup>

The Baylis–Hillman adducts of aliphatic aldehyde (entry 8) and isatin (entry 11) showed the same reactivity. Cinnamonitrile derivative 1l (entry 12), prepared from Baylis–Hillman adduct produced the corresponding amide 2l in 92%. It is interesting to note that oxime ether derivative 3 was isolated as a side product (3%, see [Scheme 2\)](#page-1-0) in the reaction of m-methyl derivative  $1f$  (entry 6). This compound must be formed from the product 2f by further reaction with acetaldoxime. The yield of 3 was increased up to 9% when we ran the reaction of 1f with 5.0 equiv of acetaldoxime. This type of side product was observed in other cases also in trace amounts, but we did not isolate them in most cases. Starting material remained in some cases even after 3–5 h (5–8% for entries 6–9 and 11); however, when we allowed the reaction mixture to run for a longer time the amount of side product 3 increased.

In summary, we developed an efficient palladium-catalyzed two-step protocol for the synthesis of Baylis–Hillman adducts of acrylamide. The method involved the preparation of Baylis–Hillman adducts of acrylonitrile and the following Pd-catalyzed hydration of nitrile with acetaldoxime.

## Acknowledgments

This work was supported by National Research Foundation of Korea Grant funded by the Korean Government (2009-0070633). Spectroscopic data was obtained from the Korea Basic Science Institute, Gwangju branch.

### References and notes

- 1. For the general review on Baylis–Hillman reaction, see: (a) Basavaiah, D.; Rao, A. J.; Satyanarayana, T. Chem. Rev. 2003, 103, 811–891; (b) Singh, V.; Batra, S. Tetrahedron 2008, 64, 4511–4574; (c) Ciganek, E.. In Organic Reactions; Paquette, L. A., Ed.; John Wiley & Sons: New York, 1997; Vol. 51, pp 201-350; (d) Basavaiah, D.; Rao, P. D.; Hyma, R. S. Tetrahedron 1996, 52, 8001–8062; (e) Drewes, S. E.; Roos, G. H. P. Tetrahedron 1988, 44, 4653–4670; (f) Kim, J. N.; Lee, K. Y. Curr. Org. Chem. 2002, 6, 627–645; (g) Lee, K. Y.; Gowrisankar, S.; Kim, J. N. Bull. Korean Chem. Soc. 2005, 26, 1481–1490; (h) Langer, P. Angew. Chem., Int. Ed. 2000, 39, 3049–3052; (i) Radha Krishna, P.; Sachwani, R.; Reddy, P. S. Synlett 2008, 2897-2912; (j) Declerck, V.; Martinez, J.; Lamaty, F. Chem. Rev. 2009, 109, 1–48; (k) Gowrisankar, S.; Lee, H. S.; Kim, S. H.; Lee, K. Y.; Kim, J. N. Tetrahedron 2009. doi:10.1016/j.tet.2009.07.034.
- 2. For the synthesis of Baylis–Hillman adducts of acrylamides, see: (a) Faltin, C.; Fleming, E. M.; Connon, S. J. J. Org. Chem. 2004, 69, 6496–6499; (b) Yu, C.; Hu, L. J. Org. Chem. 2002, 67, 219–223; (c) Aggarwal, V. K.; Emme, I.; Fulford, S. Y. J. Org. Chem. 2003, 68, 692–700; (d) Jurcik, V.; Wilhelm, R. Green Chem. 2005, 7, 844–848; (e) Radha Krishna, P.; Manjuvani, A.; Sekhar, E. R. ARKIVOC 2005(iii), 99-109; (f) Tang, X.; Zhang, B.; He, Z.; Gao, R.; He, Z. Adv. Synth. Catal. 2007, 349, 2007–2017; (g) Radha Krishna, P.; Manjuvani, A.; Kannan, V.; Sharma, G. V. M. Tetrahedron Lett. 2004, 45, 1183–1185; (h) He, K.; Zhou, Z.; Zhao, G.; Tang, C. Heteroat. Chem. 2006, 17, 317–321; (i) Guo, W.; Wu, W.; Fan, N.; Wu, Z.; Xia, C. Synth. Commun. 2005, 35, 1239-1251; (j) Wu, Z.; Zhou, G.; Zhou, J.; Guo, W. Synth. Commun. 2006, 36, 2491-2502; (k) Patra, A.; Batra, S.; Bhaduri, A. P.; Khanna, A.; Chander, R.; Dikshit, M. Bioorg. Med. Chem. 2003, 11, 2269–2276.
- 3. For the formation of non-Baylis–Hillman adducts from acrylamide, see: Bussolari, J. C.; Beers, K.; Lalan, P.; Murray, W. V.; Gauthier, D.; McDonnell, P. Chem. Lett. 1998, 787–788.
- 4. For the biotransformation of nitriles to amides, see: (a) Wang, M.-X.; Wu, Y. Org. Biomol. Chem. 2003, 1, 535–540; (b) Kubac, D.; Kaplan, O.; Elisakova, V.; Patek, M.; Vejvoda, V.; Slamova, K.; Tothova, A.; Lemaire, M.; Gallienne, E.; Lutz-Wahl, S.; Fischer, L.; Kuzma, M.; Pelantova, H.; van Pelt, S.; Bolte, J.; Kren, V.; Martinkova, L. J. Mol. Catal. B: Enzym. 2008, 50, 107-113.
- 5. For the synthesis and synthetic applications of amide-containing Baylis– Hillman adducts, see: (a) Singh, V.; Yadav, G. P.; Maulik, P. R.; Batra, S. Tetrahedron 2006, 62, 8731–8739; (b) Singh, V.; Yadav, G. P.; Maulik, P. R.; Batra, S. Tetrahedron 2008, 64, 2979–2991; (c) Nag, S.; Yadav, G. P.; Maulik, P. R.; Batra, S. Synthesis 2007, 911–917; (d) Singh, V.; Pathak, R.; Batra, S. Catal.

<span id="page-3-0"></span>Commun. 2007, 8, 2048–2052; (e) Kim, K. H.; Lee, H. S.; Kim, J. N. Tetrahedron Lett. 2009, 50, 1249–1251; (f) Lee, M. J.; Kim, S. C.; Kim, J. N. Bull. Korean Chem. Soc. 2006, 27, 140–142; (g) Basavaiah, D.; Lenin, D. V.; Devendar, B. Tetrahedron Lett. 2009, 50, 3538–3542.

- 6. (a) Thallaj, N. K.; Przybilla, J.; Welter, R.; Mandon, D. J. Am. Chem. Soc. 2008, 130, 2414–2415; (b) Larock, R. C. Comprehensive Organic Transformations, 2nd ed.; Wiley-VCH: New York, 1999. p 1988; (c) Kukushkin, V. Y.; Pombeiro, A. J. L. Chem. Rev. 2002, 102, 1771–1802. and further references cited therein.
- 7. For the hydration of nitriles to amides catalyzed by acid or base, see: (a) Moorthy, J. N.; Singhal, N. J. Org. Chem. 2005, 70, 1926–1929. and further references cited therein; (b) Katritzky, A. R.; Pilarski, B.; Urogdi, L. Synthesis 1989, 949–950; (c) Kopylovich, M. N.; Kukushkin, V. Y.; Haukka, M.; Frausto da Silva, J. J. R.; Pombeiro, A. J. L. Inorg. Chem. 2002, 41, 4798–4804; (d) Hall, J. H.; Gisler, M. J. Org. Chem. 1976, 41, 3769–3770; (e) Sharghi, H.; Sarvari, M. H. Synth. Commun. 2003, 33, 207–212; (f) Berrien, J.-F.; Royer, J.; Husson, H.-P. J. Org. Chem. 1994, 59, 3769–3774; (g) McIsaac, J. E., Jr.; Ball, R. E.; Behrman, E. J. J. Org. Chem. 1971, 36, 3048–3050; (h) Merchant, K. J. Tetrahedron Lett. 2000, 41, 3747–3749.
- 8. For the transition metal-catalyzed hydration of nitriles to amides, see: (a) Goto, A.; Endo, K.; Saito, S. Angew. Chem., Int. Ed. 2008, 47, 3607–3609; (b) Djoman, M. C. K.-B.; Ajjou, A. N. Tetrahedron Lett. 2000, 41, 4845–4849; (c) Jiang, X.-b.; Minnaard, A. J.; Feringa, B. L.; de Vries, J. G. J. Org. Chem. 2004, 69, 2327–2331; (d) North, M.; Parkins, A. W.; Shariff, A. N. Tetrahedron Lett. 2004, 45, 7625– 7627; (e) Fung, W. K.; Huang, X.; Man, M. L.; Ng, S. M.; Hung, M. Y.; Lin, Z.; Lau, C. P. J. Am. Chem. Soc. 2003, 125, 11539–11544; (f) Oshiki, T.; Yamashita, H.; Sawada, K.; Utsunomiya, M.; Takahashi, K.; Takai, K. Organometallics 2005, 24, 6287–6290; (g) Yamaguchi, K.; Matsushita, M.; Mizuno, N. Angew. Chem., Int. Ed. 2004, 43, 1576–1580; (h) Cadierno, V.; Francos, J.; Gimeno, J. Chem. Eur. J. 2008, 6601–6605; (i) Takaya, H.; Yoshida, K.; Isozaki, K.; Terai, H.; Murahashi, S.-I. Angew. Chem., Int. Ed. 2003, 42, 3302–3304; (j) Breno, K. L.; Pluth, M. D.; Tyler, D. R. Organometallics 2003, 22, 1203–1211; (k) Kim, J. H.; Britten, J.; Chin, J. J. Am. Chem. Soc. 1993, 115, 3618–3622; (l) Chin, J.; Kim, J. H. Angew. Chem., Int. Ed. 1990, 29, 523–525.
- 9. Kim, E. S.; Kim, H. S.; Kim, J. N. Tetrahedron Lett. 2009, 50, 2973-2975.
- 10. Typical procedure for the conversion of 1a to 2a: A mixture of Baylis–Hillman adduct  $1a$  (159 mg, 1.0 mmol), acetaldoxime (118 mg, 2.0 mmol), Pd(OAc)<sub>2</sub> (22.5 mg, 10 mol %), and PPh<sub>3</sub> (52.5 mg, 20 mmol %) in aqueous EtOH (H<sub>2</sub>O) EtOH, 1:4, 3 mL) was heated to reflux for 3 h under nitrogen atmosphere. The reaction mixture was diluted with EtOH (5 mL), filtered through a Celite pad, and washed with EtOH and  $CH<sub>2</sub>Cl<sub>2</sub>$ . After the removal of solvent and column chromatographic purification process (hexanes/EtOAc/CHCl<sub>3</sub>, 1:1:1) compound 2a was obtained as a white solid, 144 mg (81%). Other compounds were

synthesized similarly and the representative spectroscopic data of unknown compounds (2f, 2h, 2i, 2k, and 2l) are as follows. Known compounds were identified by their melting points and <sup>1</sup>H NMR spectra by comparison with the<br>reported data, 2a,<sup>2a,2c,4a</sup> 2b,<sup>2b,2c</sup> 2c,<sup>4a</sup> 2d,<sup>4a</sup> 2e,<sup>2a,4a</sup> 2g,<sup>2a</sup> 2j,<sup>2b</sup>Compound 2f: 70%; white solid, mp 110-112 °C; IR (film) 3326, 3189, 1668, 1624, 1590 cm<sup>-1</sup>; <sup>1</sup>H NMR (CDCl<sub>3</sub>, 300 MHz)  $\delta$ 2.30 (s, 3H), 4.47 (br s, 1H), 5.41 (s, 1H), 5.44 (s, 1H), 5.91 (s, 1H), 6.06 (br s, 1H), 6.55 (br s, 1H), 7.05–7.22 (m, 4H); 13C NMR (CDCl3, 75 MHz) d 21.44, 74.30, 122.59, 123.21, 126.83, 128.36, 128.55, 138.16, 140.66, 144.46, 169.64; ESIMS  $m/z$  192 (M<sup>+</sup>+1). Anal. Calcd for C<sub>11</sub>H<sub>13</sub>NO<sub>2</sub>: C, 69.09; H 6.85; N, 7.32. Found: C, 69.13; H, 7.02; N, 7.24.Compound 2h: 70%; white solid, mp 86-88 °C; IR (KBr) 3376, 3189, 2929, 1655, 1630, 1604 cm<sup>-1</sup>; <sup>1</sup>H NMR (CDCl<sub>3</sub>, 300 MHz)  $\delta$  0.81 (t, J = 6.6 Hz, 3H), 1.22-1.39 (m, 6H), 1.51-1.67 (m, 2H), 3.39 (d, J = 5.4 Hz, 1H), 4.25–4.32 (m, 1H), 5.43 (s, 1H), 5.82 (s, 1H), 5.96<br>(br s, 1H), 6.68 (br s, 1H); <sup>13</sup>C NMR (CDCl<sub>3</sub>, 75 MHz)  $\delta$  13.96, 22.52, 25.57, 31.53 35.59, 73.54, 121.24, 144.73, 169.87; ESIMS m/z 172 (M<sup>+</sup>+1). Anal. Calcd for C9H17NO2: C, 63.13; H, 10.01; N, 8.18. Found: C, 63.42; H, 10.27; N, 8.03. Compound 2i: 75%; pale yellow solid, mp 113-115 °C; IR (KBr) 3316, 3179, 2924, 1670, 1592 cm<sup>-1</sup>; <sup>1</sup>H NMR (DMSO-d<sub>6</sub>, 300 MHz)  $\delta$  5.53 (s, 1H), 5.70 (s, 1H), 5.85 (br s, 1H), 5.87 (s, 1H), 7.01 (br s, 1H), 7.32 (dd, J = 7.8 and 4.8 Hz, 1H), 7.52 (br s, 1H), 7.65 (d, J = 7.8 Hz, 1H), 8.43 (d, J = 4.8 Hz, 1H), 8.50 (s, 1H); <sup>13</sup>C NMR (DMSO-d<sub>6</sub>, 75 MHz)  $\delta$  69.12, 117.70, 123.23, 134.29, 138.61, 146.71, 148.21, 148.40, 168.42; ESIMS m/z 179 (M<sup>+</sup>+1). Anal. Calcd for C<sub>9</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub>: C 60.66; H, 5.66; N, 15.72. Found: C, 60.54; H, 5.87; N, 15.49. Compound 2k: 60%; pale yellow solid, mp 181-183 °C; IR (KBr) 3322, 3272, 3199, 1716, 1666, 1621 cm<sup>-1</sup>; <sup>1</sup>H NMR (DMSO-d<sub>6</sub>, 300 MHz)  $\delta$  6.00 (s, 1H), 6.05  $(s, 1H)$ , 6.23  $(s, 1H)$ , 6.74  $(d, J = 7.8$  Hz, 1H), 6.82 (br s, 1H), 6.85 (td,  $J = 7.5$  and 1.2 Hz, 1H), 6.95 (d, J = 6.6 Hz, 1H), 7.15 (td, J = 7.5 and 1.5 Hz, 1H), 7.58 (br s, 1H), 10.10 (s, 1H); <sup>13</sup>C NMR (DMSO-d<sub>6</sub>, 75 MHz)  $\delta$  75.67, 109.29, 119.75 120.87, 123.20, 128.86, 132.38, 143.23, 144.08, 167.57, 177.30; ESIMS m/z 219 (M<sup>+</sup>+1). Anal. Calcd for C<sub>11</sub>H<sub>10</sub>N<sub>2</sub>O<sub>3</sub>: C, 60.55; H, 4.62; N, 12.84. Found: C, 60.63; H, 4.76; N, 12.55.Compound 21: 92%; white solid, mp 128-130 °C; IR (KBr) 3315, 3172, 1711, 1661 cm<sup>-1</sup>; <sup>1</sup>H NMR (CDCl<sub>3</sub>, 300 MHz)  $\delta$  3.46 (s, 2H), 3.85 (s 3H), 5.98 (br s, 1H), 6.25 (br s, 1H), 7.34–7.45 (m, 3H), 7.57–7.60 (m, 2H), 7.93  $(s, 1H)$ ; <sup>13</sup>C NMR (CDCl<sub>3</sub>, 75 MHz)  $\delta$  35.29, 52.40, 125.58, 128.61, 129.28, 129.60, 134.45, 143.06, 168.64, 172.71; ESIMS m/z 220 (M<sup>+</sup>+1). Anal. Calcd for

 $C_{12}H_{13}NO_3$ : C, 65.74; H, 5.98; N, 6.39. Found: C, 65.79; H, 6.07; N, 6.15. 11. Although Radha Krishna et al. reported the synthesis of  $2i$  in 62% yield,<sup>2e</sup> we could not obtain the compound in any trace amounts under the reported conditions, very unfortunately. Although they suggested Ref.  $2b$  as the reference of compound 2i without spectroscopic data, the authors of Ref. <sup>2b</sup> described that they failed to prepare compound 2i.