



Formylation, dicyanovinyl and tricyanovinyl of 5-alkoxy- and 5-amino- substituted 2,2'-bithiophenes

M. Manuela M. Raposo^{a,*} and G. Kirsch^b

^aDepartamento de Química, Universidade do Minho, Campus de Guatár, 4710-057 Braga, Portugal

^bLaboratoire d'Ingénierie Moléculaire et Biochimie Pharmacologique, Université de Metz, Ile de Saulcy, F-57405 Metz Cedex, France

Received 6 February 2003; revised 9 April 2003; accepted 24 April 2003

Abstract—Several donor–acceptor-substituted bithiophenes were synthesized by functionalization of the corresponding 5-alkoxy- or 5-aminobithiophenes **1** by different methods: Vilsmeier formylation, metalation followed by reaction with DMF, direct tricyanovinyl reaction using TCNE or Knoevenagel condensation starting from the corresponding 5-formyl- derivatives of **1**. © 2003 Elsevier Science Ltd. All rights reserved.

1. Introduction

For the past few years interest has been focused on new donor–acceptor-substituted thiophene and bithiophene derivatives. Donor–acceptor bithiophene chromophores exhibit enhanced second-order polarizabilities β compared to biphenyls or stilbenes. The larger non-linearities were attributed to the bathochromic effect of sulfur, the partial decrease of aromatic character and an increased π -overlap between the thiophene units.^{1–9} This type of compound can therefore be applied in electro-optical devices.^{7–12}

Donor–acceptor-substituted 2,2'-bithiophenes are usually prepared by cross-coupling reactions of electron donor-substituted thiophenes with acceptor-substituted halothiophenes, via organozinc, organotin, or organoboron derivatives.^{1–6}

As part of our ongoing effort to develop chromophores for non-linear optical applications^{13–16} we synthesized several donor–acceptor 5,5'-disubstituted 2,2'-bithiophenes by functionalization of the corresponding 5-amino- and 5-alkoxy-bithiophenes **1a–h**.¹⁷ We have recently reported the synthesis of 5-alkoxy- and 5-amino-2,2'-bithiophenes which made these compounds available in reasonable amounts, ready for further applications. Indeed, we were able to use these compounds successfully as substrates for the functionalization at the 5'- position of derivatives **1a–h**.

We describe here the synthesis and the reactivity studies of

Keywords: donor–acceptor bithiophene compounds; Vilsmeier formylation; α -lithiation; Knoevenagel condensation; tricyanovinyl; non-linear optical material; NLO applications.

* Corresponding author. Tel.: +351-253-604381; fax: +351-253-678983; e-mail: mfox@quimica.uminho.pt


bithiophenes, (formyl, dicyanovinyl and tricyano derivatives), **2–6** prepared from 5-alkoxy- and 5-amino-bithiophenes **1**.

2. Results and discussion

Reactivity studies of bithiophenes **1** were made through the Vilsmeier–Haack reaction, α -lithiation followed by quenching with DMF, Knoevenagel condensation starting from the corresponding 5-formyl- derivatives of **1**, malononitrile and by direct tricyanovinyl reaction with TCNE.

The formylation of thiophene and oligothiophene derivatives is usually achieved by two methods: through the Vilsmeier reaction,^{18–21} (or by a modified procedure of the Vilsmeier formylation using DMF/POCl₃ in dichloroethane^{22–24}) or by metalation followed by formyldeprotonation using DMF.^{7,21,25–27} Meth-Cohn et al.¹⁹ have recently published a study of the regioselective electrophilic Vilsmeier formylation of 3-substituted thiophenes which clearly evidences the effect of the increasing size of the Vilsmeier reagent. They showed that the regioselective Vilsmeier formylation of 3-substituted thiophenes may be optimized with either small (obtention of the 2-isomer) or large planar aromatic Vilsmeier reagents (obtention of the 5-isomer).

In our study of the Vilsmeier–Haack formylation of compounds **1f–g** with DMF, the *ortho* position to the alkoxy or to the 5-*N,N*-dialkylamino groups of bithiophenes **1** showed to be much more reactive than the 5'-position. Therefore, the Vilsmeier–Haack formylation of 5-alkoxy- and 5-*N,N*-dialkylamino bithiophenes **1f–g**, with DMF/POCl₃ at 60°C for 2 h., produced a mixture of



Scheme 1.

Table 1. Synthesis of formyl-derivatives **2f,g** and **3f,g** from bithiophenes **1f,g** by Vilsmeier–Haack reaction

Compound	R	Yield (%)	IR ν _{CHO} [cm ⁻¹]	UV/vis (ethanol) λ _{max} , [nm] (ε)
2f	N(Pr- <i>i</i>) ₂	41	1668	313.0 (10878)
3f	N(Pr- <i>i</i>) ₂	10	1665 (broad)	343.0 (18039)
2g	Piperidino	80	1660	332.0 (14794)
3g	Piperidino	3	1659, 1650	397.0 (14735)

4-formyl- derivatives **2f–g** and 4,5'-diformyl-bithiophenes **3f–g** instead of the desired 5-formyl- derivatives (Scheme 1).

These results showed that in the case of the Vilsmeier formylation of the 5-*N,N*-dialkylamino-2,2'-bithiophenes **1f–g**, the reaction occurs in the most activated positions: 4- and 5'-.

In both cases, especially for 5-*N,N*-diisopropylamino-2,2'-bithiophene **1f** the results indicate that even with steric hindrance, the 4-position is still favoured compared to the

5'-position. Monosubstitution at 5' is never observed. Despite the steric hindrance in position 4-, and given that the formylating agent is not a sterically bulky species,¹⁹ this position is still the most activated for the electrophilic formylation.

4-Formyl-derivatives **2f–g** were obtained in isolated yields from 41 to 80% while 4,5'-diformyl-derivatives **3f–g** were isolated in yields from 3 to 10% (Table 1).

As 5'-formyl- derivatives **4** could not be synthesized by the Vilsmeier–Haack reaction, we tried to prepare these compounds by lithiation followed by treatment with DMF. The synthesis of 5'-formyl-bithiophenes **4** was therefore achieved by metalation, using *n*-BuLi followed by quenching with DMF, in moderate to good yields.

The metalation was run in *n*-BuLi in dry ether at 0°C for 1 h. Subsequently, the organolithium derivatives were converted to the corresponding 5-formyl- compounds **4**, by addition of DMF followed by refluxing the mixture for 1–2.5 h (Scheme 2).


5'-Formyl-2,2'-bithiophenes **4** were obtained in isolated yields from 16 to 88% (Table 2).

Through this method bithiophenes **1** were selectively lithiated at the 5'-position and subsequently formylated.

5-Formylbithiophenes **4a, d** and **g** have already been synthesized by other methods such as Pd-catalyzed cross-coupling reactions via zinc-substituted thiophenes³ or via organotin compounds.⁴

Condensation of aldehydes **4** with malononitrile²⁸ in refluxing ethanol gave 5'-dicyanovinyl- derivatives **5** (Scheme 3) in moderate to good yields (45–88%).

As expected, the acceptor strength increase of the dicyanovinyl group in compounds **5** induces a bathochromic shift of the λ_{max} in the UV–vis spectra (Table 3), as compared to the starting aldehydes **4** (Table 2) as well as the




- a** R = OMe
- b** R = OEt
- c** R = O(Pr-*i*)
- d** R = NMe₂
- e** R = NEt₂
- f** R = N(Pr-*i*)₂
- g** R = piperidino
- h** R = 4-methoxyanilino

Scheme 2.

Table 2. Synthesis of 5-formyl- derivatives **4** from bithiophenes **1** by lithiation followed by reaction with DMF

Compound	R	Yield (%)	IR ν_{CHO} [cm^{-1}]	UV/vis (ethanol) λ_{max} [nm] (ϵ)
4a	OMe	45	1646	385.0 (22351)
4b	OEt	56	1660	383.0 (15579)
4c	OPr- <i>i</i>	27	1652	386.5 (17133)
4d	NMe ₂	86	1645	451.0 (25114)
4e	NEt ₂	86	1650	463.0 (27107)
4f	N(Pr- <i>i</i>) ₂	88	1650	466.0 (22517)
4g	Piperidino	84	1650	442.0 (22133)
4h	4-Methoxyanilino	16	1630	462.0 (18895)

**Scheme 3.**

mono and dialdehydes **2** and **3** from the Vilsmeier reaction (Table 1).

5-Dicyanobithiophenes **5d**, **e** and **g** have already been synthesized by other methods, like cross-coupling reactions^{3,4} or by reaction of 2,2-dicyanoethenyl-substituted bromoalkanes with 3-aminothioacrylamides.²⁹

Three synthetic routes are widely used for the preparation of tricyanovinyl derivatives: direct reaction of tetracyanoethylene (TCNE) with activated aromatic rings,^{30,31} condensation of an aldehyde with malononitrile followed by the reaction with potassium cyanide and oxidation with lead tetraacetate,³⁰ or lithiation followed by quenching with TCNE.^{32,33} This novel approach to tricyanovinyl in thienyl-imidazoles by reaction of tetracyanoethylene with the thienyllithium derivatives in THF was reported for the first time by Bu et al.³²

To continue the reactivity study and to introduce more powerful electrodrawing groups, we used the direct tricyanovinyl reaction in bithiophenes **1**. The tri-

cyanovinyl of *N,N*-substituted aromatic amines with TCNE occurs with *para*-substitution, generally in the position of highest electron density. On account of the bulkiness of tricyanovinyl group, the steric factors play a dominant role in determining the course of the reaction of TCNE with 5-*N,N*-substituted bithiophenes **1**. Thus, *ortho* tricyanovinyl of these compounds does not take place readily.³⁴ In the case of the direct tricyanovinyl reaction in bithiophenes **1**, the *para* position is much more reactive. The tricyanovinyl of bithiophenes **1** therefore occurred exclusively at the 5'-position.

This functionalization was made by reacting the activated 5-alkoxy- and 5-amino-bithiophenes **1** with TCNE in DMF for 24 h at rt (Scheme 4).


Compounds **6** were obtained in moderate to good yields (51–87%) (Table 4).

5-Tricyanobithiophenes **6d**, **e** and **g** have previously been described in the literature. Derivatives **6d** and **e** were prepared by reaction of 1,2,2-tricyanoethenyl-substituted bromoalkanes with 3-aminothioacrylamides²⁹ or by a cross-coupling reaction.⁵

Bithiophene derivatives **4–6** exhibit an absorption band in the UV or visible range whose position is strongly influenced by the structure of the compounds, for example by the substitution pattern in the donor and acceptor moieties.²⁹ For all of the compounds studied, the tricyanovinyl derivatives absorb at longer wavelength than their formyl- or dicyanovinyl- analogues (Tables 2–4). It should be noted that absorption in the visible range is a characteristic feature of all dicyanovinyl- and tricyanovinyl-substituted bithiophenes **5** and **6** (Tables 3 and 4).

Table 3. Synthesis of 5-dicyanovinylbithiophenes **5** from 5-formylbithiophenes **4** by Knoevenagel condensation with malononitrile

Compound	R	Yield (%)	IR ν_{CN} [cm^{-1}]	UV/vis (ethanol) λ_{max} [nm] (ϵ)
5a	OMe	46	2220	461.0 (15380)
5b	OEt	48	2220	462.0 (14897)
5d	NMe ₂	88	2215	560.0 (20842)
5e	NEt ₂	51	2215	577.0 (14684)
5f	N(Pr- <i>i</i>) ₂	45	2220	580.0 (20920)
5g	Piperidino	81	2215	564.0 (35268)



Scheme 4.

Table 4. Synthesis of 5-tricyanovinylbithiophenes **6** from bithiophenes **1** by tricyanovinylation reaction with TCNE

Compound	R	Yield (%)	IR ν_{CN} [cm ⁻¹]	UV/vis (ethanol) λ_{max} , [nm] (ϵ)
6a	OMe	53	2225	545.0 (24632)
6b	OEt	70	2220	549.0 (26451)
6d	NMe ₂	82	2200	588.0 (10000)
6e	NEt ₂	51	2182	592.0 (38425)
6f	N(Pr- <i>i</i>) ₂	87	2195	623.0 (13580)
6g	Piperidino	81	2200	591.0 (23560)
6h	4-Methoxyanilino	69	2213	688.0 (11000)

In general, the stronger the donor and/or acceptor group, the smaller the energy difference between ground and excited states, and the longer the wavelength of absorption.³ According to Zyss¹¹ the increase of the β values characteristics of the NLO effects are accompanied by an increase of the λ_{max} in the UV–vis. spectra.

Bithiophene derivatives **2–6** were completely characterized by elemental analysis and/or HRMS, ¹H and ¹³C spectroscopy, IR and UV–vis spectroscopy (Tables 1–4).

The non-linear optical properties of the new push–pull systems **2f–g**, **3f–g**, **4b–c**, **4e–f**, **4h**, **5a–b**, **5f**, **6a–b**, **6f** will be investigated in the future.

3. Conclusions

Starting from the easily available 5-alkoxy- and 5-amino-2,2'-bithiophenes **1**, commercial reagents as well as simple and convenient procedures were used to synthesize several formyl-, dicyanovinyl- and tricyanovinyl- 2,2'-bithiophenes in moderate to good yields, via four methods: (i) Vilsmeier formylation, (ii) lithiation followed by reaction with DMF, (iii) Knoevenagel condensation of the corresponding formyl derivatives with malononitrile and (iv) direct tricyanovinylation reaction with TCNE.

In agreement with previous findings^{3–5,29,35} the new compounds prepared can be applied for the manufacture

of new materials with strong non-linear optical (NLO) properties.

4. Experimental

4.1. General

¹H NMR spectra were obtained on a Varian Unity Plus Spectrometer at 300 MHz and ¹³C NMR spectra were determined on a Varian Unity Plus Spectrometer at 75.4 MHz using the solvent peak as internal reference. The solvents are quoted in parentheses before the chemical shift values (δ relative to TMS). Melting points were determined on a Gallenkamp apparatus and are uncorrected. Infrared spectra were recorded on a Perkin–Elmer 1600 FTIR spectrophotometer. UV spectra were recorded in ethanol on a Hitachi U-2000. EI mass spectra EI (70 eV) and HRMS were run on a Unicam GC–MS 120. Elemental analyses were made on a Leco CHNS-932. Column chromatography was performed on Merck silica gel 60 (Art 9385). Light petroleum refers to solvent boiling in the range 40–60°C.

The synthesis of bithiophenes **1a–h** has been described elsewhere.¹⁷

4.1.1. General procedure for the synthesis of 4-formyl-2,2'-bithiophenes 2f,g and 4,5'-diformyl-2,2'-bithiophenes 3f,g from bithiophenes 1f,g through Vilsmeier formylation. POCl₃ (4.8 mmol) was added to DMF (4.8 mmol) at 0°C and the mixture was stirred for 15 min at 0°C. After this time bithiophenes **1f,g** (4.0 mmol) dissolved in DMF (2 ml) were added dropwise with stirring. The reaction mixture was then heated 2 h at 60°C. The solution was then poured slowly into 75 ml saturated sodium acetate aqueous solution and stirred 30 min. The organic layer was diluted with ether, washed with saturated NaHCO₃ aqueous solution, and dried with anhydrous Na₂SO₄. Evaporation of the organic extract under reduced pressure gave a mixture of 4-formyl- **2f,g** and 4,5'-diformyl-bithiophenes **3f,g** which were purified by 'flash' chromatography on silica with increasing amounts of ether in light petroleum as eluent.

Vilsmeier formylation of **1f** gave a mixture of 4-formyl-5-*N,N*-diisopropylamino-2,2'-bithiophene **2f** and 4,5'-diformyl-5-*N,N*-diisopropylamino-2,2'-bithiophene **3f**. The first component eluted was 4-formyl-5-*N,N*-diisopropylamino-2,2'-bithiophene **2f** as a pale yellow solid (41%). Mp 56.5–57.5°C. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$), 313.0 (10878), 257.0 (14330). IR (KBr): ν 3120, 3080, 2980, 1668 (CHO), 1560, 1520, 1480, 1460, 1440, 1390, 1340, 1230, 1220, 1170, 1125, 1100, 1080, 1040, 1000, 900, 825, 745, 740, 720, 700 cm^{-1} . ^1H NMR (CDCl_3) δ 1.14 (d, 12H, $J=6.5$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 3.45–3.65 (m, 2H, $2\times\text{CH}(\text{CH}_3)_2$), 6.99–7.03 (m, 1H, 4'-H), 7.16–7.17 (m, 1H, 3'-H), 7.22–7.26 (m, 1H, 5'-H), 7.35 (s, 1H, 3-H), 9.92 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 21.18, 52.09, 118.06, 124.01, 124.88, 127.75, 132.84, 137.07, 139.02, 163.28, 185.82. MS (EI) m/z (%): 293 (M^+ , 100), 278 (17), 264 (9), 250 (52), 232 (33), 208 (39), 192 (5), 181 (15), 153 (9), 121 (12), 96 (10), 69 (6). Anal. calcd for $\text{C}_{15}\text{H}_{19}\text{NOS}_2$: C, 61.42; H, 6.48; N, 4.77; S, 21.86. Found: C, 61.39; H, 6.47; N, 4.77; S, 21.73. The second component eluted was 4,5'-diformyl-5-*N,N*-diisopropylamino-2,2'-bithiophene **3f** as an orange oil (10%). UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$), 343.0 (18039), 241.5 (4914), 214.0 (6102). IR (liquid film): ν 2973, 2932, 2872, 1665 broad (CHO), 1547, 1485, 1449, 1380, 1115, 1050, 811, 751, 664 cm^{-1} . ^1H NMR (CDCl_3) δ 1.18 (d, 12H, $J=6.5$ Hz $2\times\text{CH}(\text{CH}_3)_2$), 3.58–3.79 (m, 2H, $2\times\text{CH}(\text{CH}_3)_2$), 7.22 (d, 1H, $J=4.0$ Hz, 3'-H), 7.53 (s, 1H, 3-H), 7.66 (d, 1H, $J=4.0$ Hz, 4'-H), 9.85 (s, 1H, CHO), 9.89 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 21.22, 52.71, 121.63, 124.22, 129.94, 137.18, 137.30, 141.83, 146.68, 165.11, 182.47, 185.08. MS (EI) m/z (%): 321 (M^+ , 100), 306 (15), 278 (64), 264 (30), 260 (14), 246 (8), 237 (30), 208 (6), 186 (13), 155 (9), 146 (6), 121 (7), 111 (13), 96 (9). HRMS: m/z (EI) for $\text{C}_{16}\text{H}_{19}\text{NO}_2\text{S}_2$; calcd 321.0857; found: 321.0856.

Vilsmeier formylation of **1g** gave a mixture of 4-formyl-5-piperidino-2,2'-bithiophene **2g** and 4,5'-diformyl-5-piperidino-2,2'-bithiophene **3g**. The first component eluted was 4-formyl-5-piperidino-2,2'-bithiophene **2g** as a beige solid (80%). Mp 71–72°C (*n*-hexane). UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 332.0 (14794), 253.0 (17719), 214.0 (6102). IR (liquid film): ν 2936, 2920, 1660 (CHO), 1562, 1511, 1495, 1461, 1442, 1381, 1333, 1246, 1165, 1127, 1074, 1040, 991, 910, 826, 752, 694 cm^{-1} . ^1H NMR (CDCl_3) δ 1.60–1.70 (m, 2H, CH_2), 1.70–1.90 (m, 4H, $2\times\text{CH}_2$), 3.30–3.40 (m, 4H, $2\times\text{CH}_2$), 6.98–7.06 (m, 1H, 4'-H), 7.17 (dd, 1H, $J=3.6, 1.2$ Hz, 3'-H), 7.30 (s, 1H, 3-H), 7.39 (dd, 1H, $J=5.1, 1.2$ Hz, 5'-H), 9.83 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 23.55, 25.43, 56.25, 122.66, 123.00, 123.94 (2 overlapped signals), 124.18, 127.64, 136.97, 168.56, 182.57. MS (EI) m/z (%): 277 (M^+ , 100), 260 (89), 227 (6), 194 (11), 178 (6), 127 (9), 122 (9), 69 (5). Anal. calcd for $\text{C}_{14}\text{H}_{15}\text{NOS}_2$: C, 60.64; H, 5.41; N, 5.05; S, 23.13. Found: C, 60.45; H, 5.47; N, 5.11; S, 22.80. The second component eluted was 4,5'-diformyl-5-piperidino-2,2'-bithiophene **3g** as a pale orange solid (3%). Mp 113.5–115°C. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 397.0 (14735), 248.0 (12235), 213.0 (5928). IR (liquid film): ν 1659 (CHO), 1650 (CHO), 1546, 1509, 1444, 1382, 1226, 1163, 1129, 1050, 1020, 991, 852, 795 cm^{-1} . ^1H NMR (CDCl_3) δ 1.50–1.70 (m, 2H, CH_2), 1.75–1.85 (m, 4H, $2\times\text{CH}_2$), 3.95–4.43 (m, 4H, $2\times\text{CH}_2$), 7.08 (d, 1H, $J=4.0$ Hz, 3'-H), 7.46 (s, 1H, 3-H), 7.64 (d, 1H, $J=4.0$ Hz, 4'-H), 9.78 (s, 1H, CHO), 9.83 (s,

1H, CHO). ^{13}C NMR (CDCl_3) δ 23.46, 25.34, 55.92, 121.16, 122.91, 123.07, 126.92, 137.46, 140.79, 147.04, 168.92, 182.21 (2 overlapped signals). MS (EI) m/z (%): 305 (M^+ , 100), 288 (81), 277 (10), 260 (10), 222 (5), 170 (8), 149 (10), 121 (6), 111 (15), 97 (9), 83 (50). HRMS: m/z (EI) for $\text{C}_{15}\text{H}_{15}\text{NO}_2\text{S}_2$; calcd 305.0544; found: 305.0548.

4.1.2. General procedure for the synthesis of 5-formyl-2,2'-bithiophenes 4 from 2,2'-bithiophenes 1 via metalation with *n*-BuLi followed by reaction with DMF. A 2.5 M solution of *n*-BuLi in hexanes (1.6 ml, 4.0 mmol) was dropped under Ar at 0°C to a stirred solution of bithiophenes **1** in anhydrous ether (2.0 mmol). The reaction mixture was then stirred 1 h at 0°C and was allowed to stand 15 min. at rt. DMF (0.18 g, 2.4 mmol) dissolved in anhydrous ether (2 ml) was added dropwise at rt. The mixture was heated at reflux for 1–2.5 h. The mixture was poured into water (20 ml) and extracted with (3 \times 50 ml) of ethyl acetate. The combined organic extracts were washed with H₂O (100 ml), dried with Na₂SO₄ and the solvent was evaporated under reduced pressure to give the crude 5-formyl-2,2'-bithiophenes **4** which were purified by flash chromatography on silica with increasing amounts of ether in light petroleum as eluent.

5-Formyl-5'-methoxy-2,2'-bithiophene 4a.³ Orange solid (45%). Mp 56–58°C. Recrystallization from *n*-hexane gave a pale orange solid mp 61–62°C [lit.³ 55–57°C]. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 385 (22351), 379 (24319), 254 inf. (3511). IR (liquid film): ν 1646 (CHO), 1480, 1466, 1443, 1422, 1382, 1248, 1231, 1156, 1061, 1045, 989, 878, 795, 770 cm^{-1} . ^1H NMR (CDCl_3) δ 3.96 (s, 3H, OCH₃), 6.19 (d, 2H, $J=4.0$ Hz, 4'-H), 7.04–7.08 (m, 2H, 3 and 3'-H), 7.63 (d, 1H, $J=4.0$ Hz, 4-H), 9.82 (s, 1H, CHO). ^{13}C NMR δ (CDCl_3) δ 60.36, 105.12, 121.33, 122.38, 124.58, 137.56, 140.33, 148.27, 168.01, 182.22. MS (EI) m/z (%): 224 (M^+ , 100), 209 (88), 193 (5), 181 (18), 153 (18), 137 (20), 109 (7), 69 (14). Anal. calcd for $\text{C}_{10}\text{H}_8\text{O}_2\text{S}_2$: C, 53.56; H, 3.57; S, 28.60. Found: C, 53.44; H, 3.65; S, 28.52.

5-Formyl-5'-ethoxy-2,2'-bithiophene 4b. Orange solid (56%). Mp 62–64°C. Recrystallization from *n*-hexane gave an orange solid mp 66.5–68.5°C. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 383.0 (15579), 257.0 (6921). IR (KBr) ν 2980, 2940, 1660 (CHO), 1520, 1480, 1460, 1440, 1380, 1360, 1250, 1230, 1200, 1110, 1040, 870, 800, 760 cm^{-1} . ^1H NMR (CDCl_3) δ 1.45 (t, 3H, $J=7.0$ Hz, OCH₂CH₃), 4.15 (q, 2H $J=7.0$ Hz, OCH₂CH₃), 6.18 (d, 1H, $J=4.0$ Hz, 4'-H), 7.00–7.10 (m, 2H, 3 and 3'-H), 7.62 (d, 1H, $J=4.1$ Hz, 4-H), 9.81 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 14.7, 69.4, 105.4, 121.3, 122.2, 123.1, 123.7, 127.5, 138.1, 164.4. MS (EI) m/z (%): 238 (M^+ , 74), 209 (100), 153 (22), 149 (24), 137 (45), 127 (13), 121 (11), 109 (23), 97 (6), 93 (12), 82 (18). HRMS: m/z (EI) for $\text{C}_{11}\text{H}_{10}\text{O}_2\text{S}_2$; calcd 238.0122; found: 238.0134.

5-Formyl-5'-isopropoxy-2,2'-bithiophene 4c. Orange solid (27%). Mp 71.9–72.3°C. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 386.5 (17133), 254.0 (8079). IR (Nujol) ν 2980, 2940, 1652 (CHO), 1485, 1249, 1226, 1104, 1047, 922, 877, 826, 798, 765, 667 cm^{-1} . ^1H NMR (CDCl_3) δ 1.41 (d, 6H, $J=6.0$ Hz, OCH(CH₃)₂), 4.25 (sep, 1H, $J=6.0$ Hz, OCH(CH₃)₂), 6.21 (d, 1H, $J=3.9$ Hz, 4'-H),

7.02–7.06 (m, 2H, 3 and 3'-H), 7.63 (d, 1H, $J=3.6$ Hz, 4-H), 9.82 (s, 1H, CHO). ^{13}C NMR (acetone- d_6) δ 21.94, 78.50, 108.66, 122.99, 123.59, 125.79, 139.17, 141.50, 148.05, 166.79, 183.25. MS (EI) m/z (%): 252 (M^+ , 11), 210 (100), 162 (7), 151 (6), 137 (7), 113 (7). HRMS: m/z (EI) for $\text{C}_{12}\text{H}_{12}\text{O}_2\text{S}_2$; calcd 252.0279; found: 252.0282.

5-Formyl-5'-N,N-dimethylamino-2,2'-bithiophene 4d.³ Orange solid (86%). Mp 114–115°C. Recrystallization from *n*-hexane gave an orange solid mp 116–117.5°C [lit.³ 114–115°C]. UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 451.0 (25114), 287.0 inf. (3809), 268 (6276), 217.0 (6486). IR (KBr) ν 2940, 2880, 2800, 1645 (CHO), 1560, 1530, 1500, 1450, 1430, 1420, 1300, 1240, 1050, 920, 870, 800, 760, 700, 665 cm^{-1} . ^1H NMR (CDCl_3) δ 3.00 (s, 6H, $\text{N}(\text{CH}_3)_2$), 5.82 (d, 1H $J=4.1$ Hz, 4'-H), 6.95 (d, 1H $J=4.1$ Hz, 3'-H), 7.13 (d, 1H, $J=4.1$ Hz, 3-H) 7.58 (d, 1H, $J=4.1$ Hz, 4-H), 9.76 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 42.36, 102.73, 119.29, 120.48, 127.61, 138.12, 138.40, 149.62, 161.08, 181.82. MS (EI) m/z (%): 238 (M^+ , 74) 237 (M^+ , 100), 222 (34), 193 (4), 181 (11), 164 (6), 137 (11), 119 (5), 105 (7), 69 (7). Anal. calcd for $\text{C}_{11}\text{H}_{11}\text{NOS}_2$: C, 55.69; H, 4.64; N, 5.90; S, 27.03. Found: C, 55.92; H, 4.70; N, 5.92; S, 26.89.

5-Formyl-5'-N,N-diethylamino-2,2'-bithiophene 4e. Red solid (86%). Mp 84–86°C. Recrystallization from *n*-hexane gave a red solid, mp 90–91°C. UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 463.0, (27107), 287.0 inf. (4126), 268.0 (5619), 217.0 (5126). IR (KBr) ν 3060, 2980, 2940, 2880, 1650 (CHO), 1560, 1520, 1500, 1440, 1380, 1360, 1260, 1240, 1180, 1140, 1100, 1070, 1060, 1000, 890, 870, 860, 780, 750, 690, 660 cm^{-1} . ^1H NMR (CDCl_3) δ 1.24 (t, 6H, $J=7.1$ Hz, $2\times\text{CH}_2\text{CH}_3$), 3.30 (q, 4H, $J=7.1$ Hz, $2\times\text{CH}_2\text{CH}_3$), 5.79 (d, 1H, $J=4.1$ Hz, 4'-H), 6.92 (d, 1H, $J=4.1$ Hz, 3'-H), 7.12 (d, 1H, $J=4.2$ Hz, 3-H), 7.56 (d, 1H, $J=4.2$ Hz, 4-H), 9.75 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 12.20, 47.15, 101.75, 117.64, 120.08, 121.68, 127.85, 137.99, 138.22, 149.89, 159.21, 181.71. MS (EI) m/z (%): 265 (M^+ , 100), 250 (85), 236 (9), 221 (21), (208 (9), 194 (6), 181 (3), 149 (5), 121 (5), 96 (18), 69 (5). Anal. calcd for $\text{C}_{13}\text{H}_{15}\text{NOS}_2$: C, 58.86; H, 5.65; N, 5.28; S, 24.18. Found: C, 58.80; H, 5.66; N, 5.28; S, 23.87.

5-Formyl-5'-N,N-diisopropylamino-2,2'-bithiophene 4f. Dark red solid (88%). Mp 98–100°C. Recrystallization from *n*-hexane gave a dark red solid mp 100–102°C. UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 466.0 (22517), 290.5 inf.(4386), 270.0 (5307), 212.0 (5096). IR (KBr) ν 2970, 2930, 2880, 1650 (CHO), 1540, 1510, 1480, 1440, 1370, 1350, 1060, 1240, 1190, 1160, 1140, 1120, 1070, 1050, 800, 780, 760, 750, 680, 660 cm^{-1} . ^1H NMR (CDCl_3) δ 1.29 (d, 12H, $J=6.7$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 3.76 (sep, 2H, $J=6.7$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 6.00 (d, 1H, $J=3.8$ Hz, 4'-H), 6.94 (d, 1H, $J=3.8$ Hz, 3'-H), 7.11 (1H, d, $J=3.8$ Hz, 3-H), 7.57 (1H, d, $J=3.8$ Hz, 4-H), 9.74 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 20.36, 51.22, 106.97, 120.43, 126.81, 138.14, 138.30, 149.72, 157.12, 181.79. MS (EI) m/z (%): 293 (M^+ , 100), 278 (45), 250 (20), 236 (55), 220 (3), 208 (71), 180 (4), 149 (6), 121 (4), 96 (21), 69 (4). Anal. calcd for $\text{C}_{15}\text{H}_{19}\text{NOS}_2$: C, 61.42; H, 6.48; N, 4.77; S, 21.86. Found: C, 61.60; H, 6.79; N, 4.81; S, 21.79.

5-Formyl-5'-piperidino-2,2'-bithiophene 4g.⁴ Orange solid

(84%). Mp 145–146°C. Recrystallization from *n*-hexane/dichloromethane gave an orange solid mp 148.5–150°C. [lit.⁴ 143–145°C]. UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 442.0 (22133), 287.0 inf. (3809), 268.0 (5790), 217.0 (5095). IR (KBr) ν 2950, 2840, 2780, 1650 (CHO), 1507, 1490, 1420, 1380, 1250, 1230, 1120, 1080, 1050, 1000, 900, 860, 820, 800, 760, 750, 660 cm^{-1} . ^1H NMR (CDCl_3) δ 1.50–1.85 (m, 6H, $3\times\text{CH}_2$), 3.15–3.30 (m, 4H, $2\times\text{CH}_2$), 6.00 (d, 1H, $J=4.0$ Hz, 4'-H), 6.97 (d, 1H, $J=4.0$ Hz, 3'-H), 7.12 (d, 1H, $J=4.0$ Hz, 3-H), 7.59 (d, 1H, $J=4.0$ Hz, 4-H), 9.77 (s, 1H, CHO). ^{13}C NMR (CDCl_3) δ 23.60, 25.02, 51.65, 104.47, 120.25, 120.90, 127.05, 138.02, 138.84, 149.44, 161.74, 181.94. MS (EI) m/z (%): 277 (M^+ , 100), 262 (3), 236 (3), 221 (10), 207 (7), 192 (3), 149 (3), 121 (3), 96 (5), 69 (3). Anal. calcd for $\text{C}_{14}\text{H}_{15}\text{NOS}_2$: C, 60.64; H, 5.41; N, 5.05; S, 23.13. Found: C, 60.75; H, 5.47; N, 5.07; S, 23.12.

5-Formyl-5'-(4-methoxyanilino)-2,2'-bithiophene 4h. Dark orange solid (16%). Mp 122–124°C (ether/petrol). UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 462.0 (18895), 313.0 (8987). IR (KBr) ν 3320 (NH), 1630 (CHO), 1540, 1510, 1470, 1430, 1380, 1240, 1180, 1160, 1050, 830, 800, 760, 660, 630 cm^{-1} . ^1H NMR (CDCl_3) δ 3.81 (s, 3H OCH_3), 5.90 (d, 1H, $J=3.9$ Hz, 4'-H), 6.42 (d, 1H, $J=3.9$ Hz, 3'-H) 6.88 (d, 2H, $J=9.3$ Hz, $2\times\text{Ar-H}$), 7.04–7.09 (m, 3H, $2\times\text{Ar-H} + \text{NH}$), 7.13 (d, 1H, $J=4.2$ Hz, 3-H), 7.61 (d, 1H, $J=4.2$ Hz, 4-H), 9.80 (s, 1H, CHO). MS (EI) m/z (%): 316 (M^++1 , 20), 315 (M^++1 , 100), 314 (13), 300 (34), 158, (5), 148 (5), 122 (3), 108 (3), 98 (3). HRMS: m/z (EI) for $\text{C}_{16}\text{H}_{13}\text{NO}_2\text{S}_2$; calcd 315.0388; found: 315.0393.

4.1.3. General procedure for the synthesis of 5-dicyanovinyl-2,2'-bithiophenes 5 from the corresponding 5-formyl-2,2'-bithiophenes 4 by Knoevenagel condensation.

To a solution of malononitrile (0.2 g, 3.0 mmol) and 5-formyl-bithiophenes 4 (2.5 mmol) in ethanol (50 ml) was added piperidine (1 drop). The solution was heated at reflux during different reaction times (15 min–3 h), then cooled and the solvent was removed under reduced pressure to give the crude 5-dicyanovinyl-2,2'-bithiophenes 5 which were purified by flash chromatography on silica with increasing amounts of ether in light petroleum as eluent.

5-Dicyanovinyl-5'-methoxy-2,2'-bithiophene 5a. Dark orange solid (46%). Mp 154–156°C. Recrystallization from *n*-hexane/toluene gave a dark orange solid mp 166–168°C. UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 461.0 (15380), 308.0 inf. (4530) 286 (6820). IR (KBr) ν 3100, 3020, 2540, 2220 (CN), 1570, 1540, 1500, 1470, 1440, 1420, 1360, 1350, 1320, 1270, 1260, 1230, 1200, 1160, 1060, 980, 940, 800, 740, 720, 600 cm^{-1} . ^1H NMR (CDCl_3) δ 3.96 (s, 3H, OCH_3) 6.23 (d, 1H, $J=4.1$ Hz, 4'-H), 7.08 (d, 1H, $J=4.1$ Hz, 3'-H), 7.15 (d, 1H, $J=4.1$ Hz, 3-H), 7.57 (d, 1H, $J=4.1$ Hz, 4-H), 7.71 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). ^{13}C NMR (CDCl_3) δ 60.47, 105.74, 113.70, 114.55, 121.44, 122.65, 126.31, 132.09, 140.53, 149.94, 150.78, 169.41. MS (EI) m/z (%): 272 (M^+ , 70), 229 (18), 224 (7), 203 (9), 185 (16), 149 (4), 121 (3), 69 (9). HRMS: m/z (EI) for $\text{C}_{13}\text{H}_8\text{N}_2\text{OS}_2$; calcd 272.0078; found: 272.0077.

5-Dicyanovinyl-5'-ethoxy-2,2'-bithiophene 5b. Dark orange solid (48%). Mp 159–161°C (ether). UV (EtOH): λ_{max} nm ($\epsilon/M^{-1}\text{cm}^{-1}$) 462.0 (14897), 307.0 sh (4520), 286.0

(7185). IR (KBr) ν 2940, 2860, 2220 (CN), 1570, 1540, 1490, 1460, 1400, 1360, 1320, 1260, 1200, 1160, 1110, 1025, 940, 880, 800, 785, 730, 640 cm^{-1} . $^1\text{H NMR}$ (CDCl_3) δ 1.45 (t, 3H, $J=7.2$ Hz, OCH_2CH_3), 4.16 (q, 2H, $J=7.2$ Hz, OCH_2CH_3), 6.22 (d, 1H, $J=4.2$ Hz, 4'-H), 7.07 (d, 1H, $J=4.2$ Hz, 3'-H), 7.15 (d, 1H, $J=4.0$ Hz, 3-H), 7.56 (d, 1H, $J=4.0$ Hz, 4-H), 7.70 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). $^{13}\text{C NMR}$ (CDCl_3) δ 14.59, 69.87, 106.51, 113.73, 114.58, 121.32, 122.59, 126.38, 132.03, 140.50, 149.89, 150.95, 168.52. MS (EI) m/z (%): 286 (M^+ , 75), 258 (76), 257 (100), 229 (22), 219 (8), 203 (13), 185 (14), 111 (6), 83 (9), 69 (23), 57 (14). HRMS: m/z (EI) for $\text{C}_{14}\text{H}_{10}\text{N}_2\text{OS}_2$; calcd 286.0234; found: 286.0230.

5-Dicyanovinyl-5'-N,N-dimethylamino-2,2'-bithiophene 5d.³ Violet solid (88%). Mp 223–225°C (ether) [lit.³ 241–242°C]. UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 560.0 (20842), 356.0 inf. (4370), 337 (5680), 303.0 (4630). IR (KBr) ν 3120, 2215 (CN) 1570, 1500, 1470, 1440, 1420, 1400, 1340, 1280, 1235, 1200, 1160, 1140, 1060, 920, 900, 780, 750, 680, 640 cm^{-1} . $^1\text{H NMR}$ (CDCl_3) δ 3.06 (s, 6H, $\text{N}(\text{CH}_3)_2$), 5.86 (d, 1H, $J=4.2$ Hz, 4'-H), 6.95 (d, 1H, $J=4.2$ Hz, 3'-H), 7.26 (overlapped d, 1H, 3-H) 7.49 (d, 1H, $J=4.2$ Hz, 4-H), 7.61 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). $^{13}\text{C NMR}$ (CDCl_3) δ 42.30, 103.61, 114.57, 115.47, 116.98, 118.38, 120.65, 128.66, 130.05, 130.26, 141.23, 149.04. MS (EI) m/z (%): 285 (M^+ , 100), 270 (31), 237 (7), 229 (8), 185 (11), 143 (13), 69 (6).

5-Dicyanovinyl-5'-N,N-diethylamino-2,2'-bithiophene 5e.²⁹ Dark violet solid (51%). Mp 163–165°C (ether) [lit.²⁹ 168–170°C]. UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 577.0 (14684), 357.0 inf. (5680), 340.0 (6650), 306.0 (5060), 270.0 (4895), 247.0 (5980). IR (KBr) ν 2960, 2920, 2215 (CN), 1570, 1510, 1360, 1340, 1270, 1140, 1080, 1060, 1000, 930, 880, 860, 780, 740 cm^{-1} . $^1\text{H NMR}$ (CDCl_3) δ 1.23 (t, 6H, $J=7.1$ Hz, $2\times\text{CH}_2\text{CH}_3$), 3.31 (q, 4H, $J=7.1$ Hz, $2\times\text{CH}_2\text{CH}_3$), 5.86 (d, 1H, $J=4.3$ Hz, 4'-H), 6.91 (d, 1H, $J=4.3$ Hz, 3'-H), 7.25 (overlapped d, 1H, 3-H), 7.46 (d, 1H, $J=4.3$ Hz, 4-H), 7.56 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). $^{13}\text{C NMR}$ (CDCl_3) δ 47.49, 102.92, 114.79, 115.68, 116.88, 120.26, 129.85, 130.42, 141.36, 148.75, 152.88, 161.17. MS (EI) m/z (%): 313 (M^+ , 100), 298 (86), 284 (13), 269 (23), 256 (13), 242 (7), 230 (5), 197 (9), 158 (8), 141 (3), 96 (15), 69 (4). HRMS: m/z (EI) for $\text{C}_{16}\text{H}_{15}\text{N}_3\text{S}_2$; calcd 313.0707; found: 313.0708.

5-Dicyanovinyl-5'-N,N-diisopropylamino-2,2'-bithiophene 5f. Violet solid (45%). Mp 154.5–156°C (ether). UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 580.0 (20920), 343.0 (12564), 314.0 inf. (7860). IR (KBr) ν 2930, 2850, 2220 (CN), 1580, 1560, 1530, 1480, 1440, 1400, 1350, 1330, 1280, 1230, 1160, 1140, 1100, 1060, 920, 820, 780, 760, 660, 640 cm^{-1} . $^1\text{H NMR}$ (CDCl_3) δ 1.31 (d, 12H, $J=6.7$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 3.84 (sep, 2H, $J=6.7$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 6.02 (d, 1H, $J=4.3$ Hz, 4'-H), 6.93 (d, 1H, $J=4.3$ Hz, 3'-H), 7.26 (overlapped d, 1H, 3-H), 7.47 (d, 1H, $J=3.8$ Hz, 4-H), 7.58 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). $^{13}\text{C NMR}$ (CDCl_3) δ 20.19, 51.73, 106.23, 114.78, 115.68, 117.09, 120.40, 129.62, 130.01, 141.26, 148.81, 152.78, 159.46. MS (EI) m/z (%): 341 (M^+ , 100), 326 (46), 298 (16), 293 (17), 284 (50), 256 (64), 236 (7), 197 (10), 149 (13), 139 (6), 111 (6), 96 (23), 83 (22), 69 (15). HRMS: m/z (EI) for $\text{C}_{18}\text{H}_{19}\text{N}_3\text{S}_2$; calcd 341.1020 found: 341.1023.

5-Dicyanovinyl-5'-piperidino-2,2'-bithiophene 5g.⁴ Dark violet solid (81%). Mp 171–172.5°C (ether) [lit.⁴ 169–172°C]. UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 564.0 (35268), 357.0 inf. (4762), 336.0 (7222), 302.0 (6713), 246.0 (6759), 211.0 (7926), 343.0 (18039), 241.5 (4914), 214.0 (6102). IR (KBr) ν 2940, 2215 (CN), 1570, 1490, 1470, 1430, 1380, 1330, 1255, 1250, 1180, 1130, 1125, 1120, 1080, 1010, 920, 895, 860, 800, 760, 660 cm^{-1} . $^1\text{H NMR}$ (CDCl_3) δ 1.60–1.80 (m, 6H, $3\times\text{CH}_2$), 3.25–3.30 (m, 4H, $2\times\text{CH}_2$), 6.02 (d, 1H, $J=4.3$ Hz, 4'-H), 6.96 (d, 1H, $J=4.3$ Hz, 3'-H), 7.24 (overlapped d, 1H, 3-H), 7.50 (d, 1H, $J=4.3$ Hz, 4-H), 7.62 (s, 1H, $\text{CH}=\text{C}(\text{CN})_2$). $^{13}\text{C NMR}$ (CDCl_3) δ 23.52, 24.93, 51.39, 104.85, 114.47, 115.38, 118.87, 120.96, 129.55, 130.52, 141.12, 149.10, 152.38, 163.29. MS (EI) m/z (%): 325 (M^+ , 100), 269 (7), 256 (5), 237 (4), 217 (4), 197 (7), 162 (10), 151 (7), 120 (4), 96 (4). HRMS: m/z (EI) for $\text{C}_{17}\text{H}_{15}\text{N}_3\text{S}_2$; calcd 325.0707; found: 325.0703.

4.1.4. General procedure for the synthesis of 5-tricyanovinyl-2,2'-bithiophenes 6 from 2,2'-bithiophenes 1 by tricyanovinylation with tetracyanoethylene (TCNE).

A solution of 2,2'-bithiophenes 1 (1.3 mmol) in DMF (2 ml) was cooled at 0°C and then TCNE (0.128 g, 1 mmol) was added slowly. The reaction mixture was stirred overnight at rt. After this time the mixture was poured into ice/water and the precipitate filtered off and washed several times with water, petrol and ether. The solid obtained was purified by recrystallization to give the pure 5-tricyanovinyl-2,2'-bithiophenes 6.

5-Tricyanovinyl-5'-methoxy-2,2'-bithiophene 6a. Violet solid (53%). Mp 167.5–169°C (ether). UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 545.0 (24632), 345.0 inf. (5102), 313.0 (7561), 246.0 (4061), 213.0 (4520). IR (KBr) ν 3000, 2980, 2225 (CN), 1520, 1480, 1420, 1320, 1260, 1160, 1100, 1060, 970, 800, 780, 740, 700, 640 cm^{-1} . $^1\text{H NMR}$ ($\text{DMSO}-d_6$) δ 3.99 (s, 3H, OCH_3), 6.55 (d, 1H, $J=4.2$ Hz, 4'-H), 7.57 (d, 1H, $J=4.2$ Hz, 3'-H), 7.65 (d, 1H, $J=4.2$ Hz, 3-H), 8.03 (d, 1H, $J=4.2$ Hz, 4-H). $^{13}\text{C NMR}$ ($\text{DMSO}-d_6$) δ 61.15, 107.61, 113.20, 113.31, 113.41, 120.07, 124.75, 130.05, 130.26, 130.79, 142.62, 152.19, 170.72. MS (EI) m/z (%): 297 (M^+ , 66), 282 (100), 254 (12), 228 (9), 210 (7), 183 (5), 69 (10). HRMS: m/z (EI) for $\text{C}_{14}\text{H}_7\text{N}_3\text{OS}_2$; calcd 297.0031; found: 297.0036.

5-Tricyanovinyl-5'-ethoxy-2,2'-bithiophene 6b. Violet solid (70%). Mp 179–181°C (ether). UV (EtOH): λ_{max} nm ($\epsilon/\text{M}^{-1}\text{cm}^{-1}$) 549.0 (26451), 338.0 inf. (6536), 315.0 (8304), 245.0 (4627), 212.0 (5823). IR (KBr) ν 3000, 2980, 2220 (CN), 1550, 1520, 1480, 1460, 1420, 1380, 1360, 1310, 1260, 1180, 1100, 1060, 1020, 880, 860, 800, 780, 770, 760 cm^{-1} . $^1\text{H NMR}$ ($\text{DMSO}-d_6$) δ 1.37 (t, 3H, $J=7.2$ Hz, OCH_2CH_3), 4.25 (q, 2H, $J=7.2$ Hz, OCH_2CH_3), 6.54 (d, 1H, $J=4.2$ Hz, 4'-H), 7.56 (d, 1H, $J=4.2$ Hz, 3'-H), 7.65 (d, 1H, $J=4.2$ Hz, 3-H), 8.02 (d, 1H, $J=4.2$ Hz, 4-H). $^{13}\text{C NMR}$ ($\text{DMSO}-d_6$) δ 14.36, 70.27, 108.15, 113.20, 113.29, 113.41, 119.95, 124.70, 130.16, 130.20, 130.68, 142.63, 152.31, 169.77. MS (EI) m/z (%): 311 (M^+ , 50), 283 (100), 282 (53), 254 (11), 228 (10), 210 (13), 181 (13), 153 (7), 127 (4), 111 (6), 69 (9). HRMS: m/z (EI) for $\text{C}_{15}\text{H}_9\text{N}_3\text{OS}_2$; calcd 311.0187; found: 311.0188.

5-Tricyanovinyl-5'-N,N-dimethylamino-2,2'-bithiophene

6d.^{5,29} Dark blue solid (82%). Mp 273°C (ether) [lit.⁵ 275°C]. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 588.0 (10000), 388.0 (6270), 345.0 (7620), 206.0 (12330). IR (KBr) ν 3080, 2920, 2200 (CN) 1550, 1500, 1440, 1390, 1360, 1340, 1290, 1260, 1240, 1200, 1080, 1060, 910, 780, 750, 680, 640 cm^{-1} . ^1H NMR (DMSO- d_6) δ 3.24 (s, 6H, $2\times\text{CH}_3$), 6.45 (d, 1H, $J=4.3$ Hz, 4'-H), 7.44 (d, 1H, $J=4.3$ Hz, 3'-H), 7.85 (d, 1H, $J=4.3$ Hz, 3-H), 7.89 (d, 1H, $J=4.3$ Hz, 4-H). MS (EI) m/z (%): 310 (M^+ , 8), 273 (100), 272 (75), 258 (26), 257 (20), 247 (20), 240 (9), 229 (7), 224 (10), 209 (16), 194 (7), 172 (7), 146 (5), 137 (10), 96 (6), 69 (7).

5-Tricyanovinyl-5'-N,N-diethylamino-2,2'-bithiophene 6e.²⁹ Dark blue solid (51%). Mp 255–257°C (ether) [lit.⁴ 264–265°C]. UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 592.0 (38425), 485.0 (9200), 396.0 (1040), 379.0 (10125), 349.0 (11375), 248.0 (8075), 213.0 (10375). IR (KBr) ν 2924, 2182 (CN), 1550, 1550, 1503, 1411, 1334, 1289, 1225, 1137, 1103, 1069, 1054, 1069, 1059, 997, 863, 788, 663, 642 cm^{-1} . ^1H NMR (DMSO- d_6) δ 1.20 (t, 6H, $J=7.0$ Hz, $2\times\text{CH}_2\text{CH}_3$), 3.50 (q, 4H, $J=7.0$ Hz, $2\times\text{CH}_2\text{CH}_3$), 6.48 (d, 1H, $J=4.2$ Hz, 4'-H), 7.40 (d, 1H, $J=4.2$ Hz, 3'-H), 7.78 (d, 1H, $J=4.2$ Hz, 3-H), 7.89 (d, 1H, $J=4.3$ Hz, 4-H). MS (EI) m/z (%): 338 (M^+ , 28), 323 (30), 301 (93), 286 (100), 272 (15), 256 (22), 237 (13), 217 (16), 184 (5), 146 (5), 96 (11), 73 (11). HRMS: m/z (EI) for $\text{C}_{17}\text{H}_{14}\text{N}_4\text{S}_2$; calcd 338.0660; found: 338.0668.

5-Tricyanovinyl-5'-N,N-diisopropylamino-2,2'-bithiophene 6f. Dark violet solid (87%). Mp 197–199°C (ether). UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 623.0 (13580), 595.0 inf. (12050), 496.0 (6870), 411.0 (10920), 395.0 (10970), 359.0 (11661), 261.0 (3580). IR (KBr) ν 2924, 2195 (CN), 1539, 1354, 1214, 1118, 915, 786, 720, 665, 632 cm^{-1} . ^1H NMR (DMSO- d_6) δ 1.28 (d, 12H, $J=6.6$ Hz, $2\times\text{CH}(\text{CH}_3)_2$), 3.90–4.00 (m, 2H, $2\times\text{CH}(\text{CH}_3)_2$), 6.63 (d, 1H, $J=4.5$ Hz, 4'-H), 7.48 (d, 1H, $J=4.5$ Hz, 3'-H), 7.78 (d, 1H, $J=4.5$ Hz, 3-H), 7.94 (d, 1H, $J=4.5$ Hz, 4-H). MS (EI) m/z (%): 366 (M^+ , 60), 361 (27), 351 (30), 343 (16), 329 (89), 318 (39), 309 (45), 303 (22), 286 (30), 272 (55), 265 (51), 244 (100) 234 (10), 222 (20), 208 (20), 180 (45), 146 (8), 121 (7), 106 (8), 96 (46), 86 (51). HRMS: m/z (EI) for $\text{C}_{18}\text{H}_{19}\text{N}_3\text{S}_2$; calcd 366.0976, found: 366.0973.

5-Tricyanovinyl-5'-piperidino-2,2'-bithiophene 6g.³⁵ Dark violet solid (81%). Mp 241–243°C (ether). UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 591.0 (23560), 472.0 (20320), 397.0 (21000), 338.0 (21740), 220.0 (27000). IR (KBr) ν 3080, 2940, 2860, 2200 (CN), 1540, 1500, 1470, 1450, 1400, 1390, 1360, 1340, 1280, 1240, 1180, 1100, 1070, 1010, 900, 880, 850, 830, 780, 760, 640 cm^{-1} . ^1H NMR δ_{H} (DMSO- d_6) 1.40–1.80 (m, 6H, $3\times\text{CH}_2$), 3.15–3.30 (m, 4H, $2\times\text{CH}_2$), 6.65 (d, 1H, $J=4.8$ Hz, 4'-H), 7.48 (d, 1H, $J=4.8$ Hz, 3'-H), 7.81 (d, 1H, $J=4.8$ Hz, 3-H), 7.95 (d, 1H, $J=4.8$ Hz, 4-H). MS (EI) m/z (%): 350 (M^+ , 17), 313 (100), 312 (47), 287 (9), 217 (4), 249 (10), 73 (6). HRMS: m/z (EI) for $\text{C}_{18}\text{H}_{14}\text{N}_4\text{S}_2$; calcd 350.0653; found: 350.0660.

5-Tricyanovinyl-5'-(4-methoxyanilino)-2,2'-bithiophene 6h. Dark violet solid (69%). Mp 282–284°C (ether). UV (EtOH): λ_{\max} nm ($\epsilon/M^{-1} \text{ cm}^{-1}$) 688.0 (11000), 603.0 (8400), 565.0 (8400), 221.0 (11000). IR (liquid film) ν 3583 (NH), 2213 (CN), 1605, 1502, 1480, 1408, 1384, 1303, 1253, 1156, 1116, 1092, 1092, 1029, 834, 789, 666 cm^{-1} .

^1H NMR δ (DMSO- d_6) 3.90 (s, 3H, OCH_3), 7.04 (d, 1H, $J=5.0$ Hz, 4'-H), 7.23 (m, 3H, 3'-H and $2\times\text{Ar-H}$), 7.41 (d, 2H, $J=9.0$ Hz, $2\times\text{Ar-H}$), 7.89 (d, 1H, $J=5.0$ Hz, 3-H), 7.95 (d, 1H, $J=5.0$ Hz, 4-H). MS (EI) m/z (%): 388 (M^+ , 99), 387 (100), 373 (54), 349 (47), 334, (30), 231 (12), 219 (5), 181 (7), 165 (16), 123 (54), 108 (68), 92 (20). HRMS: m/z (EI) for $\text{C}_{20}\text{H}_{12}\text{N}_4\text{OS}_2$; calcd 388.0452; found: 388.0437.

Acknowledgements

Thanks are due to ICCTI/French Embassy (Technical and Scientific Cooperation Programme) and to FCT for financial support through IBQF (UM) and POCTI (ref. POCTI/QUI/37816/2001) as well as for a sabbatical grant to M. M. Raposo (FMRH/BSAB/134/99).

References

1. Effenberger, F.; Wuerthner, F. *Angew. Chem.* **1993**, *105*, 742–744.
2. Effenberger, F.; Wuerthner, F. *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 719–721.
3. Effenberger, F.; Wuerthner, F.; Steybe, F. *J. Org. Chem.* **1995**, *60*, 2082–2091.
4. Bedworth, P. V.; Cai, Y.; Jen, A.; Marder, S. R. *J. Org. Chem.* **1996**, *61*, 2242–2246.
5. Steybe, F.; Effenberger, F.; Beckman, S.; Kramer, P.; Glania, C.; Wortmann, R. *Chem. Phys.* **1997**, *219*, 317–331.
6. Bauerle, P. In *The Synthesis of Oligothiophenes. Handbook of Oligo- and Polythiophenes*; Fichou, D., Ed.; Wiley-VCH: Weinheim, 1999; pp 89–173 Chapter 3.
7. Mignani, G.; Leising, F.; Meyrueix, R.; Samson, M. *Tetrahedron Lett.* **1990**, *31*(33), 4743–4746.
8. Hutchins, M. G.; Ferguson, I.; McGeein, D. J.; Morley, J. O.; Ziss, J.; Ledoux, I. *J. Chem. Soc., Perkin Trans. 2* **1995**, *171*, 176.
9. Steybe, F.; Effenberger, F.; Gubler, U.; Bosshard, C.; Gunter, P. *Tetrahedron* **1998**, *54*, 8469–8480.
10. Wuerthner, F.; Effenberger, F. *Chem. Phys.* **1993**, *173*, 305–314.
11. Zyss, D. S. *Non Linear Optical Properties of Organic Molecules and Crystals*; Academic: Orlando, 1987; Vols. 1 and 2.
12. Bosshard, C.; Sutter, K.; Petre, P.; Hulliger, J.; Florsheimer, M.; Kaatz, M.; Gunter, P. *Organic Non-linear Optical Materials*; Gordon & Breach: Amsterdam, 1995.
13. Prim, D.; Kirsch, G. *J. Chem. Soc., Perkin Trans. 1* **1994**, 2603–2606.
14. Prim, D.; Kirsch, G.; Leising, F.; Mignani, G. *J. Heterocycl. Chem.* **1994**, *31*, 1005–1009.
15. Prim, D.; Joseph, D.; Kirsch, G. *Phosphorus, Sulfur Silicon* **1994**, *91*, 137–143.
16. Costa, S. P. G.; Griffiths, G.; Kirsch, G.; Oliveira-Campos, A. M. *F. Anal. Quim. Int. Ed.* **1998**, *94*, 186–188.
17. Raposo, M. M. M.; Kirsch, G. *Heterocycles* **2001**, *55*(8), 1487–1498.
18. Lescot, E.; Buu-Hoi, Ng. Ph.; Xuong, N. D. *J. Chem. Soc.* **1959**, 3234–3237.
19. Meth-Cohn, O.; Ashton, M. *Tetrahedron Lett.* **2000**, *41*, 2749–2752.

20. Raimundo, J.-M.; Blanchard, P.; Frère, P.; Mercier, N.; Ledoux-Rak, I.; Hierle, R.; Roncali, J. *Tetrahedron Lett.* **2001**, *42*, 1507–1510.
21. Raimundo, J.-M.; Blanchard, P.; Gallego-Planas, N.; Frère, P.; Mercier, N.; Ledoux-Rak, I.; Hierle, R.; Roncali, J. *J. Org. Chem.* **2002**, *67*, 205–218.
22. Parakka, J. P.; Cava, M. P. *Tetrahedron* **1995**, *51*(8), 2229–2242.
23. Kromer, J.; Bauerle, P. *Tetrahedron* **2001**, *57*, 3785–3794.
24. Wei, Y.; Wang, B.; Wang, W.; Tian, J. *Tetrahedron Lett.* **1995**, *36*(5), 665–668.
25. Kim, D. S. H. L.; Ashendel, C. L.; Zhou, Q.; Chang, C.; Lee, E.-S.; Chang, C. *Bioorg. Med. Chem. Lett.* **1998**, *8*, 2295–2698.
26. Chan, H. S. O.; Choon, S. *Prog. Polym. Sci.* **1998**, *23*, 1167–1231.
27. Blockhuys, F.; Hoefnagels, R.; Peten, C.; Alsenoy, C. V.; Geise, H. J. *J. Mol. Struct.* **1999**, *485–486*, 87–96.
28. Tietze, L. F. In *The Knoevenagel Reaction. Comprehensive Organic Synthesis*; Trost, B. M., Ed.; Pergamon: Oxford, 1991; Collect. Vol. 2, pp 358–359.
29. Eckert, K.; Schroder, A.; Hartmann, H. *Eur. J. Org. Chem.* **2000**, 1327–1334.
30. McKusick, B. C.; Heckert, R. E.; Cairns, T. L.; Coffmann, D. D.; Mower, H. F. *J. Am. Chem. Soc.* **1958**, *80*, 2806–2815.
31. Rao, V. P.; Jen, A. K.-Y.; Wong, K. Y.; Drost, K. J. *J. Chem. Soc., Chem. Commun.* **1993**, *14*, 1118–1120.
32. Bu, X. R.; Li, H.; Derver, D. V.; Mintz, E. A. *Tetrahedron Lett.* **1996**, *367*(41), 7331–7334.
33. Cai, C.; Liakatas, I.; Wong, M.-S.; Bosh, M.; Bosshard, C.; Gunter, P.; Concilio, S.; Tirelli, N.; Suter, U. W. *Org. Lett.* **1999**, *1*(11), 1847–1849.
34. Fatiadi, A. J. *Synthesis* **1986**, 249.
35. Jen, K.-Y. A.; Rao, V. P.; Drost, K. J.; Cai, Y.; Mininni, R. M.; Kenney, J. T.; Binkley, E. S.; Dalton, L. R. Proc. SPIE-Int. Soc. Opt. Eng. 1994, 2285; *Chem. Abstr.* **1995**, *123*, 84708f.