**EPJ A direct**
electronic only

*Erratum*

# Beta decay of $^{57}$Zn

A. Jokinen[1,2,a], A. Nieminen[1], J. Äystö[1,2], R. Borcea[3], E. Caurier[4], P. Dendooven[1], M. Gierlik[5], M. Górska[3], H. Grawe[3], M. Hellström[6], M. Karny[5], Z. Janas[5], R. Kirchner[3], M. La Commara[3], G. Martinez-Pinedo[7], P. Mayet[3], H. Penttilä[1], A. Plochocki[5], M. Rejmund[3], E. Roeckl[3], M. Sawicka[5], C. Schlegel[3], K. Schmidt[3], and R. Schwengner[8]

[1]  University of Jyväskylä, Department of Physics, FIN-40351 Jyväskylä, Finland
[2]  CERN, CH-1211 Geneva 23, Switzerland
[3]  Gesellschaft fr Schwerionenforschung mbH, D-64291, Darmstadt, Germany
[4]  Institut de Recherches Subatomiques (IN2P3-CNRS-Université Louis Pasteur), F-67037 Strasbourg Cedex 2, France
[5]  Warsaw University, Institute of Experimental Physics, PL-00681 Warsaw, Poland
[6]  Lund University, Division of Cosmic and Atomic and Subatomic Physics, S-22100 Lund, Sweden
[7]  Department of Physics and Astronomy, University of Basel, CH-4056 Basel, Switzerland
[8]  Institut für Kern- und Hadronenphysik, Forschungszentrum Rossendorf, D-01314 Dresden, Germany

We publish herewith the correct table 3 which was wrongly published in the original paper as a repetition of table 2.

**Table 3.** Adopted states in $^{57}$Cu and experimental feeding of the states, extracted $\log ft$ and $B_{\rm GT}$ values of the $^{57}$Zn decay in comparison with level-energy and $B_{\rm GT}$ predictions obtained from shell-model calculations. $B_{\rm GT}$ values predicted for higher $^{57}$Cu energies are omitted.

| $E^*$ | $I^\pi$ | Intensity | $\log ft$ | $B_{\rm GT}$ | $E^*$ (th.) | $B_{\rm GT}$ (th.) |
|---|---|---|---|---|---|---|
| g.s. | 3/2− | | | | | |
| 1028(4) | 5/2− | $< 7^{(*)}$ | $> 5^{(*)}$ | $< 0.06^{(*)}$ | 552 | 0.0091 |
| 1106(4) | 1/2− | | | | | |
| 2395(9) | 5/2− | 1.2(6) | 5.5(3) | $0.017^{+14}_{-8}$ | 4126 | 0.0004 |
| 2525(17) | 7/2− | 10(2) | 4.60(16) | $0.15^{+7}_{-5}$ | 3624 | 0.1537 |
| 3236(22) | 7/2− | 19(4) | 4.19(15) | $0.39^{+16}_{-11}$ | 4320 | 0.1614 |
| 3510(25) | (9/2+) | | | | | |
| 3786(25) | (5/2, 7/2, 9/2)− | 7(2) | 4.50(17) | $0.19^{+9}_{-6}$ | | |
| 4208(27) | (5/2, 7/2, 9/2)− | 3(1) | 4.8(2) | $0.10^{+6}_{-4}$ | | |
| 4378(27) | (5/2, 7/2, 9/2)− | 1.8(8) | 5.0(2) | $0.06^{+5}_{-3}$ | | |
| 4563(20) | (5/2, 7/2, 9/2)− | 5.5(15) | 4.44(18) | $0.22^{+11}_{-7}$ | | |
| 5168(32) | (5/2, 7/2, 9/2)− | 2.1(8) | 4.7(2) | $0.12^{+8}_{-5}$ | | |
| 5314(28) | 7/2−, IAS | 52(6) | 3.28(14) | $0.13^{(**)}$ | 5724 | 0.13 |

$(^*)$ See discussion in Chapter 3.; $(^{**})$ Shell-model value.

[a]  *Present address*: CERN/PS-division, CH-1211 Geneva 23, Switzerland; e-mail: `ari.jokinen@cern.ch`