

TECHNICAL MANUAL

**ORGANIZATIONAL AND DIRECT SUPPORT
MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LIST**

**HEATER, SPACE, MULTIFUEL, WITH
BLOWER, 28 VDC
MODEL VBM 15-1 V
NSN 4520-01-032-7376**

Approved for public release; distribution is unlimited.

*This manual supersedes TM 5-4520-242-23P, 18 March 1982, including all changes.

HEADQUARTERS, DEPARTMENT OF THE ARMY
9 FEBRUARY 1990

CHANGE
NO. 3

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 15 JANUARY 1993

Organizational and Direct Support Maintenance
Repair Parts and Special Tools List

HEATER, SPACE, MULTIFUEL, WITH
BLOWER, 28 VDC
MODEL VBM 15-1V
NSN 4520-01-032-7363

DISTRIBUTION STATEMENT A: Approved for public release: distribution is unlimited.

TM 5-4520-242-23P, 9 February 1990, is changed as follows:

1. Title changed as shown above.
2. Remove and insert pages as indicated below. New or changed text material is indicated by a vertical bar in the margin. An illustration change is indicated by a miniature pointing hand.


Remove pages

Insert pages

3. Retain this sheet in front of manual for reference purposes.

By Order of the Secretary of the Army:

Official:



MILTON H. HAMILTON
*Administrative Assistant to the
Secretary of the Army*
03255

GORDON R. SULLIVAN
*General, United States Army
Chief of Staff*

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25-E, block no. 0995, requirements for TM 5-4520-242-23P.

CHANGE
NO. 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 9 NOVEMBER 1992

Organizational and Direct Support Maintenance
Repair Parts and Special Tools List

**HEATER, SPACE, MULTIFUEL, WITH
BLOWER, 28 VDC
MODEL VBM I&IV
NSN 4520-01-032-7363**

Approved for public release; Distribution is unlimited

TM 5-4520-242-23P, 9 February 1990 is changed as follows:

1. Remove and insert pages as indicated below. New or changed text material is indicated by a vertical bar in the margin. An illustration change is indicated by a miniature pointing hand.

Remove pages

9-1 and Fig. 10
I-1 and I-2
I-5 and I-6

Insert pages


9-1 and Fig. 10
I-1 and I-2
I-5 and I-6

2. Retain this sheet in front of manual for reference purposes.

By Order of the Secretary of the Army:

GORDON R. SULLIVAN
General, *United States Army*
Chief of Staff

Official:


MILTON H. HAMILTON
Administrative Assistant to the
Secretary of the Army
03326

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25-E, block no. 0995, requirements for
TM 5-4520-242-23P.

CHANGE

NO. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., 3 JULY 1992

Organizational and Direct Support Maintenance
Repair Parts and Special Tools List

**HEATER, SPACE, MULTIFUEL, WITH
BLOWER, 28 VDC
MODEL VBM 15-1V
NSN 4520-01-032-7376**

Approved for public release; distribution is unlimited

TM 5-4520-242-23P, 9 February 1990, is changed as follows:

1. Remove and insert pages as indicated below. New or changed text material is indicated by a vertical bar in the margin. An illustration change is indicated by a miniature pointing hand.

Remove pages

5-1 and 5-2
I-11 and I-12


Insert pages

5-1 and 5-2
I-11 and I-12

2. Retain this sheet in front of manual for reference purposes.

By Order of the Secretary of the Army:

Official:



MILTON H. HAMILTON
*Administrative Assistant to the
Secretary of the Army*

01847

GORDON R. SULLIVAN
*General, United States Army
Chief of Staff*

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25E, qty rqr block no. 0995

**Organizational and Direct Support Maintenance
Repair Parts and Special Tools List
for
HEATER, SPACE, MULTIFUEL, WITH BLOWER, 28 VDC
MODEL VBM 15-IV
NSN 4520-01-032-7363**

Current as of 4 August 1989

REPORTING OF ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual, If you find any mistake or if you know of a way to improve the procedures, please let us know, Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms) or DA Form 2028-2 located in the back of this manual direct to: Commander, U.S. Army Troop Support Command, ATTN: AMSTR-MCTS, 4300 Goodfellow Blvd., St. Louis, MO 63120-1798. A reply will be furnished directly to you.

Approved for public release; distribution is unlimited.

TABLE OF CONTENTS

| | | Page | Illus/ Figure |
|-------------|---|------|------------------|
| Section I. | Introduction | 1 | |
| Section II. | Repair Part List | | |
| Group 01 | Not Used | | |
| Group 02 | Housing Panels and Louvers | | |
| | Housing Panels and Louvers | 1-1 | 1 |
| | Case Assembly | 2-1 | 2 |
| Group 03 | Electrical | | |
| | Control Panel | 3-1 | 3 |
| | Control Panel, Timer, Reset Assembly | 4-1 | 4 |
| | Ignition Power Supply | 5-1 | 5 |
| | Wiring Terminal Blocks, and Motor Control Resistor | 6-1 | 6 |
| | Room Thermostat, Thermostat Relays, and Delay Relay | 7-1 | 7 |
| Group 04 | Burner Assembly | | |
| | Burner Assembly | 8-1 | 8 |
| Group 05 | Fuel Assembly | | |
| | Fuel Tubing and Fittings..... | 9-1 | 9 |
| | Float Bowl Assembly and Solenoid Valve | 10-1 | 10 |
| | Fuel Filter | 11-1 | 11 |
| | Fuel Pump | 12-1 | 12 |

*This manual supersedes TM 5-4520-242-23P, 18 March 1982, including all changes.

TABLE OF CONTENTS (cont)

| | | Page | Illus/ Figure |
|---------------------|---|--------|------------------|
| Group 06 | Heat Exchanger | | |
| | Heat Exchanger and Rainshield | 13-1 | 13 |
| Group 07 | Blower Assembly | | |
| | Blower Support Assembly, Blower Motor | 14-1 | 14 |
| | Blower Assembly, Motor | 15-1 | 15 |
| | Motor, Blower | 16-1 | 16 |
| | Housing Assembly, Blower, ,,... | 17-1 | 17 |
| Group 08 | Compressor Assembly | | |
| | Compressor Mounting Assembly | 18-1 | 18 |
| | Compressor Assembly | 19-1 | 19 |
| Group 09 | Bulk Material | | |
| | Bulk | Bulk-1 | Bulk |
| Section III. | Special Tools List | | |
| Section IV. | Cross Reference Indexes | | |
| | National Stock Number Index.... | I-1 | |
| | Part Number index | I-3 | |
| | Figure and Item Number index... | I-14 | |

ORGANIZATIONAL AND DIRECT SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LIST

HEATER, SPACE, MULTIFUEL, WITH BLOWER, 28 VDC
MODEL VBM 15-IV
NSN 4520-01-032-7376

SECTION I. INTRODUCTION

1. **SCOPE.** This RPSTL lists and authorizes spares and repair parts; special tools; special test, measurement, and diagnostic equipment (TMDE); and other special support equipment required for performance of organizational and direct support of the Heater, Space. It authorizes the requisitioning, issue, and disposition of spares, repair parts and special tools as indicated by the source, maintenance and recoverability (SMR) codes.

2. **GENERAL.** In addition to this section, Introduction, this Repair Parts and Special Tools List is divided into the following sections:

a. **Section II. Repair Parts List.** A list of spares and repair parts authorized by this RPSTL for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in ascending alphanumeric sequence, with the parts in each group listed in ascending figure and item number sequence. Bulk materials are listed in item name sequence. Repair parts kits are listed separately in their own functional group within Section II. Repair parts for repairable special tools are also listed in this section. Items listed are shown on the associated illustration(s)/figure(s).


b. **Section III. Special Tools List.** A list of special tools, special TMDE, and other special support equipment authorized by this RPSTL (as indicated by Basis of Issue (BOI) information in DESCRIPTION AND USABLE ON CODE column) for the performance of maintenance.

c. **Section IV. Cross-references indexes.** A list, in National item identification Number (NIIN) sequence, of all National stock numbered items appearing in the listing, followed by a list in alphanumeric sequence of all part numbers appearing in the listings. National stock numbers and part numbers are cross referenced to each illustration figure and item number appearance. The figure and item number index lists figure and item number in alphanumeric sequence and cross references NSN, FSCM and part number.

3. **EXPLANATION OF COLUMNS (SECTIONS II AND III).**

a. **ITEM NO. (Column (1)).** Indicates the number used to identify items called out in the illustration.

b. **SMR Code (Column (2)).** The Source, Maintenance, and Recoverability (SMR) code is a 5-position code containing supply/requisitioning information, maintenance category authorization criteria, and disposition instruction, as shown in the following breakout:



NOTE

● Complete Repair: Maintenance capacity, capability, and authority to perform all corrective maintenance tasks of the "Repair" function in a use/user environment in order to restore serviceability to a failed item.

(1) Source Code. The source code tells you how to get an item needed for maintenance, repair, or overhaul of an end item/equipment, Explanations of source codes follows:

| Code | Explanation |
|--|--|
| PA PB PC** PD PE PF PG | Stocked items; use the applicable NSN to request/requisition items with these source codes. They are authorized to the category indicated by the code entered in the 3d position of the SMR code. |
| KD KF KB | ● *NOTE: Items coded PC are subject to deterioration. Items with these codes are not to be requested/requisitioned individually. They are part of a kit which is authorized to the maintenance category indicated in the 3d position of the SMR code, The complete kit must be requisitioned and applied. |
| MO—(Made at org. AVUM Level MF—(Made at DS/ AVUM Level MH—(Made at GS Level) ML—Made at Specialized Repair Activity (SRA) MD—(Made at Depot) | Explanation Items with these codes are not to be requested/requisitioned individually. They must be made from bulk material which is identified by the part number in the DESCRIPTION and USABLE ON CODE (UOC) column and listed in the Bulk Material group of the repair park list in this RPSTL. If the item is authorized to you by the 3d position code of the SMR code, but the source code indicates it is made at a higher level, order the item from the higher level of maintenance. |

| | Explanation |
|-------------------------------------|--|
| AO -- (Assembled by org/AVUM Level) | Items with these codes are not to be requested/requisitioned individually. The parts that make up the assembled item must be requisitioned or fabricated and assembled at the level of maintenance indicated by the source code. If the 3d position code of the SMR code authorizes you to replace the item, but the source code indicates the items are assembled at a higher level, order the item from the higher level of maintenance. |
| AF -- (Assembled by DS/AVIM Level) | |
| AH -- (Assembled by GS Category) | |
| AL -- (Assembled by) | |
| AD -- (Assembled by Depot) | |

| Code | Explanation |
|-------|---|
| XA -- | Do not requisition "XA" -coded item. Order its next higher assembly. (Also, refer to the NOTE below.) |
| XB -- | If an "XB" item is not available from salvage, order it using the FSCM and pad number given. |
| XC -- | Installation drawing, diagram, instruction sheet, field service drawing, that is identified by manufacturer's part number. |
| XD -- | Item is not stocked. Order an "XD" -coded item through normal supply channels using the FSCM and part number given, if no NSN is available. |

NOTE

Cannibalization or controlled exchange, when authorized, maybe used as a source of supply for items with the above source codes, except for those source coded "XA or those aircraft support items restricted by requirements of AR 750-1.

(2) **Maintenance Code.** Maintenance codes tells you the level(s) of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the SMR code as follows:

- (a) The maintenance code entered in the third position tells you the lowest maintenance level authorized to remove, replace, and use an item. The maintenance code entered in the third position will indicate authorization to one of the following levels of maintenance.

| Code | Application/Explanation |
|------|--|
| C | —Crew or operator maintenance done within organizational or aviation unit maintenance. |
| O | —Organizational or aviation unit category can remove, replace, and use the item. |

F — Direct support or aviation intermediate level can remove, replace, and use the item.

H — General support level can remove, replace, and use the item.

L — Specialized repair activity can remove, replace, and use the item.

D — Depot level can remove, replace, and use the item.

(b) The maintenance code entered in the fourth position tells whether or not the item is to be repaired and identifies the lowest maintenance level with the capability to do complete repair (i.e., perform all authorized repair functions.) NOTE: Some limited repair may be done on the item at a lower level of maintenance, if authorized by the Maintenance Allocation Chart (MAC) and SMR codes. This position will contain one of the following maintenance codes.

| Code | Application/Explanation |
|------|---|
| O | Organizational or (aviation unit) is the lowest level that can do complete repair of the item. |
| F | Direct support or aviation intermediate is the lowest level that can do complete repair of the item. |
| H | General Support is the lowest level that can do complete repair of the item. |
| L | Specialized repair activity is the lowest level that can do complete repair of the item. |
| D | Depot is the lowest level that can do complete repair of the item. |
| Z | Nonreparable. No repair is authorized. |
| B | No repair is authorized. (No parts or special tools are authorized for the maintenance of a "B" coded item). However, the item may be reconditioned by adjusting, lubricating, etc., at the user level. |

(3) Recoverability Code. Recoverability codes are assigned to items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the SMR Code as follows:

| Recoverability Codes | Application/Explanation |
|----------------------|--|
| Z | Nonreparable item. When unserviceable, condemn and dispose of the item at the level of maintenance shown in 3d position of SMR Code. |

Recoverability

| Codes | Application/Explanation |
|-------|---|
| 0 | —Reparable item. When uneconomically repairable, condemn and dispose of the item at organizational or aviation unit level |
| F | —Reparable item. When uneconomically repairable, condemn and dispose of the item at the direct support or aviation intermediate level |
| H | —Reparable item. When uneconomically repairable, condemn and dispose of the item at the general support level. |
| D | —Reparable item. When beyond lower level repair capability, return to depot. Condemnation and disposal of item not authorized below depot level. |
| L | —Reparable item. Condemnation and disposal not authorized below specialized repair activity (SRA). |
| A | —Item requires special handling or condemnation procedures because of specific reasons (e.g. , precious metal content, high dollar value, critical material, or hazardous material). Refer to appropriate manuals/directives for specific instructions. |

c. **FSCM (Column (3))**. The Federal Supply Code for Manufacturer (FSCM) is a 5-digit numeric code which is used to identify the manufacturer, distributor, or Government agency, etc., that supplies the item.

d. **PART NUMBER (Column (4))**. Indicates the primary number used by the manufacturer, (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications standards, and inspection requirements to identify an item or range of items.

NOTE

When you use an NSN to requisition an item, the item you receive may have a different part number from the part ordered.

e. **DESCRIPTION AND USABLE ON CODE (UOC) (Column (5))**. This column includes the following information:

- (1) The Federal item name and, when required, a minimum description to identify the item.
- (2) The physical security classification of the item is indicated by the parenthetical entry, e.g., Phy Sec CI - Confidential, Phy Sec CI (S) - Secret, Phy Sec CI (T) - Top Secret.
- (3) Items that are included in kits and sets are listed below the name of the kit or set.
- (4) Spare/repair parts that make up an assembled item are listed immediately following the assembled item line entry.
- (5) Part numbers for bulk materials are referenced in this column in the line item entry for the item to be manufactured/fabricated.
- (6) When the item is not used with all serial numbers of the same model, the effective serial numbers are shown on the last line(s) of the description (before UOC).

- (7) The usable on code, when applicable (see paragraph 5, Special Information).
- (8) In the Special Tools List section, the basis of issue (BOI) appears as the last line(s) in the entry for each special tool, special TMDE, and other special support equipment. When density of equipments supported exceeds density spread indicated in the basis of issue, the total authorization is increased proportionately.
- (9) The statement "END OF FIGURE" appears just below the last item description in Column 5 for a given figure in both Section II and Section III.
- (10) The indenture, shown as dots appearing before the repair part, indicates that the item is a repair part of the next higher assembly.

f. **QTY (Column (6)).** The QTY (quantity per figure column) indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of a quantity indicates that the quantity is variable and may vary from application to application.

4. EXPLANATION OF COLUMNS (SECTION IV).

a. NATIONAL STOCK NUMBER (NSN) INDEX.

- (1) **STOCK NUMBER column.** This column lists the NSN by National item identification number (NIIN) sequence. The NIIN consists of the last nine digits of the

$$\text{NSN} \quad \text{NSN}$$
NSN, i.e. $(5305-01-574-1467)$.
 NIIN

When using this column to locate an item, ignore the first 4 digits of the NSN. However, the complete NSN should be used when ordering items by stock number.

- (2) **FIG. column.** This column lists the number of the figure where the item is identified/located. The figures are in numerical order in Section II and Section III.
- (3) **ITEM column.** The item number identifies the item associated with the figure listed in the adjacent FIG. column. This item is also identified by the NSN listed on the same line.

b. **PART NUMBER INDEX.** Part numbers in this index are listed by part number in ascending alphanumeric sequence (i e. , vertical arrangement of letter and number combination which places the first letter or digit of each group in order A through Z, followed by the numbers 0 through 9 and each following letter or digit in like order).

- (1) **FSCM column.** The Federal Supply Code for Manufacturer (FSCM) is a 5-digit numeric code used to identify the manufacturer, distributor, or Government agency, etc., that supplies the item.
- (2) **PART NUMBER column.** Indicates the primary number used by the manufacturer (individual, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications standards, and inspection requirements to identify an item or range of items,
- (3) **STOCK NUMBER column.** This column lists the NSN for the associated part number and manufacturer identified in the PART NUMBER and FSCM columns to the left.

- (4) **FIG. column.** This column lists the number of the figure where the item is identified/located in Sections II and III.
- (5) **ITEM column.** The item number is that number assigned to the item as it appears in the figure referenced in adjacent figure number column.

c. FIGURE AND ITEM NUMBER INDEX.

- (1) **FIG. column.** This column lists the number of the figure where the item is identified/located in Section II and III.
- (2) **ITEM column.** The item number is that number assigned to the item as it appears in the figure referenced in the adjacent figure number column.
- (3) **STOCK NUMBER column.** This column lists the NSN for the item.
- (4) **FSCM column.** The Federal Supply Code for Manufacturer (FSCM) is a 5-digit numeric code used to identify the manufacturer, distributor, or Government agency, etc., that supplies the item.
- (5) **PART NUMBER column.** Indicates the primary number used by the manufacturer (individual, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications standards, and inspection requirements to identify an item or range of items.

5. SPECIAL INFORMATION.

a. USABLE ON CODE. The usable on code appears in the lower left corner of the Description column heading. Usable on codes are shown as "UOC:" in the Description Column (justified left) on the last line applicable item description/nomenclature. Uncoded items are applicable to all models.

b. ASSOCIATED PUBLICATIONS. The publications listed below pertains to the Heater, Space Multifuel and its components.

| Publication | Short Title |
|------------------|--|
| TM 5-4520-242-13 | Heater, Space, Multifuel, with Blower, 28VDC |

6. HOW TO LOCATE REPAIR PARTS.

a. When National Stock Number or Part Number is NOT known.

- (1) **First.** Using the table of contents, determine the assembly group or subassembly group to which the item belongs. This is necessary since figures are prepared for assembly groups and subassembly groups, and listings are divided into the same groups.
- (2) **Second. Find** the figure covering the assembly group or subassembly group to which the item belongs.
- (3) **Third.** Identify the item on the figure and note the item number.
- (4) **Fourth.** Refer to the Repair Parts List for the figure to find the part number for the item number noted on the figure.

(5) Fifth. Refer to the Part Number Index to find the NSN, if assigned.

b. When National Stock Number or Part Number Is Known:

(1) **First. Using the Index** of National Stock Numbers and Part Numbers, find the pertinent National Stock Number or Part Number. The NSN index is in National Item Identification Number (NIIN) sequence (see 4a.(1)). The part numbers in the Part Number index are listed in ascending alphanumeric sequence (see 4.b). Both indexes cross-reference you to the illustration figure and item number of the item you are looking for.

(2) **Second. After finding the figure and item number, verify that the item is the one you are looking for, then locate the item number in the repair parts list for the figure.**

7. Abbreviations. Abbreviations used in this manual are listed in MIL-STD-12.

| Abbreviations | Explanation | Abbreviations | Explanation |
|---------------|--------------|---------------|-------------|
| amt | armature | evap | evaporation |
| assy | assembly | fdfl | fluid flow |
| bdgh | binding head | hd | head |
| bsc | basic | math | machine |
| cntfgl | centrifugal | mfr | manufacture |
| cond | condenser | mtg | mounting |
| cent | control | ovld | overload |
| cprsr | compressor | press | pressure |
| ctsk | countersunk | rcpt | receptacle |
| elec | electrical | rnd | round |




Figure 1. Housing Panels and Louver.

| SECTION II | | TM5-4520-242-23P | | | |
|-------------------------------------|----------|------------------|--------------|--------------------------------------|-----|
| (1) | (2) | (3) | (4) | (5) | (6) |
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 01 NOT USED | | | | | |
| GROUP 02 HOUSING PANELS AND LOUVERS | | | | | |
| FIG. 1 HOUSING PANELS AND LOUVERS | | | | | |
| 1 | XBOZZ | 93084 | 154-211 | PANEL ASSEMBLY TOP | 1 |
| 2 | PAOZZ | 94222 | 85-11-100-16 | .STUD ASSEMBLY | 4 |
| 3 | XDOZZ | 94222 | 85-11-160-16 | .STUD ASSEMBLY | 2 |
| 4 | PAOZZ | 94222 | 85-34-101-20 | .WASHER,SPLIT | 6 |
| 5 | PAOZZ | 96906 | MS16535-153 | .RIVET TUBULAR | 4 |
| 6 | XBFZZ | 93084 | 154-137 | .PLATE WIRING DIAG | 1 |
| 7 | XBOZZ | 93084 | 154-179 | .PANEL TOP | 1 |
| 8 | XBOZZ | 93084 | 154-209 | PANEL ASSEMBLY LS | 1 |
| 9 | PAOZZ | 94222 | 85-11-100-16 | .STUD ASSEMBLY | 4 |
| 10 | XDOZZ | 94222 | 85-11-160-16 | .STUD ASSEMBLY | 2 |
| 11 | PAOZZ | 94222 | 85-34-101-20 | .WASHER,SPLIT | 6 |
| 12 | XBOZZ | 93084 | 154-210 | PANEL ASSEMBLY RS | 1 |
| 13 | PAOZZ | 94222 | 85-11-100-16 | .STUD ASSEMBLY | 3 |
| 14 | XDOZZ | 94222 | 85-11-160-16 | .STUD ASSEMBLY | 1 |
| 15 | PAOZZ | 94222 | 85-34-101-20 | .WASHER,SPLIT | 4 |
| 16 | PAOZZ | 96906 | MS16535-153 | .RIVET TUBULAR | 4 |
| 17 | XBFZZ | 93084 | 154-193 | .PLATE WIRING SCHEM | 1 |
| 18 | XBOZZ | 93084 | 154-180 | .PANEL RIGHT SIDE | 1 |
| 19 | XBOZZ | 93084 | 154-212 | LOUVER ASSEMBLY | 1 |
| 20 | XBOZZ | 93084 | 154-208 | .STUD WING HEAD | 4 |
| 21 | PAOZZ | 94222 | 85-34-101-20 | .WASHER,SPLIT | 4 |
| 22 | XBOZZ | 93084 | 154-130 | .LOUVER | 1 |
| 23 | PAOZZ | 96906 | MS35191-273 | SCREW MACHINE | 4 |
| 24 | XBOZZ | 93084 | 154-176 | COVER COMB CHAMBER | 1 |

END OF FIGURE




Figure 2. Case Assembly.

| SECTION II (1) | SMR (2) | FSCM (3) | TM5-4520-242-23P PART NUMBER (4) | DESCRIPTION AND USABLE ON CODE (UOC) GROUP 02 HOUSING PANELS AND LOUVERS FIG. 2 CASE ASSEMBLY | (6) QTY |
|-------------------|------------|-------------|---|---|------------|
| 1 | XBFZZ | 93084 | 154-271 | CASE ASSEMBLY | 1 |
| 2 | PAOZZ | 96906 | MS16535-153 | .RIVET TUBULAR | 12 |
| 3 | XBFZZ | 93084 | 154-141 | .PLATE INSTRUCTION | 1 |
| 4 | XBFZZ | 93084 | 154-172 | .PLATE WARNING | 1 |
| 5 | XBFZZ | 93084 | 154-140 | .PLATE IDENT | 1 |
| 6 | XBFZZ | 93084 | 154-252 | .INSULATION OUTSIDE | 1 |
| 7 | PAFZZ | 96906 | MS35191-273 | .SCREW MACHINE | 3 |
| 8 | PAFZZ | 96906 | MS9881-09 | .NUT PLAIN HEX | 3 |
| 9 | PAFZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 3 |
| 10 | PAFZZ | 88044 | AN960-10 | .WASHER,FLAT | 3 |
| 11 | XBFZZ | 93084 | 154-250 | .INSULATION INSIDE | 1 |
| 12 | PAFZZ | 96906 | MS35191-269 | .SCREW UNDERCUT | 10 |
| 13 | XBFZZ | 93084 | 154-161 | .NUT PLATE FRONT | 2 |
| 14 | XBFZZ | 93084 | 154-181 | .NUT PLATE LEFT REAR | 1 |
| 15 | XBFZZ | 93084 | 154-182 | .NUT PLATE R REAR | 1 |
| 16 | PAFZZ | 96906 | MS35489-6 | .GROMMET, NONMETALLIC | 2 |
| 17 | XBFZZ | 93084 | 154-258 | .PAD RUBBER FUEL PMP | 2 |
| 18 | XBFZZ | 93084 | 154-259 | .PAD RUBBER CPRSR | 1 |
| 19 | XBFZZ | 93084 | 154-257 | .FRAME ASSEMBLY | 1 |
| 20 | PAFZZ | 81352 | AN450D8AD10 | ..RIVET TUBULAR | 30 |
| 21 | PAFZZ | 96906 | MS16535-12 | ..RIVET TUBULAR | 10 |
| 22 | XBFZZ | 94222 | 85-35-295-15 | ..RECEPTACLE, TURNLOCK | 20 |

END OF FIGURE





Figure 3. Control Panel.

| SECTION II (1) ITEM NO | (2) SMR CODE | (3) FSCM | TM5-4520-242-23P (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|---------------------------------|--------------------|-------------|---|--|------------|
| GROUP 03 ELECTRICAL | | | | | |
| FIG. 3 CONTROL PANEL | | | | | |
| 1 | PAFZZ | 96906 | MS35206-245 | SCREW MACH PAN HD | 5 |
| 2 | PAFZZ | 96906 | MS35333-38 | WASHER LOCK INTL T | 5 |
| 3 | XBFZZ | 93084 | 154-365 | PANEL ASSEMBLY CONT | 1 |
| 4 | PBFZZ | 97539 | N1030B | .BOOT,DUST AND MOIST | 1 |
| 5 | PAOZZ | 96906 | MS35058-22 | .SWITCH,TOGGLE | 1 |
| 6 | XBFZZ | 93084 | 154-364 | .WIRE ASSEMBLY | 1 |
| 7 | PAFZZ | 05832 | BB8138 | ..TERMINAL,QUICK DISC | 1 |
| 8 | XBFZZ | 05832 | A234-06 | ..CONNECTOR FORK | 1 |
| 9 | MFFZZ | 93084 | 154-343 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-7, 15 IN LG | 1 |
| 10 | PAFZZ | 96906 | MS35206-228 | .SCREW MACHINE | 2 |
| 11 | PAFZZ | 96906 | MS35649-262 | .NUT PLAIN HEX | 2 |
| 12 | PAFZZ | 96906 | MS35333-37 | .WASHER LOCK INTL T | 2 |
| 13 | XBFZZ | 93084 | 7673-1F | .FILTER EMI | 1 |
| 14 | PAFZZ | 96906 | MS35649-282 | .NUT,PLAIN,HEXAGON | 5 |
| 15 | PAFZZ | 96906 | MS35333-38 | .WASHER LOCK INTL T | 5 |
| 16 | XBFZZ | 93084 | 154-363 | .WIRE ASSEMBLY | 1 |
| 17 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 2 |
| 18 | MFFZZ | 93084 | 154-342 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 18 IN LG | 1 |
| 19 | MFFZZ | 93084 | 154-323 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 3 IN LG | 1 |
| 20 | XBFZZ | 75915 | 342-013AL | .FUSEHOLDER | 2 |
| 21 | XDOZZ | 75915 | 307020 | .FUSE,CARTRIDGE | 2 |
| 22 | PAFZZ | 96906 | MS35649-242 | .NUT PLAIN HEX | 14 |
| 23 | PAFZZ | 96906 | MS35333-36 | .WASHER,LOCK | 14 |
| 24 | PAFZZ | 96906 | MS35206-217 | .SCREW MACHINE | 8 |
| 25 | PAFZZ | 96906 | MS25043-14D | .COVER,ELECTRICAL CO | 2 |
| 26 | XBFZZ | 93084 | 154-282 | .RECEPTACLE ASSEMBLY | 1 |
| 27 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 2 |
| 28 | MFFZZ | 93084 | 154-320 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 5 IN LG | 2 |
| 29 | MFFZZ | 93084 | 154-323 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 3 IN LG | 1 |
| 30 | PAFZZ | 96906 | MS3100R14S-7P | ..CONNECTOR,RECEPTACL | 1 |
| 31 | XBFZZ | 93084 | 154-296 | .INSULATOR RCPT | 2 |
| 32 | XBFZZ | 06383 | PLTIM-CP | .TIE CABLE | 1 |
| 33 | XBFZZ | 93084 | 154-281 | .RECEPTACLE ASSEMBLY | 1 |
| 34 | MFFZZ | 93084 | 154-322 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-7, 8 IN LG | 1 |
| 35 | XBFZZ | 05832 | A234-06 | ..CONNECTOR FORK | 1 |
| 36 | XBFZZ | 06383 | PLTIM-CP | ..TIE CABLE | 2 |

| SECTION II | | | | TM5-4520-242-23P | |
|------------|----------|-------|----------------|---|-----|
| (1) | (2) | (3) | (4) | (5) | (6) |
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| 37 | XDFZZ | 78488 | 57-0053 | ..SHIELDING BEAD,ELEC | 6 |
| 38 | MFFZZ | 93084 | 154-321 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-4, 4 IN LG | 1 |
| 39 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 1 |
| 40 | MFFZZ | 93084 | 154-320 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 5 IN LG | 1 |
| 41 | PAFZZ | 96906 | MS3100R14S7SX | ..CONNECTOR,RECEPTACL | 1 |
| 42 | MFFZZ | 93084 | 154-338 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 4 IN LG | 1 |
| 43 | MFFZZ | 93084 | 154-337 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-6, 2 IN LG | 1 |
| 44 | PAFZZ | 96906 | MS35206-220 | .SCREW MACHINE | 2 |
| 45 | PAFZZ | 93084 | 3100-61-116 | .SWITCH,THERMOSTATIC | 1 |
| 46 | PAFZZ | 81349 | RER70F20R0R | .RESISTOR | 1 |
| 47 | PAFZZ | 96906 | MS35206-242 | .SCREW MACH PAN HEAD | 4 |
| 48 | XBFZZ | 93084 | 154-139 | .PLATE CONTROL PANEL | 1 |
| 49 | XBFZZ | 93084 | 154-286 | .BOX ASSY CONT PANEL | 1 |
| 50 | PAFZZ | 96906 | MS3108E14S-7PX | CONNECTOR PLUG,ELEC | 1 |
| 51 | PAFZZ | 96906 | MS3108B14S7S | CONNECTOR,PLUG,ELEC | 1 |

END OF FIGURE



4786-004

Figure 4. Control Panel, Timer, Reset Assembly.

| SECTION II (1) ITEM NO | (2) SMR CODE | (3) FSCM | TM5-4520-242-23P (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|---|--------------------|-------------|---|---|------------|
| GROUP 03 ELECTRICAL | | | | | |
| FIG. 4 CONTROL PANEL, TIMER, RESET ASSEMBLY | | | | | |
| 1 | PAFZZ | 96906 | MS35206-245 | .SCREW MACH PAN HEAD | 2 |
| 2 | PAFZZ | 96906 | MS35649-282 | .NUT PLAIN HEX | 2 |
| 3 | PAFZZ | 96906 | MS35333-38 | .WASHER LOCK INTL T | 2 |
| 4 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 1 |
| 5 | MFFZZ | 93084 | 154-341 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-4, 17 IN LG | 1 |
| 6 | PBFZZ | 93084 | 154-194 | .TIMER ASSY | 1 |
| 7 | XBFZZ | 05832 | BB8138 | ..TERMINAL DISCONNECT | 2 |
| 8 | MFFZZ | 93084 | 154-317 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-5, 13 IN LG | 1 |
| 9 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 1 |
| 10 | MFFZZ | 93084 | 154-318 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 3 IN LG | 2 |
| 11 | MFFZZ | 93804 | 154-319 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-6, 14 IN LG | 1 |
| 12 | MFFZZ | 93084 | 154-309 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-6, 4 IN LG | 1 |
| 13 | PAFZZ | 96906 | MS35206-220 | ..SCREW MACHINE | 2 |
| 14 | PAFZZ | 96906 | MS35649-242 | ..NUT PLAIN HEX | 6 |
| 15 | PAFZZ | 96906 | MS35333-36 | ..WASHER, LOCK | 6 |
| 16 | PAFZZ | 93804 | 3100-45-114 | ..SWITCH, THERMOSTATIC | 1 |
| 17 | PAFZZ | 81349 | RER70F20R0R | ..RESISTOR | 1 |
| 18 | XBFZZ | 93084 | 154-159 | ..SHIM RESET SWITCH | 1 |
| 19 | MFFZZ | 93084 | 154-325 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-16878-1-16-2, 6 IN LG. | 1 |
| 20 | XBFZZ | 05382 | A234-06 | ..CONNECTOR FORK | 1 |
| 21 | MFFZZ | 93084 | 154-324 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 9 IN LG | 1 |
| 22 | PAFZZ | 93084 | 3455RM77 | ..THERMOSTAT RESET | 1 |
| 23 | XBFZZ | 93084 | 154-152 | ..BOX TIMER | 1 |
| 24 | XBFZZ | 93084 | 154-169 | .SEAL INNER TIMER | 1 |
| 25 | XBFZZ | 93084 | 154-245 | .BUTTON ASSY RESET | 1 |
| 26 | XAFZZ | 93084 | 154-244 | ..BUTTON RESET | 1 |
| 27 | XAFZZ | 93084 | 154-243 | ..RETAINER BUTTON | 1 |
| 28 | XAFZZ | 93084 | 154-170 | ..SEAL OUTER TIMER | 1 |

END OF FIGURE




Figure 5. Ignition Power Supply.

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | C01 (5) | (6) |
|------------------------------|-------------|-------|-------------------------|--|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 03 ELECTRICAL | | | | | |
| FIG. 5 IGNITION POWER SUPPLY | | | | | |
| 1 | PAFZZ | 96906 | MS35191-274 | SCREW MACHINE | 4 |
| 2 | PAFZZ | 96906 | MS9122-03 | SCREW MACH HEX HD | 2 |
| 3 | PAFZZ | 96906 | MS35333-39 | WASHER LOCK INTL T | 2 |
| 4 | XBFZZ | 93084 | 154-295 | CASE ASSY IGNITION | 1 |
| 5 | PAFZZ | 96906 | MS9881-09 | .NUT PLAIN HEX | 3 |
| 6 | PAFZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 3 |
| 7 | PAFZZ | 96906 | MS35207-265 | .SCREW MACH PAN HEAD | 2 |
| 8 | XBFZZ | 93084 | 154-190 | .BRACE IGNITION | 1 |
| 9 | XDFZZ | 93084 | 154-420 | .SCREW MACHINE | 1 |
| 10 | PAFZZ | 96906 | MS35206-242 | .SCREW MACH PAN HEAD | 2 |
| 11 | PAFZZ | 96906 | MS35649-282 | .NUT PLAIN HEX | 2 |
| 12 | PAFZZ | 96906 | MS35333-38 | .WASHER LOCK INTL T | 2 |
| 13 | XBOZZ | 93084 | 154-292 | .CASE ASSY IGN TOP | 1 |
| 14 | PBFZZ | 03743 | CG3150 | ..SHELL,ELECTRICAL CO | 1 |
| 15 | PAFZZ | 93084 | 66670 | ..CABLE IGNITION | 1 |
| 16 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 4 |
| 17 | MFFZZ | 93084 | 154-334 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-6, 3 IN LG | 2 |
| 18 | PAFZZ | 96906 | MS35206-230 | ..SCREW MACHINE | 4 |
| 19 | XBFZZ | 94991 | EGC-251 | ..TRANSISTOR | 2 |
| 20 | XBFZZ | 94991 | EGC413 | ..INSULATOR,STANDOFF | 2 |
| 21 | XBFZZ | 94991 | EGC209 | ..SOCKET,PLUG IN,ELEC | 2 |
| 22 | XBFZZ | 06383 | PLTIM-CP | ..TIE,CABLE | 1 |
| 23 | XBFZZ | 05832 | BB8138 | ..TERMINAL DISCONNECT | 1 |
| 24 | MFFZZ | 93084 | 154-332 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE,P/N MIL-W-16878-1-16-4, 15 IN LG | 1 |
| 25 | XBFZZ | 56289 | 103P608 | ..CAPACITOR,FIXED,PAP | 1 |
| 26 | PAFZZ | 96906 | MS9361-11 | ..NUT,PLAIN,HEXAGON | 1 |
| 27 | PAFZZ | 96906 | MS35333-41 | ..WASHER,LOCK | 1 |
| 28 | PAFZZ | 34899 | 2643021801 | ..BEADS FERRITE | 2 |
| 29 | XBFZZ | 92219 | T2105 | ..SPLICE,CONDU | 1 |
| 30 | PAFZZ | 93084 | 154-273 | ..CHOKE EMI | 1 |
| 31 | PAFZZ | 96906 | MS35206-235 | ..SCREW MACHINE | 4 |
| 32 | PAFZZ | 96906 | MS35333-37 | ..WASHER,LOCK INTL T | 4 |
| 33 | PAFZZ | 96906 | MS35649-262 | ..NUT,HEX | 4 |
| 34 | XBFZZ | 93084 | 154-290 | ..PC BOARD ASSY IGN | 1 |
| 35 | MFFZZ | 93084 | 154-334 | ..WIRE ELECTRIC,MAKE FROM ELECTRIC WIRE,P/N MIL-W-16878-1-16- 1,3 IN LG | 2 |
| 36 | MFFZZ | 93084 | 154-335 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE,P/N MIL-W-16878-1-16- 5,2 IN LG | 2 |
| 37 | MFFZZ | 93084 | 154-336 | ..WIRE ELECTIRC MAKE FROM ELECTRIC WIRE,P/N MIL-W-16878-1-16- 4,2 IN LG | 2 |
| 38 | MFFZZ | 93084 | 154-321 | ..WIRE ELECTRIC MAKE FROM | 1 |

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|-------------------|-------------|-------|-------------------------|---|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| | | | | ELECTRIC WIRE, P/N MIL-W-16878-1-16-4, 4 IN LG | |
| 39 | XDFZZ | 18324 | SE555CV | ..MICROCIRCUIT,LINEAR | 1 |
| 40 | XBFZZ | 93084 | 154-156 | ..BOARD PC IGNITION | 1 |
| 41 | XBOZZ | 93084 | 154-422 | ..SPACER | 4 |
| 42 | MFFZZ | 93084 | 154-331 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 2 IN LG | 1 |
| 43 | XBFZZ | 93084 | 154-144 | ..BRACKET UPPER IGN | 2 |
| 44 | XBFZZ | 93084 | 154-145 | ..TOP IGNITION CASE | 1 |
| 45 | XBFZZ | 93084 | 154-288 | ..CASE AND COIL ASSY | 1 |
| 46 | PAFZZ | 96906 | MS9122-03 | ..SCREW MACH HEX HD | 4 |
| 47 | PAFZZ | 96906 | MS9881-09 | ..NUT PLAIN HEX | 4 |
| 48 | PAFZZ | 96906 | MS35333-39 | ..WASHER LOCK INTL T | 4 |
| 49 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 4 |
| 50 | MFFZZ | 93084 | 154-330 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 6 IN LG | 1 |
| 51 | MFFZZ | 93084 | 154-331 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16873-1-16-90, 2 IN LG | 1 |
| 52 | XBFZZ | 93084 | 154-143 | ..BRACKET LOWER IGN | 2 |
| 53 | XBFZZ | 93084 | 154-287 | ..COIL ASSY IGNITION | 1 |
| 54 | MFFZZ | 93084 | 154-328 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 8 IN LG | 3 |
| 55 | XBFZZ | 93084 | 154-165 | ..STRAP POWER IGN | 2 |
| 56 | XBFZZ | 93084 | 154-285 | ..STRAP GROUND IGN | 1 |
| 57 | XBFZZ | 73961 | GC202 | ..COIL IGNITION | 4 |
| 58 | XBFZZ | 93084 | 154-192 | ..CASE IGNITION | 1 |

END OF FIGURE





Figure 6. Wiring Terminal Blocks, and Motor Control Resistor.

| SECTION II (1) ITEM NO | (2) SMR CODE | (3) FSCM | TM5-4520-242-23P (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|--|--------------------|-------------|---|--|------------|
| GROUP 03 ELECTRICAL | | | | | |
| FIG. 6 WIRING TERMINAL BLOCKS, AND MOTOR CONTROL RESISTOR | | | | | |
| 1 | PAFZZ | 96906 | MS35206-228 | SCREW MACHINE | 2 |
| 2 | PAFZZ | 96906 | MS35649-262 | NUT PLAIN HEX | 8 |
| 3 | PAFZZ | 96906 | MS35333-37 | WASHER LOCK INTL T | 8 |
| 4 | XBFZZ | 06383 | PLTIM-CP | TIE CABLE | 7 |
| 5 | XBFZZ | 93084 | 154-275 | RELAY ASSEMBLY | 1 |
| 6 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 3 |
| 7 | MFFZZ | 93084 | 154-309 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-6, 4 IN LG | 1 |
| 8 | MFFZZ | 93084 | 154-311 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-4, 3 IN LG | 1 |
| 9 | MFFZZ | 93084 | 154-316 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-5, 3 IN LG | 2 |
| 10 | MFFZZ | 93084 | 154-310 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-18-1, 16 IN LG | 1 |
| 11 | MFFZZ | 93084 | 154-312 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-18-2, 16 IN LG | 1 |
| 12 | XBFZZ | 05832 | A234-06 | .CONNECTOR FORK | 2 |
| 13 | MFFZZ | 93084 | 154-313 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-2, 15 IN LG | 1 |
| 14 | MFFZZ | 93084 | 154-314 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-8, 8 IN LG | 1 |
| 15 | XBFZZ | 05832 | A221-10 | .TERMINAL EYE | 1 |
| 16 | MFFZZ | 93084 | 154-315 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 8 IN LG | 1 |
| 17 | PAFZZ | 96906 | MS27245-1 | .RELAY, ELECTROMAGNET | 1 |
| 18 | PAFZZ | 96906 | MS35191-273 | SCREW MACHINE | 1 |
| 19 | PAFZZ | 96906 | MS9881-09 | NUT PLAIN HEX | 1 |
| 20 | PAFZZ | 96906 | MS35333-39 | WASHER LOCK INTL T | 1 |
| 21 | XDFZZ | 96906 | MS21105-3 | CLAMP, LOOP | 1 |
| 22 | PAFZZ | 96906 | MS35190-238 | SCREW MACHINE | 6 |
| 23 | XBFZZ | 93084 | 154-299 | TERM BLOCK ASSY MN | 1 |
| 24 | XBFZZ | 05832 | 3422 | .TAB TERMINAL BLOCK | 9 |
| 25 | XAFZZ | 05832 | 34005-5 | .BLOCK TERMINAL | 1 |
| 26 | XBFZZ | 93084 | 154-300 | TERM BLOCK ASSY SEC | 1 |
| 27 | XBFZZ | 05832 | 3422 | .TAB TERMINAL BLOCK | 9 |
| 28 | XAFZZ | 05614 | 600-4 | .BLOCK TERMINAL | 1 |
| 29 | XBFZZ | 93084 | 154-284 | RES ASSY MOTOR CONT | 1 |
| 30 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 2 |
| 31 | MFFZZ | 93084 | 154-326 | .WIRE ELECTRIC MAKE FROM ELECTRIC | 1 |

| SECTION II | | | | | |
|------------|----------|-------|-------------|--|-----|
| (1) | (2) | (3) | (4) | (5) | (6) |
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| | | | | TM5-4520-242-23P | |
| 32 | MFFZZ | 93084 | 154-327 | WIRE, P/N MIL-W-16878-1-16-8, 4 IN LG | 1 |
| 33 | PAFZZ | 44655 | 0362 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-59, 4 IN LG | 1 |
| | | | | .RESISTOR,ADJUSTABLE | |
| | | | | END OF FIGURE | |



4786-007


Figure 7. Room Thermostat, Thermostat Relays, and Delay Relay.

| SECTION II (1) ITEM NO | (2) SMR CODE | (3) FSCM | TM5-4520-242-23P (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|---|--------------------|-------------|---|--|------------|
| GROUP 03 ELECTRICAL | | | | | |
| FIG. 7 ROOM THERMOSTAT, THERMOSTAT RELAYS, AND DELAY RELAY | | | | | |
| 1 | PAOZZ | 92578 | A19BAB3 | CONTROL,TEMPERATURE | 1 |
| 2 | PAFZZ | 96906 | MS35191-273 | SCREW MACHINE | 2 |
| 3 | XBOZZ | 93084 | 154-361 | THERMO ASSY OVHT | 1 |
| 4 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 2 |
| 5 | MFFZZ | 93084 | 154-340 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-5, 10 IN LG | 1 |
| 6 | MFFZZ | 93084 | 154-339 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, MIL-W-16878-1-16-269, 7 IN LG. | 1 |
| 7 | PAFZZ | 96906 | MS35206-226 | .SCREW MACHINE | 2 |
| 8 | PAFZZ | 96906 | MS35649-262 | .NUT PLAIN HEX | 2 |
| 9 | PAFZZ | 96906 | MS35333-37 | .WASHER LOCK INTL T | 2 |
| 10 | PAFZZ | 93084 | 3100-61-125 | .THERMOSTAT OVERHEAT | 1 |
| 11 | XBFZZ | 93084 | 154-168 | .BRACKET OVHT THERMO | 1 |
| 12 | PAFZZ | 96906 | MS9881-09 | NUT PLAIN HEX | 1 |
| 13 | PAFZZ | 96906 | MS35333-39 | WASHER LOCK INTL T | 1 |
| 14 | XBOZZ | 93084 | 154-362 | THERMO ASSY SAFETY | 1 |
| 15 | PAFZZ | 96906 | MS35206-226 | .SCREW MACHINE | 2 |
| 16 | PAFZZ | 96906 | MS35649-262 | .NUT PLAIN HEX | 2 |
| 17 | PAFZZ | 96906 | MS35333-37 | .WASHER LOCK INTL T | 2 |
| 18 | PAFZZ | 93084 | 3100-61-114 | .THERMO FLAME SAFETY | 1 |
| 19 | XBFZZ | 93084 | 154-167 | .BRKT SAFETY THERMO | 1 |
| 20 | PAFZZ | 96906 | MS35206-226 | SCREW MACHINE | 4 |
| 21 | PAFZZ | 96906 | MS35333-37 | WASHER LOCK INTL T | 4 |
| 22 | XBFZZ | 93084 | 154-270 | CRTG THERMO ASSY | 1 |
| 23 | XBFZZ | 05832 | A221-10 | .TERMINAL EYE | 1 |
| 24 | XDFZZ | 93084 | HS3715-75W/28VSF 1-10 | .CARTRIDGE HEATER | 1 |
| 25 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 1 |
| 26 | MFFZZ | 93084 | 154-306 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-7, 6 IN LG | 1 |
| 27 | PAFZZ | 93084 | 3100-61-116 | .SWITCH,THERMOSTATIC | 1 |
| 28 | XBFZZ | 93084 | 154-272 | THERMO ASSY GLPG | 1 |
| 29 | XBFZZ | 05832 | A221-10 | .TERMINAL EYE | 1 |
| 30 | MFFZZ | 93084 | 154-306 | .WIRE ELEC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-7, 6 IN LG | 1 |
| 31 | XBFZZ | 05832 | BB8138 | .TERMINAL,QUICK DISC | 1 |
| 32 | MFFZZ | 93084 | 154-307 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-7, 11 IN LG | 1 |
| 33 | PAFZZ | 93084 | 3100-61-116 | .SWITCH,THERMOSTATIC | 1 |
| 34 | XBFZZ | 93084 | 154-217 | SHIELD TUBE | 1 |
| 35 | PAFZZ | 70563 | 26N05T | RELAY,THERMAL | 1 |

END OF FIGURE

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|--------------------------|-------------|-------|-------------------------|--------------------------------------|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 04 BURNER ASSEMBLY | | | | | |
| FIG. 8 BURNER ASSEMBLY | | | | | |
| 1 | PAOZZ | 08484 | QS200-16H | CLAMP,HOSE | 2 |
| 2 | PAOZZ | 70628 | 3-1565-8 | HOSE,AIR,DUCT | 1 |
| 3 | PAOZZ | 93084 | 154-279 | TUBING COMPA | 1 |
| 4 | PAFZZ | 96906 | MS9122-03 | SCREW MACH HEX HD | 6 |
| 5 | PAFZZ | 96906 | MS35333-39 | WASHER LOCK INTL T | 6 |
| 6 | XBFZZ | 93084 | 154-122 | CHOKE ASSY BURNER | 1 |
| 7 | XDFZZ | 93084 | 154-255 | BURNER ASSEMBLY | 1 |
| 8 | PAOZZ | 96906 | MS39169-13 | .ADAPTER,STRAIGHT,PI | 1 |
| 9 | PAOZZ | 79470 | 3500X2 | .ELBOW,PIPE | 1 |
| 10 | PAOZZ | 96906 | MS51953-6 | .NIPPLE,PIPE | 2 |
| 11 | PAOZZ | 93084 | 154-216 | .PLUG SPARK | 1 |
| 12 | PAOZZ | 96906 | MS35333-38 | .WASHER LOCK INTL T | 1 |
| 13 | XDOZZ | 11583 | CH47 | .GLOW PLUG | 1 |
| 14 | PAOZZ | 11583 | N678 | .GASKET | 1 |
| 15 | PAOZZ | 96906 | MS9122-03 | .SCREW MACH HEX HD | 4 |
| 16 | PAOZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 4 |
| 17 | XBOZZ | 93084 | 154-186 | .RETAINER NEEDLE | 1 |
| 18 | PAFZZ | 96906 | MS51963-37 | .SETSCREW HEX SOCKET | 2 |
| 19 | XBFZZ | 93084 | 154-223 | .FUEL DELIVERY ASSY. | 1 |
| 20 | XBOZZ | 93084 | 154-221 | ..NDL ASSY FUEL ADJ | 1 |
| 21 | PAOZZ | 93084 | 154-184 | ...NEEDLE FUEL ADJ | 1 |
| 22 | PAOZZ | 96906 | MS35650-305 | ...NUT PLAIN HEX | 1 |
| 23 | PAOZZ | 93084 | 154-124 | ...PLUG PIPE | 1 |
| 24 | PAOZZ | 93084 | 154-185 | ...SEAL NEEDLE | 1 |
| 25 | XBFZZ | 93084 | 154-188 | ..PLATE BURNER COVER | 1 |
| 26 | PAFZZ | 93084 | 154-189 | ..GASKET BURNER | 1 |
| 27 | PAFZZ | 71895 | 30609-2 | ..NOZZLE,SPRAY,FLUID- | 1 |
| 28 | XDFZZ | 93084 | 154-187 | ..ADAPTER NOZZLE | 1 |
| 29 | PAFZZ | 96906 | MS35206-226 | .SCREW MACHINE | 4 |
| 30 | PAFZZ | 96906 | MS35333-37 | .WASHER LOCK INTL T | 4 |
| 31 | XDFZZ | 93084 | 154-132 | .HEAD ASSY BURNER | 1 |
| 32 | XDFZZ | 93084 | 154-131 | .BURNER | 1 |

END OF FIGURE



4786-009

Figure 9. Fuel Tubing and Fittings.

| (1) ITEM NO | (2) SMR CODE | (3) FSCM | (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|---------------------------------|--------------------|-------------|-----------------------|---|------------|
| GROUP 05 FUEL ASSEMBLY | | | | | |
| FIG. 9 FUEL TUBING AND FITTINGS | | | | | |
| 1 | PAOZZ | 79470 | MS35869-22 | ADAPTER, STRAIGHT, PI | 1 |
| 2 | PAOZZ | 79470 | W21204 | ADAPTER BUSHING | 1 |
| 3 | XDOZZ | 79470 | 3220X4X2 | BUSHING BRASS | 1 |
| 4 | PAOZZ | 96906 | MS39169-13 | ADAPTER, STRAIGHT, PI | 6 |
| 5 | PAOZZ | 93084 | 154-278 | TUBING FUEL | 1 |
| 6 | PAOZZ | 93084 | 154-280 | TUBING FUEL | 1 |
| 7 | PAOZZ | 93084 | 154-277 | TUBING VENT | 1 |
| 8 | PAOZZ | 96906 | MS51953-6 | NIPPLE, PIPE | 1 |
| 9 | PAOZZ | 79470 | 3400X2 | ELBOW, PIPE | 4 |
| 10 | PAOZZ | 79470 | 3350X2 | ELBOW, PIPE | 1 |

END OF FIGURE




Figure 10. Float Bowl Assembly and Solenoid Valve.

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|--|-------------|-------|-------------------------|--|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 05 FUEL SYSTEM | | | | | |
| FIG. 10 FLOAT BOWL ASSEMBLY AND SOLENOID VALVE | | | | | |
| 1 | XDFZZ | 79470 | 3150X2 | .PLUG PIPE | 1 |
| 2 | PAFZZ | 96152 | 013440 | .FLOAT, CARBURETOR | 1 |
| 3 | PAFZZ | 96906 | MS35265-45 | ..SCREW MACHINE | 4 |
| 4 | PAFZZ | 96906 | MS35338-42 | ..WASHER, LOCK | 4 |
| 5 | XBFZZ | 96152 | 0700 | ..PIN, STRAIGHT, HEADLE | 1 |
| 6 | XAFZZ | 96152 | 013444 | ..COVER ASSY FLOAT | 1 |
| 7 | XBFZZ | 96152 | 07283 | ...SCREEN INLET | 1 |
| 8 | XBFZZ | 96152 | 013441 | ..FLOAT | 1 |
| 9 | XBFZZ | 96152 | 013443 | ..NEEDLE ASSEMBLY, INL | 1 |
| 10 | XDFZZ | 96152 | 02510 | ...WASHER, FLAT | 1 |
| 11 | XBFZZ | 96152 | 017259 | ..GASKET COVER | 1 |
| 12 | XAFZZ | 96152 | 09196 | ..BOWL FLOAT | 1 |
| 13 | PAFZZ | 96906 | MS51953-9 | .NIPPLE, PIPE | 1 |
| 14 | PAFZZ | 79470 | 3400X2 | .ELBOW, PIPE | 3 |
| 15 | PBFZZ | 93084 | 154-269 | .SOLENOID VALVE ASSY | 1 |
| 16 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 1 |
| 17 | XBFZZ | 05832 | BB8138 | ..TERMINAL DISCONNECT | 1 |
| 18 | XBFZZ | 92219 | T2105 | ..CONNECTOR PARALLEL | 1 |
| 19 | MFFZZ | 93084 | 154-305 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-3, 2 IN LG | 1 |
| 20 | XBFZZ | 51181 | M21B1/8 1/8 24DC | ..VALVE SOLENOID | 1 |
| 21 | PAFZZ | 96906 | MS51953-10 | .NIPPLE, PIPE | 1 |
| 22 | PAFZZ | 96906 | MS51964-31 | .SETSCREW | 1 |
| 23 | XB0ZZ | 93084 | 154-120 | .PREHEATER FUEL | 1 |

END OF FIGURE

2
3 THRU 7




Figure 11. Fuel Filter.

| SECTION II | | | | | |
|----------------------|----------|-------|-------------|--------------------------------------|-----|
| (1) | (2) | (3) | (4) | (5) | (6) |
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| TM5-4520-242-23P | | | | | |
| GROUP 05 FUEL SYSTEM | | | | | |
| FIG. 11 FUEL FILTER | | | | | |
| 1 | XDFZZ | 79470 | 3150X2 | PLUG PIPE | 1 |
| 2 | PAOZZ | 96906 | MS51086-1 | FILTER FUEL | 1 |
| 3 | XBOZZ | 79960 | F10X3 | .BAIL, SEDIMENT BOWL | 1 |
| 4 | XBOZZ | 79960 | A7413743 | .GASKET BOWL | 1 |
| 5 | XBOZZ | 79960 | F2X79T3 | .FILTER ELEMENT, FLUI | 1 |
| 6 | XBOZZ | 79960 | F8X56 | .BOWL | 1 |
| 7 | XAOZZ | 79960 | F7X184 | .HEAD FILTER | 1 |
| END OF FIGURE | | | | | |





Figure 12. Fuel Pump.

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|----------------------|-------------|-------|-------------------------|--|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 05 FUEL SYSTEM | | | | | |
| FIG. 12 FUEL PUMP | | | | | |
| 1 | PAFZZ | 93084 | 154-265 | SCREW FLAT HEAD | 2 |
| 2 | PAFZZ | 96906 | MS35649-2252 | NUT PLAIN HEX | 3 |
| 3 | PAFZZ | 96906 | MS35333-40 | WASHER LOCK INTL T | 3 |
| 4 | XBOZZ | 93084 | 154-297 | WIRE ASSEMBLY | 1 |
| 5 | XBFZZ | 05832 | A221-10 | .TERMINAL EYE | 1 |
| 6 | XBFZZ | 92219 | T2004 | .TERMINAL,LUG RING T | 1 |
| 7 | MFFZZ | 93084 | 154-315 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 8 IN LG | 1 |
| 8 | XBFZZ | 93084 | 154-366 | WIRE ASSEMBLY | 1 |
| 9 | XBFZZ | 05832 | BB8138 | .TERMINAL DISCONNECT | 1 |
| 10 | PAFZZ | 96906 | MS27144-1 | .CONNECTOR,PLUG,ELEC | 1 |
| 11 | MFFZZ | 93084 | 154-344 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-8, 8 IN LG | 1 |
| 12 | PAFZZ | 96906 | MS51321-1 | PUMP,FUEL,ELECTRICA | 1 |
| 13 | XBOZZ | 72850 | 476563 | .COVER AND GASKET | 1 |
| 14 | PAFZZ | 72850 | 475594 | .GASKET | 1 |
| 15 | XDOZZ | 72850 | 475634 | .FILTER ELEMENT,FLUI | 1 |
| 16 | XBFZZ | 72850 | 490028 | .SCREW | 3 |
| 17 | XBFZZ | 72850 | 476364 | .CUP SPRING | 1 |
| 18 | XBFZZ | 72850 | 475126 | .GASKET | 1 |
| 19 | XDFZZ | 72850 | 475127 | .SPRING,HELICAL,COMP | 1 |
| 20 | XAFZZ | 72850 | 476474 | .PLUNGER ASSEMBLY | 1 |
| 21 | XBFZZ | 00000 | 7762624 | .CONNECTOR | 1 |

END OF FIGURE




4786-013

Figure 13. Heat Exchanger and Rainshield

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|---|-------------|-------|-------------------------|--------------------------------------|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 06 HEAT EXCHANGER | | | | | |
| FIG. 13 HEAT EXCHANGER AND RAINSIELD | | | | | |
| 1 | XBFZZ | 93084 | 154-367 | EXCHANGER HEAT | 1 |
| 2 | PAFZZ | 96906 | MS35191-273 | .SCREW MACHINE | 3 |
| 3 | XBFZZ | 93084 | 154-177 | .CLIP RETAINER | 3 |
| 4 | PAFZZ | 96906 | MS9122-05 | .SCREW,MACHINE | 8 |
| 5 | PAFZZ | 96906 | MS9881-09 | .NUT PLAIN HEX | 10 |
| 6 | PAFZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 22 |
| 7 | XBFZZ | 93084 | 154-178 | .CLIP BENT RETAINER | 1 |
| 8 | XBFZZ | 93084 | 154-164 | .BAR SEAL RETAINER | 1 |
| 9 | XBFZZ | 93084 | 154-264 | .SEAL LEFT SIDE | 1 |
| 10 | PAFZZ | 96906 | MS35206-277 | .SCREW MACHINE | 4 |
| 11 | PAFZZ | 96906 | MS35333-40 | .WASHER LOCK INTL T | 4 |
| 12 | PBFZZ | 93084 | 154-118 | .FITTING EXHAUST | 1 |
| 13 | PAFZZ | 93084 | 154-360 | .INSULATION EXHAUST | 1 |
| 14 | XBFZZ | 93084 | 154-205 | .EXHAUST PIPE ASSY | 1 |
| 15 | PAFZZ | 08484 | QS200-32H | ..CLAMP,HOSE | 1 |
| 16 | XBFZZ | 93084 | 154-203 | ..INSUL EXH PIPE COV | 1 |
| 17 | XBFZZ | 93084 | 154-204 | ..INSUL EXHAUST PIPE | 1 |
| 18 | XDFZZ | 93084 | 154-119 | .PIPE,EXHAUST | 1 |
| 19 | XBFZZ | 93084 | 154-163 | .SUPPORT EXCHANGER | 1 |
| 20 | PAFZZ | 08484 | QS200-32H | .CLAMP,HOSE | 2 |
| 21 | XDFZZ | 93084 | 154-199 | .SEAL ASSEMBLY,INSUL | 1 |
| 22 | XDFZZ | 93084 | 154-198 | ..INSUL SEAL EXHAUST | 1 |
| 23 | XDFZZ | 93084 | 154-142 | ..SEAL,CHAMBER HOUSIN | 1 |
| 24 | XDFZZ | 93084 | 154-421 | .SCREW MACHINE | 8 |
| 25 | XBFZZ | 93084 | 154-117 | .BUNDLE ASSY TUBE | 1 |
| 26 | PAFZZ | 93084 | 154-424 | ..PLUG PIPE | 1 |
| 27 | PAFZZ | 96906 | MS35206-245 | SCREW MACH PAN HEAD | 3 |
| 28 | PAFZZ | 96906 | MS35649-282 | NUT PLAIN HEX | 6 |
| 29 | PAFZZ | 96906 | MS35333-38 | WASHER LOCK INTL T | 6 |
| 30 | XBFZZ | 93084 | 154-256 | SHIELD ASSY RAIN | 1 |

END OF FIGURE

1
2 THRU 19



4786-014

Figure 14. Blower Support Assembly, Blower Motor.

| SECTION II | | TM5-4520-242-23P | | | |
|--|----------|------------------|-------------|--------------------------------------|-----|
| (1) | (2) | (3) | (4) | (5) | (6) |
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 07 BLOWER ASSEMBLY | | | | | |
| FIG. 14 BLOWER SUPPORT ASSEMBLY, BLOWER MOTOR | | | | | |
| 1 | XAFZZ | 93084 | 154-298 | SPRT ASSY BLO MOTOR | 1 |
| 2 | XDFZZ | 60399 | 0-5520-4 | .IMPELLER, FAN, AXIAL | 1 |
| 3 | PAFZZ | 96906 | MS9122-05 | .SCREW, MACHINE | 4 |
| 4 | PAFZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 18 |
| 5 | XBFZZ | 93084 | 154-191 | .STABILIZER BLO MOT | 1 |
| 6 | PAFZZ | 96906 | MS35207-265 | .SCREW MACH PAN HEAD | 6 |
| 7 | PAFZZ | 96906 | MS9881-09 | .NUT PLAIN HEX | 10 |
| 8 | PAFZZ | 88044 | AN960-10 | .WASHER, FLAT | 12 |
| 9 | PAFZZ | 96906 | MS35191-273 | .SCREW MACHINE | 9 |
| 10 | XBFZZ | 93084 | 154-164 | .BAR SEAL RETAINER | 1 |
| 11 | XBFZZ | 93084 | 154-263 | .SEAL BACK SIDE | 1 |
| 12 | XBFZZ | 93084 | 154-240 | .BAR TIE | 1 |
| 13 | XBFZZ | 93084 | 154-239 | .BRIDGE SUPPORT | 1 |
| 14 | XBFZZ | 93084 | 154-238 | .BRACKET BACK SPRT | 1 |
| 15 | XBFZZ | 93084 | 154-175 | .STIFFENER CTR SPRT | 1 |
| 16 | XBFZZ | 93084 | 154-268 | .SHROUD ASSY FAN | 1 |
| 17 | XDFZZ | 96906 | MS21919H3 | .CLAMP, LOOP | 1 |
| 18 | XBFZZ | 06383 | PLTIM-CP | .TIE CABLE | 1 |
| 19 | XDFZZ | 93084 | 154-274 | .BLOWER ASSY MOTOR | 1 |

END OF FIGURE

5
6 THRU 23

9
10 THRU 16

17
18 THRU 23





Figure 15. Blower Assembly, Motor.

| SECTION II (1) ITEM NO | (2) SMR CODE | (3) FSCM | TM5-4520-242-23P (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|---------------------------------|--------------------|-------------|---|---|------------|
| GROUP 07 BLOWER ASSEMBLY | | | | | |
| FIG. 15 BLOWER ASSEMBLY, MOTOR | | | | | |
| 1 | PAFZZ | 96906 | MS35206-242 | ..SCREW MACHINE | 2 |
| 2 | PAFZZ | 96906 | MS35333-38 | ..WASHER LOCK INTL T | 5 |
| 3 | PAFZZ | 96906 | MS35649-282 | ..NUT PLAIN HEX | 3 |
| 4 | PAFZZ | 88044 | AN960-8 | ..WASHER,FLAT | 2 |
| 5 | XBFZZ | 93084 | 154-267 | ..SUPPORT ASSY MOT | 1 |
| 6 | PAFZZ | 96906 | MS35206-214 | ...SCREW MACHINE | 2 |
| 7 | PAFZZ | 96906 | MS35649-242 | ...NUT PLAIN HEX | 2 |
| 8 | PAFZZ | 96906 | MS35333-36 | ...WASHER,LOCK | 2 |
| 9 | XBFZZ | 93084 | 154-261 | ...SOCKET ASSY TUBE | 1 |
| 10 | XBFZZ | 05832 | A221-10 |TERMINAL EYE | 1 |
| 11 | MFFZZ | 93084 | 154-302 |WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16- 90, 12 IN LG | 1 |
| 12 | XBFZZ | 05832 | BB8138 |TERMINAL DISCONNECT | 2 |
| 13 | MFFZZ | 93084 | 154-303 | ...WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16- 3, 17 IN LG | 1 |
| 14 | MFFZZ | 93084 | 154-304 | ...WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16- 269, 17 IN LG | 1 |
| 15 | MFFZZ | 93084 | 154-301 | ...WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16- 269, 2 IN LG | 1 |
| 16 | XBFZZ | 70563 | 9JM2 |SOCKET TUBE | 1 |
| 17 | XBFZZ | 93084 | 154-260 | ...SPRT ASSY BLO MOTOR | 1 |
| 18 | PAFZZ | 96906 | MS35489-6 |GROMMET,NONMETALLIC | 1 |
| 19 | PBFZZ | 00613 | D1420 |INSERT,SCREW THREAD | 4 |
| 20 | PAFZZ | 96906 | MS35206-283 | ...SCREW MACHINE | 4 |
| 21 | PAFZZ | 96906 | MS35333-40 | ...WASHER LOCK INTL T | 4 |
| 22 | XBFZZ | 93084 | 154-150 |SUPPORT UPPER | 1 |
| 23 | XBFZZ | 93084 | 154-151 | ...SUPPORT LOWER | 1 |
| 24 | XBFZZ | 05832 | BB8138 | ..TERMINAL DISCONNECT | 1 |
| 25 | MFFZZ | 93084 | 154-308 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-59, 19 IN LG | 1 |
| 26 | XBFZZ | 05832 | A221-10 | ..TERMINAL EYE | 2 |
| 27 | MFFZZ | 93084 | 154-302 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 12 IN LG | 1 |
| 28 | PAFZF | 62119 | YZ1U026K | ..MOTOR ELECTRIC | 1 |
| 29 | XBFZZ | 93084 | 154-129 | ..HOUSING ASSY BLOWER | 1 |


END OF FIGURE



4786-016

Figure 16. Motor, Blower.


| SECTION II (1) | (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|--------------------------|-------------|-------|-------------------------|--------------------------------------|-----|
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 07 BLOWER ASSEMBLY | | | | | |
| FIG. 16 MOTOR, BLOWER | | | | | |
| 1 | PAFZZ | 96906 | MS35649-282 | ...NUT PLAIN HEX | 2 |
| 2 | PAFZZ | 96906 | MS35335-31 | ...WASHER LOCK EXT T | 2 |
| 3 | XBFZZ | 62119 | 14P29-1 | ...CAP BRUSH | 2 |
| 4 | XBFZZ | 62119 | 25T18A3 | ...BRUSH AND SPR ASSY | 2 |
| 5 | XBFZZ | 62119 | 21S8 | ...STUD CASE | 2 |
| 6 | XAFZZ | 62119 | 39TY12M1 | ...HEAD REAR | 1 |
| 7 | XBFZZ | 62119 | 34A16 | ...WASHER SPRING | 1 |
| 8 | XBFZZ | 62119 | 34T263-6 | ...WSHR SPCR 0.010 THK | 3 |
| 9 | XBFZZ | 62119 | 34T265-4 | ...WSHR SPCR 0.005 THK | 3 |
| 10 | XAFZZ | 62119 | 15TY20U6 | ...ARMATURE ASSEMBLY | 1 |
| 11 | XAFZZ | 62119 | 32TY1-281 | ...FIELD AND SHL ASSY | 1 |
| 12 | XBFZZ | 62119 | 62P137-1 | ...TUBE BRUSH | 2 |
| 13 | PAFZZ | 96906 | MS9361-11 | ...NUT, PLAIN, HEXAGON | 1 |
| 14 | PAFZZ | 96906 | MS35333-41 | ...WASHER, LOCK | 1 |
| 15 | PAFZZ | 56289 | 103P608 | ...CAPACITOR, FIXED, PAP | 1 |
| 16 | XBFZZ | 62119 | 39TY11A15 | ...HEAD ASSEMBLY BRUSH | 1 |
| END OF FIGURE | | | | | |



4786-017

Figure 17. Housing Assembly, Blower.

| SECTION II (1) | II (2) | | TM5-4520-242-23P (4) | (5) | (6) |
|----------------------------------|-------------|-------|-------------------------|--------------------------------------|-----|
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 07 BLOWER ASSEMBLY | | | | | |
| FIG. 17 HOUSING ASSEMBLY, BLOWER | | | | | |
| 1 | PAFZZ | 96906 | MS35206-228 | ...SCREW MACHINE | 2 |
| 2 | PAFZZ | 96906 | MS35649-262 | ...NUT PLAIN HEX | 2 |
| 3 | PAFZZ | 96906 | MS35333-37 | ...WASHER LOCK INTL T | 2 |
| 4 | PAFZZ | 96906 | MS24586-C52 | ...SPRING, HELICAL, EXTE | 1 |
| 5 | PAFZZ | 96906 | MS35207-267 | ...SCREW MACHINE | 1 |
| 6 | PAFZZ | 96906 | MS9881-09 | ...NUT PLAIN HEX | 1 |
| 7 | PAFZZ | 96906 | MS35333-39 | ...WASHER LOCK INTL T | 10 |
| 8 | PAFZZ | 96906 | MS35207-265 | ...SCREW MACH PAN HEAD | 9 |
| 9 | XDFZZ | 93084 | 154-233 | ...HOUSING, BLOWER, HEAT | 1 |
| 10 | XAFZZ | 93084 | 154-166 | ...CUSHION BLOWER HSG | 1 |
| 11 | XAFZZ | 93084 | 154-125 | ...HSG BLOWER INTAKE | 1 |
| 12 | XDFZZ | 93084 | 154-220 | ...WHEEL BLOWER | 1 |
| 13 | XDFZZ | 93084 | 154-128 | ...BLOWER HSG ASSY MOT | 1 |
| 14 | PAFZZ | 96906 | MS35649-262 | ...NUT PLAIN HEX | 2 |
| 15 | PAFZZ | 96906 | MS35333-37 | ...WASHER LOCK INTL T | 2 |
| 16 | XAFZZ | 93084 | 154-222 | ...LINKAGE AIR DAMPER | 1 |
| END OF FIGURE | | | | | |



4786-018

Figure 18. Compressor Mounting Assembly.

| SECTION II (1) | ITEM (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|---|-------------|-------|-------------------------|---|-----|
| NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 08 COMPRESSOR ASSEMBLY | | | | | |
| FIG. 18 COMPRESSOR MOUNTING ASSEMBLY | | | | | |
| 1 | XBFZZ | 93084 | 154-294 | MOUNTING ASSY CPRSR | 1 |
| 2 | PAFZZ | 79470 | 3400X2 | .ELBOW, PIPE | 4 |
| 3 | PAFZZ | 28478 | N10BK | .VALVE BRASS NEEDLE | 1 |
| 4 | XAFZZ | 28478 | 00305-01 | ..NUT VALVE | 1 |
| 5 | XBFZZ | 28478 | 02195-01 | ..KNOB VALVE | 1 |
| 6 | XBFZZ | 28478 | 01639-01 | ..HSG AND NEEDLE ASSY | 1 |
| 7 | XBOZZ | 28478 | 01673 | ...NEEDLE ASSEMBLY | 1 |
| 8 | XAFZZ | 28478 | 00344-02 | ...WASHER VALVE | 1 |
| 9 | XAFZZ | 28478 | 03005-01 |PACKING PREFORMED | 1 |
| 10 | XAFZZ | 28478 | 00159 |NEEDLE VALVE | 1 |
| 11 | XBFZZ | 28478 | 00008-01 | ...HOUSING VALVE | 1 |
| 12 | XAFZZ | 28478 | 00047-01 | ..BODY VALVE | 1 |
| 13 | PAFZZ | 96906 | MS39169-13 | .ADAPTER, STRAIGHT, PI | 1 |
| 14 | XBFZZ | 79470 | 3750X2 | .TEE, PIPE | 1 |
| 15 | PAFZZ | 96906 | MS51953-11 | .NIPPLE, PIPE | 1 |
| 16 | PAFZZ | 96906 | MS9881-09 | .NUT PLAIN HEX | 1 |
| 17 | PAFZZ | 96906 | MS35333-39 | .WASHER LOCK INTL T | 5 |
| 18 | XBFZZ | 05832 | A221-10 | .TERMINAL EYE | 2 |
| 19 | MFFZZ | 93084 | 154-333 | .WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-90, 10 IN LG | 1 |
| 20 | PAFZZ | 96906 | MS35206-261 | .SCREW MACHINE | 2 |
| 21 | PBFZZ | 00613 | D1420 | .INSERT, SCREW THREAD | 4 |
| 22 | XBFZZ | 93084 | 154-162 | .MOUNT COMPRESSOR | 2 |
| 23 | PAFZZ | 96906 | MS9122-03 | .SCREW MACH HEX HD | 2 |
| 24 | PAFZZ | 96906 | MS35649-202 | .NUT, PLAIN, HEXAGON | 4 |
| 25 | XBFZZ | 93084 | 154-214 | .STRAP RETAINER | 1 |
| 26 | PBFZZ | 93084 | 154-283 | .COMPRESSOR MODIFIED | 1 |

END OF FIGURE




Figure 19. Compressor Assembly.

| SECTION II (1) | (2) | (3) | TM5-4520-242-23P (4) | (5) | (6) |
|------------------------------|-------------|-------|-------------------------|--|-----|
| ITEM NO | SMR CODE | FSCM | PART NUMBER | DESCRIPTION AND USABLE ON CODE (UOC) | QTY |
| GROUP 08 COMPRESSOR ASSEMBLY | | | | | |
| FIG. 19 COMPRESSOR ASSEMBLY | | | | | |
| 1 | XAFZZ | 20024 | 107ADC18-28V | ..COMPRESSOR AIR | 1 |
| 2 | XBFZZ | 20024 | 633264 | ...PLUG PIPE | 2 |
| 3 | XBFZZ | 20024 | 625266 | ...SCREW FRONT COVER | 4 |
| 4 | XBFZZ | 20024 | 625149 | ...SCREW FILTER | 1 |
| 5 | XBFZZ | 20024 | 616124 | ...SCREEN FILTER | 1 |
| 6 | XBFZZ | 20024 | 641007 | ...FILTER COMPRESSOR | 1 |
| 7 | XBFZZ | 20024 | 614374 | ...COVER FRONT | 1 |
| 8 | XBFZZ | 20024 | 625109 | ...SCREW HEAD MOUNTING | 4 |
| 9 | XBFZZ | 20024 | 625141 | ...SCREW VALVE PLATE | 8 |
| 10 | XBFZZ | 20024 | 623048 | ...PACKING PREFORMED | 4 |
| 11 | XBFZZ | 20024 | 623120 | ...PACKING PREFORMED | 1 |
| 12 | XBFZZ | 20024 | 633525 | ...VALVE UMBRELLA | 1 |
| 13 | XBFZZ | 20024 | 654362 | ...PLATE EXHAUST VALVE | 1 |
| 14 | XBFZZ | 20024 | 660255 | ...HEAD COMPRESSOR | 1 |
| 15 | XBFZZ | 20024 | 654652 | ...SCREW VALVE FLAPPER | 1 |
| 16 | XBFZZ | 20024 | 621102 | ...VALVE FLAPPER | 1 |
| 17 | XBFZZ | 20024 | 617045 | ...STRIP VALVE KEEPER | 1 |
| 18 | XBFZZ | 20024 | 654652 | ...PLATE INTAKE VALVE | 1 |
| 19 | XBFZZ | 20024 | 608146 | ...DIAPHRAGM CPRSR | 1 |
| 20 | XBFZZ | 20024 | 625244 | ...SETSCREW ECCENTRIC | 1 |
| 21 | XBFZZ | 20024 | 625114 | ...SCREW CAP | 1 |
| 22 | XBFZZ | 20024 | 645373 | ...ECC AND BRG ASSY | 1 |
| 23 | XBFZZ | 20024 | 607139 | ...ROD CONNECTING | 1 |
| 24 | XBFZZ | 20024 | 615403 | ...SPACER BEARING | 1 |
| 25 | XBFZZ | 20024 | 625058 | ...SCREW MOTOR HOUSING | 2 |
| 26 | XBFZZ | 20024 | 660659 | ...HOUSING MOTOR | 1 |
| 27 | XBFZZ | 20024 | 625260 | ...SCREW END CAP | 2 |
| 28 | XBFZZ | 20024 | 614377 | ...CAP MOTOR END | 1 |
| 29 | XBFZZ | 20024 | 625006 | ...SCREW BRUSH HOLDER | 2 |
| 30 | XBFZZ | 20024 | 626516 | ...WASHER LOCK | 2 |
| 31 | XBFZZ | 20024 | 627093 | ...BRUSH AND WIRE ASSY | 1 |
| 32 | XBFZZ | 20024 | 608092 | ...FAN AND BRG ASSY | 1 |
| 33 | XBFZZ | 20024 | 602492 | ...HOUSING ASSEMBLY | 1 |
| 34 | XBFZZ | 05832 | BB8138 | ..TERMINAL DISCONNECT | 1 |
| 35 | MFFZZ | 93084 | 154-329 | ..WIRE ELECTRIC MAKE FROM ELECTRIC WIRE, P/N MIL-W-16878-1-16-3, 8 IN LG | 1 |
| 36 | PAFZZ | 56289 | 103P608 | ..CAPACITOR, FIXED, PAP | 1 |
| 37 | PAFZZ | 96906 | MS9361-11 | ...NUT, PLAIN, HEXAGON | 1 |
| 38 | PAFZZ | 96906 | MS35333-41 | ...WASHER, LOCK | 1 |
| 39 | PAFZZ | 96906 | MS9881-09 | ...NUT PLAIN HEX | 1 |
| 40 | PAFZZ | 96906 | MS35333-39 | ...WASHER LOCK INTL T | 4 |
| 41 | PAFZZ | 96906 | MS9122-03 | ...SCREW MACH HEX HD | 1 |
| 42 | XBFZZ | 93084 | 154-266 | ..COVER HOLD | 2 |

END OF FIGURE

SECTION II

TM5-4520-242-23P

| (1) ITEM NO | (2) SMR CODE | (3) FSCM | (4) PART NUMBER | (5) DESCRIPTION AND USABLE ON CODE (UOC) | (6) QTY |
|------------------------|--------------------|-------------|--------------------------|---|------------|
| GROUP 09 BULK MATERIAL | | | | | |
| FIG. BULK | | | | | |
| 1 | PAFZZ | 81349 | MIL-W-16878-1-16 -2 | WIRE ELEC | V |
| 2 | PAFZZ | 81349 | MIL-W-16878-1-16 -90 | WIRE ELEC | V |
| 3 | PAFZZ | 81349 | MIL-W-16878-1-16 -6 | WIRE ELEC | V |
| 4 | PAFZZ | 81349 | MIL-W-16878-1-16 -5 | WIRE ELEC | V |
| 5 | PAFZZ | 81349 | MIL-W-16878-1-18 -1 | WIRE ELEC | V |
| 6 | PAFZZ | 81349 | MIL-W-16878-1-18 -2 | WIRE ELEC | V |
| 7 | PAFZZ | 81349 | MIL-W-16878-1-16 -59 | WIRE ELEC | V |
| 8 | PAFZZ | 81349 | MIL-W-16878-1-16 -269 | WIRE ELEC | V |
| 9 | PAFZZ | 81349 | MIL-W-16878-1-16 -7 | WIRE,ELECTRICAL | V |
| 10 | PAFZZ | 81349 | MIL-W-16878-1-16 -4 | WIRE,ELECTRICAL | V |
| 11 | PAFZZ | 81349 | MIL-W-16878-1-16 -1 | WIRE,ELECTRICAL | V |
| 12 | PAFZZ | 81349 | MIL-W-16878/1 | WIRE,ELECTRICAL | V |
| END OF FIGURE | | | | | |

Section III. SPECIAL TOOLS LIST
(Not Applicable)

CROSS-REFERENCE INDEXES

NATIONAL STOCK NUMBER INDEX

| STOCK NUMBER | FIG. | ITEM | STOCK NUMBER | FIG. | ITEM |
|------------------|------|------|------------------|------|------|
| 5310-00-045-3299 | 10 | 4 | | 5 | 48 |
| 5305-00-059-4553 | 6 | 22 | | 6 | 20 |
| 5320-00-081-7418 | 2 | 21 | | 7 | 13 |
| 5360-00-085-3348 | 17 | 4 | | 8 | 5 |
| 5305-00-087-0259 | 13 | 4 | | 8 | 16 |
| | 14 | 3 | | 13 | 6 |
| 5905-00-107-8972 | 6 | 33 | | 14 | 4 |
| 5935-00-137-4669 | 3 | 25 | | 17 | 7 |
| 5310-00-145-2032 | 5 | 26 | | 18 | 17 |
| | 16 | 13 | | 19 | 40 |
| | 19 | 37 | 6145-00-578-6074 | BULK | 2 |
| 5310-00-167-0721 | 5 | 27 | 5310-00-579-0079 | 3 | 12 |
| | 16 | 14 | | 5 | 32 |
| | 19 | 38 | | 6 | 3 |
| 5310-00-167-0818 | 2 | 10 | | 7 | 9 |
| | 14 | 8 | | 7 | 17 |
| 5935-00-167-7775 | 12 | 10 | | 7 | 21 |
| 5310-00-193-7577 | 3 | 23 | | 8 | 30 |
| | 4 | 15 | | 17 | 3 |
| | 15 | 8 | | 17 | 15 |
| 4730-00-196-1481 | 10 | 13 | 5310-00-596-7693 | 16 | 2 |
| 4730-00-196-1482 | 10 | 21 | 5310-00-622-8610 | 2 | 8 |
| 4730-00-196-1483 | 18 | 15 | | 5 | 5 |
| 5330-00-246-0982 | 8 | 14 | | 5 | 47 |
| 5945-00-259-4542 | 7 | 35 | | 6 | 19 |
| 5325-00-263-6632 | 2 | 16 | | 7 | 12 |
| | 15 | 18 | | 13 | 5 |
| 4730-00-266-0533 | 9 | 1 | | 14 | 7 |
| 4730-00-277-5683 | 9 | 10 | | 17 | 6 |
| 4730-00-278-4357 | 8 | 8 | | 18 | 16 |
| | 9 | 4 | | 19 | 39 |
| | 18 | 13 | 4730-00-639-9730 | 9 | 9 |
| 4730-00-287-1603 | 8 | 9 | | 10 | 14 |
| 5945-00-489-6585 | 6 | 17 | | 18 | 2 |
| 5310-00-515-8058 | 15 | 4 | 5930-00-655-1514 | 3 | 5 |
| 5935-00-539-2224 | 3 | 51 | 6145-00-702-8816 | BULK | 12 |
| 5930-00-539-7013 | 3 | 4 | 2910-00-710-6054 | 12 | 12 |
| 5305-00-543-2752 | 10 | 3 | 5305-00-719-5349 | 8 | 18 |
| 5310-00-550-1130 | 12 | 3 | 5320-00-721-5239 | 1 | 5 |
| | 13 | 11 | | | |
| | 15 | 21 | | 1 | 16 |
| 5310-00-559-0070 | 3 | 2 | | 2 | 2 |
| | 3 | 15 | 5305-00-724-5805 | 10 | 22 |
| | 4 | 3 | 5330-00-741-3774 | 12 | 14 |
| | 5 | 12 | 5310-00-822-8525 | 1 | 4 |
| | 8 | 12 | | 1 | 11 |
| | 13 | 29 | | 1 | 15 |
| | 15 | 2 | | 1 | 21 |
| 5310-00-576-5752 | 2 | 9 | 5305-00-857-5867 | 5 | 2 |
| | 5 | 3 | | 5 | 46 |
| 5310-00-576-5752 | 5 | 6 | | | |

CROSS-REFERENCE INDEXES

NATIONAL STOCK NUMBER INDEX

| STOCK NUMBER | FIG. | ITEM | STOCK NUMBER | FIG. | ITEM |
|------------------|------|------|------------------|------|------|
| 5305-00-857-5867 | 8 | 4 | 5305-00-984-7341 | 7 | 2 |
| | 8 | 15 | | 13 | 2 |
| | 18 | 23 | | 14 | 9 |
| | 9 | 41 | 5305-00-984-7342 | 5 | 1 |
| 5305-00-889-2999 | 3 | 24 | 5305-00-984-7354 | 2 | 12 |
| 5305-00-889-3000 | 5 | 18 | 5305-00-988-1721 | 13 | 10 |
| 5305-00-889-3002 | 3 | 47 | 5305-00-988-1727 | 15 | 20 |
| | 5 | 10 | 5305-00-993-0190 | 15 | 6 |
| | 15 | 1 | 5305-00-993-1848 | 5 | 7 |
| 2910-00-905-9792 | 11 | 2 | | 14 | 6 |
| 2910-00-906-6264 | 10 | 2 | | 17 | 8 |
| 4730-00-921-3624 | 8 | 10 | 5305-00-993-1851 | 17 | 5 |
| | 9 | 8 | 5310-00-997-1888 | 12 | 2 |
| 5310-00-934-9739 | 3 | 22 | 5340-00-998-3264 | 15 | 19 |
| | 4 | 14 | | 18 | 21 |
| | 15 | 7 | 5940-01-049-9661 | 3 | 7 |
| 5310-00-934-9747 | 3 | 11 | 6645-01-086-3815 | 4 | 6 |
| | 5 | 33 | 4310-01-086-8766 | 18 | 26 |
| | 6 | 2 | 4730-01-087-1285 | 13 | 12 |
| | 7 | 8 | 4720-01-087-2098 | 9 | 7 |
| | 7 | 16 | 5305-01-087-4479 | 12 | 1 |
| | 17 | 2 | 5325-01-087-4882 | 1 | 2 |
| | 17 | 14 | | 1 | 9 |
| 5310-00-934-9757 | 3 | 14 | | 1 | 13 |
| | 4 | 2 | 4520-01-087-4983 | 5 | 15 |
| | 5 | 11 | 4520-01-087-4984 | 8 | 21 |
| | 13 | 28 | 4810-01-087-5832 | 10 | 15 |
| | 15 | 3 | 4730-01-087-5900 | 8 | 23 |
| | 16 | 1 | | | |
| 5310-00-934-9758 | 18 | 24 | 4520-01-087-6547 | 13 | 13 |
| 5310-00-934-9766 | 8 | 22 | 5950-01-087-9410 | 5 | 30 |
| 4730-00-939-6234 | 8 | 1 | 4720-01-087-9419 | 9 | 6 |
| 5935-00-958-1897 | 5 | 14 | 4720-01-088-0876 | 9 | 5 |
| 5305-00-984-4977 | 3 | 44 | 4720-01-088-1343 | 8 | 3 |
| | 4 | 13 | 4730-01-088-1352 | 8 | 27 |
| 5305-00-984-4983 | 7 | 7 | 4820-01-088-5385 | 18 | 3 |
| | 7 | 15 | 5330-01-095-3515 | 8 | 24 |
| | 7 | 20 | 5930-01-095-3842 | 4 | 16 |
| | 8 | 29 | 5930-01-095-3843 | 4 | 22 |
| 5305-00-984-4988 | 3 | 10 | 5930-01-096-2975 | 3 | 45 |
| | 6 | 1 | | 7 | 27 |
| | 17 | 1 | | 7 | 33 |
| 5305-00-984-6193 | 3 | 1 | 5930-01-101-7843 | 7 | 10 |
| | 4 | 1 | 6105-01-102-4221 | 15 | 28 |
| | 13 | 27 | 4520-01-103-0236 | 8 | 11 |
| 5305-00-984-6208 | 18 | 20 | 5330-01-106-7567 | 8 | 26 |
| 5305-00-984-6222 | 5 | 31 | | | |
| 5305-00-984-7341 | 1 | 23 | | | |
| | 2 | 7 | | | |
| | 6 | 18 | | | |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|------------------|-----------------------------------|------|------|
| 81352 | AN450D8AD10 | | 2 | 20 |
| 88044 | AN960-10 | 5310-00-167-0818 | 2 | 10 |
| | | | 14 | 8 |
| 88044 | AN960-8 | 5310-00-515-8058 | 15 | 4 |
| 92578 | A19BAB3 | | 7 | 1 |
| 05832 | A221-10 | | 3 | 17 |
| | | | 3 | 27 |
| | | | 3 | 39 |
| | | | 4 | 9 |
| | | | 5 | 16 |
| | | | 5 | 49 |
| | | | 6 | 15 |
| | | | 7 | 23 |
| | | | 7 | 29 |
| | | | 10 | 16 |
| | | | 12 | 5 |
| | | | 15 | 10 |
| | | | 15 | 26 |
| | | | 18 | 18 |
| 05832 | A234-06 | | 3 | 8 |
| | | | 3 | 35 |
| | | | 4 | 20 |
| | | | 6 | 12 |
| 79960 | A7413743 | | 11 | 4 |
| 05832 | BB8138 | 5940-01-049-9661 | 3 | 7 |
| | | | 4 | 4 |
| | | | 4 | 7 |
| | | | 5 | 23 |
| | | | 6 | 6 |
| | | | 6 | 30 |
| | | | 7 | 4 |
| | | | 7 | 25 |
| | | | 7 | 31 |
| | | | 10 | 17 |
| | | | 12 | 9 |
| | | | 15 | 12 |
| | | | 15 | 24 |
| | | | 19 | 34 |
| 03743 | CG3150 | 5935-00-958-1897 | 5 | 14 |
| 11583 | CH47 | | 8 | 13 |
| 00613 | D1420 | 5340-00-998-3264 | 15 | 19 |
| | | | 18 | 21 |
| 94991 | EGC-251 | | 5 | 19 |
| 94991 | EGC209 | | 5 | 21 |
| 94991 | EGC413 | | 5 | 20 |
| 79960 | F10X3 | | 11 | 3 |
| 79960 | F2X79T3 | | 11 | 5 |
| 79960 | F7X184 | | 11 | 7 |
| 79960 | F8X56 | | 11 | 6 |
| 73961 | GC202 | | 5 | 57 |
| 93084 | HS3715-75W/28VSF | | 7 | 24 |
| | 1-10 | | | |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|------------------|-----------------------------------|------|------|
| 81349 | MIL-W-16878-1-16 | | BULK | 11 |
| | -1 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 1 |
| | -2 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 8 |
| | -269 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 10 |
| | -4 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 4 |
| | -5 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 7 |
| | -59 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 3 |
| | -6 | | | |
| 81349 | MIL-W-16878-1-16 | | BULK | 9 |
| | -7 | | | |
| 81349 | MIL-W-16878-1-16 | 6145-00-578-6074 | BULK | 2 |
| | -90 | | | |
| 81349 | MIL-W-16878-1-18 | | BULK | 5 |
| | -1 | | | |
| 81349 | MIL-W-16878-1-18 | | BULK | 6 |
| | -2 | | | |
| 81349 | MIL-W-16878/1 | 6145-00-702-8816 | BULK | 12 |
| 96906 | MS16535-12 | 5320-00-081-7418 | 2 | 21 |
| 96906 | MS16535-153 | 5320-00-721-5239 | 1 | 5 |
| | | | 1 | 16 |
| | | | 2 | 2 |
| 96906 | MS21105-3 | | 6 | 21 |
| 96906 | MS21919H3 | | 14 | 17 |
| 96906 | MS24586-C52 | 5360-00-085-3348 | 17 | 4 |
| 96906 | MS25043-14D | 5935-00-137-4669 | 3 | 25 |
| 96906 | MS27144-1 | 5935-00-167-7775 | 12 | 10 |
| 96906 | MS27245-1 | 5945-00-489-6585 | 6 | 17 |
| 96906 | MS3100R14S-7P | | 3 | 30 |
| 96906 | MS3100R14S7SX | | 3 | 41 |
| 96906 | MS3108B14S7S | 5935-00-539-2224 | 3 | 51 |
| 96906 | MS3108E14S-7PX | | 3 | 50 |
| 96906 | MS35058-22 | 5930-00-655-1514 | 3 | 5 |
| 96906 | MS35190-238 | 5305-00-059-4553 | 6 | 22 |
| 96906 | MS35191-269 | 5305-00-984-7354 | 2 | 12 |
| 96906 | MS35191-273 | 5305-00-984-7341 | 1 | 23 |
| | | | 2 | 7 |
| | | | 6 | 18 |
| | | | 7 | 2 |
| | | | 13 | 2 |
| | | | 14 | 9 |
| 96906 | MS35191-274 | 5305-00-984-7342 | 5 | 1 |
| 96906 | MS35206-214 | 5305-00-993-0190 | 15 | 6 |
| 96906 | MS35206-217 | 5305-00-889-2999 | 3 | 24 |
| 96906 | MS35206-220 | 5305-00-984-4977 | 3 | 44 |
| | | | 4 | 13 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM | | | |
|-------|-------------|-----------------------------------|-------|------------|------------------|---|---|
| 96906 | MS35206-226 | 5305-00-984-4983 | 7 | 7 | | | |
| | | | 7 | 15 | | | |
| | | | 7 | 20 | | | |
| | | | 8 | 29 | | | |
| | | | 3 | 10 | | | |
| 96906 | MS35206-228 | 5305-00-984-4988 | 6 | 1 | | | |
| | | | 17 | 1 | | | |
| | | | 5 | 18 | | | |
| 96906 | MS35206-230 | 5305-00-889-3000 | 5 | 31 | | | |
| 96906 | MS35206-235 | 5305-00-984-6222 | 3 | 47 | | | |
| 96906 | MS35206-242 | 5305-00-889-3002 | 5 | 10 | | | |
| | | | 15 | 1 | | | |
| | | | 3 | 1 | | | |
| | | | 4 | 1 | | | |
| | | | 13 | 27 | | | |
| 96906 | MS35206-245 | 5305-00-984-6193 | 18 | 20 | | | |
| 96906 | MS35206-261 | 5305-00-984-6208 | 13 | 10 | | | |
| 96906 | MS35206-277 | 5305-00-988-1721 | 15 | 20 | | | |
| 96906 | MS35206-283 | 5305-00-988-1727 | 5 | 7 | | | |
| 96906 | MS35207-265 | 5305-00-993-1848 | 14 | 6 | | | |
| 96906 | MS35207-267 | 5305-00-993-1851 | 17 | 8 | | | |
| | | | 17 | 5 | | | |
| | | | 10 | 3 | | | |
| | | | 3 | 23 | | | |
| | | | 4 | 15 | | | |
| 96906 | MS35333-36 | 5310-00-193-7577 | 15 | 8 | | | |
| | | | 3 | 12 | | | |
| | | | 5 | 32 | | | |
| | | | 6 | 3 | | | |
| | | | 7 | 9 | | | |
| | | | 7 | 17 | | | |
| | | | 7 | 21 | | | |
| | | | 8 | 30 | | | |
| | | | 17 | 3 | | | |
| | | | 17 | 15 | | | |
| 96906 | MS35333-37 | 5310-00-579-0079 | 3 | 2 | | | |
| | | | 3 | 15 | | | |
| | | | 4 | 3 | | | |
| | | | 5 | 12 | | | |
| | | | 8 | 12 | | | |
| | | | 13 | 29 | | | |
| | | | 15 | 2 | | | |
| | | | 2 | 9 | | | |
| 96906 | MS35333-38 | 5310-00-559-0070 | 5 | 3 | | | |
| | | | 5 | 6 | | | |
| | | | 5 | 48 | | | |
| | | | 6 | 20 | | | |
| | | | 7 | 13 | | | |
| | | | 8 | 5 | | | |
| | | | 8 | 16 | | | |
| | | | 13 | 6 | | | |
| | | | 96906 | MS35333-39 | 5310-00-576-5752 | 2 | 9 |
| | | | | | | 5 | 3 |
| 5 | 6 | | | | | | |
| 5 | 48 | | | | | | |
| 6 | 20 | | | | | | |
| 7 | 13 | | | | | | |
| 8 | 5 | | | | | | |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|--------------|-----------------------------------|------|------|
| 96906 | MS35333-39 | 5310-00-576-5752 | 14 | 4 |
| | | | 17 | 7 |
| | | | 18 | 17 |
| | | | 19 | 40 |
| 96906 | MS35333-40 | 5310-00-550-1130 | 12 | 3 |
| | | | 13 | 11 |
| | | | 15 | 21 |
| 96906 | MS35333-41 | 5310-00-167-0721 | 5 | 27 |
| | | | 16 | 14 |
| | | | 19 | 38 |
| 96906 | MS35335-31 | 5310-00-596-7693 | 16 | 2 |
| 96906 | MS35338-42 | 5310-00-045-3299 | 10 | 4 |
| 96906 | MS35489-6 | 5325-00-263-6632 | 2 | 16 |
| | | | 15 | 18 |
| 96906 | MS35649-202 | 5310-00-934-9758 | 18 | 24 |
| 96906 | MS35649-2252 | 5310-00-997-1888 | 12 | 2 |
| 96906 | MS35649-242 | 5310-00-934-9739 | 3 | 22 |
| | | | 4 | 14 |
| | | | 15 | 7 |
| | | | 3 | 11 |
| | | | 5 | 33 |
| 96906 | MS35649-262 | 5310-00-934-9747 | 6 | 2 |
| | | | 7 | 8 |
| | | | 7 | 16 |
| | | | 17 | 2 |
| | | | 17 | 14 |
| | | | 3 | 14 |
| | | | 4 | 2 |
| | | | 5 | 11 |
| 96906 | MS35649-282 | 5310-00-934-9757 | 13 | 28 |
| | | | 15 | 3 |
| | | | 16 | 1 |
| | | | 8 | 22 |
| | | | 9 | 1 |
| 96906 | MS35650-305 | 5310-00-934-9766 | 8 | 22 |
| 79470 | MS35869-22 | 4730-00-266-0533 | 9 | 1 |
| 96906 | MS39169-13 | 4730-00-278-4357 | 8 | 8 |
| | | | 9 | 4 |
| 96906 | MS51086-1 | 2910-00-905-9792 | 18 | 13 |
| | | | 11 | 2 |
| 96906 | MS51321-1 | 2910-00-710-6054 | 12 | 12 |
| 96906 | MS51953-10 | 4730-00-196-1482 | 10 | 21 |
| 96906 | MS51953-11 | 4730-00-196-1483 | 18 | 15 |
| 96906 | MS51953-6 | 4730-00-921-3624 | 8 | 10 |
| | | | 9 | 8 |
| 96906 | MS51953-9 | 4730-00-196-1481 | 10 | 13 |
| 96906 | MS51963-37 | 5305-00-719-5349 | 8 | 18 |
| 96906 | MS51964-31 | 5305-00-724-5805 | 10 | 22 |
| 96906 | MS9122-03 | 5305-00-857-5867 | 5 | 2 |
| | | | 5 | 46 |
| | | | 8 | 4 |
| | | | 8 | 15 |
| | | | 18 | 23 |
| | | | 19 | 41 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|------------------|-----------------------------------|------|------|
| 96906 | MS9122-05 | 5305-00-087-0259 | 13 | 4 |
| | | | 14 | 3 |
| 96906 | MS9361-11 | 5310-00-145-2032 | 5 | 26 |
| | | | 16 | 13 |
| | | | 19 | 37 |
| 96906 | MS9881-09 | 5310-00-622-8610 | 2 | 8 |
| | | | 5 | 5 |
| | | | 5 | 47 |
| | | | 6 | 19 |
| | | | 7 | 12 |
| | | | 13 | 5 |
| | | | 14 | 7 |
| | | | 17 | 6 |
| | | | 18 | 16 |
| | | | 19 | 39 |
| 51181 | M21B1/8 1/8 24DC | | 10 | 20 |
| 28478 | N10BK | 4820-01-088-5385 | 18 | 3 |
| 97539 | N1030B | 5930-00-539-7013 | 3 | 4 |
| 11583 | N678 | 5330-00-246-0982 | 8 | 14 |
| 06383 | PLTIM-CP | | 3 | 32 |
| | | | 3 | 36 |
| | | | 5 | 22 |
| | | | 6 | 4 |
| | | | 14 | 18 |
| 08484 | QS200-16H | 4730-00-939-6234 | 8 | 1 |
| 08484 | QS200-32H | | 13 | 15 |
| | | | 13 | 20 |
| 81349 | RER70F20R0R | | 3 | 46 |
| | | | 4 | 17 |
| 18324 | SE555CV | | 5 | 39 |
| 92219 | T2004 | | 12 | 6 |
| 92219 | T2105 | | 5 | 29 |
| | | | 10 | 18 |
| 79470 | W21204 | | 9 | 2 |
| 62119 | YZ1U026K | 6105-01-102-4221 | 15 | 28 |
| 60399 | 0-5520-4 | | 14 | 2 |
| 28478 | 00008-01 | | 18 | 11 |
| 28478 | 00047-01 | | 18 | 12 |
| 28478 | 00159 | | 18 | 10 |
| 28478 | 00305-01 | | 18 | 4 |
| 28478 | 00344-02 | | 18 | 8 |
| 96152 | 013440 | 2910-00-906-6264 | 10 | 2 |
| 96152 | 013441 | | 10 | 8 |
| 96152 | 013443 | | 10 | 9 |
| 96152 | 013444 | | 10 | 6 |
| 28478 | 01639-01 | | 18 | 6 |
| 28478 | 01673 | | 18 | 7 |
| 96152 | 017259 | | 10 | 11 |
| 28478 | 02195-01 | | 18 | 5 |
| 96152 | 02510 | | 10 | 10 |
| 28478 | 03005-01 | | 18 | 9 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|--------------|-----------------------------------|------|------|
| 44655 | 0362 | 5905-00-107-8972 | 6 | 33 |
| 96152 | 0700 | | 10 | 5 |
| 96152 | 07283 | | 10 | 7 |
| 96152 | 09196 | | 10 | 12 |
| 56289 | 103P608 | | 5 | 25 |
| | | | 16 | 15 |
| | | | 19 | 36 |
| 20024 | 107ADC18-28V | | 19 | 1 |
| 62119 | 14P29-1 | | 16 | 3 |
| 62119 | 15TY20U6 | | 16 | 10 |
| 93084 | 154-117 | | 13 | 25 |
| 93084 | 154-118 | 4730-01-087-1285 | 13 | 12 |
| 93084 | 154-119 | | 13 | 18 |
| 93084 | 154-120 | | 10 | 23 |
| 93084 | 154-122 | | 8 | 6 |
| 93084 | 154-124 | 4730-01-087-5900 | 8 | 23 |
| 93084 | 154-125 | | 17 | 11 |
| 93084 | 154-128 | | 17 | 13 |
| 93084 | 154-129 | | 15 | 29 |
| 93084 | 154-130 | | 1 | 22 |
| 93084 | 154-131 | | 8 | 32 |
| 93084 | 154-132 | | 8 | 31 |
| 93084 | 154-137 | | 1 | 6 |
| 93084 | 154-139 | | 3 | 48 |
| 93084 | 154-140 | | 2 | 5 |
| 93084 | 154-141 | | 2 | 3 |
| 93084 | 154-142 | | 13 | 23 |
| 93084 | 154-143 | | 5 | 52 |
| 93084 | 154-144 | | 5 | 43 |
| 93084 | 154-145 | | 5 | 44 |
| 93084 | 154-150 | | 15 | 22 |
| 93084 | 154-151 | | 15 | 23 |
| 93084 | 154-152 | | 4 | 23 |
| 93084 | 154-156 | | 5 | 40 |
| 93084 | 154-159 | | 4 | 18 |
| 93084 | 154-161 | | 2 | 13 |
| 93084 | 154-162 | | 18 | 22 |
| 93084 | 154-163 | | 13 | 19 |
| 93084 | 154-164 | | 13 | 8 |
| | | | 14 | 10 |
| 93084 | 154-165 | | 5 | 55 |
| 93084 | 154-166 | | 17 | 10 |
| 93084 | 154-167 | | 7 | 19 |
| 93084 | 154-168 | | 7 | 11 |
| 93084 | 154-169 | | 4 | 24 |
| 93084 | 154-170 | | 4 | 28 |
| 93084 | 154-172 | | 2 | 4 |
| 93084 | 154-175 | | 14 | 15 |
| 93084 | 154-176 | | 1 | 24 |
| 93084 | 154-177 | | 13 | 3 |
| 93084 | 154-178 | | 13 | 7 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|-------------|-----------------------------------|------|------|
| 93084 | 154-179 | | 1 | 7 |
| 93084 | 154-180 | | 1 | 18 |
| 93084 | 154-181 | | 2 | 14 |
| 93084 | 154-182 | | 2 | 15 |
| 93084 | 154-184 | 4520-01-087-4984 | 8 | 21 |
| 93084 | 154-185 | 5330-01-095-3515 | 8 | 24 |
| 93084 | 154-186 | | 8 | 17 |
| 93084 | 154-187 | | 8 | 28 |
| 93084 | 154-188 | | 8 | 25 |
| 93084 | 154-189 | 5330-01-106-7567 | 8 | 26 |
| 93084 | 154-190 | | 5 | 8 |
| 93084 | 154-191 | | 14 | 5 |
| 93084 | 154-192 | | 5 | 58 |
| 93084 | 154-193 | | 1 | 17 |
| 93084 | 154-194 | 6645-01-086-3815 | 4 | 6 |
| 93084 | 154-198 | | 13 | 22 |
| 93084 | 154-199 | | 13 | 21 |
| 93084 | 154-203 | | 13 | 16 |
| 93084 | 154-204 | | 13 | 17 |
| 93084 | 154-205 | | 13 | 14 |
| 93084 | 154-208 | | 1 | 20 |
| 93084 | 154-209 | | 1 | 8 |
| 93084 | 154-210 | | 1 | 12 |
| 93084 | 154-211 | | 1 | 1 |
| 93084 | 154-212 | | 1 | 19 |
| 93084 | 154-214 | | 18 | 25 |
| 93084 | 154-216 | 4520-01-103-0236 | 8 | 11 |
| 93084 | 154-217 | | 7 | 34 |
| 93084 | 154-220 | | 17 | 12 |
| 93084 | 154-221 | | 8 | 20 |
| 93084 | 154-222 | | 17 | 16 |
| 93084 | 154-223 | | 8 | 19 |
| 93084 | 154-233 | | 17 | 9 |
| 93084 | 154-238 | | 14 | 14 |
| 93084 | 154-239 | | 14 | 13 |
| 93084 | 154-240 | | 14 | 12 |
| 93084 | 154-243 | | 4 | 27 |
| 93084 | 154-244 | | 4 | 26 |
| 93084 | 154-245 | | 4 | 25 |
| 93084 | 154-250 | | 2 | 11 |
| 93084 | 154-252 | | 2 | 6 |
| 93084 | 154-255 | | 8 | 7 |
| 93084 | 154-256 | | 13 | 30 |
| 93084 | 154-257 | | 2 | 19 |
| 93084 | 154-258 | | 2 | 17 |
| 93084 | 154-259 | | 2 | 18 |
| 93084 | 154-260 | | 15 | 17 |
| 93084 | 154-261 | | 15 | 9 |
| 93084 | 154-263 | | 14 | 11 |
| 93084 | 154-264 | | 13 | 9 |
| 93084 | 154-265 | 5305-01-087-4479 | 12 | 1 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|-------------|-----------------------------------|------|------|
| 93084 | 154-266 | | 19 | 42 |
| 93084 | 154-267 | | 15 | 5 |
| 93084 | 154-268 | | 14 | 16 |
| 93084 | 154-269 | 4810-01-087-5832 | 10 | 15 |
| 93084 | 154-270 | | 7 | 22 |
| 93084 | 154-271 | | 2 | 1 |
| 93084 | 154-272 | | 7 | 28 |
| 93084 | 154-273 | 5950-01-087-9410 | 5 | 30 |
| 93084 | 154-274 | | 14 | 19 |
| 93084 | 154-275 | | 6 | 5 |
| 93084 | 154-277 | 4720-01-087-2098 | 9 | 7 |
| 93084 | 154-278 | 4720-01-088-0876 | 9 | 5 |
| 93084 | 154-279 | 4720-01-088-1343 | 8 | 3 |
| 93084 | 154-280 | 4720-01-087-9419 | 9 | 6 |
| 93084 | 154-281 | | 3 | 33 |
| 93084 | 154-282 | | 3 | 26 |
| 93084 | 154-283 | 4310-01-086-8766 | 18 | 26 |
| 93084 | 154-284 | | 6 | 29 |
| 93084 | 154-285 | | 5 | 56 |
| 93084 | 154-286 | | 3 | 49 |
| 93084 | 154-287 | | 5 | 53 |
| 93084 | 154-288 | | 5 | 45 |
| 93084 | 154-290 | | 5 | 34 |
| 93084 | 154-292 | | 5 | 13 |
| 93084 | 154-294 | | 18 | 1 |
| 93084 | 154-295 | | 5 | 4 |
| 93084 | 154-296 | | 3 | 31 |
| 93084 | 154-297 | | 12 | 4 |
| 93084 | 154-298 | | 14 | 1 |
| 93084 | 154-299 | | 6 | 23 |
| 93084 | 154-300 | | 6 | 26 |
| 93084 | 154-301 | | 15 | 15 |
| 93084 | 154-302 | | 15 | 11 |
| | | | 15 | 27 |
| 93084 | 154-303 | | 15 | 13 |
| 93084 | 154-304 | | 15 | 14 |
| 93084 | 154-305 | | 10 | 19 |
| 93084 | 154-306 | | 7 | 26 |
| | | | 7 | 30 |
| 93084 | 154-307 | | 7 | 32 |
| 93084 | 154-308 | | 15 | 25 |
| 93084 | 154-309 | | 4 | 12 |
| | | | 6 | 7 |
| 93084 | 154-310 | | 6 | 10 |
| 93084 | 154-311 | | 6 | 8 |
| 93084 | 154-312 | | 6 | 11 |
| 93084 | 154-313 | | 6 | 13 |
| 93084 | 154-314 | | 6 | 14 |
| 93084 | 154-315 | | 6 | 16 |
| | | | 12 | 7 |
| 93084 | 154-316 | | 6 | 9 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|-------------|-----------------------------------|------|------|
| 93084 | 154-317 | | 4 | 8 |
| 93084 | 154-318 | | 4 | 10 |
| 93084 | 154-319 | | 4 | 11 |
| 93084 | 154-320 | | 3 | 28 |
| | | | 3 | 40 |
| 93084 | 154-321 | | 3 | 38 |
| | | | 5 | 38 |
| 93084 | 154-322 | | 3 | 34 |
| 93084 | 154-323 | | 3 | 19 |
| | | | 3 | 29 |
| 93084 | 154-324 | | 4 | 21 |
| 93084 | 154-325 | | 4 | 19 |
| 93084 | 154-326 | | 6 | 31 |
| 93084 | 154-327 | | 6 | 32 |
| 93084 | 154-328 | | 5 | 54 |
| 93084 | 154-329 | | 19 | 35 |
| 93084 | 154-330 | | 5 | 50 |
| 93084 | 154-331 | | 5 | 42 |
| | | | 5 | 51 |
| 93084 | 154-332 | | 5 | 24 |
| 93084 | 154-333 | | 18 | 19 |
| 93084 | 154-334 | | 5 | 17 |
| | | | 5 | 35 |
| 93084 | 154-335 | | 5 | 36 |
| 93084 | 154-336 | | 5 | 37 |
| 93084 | 154-337 | | 3 | 43 |
| 93084 | 154-338 | | 3 | 42 |
| 93084 | 154-339 | | 7 | 6 |
| 93084 | 154-340 | | 7 | 5 |
| 93084 | 154-341 | | 4 | 5 |
| 93084 | 154-342 | | 3 | 18 |
| 93084 | 154-343 | | 3 | 9 |
| 93084 | 154-344 | | 12 | 11 |
| 93084 | 154-360 | 4520-01-087-6547 | 13 | 13 |
| 93084 | 154-361 | | 7 | 3 |
| 93084 | 154-362 | | 7 | 14 |
| 93084 | 154-363 | | 3 | 16 |
| 93084 | 154-364 | | 3 | 6 |
| 93084 | 154-365 | | 3 | 3 |
| 93084 | 154-366 | | 12 | 8 |
| 93084 | 154-367 | | 13 | 1 |
| 93084 | 154-420 | | 5 | 9 |
| 93084 | 154-421 | | 13 | 24 |
| 93084 | 154-422 | | 5 | 41 |
| 93084 | 154-424 | | 13 | 26 |
| 62119 | 21S8 | | 16 | 5 |
| 62119 | 25T18A3 | | 16 | 4 |
| 70563 | 26N05T | 5945-00-259-4542 | 7 | 35 |
| 34899 | 2643021801 | | 5 | 28 |
| 70628 | 3-1565-8 | | 8 | 2 |
| 71895 | 30609-2 | 4730-01-088-1352 | 8 | 27 |
| 75915 | 307020 | | 3 | 21 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|-------------|-----------------------------------|------|------|
| 93084 | 3100-45-114 | 5930-01-095-3842 | 4 | 16 |
| 93084 | 3100-61-114 | | 7 | 18 |
| 93084 | 3100-61-116 | 5930-01-096-2975 | 3 | 45 |
| | | | 7 | 27 |
| | | | 7 | 33 |
| 93084 | 3100-61-125 | 5930-01-101-7843 | 7 | 10 |
| 79470 | 3150X2 | | 10 | 1 |
| | | | 11 | 1 |
| 62119 | 32TY1-281 | | 16 | 11 |
| 79470 | 3220X4X2 | | 9 | 3 |
| 79470 | 3350X2 | 4730-00-277-5683 | 9 | 10 |
| 62119 | 34A16 | | 16 | 7 |
| 62119 | 34T263-6 | | 16 | 8 |
| 62119 | 34T265-4 | | 16 | 9 |
| 79470 | 3400X2 | 4730-00-639-9730 | 9 | 9 |
| | | | 10 | 14 |
| | | | 18 | 2 |
| 05832 | 34005-5 | | 6 | 25 |
| 75915 | 342-013AL | | 3 | 20 |
| 08532 | 3422 | | 6 | 24 |
| | | | 6 | 27 |
| 93084 | 3455RM77 | 5930-01-095-3843 | 4 | 22 |
| 79470 | 3500X2 | 4730-00-287-1603 | 8 | 9 |
| 79470 | 3750X2 | | 18 | 14 |
| 62119 | 39TY11A15 | | 16 | 16 |
| 62119 | 39TY12M1 | | 16 | 6 |
| 72850 | 475126 | | 12 | 18 |
| 72850 | 475127 | | 12 | 19 |
| 72850 | 475594 | 5330-00-741-3774 | 12 | 14 |
| 72850 | 475634 | | 12 | 15 |
| 72850 | 476364 | | 12 | 17 |
| 72850 | 476474 | | 12 | 20 |
| 72850 | 476563 | | 12 | 13 |
| 79470 | 48X4X4 | 4730-00-391-3771 | 9 | 1 |
| 72850 | 490028 | | 12 | 16 |
| 78488 | 56-0053 | | 3 | 37 |
| 05614 | 600-4 | | 6 | 28 |
| 20024 | 602492 | | 19 | 33 |
| 20024 | 607139 | | 19 | 23 |
| 20024 | 608092 | | 19 | 32 |
| 20024 | 608146 | | 19 | 19 |
| 20024 | 614374 | | 19 | 7 |
| 20024 | 614377 | | 19 | 28 |
| 20024 | 615403 | | 19 | 24 |
| 20024 | 616124 | | 19 | 5 |
| 20024 | 617045 | | 19 | 17 |
| 62119 | 62P137-1 | | 16 | 12 |
| 20024 | 621102 | | 19 | 16 |
| 20024 | 623048 | | 19 | 10 |
| 20024 | 623120 | | 19 | 11 |

CROSS-REFERENCE INDEXES

| FSCM | PART NUMBER | PART NUMBER INDEX STOCK NUMBER | FIG. | ITEM |
|-------|--------------|-----------------------------------|------|------|
| 20024 | 625006 | | 19 | 29 |
| 20024 | 625058 | | 19 | 25 |
| 20024 | 625109 | | 19 | 8 |
| 20024 | 625114 | | 19 | 21 |
| 20024 | 625141 | | 19 | 9 |
| 20024 | 625149 | | 19 | 4 |
| 20024 | 625160 | | 19 | 15 |
| 20024 | 625244 | | 19 | 20 |
| 20024 | 625260 | | 19 | 27 |
| 20024 | 625266 | | 19 | 3 |
| 20024 | 626516 | | 19 | 30 |
| 20024 | 627093 | | 19 | 31 |
| 20024 | 633264 | | 19 | 2 |
| 20024 | 633525 | | 19 | 12 |
| 20024 | 641007 | | 19 | 6 |
| 20024 | 645373 | | 19 | 22 |
| 20024 | 654362 | | 19 | 13 |
| 20024 | 654652 | | 19 | 18 |
| 20024 | 660255 | | 19 | 14 |
| 20024 | 660659 | | 19 | 26 |
| 93084 | 66670 | 4520-01-087-4983 | 5 | 15 |
| 93084 | 7673-1F | | 3 | 13 |
| 00000 | 7762624 | | 12 | 21 |
| 94222 | 85-11-100-16 | 5325-01-087-4882 | 1 | 2 |
| | | | 1 | 9 |
| | | | 1 | 13 |
| 94222 | 85-11-160-16 | | 1 | 3 |
| | | | 1 | 10 |
| | | | 1 | 14 |
| 94222 | 85-34-101-20 | 5310-00-822-8525 | 1 | 4 |
| | | | 1 | 11 |
| | | | 1 | 15 |
| | | | 1 | 21 |
| 94222 | 85-35-295-15 | | 2 | 22 |
| 70563 | 9JM2 | | 15 | 16 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX | STOCK NUMBER | FSCM | PART NUMBER |
|------|------------------------------|------------------|-------|--------------------------|
| BULK | 1 | | 81349 | MIL-W-16878-1-16 -2 |
| BULK | 2 | 6145-00-578-6074 | 81349 | MIL-W-16878-1-16 -90 |
| BULK | 3 | | 81349 | MIL-W-16878-1-16 -6 |
| BULK | 4 | | 81349 | MIL-W-16878-1-16 -5 |
| BULK | 5 | | 81349 | MIL-W-16878-1-18 -1 |
| BULK | 6 | | 81349 | MIL-W-16878-1-18 -2 |
| BULK | 7 | | 81349 | MIL-W-16878-1-16 -59 |
| BULK | 8 | | 81349 | MIL-W-16878-1-16 -269 |
| BULK | 9 | | 81349 | MIL-W-16878-1-16 -7 |
| BULK | 10 | | 81349 | MIL-W-16878-1-16 -4 |
| BULK | 11 | | 81349 | MIL-W-16878-1-16 -1 |
| BULK | 12 | 6145-00-702-8816 | 81349 | MIL-W-16878/1 |
| 1 | 1 | | 93084 | 154-211 |
| 1 | 2 | 5325-01-087-4882 | 94222 | 85-11-100-16 |
| 1 | 3 | | 94222 | 85-11-160-16 |
| 1 | 4 | 5310-00-822-8525 | 94222 | 85-34-101-20 |
| 1 | 5 | 5320-00-721-5239 | 96906 | MS16535-153 |
| 1 | 6 | | 93084 | 154-137 |
| 1 | 7 | | 93084 | 154-179 |
| 1 | 8 | | 93084 | 154-209 |
| 1 | 9 | 5325-01-087-4882 | 94222 | 85-11-100-16 |
| 1 | 10 | | 94222 | 85-11-160-16 |
| 1 | 11 | 5310-00-822-8525 | 94222 | 85-34-101-20 |
| 1 | 12 | | 93084 | 154-210 |
| 1 | 13 | 5325-01-087-4882 | 94222 | 85-11-100-16 |
| 1 | 14 | | 94222 | 85-11-160-16 |
| 1 | 15 | 5310-00-822-8525 | 94222 | 85-34-101-20 |
| 1 | 16 | 5320-00-721-5239 | 96906 | MS16535-153 |
| 1 | 17 | | 93084 | 154-193 |
| 1 | 18 | | 93084 | 154-180 |
| 1 | 19 | | 93084 | 154-212 |
| 1 | 20 | | 93084 | 154-208 |
| 1 | 21 | 5310-00-822-8525 | 94222 | 85-34-101-20 |
| 1 | 22 | | 93084 | 154-130 |
| 1 | 23 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 1 | 24 | | 93084 | 154-176 |
| 2 | 1 | | 93084 | 154-271 |
| 2 | 2 | 5320-00-721-5239 | 96906 | MS16535-153 |
| 2 | 3 | | 93084 | 154-141 |
| 2 | 4 | | 93084 | 154-172 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|---------------|
| 2 | 5 | | 93084 | 154-140 |
| 2 | 6 | | 93084 | 154-252 |
| 2 | 7 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 2 | 8 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 2 | 9 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 2 | 10 | 5310-00-167-0818 | 88044 | AN960-10 |
| 2 | 11 | | 93084 | 154-250 |
| 2 | 12 | 5305-00-984-7354 | 96906 | MS35191-269 |
| 2 | 13 | | 93084 | 154-161 |
| 2 | 14 | | 93084 | 154-181 |
| 2 | 15 | | 93084 | 154-182 |
| 2 | 16 | 5325-00-263-6632 | 96906 | MS35489-6 |
| 2 | 17 | | 93084 | 154-258 |
| 2 | 18 | | 93084 | 154-259 |
| 2 | 19 | | 93084 | 154-257 |
| 2 | 20 | | 81352 | AN450D8AD10 |
| 2 | 21 | 5320-00-081-7418 | 96906 | MS16535-12 |
| 2 | 22 | | 94222 | 85-35-295-15 |
| 3 | 1 | 5305-00-984-6193 | 96906 | MS35206-245 |
| 3 | 2 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 3 | 3 | | 93084 | 154-365 |
| 3 | 4 | 5930-00-539-7013 | 97539 | N1030B |
| 3 | 5 | 5930-00-655-1514 | 96906 | MS35058-22 |
| 3 | 6 | | 93084 | 154-364 |
| 3 | 7 | 5940-01-049-9661 | 05832 | BB8138 |
| 3 | 8 | | 05832 | A234-06 |
| 3 | 9 | | 93084 | 154-343 |
| 3 | 10 | 5305-00-984-4988 | 96906 | MS35206-228 |
| 3 | 11 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 3 | 12 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 3 | 13 | | 93084 | 7673-1F |
| 3 | 14 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 3 | 15 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 3 | 16 | | 93084 | 154-363 |
| 3 | 17 | | 05832 | A221-10 |
| 3 | 18 | | 93084 | 154-342 |
| 3 | 19 | | 93084 | 154-323 |
| 3 | 20 | | 75915 | 342-013AL |
| 3 | 21 | | 75915 | 307020 |
| 3 | 22 | 5310-00-934-9739 | 96906 | MS35649-242 |
| 3 | 23 | 5310-00-193-7577 | 96906 | MS35333-36 |
| 3 | 24 | 5305-00-889-2999 | 96906 | MS35206-217 |
| 3 | 25 | 5935-00-137-4669 | 96906 | MS25043-14D |
| 3 | 26 | | 93084 | 154-282 |
| 3 | 27 | | 05832 | A221-10 |
| 3 | 28 | | 93084 | 154-320 |
| 3 | 29 | | 93084 | 154-323 |
| 3 | 30 | | 96906 | MS3100R14S-7P |
| 3 | 31 | | 93084 | 154-296 |
| 3 | 32 | | 06383 | PLTIM-CP |
| 3 | 33 | | 93084 | 154-281 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|----------------|
| 3 | 34 | | 93084 | 154-322 |
| 3 | 35 | | 05832 | A234-06 |
| 3 | 36 | | 06383 | PLTIM-CP |
| 3 | 37 | | 78488 | 57-0053 |
| 3 | 38 | | 93084 | 154-321 |
| 3 | 39 | | 05832 | A221-10 |
| 3 | 40 | | 93084 | 154-320 |
| 3 | 41 | | 96906 | MS3100R14S7SX |
| 3 | 42 | | 93084 | 154-338 |
| 3 | 43 | | 93084 | 154-337 |
| 3 | 44 | 5305-00-984-4977 | 96906 | MS35206-220 |
| 3 | 45 | 5930-01-096-2975 | 93084 | 3100-61-116 |
| 3 | 46 | | 81349 | RER70F20R0R |
| 3 | 47 | 5305-00-889-3002 | 96906 | MS35206-242 |
| 3 | 48 | | 93084 | 154-139 |
| 3 | 49 | | 93084 | 154-286 |
| 3 | 50 | | 96906 | MS3108E14S-7PX |
| 3 | 51 | 5935-00-539-2224 | 96906 | MS3108B14S7S |
| 4 | 1 | 5305-00-984-6193 | 96906 | MS35206-245 |
| 4 | 2 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 4 | 3 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 4 | 4 | | 05832 | BB8138 |
| 4 | 5 | | 93084 | 154-341 |
| 4 | 6 | 6645-01-086-3815 | 93084 | 154-194 |
| 4 | 7 | | 05832 | BB8138 |
| 4 | 8 | | 93084 | 154-317 |
| 4 | 9 | | 05832 | A221-10 |
| 4 | 10 | | 93084 | 154-318 |
| 4 | 11 | | 93084 | 154-319 |
| 4 | 12 | | 93084 | 154-309 |
| 4 | 13 | 5305-00-984-4977 | 96906 | MS35206-220 |
| 4 | 14 | 5310-00-934-9739 | 96906 | MS35649-242 |
| 4 | 15 | 5310-00-193-7577 | 96906 | MS35333-36 |
| 4 | 16 | 5930-01-095-3842 | 93084 | 3100-45-114 |
| 4 | 17 | | 81349 | RER70F20R0R |
| 4 | 18 | | 93084 | 154-159 |
| 4 | 19 | | 93084 | 154-325 |
| 4 | 20 | | 05832 | A234-06 |
| 4 | 21 | | 93084 | 154-324 |
| 4 | 22 | 5930-01-095-3843 | 93084 | 3455RM77 |
| 4 | 23 | | 93084 | 154-152 |
| 4 | 24 | | 93084 | 154-169 |
| 4 | 25 | | 93084 | 154-245 |
| 4 | 26 | | 93084 | 154-244 |
| 4 | 27 | | 93084 | 154-243 |
| 4 | 28 | | 93084 | 154-170 |
| 5 | 1 | 5305-00-984-7342 | 96906 | MS35191-274 |
| 5 | 2 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 5 | 3 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 5 | 4 | | 93084 | 154-295 |
| 5 | 5 | 5310-00-622-8610 | 96906 | MS9881-09 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM | INDEX STOCK NUMBER | FSCM | PART NUMBER |
|------|-----------------|--------------------|-------|-------------|
| 5 | 6 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 5 | 7 | 5305-00-993-1848 | 96906 | MS35207-265 |
| 5 | 8 | | 93084 | 154-190 |
| 5 | 9 | | 93084 | 154-420 |
| 5 | 10 | 5305-00-889-3002 | 96906 | MS35206-242 |
| 5 | 11 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 5 | 12 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 5 | 13 | | 93084 | 154-292 |
| 5 | 14 | 5935-00-958-1897 | 03743 | CG3150 |
| 5 | 15 | 4520-01-087-4983 | 93084 | 66670 |
| 5 | 16 | | 05832 | A221-10 |
| 5 | 17 | | 93084 | 154-334 |
| 5 | 18 | 5305-00-889-3000 | 96906 | MS35206-230 |
| 5 | 19 | | 94991 | EGC-251 |
| 5 | 20 | | 94991 | EGC413 |
| 5 | 21 | | 94991 | EGC209 |
| 5 | 22 | | 06383 | PLTIM-CP |
| 5 | 23 | | 05832 | BB8138 |
| 5 | 24 | | 93084 | 154-332 |
| 5 | 25 | | 56289 | 103P608 |
| 5 | 26 | 5310-00-145-2032 | 96906 | MS9361-11 |
| 5 | 27 | 5310-00-167-0721 | 96906 | MS35333-41 |
| 5 | 28 | | 78488 | 57-0257 |
| 5 | 29 | | 92219 | T2105 |
| 5 | 30 | 5950-01-087-9410 | 93084 | 154-273 |
| 5 | 31 | 5305-00-984-6222 | 96906 | MS35206-235 |
| 5 | 32 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 5 | 33 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 5 | 34 | | 93084 | 154-290 |
| 5 | 35 | | 93084 | 154-334 |
| 5 | 36 | | 93084 | 154-335 |
| 5 | 37 | | 93084 | 154-336 |
| 5 | 38 | | 93084 | 154-321 |
| 5 | 39 | | 18324 | SE555CV |
| 5 | 40 | | 93084 | 154-156 |
| 5 | 41 | | 93084 | 154-422 |
| 5 | 42 | | 93084 | 154-331 |
| 5 | 43 | | 93084 | 154-144 |
| 5 | 44 | | 93084 | 154-145 |
| 5 | 45 | | 93084 | 154-288 |
| 5 | 46 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 5 | 47 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 5 | 48 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 5 | 49 | | 05832 | A221-10 |
| 5 | 50 | | 93084 | 154-330 |
| 5 | 51 | | 93084 | 154-331 |
| 5 | 52 | | 93084 | 154-143 |
| 5 | 53 | | 93084 | 154-287 |
| 5 | 54 | | 93084 | 154-328 |
| 5 | 55 | | 93084 | 154-165 |
| 5 | 56 | | 93084 | 154-285 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|-------------|
| 5 | 57 | | 73961 | GC202 |
| 5 | 58 | | 93084 | 154-192 |
| 6 | 1 | 5305-00-984-4988 | 96906 | MS35206-228 |
| 6 | 2 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 6 | 3 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 6 | 4 | | 06383 | PLTIM-CP |
| 6 | 5 | | 93084 | 154-275 |
| 6 | 6 | | 05832 | BB8138 |
| 6 | 7 | | 93084 | 154-309 |
| 6 | 8 | | 93084 | 154-311 |
| 6 | 9 | | 93084 | 154-316 |
| 6 | 10 | | 93084 | 154-310 |
| 6 | 11 | | 93084 | 154-312 |
| 6 | 12 | | 05832 | A234-06 |
| 6 | 13 | | 93084 | 154-313 |
| 6 | 14 | | 93084 | 154-314 |
| 6 | 15 | | 05832 | A221-10 |
| 6 | 16 | | 93084 | 154-315 |
| 6 | 17 | 5945-00-489-6585 | 96906 | MS27245-1 |
| 6 | 18 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 6 | 19 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 6 | 20 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 6 | 21 | | 96906 | MS21105-3 |
| 6 | 22 | 5305-00-059-4553 | 96906 | MS35190-238 |
| 6 | 23 | | 93084 | 154-299 |
| 6 | 24 | | 05832 | 3422 |
| 6 | 25 | | 05832 | 34005-5 |
| 6 | 26 | | 93084 | 154-300 |
| 6 | 27 | | 05832 | 3422 |
| 6 | 28 | | 05614 | 600-4 |
| 6 | 29 | | 93084 | 154-284 |
| 6 | 30 | | 05832 | BB8138 |
| 6 | 31 | | 93084 | 154-326 |
| 6 | 32 | | 93084 | 154-327 |
| 6 | 33 | 5905-00-107-8972 | 44655 | 0362 |
| 7 | 1 | | 92578 | A19BAB3 |
| 7 | 2 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 7 | 3 | | 93084 | 154-361 |
| 7 | 4 | | 05832 | BB8138 |
| 7 | 5 | | 93084 | 154-340 |
| 7 | 6 | | 93084 | 154-339 |
| 7 | 7 | 5305-00-984-4983 | 96906 | MS35206-226 |
| 7 | 8 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 7 | 9 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 7 | 10 | 5930-01-101-7843 | 93084 | 3100-61-125 |
| 7 | 11 | | 93084 | 154-168 |
| 7 | 12 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 7 | 13 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 7 | 14 | | 93084 | 154-362 |
| 7 | 15 | 5305-00-984-4983 | 96906 | MS35206-226 |
| 7 | 16 | 5310-00-934-9747 | 96906 | MS35649-262 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM | INDEX STOCK NUMBER | FSCM | PART NUMBER |
|------|-----------------|--------------------|-------|--------------------------|
| 7 | 17 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 7 | 18 | | 93084 | 3100-61-114 |
| 7 | 19 | | 93084 | 154-167 |
| 7 | 20 | 5305-00-984-4983 | 96906 | MS35206-226 |
| 7 | 21 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 7 | 22 | | 93084 | 154-270 |
| 7 | 23 | | 05832 | A221-10 |
| 7 | 24 | | 93084 | HS3715-75W/28VSF 1-10 |
| 7 | 25 | | 05832 | BB8138 |
| 7 | 26 | | 93084 | 154-306 |
| 7 | 27 | 5930-01-096-2975 | 93084 | 3100-61-116 |
| 7 | 28 | | 93084 | 154-272 |
| 7 | 29 | | 05832 | A221-10 |
| 7 | 30 | | 93084 | 154-306 |
| 7 | 31 | | 05832 | BB8138 |
| 7 | 32 | | 93084 | 154-307 |
| 7 | 33 | 5930-01-096-2975 | 93084 | 3100-61-116 |
| 7 | 34 | | 93084 | 154-217 |
| 7 | 35 | 5945-00-259-4542 | 70563 | 26N05T |
| 8 | 1 | 4730-00-939-6234 | 08484 | QS200-16H |
| 8 | 2 | | 70628 | 3-1565-8 |
| 8 | 3 | 4720-01-088-1343 | 93084 | 154-279 |
| 8 | 4 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 8 | 5 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 8 | 6 | | 93084 | 154-122 |
| 8 | 7 | | 93084 | 154-255 |
| 8 | 8 | 4730-00-278-4357 | 96906 | MS39169-13 |
| 8 | 9 | 4730-00-287-1603 | 79470 | 3500X2 |
| 8 | 10 | 4730-00-921-3624 | 96906 | MS51953-6 |
| 8 | 11 | 4520-01-103-0236 | 93084 | 154-216 |
| 8 | 12 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 8 | 13 | | 11583 | CH47 |
| 8 | 14 | 5330-00-246-0982 | 11583 | N678 |
| 8 | 15 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 8 | 16 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 8 | 17 | | 93084 | 154-186 |
| 8 | 18 | 5305-00-719-5349 | 96906 | MS51963-37 |
| 8 | 19 | | 93084 | 154-223 |
| 8 | 20 | | 93084 | 154-221 |
| 8 | 21 | 4520-01-087-4984 | 93084 | 154-184 |
| 8 | 22 | 5310-00-934-9766 | 96906 | MS35650-305 |
| 8 | 23 | 4730-01-087-5900 | 93084 | 154-124 |
| 8 | 24 | 5330-01-095-3515 | 93084 | 154-185 |
| 8 | 25 | | 93084 | 154-188 |
| 8 | 26 | 5330-01-106-7567 | 93084 | 154-189 |
| 8 | 27 | 4730-01-088-1352 | 71895 | 30609-2 |
| 8 | 28 | | 93084 | 154-187 |
| 8 | 29 | 5305-00-984-4983 | 96906 | MS35206-226 |
| 8 | 30 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 8 | 31 | | 93084 | 154-132 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|------------------|
| 8 | 32 | | 93084 | 154-131 |
| 9 | 1 | 4730-00-391-3771 | 79470 | 48X4X4 |
| 9 | 2 | | 79470 | W21204 |
| 9 | 3 | | 79470 | 3220X4X2 |
| 9 | 4 | 4730-00-278-4357 | 96906 | MS39169-13 |
| 9 | 5 | 4720-01-088-0876 | 93084 | 154-278 |
| 9 | 6 | 4720-01-087-9419 | 93084 | 154-280 |
| 9 | 7 | 4720-01-087-2098 | 93084 | 154-277 |
| 9 | 8 | 4730-00-921-3624 | 96906 | MS51953-6 |
| 9 | 9 | 4730-00-639-9730 | 79470 | 3400X2 |
| 9 | 10 | 4730-00-277-5683 | 79470 | 3350X2 |
| 10 | 1 | | 79470 | 3150X2 |
| 10 | 2 | 2910-00-906-6264 | 96152 | 013440 |
| 10 | 3 | 5305-00-543-2752 | 96906 | MS35265-45 |
| 10 | 4 | 5310-00-045-3299 | 96906 | MS35338-42 |
| 10 | 5 | | 96152 | 0700 |
| 10 | 6 | | 96152 | 013444 |
| 10 | 7 | | 96152 | 07283 |
| 10 | 8 | | 96152 | 013441 |
| 10 | 9 | | 96152 | 013443 |
| 10 | 10 | | 96152 | 02510 |
| 10 | 11 | | 96152 | 017259 |
| 10 | 12 | | 96152 | 09196 |
| 10 | 13 | 4730-00-196-1481 | 96906 | MS51953-9 |
| 10 | 14 | 4730-00-639-9730 | 79470 | 3400X2 |
| 10 | 15 | 4810-01-087-5832 | 93084 | 154-269 |
| 10 | 16 | | 05832 | A221-10 |
| 10 | 17 | | 05832 | BB8138 |
| 10 | 18 | | 92219 | T2105 |
| 10 | 19 | | 93084 | 154-305 |
| 10 | 20 | | 51181 | M21B1/8 1/8 24DC |
| 10 | 21 | 4730-00-196-1482 | 96906 | MS51953-10 |
| 10 | 22 | 5305-00-724-5805 | 96906 | MS51964-31 |
| 10 | 23 | | 93084 | 154-120 |
| 11 | 1 | | 79470 | 3150X2 |
| 11 | 2 | 2910-00-905-9792 | 96906 | MS51086-1 |
| 11 | 3 | | 79960 | F10X3 |
| 11 | 4 | | 79960 | A7413743 |
| 11 | 5 | | 79960 | F2X79T3 |
| 11 | 6 | | 79960 | F8X56 |
| 11 | 7 | | 79960 | F7X184 |
| 12 | 1 | 5305-01-087-4479 | 93084 | 154-265 |
| 12 | 2 | 5310-00-997-1888 | 96906 | MS35649-2252 |
| 12 | 3 | 5310-00-550-1130 | 96906 | MS35333-40 |
| 12 | 4 | | 93084 | 154-297 |
| 12 | 5 | | 05832 | A221-10 |
| 12 | 6 | | 92219 | T2004 |
| 12 | 7 | | 93084 | 154-315 |
| 12 | 8 | | 93084 | 154-366 |
| 12 | 9 | | 05832 | BB8138 |
| 12 | 10 | 5935-00-167-7775 | 96906 | MS27144-1 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|-------------|
| 12 | 11 | | 93084 | 154-344 |
| 12 | 12 | 2910-00-710-6054 | 96906 | MS51321-1 |
| 12 | 13 | | 72850 | 476563 |
| 12 | 14 | 5330-00-741-3774 | 72850 | 475594 |
| 12 | 15 | | 72850 | 475634 |
| 12 | 16 | | 72850 | 490028 |
| 12 | 17 | | 72850 | 476364 |
| 12 | 18 | | 72850 | 475126 |
| 12 | 19 | | 72850 | 475127 |
| 12 | 20 | | 72850 | 476474 |
| 12 | 21 | | 00000 | 7762624 |
| 13 | 1 | | 93084 | 154-367 |
| 13 | 2 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 13 | 3 | | 93084 | 154-177 |
| 13 | 4 | 5305-00-087-0259 | 96906 | MS9122-05 |
| 13 | 5 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 13 | 6 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 13 | 7 | | 93084 | 154-178 |
| 13 | 8 | | 93084 | 154-164 |
| 13 | 9 | | 93084 | 154-264 |
| 13 | 10 | 5305-00-988-1721 | 96906 | MS35206-277 |
| 13 | 11 | 5310-00-550-1130 | 96906 | MS35333-40 |
| 13 | 12 | 4730-01-087-1285 | 93084 | 154-118 |
| 13 | 13 | 4520-01-087-6547 | 93084 | 154-360 |
| 13 | 14 | | 93084 | 154-205 |
| 13 | 15 | | 08484 | QS200-32H |
| 13 | 16 | | 93084 | 154-203 |
| 13 | 17 | | 93084 | 154-204 |
| 13 | 18 | | 93084 | 154-119 |
| 13 | 19 | | 93084 | 154-163 |
| 13 | 20 | | 08484 | QS200-32H |
| 13 | 21 | | 93084 | 154-199 |
| 13 | 22 | | 93084 | 154-198 |
| 13 | 23 | | 93084 | 154-142 |
| 13 | 24 | | 93084 | 154-421 |
| 13 | 25 | | 93084 | 154-117 |
| 13 | 26 | | 93084 | 154-424 |
| 13 | 27 | 5305-00-984-6193 | 96906 | MS35206-245 |
| 13 | 28 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 13 | 29 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 13 | 30 | | 93084 | 154-256 |
| 14 | 1 | | 93084 | 154-298 |
| 14 | 2 | | 60399 | 0-5520-4 |
| 14 | 3 | 5305-00-087-0259 | 96906 | MS9122-05 |
| 14 | 4 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 14 | 5 | | 93084 | 154-191 |
| 14 | 6 | 5305-00-993-1848 | 96906 | MS35207-265 |
| 14 | 7 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 14 | 8 | 5310-00-167-0818 | 88044 | AN960-10 |
| 14 | 9 | 5305-00-984-7341 | 96906 | MS35191-273 |
| 14 | 10 | | 93084 | 154-164 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|-------------|
| 14 | 11 | | 93084 | 154-263 |
| 14 | 12 | | 93084 | 154-240 |
| 14 | 13 | | 93084 | 154-239 |
| 14 | 14 | | 93084 | 154-238 |
| 14 | 15 | | 93084 | 154-175 |
| 14 | 16 | | 93084 | 154-268 |
| 14 | 17 | | 96906 | MS21919H3 |
| 14 | 18 | | 06383 | PLTIM-CP |
| 14 | 19 | | 93084 | 154-274 |
| 15 | 1 | 5305-00-889-3002 | 96906 | MS35206-242 |
| 15 | 2 | 5310-00-559-0070 | 96906 | MS35333-38 |
| 15 | 3 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 15 | 4 | 5310-00-515-8058 | 88044 | AN960-8 |
| 15 | 5 | | 93084 | 154-267 |
| 15 | 6 | 5305-00-993-0190 | 96906 | MS35206-214 |
| 15 | 7 | 5310-00-934-9739 | 96906 | MS35649-242 |
| 15 | 8 | 5310-00-193-7577 | 96906 | MS35333-36 |
| 15 | 9 | | 93084 | 154-261 |
| 15 | 10 | | 05832 | A221-10 |
| 15 | 11 | | 93084 | 154-302 |
| 15 | 12 | | 05832 | BB8138 |
| 15 | 13 | | 93084 | 154-303 |
| 15 | 14 | | 93084 | 154-304 |
| 15 | 15 | | 93084 | 154-301 |
| 15 | 16 | | 70563 | 9JM2 |
| 15 | 17 | | 93084 | 154-260 |
| 15 | 18 | 5325-00-263-6632 | 96906 | MS35489-6 |
| 15 | 19 | 5340-00-998-3264 | 00613 | D1420 |
| 15 | 20 | 5305-00-988-1727 | 96906 | MS35206-283 |
| 15 | 21 | 5310-00-550-1130 | 96906 | MS35333-40 |
| 15 | 22 | | 93084 | 154-150 |
| 15 | 23 | | 93084 | 154-151 |
| 15 | 24 | | 05832 | BB8138 |
| 15 | 25 | | 93084 | 154-308 |
| 15 | 26 | | 05832 | A221-10 |
| 15 | 27 | | 93084 | 154-302 |
| 15 | 28 | 6105-01-102-4221 | 62119 | YZ1U026K |
| 15 | 29 | | 93084 | 154-129 |
| 16 | 1 | 5310-00-934-9757 | 96906 | MS35649-282 |
| 16 | 2 | 5310-00-596-7693 | 96906 | MS35335-31 |
| 16 | 3 | | 62119 | 14P29-1 |
| 16 | 4 | | 62119 | 25T18A3 |
| 16 | 5 | | 62119 | 21S8 |
| 16 | 6 | | 62119 | 39TY12M1 |
| 16 | 7 | | 62119 | 34A16 |
| 16 | 8 | | 62119 | 34T263-6 |
| 16 | 9 | | 62119 | 34T265-4 |
| 16 | 10 | | 62119 | 15TY20U6 |
| 16 | 11 | | 62119 | 32TY1-281 |
| 16 | 12 | | 62119 | 62P137-1 |
| 16 | 13 | 5310-00-145-2032 | 96906 | MS9361-11 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM | INDEX STOCK NUMBER | FSCM | PART NUMBER |
|------|-----------------|--------------------|-------|--------------|
| 16 | 14 | 5310-00-167-0721 | 96906 | MS35333-41 |
| 16 | 15 | | 56289 | 103P608 |
| 16 | 16 | | 62119 | 39TY11A15 |
| 17 | 1 | 5305-00-984-4988 | 96906 | MS35206-228 |
| 17 | 2 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 17 | 3 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 17 | 4 | 5360-00-085-3348 | 96906 | MS24586-C52 |
| 17 | 5 | 5305-00-993-1851 | 96906 | MS35207-267 |
| 17 | 6 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 17 | 7 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 17 | 8 | 5305-00-993-1848 | 96906 | MS35207-265 |
| 17 | 9 | | 93084 | 154-233 |
| 17 | 10 | | 93084 | 154-166 |
| 17 | 11 | | 93084 | 154-125 |
| 17 | 12 | | 93084 | 154-220 |
| 17 | 13 | | 93084 | 154-128 |
| 17 | 14 | 5310-00-934-9747 | 96906 | MS35649-262 |
| 17 | 15 | 5310-00-579-0079 | 96906 | MS35333-37 |
| 17 | 16 | | 93084 | 154-222 |
| 18 | 1 | | 93084 | 154-294 |
| 18 | 2 | 4730-00-639-9730 | 79470 | 3400X2 |
| 18 | 3 | 4820-01-088-5385 | 28478 | N10BK |
| 18 | 4 | | 28478 | 00305-01 |
| 18 | 5 | | 28478 | 02195-01 |
| 18 | 6 | | 28478 | 01639-01 |
| 18 | 7 | | 28478 | 01673 |
| 18 | 8 | | 28478 | 00344-02 |
| 18 | 9 | | 28478 | 03005-01 |
| 18 | 10 | | 28478 | 00159 |
| 18 | 11 | | 28478 | 00008-01 |
| 18 | 12 | | 28478 | 00047-01 |
| 18 | 13 | 4730-00-278-4357 | 96906 | MS39169-13 |
| 18 | 14 | | 79470 | 3750X2 |
| 18 | 15 | 4730-00-196-1483 | 96906 | MS51953-11 |
| 18 | 16 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 18 | 17 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 18 | 18 | | 05832 | A221-10 |
| 18 | 19 | | 93084 | 154-333 |
| 18 | 20 | 5305-00-984-6208 | 96906 | MS35206-261 |
| 18 | 21 | 5340-00-998-3264 | 00613 | D1420 |
| 18 | 22 | | 93084 | 154-162 |
| 18 | 23 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 18 | 24 | 5310-00-934-9758 | 96906 | MS35649-202 |
| 18 | 25 | | 93084 | 154-214 |
| 18 | 26 | 4310-01-086-8766 | 93084 | 154-283 |
| 19 | 1 | | 20024 | 107ADC18-28V |
| 19 | 2 | | 20024 | 633264 |
| 19 | 3 | | 20024 | 625266 |
| 19 | 4 | | 20024 | 625149 |
| 19 | 5 | | 20024 | 616124 |
| 19 | 6 | | 20024 | 641007 |

CROSS-REFERENCE INDEXES

| FIG. | FIGURE AND ITEM NUMBER INDEX ITEM | STOCK NUMBER | FSCM | PART NUMBER |
|------|--------------------------------------|------------------|-------|-------------|
| 19 | 7 | | 20024 | 614374 |
| 19 | 8 | | 20024 | 625109 |
| 19 | 9 | | 20024 | 625141 |
| 19 | 10 | | 20024 | 623048 |
| 19 | 11 | | 20024 | 623120 |
| 19 | 12 | | 20024 | 633525 |
| 19 | 13 | | 20024 | 654362 |
| 19 | 14 | | 20024 | 660255 |
| 19 | 15 | | 20024 | 625160 |
| 19 | 16 | | 20024 | 621102 |
| 19 | 17 | | 20024 | 617045 |
| 19 | 18 | | 20024 | 654652 |
| 19 | 19 | | 20024 | 608146 |
| 19 | 20 | | 20024 | 625244 |
| 19 | 21 | | 20024 | 625114 |
| 19 | 22 | | 20024 | 645373 |
| 19 | 23 | | 20024 | 607139 |
| 19 | 24 | | 20024 | 615403 |
| 19 | 25 | | 20024 | 625058 |
| 19 | 26 | | 20024 | 660659 |
| 19 | 27 | | 20024 | 625260 |
| 19 | 28 | | 20024 | 614377 |
| 19 | 29 | | 20024 | 625006 |
| 19 | 30 | | 20024 | 626516 |
| 19 | 31 | | 20024 | 627093 |
| 19 | 32 | | 20024 | 608092 |
| 19 | 33 | | 20024 | 602492 |
| 19 | 34 | | 05832 | BB8138 |
| 19 | 35 | | 93084 | 154-329 |
| 19 | 36 | | 56289 | 103P608 |
| 19 | 37 | 5310-00-145-2032 | 96906 | MS9361-11 |
| 19 | 38 | 5310-00-167-0721 | 96906 | MS35333-41 |
| 19 | 39 | 5310-00-622-8610 | 96906 | MS9881-09 |
| 19 | 40 | 5310-00-576-5752 | 96906 | MS35333-39 |
| 19 | 41 | 5305-00-857-5867 | 96906 | MS9122-03 |
| 19 | 42 | | 93084 | 154-266 |

By Order of the Secretary of the Army:

Official:

CARL E. VUONO

*General United States Army
Chief of Staff*

WILLIAM J. MEEHAN, II

*Brigadier General, United States Army
The Adjutant General*

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Organizational and Direct Support Maintenance requirements for Heater, Space, Multifuel, 28V DC, 15,000 BTU (VBM-15-1V)

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

PFC JOHN DOE
COA, 3d ENGINEER BN
FT. LEONARDWOOD, MD 63108

DATE SENT

PUBLICATION NUMBER

TM 5-4520-242-23P

PUBLICATION DATE

9 Feb 1990

PUBLICATION TITLE

HEATER, SPACE, MULTIFUEL

BE EXACT - PIN-POINT WHERE IT IS

| PAGE NO | PARA-GRAPH | FIGURE NO | TABLE NO |
|---------|------------|-----------|----------|
| 6 | 2-1 a | | |
| B1 | | 4-3 | |
| 125 | line 20 | | |

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

In line 6 of paragraph 2-1a the manual states the engine has 6 cylinders. The engine on my set only has 4 cylinders. Change the manual to show 4 cylinders.

Callout 16 on figure 4-3 is pointing at a bolt. In key to figure 4-3, item 16 is called a shim - Please correct one or the other.

I ordered a gasket, item 19 on figure B-16 by NSN 2 910-00-762-3001. I got a gasket but it doesn't fit. Supply says I got what I ordered, so the NSN is wrong. Please give me a good NSN

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

JOHN DOE, PFC (268) 317-7111

SIGN HERE

JOHN DOE

DA FORM 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.
DRSTS-M Overprint 1, 1 Nov 80

P.S. - IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

TEAR ALONG PERFORATED LINE

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

COMMANDER
U S ARMY TROOP SUPPORT COMMAND
ATTN: AMSTR-MCTS
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120-1798

TEAR ALONG PERFORATED LINE

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

COMMANDER
U S ARMY TROOP SUPPORT COMMAND
ATTN: AMSTR-MCTS
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120-1796

TEAR ALONG PERFORATED LINE

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT. FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER
TM 5-4520-242-23P

PUBLICATION DATE
9 Feb 1990

PUBLICATION TITLE
HEATER, SPACE, MULTIFUEL

| BE EXACT PIN-POINT WHERE IT IS | | | |
|--------------------------------|------------|-----------|----------|
| PAGE NO | PARA-GRAPH | FIGURE NO | TABLE NO |
| | | | |

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

COMMANDER
U S ARMY TROOP SUPPORT COMMAND
ATTN: AMSTR-MCTS
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120-1798

TEAR ALONG PERFORATED LINE

FILL IN YOUR
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

COMMANDER
U S ARMY TROOP SUPPORT COMMAND
ATTN: AMSTR-MCTS
4300 GOODFELLOW BOULEVARD
ST. LOUIS, MO 63120-1798

TEAR ALONG PERFORATED LINE

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch
 1 decimeter = 10 centimeters = 3.94 inches
 1 meter = 10 decimeters = 39.37 inches
 1 dekameter = 10 meters = 32.8 feet
 1 hectometer = 10 dekameters = 328.08 feet
 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain
 1 decigram = 10 centigrams = 1.54 grains
 1 gram = 10 decigram = .035 ounce
 1 dekagram = 10 grams = .35 ounce
 1 hectogram = 10 dekagrams = 3.52 ounces
 1 kilogram = 10 hectograms = 2.2 pounds
 1 quintal = 100 kilograms = 220.46 pounds
 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliliters = .34 fl. ounce
 1 deciliter = 10 centiliters = 3.38 fl. ounces
 1 liter = 10 deciliters = 33.81 fl. ounces
 1 dekaliter = 10 liters = 2.64 gallons
 1 hectoliter = 10 dekaliters = 26.42 gallons
 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

| To change | To | Multiply by | To change | To | Multiply by |
|---------------|--------------------|-------------|--------------------|---------------|-------------|
| inches | centimeters | 2.540 | ounce-inches | newton-meters | .007062 |
| feet | meters | .305 | centimeters | inches | .394 |
| yards | meters | .914 | meters | feet | 3.280 |
| miles | kilometers | 1.609 | meters | yards | 1.094 |
| square inches | square centimeters | 6.451 | kilometers | miles | .621 |
| square feet | square meters | .093 | square centimeters | square inches | .155 |
| square yards | square meters | .836 | square meters | square feet | 10.764 |
| square miles | square kilometers | 2.590 | square meters | square yards | 1.196 |
| acres | square hectometers | .405 | square kilometers | square miles | .386 |
| cubic feet | cubic meters | .028 | square hectometers | acres | 2.471 |
| cubic yards | cubic meters | .765 | cubic meters | cubic feet | 35.315 |
| fluid ounces | milliliters | 29.573 | cubic meters | cubic yards | 1.308 |
| pints | liters | .473 | milliliters | fluid ounces | .034 |
| quarts | liters | .946 | liters | pints | 2.113 |
| gallons | liters | 3.785 | liters | quarts | 1.057 |
| ounces | grams | 28.349 | liters | gallons | .264 |
| pounds | kilograms | .454 | grams | ounces | .035 |
| short tons | metric tons | .907 | kilograms | pounds | 2.205 |
| pound-feet | newton-meters | 1.356 | metric tons | short tons | 1.102 |
| pound-inches | newton-meters | .11296 | | | |

Temperature (Exact)

| | | | | |
|----|------------------------|----------------------------|---------------------|----|
| °F | Fahrenheit temperature | 5/9 (after subtracting 32) | Celsius temperature | °C |
|----|------------------------|----------------------------|---------------------|----|

