

LA-9971-MS

3

CIC-14 REPORT COLLECTION
REPRODUCTION
COPY

Los Alamos National Laboratory is operated by the University of California for the United States Department of Energy under contract W-7405-ENG-38.

*Cross Sections and
Maxwellian Reaction Rates
for Polarized $d+d$ Reactions*

LOS ALAMOS NATIONAL LABORATORY
3 9338 00310 0905

Los Alamos Los Alamos National Laboratory
Los Alamos, New Mexico 87545

This work was supported by the US Department of Energy, Office of Basic Energy Sciences.

Prepared by A. D. Mutschlecner, Group T-2

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

LA-9971-MS

UC-34c

Issued: February 1984

Cross Sections and Maxwellian Reaction Rates for Polarized $d+d$ Reactions

G. M. Hale
G. D. Doolen



Los Alamos Los Alamos National Laboratory
Los Alamos, New Mexico 87545

CROSS SECTIONS AND MAXWELLIAN REACTION RATES FOR POLARIZED d+d REACTIONS

by

G. M. Hale and G. D. Doolen

ABSTRACT

Cross sections and Maxwellian reaction rates, averaged over incident relative directions, are given for the $\vec{D}(\vec{d},p)T$ and $\vec{D}(\vec{d},n)^3\text{He}$ reactions at low energies. These results are calculated from the current parameters of an extensive R-matrix analysis of reactions in the four-nucleon system. The analysis indicates that the averaged cross sections for deuterons interacting in spin-parallel polarized states are not strongly suppressed. The characteristic angular distributions could be used to obtain information about polarized deuterium plasmas.

I. INTRODUCTION

Recent work by Kulsrud and others¹⁻³ has raised practical interest in fusion reactions induced by polarized particles. The d+d reactions have received particular attention because early theoretical work^{4,5} suggested that these reactions might be strongly suppressed if the deuteron spins were parallel. Such an effect, if real, could be used to reduce unwanted secondary neutron and tritium production from the d+d reactions in a d-³He reactor.

This report contains predictions for polarized d+d cross sections based on the extensive R-matrix analysis of Hale and Dodder⁶ for reactions in the four-nucleon system. The analysis is not yet completed, but it represents the low-energy data sufficiently well to give qualitatively reliable predictions. These predictions indicate that the spin-parallel d-d cross sections are not strongly suppressed.

II. DEFINITIONS AND RELATIONS

Assume that some direction has been established (for example, by an external magnetic field) as the axis (Z) of quantization. Then $\sigma_{m,n}(\underline{v}',\underline{v})$ is the center-of-mass differential cross section for deuterons having spin projections m,n (m,n = 1,0,-1) on the Z-axis colliding with relative velocity \underline{v} to form

reaction products with relative velocity \underline{v}' . The quantities of interest in plasma applications are the cross section averaged over isotropic incident directions, for fixed incident energy,

$$\bar{\sigma}_{m,n}(\hat{v}') = \frac{1}{4\pi} \int d\Omega_{\underline{v}} \sigma_{m,n}(\underline{v}', \underline{v}) \quad ,$$

the integral of this averaged cross section over final directions,

$$\bar{\sigma}_{m,n} = \int d\Omega_{\underline{v}'} \bar{\sigma}_{m,n}(\hat{v}') \quad ,$$

and the corresponding reaction rates,

$$\begin{aligned} \langle \sigma_{m,n} \underline{v} \rangle(\hat{v}') &= \frac{1}{4\pi} \int d\underline{v} f(\underline{v}, kT) \sigma_{m,n}(\underline{v}', \underline{v}) \underline{v} \\ &= \int d\underline{v} f(\underline{v}, kT) \bar{\sigma}_{m,n}(\hat{v}') \underline{v} \quad , \end{aligned}$$

$$\langle \sigma_{m,n} \underline{v} \rangle = \int d\Omega_{\underline{v}'} \langle \sigma_{m,n} \underline{v} \rangle(\hat{v}') \quad ,$$

averaged over the normalized Maxwellian speed distribution $f(\underline{v}, kT)$ for temperature T .

The exchange symmetry of the deuterons plus reflection invariance imply that the only independent (m,n) combinations are $(1,1)$, $(1,0)$, $(1,-1)$, and $(0,0)$. The unpolarized cross section is expressed in terms of these as

$$\sigma_0 = \frac{1}{9} (2\sigma_{1,1} + 4\sigma_{1,0} + 2\sigma_{1,-1} + \sigma_{0,0}) \quad .$$

This relation holds for any initial and final relative velocities \underline{v} and \underline{v}' and therefore for any of the cross-section averages defined above. The unpolarized differential cross section averaged over incident directions is isotropic: $\bar{\sigma}_0(\hat{v}') = \sigma_0/4\pi$, with σ_0 the usual unpolarized integrated reaction cross section. The polarized differential cross sections averaged over incident directions, $\bar{\sigma}_{m,n}(\hat{v}')$, are in general anisotropic but are invariant under rotations about the Z -axis and reflections through the plane at the origin perpendicular to the Z -axis.

III. RESULTS

Table I lists the unpolarized integrated cross section σ_0 and the ratios of the four independent polarized integrated cross sections $\bar{\sigma}_{m,n}$ to σ_0 for the D(d,p) and D(d,n) reactions at incident laboratory energies (E_d) between 10 and 500 keV.

TABLE I
POLARIZED CROSS SECTIONS FOR THE d-d REACTIONS

A. D(d,p)T^a

E_d (keV)	σ_0 (mb)	$\frac{\bar{\sigma}_{1,1}}{\sigma_0}$	$\frac{\bar{\sigma}_{1,0}}{\sigma_0}$	$\frac{\bar{\sigma}_{1,-1}}{\sigma_0}$	$\frac{\bar{\sigma}_{0,0}}{\sigma_0}$
10	9.430×10^{-3}	1.266	0.850	0.884	1.299
50	4.649	1.153	0.914	0.933	1.172
100	15.55	1.031	0.981	0.987	1.037
150	25.06	0.933	1.036	1.031	0.929
200	32.75	0.855	1.079	1.066	0.843
300	44.35	0.741	1.140	1.119	0.721
400	52.78	0.666	1.177	1.157	0.645
500	59.18	0.613	1.200	1.186	0.600

B. D(d,n)³He^a

E_d (keV)	σ_0 (mb)	$\frac{\bar{\sigma}_{1,1}}{\sigma_0}$	$\frac{\bar{\sigma}_{1,0}}{\sigma_0}$	$\frac{\bar{\sigma}_{1,-1}}{\sigma_0}$	$\frac{\bar{\sigma}_{0,0}}{\sigma_0}$
10	8.418×10^{-3}	1.095	0.888	1.017	1.223
50	4.372	0.949	0.977	1.075	1.047
100	15.41	0.808	1.060	1.132	0.879
150	25.84	0.704	1.122	1.173	0.755
200	34.82	0.628	1.168	1.204	0.664
300	49.17	0.525	1.229	1.246	0.543
400	60.02	0.462	1.264	1.274	0.472
500	68.38	0.422	1.285	1.293	0.430

^aThe cross sections satisfy

$$(2\bar{\sigma}_{1,1} + 4\bar{\sigma}_{1,0} + 2\bar{\sigma}_{1,-1} + \bar{\sigma}_{0,0})/9 = \sigma_0.$$

Table II lists the unpolarized integrated reaction rates $\langle \sigma_0 v \rangle$ and the ratios of the four independent polarized integrated reaction rates $\langle \sigma_{m,n} v \rangle$ to $\langle \sigma_0 v \rangle$ for the D(d,p) and D(d,n) reactions at $kT = 2, 4, 6, 8,$ and 10 keV.

TABLE II

POLARIZED REACTION RATES FOR THE d-d REACTIONS

A. $D(d,p)T^a$

kT (keV)	$\langle\sigma_0 v\rangle$ (cm ³ /sec)	$\frac{\langle\sigma_{1,1} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{1,0} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{1,-1} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{0,0} v\rangle}{\langle\sigma_0 v\rangle}$
2	3.239×10^{-21}	1.223	0.875	0.902	1.251
4	4.550×10^{-20}	1.181	0.898	0.921	1.203
6	1.585×10^{-19}	1.146	0.918	0.936	1.165
8	3.432×10^{-19}	1.115	0.935	0.950	1.131
10	5.905×10^{-19}	1.088	0.950	0.962	1.100

B. $D(d,n)^3\text{He}^a$

kT (keV)	$\langle\sigma_0 v\rangle$ (cm ³ /sec)	$\frac{\langle\sigma_{1,1} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{1,0} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{1,-1} v\rangle}{\langle\sigma_0 v\rangle}$	$\frac{\langle\sigma_{0,0} v\rangle}{\langle\sigma_0 v\rangle}$
2	2.950×10^{-21}	1.038	0.923	1.039	1.154
4	4.224×10^{-20}	0.984	0.955	1.061	1.089
6	1.494×10^{-19}	0.941	0.981	1.078	1.038
8	3.280×10^{-19}	0.904	1.003	1.093	0.994
10	5.711×10^{-19}	0.872	1.022	1.106	0.955

^aThe reaction rates satisfy

$$(2\langle\sigma_{1,1} v\rangle + 4\langle\sigma_{1,0} v\rangle + 2\langle\sigma_{1,-1} v\rangle + \langle\sigma_{0,0} v\rangle)/9 = \langle\sigma_0 v\rangle.$$

Figure 1 gives polar plots of the relative shapes of the four independent angular distributions $\bar{\sigma}_{m,n}(\hat{v}')$ for the $D(d,p)$ reaction at $E_d = 10, 100, 300,$ and 500 keV. Figure 2 gives the same angular distribution plots for the $D(d,n)$ reaction. Polar plots of the relative shapes of the four independent reaction rates $\langle\sigma_{m,n} v\rangle(\hat{v}')$ for the $D(d,p)$ and $D(d,n)$ reactions at $kT = 2$ and 10 keV are given in Fig. 3.

Listed in the Appendix are numerical values of the averaged differential cross sections $\bar{\sigma}_{m,n}(\hat{v}')$ and reaction rates $\langle\sigma_{m,n} v\rangle(\hat{v}')$ as functions of the angle between \hat{v}' and the Z-axis for the $D(d,p)$ and $D(d,n)$ reactions at various energies and temperatures.

RELATIVE ANGULAR DISTRIBUTIONS

D(d,p)T AVERAGED CROSS SECTION




Fig. 1. Relative shapes of the four independent averaged cross sections $\bar{\sigma}_{m,n}(\hat{v}')$ for the D(d,p) reaction at energies between 10 and 500 keV. The polar angle is that between \hat{v}' and the Z-axis.

RELATIVE ANGULAR DISTRIBUTIONS
 $D(d,n)^3\text{He}$ AVERAGED CROSS SECTION





Fig. 2. Relative shapes of the four independent averaged cross sections $\bar{\sigma}_{m,n}(\hat{v}')$ for the $D(d,n)$ reaction at energies between 10 and 500 keV. The polar angle is that between \hat{v}' and the Z-axis.

RELATIVE ANGULAR DISTRIBUTIONS
D(d,p)T REACTION RATE



D(d,n)³He REACTION RATE




Fig. 3. Relative shapes of the four independent reaction rates $\langle \sigma_{m,n} \rangle(\hat{v}')$ for the D(d,p) [top] and D(d,n) [bottom] reactions, at temperatures $kT = 2$ and 10 keV . The polar angle is that between \hat{v}' and the Z-axis.

IV. CONCLUSIONS

It is apparent from Table I that the cross section for the spin-parallel case (1,1) is not strongly suppressed. This is because, contrary to the results and assumptions of earlier work, the $J = 2$, S-wave transitions make sizeable contributions to the d+d reactions at low energies, as is evident in measurements of large second-rank analyzing tensors.^{7,8}

On the other hand, Fig. 3 shows that the (1,1) angular distribution remains highly directional in a plasma at moderate temperatures, with most of the reaction products being emitted perpendicular to the axis of quantization. This characteristic angular distribution would be a useful diagnostic for measuring the depolarization rate during fusion of an initially polarized deuterium plasma.

REFERENCES

1. R. M. Kulsrud, H. P. Furth, E. J. Valeo, and M. Goldhaber, "Fusion Reactor Plasmas with Polarized Nuclei," *Phys. Rev. Lett.* 49, 1248 (1982).
2. R. M. More, "Nuclear Spin-Polarized Fuel in Inertial Fusion," *Phys. Rev. Lett.* 51, 396 (1983).
3. B. Coppi, F. Pegoraro, and J. J. Ramos, "Instability of Fusing Plasmas and Spin Depolarization Process," *Phys. Rev. Lett.* 51, 892 (1983).
4. E. J. Konopinski and E. Teller, "Theoretical Considerations Concerning the D+D Reactions," *Phys. Rev.* 73, 822 (1948).
5. B. P. Ad'yasevich and D. E. Fomenko, "Analysis of the Results of the Investigation of the Reaction $D(d,p)T$ with Polarized Deuterons," *Yad. Fiz.* 9, 283 (1969) [*Sov. J. Nucl. Phys.* 9, 167 (1969)].
6. G. M. Hale and D. C. Dodder, "A=4 Level Structure from an R-Matrix Analysis of the Four-Nucleon System," *Proc. 10th Int. Conf. Few Body Problems in Physics, Karlsruhe, W. Germany, 1983*; B. Zeitnitz, Ed., p. 207 (1983).
7. K. Jeltsch, P. Huber, A. Janett, and H. R. Striebel, " $D(d,p)T$ -Reaction with Polarized Deuterons Below 500 keV," *Helv. Phys. Act.* 43, 279 (1970).
8. B. P. Ad'yasevich, V. G. Antonenko, and D. E. Fomenko, "Study of the Reactions ${}^2H(\vec{d},p){}^3H$ and ${}^2H(\vec{d},n){}^3He$ with a Polarized Deuteron Beam. Measurement of the Analyzing Power," *Yad. Fiz.* 33, 601 (1981) [*Sov. J. Nucl. Phys.* 33, 313 (1981)].

APPENDIX

NUMERICAL VALUES OF $\bar{\sigma}_{m,n}(\hat{v}')$ AND $\langle\sigma_{m,n}v\rangle(\hat{v}')$

The following computer listings tabulate values of polarized average cross sections $\bar{\sigma}_{m,n}$ and reaction rates $\langle\sigma_{m,n}v\rangle$ for the d+d reactions as functions of the "angle" between \hat{v}' and the Z-axis for various deuteron laboratory energies "ed" or temperatures "kt." Columns labeled "axs" give cross sections averaged over incident directions in barns ($= 10^{-24} \text{ cm}^2$), and those labeled "svb" give Maxwellian reaction rates in $\text{cm}^3/\text{sec}.$ Rows labeled "intgr" are integrals of the preceding angular distributions over the angles of \hat{v}' . Because of the symmetry properties of the angular distributions (see Figs. 1-3), only angles up to 90° are tabulated.

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,p)$$

ed= 10 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.377094e-10	0.102411e-05	0.250523e-06	0.215588e-05
5	0.135125e-07	0.101440e-05	0.257881e-06	0.215304e-05
10	0.532273e-07	0.986173e-06	0.279432e-08	0.214341e-05
15	0.117112e-06	0.942013e-06	0.313658e-06	0.212383e-05
20	0.201901e-06	0.885909e-06	0.358194e-06	0.208959e-05
25	0.303396e-06	0.822810e-06	0.410065e-06	0.203525e-05
30	0.416785e-06	0.758091e-06	0.465967e-06	0.195555e-05
35	0.536999e-06	0.696964e-06	0.522578e-06	0.184641e-05
40	0.659063e-06	0.643933e-06	0.576854e-06	0.170586e-05
45	0.778403e-06	0.602337e-06	0.626282e-06	0.153470e-05
50	0.891093e-06	0.574039e-06	0.669061e-06	0.133695e-05
55	0.994010e-06	0.559301e-06	0.704190e-06	0.111981e-05
60	0.108489e-05	0.556842e-06	0.731467e-06	0.893337e-06
65	0.116230e-05	0.564090e-06	0.751385e-06	0.669700e-06
70	0.122550e-05	0.577577e-06	0.764963e-06	0.462189e-06
75	0.127430e-05	0.593439e-06	0.773516e-06	0.284021e-06
80	0.130885e-05	0.607948e-06	0.778408e-06	0.147103e-06
85	0.132942e-05	0.618015e-06	0.780812e-06	0.608880e-07
90	0.133625e-05	0.621607e-06	0.781521e-06	0.314517e-07
intgr	0.119337e-04	0.801939e-05	0.833561e-05	0.122499e-04

ed= 50 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.812187e-07	0.503293e-03	0.180879e-03	0.954546e-03
5	0.613747e-05	0.499014e-03	0.183951e-03	0.953403e-03
10	0.239867e-04	0.486580e-03	0.192938e-03	0.949469e-03
15	0.526967e-04	0.467148e-03	0.207176e-03	0.941302e-03
20	0.907974e-04	0.442503e-03	0.225636e-03	0.926760e-03
25	0.136398e-03	0.414860e-03	0.247024e-03	0.903353e-03
30	0.187333e-03	0.386620e-03	0.269910e-03	0.868672e-03
35	0.241322e-03	0.360106e-03	0.292865e-03	0.820839e-03
40	0.296127e-03	0.337320e-03	0.314594e-03	0.758916e-03
45	0.349692e-03	0.319733e-03	0.334047e-03	0.683226e-03
50	0.400255e-03	0.308151e-03	0.350498e-03	0.595526e-03
55	0.446415e-03	0.302655e-03	0.363582e-03	0.499022e-03
60	0.487158e-03	0.302632e-03	0.373292e-03	0.398208e-03
65	0.521846e-03	0.306888e-03	0.379929e-03	0.298536e-03
70	0.550156e-03	0.313826e-03	0.384027e-03	0.205967e-03
75	0.572009e-03	0.321677e-03	0.386239e-03	0.126434e-03
80	0.587474e-03	0.328735e-03	0.387232e-03	0.652857e-04
85	0.596678e-03	0.333591e-03	0.387574e-03	0.267701e-04
90	0.599732e-03	0.335318e-03	0.387643e-03	0.136178e-04
intgr	0.535831e-02	0.425000e-02	0.433885e-02	0.544715e-02

ed=100 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.686124e-06	0.167692e-02	0.811271e-03	0.280583e-02
5	0.188315e-04	0.166442e-02	0.819563e-03	0.280294e-02
10	0.723081e-04	0.162813e-02	0.843778e-03	0.279271e-02
15	0.158316e-03	0.157150e-02	0.882004e-03	0.277076e-02
20	0.272440e-03	0.149986e-02	0.931281e-03	0.273055e-02
25	0.409004e-03	0.141979e-02	0.987900e-03	0.266447e-02
30	0.561507e-03	0.133843e-02	0.104779e-02	0.256512e-02
35	0.723107e-03	0.126267e-02	0.110692e-02	0.242667e-02
40	0.887093e-03	0.119842e-02	0.116170e-02	0.224614e-02
45	0.104731e-02	0.114998e-02	0.120929e-02	0.202431e-02
50	0.119847e-02	0.111964e-02	0.124782e-02	0.176628e-02
55	0.133640e-02	0.110750e-02	0.127655e-02	0.148153e-02
60	0.145808e-02	0.111158e-02	0.129576e-02	0.118341e-02
65	0.156162e-02	0.112816e-02	0.130668e-02	0.888186e-03
70	0.164607e-02	0.115231e-02	0.131119e-02	0.613661e-03
75	0.171123e-02	0.117860e-02	0.131150e-02	0.377582e-03
80	0.175732e-02	0.120180e-02	0.130981e-02	0.195958e-03
85	0.178474e-02	0.121762e-02	0.130797e-02	0.815121e-04
90	0.179383e-02	0.122323e-02	0.130721e-02	0.424232e-04
intgr	0.160365e-01	0.152607e-01	0.153551e-01	0.161309e-01

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,p)$$

ed=150 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.198878e-05	0.269455e-02	0.157787e-02	0.400877e-02
5	0.284749e-04	0.267677e-02	0.158862e-02	0.400542e-02
10	0.106529e-03	0.262516e-02	0.161997e-02	0.399306e-02
15	0.232054e-03	0.254474e-02	0.166921e-02	0.396517e-02
20	0.398590e-03	0.244325e-02	0.173223e-02	0.391203e-02
25	0.597834e-03	0.233026e-02	0.180385e-02	0.382225e-02
30	0.820279e-03	0.221611e-02	0.187845e-02	0.368478e-02
35	0.105592e-02	0.211075e-02	0.195052e-02	0.349080e-02
40	0.129496e-02	0.202267e-02	0.201522e-02	0.323563e-02
45	0.152840e-02	0.195801e-02	0.206886e-02	0.292012e-02
50	0.174856e-02	0.191992e-02	0.210922e-02	0.255146e-02
55	0.194933e-02	0.190836e-02	0.213566e-02	0.214325e-02
60	0.212636e-02	0.192024e-02	0.214911e-02	0.171480e-02
65	0.227690e-02	0.194990e-02	0.215180e-02	0.128970e-02
70	0.239962e-02	0.198995e-02	0.214690e-02	0.893841e-03
75	0.249425e-02	0.203227e-02	0.213801e-02	0.553068e-03
80	0.256116e-02	0.206909e-02	0.212864e-02	0.290708e-03
85	0.260095e-02	0.209401e-02	0.212172e-02	0.125312e-03
90	0.261415e-02	0.210280e-02	0.211919e-02	0.688076e-04
intgr	0.233853e-01	0.259499e-01	0.258397e-01	0.232751e-01

ed=200 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.396820e-05	0.351386e-02	0.234674e-02	0.469508e-02
5	0.357028e-04	0.349306e-02	0.235805e-02	0.469218e-02
10	0.129220e-03	0.343273e-02	0.239094e-02	0.468069e-02
15	0.279597e-03	0.333888e-02	0.244231e-02	0.465263e-02
20	0.479076e-03	0.322071e-02	0.250742e-02	0.459610e-02
25	0.717687e-03	0.308966e-02	0.258038e-02	0.449717e-02
30	0.984017e-03	0.295802e-02	0.265481e-02	0.434221e-02
35	0.126606e-02	0.283762e-02	0.272454e-02	0.412028e-02
40	0.155207e-02	0.273848e-02	0.278426e-02	0.382536e-02
45	0.183126e-02	0.266779e-02	0.283008e-02	0.345811e-02
50	0.209443e-02	0.262914e-02	0.285988e-02	0.302678e-02
55	0.233431e-02	0.262225e-02	0.287348e-02	0.254737e-02
60	0.254569e-02	0.264318e-02	0.287254e-02	0.204278e-02
65	0.272534e-02	0.268490e-02	0.286029e-02	0.154108e-02
70	0.287170e-02	0.273834e-02	0.284100e-02	0.107316e-02
75	0.298450e-02	0.279355e-02	0.281943e-02	0.669898e-03
80	0.306421e-02	0.284102e-02	0.280014e-02	0.359174e-03
85	0.311160e-02	0.287294e-02	0.278690e-02	0.163188e-03
90	0.312732e-02	0.288418e-02	0.278219e-02	0.962171e-04
intgr	0.279961e-01	0.353209e-01	0.349182e-01	0.275934e-01

ed=300 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.972239e-05	0.474436e-02	0.374660e-02	0.527572e-02
5	0.470484e-04	0.472090e-02	0.375653e-02	0.527507e-02
10	0.157032e-03	0.465294e-02	0.378515e-02	0.526969e-02
15	0.333852e-03	0.454751e-02	0.382912e-02	0.524984e-02
20	0.568339e-03	0.441540e-02	0.388330e-02	0.520092e-02
25	0.848710e-03	0.426995e-02	0.394139e-02	0.510579e-02
30	0.116149e-02	0.412549e-02	0.399667e-02	0.494752e-02
35	0.149252e-02	0.399573e-02	0.404280e-02	0.471228e-02
40	0.182793e-02	0.389220e-02	0.407458e-02	0.439202e-02
45	0.215507e-02	0.382300e-02	0.408856e-02	0.398657e-02
50	0.246313e-02	0.379196e-02	0.408346e-02	0.350480e-02
55	0.274361e-02	0.379830e-02	0.406030e-02	0.296480e-02
60	0.299046e-02	0.383688e-02	0.402226e-02	0.239288e-02
65	0.319999e-02	0.389891e-02	0.397429e-02	0.182161e-02
70	0.337049e-02	0.397322e-02	0.392250e-02	0.128698e-02
75	0.350173e-02	0.404761e-02	0.387344e-02	0.825063e-03
80	0.359438e-02	0.411052e-02	0.383324e-02	0.468530e-03
85	0.364942e-02	0.415243e-02	0.380692e-02	0.243402e-03
90	0.366767e-02	0.416713e-02	0.379777e-02	0.166432e-03
intgr	0.328873e-01	0.505429e-01	0.496302e-01	0.319746e-01

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,p)$$

ed=400 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.174677e-04	0.562784e-02	0.492221e-02	0.540880e-02
5	0.573853e-04	0.560355e-02	0.492974e-02	0.541107e-02
10	0.174993e-03	0.553327e-02	0.495118e-02	0.541409e-02
15	0.364032e-03	0.542453e-02	0.498317e-02	0.540701e-02
20	0.614643e-03	0.528884e-02	0.502065e-02	0.537360e-02
25	0.914167e-03	0.514042e-02	0.505741e-02	0.529469e-02
30	0.124813e-02	0.499453e-02	0.508698e-02	0.515119e-02
35	0.160134e-02	0.486569e-02	0.510341e-02	0.492727e-02
40	0.195895e-02	0.476604e-02	0.510209e-02	0.461328e-02
45	0.230741e-02	0.470399e-02	0.508037e-02	0.420803e-02
50	0.263519e-02	0.468327e-02	0.503797e-02	0.372009e-02
55	0.293328e-02	0.470267e-02	0.497713e-02	0.316802e-02
60	0.319530e-02	0.475622e-02	0.490237e-02	0.257933e-02
65	0.341740e-02	0.483405e-02	0.482007e-02	0.198837e-02
70	0.359788e-02	0.492372e-02	0.473780e-02	0.143329e-02
75	0.373662e-02	0.501176e-02	0.466341e-02	0.952421e-03
80	0.383447e-02	0.508540e-02	0.460421e-02	0.580575e-03
85	0.389256e-02	0.513417e-02	0.456612e-02	0.345502e-03
90	0.391180e-02	0.515122e-02	0.455298e-02	0.265086e-03
intgr	0.351419e-01	0.621340e-01	0.610584e-01	0.340662e-01

ed=500 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.267767e-04	0.628692e-02	0.589575e-02	0.538986e-02
5	0.680351e-04	0.626239e-02	0.590088e-02	0.539522e-02
10	0.189580e-03	0.619149e-02	0.591513e-02	0.540721e-02
15	0.384905e-03	0.608201e-02	0.593526e-02	0.541422e-02
20	0.643765e-03	0.594589e-02	0.595635e-02	0.539881e-02
25	0.953010e-03	0.579784e-02	0.597247e-02	0.534029e-02
30	0.129762e-02	0.565361e-02	0.597751e-02	0.521793e-02
35	0.166183e-02	0.552815e-02	0.596602e-02	0.501432e-02
40	0.203027e-02	0.543390e-02	0.593404e-02	0.471840e-02
45	0.238893e-02	0.537934e-02	0.587974e-02	0.432790e-02
50	0.272594e-02	0.536809e-02	0.580379e-02	0.385079e-02
55	0.303204e-02	0.539853e-02	0.570946e-02	0.330548e-02
60	0.330072e-02	0.546412e-02	0.560245e-02	0.271977e-02
65	0.352815e-02	0.555424e-02	0.549031e-02	0.212871e-02
70	0.371270e-02	0.565558e-02	0.538173e-02	0.157140e-02
75	0.385439e-02	0.575382e-02	0.528565e-02	0.108728e-02
80	0.395419e-02	0.583538e-02	0.521025e-02	0.712200e-03
85	0.401338e-02	0.588918e-02	0.516216e-02	0.474798e-03
90	0.403299e-02	0.590795e-02	0.514563e-02	0.393539e-03
intgr	0.363052e-01	0.710162e-01	0.702104e-01	0.354994e-01

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,n)$$

ed= 10 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.361292e-10	0.897729e-06	0.320517e-06	0.179713e-05
5	0.104401e-07	0.890184e-06	0.326676e-06	0.179419e-05
10	0.411045e-07	0.868243e-06	0.344732e-06	0.178451e-05
15	0.904310e-07	0.833904e-06	0.373472e-06	0.176574e-05
20	0.155900e-06	0.790259e-06	0.411000e-06	0.173434e-05
25	0.234269e-06	0.741123e-06	0.454924e-06	0.168628e-05
30	0.321824e-06	0.690671e-06	0.502577e-06	0.161767e-05
35	0.414652e-06	0.642937e-06	0.551256e-06	0.152560e-05
40	0.508911e-06	0.601412e-06	0.598463e-06	0.140876e-05
45	0.601071e-06	0.568693e-06	0.642096e-06	0.126805e-05
50	0.688101e-06	0.546235e-06	0.680598e-06	0.110682e-05
55	0.767586e-06	0.534258e-06	0.713031e-06	0.930890e-06
60	0.837779e-06	0.531794e-06	0.739076e-06	0.748272e-06
65	0.897568e-06	0.536874e-06	0.758962e-06	0.568600e-06
70	0.946389e-06	0.546839e-06	0.773338e-06	0.402345e-06
75	0.984092e-06	0.558721e-06	0.783100e-06	0.259889e-06
80	0.101078e-05	0.569652e-06	0.789205e-06	0.150573e-06
85	0.102667e-05	0.577258e-06	0.792488e-06	0.818020e-07
90	0.103195e-05	0.579975e-06	0.793515e-06	0.583319e-07
intgr	0.921558e-05	0.747877e-05	0.856053e-05	0.102973e-04

ed= 50 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.778364e-07	0.471231e-03	0.224913e-03	0.796457e-03
5	0.476463e-05	0.467879e-03	0.227538e-03	0.795240e-03
10	0.185779e-04	0.458134e-03	0.235230e-03	0.791210e-03
15	0.407961e-04	0.442895e-03	0.247454e-03	0.783280e-03
20	0.702823e-04	0.423551e-03	0.263375e-03	0.769844e-03
25	0.105573e-03	0.401822e-03	0.281942e-03	0.749043e-03
30	0.144994e-03	0.379575e-03	0.301990e-03	0.719094e-03
35	0.186779e-03	0.358620e-03	0.322340e-03	0.678641e-03
40	0.229197e-03	0.340519e-03	0.341914e-03	0.627063e-03
45	0.270658e-03	0.326424e-03	0.359814e-03	0.564723e-03
50	0.309796e-03	0.316973e-03	0.375392e-03	0.493093e-03
55	0.345528e-03	0.312243e-03	0.388280e-03	0.414771e-03
60	0.377069e-03	0.311777e-03	0.398387e-03	0.333342e-03
65	0.403924e-03	0.314662e-03	0.405868e-03	0.253130e-03
70	0.425842e-03	0.319678e-03	0.411063e-03	0.178838e-03
75	0.442762e-03	0.325465e-03	0.414418e-03	0.115139e-03
80	0.454737e-03	0.330714e-03	0.416398e-03	0.662335e-04
85	0.461864e-03	0.334342e-03	0.417404e-03	0.354578e-04
90	0.464229e-03	0.335634e-03	0.417707e-03	0.249531e-04
intgr	0.414750e-02	0.426957e-02	0.469955e-02	0.457747e-02

ed=100 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.657751e-06	0.167748e-02	0.991174e-03	0.234281e-02
5	0.147397e-04	0.166758e-02	0.998495e-03	0.233961e-02
10	0.562409e-04	0.163881e-02	0.101992e-02	0.232883e-02
15	0.122989e-03	0.159387e-02	0.105388e-02	0.230716e-02
20	0.211559e-03	0.153692e-02	0.109796e-02	0.226966e-02
25	0.317545e-03	0.147312e-02	0.114909e-02	0.221063e-02
30	0.435906e-03	0.140805e-02	0.120391e-02	0.212455e-02
35	0.561330e-03	0.134712e-02	0.125903e-02	0.200721e-02
40	0.688610e-03	0.129496e-02	0.131138e-02	0.185656e-02
45	0.812967e-03	0.125500e-02	0.135846e-02	0.167355e-02
50	0.930306e-03	0.122907e-02	0.139852e-02	0.146246e-02
55	0.103738e-02	0.121733e-02	0.143067e-02	0.123099e-02
60	0.113184e-02	0.121831e-02	0.145483e-02	0.989796e-03
65	0.121222e-02	0.122920e-02	0.147166e-02	0.751809e-03
70	0.127779e-02	0.124623e-02	0.148238e-02	0.531110e-03
75	0.132839e-02	0.126524e-02	0.148848e-02	0.341699e-03
80	0.136417e-02	0.128222e-02	0.149148e-02	0.196184e-03
85	0.138547e-02	0.129387e-02	0.149270e-02	0.104573e-03
90	0.139253e-02	0.129801e-02	0.149300e-02	0.732972e-04
irtgr	0.124487e-01	0.163409e-01	0.174395e-01	0.135474e-01

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,n)$$

ed=150 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.190711e-05	0.283579e-02	0.190731e-02	0.334816e-02
5	0.225189e-04	0.282152e-02	0.191720e-02	0.334422e-02
10	0.832619e-04	0.278009e-02	0.194610e-02	0.333065e-02
15	0.180948e-03	0.271545e-02	0.199179e-02	0.330249e-02
20	0.310552e-03	0.263366e-02	0.205082e-02	0.325237e-02
25	0.465613e-03	0.254226e-02	0.211888e-02	0.317173e-02
30	0.638735e-03	0.244939e-02	0.219122e-02	0.305227e-02
35	0.822134e-03	0.236293e-02	0.226311e-02	0.288752e-02
40	0.100818e-02	0.228962e-02	0.233031e-02	0.267428e-02
45	0.118988e-02	0.223436e-02	0.238944e-02	0.241364e-02
50	0.136125e-02	0.219978e-02	0.243824e-02	0.211167e-02
55	0.151754e-02	0.218598e-02	0.247569e-02	0.177940e-02
60	0.165534e-02	0.219070e-02	0.250199e-02	0.143229e-02
65	0.177254e-02	0.220968e-02	0.251840e-02	0.108913e-02
70	0.186809e-02	0.223731e-02	0.252695e-02	0.770430e-03
75	0.194177e-02	0.226737e-02	0.253005e-02	0.496613e-03
80	0.199386e-02	0.229391e-02	0.253015e-02	0.286094e-03
85	0.202485e-02	0.231199e-02	0.252930e-02	0.153494e-03
90	0.203513e-02	0.231840e-02	0.252885e-02	0.108214e-03
intgr	0.182059e-01	0.290041e-01	0.303235e-01	0.195253e-01

ed=200 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.380639e-05	0.384477e-02	0.281468e-02	0.392149e-02
5	0.285700e-04	0.382787e-02	0.282561e-02	0.391772e-02
10	0.101545e-03	0.377879e-02	0.285751e-02	0.390425e-02
15	0.218890e-03	0.370229e-02	0.290779e-02	0.387501e-02
20	0.374555e-03	0.360566e-02	0.297243e-02	0.382094e-02
25	0.560759e-03	0.349793e-02	0.304642e-02	0.373148e-02
30	0.768600e-03	0.338886e-02	0.312427e-02	0.359637e-02
35	0.988711e-03	0.328788e-02	0.320055e-02	0.340751e-02
40	0.121192e-02	0.320302e-02	0.327047e-02	0.316070e-02
45	0.142982e-02	0.314010e-02	0.333028e-02	0.285694e-02
50	0.163523e-02	0.310217e-02	0.337760e-02	0.250322e-02
55	0.182246e-02	0.308925e-02	0.341155e-02	0.211252e-02
60	0.198746e-02	0.309849e-02	0.343272e-02	0.170322e-02
65	0.212770e-02	0.312463e-02	0.344296e-02	0.129769e-02
70	0.224196e-02	0.316078e-02	0.344501e-02	0.920466e-03
75	0.233002e-02	0.319936e-02	0.344205e-02	0.595980e-03
80	0.239226e-02	0.323308e-02	0.343721e-02	0.346296e-03
85	0.242926e-02	0.325595e-02	0.343314e-02	0.188944e-03
90	0.244153e-02	0.326403e-02	0.343158e-02	0.135198e-03
intgr	0.218584e-01	0.406729e-01	0.419268e-01	0.231123e-01

ed=300 kev

angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.933153e-05	0.547806e-02	0.444024e-02	0.440529e-02
5	0.386134e-04	0.545847e-02	0.445118e-02	0.440318e-02
10	0.124894e-03	0.540167e-02	0.448298e-02	0.439421e-02
15	0.263609e-03	0.531326e-02	0.453275e-02	0.437088e-02
20	0.447567e-03	0.520189e-02	0.459598e-02	0.432199e-02
25	0.667524e-03	0.507824e-02	0.466712e-02	0.423442e-02
30	0.912911e-03	0.495384e-02	0.474009e-02	0.409528e-02
35	0.117262e-02	0.483978e-02	0.480905e-02	0.389418e-02
40	0.143578e-02	0.474548e-02	0.486891e-02	0.362533e-02
45	0.169246e-02	0.467769e-02	0.491592e-02	0.328913e-02
50	0.193418e-02	0.463982e-02	0.494796e-02	0.289309e-02
55	0.215426e-02	0.463167e-02	0.496475e-02	0.245194e-02
60	0.234797e-02	0.464961e-02	0.496771e-02	0.198686e-02
65	0.251241e-02	0.468712e-02	0.495973e-02	0.152389e-02
70	0.264621e-02	0.473577e-02	0.494471e-02	0.109171e-02
75	0.274921e-02	0.478631e-02	0.492699e-02	0.718998e-03
80	0.282193e-02	0.482989e-02	0.491076e-02	0.431685e-03
85	0.286514e-02	0.485924e-02	0.489949e-02	0.250412e-03
90	0.287946e-02	0.486958e-02	0.489547e-02	0.188460e-03
intgr	0.258245e-01	0.604167e-01	0.612740e-01	0.266818e-01

$$\bar{\sigma}_{m,n}(\hat{v}') D(d,n)$$

ed=400 kev				
angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.167751e-04	0.672238e-02	0.577600e-02	0.451462e-02
5	0.482515e-04	0.670157e-02	0.578600e-02	0.451487e-02
10	0.140989e-03	0.664126e-02	0.581498e-02	0.451268e-02
15	0.290054e-03	0.654751e-02	0.585993e-02	0.449965e-02
20	0.487675e-03	0.642965e-02	0.591625e-02	0.446321e-02
25	0.723868e-03	0.629923e-02	0.597824e-02	0.438855e-02
30	0.987223e-03	0.616866e-02	0.603979e-02	0.426100e-02
35	0.126576e-02	0.604987e-02	0.609506e-02	0.406853e-02
40	0.154778e-02	0.595296e-02	0.613912e-02	0.380402e-02
45	0.182259e-02	0.588511e-02	0.616851e-02	0.346705e-02
50	0.208110e-02	0.584984e-02	0.618161e-02	0.306489e-02
55	0.231621e-02	0.584676e-02	0.617875e-02	0.261273e-02
60	0.252287e-02	0.587172e-02	0.616214e-02	0.213275e-02
65	0.269805e-02	0.591750e-02	0.613552e-02	0.165253e-02
70	0.284042e-02	0.597472e-02	0.610369e-02	0.120255e-02
75	0.294987e-02	0.603321e-02	0.607184e-02	0.813427e-03
80	0.302706e-02	0.608321e-02	0.604491e-02	0.512891e-03
85	0.307288e-02	0.611673e-02	0.602697e-02	0.323047e-03
90	0.308806e-02	0.612851e-02	0.602069e-02	0.258128e-03
intgr	0.277515e-01	0.758793e-01	0.764439e-01	0.283160e-01

ed=500 kev				
angle	axs(1,1)	axs(1,0)	axs(1,-1)	axs(0,0)
0	0.257290e-04	0.767898e-02	0.685620e-02	0.449718e-02
5	0.584252e-04	0.765746e-02	0.686512e-02	0.449999e-02
10	0.154747e-03	0.759512e-02	0.689085e-02	0.450524e-02
15	0.309538e-03	0.749831e-02	0.693038e-02	0.450387e-02
20	0.514683e-03	0.737678e-02	0.697909e-02	0.448225e-02
25	0.759759e-03	0.724263e-02	0.703131e-02	0.442430e-02
30	0.103286e-02	0.710882e-02	0.708100e-02	0.431394e-02
35	0.132151e-02	0.698780e-02	0.712246e-02	0.413777e-02
40	0.161352e-02	0.689009e-02	0.715102e-02	0.388750e-02
45	0.189778e-02	0.682310e-02	0.716358e-02	0.356182e-02
50	0.216489e-02	0.679042e-02	0.715899e-02	0.316752e-02
55	0.240750e-02	0.679149e-02	0.713816e-02	0.271968e-02
60	0.262047e-02	0.682182e-02	0.710395e-02	0.224082e-02
65	0.280075e-02	0.687367e-02	0.706081e-02	0.175915e-02
70	0.294704e-02	0.693708e-02	0.701424e-02	0.130605e-02
75	0.305936e-02	0.700121e-02	0.697012e-02	0.913127e-03
80	0.313848e-02	0.705574e-02	0.693398e-02	0.609059e-03
85	0.318541e-02	0.709219e-02	0.691032e-02	0.416745e-03
90	0.320095e-02	0.710498e-02	0.690209e-02	0.350943e-03
intgr	0.288303e-01	0.878755e-01	0.884483e-01	0.294031e-01

$$\langle \sigma_{m,n} \nu \rangle (\hat{v}') \quad D(d,p)$$

kt= 2 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.261331e-25	0.351473e-21	0.100933e-21	0.711933e-21
5	0.450199e-23	0.348267e-21	0.103323e-21	0.711020e-21
10	0.176910e-22	0.338958e-21	0.110320e-21	0.707933e-21
15	0.389053e-22	0.324398e-21	0.121422e-21	0.701606e-21
20	0.670604e-22	0.305918e-21	0.135831e-21	0.690466e-21
25	0.100762e-21	0.285149e-21	0.152584e-21	0.672702e-21
30	0.138407e-21	0.263875e-21	0.170581e-21	0.646541e-21
35	0.178321e-21	0.243821e-21	0.188740e-21	0.610630e-21
40	0.218840e-21	0.226483e-21	0.206066e-21	0.564304e-21
45	0.258456e-21	0.212958e-21	0.221762e-21	0.507803e-21
50	0.295854e-21	0.203855e-21	0.235240e-21	0.442453e-21
55	0.330010e-21	0.199256e-21	0.246191e-21	0.370640e-21
60	0.360158e-21	0.198720e-21	0.254575e-21	0.295702e-21
65	0.385837e-21	0.201392e-21	0.260578e-21	0.221666e-21
70	0.406801e-21	0.206102e-21	0.264557e-21	0.152944e-21
75	0.422984e-21	0.211565e-21	0.266962e-21	0.939264e-22
80	0.434445e-21	0.216529e-21	0.268267e-21	0.485647e-22
85	0.441259e-21	0.219953e-21	0.268867e-21	0.199990e-22
90	0.443519e-21	0.221182e-21	0.269035e-21	0.102447e-22
intgr	0.396161e-20	0.283347e-20	0.292335e-20	0.405119e-20

kt= 4 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.622561e-24	0.493079e-20	0.162663e-20	0.960569e-20
5	0.613515e-22	0.488765e-20	0.165818e-20	0.959384e-20
10	0.240285e-21	0.476225e-20	0.175052e-20	0.955335e-20
15	0.528090e-21	0.456629e-20	0.189691e-20	0.946990e-20
20	0.910054e-21	0.431773e-20	0.208666e-20	0.932193e-20
25	0.136721e-20	0.403861e-20	0.230676e-20	0.908463e-20
30	0.187785e-20	0.375312e-20	0.254260e-20	0.873417e-20
35	0.241921e-20	0.348467e-20	0.277971e-20	0.825148e-20
40	0.296873e-20	0.325334e-20	0.300483e-20	0.762754e-20
45	0.350593e-20	0.307394e-20	0.320743e-20	0.686561e-20
50	0.401302e-20	0.295472e-20	0.337992e-20	0.598341e-20
55	0.447602e-20	0.289656e-20	0.351836e-20	0.501321e-20
60	0.488467e-20	0.289336e-20	0.362257e-20	0.400012e-20
65	0.523270e-20	0.293334e-20	0.369533e-20	0.299882e-20
70	0.551674e-20	0.300057e-20	0.374183e-20	0.206907e-20
75	0.573599e-20	0.307737e-20	0.376835e-20	0.127039e-20
80	0.589122e-20	0.314672e-20	0.378152e-20	0.656427e-21
85	0.598356e-20	0.319445e-20	0.378691e-20	0.269742e-21
90	0.601418e-20	0.321154e-20	0.378826e-20	0.137693e-21
intgr	0.537282e-19	0.408759e-19	0.419042e-19	0.547526e-19

kt= 6 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.312813e-23	0.171513e-19	0.626718e-20	0.323209e-19
5	0.208439e-21	0.170064e-19	0.637119e-20	0.322823e-19
10	0.813375e-21	0.165853e-19	0.667542e-20	0.321497e-19
15	0.178636e-20	0.159273e-19	0.715727e-20	0.318747e-19
20	0.307765e-20	0.150933e-19	0.778132e-20	0.313838e-19
25	0.462303e-20	0.141576e-19	0.850385e-20	0.305927e-19
30	0.634914e-20	0.132018e-19	0.927618e-20	0.294209e-19
35	0.817892e-20	0.123049e-19	0.100501e-19	0.278026e-19
40	0.100362e-19	0.115343e-19	0.107817e-19	0.257067e-19
45	0.118515e-19	0.109401e-19	0.114360e-19	0.231445e-19
50	0.135650e-19	0.105496e-19	0.119884e-19	0.201752e-19
55	0.151291e-19	0.103654e-19	0.124265e-19	0.169072e-19
60	0.165097e-19	0.103667e-19	0.127506e-19	0.134929e-19
65	0.176852e-19	0.105129e-19	0.129709e-19	0.101171e-19
70	0.186444e-19	0.107498e-19	0.131059e-19	0.698157e-20
75	0.193847e-19	0.110174e-19	0.131775e-19	0.428746e-20
80	0.199088e-19	0.112577e-19	0.132087e-19	0.221611e-20
85	0.202206e-19	0.114229e-19	0.132187e-19	0.911390e-21
90	0.203240e-19	0.114818e-19	0.132205e-19	0.465829e-21
intgr	0.181592e-18	0.145406e-18	0.148359e-18	0.184535e-18

$$\langle \sigma_{m,n} \mathbf{v} \rangle (\hat{\mathbf{v}}') \quad D(d,p)$$

kt= 8 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.901920e-23	0.371132e-19	0.147311e-19	0.678438e-19
5	0.441914e-21	0.368096e-19	0.149451e-19	0.677656e-19
10	0.171745e-20	0.359272e-19	0.155709e-19	0.674947e-19
15	0.376900e-20	0.345487e-19	0.165612e-19	0.669290e-19
20	0.649161e-20	0.328025e-19	0.178424e-19	0.659128e-19
25	0.974978e-20	0.308451e-19	0.193232e-19	0.642677e-19
30	0.133889e-19	0.288481e-19	0.209024e-19	0.618225e-19
35	0.172461e-19	0.269778e-19	0.224795e-19	0.584378e-19
40	0.211610e-19	0.253757e-19	0.239638e-19	0.540462e-19
45	0.249872e-19	0.241469e-19	0.252829e-19	0.486716e-19
50	0.285983e-19	0.233479e-19	0.263868e-19	0.424374e-19
55	0.318943e-19	0.229841e-19	0.272515e-19	0.355714e-19
60	0.348033e-19	0.230102e-19	0.278792e-19	0.283942e-19
65	0.372796e-19	0.233401e-19	0.282932e-19	0.212953e-19
70	0.393001e-19	0.238585e-19	0.285340e-19	0.146996e-19
75	0.408592e-19	0.244383e-19	0.286494e-19	0.903139e-20
80	0.419628e-19	0.249566e-19	0.286889e-19	0.467274e-20
85	0.426194e-19	0.253120e-19	0.286939e-19	0.192698e-20
90	0.428373e-19	0.254386e-19	0.286923e-19	0.989277e-21
intgr	0.382797e-18	0.320799e-18	0.326029e-18	0.388012e-18

kt=10 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.196043e-22	0.637963e-19	0.271352e-19	0.113367e-18
5	0.746115e-21	0.632896e-19	0.274862e-19	0.113241e-18
10	0.288685e-20	0.618174e-19	0.285113e-19	0.112801e-18
15	0.632994e-20	0.595179e-19	0.301327e-19	0.111874e-18
20	0.108991e-19	0.566067e-19	0.322279e-19	0.110200e-18
25	0.163668e-19	0.533462e-19	0.346454e-19	0.107476e-18
30	0.224736e-19	0.500235e-19	0.372171e-19	0.103414e-18
35	0.289458e-19	0.469174e-19	0.397769e-19	0.977789e-19
40	0.355144e-19	0.442643e-19	0.421751e-19	0.904544e-19
45	0.419333e-19	0.422401e-19	0.442926e-19	0.814802e-19
50	0.479910e-19	0.409378e-19	0.460486e-19	0.710611e-19
55	0.535193e-19	0.403657e-19	0.474056e-19	0.595785e-19
60	0.583982e-19	0.404467e-19	0.483704e-19	0.475694e-19
65	0.625506e-19	0.410343e-19	0.489847e-19	0.356869e-19
70	0.659386e-19	0.419343e-19	0.493190e-19	0.246435e-19
75	0.685522e-19	0.429319e-19	0.494561e-19	0.151511e-19
80	0.704022e-19	0.438200e-19	0.494803e-19	0.785066e-20
85	0.715027e-19	0.444280e-19	0.494632e-19	0.325125e-20
90	0.718679e-19	0.446441e-19	0.494517e-19	0.168047e-20
intgr	0.642305e-18	0.560954e-18	0.568180e-18	0.649512e-18

$$\langle \sigma_{m,n} \nu \rangle (\hat{\nu}') \quad D(d,n)$$

kt= 2 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.250410e-25	0.316002e-21	0.127490e-21	0.593674e-21
5	0.348398e-23	0.313505e-21	0.129501e-21	0.592729e-21
10	0.136760e-22	0.306250e-21	0.135401e-21	0.589601e-21
15	0.300695e-22	0.294894e-21	0.144792e-21	0.583505e-21
20	0.518277e-22	0.280460e-21	0.157028e-21	0.573260e-21
25	0.778714e-22	0.264227e-21	0.171338e-21	0.557515e-21
30	0.106966e-21	0.247579e-21	0.186824e-21	0.534978e-21
35	0.137813e-21	0.231850e-21	0.202603e-21	0.504653e-21
40	0.169128e-21	0.218200e-21	0.217864e-21	0.466108e-21
45	0.199748e-21	0.207479e-21	0.231909e-21	0.419622e-21
50	0.228655e-21	0.200186e-21	0.244246e-21	0.366307e-21
55	0.255046e-21	0.196378e-21	0.254580e-21	0.308086e-21
60	0.278358e-21	0.195725e-21	0.262805e-21	0.247619e-21
65	0.298210e-21	0.197575e-21	0.269027e-21	0.188106e-21
70	0.314420e-21	0.201026e-21	0.273464e-21	0.133012e-21
75	0.326926e-21	0.205095e-21	0.276435e-21	0.857925e-22
80	0.335787e-21	0.208815e-21	0.278259e-21	0.495521e-22
85	0.341059e-21	0.211398e-21	0.279224e-21	0.267509e-22
90	0.342811e-21	0.212325e-21	0.279528e-21	0.189684e-22
intgr	0.306188e-20	0.272255e-20	0.306629e-20	0.340505e-20

kt= 4 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.596614e-24	0.454265e-20	0.203408e-20	0.801276e-20
5	0.475684e-22	0.450895e-20	0.206091e-20	0.800028e-20
10	0.185959e-21	0.441091e-20	0.213936e-20	0.795906e-20
15	0.408554e-21	0.425757e-20	0.226418e-20	0.787830e-20
20	0.703976e-21	0.406277e-20	0.242678e-20	0.774184e-20
25	0.105757e-20	0.384381e-20	0.261657e-20	0.753124e-20
30	0.145257e-20	0.361950e-20	0.282158e-20	0.722874e-20
35	0.187130e-20	0.340793e-20	0.302999e-20	0.682084e-20
40	0.229635e-20	0.322481e-20	0.323097e-20	0.630140e-20
45	0.271192e-20	0.308163e-20	0.341516e-20	0.567411e-20
50	0.310420e-20	0.298506e-20	0.357614e-20	0.495397e-20
55	0.346227e-20	0.293578e-20	0.371001e-20	0.416689e-20
60	0.377853e-20	0.292933e-20	0.381566e-20	0.334898e-20
65	0.404775e-20	0.295666e-20	0.389465e-20	0.254356e-20
70	0.426761e-20	0.300552e-20	0.395013e-20	0.179773e-20
75	0.443719e-20	0.306239e-20	0.398659e-20	0.115832e-20
80	0.455731e-20	0.311413e-20	0.400844e-20	0.667507e-21
85	0.462883e-20	0.314999e-20	0.401979e-20	0.358659e-21
90	0.465259e-20	0.316282e-20	0.402332e-20	0.253242e-21
intgr	0.415619e-19	0.403570e-19	0.448187e-19	0.460143e-19

kt= 6 kev

angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.299811e-23	0.161151e-19	0.778339e-20	0.269674e-19
5	0.161914e-21	0.160016e-19	0.787249e-20	0.269264e-19
10	0.630120e-21	0.156714e-19	0.813293e-20	0.267907e-19
15	0.138321e-20	0.151551e-19	0.854705e-20	0.265234e-19
20	0.238263e-20	0.144996e-19	0.908618e-20	0.260697e-19
25	0.357881e-20	0.137632e-19	0.971457e-20	0.253669e-19
30	0.491498e-20	0.130096e-19	0.103925e-19	0.243540e-19
35	0.633129e-20	0.122997e-19	0.110801e-19	0.229856e-19
40	0.776888e-20	0.116868e-19	0.117414e-19	0.212401e-19
45	0.917422e-20	0.112095e-19	0.123453e-19	0.191296e-19
50	0.105007e-19	0.108900e-19	0.128704e-19	0.167045e-19
55	0.117114e-19	0.107305e-19	0.133044e-19	0.140522e-19
60	0.127805e-19	0.107157e-19	0.136439e-19	0.112944e-19
65	0.136905e-19	0.108146e-19	0.138950e-19	0.857759e-20
70	0.144335e-19	0.109856e-19	0.140686e-19	0.606111e-20
75	0.150066e-19	0.111827e-19	0.141805e-19	0.390318e-20
80	0.154125e-19	0.113613e-19	0.142461e-19	0.224648e-20
85	0.156541e-19	0.114848e-19	0.142792e-19	0.120389e-20
90	0.157343e-19	0.115289e-19	0.142894e-19	0.848019e-21
intgr	0.140577e-18	0.146577e-18	0.161093e-18	0.155064e-18

$$\langle \sigma_{m,n} \nu \rangle (\hat{\nu}') \quad D(d,n)$$

kt= 8 kev				
angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.864531e-23	0.354720e-19	0.181983e-19	0.566169e-19
5	0.343938e-21	0.352334e-19	0.183830e-19	0.565327e-19
10	0.133183e-20	0.345395e-19	0.189227e-19	0.562540e-19
15	0.292079e-20	0.334553e-19	0.197805e-19	0.557022e-19
20	0.502939e-20	0.320787e-19	0.208963e-19	0.547610e-19
25	0.755306e-20	0.305337e-19	0.221952e-19	0.532975e-19
30	0.103719e-19	0.289537e-19	0.235946e-19	0.511821e-19
35	0.133595e-19	0.274675e-19	0.250111e-19	0.483185e-19
40	0.163919e-19	0.261870e-19	0.263696e-19	0.446597e-19
45	0.193559e-19	0.251936e-19	0.276058e-19	0.402308e-19
50	0.221534e-19	0.245336e-19	0.286755e-19	0.351370e-19
55	0.247065e-19	0.242111e-19	0.295539e-19	0.295624e-19
60	0.269603e-19	0.241935e-19	0.302352e-19	0.237629e-19
65	0.288787e-19	0.244147e-19	0.307332e-19	0.180473e-19
70	0.304447e-19	0.247865e-19	0.310718e-19	0.127517e-19
75	0.316528e-19	0.252114e-19	0.312854e-19	0.820960e-20
80	0.325080e-19	0.255952e-19	0.314072e-19	0.472196e-20
85	0.330173e-19	0.258600e-19	0.314667e-19	0.252693e-20
90	0.331859e-19	0.259543e-19	0.314850e-19	0.177765e-20
intgr	0.296542e-18	0.329025e-18	0.358533e-18	0.325998e-18


kt=10 kev				
angle	svb(1,1)	svb(1,0)	svb(1,-1)	svb(0,0)
0	0.187936e-22	0.619049e-19	0.333786e-19	0.946204e-19
5	0.581850e-21	0.615057e-19	0.336834e-19	0.944831e-19
10	0.224088e-20	0.603448e-19	0.345743e-19	0.940272e-19
15	0.490927e-20	0.585316e-19	0.359895e-19	0.931204e-19
20	0.845023e-20	0.562303e-19	0.378290e-19	0.915666e-19
25	0.126880e-19	0.536490e-19	0.399677e-19	0.891406e-19
30	0.174211e-19	0.510114e-19	0.422688e-19	0.856243e-19
35	0.224374e-19	0.485335e-19	0.445931e-19	0.808538e-19
40	0.275284e-19	0.464030e-19	0.468161e-19	0.747495e-19
45	0.325041e-19	0.447560e-19	0.488320e-19	0.673515e-19
50	0.371998e-19	0.436695e-19	0.505677e-19	0.588354e-19
55	0.414851e-19	0.431498e-19	0.519838e-19	0.495091e-19
60	0.452671e-19	0.431415e-19	0.530721e-19	0.398017e-19
65	0.484862e-19	0.435325e-19	0.538578e-19	0.302311e-19
70	0.511134e-19	0.441741e-19	0.543827e-19	0.213613e-19
75	0.531404e-19	0.449019e-19	0.547055e-19	0.137518e-19
80	0.545749e-19	0.455571e-19	0.548839e-19	0.790797e-20
85	0.554290e-19	0.460085e-19	0.549674e-19	0.422970e-20
90	0.557115e-19	0.461689e-19	0.549928e-19	0.297405e-20
intgr	0.497897e-18	0.583867e-18	0.631676e-18	0.545613e-18

Printed in the United States of America
Available from
National Technical Information Service
US Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

Microfiche (A01)

NTIS		NTIS		NTIS		NTIS	
Page Range	Price Code	Page Range	Price Code	Page Range	Price Code	Page Range	Price Code
001-025	A02	151-175	A08	301-325	A14	451-475	A20
026-050	A03	176-200	A09	326-350	A15	476-500	A21
051-075	A04	201-225	A10	351-375	A16	501-525	A22
076-100	A05	226-250	A11	376-400	A17	526-550	A23
101-125	A06	251-275	A12	401-425	A18	551-575	A24
126-150	A07	276-300	A13	426-450	A19	576-600	A25
						601-up*	A99

*Contact NTIS for a price quote.



Los Alamos