

**LA-8267-MS**

Informal Report


**C.3**

CIC-14 REPORT COLLECTION

**REPRODUCTION  
COPY**

**Electron Excitation Collision Strengths  
For Positive Atomic Ions:  
A Collection of Theoretical Data**

University of California



**LOS ALAMOS SCIENTIFIC LABORATORY**  
Post Office Box 1663 Los Alamos, New Mexico 87545

This report was not edited by the Technical Information staff.

This work was supported by the US Department of Energy, Office of Fusion Energy.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

George Kyrala

LA-8267-MS

Informal Report

UC-20f, UC-20g, UC-34a

Issued: March 1980

**Electron Excitation Collision Strengths  
For Positive Atomic Ions:  
A Collection of Theoretical Data**

A. L. Merts  
J. B. Mann  
W. D. Robb  
N. H. Magee, Jr.



<u>AUTHOR</u>	<u>DATA IDENTIFICATION</u>	<u>PAGE</u>
Mann <sup>1</sup>	MANN	128
Robb <sup>2</sup>	ROBB	151
Nakazaki <sup>3</sup>	NAKAZAKI	159
Jackson <sup>4</sup>		
Eissner <sup>5</sup>		
Dere <sup>6</sup>	UCL	159
Mason <sup>7,8,9</sup>		
Bhatia <sup>10,11</sup>		
Seaton <sup>12</sup>		
Hummer <sup>13</sup>		
Younger <sup>14</sup>	YOUNGER	167
Peek <sup>15</sup>	PEEK	168
Davis <sup>16</sup>	BLAHA	168
Blaha <sup>17,18</sup>		
Pindzola <sup>19</sup>	PINDZOLA	171
Callaway <sup>20</sup>	CALLAWAY	171
Berrington <sup>21</sup>		
Dufton <sup>22</sup>	QUB	172
Burke <sup>23</sup>		
Sampson <sup>24,25</sup>	SAMPSON	172
Osterbrock <sup>26</sup>	OSTERBROCK	173
Ormonde <sup>27</sup>	ORMONDE	173
Taylor <sup>28</sup>	CRANDALL	175
Gregory <sup>29</sup>		
Kim <sup>30,31</sup>	KIM	175
Nussbaumer <sup>32</sup>	NUSSBAUMER	176
Flower <sup>33-37</sup>	FLOWER	176
Wyngaarden <sup>38,39</sup>		
Gau <sup>40</sup>	HENRY	177
Henry <sup>41</sup>		

## TABLE OF CONTENTS

Contributing Authors and Data Table Index	iv
Plot Symbol Table	vi
Abstract	1
1. Introduction	1
2. Description of Computational Methods	2
3. Discussion of Data	3
3.1. Configuration Interaction Effects	3
3.2. Relativistic Effects	4
3.3. Resonant Excitation	5
4. Data Presentation and Format	7
5. Data	9
5.1. Table of Elements and Ions in Report	10
5.2. Index to Comparison Plots	11
5.3. Comparison Plots	19
5.4. Data Tables	128
6. Collision Strength Fits	178
6.1. Calculation of Excitation Rates	178
6.2. Comments on Single Parameter Scaling	180
Acknowledgments	198
References	198
Appendix A	201
Appendix B	205

Plot Symbol Table

1.	+	MANN	DWXC I
2.	*	MANN	DWCI
3.	□	ROBB	PWB
4.	○	MANN	DWX
5.	△	ROBB	CC
6.	▽	NAKAZAKI	CB
7.	◆	MANN	DW
8.	∩	UCL	CC, DW
9.	≠	YOUNGER	DWXC I
10.	∥	PEEK	DWXC I
11.	\$	BLAHA	DW
12.	U	PINDZOLA	DW
13.	θ	CALLAWAY	REL. CB
14.	I	QUB	CC
15.	8	SAMPSON	CBX
16.	H	OSTERBROCK	CC
17.	T	ORMONDE	CC
18.	W	CRANDALL	EXP.
19.	X	KIM	SCALED
20.	1	NUSSBAUMER	DW
21.	2	FLOWER	DW
22.	3	HENRY	CC

ELECTRON EXCITATION COLLISION STRENGTHS  
FOR POSITIVE ATOMIC IONS: A COLLECTION OF THEORETICAL DATA

by

A. L. Merts, J. B. Mann, W. D. Robb and N. H. Magee, Jr.

ABSTRACT

This report contains data on theoretical and experimental cross sections for electron impact excitation of positive atomic ions. It is an updated and corrected version of a preliminary manuscript which was used during an Atomic Data Workshop on Electron Excitation of Ions held at Los Alamos in November 1978. We attempt to show the current status of quantitative knowledge of collisional excitation collision strengths for highly stripped ions where configuration mixing, relativistic and resonance effects may be important. The results show a reasonably satisfactory state for first-row isoelectronic ions, and indicate that a considerable amount of work remains to be done for second-row and heavier ions.

---

1. INTRODUCTION

The number of elements for which collisional excitation data are needed has expanded rapidly in the past few years. Elements of  $Z \leq 30$  are important for both astrophysical applications and for many laboratory experiments. The use of higher- $Z$  elements in the construction of power fusion reactors, with the resultant impurity ions causing radiative power losses, has forced the need for calculations to higher and higher  $Z$ . Even after the elimination of very high- $Z$  elements, because of excessive power losses, one still must deal with a wide range of elements and ionization stages.

Although the need for these calculations is great, a literature search will quickly show that experimental data are largely nonexistent and there is a paucity of calculated results for many of the needed transitions. This led to

the choice of the ions and transitions presented at the meeting in Los Alamos and in this report. Two major considerations were paramount. First, ions and transitions were selected which were both of importance to the power fusion community and capable of being calculated by many different people and methods. This resulted in the largest possible duplication and comparison of collision strengths. Second, this selection was made to facilitate the development of isoelectronic scaling procedures, extending the work started by the authors in an earlier collisional excitation report.<sup>42</sup> Furthermore, it was hoped that the selection would allow reasonable interpolation of collision strengths as a function of  $N$  (number of bound electrons). Molybdenum is the heaviest element in the report, since it is at present the highest  $Z$  for which it is really practical to do calculations for complex ions. Table I on page 10 summarizes the elements and ions considered in this report.

The purpose of this work is to give a reasonably accurate impression of the data available from current practical computational methods. To achieve this, we have attempted to bring together a representative fraction of the existing data (published and unpublished). We have compared the data whenever possible to provide the reader with a basis for making his own judgements concerning the spread in calculated quantities. While we have chosen a few specific examples to discuss particular effects and to illustrate the importance of a process, we do not attempt to pass judgement on the various theoretical methods. The few known experimental values for collisional excitation cross-sections are also included.

Finally, the ultimate destiny of cross-sections is to produce rate coefficients. We have fitted many of the collision strengths in forms that are easily converted to rate coefficients for model calculations, etc. The fit coefficients and formulae needed to convert to rates have been included. In Appendix B we give some examples for scaling along isoelectronic sequences.

## 2. CALCULATIONAL METHODS

All of the theoretical collision strength data in this report comes from ab initio calculations. The approximations made in obtaining actual numbers are diverse and it is beyond the scope of this report to account for them in detail. We will instead provide references to relevant review articles and recent works of the authors whose numbers we have used, and where possible we reference publications on their computer codes and/or computational techniques.



The Close-coupling (CC) method<sup>43</sup> has been used, by the University College London (UCL) group and their associates through the program IMPACT,<sup>44</sup> by the Queen's University Belfast (QUB) group and their associates through the program RMATRX,<sup>45</sup> and by Henry and his associates using the NIEM<sup>46</sup> method. The CC calculations of Ormonde et al<sup>47</sup> are based on the computer program SEBAS. The Distorted-Wave (DW) method has many variants. The variational DW code developed by the UCL group has had wide usage as indicated on page iv. The other distorted wave methods including those of Peek,<sup>48</sup> Younger, and Mann are basically the DW method as described by Mott and Massey (Theory of Atomic Collisions). The method used here at Los Alamos by Mann uses Hartree-Fock (with relativistic mass-velocity and Darwin terms in the Hamiltonian)<sup>49</sup> wavefunctions for the target configurations. The potential for the continuum functions is the static potential of the target plus a local semiclassical exchange term.<sup>50</sup> The exchange terms arising from antisymmetric  $(N + 1)$  - electron functions are included, except "core-exchange" terms are ignored so that only the "active" bound electron wavefunctions need be used. Mixing coefficients are calculated simultaneously for both configuration interaction and intermediate coupling, using Cowan's RCG code.<sup>51</sup>

Several of the contributing authors also submitted more detailed statements on the methods they used. These statements have been collected in Appendix A.

### 3. DISCUSSION OF DATA

#### 3.1. Configuration Interaction Effects

For ions in the Be, B, C, N, O, Mg, Al, Si, P and S iso-electronic sequences, there are significant correlation effects due to orbital degeneracy, in both the ground and lowest excited states. These correlation effects do not disappear even in the limit of infinite-Z, and it is well known from bound state calculations that they play a fundamental role in correctly predicting energy levels and radiative transition probabilities. It is not surprising therefore that they play an equally important role in the calculation of collision strengths.

Our point in this section is to demonstrate that the use of different target state wave functions by different authors can easily mask the differences produced by the various continuum approximations listed in Sec. 2. Further, correlation effects do not affect the collision strength simply through the change they produce in the optical oscillator strength, as might be inferred from the

semi-empirical formulae of Seaton and Van Regemorter. An illustration of the magnitude of correlation effects on the collision strength is shown in Fig. 1 for the  $3s^2 3p^2 P^o - 3s 3p^2 {}^2D$  transition in S IV. The notation  $m \times n$  denotes an  $m$ -term wave function for the initial state and an  $n$ -term wave function for the final state. The calculations (+) are due to Mann and the calculations ( $\cap$ ) are due to Bhatia, both of whom use distorted wave methods. Note that Mann's threshold collision strengths differ by a factor of 2.6 while the oscillator strength ratio is 5.3. The most important interaction in the (4 x 5) case is the 13.5% admixture of  $3s^2 3d$  with the  $3s 3p^2 {}^2D$  term.




Fig. 1. Collision strengths of Bhatia and Mann, demonstrating the importance of configuration interaction for S IV ( $3s^2 3p^2 P^o - 3s 3p^2 {}^2D$ )

### 3.2. Relativistic Effects

As the nuclear charge of the target ion increases, the  $\pi$ LS coupling scheme for the representation of target states breaks down, and we are forced to go to an intermediate coupling scheme in which the target states are represented in a  $\pi$ LSJ coupling scheme. In addition, allowance for the relativistic velocity of the target electrons can significantly affect the threshold energies of transitions. Provided  $Z$  is not too large we can treat these relativistic effects as perturbations to the non-relativistic wave functions, proceed with our calculations in  $\pi$ LS coupling and recouple them to  $\pi$ LSJ coupling.

An example of intermediate coupling effects is shown in Fig. 2 for the  $1s^2\ ^1S - 1s2p\ ^3P^o$  transition in Fe XXV. Here the spin-orbit term mixes the  $1s2p\ ^3P_1$  and  $1s2p\ ^1P_1$  configurations in the approximate ratio 0.95 to 0.3, and so at approximately  $X = 4$  the component of the collision strength from the dipole-allowed transition  $1s^2\ ^1S_0 - 1s2p\ ^1P_1$  begins to dominate.




Fig. 2. Intermediate Coupling (LSJ) effects in the target state wave functions. The CB calculations are from Mann and the CC calculations are from Robb.

### 3.3. Resonant Excitation

The collision strengths included in this report do not include resonant excitation. In practice, resonances can greatly complicate the behaviour of the collision strength in the near threshold energy region. The CC method is the only procedure of those described in Sec. 2 which allows for resonant excitation, and the collision strength obtained for the  $1s^2 2s^2\ ^1S - 1s^2 2s2p\ ^3P^o$  transition in 0 V calculated by Berrington et al<sup>52</sup> is shown in Fig. 3. It is clearly not tractable to tabulate, plot and compare resonant collision strengths under our present format. Instead we concentrate on comparisons of the non-resonant or background collision strength for the following reasons:




Fig. 3. Resonance structure in the 0 V ( $2s^2 1S - 2s 2p^3 P^0$ ) collision strength, from the calculations of Berrington et. al.

1. In general, resonant contributions to the rate coefficients for strong dipole allowed transitions are small ( $\sim 10\%$ ).

2. For spin forbidden transitions, such as that of Fig. 3 where the resonant contribution to the rate coefficient is about 50%, the resonant contribution to the total 2s-2p excitation rate is only 12-15% and so for the purposes of power loss calculations (the primary object of this report) they are relatively unimportant.

3. Resonant collision strength data are almost non-existent and where they are available in the literature they are often incomplete and not easily transcribable.

4. It appears that, for ions more than a few times ionized, resonant excitation contributions can be calculated adequately using perturbative procedures<sup>53</sup> in conjunction with DW or CB scattering methods. We show one example of the contribution of the resonances to the rates. Figure 4 shows the excitation rate for 0 V ( $2s^2 - 2s2p^3 P$ ). Two of the curves (1, 2) show the difference between the rates without and with the inclusion of resonances. Curves (2, 3) compare the resonance rates calculated with the DW (perturbative procedure) and CC method.<sup>52</sup>




Fig. 4.  $0\text{ V } (2s^2 - 2s\ 2p\ 3p)$  excitation rates, without resonances (curve 1) and with resonances included (DW-curve 2, CC-curve 3).

#### 4. DATA PRESENTATION AND FORMAT

All of the data presented in the report are listed in the tables at the end of Sec. 5, where each data set is individually referenced. Since there are over 500 sets, it was not practical to give each one a separate identification number for plotting and comparison. Therefore, we have grouped the data into three classifications. First, if there is a common author, all of the data will be listed under that author's last name as the principal identification (e.g., Gau-Henry, van Wyngaarden-Henry and Henry were given plot symbol No. 22 and all listed as Henry data). Second, if there is a particular school of calculation (such as the University College of London (UCL) code), all authors using that method will be listed under that identification (e.g., Mason, Bhatia, Seaton, etc., are all grouped under plot symbol No. 8 as UCL data). Finally, data not fitting into the above are listed under the principal author, the first author and/or the author sending us the data.

It was brought to our attention that the data of Osterbrock, Nussbaumer and Flower should be included with the UCL authors, but it was too late to change the identification for this report.

The data tables at the end of Sec. 5 are arranged in the same order as the "authors" are listed in the table on page iv, with Mann first and Henry last. Under each "author", such as UCL, the data are arranged by element, ionization

stage and transition, with a reference given for each data set. Thus, to identify a data set labeled UCL in one of the comparison plots, the reader should turn to the UCL data tables and find the appropriate element, ion and transition.

We have attempted to present in this report all of the unpublished data available to us which could reasonably be presented in the form of LS term-to-term transitions. Some of the data were given to us for individual LSJ-L'S'J' line transitions and we can provide them upon request. Data given to us for J-J' transitions calculated in a jj- coupling scheme are not included in this report. In addition, we have used all of the data we could find in the literature, for which there were at least two data sets per transition. Published data for which there were no comparisons have not (in general) been included in this report, but should be obtainable from the references.

5. DATA

TABLE I  
DATA APPEARING IN OR REFERENCED IN REPORT

ELEMENT	ISOELECTRONIC SEQUENCE											
	Li	Be	B	C	N	O	F	Ne	Na	Mg	Al	Si
Be	1,5											
B	1	16										
C	1,5,11 13,18,19, 21,22	1,5,6,8, 10,11, 14,16,20	5,8									
N	1,18,19 21,22	6,16,17		17								
O	1,5,11,19	1,6,9,10, 11,14,16	1,5,11, 21	1,8,12, 17	17							
Ne	1,5,10,22	6,8,14, 16		8								
Na			21									
Mg				8	8				1			
Al						1,3,5	1,3	1	1	1	3	
Si	1,21	14,15	21	8		8			1,21	1		
S			21	8		8			21		1,8	
Ar	1,22	1,9,15	8	8		8			1	9		
Ca				8	8				11,21			
Fe	1,5,13, 19,22	1,5,8,9 14,15	1,5,8	1,5,8	1,5	1,5	1,5	1,21	1,11,19, 21	1,9,21	8,21	21
Mo	13,9	15	5						1,11,19	1,9		

Numbers are author identification numbers given on page vi.



5.2. Index to Comparison Plots

PAGE NO.	ELEMENT AND ION	... DATA SETS
19	BE II 2S - 2P	ROBB 2CCX BE II 2S - 2P SEATON UCL 5CCX BE II 2S - 2P MANN DWX II BE II 2S TO 2P HFR DW II
20	C III 1S2 2S2 - 1S2 2S 2P(1P)	OSTERBROCK 3CCX C III 1S2 2S2 - 1S2 2S 2P(1P) NAKAZAKI C III 2S2(1S) - 2S 2P(1P) PEEK DWUCI C III 2S2 - 2S 2P(1P) QUB DW C III 1S2 2S2 - 1S2 2S 2P(1P) ROBB 5CCX C III 2S(2) - 2S2P(1P) EISSNER UCL C III 2S2 - 2S 2P(1P) NUSSBAUMER DWX C III 2S(2)-2S2P(1P) LAUNAY FLOWER 6CCX C III 2S(2)-2S2P(1P) MANN DWXCI II C III 2S2 TO 2S 2P(1P) MIX (2 X 2) HF DW DAVIS BLAHA UDWX C III 2S(2)(1S) - 2S2P(1P)
22	C III 1S2 2S2 - 1S2 2S 2P(3P)	QUB DW C III 1S2 2S2 - 1S2 2S 2P(3P) PEEK DWUCI C III 2S2 - 2S 2P(3P) OSTERBROCK 3CCX C III 1S2 2S2 - 1S2 2S 2P(3P) EYSSNER UCL C III 2S2 - 2S 2P(3P) LAUNAY FLOWER DWX C III 2S(2)-2S2P(3P) MANN DWXCI II C III 2S2 TO 2S 2P(3P) HF DW II MIX(2 X 2) ROBB 5CCX C III 2S(2) - 2S2P(3P)
24	C III 2S 2P(3P) - 2P2(3P)	MANN DWXCI II C III 2S 2P(3P) TO 2P2(3P) HF DW MIX (2 X 1) QUB DW C III 1S2 2P(3P) - 2P2(3P) NUSSBAUMER DW C III 2S2P(3P)-2P(2)(3P) EISSNER UCL C III 2S 2P(3P) - 2P2(3P) ROBB 5CCX C III 2S2P(3P)-2P(2)(3P) CI
26	C III 2S 2P(3P) - 2S 2P(1P)	EISSNER UCL C III 2S 2P(3P) - 2S 2P(1P) ROBB 5CCX C III 2S2P(3P)-2S2P(1P) CI
27	C III 2S 2P(1P) - 2P2(10)	EISSNER UCL C III 2S 2P(1P) - 2P2(10) NUSSBAUMER DW C III 2S2P(1P) - 2P2(10) ROBB 5CCX C III 2S2P(1P)-2P(2)(10) CI
28	C IV 1S2 2S - 1S2 2P	KIM SCALED C IV 2S - 2P TAYLOR GRANDALL EXP C IV 1S2 2S - 1S2 2P CALLAWAY C IV 2S(2S) - 2P(2P) ROBB 2CCX C IV 2S - 2P DAVIS BLAHA UDWX C IV 2S - 2P GAU HENRY 5CCX C IV 2S - 2P MANN DWX II C VI 2S TO 2P HFR DW II
30	N IV 2S2(1S) - 2S 2P(1P)	OSTERBROCK 3CCX N IV 2S2 - 2S 2P(1P) ORMONDE N IV 2S2 - 2S 2P(1P) NAKAZAKI N IV 2S2(1S) - 2S 2P(1P)
31	N IV 2S2 - 2S 2P(3P)	OSTERBROCK 3CCX N IV 2S2 - 2S 2P(3P) ORMONDE N IV 2S2 - 2S 2P(3P)
32	N V 1S2 2S - 1S2 2P	FLOWER DW N V 1S2 2S - 1S2 2P VAN WYNGAARDEN-HENRY N V 2S - 2P KIM SCALED N V 2S - 2P GREGORY CRANDALL EXP N V 1S2 2S - 1S2 2P MANN DWX II N V 1S2 2S TO 1S2 2P HFR DW UNITARIZED

PAGE NO.	ELEMENT AND ION	... DATA SETS
34	O III 2S2 2P2(3P) - 2S2 2P2(1D)	BHATIA UCL O III 1S2 2S2 2P2(3P) -1S2 2S2 2P3(1D) PINDZOLA DW O III 2S2 2P2(3P) - 2S2 2P2(1D) MANN DWXCI II O III 2S2 2P2(3P) TO 2S2 2P2(1D) MIX(4 X 3)
35	O III 2S2 2P2(3P) - 2S2 2P2(1S)	BHATIA UCL O III 1S2 2S2 2P2(3P) -1S2 2S2 2P2(1S) MANN DWXCI II O III 2S2 2P2(3P) TO 2S2 2P2(1S) MIX(4 X 3)
36	O III 2S2 2P2(1D) - 2S2 2P2(1S)	BHATIA UCL O III 1S2 2S2 2P2(1D) -1S2 2S2 2P2(1S) MANN DWXCI II O III 2S2 2P2(1D) TO 2S2 2P2(1S) MIX(2 X 2)
37	O III 2S2 2P2(1D) - 2S 2P3(1P)	ORMONDE O III 2S2 2P2(1D) - 2S 2P3(1P) BHATIA UCL O III 1S2 2S2 2P2(1D) - 1S2 2S 2P3(1P)
38	O III 2S2 2P2(3P) - 2S 2P3(5S)	BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(5S) JACKSON UCL O III 2S2 2P2(3P) - 2S 2P3(5S) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(5S) MIX(4 X 1)
39	O III 2S2 2P2(3P) - 2S 2P3(3D)	BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3D) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(3D) MIX (2 X 1)
40	O III 2S2 2P2(3P) - 2S 2P3(3P)	BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3P) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(3P) MIX (2 X 1)
41	O III 2S2 2P2(3P) - 2S 2P3(3S)	ORMONDE O III 2S2 2P2(3P) - 2S 2P3(3S) BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3S) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(3S) MIX (2 X 1)
42	O III 2S2 2P2(3P) - 2S 2P3(1D)	BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(1D) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(1D) MIX (4 X 1)
43	O III 2S2 2P2(3P) - 2S 2P3(1P)	BHATIA UCL O III 1S2 2S2 2P2(3P) - 1S2 2S 2P3(1P) MANN DWXCI II O III 2S2 2P2(3P) TO 2S 2P3(1P) MIX (4 X 1)
44	O IV 2S2 2P - 2S 2P2(4P)	NUSSBAUMER-FLOWER O IV 2S2 2P - 2S 2P2(4P) ROBB O IV 5CCX 2S(2)2P-2S2P(2)(4P) CI MANN DWXCI II O IV 2S2 2P TO 2S 2P2(4P) MIX2 DWCI II
45	O IV 2S2 2P - 2S 2P2(2D)	NUSSBAUMER-FLOWER O IV 2S2 2P - 2S 2P2(2D) ROBB O IV 5CCX 2S(2)2P-2S2P(2)(2D) CI MANN DWXCI II O IV 2S2 2P TO 2S 2P2(2D) MIX2 DWCI II
46	O IV 2S2 2P - 2S 2P2(2S)	NUSSBAUMER-FLOWER O IV 2S2 2P - 2S 2P2(2S) ROBB O IV 5CCX 2S(2)2P-2S2P(2)(2S) CI MANN DWXCI II O IV 2S2 2P TO 2S 2P2(2S) MIX2 DWCI II
47	O IV 2S2 2P - 2S 2P2(2P)	DAVIS BLAHA UDWNX O IV 2S(2)2P(2P) - 2S2P(2)(2P) ROBB 5CCX O IV 2S(2)2P-2S2P(2)(2P) CI NUSSBAUMER-FLOWER O IV 2S2 2P - 2S 2P2(2P) MANN DWXCI II O IV 2S2 2P TO 2S 2P2(2P) MIX2 DWCI II
48	O IV 2S 2P2(4P) - 2S 2P2(2D)	NUSSBAUMER-FLOWER O IV 2S 2P2(4P) - 2S 2P2(2D) ROBB 5CCX O IV 2S2P(2)(4P)-2S2P(2)(2D) MANN DWX OXYGEN IV 2S 2P2(4P) TO 2S 2P2(2D) HFR

PAGE NO.	ELEMENT AND ION	... DATA SETS
49	O IV 2S 2P2(4P) - 2S 2P2(2P)	NUSSBAUMER-FLOWER O IV 2S 2P2(4P) - 2S 2P2(2P) ROBB 5CCX O IV 2S2P(2)(4P)-2S2P(2)(2P) CI MANN DWX OXYGEN IV 2S 2P2(4P) TO 2S 2P2(2P) HFR
50	O IV 2S 2P2(4P) - 2S 2P2(2S)	NUSSBAUMER-FLOWER O IV 2S 2P2(4P) - 2S 2P2(2S) ROBB 5CCX O IV 2S2P(2)(4P)-2S2P(2)(2S) CI MANN DWX O IV 2S 2P2(4P) TO 2S 2P2(2S) HFR DW
51	O IV 2S 2P2(2D) - 2S 2P2(2S)	ROBB 5CCX O IV 2S2P(2)(2D)-2S2P(2)(2S) CI MANN DWX O IV 2S 2P2(2D) TO 2S 2P2(2S) HFR DW
52	O IV 2S 2P2(2D) - 2S 2P2(2P)	ROBB 5CCX O IV 2S2P(2)(2D)-2S2P(2)(2P) CI MANN DWX OXYGEN IV 2S 2P2(2D) TO 2S 2P2(2P) HFR
53	O V 2S2 - 2S 2P(3P)	OSTERBROCK 3CCX O V 2S2 - 2S 2P(3P) QUB DW O V 1S2 2S2 - 1S2 2S 2P(3P) PEEK DWUCI O V 2S2 - 2S 2P(3P) MANN DWXCI II O V 2S2 TO 2S 2P(3P) HFR DWXCI II
54	O V 2S2 - 2S 2P(1P)	NAKAZAKI O V 2S2(1S) - 2S 2P(1P) QUB DW O V 1S2 2S2 - 1S2 2S 2P(1P) PEEK DWUCI O V 2S2 - 2S 2P(1P) YOUNGER DWXCI O V 2S2 - 2S 2P(1P) OSTERBROCK 3CCX O V 1S2 2S2 - 1S2 2S 2P(1P) DAVIS BLAHA UDWX O V 2S(2)(1S) - 2S2P(1P) MANN DWXCI II O V 2S2 TO 2S 2P(1P) HFR DWXCI II
56	O V 2S 2P(3P) - 2P2(3P)	QUB DW O V 1S2 2P(3P) - 2P2(3P) MANN DWX II O V 2S 2P(3P) TO 2P2(3P) HFR DW II
57	O VI 1S2 2S - 1S2 2P	ROBB O VI 2CCX 2S - 2P DAVIS BLAHA UDWX O VI 2S - 2P KIM SCALED O VI 2S - 2P MANN DWX II O VI 2S TO 2P HFR DW II
58	NE VII 2S2 - 2S 2P(3P)	OSTERBROCK 3CCX NE VII 2S2 - 2S 2P(3P) HUMMER UCL NE VII 2S2 - 2S 2P(3P)
59	NE VII 2S2(1S) - 2S 2P(1P)	HUMMER UCL NE VII 2S2 - 2S 2P(1P) OSTERBROCK 3CCX NE VII 2S2 - 2S 2P(1P) NAKAZAKI NE VII 2S2(1S) - 2S 2P(1P)
60	NE VIII 2S - 2P	VAN WYNGAARDEN-HENRY 2CCX 5CCX NE VIII 2S - 2P ROBB 5CCX NE VIII 2S - 2P PEEK DWX NE VIII 1S2 2S TO 1S2 2P HF DW MANN DWX NE VIII 1S2 2S TO 1S2 2P HF DW
61	AL V 2S2 2P5(2P) - 2S1 2P6(2S)	ROBB PWB AL V 2S2 2P2(2P) - 2S1 2P6(2S) MANN DWX AL V 2S2 2P5(2P) TO 2S1 2P6(2S) HFR DW
62	AL VI 2S2 2P4(3P) - 2S1 2P5(3P)	ROBB CC AL VI 2S2 2P4(3P) TO 2S2P5(3P) ROBB PWB AL VI 2S2 2P4(3P) TO 2S2P5(3P) MANN DWX AL VI 2S2 2P4(3P) TO 2S1 2P5(3P) HFR DW

PAGE NO.	ELEMENT AND ION	... DATA SETS
63	SI IV 3S - 3P	NUSSBAUMER-FLOWER SI IV 3S - 3P MANN DWX II SI IV 3S TO 3P HFR DW II
64	SI XII 2S - 2P	FLOWER DWCI SI XII 2S - 2P MANN DWX II SI XII 2S TO 2P HFR DW II
65	S IV 3S2 3P - 3S 3P2(4P)	BHATIA UCL S IV 3S2 3P(2P) - 3S 3P2(4P) MANN DWXCI SULFUR IV 3S2 3P TO 3S 3P2(4P) MIX2 (4 X 6)
66	S IV 3S2 3P - 3S 3P2(2D)	BHATIA UCL S IV 3S2 3P(2P) - 3S 3P2(2D) MANN DWXCI SULFUR IV 3S2 3P TO 3S 3P2(2D) MIX2 (4 X 5)
67	S IV 3S2 3P - 3S 3P2(2S)	BHATIA UCL S IV 3S2 3P(2P) - 3S 3P2(2S) MANN DWXCI SULFUR IV 3S2 3P TO 3S 3P2(2S) MIX2 (4 X 3)
68	S IV 3S2 3P - 3S 3P2(2P)	BHATIA UCL S IV 3S2 3P(2P) - 3S 3P2(2P) MANN DWXCI SULFUR IV 3S2 3P TO 3S 3P2(2P) MIX2 (4 X 5)
69	AR XV 2S2 - 2S 2P(3P)	SAMPSON CBX AR XV 2S2 - 2S 2P(3P) MANN DWXCI ARGON XV 2S2 TO 2S 2P(3P) HFR DW MIX(3 X 2)
70	AR XV 2S2 - 2S 2P(1P)	YOUNGER DWXCI AR XV 2S2 - 2S 2P(1P) SAMPSON CBX AR XV 2S2 - 2S 2P(1P) MANN DWXCI ARGON XV 2S2 TO 2S 2P(1P) HFR DW MIX(3 X 2)
71	AR XVI 1S2 2S - 1S2 2P	GAU HENRY 5CCX AR XVI 2S - 2P MANN DWX II A XVI 2S TO 2P HFR DW II
72	CA X 3S - 3P	NUSSBAUMER-FLOWER CA X 3S - 3P BLAHA DW CA X
73	CA X 3S - 3D	NUSSBAUMER-FLOWER CA X 3S - 3D BLAHA DW CA X
74	CA X 3P - 3D	NUSSBAUMER-FLOWER CA X 3P - 3D BLAHA DW CA X
75	FE XV 3S2 - 3S 3P(1P)	FLOWER FE XV 3S2 - 3S 3P(1P) YOUNGER DWXCI FE XV 3S2 TO 3S 3P(1P) HFR DW MIX2 MANN DWXCI
76	FE XVI 2P6 3S - 2P6 3P	NUSSBAUMER-FLOWER FE XVI 3S - 3P KIM SCALED FE XVI 3S - 3P BLAHA DW FE XVI 3S - 3P MANN DWX FE XVI 2P6 3S TO 2P6 3P HFR DW
77	FE XVI 2P6 3S - 2P6 3D	NUSSBAUMER-FLOWER FE XVI 3S - 3D BLAHA DW FE XVI 3S - 3D MANN DW FE XVI 2P6 3S TO 2P6 3D HFR DW MANN DWX FE XVI 2P6 3S TO 2P6 3D HFR DW

PAGE NO.	ELEMENT AND ION	...	DATA SETS
78	FE XVI 2P6 3S - 2P6 4S	BLAHA DW MANN DW MANN DWX	FE XVI 3S - 4S FE XVI 2P6 3S TO 2P6 4S HFR DW FE XVI 2P6 3S TO 2P6 4S HFR DW
79	FE XVI 2P6 3S - 2P6 4P	BLAHA DW MANN DWX	FE XVI 3S - 4P FE XVI 2P6 3S TO 2P6 4P HFR DW
80	FE XVI 3P - 3D	BLAHA DW	FE XVI 3P - 3D
81	FE XVIII 2S2 2P5 - 2S 2P6	NUSSBAUMER-FLOWER BLAHA DW	FE XVI 3P - 3D FE XVI 3P - 3D
82	FE XIX 2P4(3P) - 2P4(1D)	ROBB 2CCX MANN DWX	FE XVIII 2S2 2P5(2P) - 2S 2P6(2S) FE XVIII 2S2 2P5 TO 2S 2P6 HFR DW
83	FE XIX 2P4(3P) - 2P4(1S)	ROBB 5CCX MANN DWXCI	FE XIX 2S2 2P4(3P) - 2S2 2P4(1D) FE XIX 2P4(3P) TO 2P4(1D) HFR DW MIX
84	FE XIX 2S2 2P4(3P) - 2S 2P5(3P)	ROBB 5CCX MANN DWXCI	FE XIX 2S2 2P4(3P) - 2S2 2P4(1S) FE XIX 2P4(3P) TO 2P4(1S) HFR DW MIX
85	FE XIX 2S2 2P4(3P) - 2S 2P5(1P)	ROBB 5CCX MANN DWXCI	FE XIX 2S2 2P4(3P) - 2S 2P5(3P) FE XIX 2S2 2P4(3P) TO 2S 2P5(3P) DWMIX
86	FE XX 2S2 2P3(4S) - 2S 2P4(4P)	ROBB 7CCX MANN DWXCI	FE XIX 2S2 2P4(3P) - 2S 2P5(1P) FE XIX 2S2 2P4(3P) TO 2S 2P5(1P) DWMIX
87	FE XX 2S2 2P3(4S) - 2S 2P4(2S)	ROBB 7CCX MANN DWXCI	FE XX 2S2 2P3(4S) - 2S 2P4(4P) FE XX 2S2 2P3(4S) TO 2S 2P4(4P) DW CI8
88	FE XX 2S2 2P3(4S) - 2S 2P4(2P)	ROBB 7CCX MANN DWXCI	FE XX 2S2 2P3(4S) - 2S 2P4(2S) FE XX 2S2 2P3(4S) TO 2S 2P4(2S) DW CI7
89	FE XX 2S2 2P3(4S) - 2S 2P4(2D)	ROBB 7CCX MANN DWXCI	FE XX 2S2 2P3(4S) - 2S 2P4(2P) FE XX 2S2 2P3(4S) TO 2S 2P4(2P) DW CI 8
90	FE XXI 2S2 2P2(3P) - 2S2 2P2(1D)	ROBB 7CCX MANN DWXCI	FE XX 2S2 2P3(4S) - 2S 2P4(2D) FE XX 2S2 2P3(4S) TO 2S 2P4(2D) DW CI7
91	FE XXI 2S2 2P2(3P) - 2S2 2P2(1S)	BHATIA UCL ROBB 6CCX	FE XXI 1S2 2S2 2P2(3P) - 1S2 2S2 2P2(1D) FE XXI 2S2 2P2(3P) - 2S2 2P2(1D)
92	FE XXI 2S2 2P2(1D) - 2S2 2P2(1S)	BHATIA UCL ROBB UNMIX ROBB 6CCX	FE XXI 1S2 2S2 2P2(3P) - 1S2 2S2 2P2(1S) FE XXI 2S2 2P2(3P) - 2S2 2P2(1S)
93	FE XXI 2S2 2P2(3P) - 2S 2P3(5S)	BHATIA UCL MANN DWXCI	FE XXI 1S2 2S2 2P2(1D) - 1S2 2S2 2P2(1S) FE XXI 2S2 2P2(1D) - 2S2 2P2(1S) FE XXI 2S2 2P2(1D) - 2S2 2P2(1S)
		BHATIA UCL MANN DWXCI	FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(5S) FE XXI 2S2 2P2(3P) TO 2S 2P3(5S) DMCII0

94

FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)

BHATIA UCL FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3D)  
ROBB 6CCX FE XXI 2S2 2P2(3P) - 2S 2P3(3D)  
MANN DWXCI FE XXI 2S2 2P2(3P) TO 2S 2P3(3D) DMC112

95

FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)

BHATIA UCL FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3P)  
ROBB 6CCX FE XXI 2S2 2P2(3P) - 2S 2P3(3P)  
MANN DWXCI FE XXI 2S2 2P2(3P) TO 2S 2P3(3P) DMC112

96

FE XXI  
2S2 2P2(3P) - 2S 2P3(3S)

BHATIA UCL FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(3S)  
ROBB 6CCX FE XXI 2S2 2P2(3P) - 2S 2P3(3S)  
MANN DWXCI FE XXI 2S2 2P2(3P) TO 2S 2P3(3S) DMC110

97

FE XXI  
2S2 2P2(3P) - 2S 2P3(1D)

BHATIA UCL FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(1D)  
MANN DWXCI FE XXI 2S2 2P2(3P) TO 2S 2P3(1D) DMC110

98

FE XXI  
2S2 2P2(3P) - 2S 2P3(1P)

BHATIA UCL FE XXI 1S2 2S2 2P2(3P) - 1S2 2S 2P3(1P)  
MANN DWXCI FE XXI 2S2 2P2(3P) TO 2S 2P3(1P) DMC110

99

FE XXI  
2S2 2P2(1D) - 2S 2P3(3D)

BHATIA UCL FE XXI 1S2 2S2 2P2(1D) - 1S2 2S 2P3(3D)  
ROBB UNMIX FE XXI 2S2 2P2(1D) - 2S 2P3(3D)  
ROBB 6CCX FE XXI 2S2 2P2(1D) - 2S 2P3(3D)

100

FE XXI  
2S2 2P2(1D) - 2S 2P3(3P)

BHATIA UCL FE XXI 1S2 2S2 2P2(1D) - 1S2 2S 2P3(3P)  
ROBB UNMIX FE XXI 2S2 2P2(1D) - 2S 2P3(3P)  
ROBB 6CCX FE XXI 2S2 2P2(1D) - 2S 2P3(3P)

101

FE XXI  
2S2 2P2(1D) - 2S 2P3(3S)

BHATIA UCL FE XXI 1S2 2S2 2P2(1D) - 1S2 2S 2P3(3S)  
ROBB UNMIX FE XXI 2S2 2P2(1D) - 2S 2P3(3S)  
ROBB 6CCX FE XXI 2S2 2P2(1D) - 2S 2P3(3S)

102

FE XXI  
2S2 2P2(1S) - 2S 2P3(3D)

BHATIA UCL FE XXI 1S2 2S2 2P2(1S) - 1S2 2S 2P3(3D)  
ROBB UNMIX FE XXI 2S2 2P2(1S) - 2S 2P3(3D)  
ROBB 6CCX FE XXI 2S2 2P2(1S) - 2S 2P3(3D)

103

FE XXI  
2S2 2P2(1S) - 2S 2P3(3P)

BHATIA UCL FE XXI 1S2 2S2 2P2(1S) - 1S2 2S 2P3(3P)  
ROBB 6CCX FE XXI 2S2 2P2(1S) - 2S 2P3(3P)

104

FE XXII  
2S2 2P - 2S 2P2(4P)

MASON UCL FE XXII 1S2 2S2 2P(2P) - 1S2 2S 2P2(4P)  
ROBB 6CCX FE XXII 2S2 2P(2P) - 2S 2P2(4P)  
MANN DWXCI FE XXII 2S2 2P TO 2S 2P2(4P) HFRDW MIX

105

FE XXII  
2S2 2P - 2S 2P2(2D)

MASON UCL FE XXII 1S2 2S2 2P(2P) - 1S2 2S 2P2(2D)  
ROBB 6CCX FE XXII 2S2 2P(2P) - 2S 2P2(2D)  
MANN DWXCI FE XXII 2S2 2P TO 2S 2P2(2D) HFRDW MIX

106

FE XXII  
2S2 2P - 2S 2P2(2S)

MASON UCL FE XXII 1S2 2S2 2P(2P) - 1S2 2S 2P2(2S)  
ROBB 6CCX FE XXII 2S2 2P(2P) - 2S 2P2(2S)  
MANN DWXCI FE XXII 2S2 2P TO 2S 2P2(2S) HFRDW MIX

107

FE XXII  
2S2 2P - 2S 2P2(2P)

MASON UCL FE XXII 1S2 2S2 2P(2P) - 1S2 2S 2P2(2P)  
ROBB 6CCX FE XXII 2S2 2P(2P) - 2S 2P2(2P)  
MANN DWXCI FE XXII 2S2 2P TO 2S 2P2(2P) HFRDW MIX

PAGE NO.	ELEMENT AND ION	... DATA SETS
108	FE XXIII 2S2 - 2S 2P(3P)	HENRY UNMIXED FE XXIII 2S2 - 2S 2P(3P) BLAHA DW FE XXIII 2S2 - 2S 2P(3P) SAMPSON CBX FE XXIII 2S2 - 2S 2P(3P) MANN DWX FE XXIII 2S2 TO 2S 2P(3P) HFR DW ROBB 6CCX FE XXIII 1S2 2S2 - 1S2 2S 2P(3P) MANN DWXCI FE XXIII 2S2 TO 2S 2P(3P) HFR DW MIX
110	FE XXIII 2S2 - 2S 2P(1P)	HENRY UCB FE XXIII 2S2 - 2S 2P(1P) BLAHA DW FE XXIII 2S2 - 2S 2P(1P) SAMPSON CBX FE XXIII 2S2 - 2S 2P(1P) YOUNGER DWXCI FE XXIII 2S2 - 2S 2P(1P) ROBB 6CCX FE XXIII 1S2 2S2 - 1S2 2S 2P(1P) MANN DWXCI FE XXIII 2S2 TO 2S 2P(1P) HFR DW MIX
112	FE XXIII 2S 2P(3P) - 2P2(3P)	BLAHA DW FE XXIII 2S 2P(3P) - 2P2(3P) SAMPSON CBX FE XXIII 2S 2P(3P) - 2P2(3P) ROBB 6CCX FE XXIII 1S2 2S 2P(3P) - 1S2 2P2(3P) MANN DWXCI FE XXIII 2S 2P(3P) TO 2P2(3P) HFRDW MIX
113	FE XXIII 2S 2P(1P) - 2P2(1D)	BLAHA DW FE XXIII 2S 2P(1P) - 2P2(1D) SAMPSON CBX FE XXIII 2S 2P(1P) - 2P2(1D) ROBB 6CCX FE XXIII 1S2 2S 2P(1P) - 1S2 2P2(1D)
114	FE XXIII 2S 2P(1P) - 2P2(1S)	BLAHA DW FE XXIII 2S 2P(1P) - 2P2(1S) SAMPSON CBX FE XXIII 2S 2P(1P) - 2P2(1S) ROBB 6CCX FE XXIII 1S2 2S 2P(1P) - 1S2 2P2(1S)
115	FE XXIII 2S 2P(3P) - 2P2(1D)	SAMPSON CBX FE XXIII 2S 2P(3P) - 2P2(1D) ROBB 6CCX FE XXIII 1S2 2S 2P(3P) - 1S2 2P2(1D)
116	FE XXIII 2S 2P(3P) - 2P2(1S)	SAMPSON CBX FE XXIII 2S 2P(3P) - 2P2(1S) ROBB 6CCX FE XXIII 1S2 2S 2P(3P) - 1S2 2P2(1S)
117	FE XXIII 2S 2P(1P) - 2P2(3P)	SAMPSON CBX FE XXIII 2S 2P(1P) - 2P2(3P) ROBB 6CCX FE XXIII 1S2 2S 2P(1P) - 1S2 2P2(3P)
118	FE XXIII 2S2 - 2P2(3P)	HENRY UNMIXED FE XXIII 2S2 - 2P2(3P) ROBB 6CCX FE XXIII 1S2 2S2 - 1S2 2P2(3P) MANN DWXCI FE XXIII 1S2 2S2(1S) TO 1S2 2P2(3P) 3X4
119	FE XXIII 2S2 - 2P2(1D)	HENRY UCB FE XXIII 2S2 - 2P2(1D) HENRY UNMIXED FE XXIII 2S2 - 2P2(1D) ROBB UNMIX FE XXIII 1S2 2S2 - 1S2 2P2(1D) ROBB 6CCX FE XXIII 1S2 2S2 - 1S2 2P2(1D)
120	FE XXIV 1S2 2S - 1S2 2P	KIM SCALED FE XXIV 2S - 2P CALLAWAY FE XXIV 2S(2S) - 2P(2P) ROBB CCX FE XXIV 2S - 2P MANN DWX II FE XXIV 2S TO 2P HFRDW II
122	MO XXXI 3S2 - 3S 3P(1P)	YOUNGER DWXCI MO XXXI 3S2 - 3S 3P(1P) MANN DWXCI MO XXXI 3S2 TO 3S 3P(1P) HFR DW MIX2
123	MO XXXII 2P6 3S - 2P6 3P	KIM SCALED MO XXXII 3S - 3P BLAHA DW MO XXXII 3S - 3P MANN DWX MO XXXII 2P6 3S TO 2P6 3P HFR DW

PAGE 47.

ELEMENT AND ION

... DATA SETS

124

MO XXXII  
2P6 3S - 2P6 3D

BLAHA DW MO XXXII 3S - 3D  
MANN DW MO XXXII 2P6 3S TO 2P6 3D HFR DW  
MANN DWX MO XXXII 2P6 3S TO 2P6 3D HFR DW

125

MO XXXII  
2P6 3S - 2P6 4S

BLAHA DW MO XXXII 3S - 4S  
MANN DW MO XXXII 2P6 3S TO 2P6 4S HFR DW  
MANN DWX MO XXXII 2P6 3S TO 2P6 4S HFR DW

126

MO XXXII  
2P6 3S - 2P6 4P

BLAHA DW MO XXXII 3S - 4P  
MANN DWX MO XXXII 2P6 3S TO 2P6 4P HFR DW

127

MO XL  
1S2 2S(2S) - 1S2 2P(2P)


KIM SCALED MO XL 2S - 2P  
CALLAWAY MO XL 2S(2S) - 2P(2P)



5.3. Comparison Plots

BE II  
2S - 2P



X.SYMBOL	4		5		8	
	MANN	RUBB	MANN	RUBB	UCL	E
	E=	E=	E=	E=	E=	E=
1.00	-	1.359E+01	1.658E+01	-	1.260E+01	-
1.01	-	1.619E+01	1.658E+01	-	-	-
1.33	-	1.923E+01	1.619E+01	-	-	-
1.34	-	1.859E+01	1.923E+01	-	-	-
1.67	-	2.085E+01	2.228E+01	-	-	-
1.78	-	2.279E+01	2.085E+01	-	-	-
2.00	-	2.469E+01	2.279E+01	-	-	-
2.33	-	2.815E+01	2.573E+01	-	-	-
2.37	-	3.919E+01	2.960E+01	-	-	-
2.67	-	4.592E+01	2.960E+01	-	-	-
3.15	-	5.067E+01	2.815E+01	-	-	-
3.33	-	5.421E+01	3.383E+01	-	-	-
4.00	-	5.712E+01	3.831E+01	-	-	-
4.19	-	6.173E+01	4.295E+01	-	-	-
5.57	-	6.004E+01	4.767E+01	-	-	-
6.67	-	-	5.240E+01	-	-	-
7.41	-	-	5.067E+01	-	-	-
9.85	-	-	5.421E+01	-	-	-
10.00	-	-	5.712E+01	-	-	-
13.09	-	-	6.173E+01	-	-	-
13.33	-	-	6.638E+01	-	-	-
16.67	-	-	7.091E+01	-	-	-
17.41	-	-	7.537E+01	-	-	-
20.00	-	-	7.977E+01	-	-	-
23.14	-	-	8.410E+01	-	-	-
23.33	-	-	8.838E+01	-	-	-
30.76	-	-	9.261E+01	-	-	-
40.89	-	-	9.679E+01	-	-	-
54.36	-	-	1.009E+02	-	-	-
72.26	-	-	-	-	-	-
96.06	-	-	-	-	-	-
127.70	-	-	-	-	-	-
169.76	-	-	-	-	-	-
225.67	-	-	-	-	-	-
300.00	-	-	-	-	-	-



C III  
 152 252 - 152 25 2P(1P)

X.SYMBOL	1 MANN E= .933	5 ROBB E= .995	6 NAKAZAKI E= .954	8 UCL E= 1.032	10 PEEK E= .933	11 BLAHA E= .933	14 JUB E= .941	16 OSTERBROCK E= .996	20 NUSSBAUMER E= .933	21 FLOWER E= 1.033
1.00	-	-	6.310E+00	-	4.102E+00	5.800E+00	-	-	-	-
1.01	3.920E+00	-	-	-	-	-	-	-	-	-
1.06	-	-	-	-	-	-	-	5.870E+00	-	-
1.15	-	-	-	3.567E+00	4.395E+00	-	-	-	-	-
1.17	-	-	-	-	-	-	-	6.220E+00	-	-
1.25	-	-	-	-	-	-	-	-	3.580E+00	-
1.35	-	-	-	-	4.752E+00	-	-	-	-	-
1.37	4.626E+00	-	-	-	-	-	-	-	-	-
1.44	-	-	-	3.669E+00	-	-	-	-	-	-
1.47	-	-	-	-	-	-	-	-	-	3.625E+00
1.51	-	4.410E+00	-	-	-	7.300E+00	-	6.780E+00	-	-
1.55	-	-	-	-	5.082E+00	-	-	-	-	-
1.56	-	-	-	-	-	-	-	-	3.660E+00	-
1.70	-	-	-	-	-	-	4.781E+00	-	-	-
1.80	-	-	-	-	5.460E+00	-	-	-	-	-
1.86	5.426E+00	-	-	-	-	-	-	-	-	-
1.91	-	-	-	-	-	-	5.090E+00	-	-	-
1.94	-	-	-	-	-	-	-	-	-	4.404E+00
2.01	-	5.150E+00	-	-	-	8.400E+00	-	-	-	-
2.10	-	-	-	-	5.878E+00	-	-	-	-	-
2.13	-	-	-	-	-	-	5.376E+00	-	-	-
2.40	-	-	-	-	6.254E+00	-	5.616E+00	-	-	-
2.41	-	-	-	4.974E+00	-	-	-	-	-	-
2.42	-	-	-	-	-	-	-	-	-	4.997E+00
2.51	-	5.770E+00	-	-	-	-	-	-	-	-
2.53	6.318E+00	-	-	-	-	-	-	-	-	-
2.66	-	-	-	-	-	-	5.849E+00	-	5.120E+00	-
2.70	-	-	-	-	6.602E+00	-	-	-	-	-
3.00	-	-	-	-	-	1.020E+01	-	-	-	-
3.20	-	-	-	-	7.122E+00	-	-	-	-	-
3.44	7.295E+00	-	-	-	-	-	-	-	-	-
3.85	-	-	8.800E+00	-	-	-	-	-	-	-
4.00	-	-	-	-	-	1.175E+01	-	-	-	-
4.02	-	7.400E+00	-	-	-	-	-	-	-	-
4.20	-	-	-	-	8.011E+00	-	-	-	-	-
4.67	8.348E+00	-	-	-	-	-	-	-	-	-
5.00	-	-	-	-	-	1.270E+01	-	-	-	-
5.60	-	-	-	-	9.990E+00	-	-	-	-	-
6.03	-	8.810E+00	-	-	-	-	-	-	-	-
6.35	7.453E+00	-	-	-	-	-	-	-	-	-
7.50	-	-	-	-	1.003E+01	-	-	-	-	-
7.70	-	-	1.071E+01	-	-	-	-	-	-	-
8.62	1.060E+01	-	-	-	-	-	-	-	-	-
10.00	-	-	-	-	1.107E+01	-	-	-	-	-
11.50	-	-	1.196E+01	-	-	-	-	-	-	-
11.71	1.176E+01	-	-	-	-	-	-	-	-	-
12.05	-	1.114E+01	-	-	-	-	-	-	-	-
13.50	-	-	-	-	1.218E+01	-	-	-	-	-
14.07	-	1.170E+01	-	-	-	-	-	-	-	-
15.40	-	-	1.288E+01	-	-	-	-	-	-	-
15.91	1.292E+01	-	-	-	-	-	-	-	-	-
16.07	-	1.218E+01	-	-	-	-	-	-	-	-
18.00	-	-	-	-	1.325E+01	-	-	-	-	-
19.05	-	1.262E+01	-	-	-	-	-	-	-	-
20.09	-	1.300E+01	-	-	-	-	-	-	-	-
21.62	1.408E+01	-	-	-	-	-	-	-	-	-
22.10	-	1.335E+01	-	-	-	-	-	-	-	-
24.00	-	-	-	-	1.430E+01	-	-	-	-	-
24.11	-	1.366E+01	-	-	-	-	-	-	-	-
25.12	-	1.396E+01	-	-	-	-	-	-	-	-
29.36	1.523E+01	-	-	-	-	-	-	-	-	-
32.00	-	-	-	-	1.535E+01	-	-	-	-	-
33.50	-	-	1.594E+01	-	-	-	-	-	-	-
39.89	1.637E+01	-	-	-	-	-	-	-	-	-
54.19	1.750E+01	-	-	-	-	-	-	-	-	-
56.00	-	-	-	-	1.734E+01	-	-	-	-	-
73.61	1.860E+01	-	-	-	-	-	-	-	-	-
77.00	-	-	1.823E+01	-	-	-	-	-	-	-
100.00	1.970E+01	-	-	-	1.939E+01	-	-	-	-	-
154.00	-	-	2.052E+01	-	-	-	-	-	-	-
180.00	-	-	-	-	2.139E+01	-	-	-	-	-
308.00	-	-	2.277E+01	-	-	-	-	-	-	-
320.00	-	-	-	-	2.330E+01	-	-	-	-	-



C III  
 1S2 2S2 - 1S2 2S 2P(1P)



C III  
 1S2 2S2 - 1S2 2S 2P(3P)

X.SY480L	1	5	8	10	14	16	21
	1A44	RO38	UCL	PEEK	QUB	OSTERBROCK	FLOWER
	E= .473	E= .452	E= .486	E= .478	E= .478	E= .350	E= .485
1.00	-	-	-	1.197E+00	-	-	-
1.01	1.178E+00	9.590E-01	-	-	-	-	-
1.15	-	-	-	1.140E+00	-	-	-
1.33	-	7.720E-01	-	-	-	-	-
1.35	-	-	-	1.071E+00	-	-	-
1.37	1.064E+00	-	-	-	-	-	-
1.55	-	-	-	1.009E+00	-	-	-
1.68	-	7.000E-01	-	-	-	-	-
1.80	-	-	-	9.395E-01	-	-	-
1.86	7.349E-01	-	-	-	-	-	-
2.10	-	-	-	8.673E-01	-	-	-
2.40	-	-	-	8.045E-01	-	-	-
2.44	-	-	6.900E-01	-	-	-	-
2.53	7.372E-01	-	-	-	-	-	-
2.70	-	-	-	7.495E-01	-	-	-
2.71	-	-	-	-	-	6.690E-01	-
3.00	-	-	-	-	-	6.450E-01	-
3.06	-	-	6.140E-01	-	-	-	-
3.09	-	-	-	-	-	-	6.190E-01
3.20	-	-	-	6.715E-01	-	-	-
3.32	-	6.140E-01	-	-	-	-	-
3.35	-	-	-	-	4.864E-01	-	-
3.44	6.573E-01	-	-	-	-	-	-
3.77	-	-	-	-	4.657E-01	-	-
3.86	-	-	-	-	-	5.940E-01	-
4.12	-	-	-	-	-	-	5.270E-01
4.19	-	-	-	-	4.367E-01	-	-
4.20	-	-	-	5.522E-01	-	-	-
4.43	-	5.500E-01	-	-	-	5.620E-01	-
4.67	5.227E-01	-	-	-	-	-	-
4.71	-	-	-	-	4.049E-01	-	-
5.12	-	-	4.440E-01	-	-	-	-
5.15	-	-	-	-	-	-	4.470E-01
5.23	-	-	-	-	3.611E-01	-	-
5.53	-	4.740E-01	-	-	-	-	-
5.60	-	-	-	4.359E-01	-	-	-
5.65	3.989E-01	-	-	-	-	-	-
6.63	-	4.180E-01	-	-	-	-	-
7.50	-	-	-	3.306E-01	-	-	-
8.62	2.907E-01	-	-	-	-	-	-
8.84	-	3.180E-01	-	-	-	-	-
10.00	-	-	-	2.416E-01	-	-	-
11.06	-	2.560E-01	-	-	-	-	-
11.71	2.017E-01	-	-	-	-	-	-
13.27	-	2.100E-01	-	-	-	-	-
13.50	-	-	-	1.663E-01	-	-	-
15.48	-	1.670E-01	-	-	-	-	-
15.91	1.333E-01	-	-	-	-	-	-
17.69	-	1.340E-01	-	-	-	-	-
18.00	-	-	-	1.114E-01	-	-	-
19.90	-	1.140E-01	-	-	-	-	-
21.62	8.443E-02	-	-	-	-	-	-
22.11	-	9.800E-02	-	-	-	-	-
24.00	-	-	-	7.197E-02	-	-	-
26.53	-	7.300E-02	-	-	-	-	-
27.36	5.162E-02	-	-	-	-	-	-
30.96	-	5.570E-02	-	-	-	-	-
35.33	-	4.510E-02	-	-	-	-	-
37.80	-	3.672E-02	-	-	-	-	-
39.89	3.074E-02	-	-	-	-	-	-
44.22	-	3.056E-02	-	-	-	-	-
49.65	-	2.585E-02	-	-	-	-	-
53.07	-	2.203E-02	-	-	-	-	-
54.19	1.775E-02	-	-	-	-	-	-
57.49	-	1.901E-02	-	-	-	-	-
73.61	1.032E-02	-	-	-	-	-	-



C III  
 1S2 2S2 - 1S2 2S 2P(3P)



C III  
2S 2P(3P) - 2P2(3P)


X.SYMBOL	1 MANN E= .775	5 RJBB E= .810	8 UCL E= .784	14 QUB E= .782	20 NUSSBAUMER E= .775
1.01	2.010E+01	-	-	-	-
1.29	-	1.897E+01	-	-	2.230E+01
1.37	2.252E+01	-	-	-	-
1.44	-	-	-	1.998E+01	-
1.69	-	-	-	2.145E+01	-
1.86	2.543E+01	-	-	-	-
1.90	-	2.254E+01	2.213E+01	-	-
1.95	-	-	-	2.238E+01	-
2.27	-	-	-	2.359E+01	-
2.53	2.882E+01	2.577E+01	-	-	-
2.59	-	-	-	2.460E+01	3.030E+01
3.14	-	2.789E+01	-	-	-
3.17	-	-	2.975E+01	-	-
3.44	3.266E+01	-	-	-	-
4.38	-	3.312E+01	-	-	-
4.67	3.686E+01	-	-	-	-
5.61	-	3.656E+01	-	-	-
6.35	4.134E+01	-	-	-	-
5.85	-	3.930E+01	-	-	-
8.08	-	4.155E+01	-	-	-
8.62	4.502E+01	-	-	-	-
9.31	-	4.347E+01	-	-	-
10.55	-	4.516E+01	-	-	-
11.71	5.080E+01	-	-	-	-
11.78	-	4.566E+01	-	-	-
15.91	5.563E+01	-	-	-	-
21.62	6.046E+01	-	-	-	-
29.36	6.527E+01	-	-	-	-
39.89	7.003E+01	-	-	-	-
54.19	7.473E+01	-	-	-	-
73.61	7.936E+01	-	-	-	-
100.00	8.392E+01	-	-	-	-

C III  
2S 2P(3P) - 2P2(3P)



C III  
2S 2P(3P) - 2S 2P(1P)

X.SYMBOL	5	8
	ROBB	UCL
	E= .543	E= .546
1.93	1.699E+00	-
2.17	-	2.199E+00
2.72	-	1.676E+00
2.85	1.373E+00	-
3.77	1.101E+00	-
4.55	-	1.100E+00
6.53	6.118E-01	-
10.21	3.136E-01	-
12.06	2.524E-01	-
13.90	1.929E-01	-
15.74	1.601E-01	-
17.58	1.320E-01	-






C III  
2S 2P(1P) - 2P2(1D)



X.SYMBOL	5	9	20
	ROBB	UCL	NUSSBAUMER
	E = .355	E = .428	E = .396
1.37	-	-	1.670E+01
1.42	1.310E+01	-	-
2.83	1.596E+01	-	-
3.47	-	1.664E+01	-
3.99	-	-	2.400E+01
4.24	1.820E+01	-	-
5.65	2.006E+01	-	-
5.81	-	2.015E+01	-
8.47	2.275E+01	-	-
11.29	2.474E+01	-	-
14.11	2.648E+01	-	-
16.93	2.784E+01	-	-
19.76	2.899E+01	-	-
22.58	3.001E+01	-	-
25.40	3.092E+01	-	-

C III  
2S 2P(1P) - 2P2(1D)



X. SYMBOL	4	5	11	13	18	19	22
	MANN E= .588	RJBB E= .592	9LAHA E= .588	CALLAWAY E= .593	CRANDALL E= .588	KIM E= .594	HENRY E= .529
1.00	-	-	1.100E+01	-	8.820E+00	-	-
1.01	9.331E+00	8.850E+00	-	-	-	-	-
1.13	-	-	-	-	8.880E+00	-	-
1.24	-	-	-	-	9.000E+00	-	-
1.28	-	-	-	-	9.150E+00	-	-
1.31	-	-	-	-	9.280E+00	-	-
1.35	9.752E+00	9.330E+00	-	-	-	-	9.300E+00
1.39	-	-	-	-	8.500E+00	-	-
1.50	-	-	1.150E+01	-	-	-	-
1.66	-	-	-	-	9.780E+00	-	-
1.69	-	9.810E+00	-	1.137E+01	-	-	-
1.78	1.027E+01	-	-	-	-	-	-
2.00	-	-	1.200E+01	-	-	-	-
2.03	-	1.016E+01	-	-	-	-	-
2.36	1.087E+01	1.054E+01	-	-	-	-	1.050E+01
2.70	-	1.089E+01	-	-	-	-	-
2.84	-	-	-	-	1.051E+01	-	-
3.00	-	-	1.300E+01	-	-	-	-
3.04	-	1.121E+01	-	-	-	-	-
3.15	1.161E+01	-	-	-	-	-	-
3.38	-	1.153E+01	-	-	-	-	-
3.71	-	-	-	1.300E+01	-	-	-
3.72	-	-	-	-	-	-	1.170E+01
4.00	-	-	1.370E+01	-	-	-	-
4.19	1.245E+01	-	-	-	-	-	-
5.00	-	-	1.430E+01	-	-	1.409E+01	-
5.27	-	-	-	-	1.225E+01	-	-
5.57	1.340E+01	-	-	-	-	-	-
6.00	-	-	-	-	-	1.487E+01	-
6.74	-	-	-	1.476E+01	-	-	-
6.75	-	1.417E+01	-	-	-	-	-
6.81	-	-	-	-	-	-	1.350E+01
7.00	-	-	-	-	-	1.551E+01	-
7.41	1.444E+01	-	-	-	-	-	-
8.00	-	-	-	-	-	1.607E+01	-
9.00	-	-	-	-	-	1.656E+01	-
9.85	1.555E+01	-	-	-	-	1.699E+01	-
10.00	-	-	-	-	-	-	-
10.11	-	-	-	1.622E+01	-	-	-
10.13	-	1.554E+01	-	-	-	-	-
10.21	-	-	-	-	-	-	1.520E+01
11.20	-	-	-	-	1.258E+01	-	-
13.09	1.674E+01	-	-	-	-	-	-
13.48	-	-	-	1.733E+01	-	-	-
13.50	-	1.668E+01	-	-	-	-	-
13.61	-	-	-	-	-	-	1.660E+01
15.00	-	-	-	-	-	1.865E+01	-
17.41	1.797E+01	-	-	-	-	-	-
18.91	-	-	-	-	1.922E+01	-	-
20.00	-	-	-	-	-	1.980E+01	-
20.23	-	-	-	1.884E+01	-	-	-
23.14	1.922E+01	-	-	-	-	-	-
26.97	-	-	-	1.987E+01	-	-	-
27.01	-	1.962E+01	-	-	-	-	-
27.22	-	-	-	-	-	-	2.010E+01
29.14	-	-	-	-	2.232E+01	-	-
30.76	2.050E+01	-	-	-	-	-	-
40.00	-	-	-	-	-	2.258E+01	-
40.89	2.177E+01	-	-	-	-	-	-
41.23	-	-	-	-	1.521E+01	-	-
54.36	2.304E+01	-	-	-	-	-	-
60.00	-	-	-	-	-	2.419E+01	-
66.41	-	-	-	-	2.841E+01	-	-
72.26	2.430E+01	-	-	-	-	-	-
80.00	-	-	-	-	-	2.533E+01	-
96.06	2.555E+01	-	-	-	-	-	-
100.00	-	-	-	-	-	2.622E+01	-
127.70	2.678E+01	-	-	-	-	-	-
169.76	2.799E+01	-	-	-	-	-	-
225.67	2.919E+01	-	-	-	-	-	-
300.00	3.037E+01	-	-	-	-	-	-


C IV  
1S2 2S - 1S2 2P



N IV  
2S2(1S) - 2S 2P(1P)


X.SYMBOL	6 NAKAZAKI E= 1.200	16 OSTERBROCK E= 1.133	17 ORMONDE E= 1.191
1.00	4.710E+00	-	-
1.02	-	5.080E+00	-
1.05	-	-	5.078E+00
1.11	-	5.180E+00	-
1.26	-	-	5.072E+00
1.47	-	-	5.321E+00
1.64	-	5.710E+00	-
1.68	-	-	5.581E+00
2.31	-	-	6.299E+00
2.94	-	-	5.916E+00
3.07	5.820E+00	-	-
3.57	-	-	7.472E+00
6.14	6.900E+00	-	-
9.22	7.670E+00	-	-
12.28	8.240E+00	-	-
30.70	1.022E+01	-	-
61.40	1.173E+01	-	-
122.80	1.323E+01	-	-
245.60	1.472E+01	-	-

N IV  
2S2(1S) - 2S 2P(1P)



N IV  
2S2 - 2S 2P(3P)



X.SYMBOL	16	17
.	OSTERBRÖCK	JR MONDE
.	E = .459	E = .613
2.04	-	4.626E-01
2.45	-	4.523E-01
2.53	3.880E-01	-
2.74	3.820E-01	-
2.85	-	4.424E-01
3.26	-	4.241E-01
4.05	3.400E-01	-
4.49	-	3.706E-01
5.71	-	3.160E-01
6.93	-	2.673E-01



N V  
1S2 2S - 1S2 2P


X.SYMBOL	1	18	19	21	22
	MANN E= .735	CRANDALL E= .735	KIM E= .742	FLOWER E= .732	HENRY E= .733
1.00	-	7.070E+00	-	-	-
1.01	6.869E+00	-	-	-	-
1.13	-	6.890E+00	-	-	-
1.20	7.003E+00	-	-	-	-
1.24	-	7.160E+00	-	-	-
1.36	-	-	-	-	6.900E+00
1.39	-	7.420E+00	-	-	-
1.42	7.156E+00	-	-	-	-
1.54	-	7.030E+00	-	-	-
1.55	-	7.120E+00	-	-	-
1.68	7.330E+00	7.280E+00	-	-	-
1.99	7.526E+00	-	-	-	-
2.36	7.746E+00	-	-	-	-
2.73	-	-	-	-	7.760E+00
2.79	7.988E+00	-	-	-	-
3.07	-	-	-	8.050E+00	-
3.31	8.258E+00	-	-	-	-
3.92	8.554E+00	-	-	-	-
4.65	8.877E+00	-	-	-	-
5.00	-	-	9.724E+00	-	-
5.21	-	7.430E+00	-	-	-
5.45	-	-	-	-	9.040E+00
5.50	9.225E+00	-	-	-	-
6.00	-	-	1.023E+01	-	-
6.52	9.597E+00	-	-	-	-
7.00	-	-	1.066E+01	-	-
7.73	9.993E+00	-	-	-	-
8.00	-	-	1.102E+01	-	-
8.18	-	-	-	-	9.650E+00
8.20	-	-	-	9.940E+00	-
9.00	-	-	1.134E+01	-	-
9.15	1.041E+01	-	-	-	-
10.00	-	-	1.163E+01	-	-
10.85	1.085E+01	-	-	-	-
10.91	-	-	-	-	1.016E+01
12.85	1.130E+01	-	-	-	-
15.00	-	-	1.271E+01	-	-
15.23	1.177E+01	-	-	-	-
18.04	1.225E+01	-	-	-	-
20.00	-	-	1.347E+01	-	-
21.37	1.274E+01	-	-	-	-
21.82	-	-	-	-	1.178E+01
25.32	1.323E+01	-	-	-	-
30.00	1.373E+01	-	-	-	-
40.00	-	-	1.530E+01	-	-
60.00	-	-	1.635E+01	-	-
80.00	-	-	1.710E+01	-	-
100.00	-	-	1.767E+01	-	-

N V  
1S2 2S - 1S2 2P



0 III  
2S2 2P2(3P) - 2S2 2P2(1D)

X.SYMBOL	1 MANN E= .183	8 UCL E= .200	12 PINDZOLA E= .185
1.01	4.083E+00	-	-
1.04	-	-	2.509E+00
1.19	-	-	2.520E+00
1.39	-	-	2.524E+00
1.49	4.005E+00	-	-
1.59	-	-	2.540E+00
1.79	-	-	2.560E+00
1.99	-	-	2.590E+00
2.20	3.891E+00	-	-
2.39	-	-	2.580E+00
3.18	-	-	2.593E+00
3.26	3.719E+00	-	-
3.98	-	-	2.646E+00
4.81	3.467E+00	-	-
7.11	3.117E+00	-	-
7.96	-	-	2.514E+00
10.50	2.651E+00	-	-
11.94	-	-	2.183E+00
15.51	2.091E+00	-	-
20.03	-	1.289E+00	-
22.91	1.504E+00	-	-
30.05	-	8.400E-01	-
33.85	9.765E-01	-	-
40.06	-	5.308E-01	-
50.00	5.747E-01	-	-






0 III  
 2S2 2P2(3P) - 2S2 2P2(1S)

X.SYMBOL	8	1
	UCL	MANN
	E=	E=
1.01	-	6.879E-01
1.49	-	6.545E-01
2.20	-	6.068E-01
3.26	-	5.407E-01
4.81	-	4.535E-01
7.11	-	3.496E-01
10.50	-	2.418E-01
11.07	1.910E-01	-
15.51	-	1.481E-01
16.61	1.173E-01	-
22.15	7.613E-02	-
22.91	-	8.075E-02
33.85	-	4.018E-02
50.00	-	1.896E-02


0 III  
 2S2 2P2(3P) - 2S2 2P2(1S)



□ III  
 2S2 2P2(1D) - 2S2 2P2(1S)

X.SYMBOL	8	1
	UCL	MA NN
	E=	E=
1.01	-	3.673E-01
1.49	-	3.669E-01
2.20	-	3.661E-01
3.26	-	3.651E-01
4.81	-	3.657E-01
7.11	-	3.708E-01
10.50	-	3.841E-01
15.51	-	4.091E-01
22.91	-	4.466E-01
24.77	3.815E-01	-
33.85	-	4.935E-01
37.15	4.068E-01	-
49.53	4.221E-01	-
50.00	-	5.443E-01


□ III  
 2S2 2P2(1D) - 2S2 2P2(1S)



0 III  
 2S2 2P2(1D) - 2S 2P3(1P)

X.SYMBOL	8	17
•	UCL	OR MONDE
•	E= 1.838	E= 1.732
1.15	-	2.380E+00
2.02	-	3.610E+00
2.18	4.261E+00	-
2.89	-	4.460E+00
3.26	5.522E+00	-
4.35	5.977E+00	-


0 III  
 2S2 2P2(1D) - 2S 2P3(1P)



0 III  
2S2 2P2(3P) - 2S 2P3(5S)

X SYMBOL	8 UCL E=	8 UCL E=	1 MANN E=
1.00	-	1.360E+00	-
1.01	-	-	1.176E+00
1.49	-	-	1.076E+00
2.20	-	-	9.513E-01
3.26	-	-	8.071E-01
4.81	-	-	6.530E-01
7.11	-	-	5.002E-01
8.81	4.216E-01	-	-
10.50	-	-	3.578E-01
13.21	3.044E-01	-	-
15.51	-	-	2.353E-01
17.62	2.285E-01	-	-
22.91	-	-	1.415E-01
33.85	-	-	7.872E-02
50.00	-	-	4.136E-02


0 III  
2S2 2P2(3P) - 2S 2P3(5S)



0 III  
2S2 2P2(3P) - 2S 2P3(3D)


X.SYMBOL	8	1
.	UCL	MANN
.	E= 1.115	E= 1.092
1.01	-	9.013E+00
1.49	-	1.036E+01
2.20	-	1.186E+01
3.26	-	1.359E+01
3.59	1.289E+01	-
4.81	-	1.552E+01
5.38	1.475E+01	-
7.11	-	1.763E+01
7.17	1.506E+01	-
10.50	-	1.987E+01
15.51	-	2.217E+01
22.91	-	2.450E+01
33.85	-	2.683E+01
50.00	-	2.913E+01

0 III  
2S2 2P2(3P) - 2S 2P3(3D)



O III  
2S2 2P2(3P) - 2S 2P3(3P)


X.SYMBOL	8	1
.	UCL	MANN
.	E= 1.315	E= 1.296
1.01	-	6.960E+00
1.49	-	8.451E+00
2.20	-	1.006E+01
3.04	1.146E+01	-
3.26	-	1.182E+01
4.56	1.352E+01	-
4.81	-	1.374E+01
6.08	1.396E+01	-
7.11	-	1.578E+01
10.50	-	1.790E+01
15.51	-	2.004E+01
22.91	-	2.220E+01
33.85	-	2.434E+01
50.00	-	2.646E+01



0 III  
2S2 2P2(3P) - 2S 2P3(3S)


X.SYMBOL	1 MANN E= 1.794	8 UCL E= 1.900	17 ORMONDE E= 1.796
1.01	4.076E+00	-	-
1.03	-	-	4.890E+00
1.06	-	-	5.010E+00
1.11	-	-	5.270E+00
1.25	-	-	5.890E+00
1.49	5.560E+00	-	-
1.53	-	-	6.920E+00
1.95	-	-	9.260E+00
2.10	-	5.680E+00	-
2.20	7.127E+00	-	-
2.37	-	-	9.280E+00
2.78	-	-	1.020E+01
3.16	-	7.374E+00	-
3.26	8.801E+00	-	-
4.21	-	8.012E+00	-
4.81	1.056E+01	-	-
7.11	1.238E+01	-	-
10.50	1.422E+01	-	-
15.51	1.605E+01	-	-
22.91	1.788E+01	-	-
33.85	1.969E+01	-	-
50.00	2.148E+01	-	-

0 III  
2S2 2P2(3P) - 2S 2P3(3S)



O III  
2S2 2P2(3P) - 2S 2P3(1D)

X.SYMBOL	8	1
.	UCL	MANN
.	E= 1.838	E= 1.703
1.01	-	5.701E-01
1.49	-	4.348E-01
2.18	2.854E-01	-
2.20	-	3.163E-01
3.26	1.970E-01	2.183E-01
4.35	1.413E-01	-
4.81	-	1.404E-01
7.11	-	8.343E-02
10.50	-	4.643E-02
15.51	-	2.500E-02
22.91	-	1.361E-02
33.85	-	7.897E-03
50.00	-	5.170E-03






0 III  
 2S2 2P2(3P) - 2S 2P3(1P)


X. SYMBOL	8	1
	UCL	MA NN
	E = 2.038	E = 1.916
1.01	-	2.562E-01
1.49	-	1.884E-01
1.96	1.179E-01	-
2.20	-	1.317E-01
2.94	7.927E-02	-
3.26	-	8.703E-02
3.93	5.647E-02	-
4.81	-	5.353E-02
7.11	-	3.059E-02
10.50	-	1.662E-02
15.51	-	8.953E-03
22.91	-	5.056E-03
33.85	-	3.185E-03
50.00	-	2.341E-03

0 III  
 2S2 2P2(3P) - 2S 2P3(1P)



O IV  
2S2 2P - 2S 2P2(4P)

X.SYMBOL	1	5	21
	MANN E= .651	ROBB E= .598	FLOWER E= .650
1.01	1.217E+00	-	-
1.27	1.167E+00	-	-
1.60	1.110E+00	-	-
2.01	1.044E+00	-	-
2.53	9.707E-01	-	-
3.01	-	8.970E-01	-
3.19	8.898E-01	-	-
4.01	8.029E-01	8.240E-01	-
4.31	-	-	7.410E-01
5.02	-	7.640E-01	-
5.04	7.110E-01	-	-
6.02	-	7.060E-01	-
6.35	6.162E-01	-	-
6.46	-	-	5.940E-01
7.02	-	6.510E-01	-
7.99	5.209E-01	-	-
8.03	-	6.010E-01	-
8.62	-	-	4.810E-01
9.03	-	5.550E-01	-
10.03	-	5.110E-01	-
10.05	4.283E-01	-	-
12.65	3.418E-01	-	-
13.38	-	3.940E-01	-
15.91	2.645E-01	-	-
16.72	-	3.090E-01	-
20.02	1.988E-01	-	-
20.06	-	2.470E-01	-
23.41	-	2.010E-01	-
25.19	1.453E-01	-	-
26.75	-	1.660E-01	-
31.70	1.037E-01	-	-
33.44	-	1.190E-01	-
39.89	7.249E-02	-	-
50.19	4.984E-02	-	-
63.16	3.380E-02	-	-
66.88	-	3.766E-02	-
79.47	2.266E-02	-	-
100.00	1.505E-02	-	-
100.32	-	1.827E-02	-




O IV  
2S2 2P - 2S 2P2(2D)

X.SYMBOL	1	5	21
	MANN	ROBB	FLOWER
	E= 1.154	E= 1.211	E= 1.154


1.01	6.363E+00	-	-
1.27	6.626E+00	-	-
1.49	-	5.987E+00	-
1.60	6.937E+00	-	-
1.98	-	6.313E+00	-
2.01	7.299E+00	-	-
2.43	-	-	5.800E+00
2.48	-	6.712E+00	-
2.53	7.716E+00	-	-
2.97	-	7.063E+00	-
3.19	8.187E+00	-	-
3.47	-	7.383E+00	-
3.64	-	-	7.142E+00
3.96	-	7.669E+00	-
4.01	8.707E+00	-	-
4.46	-	7.929E+00	-
4.85	-	-	7.201E+00
4.95	-	8.176E+00	-
5.04	9.280E+00	-	-
6.35	9.895E+00	-	-
6.60	-	8.880E+00	-
7.99	1.055E+01	-	-
8.26	-	9.463E+00	-
9.91	-	9.962E+00	-
10.05	1.123E+01	-	-
11.56	-	1.041E+01	-
12.65	1.194E+01	-	-
13.21	-	1.079E+01	-
15.91	1.267E+01	-	-
16.51	-	1.145E+01	-
20.02	1.342E+01	-	-
25.19	1.417E+01	-	-
31.70	1.492E+01	-	-
33.02	-	1.356E+01	-
39.89	1.568E+01	-	-
49.54	-	1.483E+01	-
50.19	1.643E+01	-	-
63.16	1.718E+01	-	-
79.47	1.792E+01	-	-
100.00	1.866E+01	-	-

O IV  
2S2 2P - 2S 2P2(2D)



O IV  
2S2 2P - 2S 2P2(2S)


X.SYMBOL	1	5	21
	MANN E= 1.495	ROBB E= 1.552	FLOWER E= 1.495
1.01	2.094E+00	-	-
1.16	-	2.078E+00	-
1.27	2.229E+00	-	-
1.55	-	2.279E+00	-
1.60	2.383E+00	-	-
1.87	-	-	2.430E+00
1.93	-	2.460E+00	-
2.01	2.558E+00	-	-
2.32	-	2.628E+00	-
2.53	2.753E+00	-	-
2.71	-	2.784E+00	-
2.81	-	-	2.780E+00
3.09	-	2.930E+00	-
3.19	2.967E+00	-	-
3.48	-	3.065E+00	-
3.75	-	-	2.980E+00
3.87	-	3.193E+00	-
4.01	3.198E+00	-	-
5.04	3.445E+00	-	-
5.16	-	3.570E+00	-
6.35	3.705E+00	-	-
6.44	-	3.979E+00	-
7.73	-	4.122E+00	-
7.99	3.975E+00	-	-
9.02	-	4.360E+00	-
10.05	4.256E+00	-	-
10.31	-	4.576E+00	-
12.65	4.542E+00	-	-
12.89	-	4.867E+00	-
15.91	4.832E+00	-	-
20.02	5.126E+00	-	-
25.19	5.421E+00	-	-
25.78	-	5.821E+00	-
31.70	5.717E+00	-	-
38.66	-	6.367E+00	-
39.89	6.012E+00	-	-
50.19	6.305E+00	-	-
63.16	6.597E+00	-	-
79.47	6.896E+00	-	-
100.00	7.174E+00	-	-



0 IV  
2S2 2P - 2S 2P2(2P)


X. SYMBOL	11 BLAHA E= 1.645	5 ROBB E= 1.756	21 FLOWER E= 1.644	1 MANN E= 1.644
1.00	1.500E+01	-	-	-
1.01	-	-	-	7.730E+00
1.02	-	6.804E+00	-	-
1.27	-	-	-	8.404E+00
1.37	-	7.652E+00	-	-
1.50	1.680E+01	-	-	-
1.60	-	-	-	9.179E+00
1.71	-	8.414E+00	7.910E+00	-
2.00	1.813E+01	-	-	-
2.01	-	-	-	1.006E+01
2.05	-	9.119E+00	-	-
2.39	-	9.760E+00	-	-
2.53	-	-	-	1.103E+01
2.56	-	-	9.430E+00	-
2.73	-	1.035E+01	-	-
3.00	2.080E+01	-	-	-
3.07	-	1.089E+01	-	-
3.19	-	-	-	1.209E+01
3.41	-	-	1.043E+01	-
3.42	-	1.137E+01	-	-
4.00	2.230E+01	-	-	1.324E+01
4.56	-	1.282E+01	-	-
5.00	2.390E+01	-	-	-
5.04	-	-	-	1.445E+01
5.69	-	1.399E+01	-	-
6.35	-	-	-	1.572E+01
6.83	-	1.494E+01	-	-
7.97	-	1.581E+01	-	-
7.99	-	-	-	1.703E+01
9.11	-	1.654E+01	-	-
10.05	-	-	-	1.837E+01
11.39	-	1.776E+01	-	-
12.65	-	-	-	1.973E+01
15.91	-	-	-	2.111E+01
20.02	-	-	-	2.248E+01
22.78	-	2.153E+01	-	-
25.19	-	-	-	2.385E+01
31.70	-	-	-	2.522E+01
34.16	-	2.371E+01	-	-
39.89	-	-	-	2.657E+01
50.19	-	-	-	2.792E+01
63.16	-	-	-	2.925E+01
79.47	-	-	-	3.057E+01
100.00	-	-	-	3.187E+01

0 IV  
2S2 2P - 2S 2P2(2P)




O IV  
2S 2P2(4P) - 2S 2P2(2D)

X.SYMBOL	4	5	21
	MANN	ROBB	FLOWER
	E= .504	E= .613	E= .504
1.01	3.427E+00	-	-
1.28	3.291E+00	-	-
1.63	3.128E+00	-	-
1.96	-	2.835E+00	-
2.07	2.937E+00	-	-
2.63	2.718E+00	-	-
2.94	-	2.572E+00	-
3.33	2.470E+00	-	-
3.92	-	2.314E+00	-
4.23	2.199E+00	-	-
4.90	-	2.075E+00	-
5.38	1.911E+00	-	-
5.56	-	-	2.344E+00
5.87	-	1.859E+00	-
6.83	1.618E+00	-	-
6.85	-	1.667E+00	-
7.83	-	1.497E+00	-
8.33	-	-	1.738E+00
8.67	1.331E+00	-	-
8.81	-	1.347E+00	-
11.01	1.061E+00	-	-
11.11	-	-	1.302E+00
12.07	-	9.668E-01	-
13.98	8.205E-01	-	-
15.33	-	7.169E-01	-
17.75	6.146E-01	-	-
18.60	-	5.486E-01	-
21.86	-	4.313E-01	-
22.54	4.467E-01	-	-
25.12	-	3.462E-01	-
28.62	3.155E-01	-	-
31.64	-	2.346E-01	-
36.35	2.170E-01	-	-
46.15	1.457E-01	-	-
58.61	9.581E-02	-	-
64.26	-	6.367E-02	-
74.42	6.186E-02	-	-
94.50	3.934E-02	-	-
96.88	-	2.941E-02	-
120.00	2.472E-02	-	-



O IV  
2S 2P2(4P) - 2S 2P2(2P)


X. SYMBOL	4	5	21
	MANN E= .993	RJBB E= 1.158	FLOWER E= .994
1.01	4.820E-01	-	-
1.04	-	5.363E-01	-
1.24	4.500E-01	-	-
1.52	4.146E-01	-	-
1.56	-	4.774E-01	-
1.86	3.752E-01	-	-
2.07	-	4.202E-01	-
2.29	3.355E-01	-	-
2.59	-	3.679E-01	-
2.80	2.936E-01	-	-
2.82	-	-	4.330E-01
3.11	-	3.219E-01	-
3.44	2.516E-01	-	-
3.63	-	2.821E-01	-
4.15	-	2.480E-01	-
4.23	2.110E-01	-	3.050E-01
4.66	-	2.189E-01	-
5.17	1.729E-01	-	-
5.63	-	-	2.180E-01
6.35	1.384E-01	-	-
6.39	-	1.486E-01	-
7.78	1.084E-01	-	-
8.12	-	1.057E-01	-
9.55	8.305E-02	-	-
9.84	-	7.953E-02	-
11.57	-	6.061E-02	-
11.71	6.237E-02	-	-
13.30	-	4.812E-02	-
14.37	4.598E-02	-	-
16.75	-	3.213E-02	-
17.62	3.333E-02	-	-
21.61	2.380E-02	-	-
26.51	1.676E-02	-	-
32.51	1.166E-02	-	-
34.02	-	8.780E-03	-
39.88	8.030E-03	-	-
48.92	5.480E-03	-	-
51.29	-	4.030E-03	-
60.00	3.711E-03	-	-



O IV  
2S 2P2(4P) - 2S 2P2(2S)

X.SYMBOL	4	5	21
	MANN E = .845	ROBB E = .954	FLOWER E = .845
1.01	5.091E-01	-	-
1.26	4.772E-01	3.879E-01	-
1.55	4.412E-01	-	-
1.89	-	3.529E-01	-
1.93	4.011E-01	-	-
2.39	3.575E-01	-	-
2.52	-	3.151E-01	-
2.96	3.117E-01	-	-
3.15	-	2.787E-01	-
3.31	-	-	3.590E-01
3.68	2.650E-01	-	-
3.78	-	2.454E-01	-
4.41	-	2.158E-01	-
4.56	2.132E-01	-	-
4.97	-	-	2.590E-01
5.03	-	1.898E-01	-
5.66	1.759E-01	1.672E-01	-
6.63	-	-	1.890E-01
7.02	1.368E-01	-	-
7.76	-	1.114E-01	-
8.70	1.030E-01	-	-
9.86	-	7.653E-02	-
10.80	7.500E-02	-	-
11.95	-	5.446E-02	-
13.39	5.292E-02	-	-
14.05	-	4.011E-02	-
16.15	-	3.039E-02	-
16.61	3.621E-02	-	-
20.34	-	1.848E-02	-
20.60	2.405E-02	-	-
25.55	1.554E-02	-	-
31.69	9.787E-03	-	-
39.31	6.021E-03	-	-
41.31	-	3.440E-03	-
48.75	3.625E-03	-	-
60.47	2.141E-03	-	-
62.29	-	1.220E-03	-
75.00	1.243E-03	-	-

O IV  
2S 2P2(4P) - 2S 2P2(2S)






O IV  
2S 2P2(2D) - 2S 2P2(2S)


X.SYMBOL	5	4
	ROBB	MANN
	E= .341	E= .341
1.01	-	6.327E-01
1.31	-	6.414E-01
1.70	-	6.516E-01
1.73	6.667E-01	-
2.20	-	6.640E-01
2.85	-	6.786E-01
3.49	6.834E-01	-
3.69	-	6.959E-01
4.78	-	7.163E-01
5.25	6.960E-01	-
6.20	-	7.404E-01
7.01	7.118E-01	-
8.03	-	7.693E-01
8.77	7.287E-01	-
10.41	-	8.030E-01
10.54	7.460E-01	-
12.30	7.633E-01	-
13.48	-	8.418E-01
14.06	7.798E-01	-
17.47	-	8.952E-01
19.93	8.293E-01	-
22.64	-	9.319E-01
25.80	8.720E-01	-
29.34	-	9.799E-01
31.67	9.167E-01	-
37.55	9.542E-01	-
38.02	-	1.027E+00
43.42	9.864E-01	-
49.26	-	1.071E+00
55.16	1.023E+00	-
63.84	-	1.111E+00
82.72	-	1.144E+00
107.20	-	1.170E+00
113.89	1.101E+00	-
138.91	-	1.190E+00
172.59	1.153E+00	-
180.00	-	1.205E+00

O IV  
2S 2P2(2D) - 2S 2P2(2S)




O IV  
2S 2P2(2D) - 2S 2P2(2P)

X. SYMBOL	5	4
	ROBB E = .545	MANN E = .489
1.01	-	1.718E+00
1.08	1.553E+00	-
1.28	-	1.651E+00
1.63	-	1.572E+00
2.07	-	1.478E+00
2.18	1.432E+00	-
2.63	-	1.371E+00
3.28	1.302E+00	-
3.33	-	1.249E+00
4.23	-	1.115E+00
4.38	1.175E+00	-
5.38	-	9.721E-01
5.48	1.058E+00	-
6.58	9.523E-01	-
6.83	-	8.258E-01
7.69	8.581E-01	-
8.67	-	6.818E-01
8.79	7.748E-01	-
11.01	-	5.460E-01
12.46	5.617E-01	-
13.98	-	4.237E-01
16.13	4.209E-01	-
17.75	-	3.187E-01
19.80	3.261E-01	-
22.54	-	2.325E-01
23.46	2.602E-01	-
27.13	2.123E-01	-
28.62	-	1.648E-01
34.47	1.492E-01	-
36.35	-	1.137E-01
46.15	-	7.659E-02
58.61	-	5.048E-02
71.17	4.890E-02	-
74.42	-	3.266E-02
94.50	-	2.081E-02
107.86	2.560E-02	-
120.00	-	1.309E-02



0 V  
2S2 - 2S 2P(3P)



X.SYMBOL	1 MANN E= .749	10 PEEK E= .749	14 QUB E= .747	16 OSTERBROCK E= .568
1.00	-	3.193E-01	-	-
1.01	3.219E-01	-	-	-
1.15	-	3.122E-01	-	-
1.27	3.103E-01	-	-	-
1.35	-	3.031E-01	-	-
1.55	-	2.945E-01	-	-
1.60	2.967E-01	-	-	-
1.80	-	2.844E-01	-	-
2.01	2.810E-01	-	-	-
2.10	-	2.730E-01	-	-
2.40	-	2.623E-01	-	-
2.53	2.629E-01	-	-	-
2.58	-	-	-	2.480E-01
2.70	-	2.524E-01	-	-
3.19	2.425E-01	-	-	-
3.20	-	2.371E-01	-	-
3.64	-	-	-	2.290E-01
4.02	2.202E-01	-	2.047E-01	-
4.20	-	2.105E-01	-	-
4.69	-	-	1.902E-01	-
5.04	1.960E-01	-	-	-
5.36	-	-	1.762E-01	-
5.60	-	1.304E-01	-	-
5.02	-	-	1.627E-01	-
6.35	1.707E-01	-	-	-
7.35	-	-	1.302E-01	-
7.50	-	1.437E-01	-	-
7.99	1.450E-01	-	-	-
10.00	-	1.180E-01	-	-
10.05	1.199E-01	-	-	-
12.65	9.625E-02	-	-	-
13.50	-	8.841E-02	-	-
15.91	7.507E-02	-	-	-
19.00	-	6.403E-02	-	-
20.02	5.591E-02	-	-	-
24.00	-	4.443E-02	-	-
25.19	4.203E-02	-	-	-
31.70	3.031E-02	-	-	-
32.00	-	2.966E-02	-	-
39.89	2.142E-02	-	-	-
50.19	1.487E-02	-	-	-
63.15	1.017E-02	-	-	-
79.47	6.873E-03	-	-	-
100.00	4.595E-03	-	-	-



J V  
2S2 - 2S 2<sup>2</sup>(1P)

X.SYMBOL	1 MANN E= 1.447	6 NAKAZAKI E= 1.450	9 YOUNGER E= 1.447	10 PEEK E= 1.447	11 BLAHA E= 1.448	14 QUB E= 1.457	16 OSTERBROCK E= 1.366
1.00	-	3.530E+00	-	2.913E+00	4.200E+00	-	-
1.01	2.853E+00	-	-	-	-	-	-
1.15	-	-	-	2.998E+00	-	-	-
1.27	3.000E+00	-	-	-	-	-	-
1.35	-	-	-	3.106E+00	-	-	-
1.50	-	-	-	-	4.550E+00	-	-
1.51	-	-	-	-	-	-	4.560E+00
1.55	-	-	-	3.208E+00	-	-	-
1.60	3.171E+00	-	-	-	-	-	-
1.80	-	-	-	3.329E+00	-	-	-
2.00	-	-	3.520E+00	-	4.950E+00	-	-
2.01	3.358E+00	-	-	-	-	-	-
2.06	-	-	-	-	-	3.107E+00	-
2.10	-	-	-	3.464E+00	-	-	-
2.40	-	-	-	3.592E+00	-	3.234E+00	-
2.54	3.591E+00	4.090E+00	-	-	-	-	-
2.70	-	-	-	3.711E+00	-	-	-
2.75	-	-	-	-	-	3.306E+00	-
3.00	-	-	-	-	5.600E+00	-	-
3.09	-	-	-	-	-	3.415E+00	-
3.19	3.341E+00	-	-	-	-	-	-
3.20	-	-	-	3.896E+00	-	-	-
3.78	-	-	-	-	-	3.536E+00	-
4.00	4.117E+00	-	-	-	5.000E+00	-	-
4.20	-	-	-	4.220E+00	-	-	-
5.00	-	-	4.510E+00	-	6.400E+00	-	-
5.04	4.416E+00	-	-	-	-	-	-
5.08	-	4.740E+00	-	-	-	-	-
5.50	-	-	-	4.597E+00	-	-	-
6.35	4.736E+00	-	-	-	-	-	-
7.50	-	-	-	5.015E+00	-	-	-
7.61	-	5.230E+00	-	-	-	-	-
7.99	5.074E+00	-	-	-	-	-	-
8.00	-	-	5.210E+00	-	-	-	-
10.00	-	-	5.510E+00	5.449E+00	-	-	-
10.05	5.426E+00	-	-	-	-	-	-
10.16	-	5.600E+00	-	-	-	-	-
12.65	5.789E+00	-	-	-	-	-	-
13.50	-	-	-	5.920E+00	-	-	-
15.71	5.159E+00	-	-	-	-	-	-
16.00	-	-	6.160E+00	-	-	-	-
18.00	-	-	-	6.381E+00	-	-	-
20.00	-	-	6.500E+00	-	-	-	-
20.02	5.534E+00	-	-	-	-	-	-
24.00	-	-	-	6.850E+00	-	-	-
25.19	6.712E+00	-	-	-	-	-	-
25.40	-	6.750E+00	-	-	-	-	-
31.70	7.290E+00	-	-	-	-	-	-
32.00	-	-	-	7.322E+00	-	-	-
39.89	7.567E+00	-	-	-	-	-	-
50.19	8.042E+00	-	-	-	-	-	-
50.80	-	7.790E+00	-	-	-	-	-
55.00	-	-	-	8.227E+00	-	-	-
63.16	8.414E+00	-	-	-	-	-	-
77.47	8.782E+00	-	-	-	-	-	-
100.00	9.147E+00	-	-	9.145E+00	-	-	-
101.60	-	9.050E+00	-	-	-	-	-
180.00	-	-	-	1.004E+01	-	-	-
203.20	-	1.008E+01	-	-	-	-	-
320.00	-	-	-	1.093E+01	-	-	-


0 V  
2S2 - 2S 2P(1P)



2S 2P(3P) - 2P2(3P)<sup>0 V</sup>

X.SYMBOL	4	14
	YANN	2UB
	E = 1.199	E = 1.203
1.01	1.381E+01	-
1.27	1.437E+01	-
1.60	1.502E+01	-
1.87	-	1.401E+01
2.01	1.578E+01	-
2.29	-	1.440E+01
2.53	1.666E+01	-
2.70	-	1.480E+01
3.12	-	1.513E+01
3.19	1.765E+01	-
3.95	-	1.544E+01
4.01	1.875E+01	-
5.04	1.996E+01	-
6.35	2.126E+01	-
7.99	2.266E+01	-
10.05	2.412E+01	-
12.65	2.555E+01	-
15.91	2.721E+01	-
20.02	2.881E+01	-
25.19	3.043E+01	-
31.70	3.206E+01	-
39.89	3.369E+01	-
50.19	3.531E+01	-
63.16	3.691E+01	-
79.47	3.851E+01	-
100.00	4.009E+01	-


2S 2P(3P) - 2P2(3P)<sup>0 V</sup>



O VI  
1S2 2S - 1S2 2P

X SYMBOL	4	5	11	19
	MANN E= .882	ROBB E= .883	BLAHA E= .882	KIM E= .889
1.00	-	-	5.750E+00	-
1.02	5.222E+00	5.124E+00	-	-
1.34	5.371E+00	-	-	-
1.36	-	5.284E+00	-	-
1.50	-	-	5.900E+00	-
1.70	-	5.446E+00	-	-
1.78	5.558E+00	-	-	-
2.00	-	-	5.000E+00	-
2.04	-	5.586E+00	-	-
2.38	5.786E+00	5.698E+00	-	-
2.72	-	5.819E+00	-	-
3.00	-	-	5.400E+00	-
3.15	6.064E+00	-	-	-
3.40	-	6.070E+00	-	-
4.00	-	-	6.650E+00	-
4.19	6.393E+00	-	-	-
4.53	-	6.433E+00	-	-
5.00	-	-	7.000E+00	7.146E+00
5.57	6.777E+00	-	-	-
5.66	-	6.751E+00	-	-
6.00	-	-	-	7.506E+00
6.79	-	7.030E+00	-	-
7.00	-	-	-	7.806E+00
7.41	7.211E+00	-	-	-
7.93	-	7.308E+00	-	-
8.00	-	-	-	8.064E+00
9.00	-	-	-	8.290E+00
9.06	-	7.511E+00	-	-
9.85	7.694E+00	-	-	-
10.00	-	-	-	8.491E+00
10.19	-	7.720E+00	-	-
11.32	-	7.917E+00	-	-
13.09	8.217E+00	-	-	-
15.00	-	-	-	9.258E+00
17.41	8.774E+00	-	-	-
20.00	-	-	-	9.796E+00
22.65	-	9.291E+00	-	-
23.14	9.354E+00	-	-	-
30.76	9.949E+00	-	-	-
33.97	-	1.014E+01	-	-
40.00	-	-	-	1.108E+01
40.89	1.055E+01	-	-	-
45.29	-	1.076E+01	-	-
54.36	1.116E+01	-	-	-
56.62	-	1.124E+01	-	-
60.00	-	-	-	1.183E+01
67.94	-	1.163E+01	-	-
72.26	1.176E+01	-	-	-
79.26	-	1.197E+01	-	-
80.00	-	-	-	1.235E+01
96.06	1.235E+01	-	-	-
100.00	-	-	-	1.276E+01
127.70	1.294E+01	-	-	-
169.76	1.351E+01	-	-	-
225.67	1.408E+01	-	-	-
300.00	1.464E+01	-	-	-


O VI  
1S2 2S - 1S2 2P



NE VII  
2S2 - 2S 2P(3P)

X.SYMBOL	8	16
.	UCL	OSTERBRÖCK
.	E = 1.014	E = .783
1.09	2.050E-01	-
1.45	1.800E-01	-
2.53	-	1.270E-01
2.54	1.520E-01	-
3.55	-	1.190E-01
3.62	1.300E-01	-
6.39	-	1.000E-01
36.24	1.760E-02	-
72.49	6.340E-03	-

NE VII  
2S2 - 2S 2P(3P)






NE VII  
2S2(1S) - 2S 2P(1P)


X.SYMBOL	6 NAKAZAKI E = 1.950	8 UCL E = 2.027	16 JSTERBROCK E = 1.825
1.00	2.190E+00	-	-
1.09	-	-	2.910E+00
1.27	-	1.910E+00	-
1.53	-	-	2.940E+00
1.81	-	1.970E+00	-
1.88	2.360E+00	-	-
2.74	-	-	3.050E+00
3.76	2.650E+00	-	-
5.65	2.880E+00	-	-
7.52	3.070E+00	-	-
18.13	-	3.550E+00	-
18.80	3.790E+00	-	-
36.25	-	4.190E+00	-
37.60	4.380E+00	-	-
75.20	4.980E+00	-	-
150.40	5.570E+00	-	-

NE VII  
2S2(1S) - 2S 2P(1P)




NE VIII  
2S - 2P

X.SYMBOL	NE VIII 2S - 2P			
	4 MANN E= 1.189	5 ROBB E= 1.168	10 PEEK E= 1.189	22 HENRY E= 1.170
1.00	-	-	3.265E+00	-
1.01	3.333E+00	-	3.267E+00	-
1.17	3.369E+00	-	-	-
1.20	-	3.280E+00	-	-
1.23	-	-	3.317E+00	-
1.37	3.409E+00	-	-	3.340E+00
1.50	-	-	3.374E+00	-
1.54	-	3.350E+00	-	-
1.58	3.455E+00	-	-	-
1.84	3.507E+00	-	3.440E+00	-
1.68	-	3.430E+00	-	-
2.13	3.563E+00	-	-	-
2.47	3.628E+00	-	-	-
2.57	-	3.560E+00	-	-
2.74	-	-	3.610E+00	3.590E+00
2.87	3.701E+00	-	-	-
3.33	3.781E+00	-	-	-
3.87	3.873E+00	-	-	-
4.07	-	-	3.835E+00	-
4.49	3.967E+00	-	-	-
5.14	-	3.990E+00	-	-
5.22	4.073E+00	-	-	-
6.06	4.187E+00	-	4.120E+00	-
6.84	-	-	-	4.230E+00
7.03	4.310E+00	-	-	-
7.71	-	4.340E+00	-	-
8.17	4.442E+00	-	-	-
9.48	4.582E+00	-	-	-
10.28	-	4.620E+00	-	-
11.01	4.729E+00	-	4.661E+00	-
11.97	-	-	-	4.560E+00
12.78	4.884E+00	-	-	-
12.85	-	4.850E+00	-	-
14.84	5.045E+00	-	-	-
15.38	-	-	-	4.860E+00
15.42	-	5.050E+00	-	-
17.23	5.211E+00	-	-	-
17.99	-	5.230E+00	-	-
20.00	5.383E+00	-	5.312E+00	-
20.56	-	5.390E+00	-	-
23.13	-	5.530E+00	-	-
25.64	-	-	-	5.600E+00
25.70	-	5.660E+00	-	-
40.00	-	-	5.208E+00	-
100.00	-	-	7.310E+00	-

NE VIII  
2S - 2P

AL V  
2S2 2P5(2P) - 2S1 2P6(2S)


X SYMBOL	3	4
	ROBB E= 3.259	MANN E= 3.259
1.01	-	1.758E+00
1.10	7.350E-01	-
1.27	-	1.858E+00
1.60	-	1.970E+00
2.00	1.919E+00	-
2.01	-	2.095E+00
2.53	-	2.236E+00
3.19	-	2.390E+00
4.01	-	2.558E+00
5.00	2.921E+00	-
5.04	-	2.738E+00
6.35	-	2.929E+00
7.99	-	3.130E+00
10.00	3.569E+00	-
10.05	-	3.339E+00
12.65	-	3.553E+00
15.91	-	3.773E+00
20.00	4.196E+00	-
20.02	-	3.995E+00
25.19	-	4.220E+00
31.70	-	4.445E+00
39.89	-	4.670E+00
50.00	5.011E+00	-
50.19	-	4.894E+00
63.16	-	5.117E+00
79.47	-	5.338E+00
100.00	5.622E+00	5.557E+00



AL VI  
2S2 2P4(3P) - 2S1 2P5(3P)

X.SYMBOL	5	3	4.
	ROBB E= 2.945	ROBB E= 2.945	MANN E= 2.937
1.01	-	-	5.593E+00
1.10	-	2.169E+00	-
1.27	-	-	5.807E+00
1.50	5.640E+00	-	-
1.60	-	-	6.062E+00
2.00	-	5.680E+00	-
2.01	-	-	6.359E+00
2.53	-	-	6.700E+00
3.01	6.569E+00	-	-
3.19	-	-	7.086E+00
4.01	-	-	7.514E+00
4.51	7.034E+00	-	-
5.00	-	8.471E+00	-
5.04	-	-	7.984E+00
6.35	-	-	8.490E+00
7.99	-	-	9.029E+00
10.00	-	1.030E+01	-
10.05	-	-	9.596E+00
12.65	-	-	1.018E+01
15.91	-	-	1.079E+01
20.02	-	-	1.141E+01
25.19	-	-	1.204E+01
31.70	-	-	1.267E+01
39.89	-	-	1.330E+01
50.00	-	1.428E+01	-
50.19	-	-	1.392E+01
63.16	-	-	1.455E+01
79.47	-	-	1.517E+01
100.00	-	1.594E+01	1.579E+01


AL VI  
2S2 2P4(3P) - 2S1 2P5(3P)



SI IV  
3S - 3P


X. SYMBOL	21 FLOWER E= .652	4 MANN E= .652
1.01	-	1.669E+01
1.07	1.695E+01	-
1.27	-	1.762E+01
1.60	-	1.871E+01
2.01	-	1.997E+01
2.30	1.834E+01	-
2.53	-	2.140E+01
3.19	-	2.300E+01
3.83	2.094E+01	-
4.01	-	2.475E+01
5.04	-	2.666E+01
6.35	-	2.869E+01
7.99	-	3.083E+01
10.05	-	3.305E+01
12.65	-	3.533E+01
15.91	-	3.766E+01
20.02	-	4.003E+01
25.19	-	4.242E+01
31.70	-	4.482E+01
39.89	-	4.724E+01
50.19	-	4.965E+01
63.16	-	5.207E+01
79.47	-	5.449E+01
100.00	-	5.690E+01

SI IV  
3S - 3P



SI XII  
 2S - 2P


X.SYMBOL	21	4
	FLOWER E= 1.735	MANN E= 1.800
1.01	-	1.629E+00
1.34	-	1.658E+00
1.78	-	1.694E+00
2.37	-	1.741E+00
2.88	1.790E+00	-
3.15	-	1.800E+00
4.19	-	1.872E+00
5.57	-	1.959E+00
7.41	-	2.061E+00
9.85	-	2.177E+00
12.91	2.290E+00	-
13.09	-	2.308E+00
17.30	2.440E+00	-
17.41	-	2.452E+00
23.14	-	2.605E+00
30.76	-	2.766E+00
40.89	-	2.931E+00
54.36	-	3.099E+00
72.26	-	3.266E+00
96.06	-	3.432E+00
127.70	-	3.596E+00
169.76	-	3.757E+00
225.67	-	3.914E+00
300.00	-	4.067E+00

 SI XII  
 2S - 2P


S IV  
3S2 3P - 3S 3P2(4P)

X.SYMBOL	1	8
.	MANN	UCL
.	E= .654	E= .541
1.01	2.046E+00	-
1.36	1.761E+00	-
1.84	1.463E+00	-
2.47	1.176E+00	-
3.33	9.197E-01	-
3.69	-	6.221E-01
4.49	7.067E-01	-
6.06	5.341E-01	-
7.39	-	3.532E-01
8.17	3.930E-01	-
11.01	2.775E-01	-
11.08	-	2.310E-01
14.84	1.871E-01	-
20.00	1.215E-01	-


S IV  
3S2 3P - 3S 3P2(4P)



S IV  
3S2 3P - 3S 3P2(2D)

X.SYMBOL	1	8
	MANN	UCL
	E= .852	E= .823
1.01	5.603E+00	-
1.36	5.490E+00	-
1.84	5.463E+00	-
2.43	-	7.905E+00
2.47	5.547E+00	-
3.33	5.746E+00	-
4.49	6.044E+00	-
4.86	-	8.827E+00
6.06	6.419E+00	-
7.29	-	9.788E+00
8.17	6.853E+00	-
11.01	7.336E+00	-
14.84	7.859E+00	-
20.00	8.413E+00	-

S IV  
3S2 3P - 3S 3P2(2D)






S IV  
 3S2 3P - 3S 3P2(2S)

X.SYMBOL	1	8
•	MANN	UCL
•	E= 1.120	E= 1.098
1.01	2.978E+00	-
1.36	3.288E+00	-
1.82	-	3.394E+00
1.84	3.652E+00	-
2.47	4.068E+00	-
3.33	4.533E+00	-
3.64	-	4.283E+00
4.49	5.039E+00	-
5.47	-	4.911E+00
6.06	5.579E+00	-
8.17	6.142E+00	-
11.01	6.727E+00	-
14.84	7.324E+00	-
20.00	7.933E+00	-


S IV  
 3S2 3P - 3S 3P2(2S)



S IV  
3S2 3P - 3S 3P2(2P)

X.SYMBOL	1 MANN E= 1.216	8 UCL E= 1.265
1.01	1.657E+01	-
1.36	1.904E+01	-
1.58	-	2.442E+01
1.84	2.198E+01	-
2.47	2.539E+01	-
3.16	-	3.364E+01
3.33	2.925E+01	-
4.49	3.348E+01	-
4.74	-	3.916E+01
6.06	3.802E+01	-
8.17	4.277E+01	-
11.01	4.766E+01	-
14.84	5.261E+01	-
20.00	5.761E+01	-


S IV  
3S2 3P - 3S 3P2(2P)



AR XV  
2S2 - 2S 2P(3P)

X. SYMBOL	1 MANN E= 2.173	15 SAMPSON E= 2.543
1.00	-	2.854E-02
1.01	2.939E-02	-
1.27	2.908E-02	-
1.60	2.866E-02	-
2.01	2.818E-02	-
2.53	2.758E-02	-
3.19	2.685E-02	-
4.01	2.595E-02	-
5.04	2.487E-02	-
6.35	2.356E-02	-
7.37	-	2.516E-02
7.99	2.205E-02	-
10.05	2.031E-02	-
12.65	1.837E-02	-
15.91	1.627E-02	-
20.02	1.407E-02	-
20.11	-	1.844E-02
25.19	1.186E-02	-
31.70	9.738E-03	-
32.86	-	1.487E-02
39.89	7.789E-03	-
50.19	6.077E-03	-
63.16	4.635E-03	-
79.47	3.470E-03	-
96.57	-	9.697E-03
100.00	2.561E-03	-
159.30	-	8.977E-03
287.72	-	8.920E-03
415.15	-	9.105E-03


AR XV  
2S2 - 2S 2P(3P)



AR XV  
2S2 - 2S 2P(1P)

X. SYMBOL	1 MANN E = 3.787	9 YOUNGER E = 4.122	15 SAMPSON E = 4.668
1.01	6.679E-01	-	-
1.27	6.790E-01	-	-
1.60	6.925E-01	-	-
2.00	-	6.540E-01	-
2.01	7.088E-01	-	-
2.53	7.284E-01	-	-
3.19	7.516E-01	-	-
4.01	7.786E-01	-	-
4.47	-	-	9.234E-01
5.00	-	7.500E-01	-
5.04	8.100E-01	-	-
6.35	8.458E-01	-	-
7.99	8.860E-01	-	-
8.00	-	8.260E-01	-
10.00	-	8.680E-01	-
10.05	9.304E-01	-	-
11.41	-	-	9.688E-01
12.65	9.786E-01	-	-
15.91	1.030E+00	-	-
16.00	-	9.660E-01	-
18.35	-	-	1.075E+00
20.00	-	1.020E+00	-
20.02	1.084E+00	-	-
25.19	1.141E+00	-	-
31.70	1.199E+00	-	-
39.89	1.257E+00	-	-
50.19	1.316E+00	-	-
53.06	-	-	1.363E+00
63.16	1.375E+00	-	-
79.47	1.434E+00	-	-
87.76	-	-	1.498E+00
100.00	1.492E+00	-	-
157.17	-	-	1.659E+00
226.57	-	-	1.753E+00


AR XV  
2S2 - 2S 2P(1P)



AR XVI  
1S2 2S - 1S2 2P


X SYMBOL	4	22
	MANN E= 2.480	HENRY E= 2.309
1.01	9.680E-01	-
1.34	9.824E-01	-
1.36	-	9.800E-01
1.78	1.002E+00	-
2.00	-	1.020E+00
2.37	1.027E+00	-
3.00	-	1.060E+00
3.15	1.059E+00	-
4.19	1.098E+00	-
5.57	1.145E+00	-
6.00	-	1.160E+00
7.41	1.201E+00	-
9.85	1.266E+00	-
13.09	1.340E+00	-
17.41	1.421E+00	-
23.14	1.509E+00	-
23.39	-	1.330E+00
30.32	-	1.410E+00
30.76	1.602E+00	-
40.89	1.698E+00	-
50.24	-	1.590E+00
54.36	1.795E+00	-
72.26	1.893E+00	-
96.06	1.991E+00	-
127.70	2.087E+00	-
169.76	2.181E+00	-
225.67	2.273E+00	-
300.00	2.362E+00	-

AR XVI  
1S2 2S - 1S2 2P



CA X  
3S - 3P


X.SYMBOL	11 BLAHA E= 1.618	21 FLCWER E= 1.610
1.00	7.340E+00	-
1.05	-	5.820E+00
2.00	7.770E+00	-
2.54	-	7.190E+00
3.72	-	7.280E+00
4.00	8.510E+00	-
8.00	9.650E+00	-
16.00	1.110E+01	-



CA X  
3S - 3D

X.SYMBOL	11	21
.	BLAHA	FLOWER
.	E= 3.803	E= 3.800
1.00	7.510E-01	-
1.08	-	7.000E-01
1.50	7.820E-01	-
1.58	-	7.000E-01
2.00	8.050E-01	-
4.00	8.540E-01	-
8.00	8.800E-01	-


CA X  
3S - 3D



CA X  
3P - 3D

X.SYMBOL	11 BLAHA E= 2.185	21 FLCWER E= 2.190
1.00	1.190E+01	-
1.87	-	1.100E+01
2.00	1.280E+01	-
2.74	-	1.175E+01
4.00	1.430E+01	-
8.00	1.640E+01	-
16.00	1.950E+01	-

CA X  
3P - 3D






FE XV  
3S2 - 3S 3P(1P)

X.SYMBOL	1 MANN E= 3.207	9 YOUNGER E= 3.207	21 FLOWER E= 3.073
1.01	2.784E+00	-	3.330E+00
1.27	2.835E+00	-	-
1.60	2.893E+00	-	-
2.00	-	2.920E+00	-
2.01	2.966E+00	-	-
2.53	3.053E+00	-	-
3.19	3.155E+00	-	-
4.01	3.274E+00	-	-
5.00	-	3.350E+00	-
5.04	3.410E+00	-	-
6.35	3.563E+00	-	-
7.99	3.735E+00	-	-
8.00	-	3.670E+00	-
10.00	-	3.840E+00	-
10.05	3.922E+00	-	-
12.65	4.126E+00	-	-
15.91	4.343E+00	-	-
16.00	-	4.310E+00	-
20.00	-	4.510E+00	-
20.02	4.572E+00	-	-
25.19	4.811E+00	-	-
31.70	5.057E+00	-	-
39.89	5.307E+00	-	-
50.19	5.564E+00	-	-
63.16	5.822E+00	-	-
79.47	6.080E+00	-	-
100.00	6.338E+00	-	-


FE XV  
3S2 - 3S 3P(1P)



FE XVI  
2P6 3S - 2P6 3P

X.SYMBOL	4 MANN E= 2.653	11 BLAHA E= 2.653	19 KIM E= 2.667	21 FLOWER E= 2.640
1.00	-	3.710E+00	-	-
1.01	3.541E+00	-	-	-
1.14	-	-	-	3.630E+00
1.30	3.596E+00	-	-	-
1.67	3.661E+00	-	-	-
2.00	-	3.880E+00	-	-
2.14	3.744E+00	-	-	-
2.46	-	-	-	3.670E+00
2.75	3.846E+00	-	-	-
3.03	-	-	-	3.650E+00
3.53	3.968E+00	-	-	-
4.00	-	4.200E+00	-	-
4.53	4.113E+00	-	-	-
5.00	-	-	4.051E+00	-
5.81	4.282E+00	-	-	-
6.00	-	-	4.285E+00	-
7.00	-	-	4.480E+00	-
7.46	4.475E+00	-	-	-
8.00	-	4.670E+00	4.648E+00	-
9.00	-	-	4.796E+00	-
9.59	4.695E+00	-	-	-
10.00	-	-	4.926E+00	-
12.31	4.937E+00	-	-	-
15.00	-	-	5.426E+00	-
15.81	5.202E+00	-	-	-
16.00	-	5.410E+00	-	-
20.00	-	-	5.777E+00	-
20.29	5.485E+00	-	-	-
26.06	5.785E+00	-	-	-
33.46	6.096E+00	-	-	-
40.00	-	-	6.615E+00	-
42.97	6.415E+00	-	-	-
55.17	6.740E+00	-	-	-
60.00	-	-	7.102E+00	-
70.85	7.068E+00	-	-	-
80.00	-	-	7.447E+00	-
90.97	7.397E+00	-	-	-
100.00	-	-	7.714E+00	-
116.82	7.726E+00	-	-	-
150.00	8.052E+00	-	-	-


FE XVI  
2P6 3S - 2P6 3P



FE XVI  
2P6 3S - 2P6 3D

X.SYMBOL	4 MANN E= 6.172	7 MANN E= 0.000	11 BLAMA E= 6.172	21 FLOWER E= 6.150
1.00	-	-	3.520E-01	-
1.01	3.013E-01	3.493E-01	-	3.200E-01
1.06	-	-	-	3.200E-01
1.30	3.047E-01	3.532E-01	3.580E-01	-
1.50	-	-	-	-
1.67	3.087E-01	3.572E-01	3.630E-01	-
2.00	-	-	-	-
2.14	3.132E-01	3.614E-01	-	-
2.75	3.179E-01	3.653E-01	-	-
3.53	3.231E-01	3.690E-01	-	-
4.00	-	-	3.740E-01	-
4.53	3.284E-01	3.721E-01	-	-
5.81	3.337E-01	3.746E-01	-	-
7.46	3.388E-01	3.763E-01	3.790E-01	-
8.00	-	-	-	-
9.59	3.436E-01	3.773E-01	-	-
12.31	3.480E-01	3.776E-01	-	-
15.81	3.518E-01	3.773E-01	-	-
20.29	3.550E-01	3.765E-01	-	-
26.06	3.574E-01	3.752E-01	-	-
33.46	3.589E-01	3.736E-01	-	-
42.97	3.597E-01	3.715E-01	-	-
55.17	3.599E-01	3.694E-01	-	-
70.85	3.592E-01	3.667E-01	-	-
90.97	3.580E-01	3.640E-01	-	-
116.82	3.565E-01	3.612E-01	-	-
150.00	3.545E-01	3.582E-01	-	-


FE XVI  
2P6 3S - 2P6 3D



FE XVI  
2P6 3S - 2P6 4S

X.SYMBOL	11 BLAHA E= 17.02	7 MANN E= 0.000	4 MANN E= 17.02
1.00	1.180E-01	-	-
1.01	-	1.153E-01	1.011E-01
1.23	-	1.163E-01	1.031E-01
1.25	1.190E-01	-	-
1.50	1.190E-01	1.171E-01	1.051E-01
1.81	-	1.178E-01	1.070E-01
2.00	1.210E-01	-	-
2.20	-	1.183E-01	1.087E-01
2.68	-	1.187E-01	1.103E-01
3.00	1.210E-01	-	-
3.26	-	1.189E-01	1.115E-01
3.96	-	1.189E-01	1.126E-01
4.81	-	1.188E-01	1.133E-01
5.85	-	1.186E-01	1.139E-01
7.11	-	1.184E-01	1.144E-01
8.64	-	1.180E-01	1.146E-01
10.50	-	1.176E-01	1.148E-01
12.76	-	1.173E-01	1.149E-01
15.51	-	1.169E-01	1.149E-01
18.85	-	1.165E-01	1.148E-01
22.91	-	1.161E-01	1.147E-01
27.85	-	1.158E-01	1.146E-01
33.85	-	1.155E-01	1.145E-01
41.14	-	1.152E-01	1.144E-01
50.00	-	1.149E-01	1.143E-01

FE XVI  
2P6 3S - 2P6 4S




FE XVI  
2P6 3S - 2P6 4P

X.SYMBOL	11	4
	BLAHA	MANN
	E = 18.07	E = 18.07

1.00	1.850E-02	-
1.01	-	1.721E-02
1.23	-	1.948E-02
1.25	2.310E-02	-
1.50	2.800E-02	2.289E-02
1.81	-	2.760E-02
2.00	3.750E-02	-
2.20	-	3.366E-02
2.68	-	4.111E-02
3.00	5.540E-02	-
3.26	-	4.989E-02
3.96	-	5.993E-02
4.81	-	7.111E-02
5.85	-	8.333E-02
7.11	-	9.648E-02
8.64	-	1.105E-01
10.50	-	1.252E-01
12.76	-	1.407E-01
15.51	-	1.567E-01
18.85	-	1.732E-01
22.91	-	1.902E-01
27.65	-	2.075E-01
33.85	-	2.251E-01
41.14	-	2.430E-01
50.00	-	2.611E-01


FE XVI  
2P6 3S - 2P6 4P



FE XVI  
3P - 3D

X.SYMBOL	11 BLAHA E = 3.518	21 FLCWER E = 3.500
1.00	5.640E+00	-
1.86	-	5.439E+00
2.00	5.950E+00	-
2.29	-	5.495E+00
4.00	6.470E+00	-
8.00	7.300E+00	-
16.00	8.350E+00	-


FE XVI  
3P - 3D



FE XVIII  
2S2 2P5 - 2S 2P6

X.SYMBOL	5	4
	ROBB	MANN
	E= 8.736	E= 9.390
1.01	-	4.468E-01
1.14	4.580E-01	-
1.27	-	4.555E-01
1.60	-	4.659E-01
2.01	-	4.782E-01
2.53	-	4.929E-01
2.86	5.120E-01	-
3.19	-	5.102E-01
4.01	-	5.301E-01
4.58	5.630E-01	-
5.04	-	5.528E-01
6.29	6.030E-01	-
6.35	-	5.783E-01
7.99	-	6.066E-01
8.01	6.350E-01	-
9.73	6.630E-01	-
10.05	-	6.375E-01
11.44	6.890E-01	-
12.65	-	6.709E-01
15.91	-	7.061E-01
20.02	-	7.430E-01
22.89	7.960E-01	-
25.19	-	7.812E-01
31.70	-	8.204E-01
34.33	8.620E-01	-
39.89	-	8.600E-01
45.77	9.090E-01	-
50.19	-	8.999E-01
57.22	9.470E-01	-
63.16	-	9.396E-01
68.66	9.790E-01	-
79.47	-	9.792E-01
80.10	1.000E+00	-
91.54	1.030E+00	-
100.00	-	1.018E+00

FE XVIII  
2S2 2P5 - 2S 2P6




FE XIX  
2P4(3P) - 2P4(1D)

X.SYMBOL      1                      5  
                 MANN                      ROBR  
                 E= 1.228                      E= .935

1.01	1.255E-01	-
1.38	1.247E-01	-
1.88	1.236E-01	-
2.56	1.221E-01	-
3.49	1.202E-01	-
4.76	1.176E-01	-
6.50	1.142E-01	-
8.86	1.099E-01	-
11.23	-	1.163E-01
12.08	1.045E-01	-
14.97	-	1.115E-01
16.48	9.762E-02	-
18.71	-	1.070E-01
22.46	-	1.029E-01
22.47	8.957E-02	-
30.65	8.037E-02	-
41.79	7.035E-02	-
53.47	-	7.740E-02
57.00	6.003E-02	-
77.73	5.017E-02	-
106.00	4.138E-02	-
144.56	3.416E-02	-
160.41	-	4.440E-02
197.14	2.870E-02	-
267.35	-	3.476E-02
268.85	2.487E-02	-
366.64	2.238E-02	-
374.29	-	3.070E-02
481.23	-	2.854E-02
500.00	2.084E-02	-
588.17	-	2.719E-02
695.11	-	2.609E-02
802.05	-	2.550E-02

FE XIX  
2P4(3P) - 2P4(1D)






FE XIX  
2P4(3P) - 2P4(1S)

X.SYMBOL	1		5	
	MANN		ROBB	
	E= 2.653		E= 1.945	
1.01	1.683E-02	-	-	-
1.38	1.656E-02	-	-	-
1.88	1.619E-02	-	-	-
2.56	1.571E-02	-	-	-
3.49	1.509E-02	-	-	-
4.76	1.430E-02	-	-	-
5.40	-	2.255E-02	-	-
6.50	1.330E-02	-	-	-
7.20	-	2.159E-02	-	-
8.86	1.209E-02	-	-	-
9.00	-	2.075E-02	-	-
10.80	-	2.005E-02	-	-
12.08	1.067E-02	-	-	-
16.48	9.124E-03	-	-	-
22.47	7.473E-03	-	-	-
25.71	-	1.565E-02	-	-
30.65	5.841E-03	-	-	-
41.79	4.346E-03	-	-	-
57.00	3.077E-03	-	-	-
77.12	-	1.051E-02	-	-
77.73	2.086E-03	-	-	-
106.00	1.369E-03	-	-	-
128.53	-	9.261E-03	-	-
144.56	8.879E-04	-	-	-
179.94	-	8.761E-03	-	-
197.14	5.847E-04	-	-	-
231.35	-	9.504E-03	-	-
268.85	4.037E-04	-	-	-
282.76	-	9.289E-03	-	-
334.17	-	9.082E-03	-	-
366.64	2.797E-04	-	-	-
385.58	-	7.976E-03	-	-
500.00	2.420E-04	-	-	-


FE XIX  
2P4(3P) - 2P4(1S)



FE XIX  
2S2 2P4(3P) - 2S 2P5(3P)

X.SYMBOL	1 MANN E= 8.386	5 ROBB E= 7.498
1.01	1.280E+00	-
1.27	1.303E+00	-
1.40	-	1.310E+00
1.60	1.330E+00	-
1.87	-	1.341E+00
2.01	1.362E+00	-
2.33	-	1.365E+00
2.53	1.401E+00	-
2.80	-	1.393E+00
3.19	1.447E+00	-
4.01	1.501E+00	-
5.04	1.562E+00	-
6.35	1.631E+00	-
6.67	-	1.592E+00
7.99	1.709E+00	-
10.05	1.794E+00	-
12.65	1.886E+00	-
15.91	1.984E+00	-
20.00	-	2.015E+00
20.02	2.086E+00	-
25.19	2.193E+00	-
31.70	2.303E+00	-
33.34	-	2.247E+00
39.89	2.414E+00	-
46.68	-	2.407E+00
50.19	2.526E+00	-
60.01	-	2.532E+00
63.16	2.638E+00	-
73.35	-	2.633E+00
79.47	2.749E+00	-
86.69	-	2.715E+00
100.00	2.859E+00	-
100.02	-	2.785E+00


FE XIX  
2S2 2P4(3P) - 2S 2P5(3P)



FE XIX  
2S2 2P4(3P) - 2S 2P5(1P)

X SYMBOL	1	5
	MANN E= 11.24	ROBB E= 10.33
1.02	5.752E-02	9.009E-02
1.27	5.816E-02	-
1.35	-	9.184E-02
1.60	5.889E-02	-
1.69	-	9.356E-02
2.01	5.980E-02	-
2.03	-	9.478E-02
2.53	6.086E-02	-
3.19	6.212E-02	-
4.01	6.358E-02	-
4.84	-	9.924E-02
5.04	6.523E-02	-
6.35	6.722E-02	-
7.99	6.944E-02	-
10.05	7.195E-02	-
12.65	7.477E-02	-
14.51	-	1.013E-01
15.91	7.788E-02	-
20.02	8.126E-02	-
24.19	-	1.032E-01
25.19	8.489E-02	-
31.70	8.871E-02	-
33.87	-	1.047E-01
39.89	9.267E-02	-
43.54	-	1.064E-01
50.19	9.673E-02	-
53.22	-	1.076E-01
62.89	-	1.099E-01
63.16	1.008E-01	-
72.57	-	1.097E-01
79.47	1.050E-01	-
100.00	1.091E-01	-


FE XIX  
2S2 2P4(3P) - 2S 2P5(1P)



FE XX  
2S2 2P3(4S) - 2S 2P4(4P)

X. SYMBOL	1	5
	MANN	ROBB
	E= 7.189	E= 6.209
1.01	8.405E-01	-
1.23	8.515E-01	-
1.49	8.646E-01	-
1.77	-	8.740E-01
1.81	8.799E-01	-
2.20	8.979E-01	-
2.42	-	8.930E-01
2.68	9.183E-01	-
3.26	9.423E-01	-
3.96	9.697E-01	-
4.03	-	9.400E-01
4.81	1.001E+00	-
5.85	1.036E+00	-
7.11	1.074E+00	-
8.05	-	1.047E+00
8.64	1.116E+00	-
10.50	1.162E+00	-
12.76	1.211E+00	-
15.51	1.263E+00	-
16.11	-	1.216E+00
18.85	1.318E+00	-
22.91	1.375E+00	-
27.85	1.433E+00	-
33.85	1.493E+00	-
41.14	1.553E+00	-
48.32	-	1.545E+00
50.00	1.614E+00	-
80.53	-	1.709E+00


FE XX  
2S2 2P3(4S) - 2S 2P4(4P)



FE XX  
2S2 2P3(4S) - 2S 2P4(2S)

X.SYMBOL	1	5
	MANN	RJBB
	E= 10.60	E= 10.03
1.01	6.102E-03	-
1.10	-	1.080E-02
1.23	6.144E-03	-
1.50	6.193E-03	1.100E-02
1.81	6.246E-03	-
2.20	6.312E-03	-
2.49	-	1.160E-02
2.68	6.389E-03	-
3.26	6.477E-03	-
3.96	6.578E-03	-
4.81	6.693E-03	-
4.99	-	1.230E-02
5.85	6.824E-03	-
7.11	6.972E-03	-
8.64	7.141E-03	-
9.98	-	1.250E-02
10.50	7.330E-03	-
12.76	7.541E-03	-
15.51	7.775E-03	-
18.85	8.031E-03	-
22.91	8.307E-03	-
27.85	8.602E-03	-
29.93	-	1.260E-02
33.85	8.911E-03	-
41.14	9.233E-03	-
49.88	-	1.260E-02
50.00	9.564E-03	-


FE XX  
2S2 2P3(4S) - 2S 2P4(2S)



FE XX  
2S2 2P3(4S) - 2S 2P4(2P)

X SYMBOL	1	5
	MANN	RJBB
	E= 11.34	E= 10.50
1.01	2.815E-02	-
1.05	-	3.000E-02
1.23	2.832E-02	-
1.43	-	3.020E-02
1.49	2.850E-02	-
1.81	2.872E-02	-
2.20	2.898E-02	-
2.38	-	3.063E-02
2.68	2.928E-02	-
3.26	2.963E-02	-
3.96	3.003E-02	-
4.76	-	3.059E-02
4.81	3.049E-02	-
5.85	3.102E-02	-
7.11	3.163E-02	-
8.64	3.233E-02	-
9.52	-	3.060E-02
10.50	3.314E-02	-
12.76	3.404E-02	-
15.51	3.506E-02	-
18.85	3.618E-02	-
22.91	3.740E-02	-
27.85	3.870E-02	-
28.56	-	3.350E-02
33.85	4.008E-02	-
41.14	4.152E-02	-
47.60	-	3.600E-02
50.00	4.300E-02	-

FE XX  
2S2 2P3(4S) - 2S 2P4(2P)




FE XX  
2S2 2P3(4S) - 2S 2P4(2D)

X.SYMBOL      1                      5  
                  MANN                      RDBB  
                  E= 9.440                      E= 8.595


1.01	1.820E-02	-
1.23	1.842E-02	-
1.28	-	4.468E-02
1.49	1.868E-02	-
1.75	-	4.576E-02
1.81	1.893E-02	-
2.20	1.933E-02	-
2.68	1.974E-02	-
2.91	-	4.739E-02
3.26	2.021E-02	-
3.96	2.075E-02	-
4.81	2.135E-02	-
5.82	-	4.763E-02
5.85	2.202E-02	-
7.11	2.276E-02	-
8.64	2.357E-02	-
10.50	2.446E-02	-
11.63	-	4.627E-02
12.76	2.541E-02	-
15.51	2.642E-02	-
18.85	2.748E-02	-
22.91	2.860E-02	-
27.85	2.975E-02	-
33.85	3.094E-02	-
34.90	-	4.372E-02
41.14	3.215E-02	-
50.00	3.337E-02	-
58.17	-	4.260E-02

FE XX  
2S2 2P3(4S) - 2S 2P4(2D)



FE XXI  
2S2 2P2(3P) - 2S2 2P2(1D)


X.SYMBOL	5	8
	ROBB	UCL
	E= .967	E= 1.410
8.79	9.805E-02	-
10.34	9.128E-02	-
14.18	-	8.200E-02
15.51	8.646E-02	-
20.68	8.237E-02	-
35.46	-	6.310E-02
51.71	6.410E-02	-
70.92	-	4.610E-02
103.41	4.823E-02	-
206.83	3.553E-02	-
517.06	2.659E-02	-





FE XXI  
2S2 2P2(3P) - 2S2 2P2(1S)


X.SYMBOL	5	8
	ROBB	UCL
	E = 1.948	E = 2.506
4.36	1.369E-02	-
5.13	1.348E-02	-
7.70	1.270E-02	-
7.98	-	1.180E-02
10.27	1.197E-02	-
19.95	-	8.700E-03
25.67	8.933E-03	-
39.90	-	6.100E-03
51.33	6.421E-03	-
102.67	4.566E-03	-
256.67	3.436E-03	-



FE XXI  
2S2 2P2(1D) - 2S2 2P2(1S)

X.SYMBOL	8	5	5
UCL	R0BB	R0BB	R0BB
E=	E=	E=	E=
8.66	-	2.230E-02	2.200E-02
10.19	-	2.240E-02	2.140E-02
15.29	-	2.260E-02	2.130E-02
18.24	2.050E-02	-	-
20.39	-	2.260E-02	2.110E-02
45.60	2.010E-02	-	-
50.97	-	2.360E-02	2.110E-02
91.21	1.990E-02	-	-
101.94	-	2.530E-02	2.170E-02
203.87	-	2.750E-02	2.290E-02
509.68	-	2.870E-02	2.360E-02


FE XXI  
2S2 2P2(1D) - 2S2 2P2(1S)



FE XXI  
2S2 2P2(3P) - 2S 2P3(5S)

X.SYMBOL	1	8
	MANN E= 3.856	UCL E= 3.492
1.01	4.017E-02	-
1.23	4.013E-02	-
1.49	4.012E-02	-
1.81	4.011E-02	-
2.20	4.010E-02	-
2.68	4.008E-02	-
3.26	4.004E-02	-
3.96	3.999E-02	-
4.81	3.990E-02	-
5.73	-	2.890E-02
5.85	3.980E-02	-
7.11	3.967E-02	-
8.64	3.950E-02	-
10.50	3.930E-02	-
12.76	3.906E-02	-
14.32	-	2.240E-02
15.51	3.880E-02	-
18.85	3.853E-02	-
22.91	3.828E-02	-
27.85	3.807E-02	-
28.63	-	1.590E-02
33.85	3.794E-02	-
41.14	3.792E-02	-
50.00	3.802E-02	-


FE XXI  
2S2 2P2(3P) - 2S 2P3(5S)



FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)

X.SYMBOL	1 MANN E= 6.456	5 ROBB E= 5.501	8 UCL E= 6.366
1.01	8.776E-01	-	-
1.23	8.876E-01	-	-
1.49	8.996E-01	-	-
1.55	-	8.737E-01	-
1.82	9.137E-01	8.879E-01	-
2.20	9.302E-01	-	-
2.68	9.491E-01	-	-
2.73	-	9.056E-01	-
3.14	-	-	9.302E-01
3.26	9.714E-01	-	-
3.64	-	9.274E-01	-
3.96	9.970E-01	-	-
4.81	1.026E+00	-	-
5.85	1.059E+00	-	-
7.11	1.095E+00	-	-
7.85	-	-	1.084E+00
8.64	1.135E+00	-	-
9.09	-	1.057E+00	-
10.50	1.179E+00	-	-
12.76	1.226E+00	-	-
15.51	1.277E+00	-	-
15.71	-	-	1.252E+00
18.18	-	1.223E+00	-
18.85	1.330E+00	-	-
22.91	1.385E+00	-	-
27.85	1.442E+00	-	-
33.85	1.501E+00	-	-
36.36	-	1.418E+00	-
41.14	1.561E+00	-	-
50.00	1.621E+00	-	-
90.89	-	1.698E+00	-


FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)



FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)


X.SYMBOL	1 MANN E = 7.681	5 ROBB E = 6.468	8 UCL E = 7.656
1.01	7.507E-01	-	-
1.23	7.607E-01	-	-
1.31	-	6.592E-01	-
1.49	7.725E-01	-	-
1.55	-	6.708E-01	-
1.81	7.865E-01	-	-
2.20	8.024E-01	-	-
2.32	-	6.886E-01	-
2.61	-	-	8.210E-01
2.68	8.214E-01	-	-
3.09	-	7.051E-01	-
3.26	8.433E-01	-	-
3.96	8.683E-01	-	-
4.81	8.966E-01	-	-
5.85	9.284E-01	-	-
6.53	-	-	9.536E-01
7.11	9.636E-01	-	-
7.73	-	7.986E-01	-
8.64	1.002E+00	-	-
10.50	1.044E+00	-	-
12.76	1.089E+00	-	-
13.06	-	-	1.107E+00
15.46	-	9.234E-01	-
15.51	1.136E+00	-	-
18.85	1.186E+00	-	-
22.91	1.238E+00	-	-
27.85	1.291E+00	-	-
30.92	-	1.081E+00	-
33.85	1.346E+00	-	-
41.14	1.401E+00	-	-
50.00	1.456E+00	-	-
77.30	-	1.309E+00	-

FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)



FE XXI  
2S2 2P2(3P) - 2S 2P3(3S)


X.SYMBOL	1 MANN E= 9.069	5 RDBB E= 9.385	8 UCL E= 9.215
1.01	6.256E-01	5.672E-01	-
1.19	-	5.732E-01	-
1.23	6.349E-01	-	-
1.49	6.459E-01	-	-
1.79	-	5.932E-01	-
1.81	6.588E-01	-	-
2.17	-	-	5.513E-01
2.20	6.735E-01	-	-
2.39	-	6.104E-01	-
2.68	6.909E-01	-	-
3.26	7.109E-01	-	-
3.96	7.337E-01	-	-
4.81	7.594E-01	-	-
5.43	-	-	7.579E-01
5.85	7.881E-01	-	-
5.96	-	6.857E-01	-
7.11	8.198E-01	-	-
8.64	8.543E-01	-	-
10.50	8.915E-01	-	-
10.85	-	-	8.826E-01
11.93	-	7.780E-01	-
12.76	9.313E-01	-	-
15.51	9.732E-01	-	-
18.85	1.017E+00	-	-
22.91	1.062E+00	-	-
23.85	-	9.050E-01	-
27.85	1.108E+00	-	-
33.85	1.156E+00	-	-
41.14	1.203E+00	-	-
50.00	1.251E+00	-	-
59.63	-	1.091E+00	-



FE XXI  
2S2 2P2(3P) - 2S 2P3(1D)

X.SYMBOL	8	1
	UCL E= 9.526	MANN E= 9.388
1.01	-	1.090E-01
1.23	-	1.103E-01
1.49	-	1.120E-01
1.81	-	1.139E-01
2.10	9.320E-02	-
2.20	-	1.160E-01
2.68	-	1.186E-01
3.26	-	1.215E-01
3.96	-	1.249E-01
4.81	-	1.287E-01
5.25	1.045E-01	-
5.85	-	1.329E-01
7.11	-	1.376E-01
8.64	-	1.427E-01
10.50	1.191E-01	1.483E-01
12.76	-	1.543E-01
15.51	-	1.606E-01
18.85	-	1.673E-01
22.91	-	1.742E-01
27.85	-	1.814E-01
33.85	-	1.888E-01
41.14	-	1.963E-01
50.00	-	2.038E-01


FE XXI  
2S2 2P2(3P) - 2S 2P3(1D)



FE XXI  
2S2 2P2(3P) - 2S 2P3(1P)

X.SYMBOL	8	1
	UCL E= 10.82	MANN E= 10.51
1.01	-	2.434E-02
1.23	-	2.460E-02
1.49	-	2.490E-02
1.81	-	2.524E-02
1.85	2.260E-02	-
2.20	-	2.566E-02
2.68	-	2.614E-02
3.26	-	2.669E-02
3.96	-	2.732E-02
4.62	2.430E-02	-
4.81	-	2.803E-02
5.85	-	2.883E-02
7.11	-	2.971E-02
8.64	-	3.069E-02
9.24	2.690E-02	-
10.50	-	3.177E-02
12.76	-	3.293E-02
15.51	-	3.418E-02
18.85	-	3.550E-02
22.91	-	3.690E-02
27.85	-	3.835E-02
33.85	-	3.985E-02
41.14	-	4.139E-02
50.00	-	4.295E-02

FE XXI  
2S2 2P2(3P) - 2S 2P3(1P)






FE XXI  
2S2 2P2(1D) - 2S 2P3(3D)


X.SYMBOL	8 UCL E = 4.956	5 ROBB E = 0.000	5 ROBB E = 4.534
1.87	-	3.550E-02	1.274E-01
2.21	-	3.500E-02	1.292E-01
3.31	-	3.340E-02	1.317E-01
4.04	1.400E-01	-	-
4.41	-	3.190E-02	1.351E-01
10.09	1.504E-01	-	-
11.03	-	2.440E-02	1.503E-01
20.18	1.624E-01	-	-
22.06	-	1.620E-02	1.662E-01
44.11	-	8.480E-03	1.831E-01
110.28	-	2.520E-03	2.096E-01

FE XXI  
2S2 2P2(1D) - 2S 2P3(3D)



FE XXI  
2S2 2P2(1D) - 2S 2P3(3P)


X.SYMBOL	8	5	5
	UCL	ROBB	ROBB
	E = 6.246	E = 0.000	E = 5.501
1.55	-	8.690E-03	1.610E-01
1.82	-	8.570E-03	1.637E-01
2.73	-	8.170E-03	1.680E-01
3.20	2.000E-02	-	-
3.64	-	7.800E-03	1.720E-01
8.01	1.540E-02	-	-
9.09	-	5.900E-03	1.896E-01
16.01	1.110E-02	-	-
18.18	-	3.870E-03	2.047E-01
36.36	-	1.980E-03	2.219E-01
90.89	-	5.710E-04	2.486E-01



FE XXI  
2S2 2P2(1D) - 2S 2P3(3S)


X.SYMBOL	8	5	5
	UCL	ROBB	ROBB
	E = 7.805	E = 0.000	E = 7.418
1.15	-	1.070E-04	6.290E-02
1.35	-	1.050E-04	6.350E-02
2.02	-	9.800E-05	6.620E-02
2.56	2.500E-03	-	-
2.70	-	9.100E-05	6.390E-02
6.41	1.900E-03	-	-
6.74	-	5.800E-05	8.720E-02
12.81	1.500E-03	-	-
13.48	-	3.000E-05	1.110E-01
26.96	-	1.000E-05	1.420E-01
67.40	-	1.000E-06	1.840E-01

FE XXI  
2S2 2P2(1D) - 2S 2P3(3S)



FE XXI  
2S2 2P2(1S) - 2S 2P3(3D)


X SYMBOL	8	5	5
	UCL	ROBB	ROBB
	E = 3.859	E = 0.000	E = 3.553
2.39	-	9.000E-06	1.672E-02
2.81	-	9.000E-06	1.731E-02
4.22	-	8.000E-06	1.860E-02
5.18	6.800E-03	-	-
5.63	-	7.000E-06	1.988E-02
12.96	7.800E-03	-	-
14.07	-	4.000E-06	2.532E-02
25.91	9.000E-03	-	-
28.15	-	2.000E-06	3.004E-02
56.29	-	1.000E-06	3.487E-02
140.73	-	1.000E-07	4.152E-02



FE XXI  
 2S2 2P2(1S) - 2S 2P3(3P)

FE XXI  
 2S2 2P2(1S) - 2S 2P3(3P)


X.SYMBOL	8	5
	UCL	RDBB
	E= 5.149	E= 4.520
1.88	-	1.034E-02
2.21	-	1.024E-02
3.32	-	9.970E-03
3.88	1.630E-02	-
4.42	-	9.760E-03
9.71	1.540E-02	-
11.06	-	8.820E-03
19.42	1.480E-02	-
22.12	-	7.830E-03
44.25	-	7.067E-03
110.62	-	7.290E-03



FE XXII  
2S2 2P - 2S 2P2(4P)

X.SYMBOL	1	5	8
	MANN E= 3.586	ROBB E= 2.843	JCL E= 3.568
1.01	7.447E-02	-	-
1.27	7.449E-02	-	-
1.60	7.462E-02	-	-
2.01	7.477E-02	-	-
2.53	7.496E-02	-	-
2.64	-	6.835E-02	-
2.80	-	-	5.990E-02
3.19	7.516E-02	-	-
3.52	-	6.948E-02	-
4.01	7.539E-02	-	-
4.40	-	7.039E-02	-
5.04	7.558E-02	-	-
5.28	-	7.097E-02	-
6.35	7.582E-02	-	-
7.03	-	7.192E-02	-
7.99	7.604E-02	-	-
10.05	7.625E-02	-	-
12.65	7.643E-02	-	-
14.01	-	-	5.760E-02
14.07	-	7.348E-02	-
15.91	7.659E-02	-	-
20.02	7.676E-02	-	-
21.10	-	7.315E-02	-
23.82	-	-	6.630E-02
25.19	7.699E-02	-	-
28.14	-	7.259E-02	-
31.70	7.735E-02	-	-
35.17	-	7.218E-02	-
39.89	7.789E-02	-	-
42.04	-	-	6.620E-02
50.19	7.869E-02	-	-
63.16	7.979E-02	-	-
70.06	-	-	6.720E-02
70.35	-	7.157E-02	-
79.47	8.121E-02	-	-
100.00	8.293E-02	-	-
140.70	-	7.396E-02	-
211.04	-	7.654E-02	-
281.39	-	7.897E-02	-
351.74	-	8.086E-02	-


FE XXII  
2S2 2P - 2S 2P2(4P)



FE XXII  
2S2 2P - 2S 2P2(2D)

X. SYMBOL	1 MANN E= 5.935	5 ROBB E= 5.293	8 UCL E= 6.139
1.01	6.169E-01	-	-
1.27	6.248E-01	-	-
1.42	-	5.897E-01	-
1.60	6.346E-01	-	-
1.63	-	-	5.748E-01
1.89	-	6.084E-01	-
2.01	6.465E-01	-	-
2.36	-	6.190E-01	-
2.53	6.608E-01	-	-
2.83	-	6.277E-01	-
3.19	6.776E-01	-	-
3.78	-	6.490E-01	-
4.01	6.979E-01	-	-
5.04	7.215E-01	-	-
6.35	7.487E-01	-	-
7.56	-	7.322E-01	-
7.99	7.795E-01	-	-
8.14	-	-	7.084E-01
10.05	8.140E-01	-	-
11.34	-	7.879E-01	-
12.65	8.517E-01	-	-
13.85	-	-	7.964E-01
15.11	-	8.390E-01	-
15.91	8.927E-01	-	-
18.89	-	8.783E-01	-
20.02	9.364E-01	-	-
24.43	-	-	9.248E-01
25.19	9.824E-01	-	-
31.70	1.030E+00	-	-
37.79	-	1.011E+00	-
39.89	1.079E+00	-	-
40.72	-	-	1.033E+00
50.19	1.129E+00	-	-
63.16	1.179E+00	-	-
75.57	-	1.155E+00	-
79.47	1.229E+00	-	-
100.00	1.278E+00	-	-
113.36	-	1.239E+00	-
151.14	-	1.299E+00	-
188.93	-	1.345E+00	-


FE XXII  
2S2 2P - 2S 2P2(2D)



FE XXII  
2S2 2P - 2S 2P2(2S)

X.SYMBOL	1	5	8
	MANN E= 6.727	ROBB E= 6.781	JCL E= 7.093
1.01	2.820E-01	-	-
1.11	-	2.565E-01	-
1.27	2.861E-01	-	-
1.41	-	-	2.673E-01
1.47	-	2.517E-01	-
1.60	2.912E-01	-	-
1.84	-	2.689E-01	-
2.01	2.973E-01	-	-
2.21	-	2.741E-01	-
2.53	3.045E-01	-	-
2.95	-	2.856E-01	-
3.19	3.133E-01	-	-
4.01	3.236E-01	-	-
5.04	3.356E-01	-	-
5.90	-	3.244E-01	-
6.35	3.495E-01	-	-
7.05	-	-	3.321E-01
7.99	3.651E-01	-	-
8.85	-	3.498E-01	-
10.05	3.824E-01	-	-
11.80	-	3.698E-01	-
11.98	-	-	3.719E-01
12.65	4.014E-01	-	-
14.75	-	3.877E-01	-
15.91	4.219E-01	-	-
20.02	4.436E-01	-	-
21.15	-	-	4.246E-01
25.19	4.663E-01	-	-
29.49	-	4.467E-01	-
31.70	4.897E-01	-	-
35.24	-	-	4.766E-01
39.89	5.135E-01	-	-
50.19	5.378E-01	-	-
58.99	-	5.089E-01	-
63.16	5.619E-01	-	-
79.47	5.859E-01	-	-
88.48	-	5.467E-01	-
100.00	6.097E-01	-	-
117.98	-	5.731E-01	-
147.47	-	5.931E-01	-

FE XXII  
2S2 2P - 2S 2P2(2S)






FE XXII  
2S2 2P - 2S 2P2(2P)

X.SYMBOL	1 MANN E= 7.959	5 ROBB E= 7.216	8 JCL E= 8.321
1.01	8.897E-01	-	-
1.04	-	8.780E-01	-
1.20	-	-	9.582E-01
1.27	9.039E-01	-	-
1.39	-	8.978E-01	-
1.60	9.212E-01	-	-
1.73	-	9.171E-01	-
2.01	9.422E-01	-	-
2.08	-	9.365E-01	-
2.53	9.668E-01	-	-
2.77	-	9.717E-01	-
3.19	9.967E-01	-	-
4.01	1.032E+00	-	-
5.04	1.072E+00	-	-
5.54	-	1.097E+00	-
6.01	-	-	1.064E+00
6.35	1.119E+00	-	-
7.99	1.171E+00	-	-
8.31	-	1.186E+00	-
10.05	1.228E+00	-	-
10.22	-	-	1.193E+00
11.09	-	1.254E+00	-
12.65	1.291E+00	-	-
13.86	-	1.317E+00	-
15.91	1.359E+00	-	-
18.03	-	-	1.369E+00
20.02	1.430E+00	-	-
25.19	1.504E+00	-	-
27.72	-	1.528E+00	-
30.04	-	-	1.540E+00
31.70	1.580E+00	-	-
39.89	1.657E+00	-	-
50.19	1.735E+00	-	-
55.43	-	1.760E+00	-
63.16	1.813E+00	-	-
79.47	1.890E+00	-	-
83.15	-	1.889E+00	-
100.00	1.967E+00	-	-
110.86	-	1.984E+00	-
138.58	-	2.060E+00	-



FE XXII  
2S2 2P - 2S 2P2(2P)



FE XXIII  
2S2 - 2S 2P(3P)

X.SYMBOL	1 MANN E= 3.703	4 MANN E= 0.000	5 ROBB E= 3.255	11 BLAHA E= 3.878	15 SAMPSON E= 4.260	22 HENRY E= 3.121
1.00	-	-	-	2.217E-02	-	-
1.01	2.124E-02	1.154E-02	-	-	-	-
1.27	2.120E-02	1.142E-02	-	-	-	-
1.60	2.117E-02	1.129E-02	-	-	-	-
2.00	-	-	-	2.222E-02	-	-
2.01	2.115E-02	1.113E-02	-	-	-	-
2.53	2.111E-02	1.093E-02	-	-	-	-
3.19	2.106E-02	1.068E-02	-	-	-	-
3.20	-	-	-	-	-	1.240E-02
3.69	-	-	2.257E-02	-	-	-
4.00	2.099E-02	1.039E-02	-	2.246E-02	-	-
4.61	-	-	2.275E-02	-	-	-
5.04	2.083E-02	1.001E-02	-	-	-	-
6.14	-	-	2.289E-02	-	-	-
6.35	2.077E-02	9.577E-03	-	-	-	-
6.40	-	-	-	-	-	1.130E-02
7.99	2.062E-02	9.065E-03	-	-	-	-
8.00	-	-	-	2.262E-02	-	-
8.93	-	-	-	-	2.316E-02	-
9.60	-	-	-	-	-	1.040E-02
10.05	2.043E-02	8.471E-03	-	-	-	-
12.65	2.021E-02	7.796E-03	-	-	-	-
12.80	-	-	-	-	-	2.530E-03
15.36	-	-	2.271E-02	-	-	-
15.91	1.995E-02	7.047E-03	-	-	-	-
16.00	-	-	-	2.265E-02	-	-
19.20	-	-	-	-	-	8.090E-03
20.02	1.968E-02	6.238E-03	-	-	-	-
24.80	-	-	-	-	2.303E-02	-
25.19	1.940E-02	5.399E-03	-	-	-	-
25.60	-	-	-	-	-	6.930E-03
30.72	-	-	2.159E-02	-	-	-
31.70	1.915E-02	4.557E-03	-	-	-	-
32.00	-	-	-	-	-	5.990E-03
39.89	1.895E-02	3.745E-03	-	-	-	-
40.67	-	-	-	-	2.321E-02	-
50.19	1.884E-02	2.996E-03	-	-	-	-
63.16	1.882E-02	2.333E-03	-	-	-	-
79.47	1.891E-02	1.770E-03	-	-	-	-
92.17	-	-	1.933E-02	-	-	-
100.00	1.911E-02	1.311E-03	-	-	-	-
120.00	-	-	-	-	2.449E-02	-
153.61	-	-	1.966E-02	-	-	-
199.34	-	-	-	-	2.598E-02	-
358.01	-	-	-	-	2.784E-02	-
516.69	-	-	-	-	2.901E-02	-



FE XXIII  
 2S2 - 2S 2P(3P)



FE XXIII  
2S2 - 2S 2P(1P)

X.SYMBOL	1 MANN E= 6.478	5 ROBB E= 6.170	9 YOUNGER E= 6.807	11 BLAHA E= 6.860	15 SAMPSON E= 7.493	22 HENRY E= 6.072
1.00	-	-	-	4.050E-01	-	-
1.01	3.183E-01	-	-	-	-	-
1.27	3.228E-01	-	-	-	-	-
1.60	3.284E-01	-	-	-	-	-
1.65	-	-	-	-	-	3.170E-01
1.94	-	3.140E-01	-	-	-	-
2.00	-	-	3.180E-01	4.280E-01	-	-
2.01	3.351E-01	-	-	-	-	-
2.43	-	3.200E-01	-	-	-	-
2.53	3.432E-01	-	-	-	-	-
3.19	3.528E-01	-	-	-	-	-
3.24	-	3.280E-01	-	-	-	-
3.30	-	-	-	-	-	3.400E-01
4.00	3.643E-01	-	-	4.660E-01	-	-
4.95	-	-	-	-	-	3.610E-01
5.00	-	-	3.580E-01	-	-	-
5.04	3.777E-01	-	-	-	-	-
5.51	-	-	-	-	3.893E-01	-
6.35	3.931E-01	-	-	-	-	-
6.60	-	-	-	-	-	3.790E-01
7.99	4.106E-01	-	-	-	-	-
8.00	-	-	3.900E-01	5.210E-01	-	-
8.10	-	3.770E-01	-	-	-	-
9.90	-	-	-	-	-	4.090E-01
10.00	-	-	4.090E-01	-	-	-
10.05	4.301E-01	-	-	-	-	-
12.65	4.515E-01	-	-	-	-	-
13.20	-	-	-	-	-	4.340E-01
14.53	-	-	-	-	4.628E-01	-
15.91	4.747E-01	-	-	-	-	-
16.00	-	-	4.510E-01	6.100E-01	-	-
16.21	-	4.410E-01	-	-	-	-
16.50	-	-	-	-	-	4.550E-01
20.00	-	-	4.740E-01	-	-	-
20.02	4.933E-01	-	-	-	-	-
23.56	-	-	-	-	5.134E-01	-
25.19	5.250E-01	-	-	-	-	-
31.70	5.516E-01	-	-	-	-	-
39.69	5.788E-01	-	-	-	-	-
48.62	-	5.660E-01	-	-	-	-
50.19	6.062E-01	-	-	-	-	-
63.16	6.337E-01	-	-	-	-	-
68.67	-	-	-	-	6.380E-01	-
79.47	6.610E-01	-	-	-	-	-
81.04	-	6.290E-01	-	-	-	-
100.00	6.890E-01	-	-	-	-	-
113.78	-	-	-	-	7.049E-01	-
204.00	-	-	-	-	7.765E-01	-
294.22	-	-	-	-	8.180E-01	-


FE XXIII  
2S2 - 2S 2P(1P)



FE XXIII  
2S 2P(3P) - 2P2(3P)

X.SYMBOL	1 MANN E= 5.547	5 R7RB E= 5.040	11 3LA4A E= 5.631	15 SAMP5JN E= 6.050
1.00	-	-	1.325E+00	-
1.01	1.175E+00	-	-	-
1.27	1.190E+00	-	-	-
1.60	1.208E+00	-	-	-
2.00	-	-	1.382E+00	-
2.01	1.231E+00	-	-	-
2.38	-	1.305E+00	-	-
2.53	1.258E+00	-	-	-
2.98	-	1.339E+00	-	-
3.19	1.290E+00	-	-	-
3.97	-	1.377E+00	-	-
4.00	1.329E+00	-	1.489E+00	-
5.04	1.374E+00	-	-	-
6.35	1.426E+00	-	-	-
6.59	-	-	-	1.500E+00
7.99	1.486E+00	-	-	-
8.00	-	-	1.554E+00	-
9.92	-	1.581E+00	-	-
10.05	1.553E+00	-	-	-
12.65	1.526E+00	-	-	-
15.91	1.706E+00	-	-	-
16.00	-	-	1.830E+00	-
17.76	-	-	-	1.788E+00
19.84	-	1.925E+00	-	-
20.02	1.792E+00	-	-	-
25.19	1.881E+00	-	-	1.983E+00
28.93	-	-	-	-
31.70	1.975E+00	-	-	-
39.89	2.070E+00	-	-	-
50.19	2.168E+00	-	-	-
59.52	-	2.274E+00	-	-
63.16	2.265E+00	-	-	-
79.47	2.363E+00	-	-	-
84.80	-	-	-	2.441E+00
99.21	-	2.496E+00	-	-
100.00	2.457E+00	-	-	-
140.67	-	-	-	2.689E+00
252.40	-	-	-	2.951E+00
364.14	-	-	-	3.103E+00


FE XXIII  
2S 2P(3P) - 2P2(3P)



FE XXIII  
2S 2P(1P) - 2P2(1D)

X.SYMBOL	5 ROBB E= 3.093	11 BLAHA E= 4.075	15 SAMPSON E= 4.708
1.00	-	7.360E-01	-
2.00	-	7.630E-01	-
3.88	6.850E-01	-	-
4.00	-	8.130E-01	-
4.85	7.050E-01	-	-
6.47	7.220E-01	-	-
8.00	-	8.960E-01	-
8.18	-	-	7.547E-01
16.00	-	1.010E+00	-
16.17	8.350E-01	-	-
22.54	-	-	9.118E-01
32.33	9.670E-01	-	-
36.90	-	-	1.015E+00
96.99	1.210E+00	-	-
108.70	-	-	1.243E+00
161.66	1.330E+00	-	-
180.50	-	-	1.361E+00
324.10	-	-	1.487E+00
467.70	-	-	1.560E+00


FE XXIII  
2S 2P(1P) - 2P2(1D)



FE XXIII  
2S 2P(1P) - 2P2(1S)

X	SYMBOL	5	11	15
		ROBB E = 5.139	BLAHA E = 6.071	SAMPSON E = 6.815
1.00		-	1.520E-01	-
2.00		-	1.590E-01	-
2.34		2.760E-01	-	-
2.92		2.840E-01	-	-
3.89		2.960E-01	-	-
4.00		-	1.710E-01	-
5.96		-	-	2.965E-01
8.00		-	1.900E-01	-
9.73		3.360E-01	-	-
15.88		-	-	3.534E-01
16.00		-	2.170E-01	-
19.46		3.810E-01	-	-
25.80		-	-	3.929E-01
58.38		4.750E-01	-	-
75.39		-	-	4.899E-01
97.30		5.210E-01	-	-
124.98		-	-	5.412E-01
224.17		-	-	5.961E-01
323.36		-	-	6.279E-01

FE XXIII  
2S 2P(1P) - 2P2(1S)






FE XXIII  
2S 2P(3P) - 2P2(1D)


X.SYMBOL	15	5
.	SAMPSON	ROBB
.	E= 7.940	E= 6.008
2.00	-	1.810E-01
2.50	-	1.832E-01
3.33	-	1.853E-01
5.26	2.286E-01	-
8.32	-	2.031E-01
13.77	2.653E-01	-
16.64	-	2.280E-01
22.28	2.917E-01	-
49.93	-	2.813E-01
64.85	3.588E-01	-
83.22	-	3.088E-01
107.42	3.957E-01	-
192.56	4.357E-01	-
277.70	4.590E-01	-

FE XXIII  
2S 2P(3P) - 2P2(1D)



FE XXIII  
2S 2P(3P) - 2P2(1S)


X.SYMBOL	15	5
	SAMPSON E= 10.05	ROBB E= 8.054
1.00	2.417E-03	-
1.49	-	2.233E-03
1.86	-	2.147E-03
2.48	-	2.033E-03
4.36	2.069E-03	-
6.21	-	1.553E-03
11.09	1.467E-03	-
12.42	-	1.114E-03
17.82	1.153E-03	-
37.25	-	6.840E-04
51.46	7.283E-04	-
62.08	-	6.560E-04
85.10	6.690E-04	-
152.38	6.674E-04	-
219.65	6.824E-04	-



FE XXIII  
2S 2P(1P) - 2P2(3P)

X.SYMBOL	15 SAMPSON E= 2.818	5 ROBB E= 2.125
5.65	-	2.006E-01
7.06	-	2.084E-01
9.41	-	2.154E-01
13.00	2.653E-01	-
23.53	-	2.501E-01
36.99	3.228E-01	-
47.06	-	2.836E-01
60.98	3.554E-01	-
141.18	-	3.455E-01
180.94	4.293E-01	-
235.29	-	3.741E-01
300.90	4.665E-01	-
540.82	5.058E-01	-
780.74	5.284E-01	-


FE XXIII  
2S 2P(1P) - 2P2(3P)



FE XXIII  
2S2 - 2P2(3P)

X SYMBOL	22	5	1
	HENRY E = 8.054	RJBB E = 8.295	MANN E = 9.249
1.01	-	-	5.198E-04
1.24	5.100E-04	-	-
1.45	-	4.040E-04	-
1.60	-	-	5.005E-04
1.81	-	3.920E-04	-
2.48	4.510E-04	-	-
2.53	-	-	4.736E-04
3.72	4.010E-04	-	-
4.01	-	-	4.397E-04
4.96	3.570E-04	-	-
6.03	-	2.990E-04	-
6.35	-	-	4.013E-04
7.44	2.860E-04	-	-
9.92	2.320E-04	-	-
10.05	-	-	3.642E-04
12.06	-	2.450E-04	-
12.40	1.900E-04	-	-
15.91	-	-	3.359E-04
25.19	-	-	3.206E-04
39.89	-	-	3.169E-04
63.16	-	-	3.193E-04
100.00	-	-	3.229E-04


FE XXIII  
2S2 - 2P2(3P)



FE XXIII  
2S2 - 2P2(1D)

X.SYMBOL	22 HENRY E= 9.070	22 HENRY E= 0.000	5 RQBB E= 0.000	5 RQBB E= 9.263
1.10	2.520E-03	1.240E-03	-	-
1.30	-	-	1.300E-03	4.790E-04
1.62	-	-	1.280E-03	4.570E-04
2.16	-	-	1.270E-03	-
2.20	2.460E-03	1.210E-03	-	-
3.30	2.420E-03	1.200E-03	-	-
4.40	2.390E-03	1.200E-03	-	-
5.40	-	-	1.250E-03	2.790E-04
6.60	2.330E-03	1.210E-03	-	-
8.80	2.280E-03	1.240E-03	-	-
10.80	-	-	1.280E-03	1.800E-04
11.00	2.240E-03	1.270E-03	-	-
32.39	-	-	1.400E-03	-
53.98	-	-	1.430E-03	-



FE XXIII  
2S2 - 2P2(1D)



FE XXIV  
1S2 2S - 1S2 2P

X.SYMBOL	4	5	13	19
	MANN E= 4.289	ROBB E= 3.451	CALLAWAY E= 4.388	KIM E= 4.400
1.01	4.482E-01	4.673E-01	-	-
1.34	4.546E-01	-	-	-
1.37	-	-	4.700E-01	-
1.78	4.628E-01	-	-	-
2.03	-	4.860E-01	-	-
2.28	-	-	4.930E-01	-
2.37	4.734E-01	-	-	-
2.90	-	4.934E-01	-	-
3.15	4.869E-01	-	-	-
3.42	-	-	5.080E-01	-
4.19	5.033E-01	-	-	-
4.56	-	-	5.260E-01	-
5.00	-	-	-	5.987E-01
5.57	5.237E-01	-	-	-
6.00	-	-	-	6.225E-01
6.84	-	-	5.580E-01	-
7.00	-	-	-	6.423E-01
7.24	-	5.628E-01	-	-
7.41	5.482E-01	-	-	-
8.00	-	-	-	6.594E-01
9.00	-	-	-	5.744E-01
9.12	-	-	5.860E-01	-
9.85	5.768E-01	-	-	-
10.00	-	-	-	6.876E-01
11.39	-	-	5.110E-01	-
11.59	-	6.146E-01	-	-
13.09	6.095E-01	-	-	-
15.00	-	-	-	7.382E-01
15.94	-	5.536E-01	-	-
17.41	6.459E-01	-	-	-
20.00	-	-	-	7.736E-01
20.28	-	6.858E-01	-	-
23.14	6.355E-01	-	-	-
24.63	-	7.136E-01	-	-
28.98	-	7.377E-01	-	-
30.76	7.276E-01	-	-	-
40.00	-	-	-	8.582E-01
40.89	7.714E-01	-	-	-
43.47	-	8.008E-01	-	-
54.36	8.162E-01	-	-	-
57.95	-	8.479E-01	-	-
60.00	-	-	-	9.074E-01
72.26	8.614E-01	-	-	-
72.44	-	8.445E-01	-	-
80.00	-	-	-	9.421E-01
86.93	-	9.143E-01	-	-
96.06	9.064E-01	-	-	-
100.00	-	-	-	9.691E-01
101.42	-	9.394E-01	-	-
127.70	9.508E-01	-	-	-
169.76	9.942E-01	-	-	-
225.67	1.037E+00	-	-	-
300.00	1.078E+00	-	-	-


FE XXIV  
 1S2 2S - 1S2 2P



MO XXXI  
3S2 - 3S 3P(1P)

X.SYMBOL	1 MANN E= 7.722	9 YOUNGER E= 7.760
1.01	8.418E-01	-
1.27	8.525E-01	-
1.60	8.656E-01	-
2.00	-	8.970E-01
2.01	8.815E-01	-
2.53	9.008E-01	-
3.19	9.233E-01	-
4.01	9.506E-01	-
5.00	-	9.910E-01
5.04	9.826E-01	-
6.35	1.020E+00	-
7.99	1.062E+00	-
8.00	-	1.080E+00
10.00	-	1.120E+00
10.05	1.109E+00	-
12.65	1.161E+00	-
15.91	1.218E+00	-
16.00	-	1.250E+00
20.00	-	1.290E+00
20.02	1.279E+00	-
25.19	1.343E+00	-
31.70	1.410E+00	-
39.89	1.479E+00	-
50.19	1.550E+00	-
63.16	1.621E+00	-
79.47	1.692E+00	-
100.00	1.764E+00	-

MO XXXI  
3S2 - 3S 3P(1P)






MO XXXII  
2P6 3S - 2P6 3P

X. SYMBOL	19	11	4
	KIM	BLAHA	MANN
	E= 6.529	E= 5.149	E= 6.424

1.00	-	1.155E+00	-
1.01	-	-	1.116E+00
1.32	-	-	1.130E+00
1.71	-	-	1.148E+00
2.00	-	1.197E+00	-
2.23	-	-	1.171E+00
2.91	-	-	1.199E+00
3.79	-	-	1.233E+00
4.00	-	1.282E+00	-
4.94	-	-	1.275E+00
5.00	1.277E+00	-	-
6.00	1.344E+00	-	-
6.43	-	-	1.325E+00
7.00	1.400E+00	-	-
8.00	1.448E+00	1.410E+00	-
8.38	-	-	1.384E+00
9.00	1.491E+00	-	-
10.00	1.528E+00	-	-
10.91	-	-	1.452E+00
14.21	-	-	1.528E+00
15.00	1.671E+00	-	-
16.00	-	1.576E+00	-
18.51	-	-	1.612E+00
20.00	1.772E+00	-	-
24.12	-	-	1.703E+00
31.42	-	-	1.799E+00
40.00	2.012E+00	-	-
40.93	-	-	1.899E+00
53.32	-	-	2.002E+00
60.00	2.152E+00	-	-
69.45	-	-	2.106E+00
80.00	2.251E+00	-	-
90.47	-	-	2.211E+00
100.00	2.328E+00	-	-
117.86	-	-	2.315E+00
153.53	-	-	2.419E+00
200.00	-	-	2.520E+00


MO XXXII  
2P6 3S - 2P6 3P



MO XXXII  
2P6 3S - 2P6 3D

X.SYMBOL	11 BLAHA E= 13.79	7 MANN E= 0.000	4 MANN E= 14.13
1.00	1.000E-01	-	-
1.01	-	1.009E-01	8.809E-02
1.27	-	1.012E-01	8.842E-02
1.50	1.010E-01	-	-
1.60	-	1.015E-01	8.880E-02
2.00	1.010E-01	-	-
2.01	-	1.017E-01	8.912E-02
2.53	-	1.020E-01	8.955E-02
3.19	-	1.023E-01	9.000E-02
4.00	1.020E-01	1.025E-01	9.046E-02
5.04	-	1.026E-01	9.094E-02
6.35	-	1.026E-01	9.142E-02
7.99	-	1.024E-01	9.187E-02
8.00	1.010E-01	-	-
10.05	-	1.022E-01	9.234E-02
12.65	-	1.018E-01	9.280E-02
15.91	-	1.013E-01	9.323E-02
20.02	-	1.008E-01	9.361E-02
25.19	-	1.002E-01	9.392E-02
31.70	-	9.951E-02	9.415E-02
39.89	-	9.879E-02	9.426E-02
50.19	-	9.804E-02	9.426E-02
63.16	-	9.726E-02	9.413E-02
79.47	-	9.647E-02	9.391E-02
100.00	-	9.568E-02	9.360E-02


MO XXXII  
2P6 3S - 2P6 3D



MO XXXII  
2P6 3S - 2P6 4S

X.SYMBOL	11 BLAHA E= 60.43	7 MANN E= 0.000	4 MANN E= 60.45
1.00	3.400E-02	-	-
1.01	-	3.365E-02	2.961E-02
1.21	-	3.393E-02	3.020E-02
1.25	3.430E-02	-	-
1.46	-	3.419E-02	3.077E-02
1.50	3.460E-02	-	-
1.75	-	3.441E-02	3.131E-02
2.00	3.490E-02	-	-
2.11	-	3.460E-02	3.181E-02
2.53	-	3.475E-02	3.227E-02
3.00	3.520E-02	-	-
3.05	-	3.486E-02	3.267E-02
3.66	-	3.494E-02	3.301E-02
4.40	-	3.497E-02	3.329E-02
5.29	-	3.498E-02	3.352E-02
6.36	-	3.495E-02	3.369E-02
7.64	-	3.490E-02	3.382E-02
9.18	-	3.483E-02	3.392E-02
11.04	-	3.476E-02	3.398E-02
13.27	-	3.467E-02	3.401E-02
15.95	-	3.459E-02	3.403E-02
19.17	-	3.450E-02	3.403E-02
23.04	-	3.441E-02	3.402E-02
27.69	-	3.434E-02	3.401E-02
33.28	-	3.427E-02	3.399E-02
40.00	-	3.420E-02	3.397E-02


MO XXXII  
2P6 3S - 2P6 4S



MO XXXII  
2P6 3S - 2P6 4P

X.SYMBOL	11 BLAHA E= 63.00	4 MANN E= 63.0R
1.00	7.500E-03	-
1.01	-	6.607E-03
1.21	-	7.720E-03
1.25	9.470E-03	-
1.46	-	9.209E-03
1.50	1.140E-02	-
1.75	-	1.111E-02
2.00	1.520E-02	-
2.11	-	1.343E-02
2.53	-	1.619E-02
3.00	2.220E-02	-
3.05	-	1.937E-02
3.66	-	2.295E-02
4.40	-	2.692E-02
5.29	-	3.124E-02
6.36	-	3.589E-02
7.64	-	4.084E-02
9.18	-	4.605E-02
11.04	-	5.151E-02
13.27	-	5.719E-02
15.95	-	6.307E-02
19.17	-	6.912E-02
23.04	-	7.531E-02
27.69	-	8.162E-02
33.28	-	8.804E-02
40.00	-	9.456E-02


MO XXXII  
2P6 3S - 2P6 4P



MO XL  
1S2 2S(2S) - 1S2 2P(2P)

X.SYMBOL	13 CALLAWAY E = 12.65	19 KIP E = 12.70
1.34	1.717E-01	-
1.90	1.757E-01	-
2.53	1.800E-01	-
3.95	1.889E-01	-
5.00	-	2.127E-01
5.93	2.000E-01	-
6.00	-	2.210E-01
7.00	-	2.281E-01
8.00	-	2.341E-01
9.00	-	2.394E-01
10.00	-	2.441E-01
15.00	-	2.519E-01
20.00	-	2.744E-01
40.00	-	3.043E-01
60.00	-	3.216E-01
80.00	-	3.338E-01
100.00	-	3.434E-01

MO XL  
1S2 2S(2S) - 1S2 2P(2P)



# 5.4. Data Tables

DATA OF J. S. MANN

PLOT SYMBOLS 1,2,4,7

BE II 2S - 2P ETH = 2.910E-01		B III 2S - 2P ETH = 4.409E-01		C III 1S2 2S2 - 1S2 2S 2P(1P) ETH = 9.327E-01	
X	MANN DWX	X	MANN DWX	X	MANN DWXC
1.01	1.658E+01	1.01	1.295E+01	1.01	3.920E+00
1.34	1.923E+01	1.34	1.395E+01	1.37	4.626E+00
1.73	2.229E+01	1.73	1.494E+01	1.86	5.426E+00
2.37	2.573E+01	2.37	1.621E+01	2.53	6.318E+00
3.15	2.960E+01	3.15	1.769E+01	3.44	7.296E+00
4.17	3.383E+01	4.19	1.934E+01	4.67	8.346E+00
5.57	3.831E+01	5.57	2.115E+01	6.35	9.453E+00
7.41	4.295E+01	7.41	2.309E+01	8.62	1.060E+01
9.85	4.767E+01	9.85	2.513E+01	11.71	1.176E+01
13.09	5.240E+01	13.09	2.724E+01	15.91	1.292E+01
17.41	5.712E+01	17.41	2.939E+01	21.52	1.408E+01
23.14	5.179E+01	23.14	3.156E+01	29.36	1.523E+01
30.76	6.639E+01	30.76	3.374E+01	39.89	1.637E+01
40.89	7.091E+01	40.89	3.590E+01	54.19	1.750E+01
54.36	7.537E+01	54.36	3.805E+01	73.61	1.860E+01
72.26	7.977E+01	72.26	4.017E+01	100.00	1.970E+01
96.06	8.410E+01	96.06	4.227E+01	-	-
127.70	8.838E+01	127.70	4.434E+01	-	-
169.75	9.261E+01	169.75	4.639E+01	-	-
225.67	9.679E+01	225.67	4.842E+01	-	-
300.00	1.009E+02	300.00	5.042E+01	-	-

C III 1S2 2S2 - 1S2 2S 2P(3P) ETH = 4.777E-01		C III 2S 2P(3P) - 2P2(3P) ETH = 7.751E-01		C IV 1S2 2S - 1S2 2P ETH = 5.893E-01	
X	MANN DWXC	X	MANN DWXC	X	MANN DWX
1.01	1.178E+00	1.01	2.010E+01	1.01	9.307E+00
1.37	1.054E+00	1.37	2.252E+01	1.36	9.758E+00
1.86	9.349E-01	1.85	2.543E+01	1.84	1.031E+01
2.53	7.972E-01	2.53	2.882E+01	2.48	1.099E+01
3.44	6.573E-01	3.44	3.266E+01	3.34	1.175E+01
4.67	5.227E-01	4.67	3.686E+01	4.51	1.269E+01
6.35	3.939E-01	6.35	4.134E+01	6.08	1.371E+01
8.62	2.907E-01	8.62	4.602E+01	8.19	1.483E+01
11.71	2.017E-01	11.71	5.080E+01	11.05	1.603E+01
15.91	1.333E-01	15.91	5.563E+01	14.90	1.730E+01
21.52	8.443E-02	21.52	5.046E+01	20.10	1.361E+01
29.36	5.162E-02	29.36	5.527E+01	27.11	1.794E+01
39.89	3.074E-02	39.89	7.003E+01	36.56	2.128E+01
54.19	1.795E-02	54.19	7.473E+01	49.30	2.262E+01
73.61	1.032E-02	73.61	7.936E+01	66.49	2.395E+01
100.00	5.363E-03	100.00	8.392E+01	89.67	2.526E+01
-	-	-	-	120.92	2.656E+01
-	-	-	-	163.08	2.783E+01
-	-	-	-	219.93	2.910E+01
-	-	-	-	276.50	3.034E+01
-	-	-	-	400.00	3.157E+01

C IV 1S2 2S - 1S2 3S ETH = 2.760E+00		C IV 1S2 2S - 1S2 3P ETH = 2.917E+00		C IV 1S2 2S - 1S2 3D ETH = 2.961E+00	
X	MANN DWX	X	MANN DWX	X	MANN DWX
1.01	4.421E-01	1.01	1.162E-01	1.01	6.077E-01
1.27	4.522E-01	1.27	1.390E-01	1.27	6.458E-01
1.60	4.601E-01	1.60	1.747E-01	1.60	6.769E-01
2.01	4.666E-01	2.01	2.225E-01	2.01	7.596E-01
2.53	4.719E-01	2.53	2.818E-01	2.53	8.265E-01
3.19	4.759E-01	3.19	3.516E-01	3.19	8.956E-01
4.01	4.791E-01	4.01	4.307E-01	4.01	9.616E-01
5.04	4.815E-01	5.04	5.180E-01	5.04	1.021E+00
6.35	4.831E-01	6.35	6.122E-01	6.35	1.074E+00
7.99	4.841E-01	7.99	7.122E-01	7.99	1.117E+00
10.05	4.847E-01	10.05	8.174E-01	10.05	1.154E+00
12.65	4.850E-01	12.65	9.272E-01	12.65	1.183E+00
15.91	4.850E-01	15.91	1.041E+00	15.91	1.205E+00
20.02	4.849E-01	20.02	1.159E+00	20.02	1.222E+00
25.19	4.846E-01	25.19	1.279E+00	25.19	1.234E+00
31.70	4.842E-01	31.70	1.401E+00	31.70	1.241E+00
39.89	4.839E-01	39.89	1.524E+00	39.89	1.244E+00
50.19	4.835E-01	50.19	1.648E+00	50.19	1.241E+00
63.16	4.831E-01	63.16	1.773E+00	63.16	1.234E+00
79.47	4.829E-01	79.47	1.898E+00	79.47	1.224E+00
100.00	4.827E-01	100.00	2.022E+00	100.00	1.212E+00

C IV		C IV		C IV	
1S2 2S - 1S 2S2		1S2 2S - 1S 2S 2P(4P)		1S2 2S - 1S 2S(1S) 2P(2P)	
ETH = 2.147E+01		ETH = 2.162E+01		ETH = 2.202E+01	
X	MANN DWXC	X	MANN DWX	X	MANN DWXC
1.01	1.977E-02	1.01	6.171E-02	1.01	5.106E-02
1.17	2.037E-02	1.17	4.828E-02	1.17	7.210E-02
1.36	2.077E-02	1.36	3.723E-02	1.36	9.534E-02
1.58	2.109E-02	1.58	2.838E-02	1.58	1.206E-01
1.84	2.132E-02	1.84	2.142E-02	1.84	1.473E-01
2.13	2.151E-02	2.13	1.602E-02	2.13	1.753E-01
2.47	2.168E-02	2.47	1.189E-02	2.47	2.041E-01
2.87	2.183E-02	2.87	8.769E-03	2.87	2.337E-01
3.33	2.197E-02	3.33	6.435E-03	3.33	2.638E-01
3.87	2.210E-02	3.87	4.704E-03	3.37	2.743E-01
4.49	2.223E-02	4.49	3.429E-03	4.49	3.251E-01
5.22	2.235E-02	5.22	2.494E-03	5.22	3.562E-01
6.06	2.247E-02	6.06	1.812E-03	6.06	3.874E-01
7.03	2.258E-02	7.03	1.316E-03	7.03	4.188E-01
8.17	2.268E-02	8.17	9.555E-04	8.17	4.503E-01
9.48	2.278E-02	9.48	6.742E-04	9.48	4.819E-01
11.01	2.297E-02	11.01	5.047E-04	11.01	5.136E-01
12.78	2.295E-02	12.78	3.674E-04	12.78	5.454E-01
14.84	2.302E-02	14.84	2.677E-04	14.84	5.772E-01
17.23	2.309E-02	17.23	1.954E-04	17.23	6.091E-01
20.00	2.314E-02	20.00	1.427E-04	20.00	6.410E-01

C IV		N V		O III	
1S2 2S - 1S 2S(3S) 2P(2P)		1S2 2S - 1S2 2P		2S2 2P2(3P) - 2S 2P3(5S)	
ETH = 2.230E+01		ETH = 7.348E-01		ETH = 5.477E-01	
X	MANN DWXC	X	MANN DWX	X	MANN DWXC
1.01	3.207E-02	1.01	6.869E+00	1.01	1.176E+00
1.17	2.850E-02	1.20	7.003E+00	1.49	1.076E+00
1.36	2.022E-02	1.42	7.156E+00	2.20	9.513E-01
1.58	2.512E-02	1.68	7.330E+00	3.26	3.071E-01
1.84	2.503E-02	1.97	7.526E+00	4.81	6.530E-01
2.13	2.575E-02	2.36	7.746E+00	7.11	5.002E-01
2.47	2.712E-02	2.79	7.988E+00	10.50	3.578E-01
2.87	2.700E-02	3.31	8.258E+00	15.51	2.353E-01
3.33	3.129E-02	3.92	8.554E+00	22.91	1.415E-01
3.87	3.387E-02	4.65	8.877E+00	33.85	7.872E-02
4.49	3.669E-02	5.50	9.229E+00	50.00	4.136E-02
5.22	3.767E-02	6.52	9.597E+00	-	-
6.06	4.279E-02	7.73	9.993E+00	-	-
7.03	4.600E-02	9.15	1.041E+01	-	-
8.17	4.928E-02	10.85	1.089E+01	-	-
9.48	5.261E-02	12.85	1.130E+01	-	-
11.01	5.598E-02	15.23	1.177E+01	-	-
12.78	5.939E-02	18.04	1.225E+01	-	-
14.84	6.282E-02	21.37	1.274E+01	-	-
17.23	6.626E-02	25.32	1.323E+01	-	-
20.00	6.972E-02	30.00	1.373E+01	-	-

O III		O III		O III	
2S2 2P2(3P) - 2S 2P3(3D)		2S2 2P2(3P) - 2S 2P3(3P)		2S2 2P2(3P) - 2S 2P3(3S)	
ETH = 1.092E+00		ETH = 1.296E+00		ETH = 1.794E+00	
X	MANN DWXC	X	MANN DWXC	X	MANN DWXC
1.01	9.013E+00	1.01	6.950E+00	1.01	4.076E+00
1.49	1.036E+01	1.49	9.451E+00	1.49	5.560E+00
2.20	1.186E+01	2.20	1.006E+01	2.20	7.127E+00
3.26	1.358E+01	3.26	1.182E+01	3.26	8.801E+00
4.81	1.552E+01	4.81	1.374E+01	4.81	1.056E+01
7.11	1.753E+01	7.11	1.578E+01	7.11	1.238E+01
10.50	1.987E+01	10.50	1.790E+01	10.50	1.422E+01
15.51	2.217E+01	15.51	2.004E+01	15.51	1.605E+01
22.91	2.450E+01	22.91	2.220E+01	22.91	1.788E+01
33.85	2.683E+01	33.85	2.434E+01	33.95	1.964E+01
50.00	2.913E+01	50.00	2.646E+01	50.00	2.148E+01

Q III  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 1.703E+00

X	MANN DWXC
1.01	5.701E-01
1.49	4.348E-01
2.20	3.153E-01
3.26	2.133E-01
4.81	1.404E-01
7.11	8.343E-02
10.50	4.643E-02
15.51	2.500E-02
22.91	1.361E-02
33.85	7.897E-03
50.00	5.170E-03

Q III  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 1.916E+00

X	MANN DWXC
1.01	2.562E-01
1.49	1.894E-01
2.20	1.317E-01
3.26	9.703E-02
4.81	5.353E-02
7.11	3.059E-02
10.50	1.662E-02
15.51	8.953E-03
22.91	5.056E-03
33.85	3.185E-03
50.00	2.341E-03

Q III  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 1.828E-01

X	MANN DWXC
1.01	4.083E+00
1.49	4.005E+00
2.20	3.891E+00
3.26	3.719E+00
4.81	3.467E+00
7.11	3.117E+00
10.50	2.651E+00
15.51	2.091E+00
22.91	1.504E+00
33.85	9.765E-01
50.00	5.749E-01

Q III  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 3.316E-01

X	MANN DWXC
1.01	6.379E-01
1.49	5.545E-01
2.20	6.068E-01
3.26	5.407E-01
4.81	4.535E-01
7.11	3.496E-01
10.50	2.418E-01
15.51	1.491E-01
22.91	9.075E-02
33.85	4.018E-02
50.00	1.396E-02

Q III  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 2.088E-01

X	MANN DWXC
1.01	3.673E-01
1.49	3.669E-01
2.20	3.661E-01
3.26	3.651E-01
4.81	3.657E-01
7.11	3.708E-01
10.50	3.841E-01
15.51	4.091E-01
22.91	4.466E-01
33.85	4.936E-01
50.00	5.443E-01

Q IV  
2S2 2P - 2S 2P2(4P)  
ETH = 6.505E-01

X	MANN DWXC
1.01	1.217E+00
1.27	1.167E+00
1.60	1.110E+00
2.01	1.044E+00
2.53	9.707E-01
3.19	8.898E-01
4.01	8.029E-01
5.04	7.110E-01
6.35	6.152E-01
7.99	5.208E-01
10.05	4.283E-01
12.65	3.418E-01
15.91	2.645E-01
20.02	1.988E-01
25.19	1.453E-01
31.70	1.037E-01
39.89	7.249E-02
50.19	4.984E-02
63.16	3.380E-02
79.47	2.266E-02
100.00	1.505E-02

Q IV  
2S2 2P - 2S 2P2(2D)  
ETH = 1.154E+00

X	MANN DWXC
1.01	6.363E+00
1.27	6.626E+00
1.60	6.937E+00
2.01	7.299E+00
2.53	7.715E+00
3.19	8.197E+00
4.01	8.709E+00
5.04	9.280E+00
6.35	9.995E+00
7.99	1.055E+01
10.05	1.123E+01
12.65	1.194E+01
15.91	1.267E+01
20.02	1.342E+01
25.19	1.417E+01
31.70	1.492E+01
39.89	1.568E+01
50.19	1.643E+01
63.16	1.718E+01
79.47	1.792E+01
100.00	1.866E+01

Q IV  
2S2 2P - 2S 2P2(2S)  
ETH = 1.496E+00

X	MANN DWXC
1.01	2.094E+00
1.27	2.229E+00
1.60	2.383E+00
2.01	2.558E+00
2.53	2.753E+00
3.19	2.967E+00
4.01	3.198E+00
5.04	3.445E+00
6.35	3.705E+00
7.99	3.976E+00
10.05	4.256E+00
12.65	4.542E+00
15.91	4.832E+00
20.02	5.126E+00
25.19	5.421E+00
31.70	5.717E+00
39.89	6.012E+00
50.19	6.305E+00
63.16	6.597E+00
79.47	6.886E+00
100.00	7.174E+00

Q IV  
2S2 2P - 2S 2P2(2P)  
ETH = 1.544E+00

X	MANN DWXC
1.01	7.730E+00
1.27	8.404E+00
1.60	9.179E+00
2.01	1.006E+01
2.53	1.103E+01
3.19	1.209E+01
4.01	1.324E+01
5.04	1.445E+01
6.35	1.572E+01
7.99	1.703E+01
10.05	1.837E+01
12.65	1.973E+01
15.91	2.111E+01
20.02	2.248E+01
25.19	2.395E+01
31.70	2.522E+01
39.89	2.657E+01
50.19	2.792E+01
63.16	2.925E+01
79.47	3.057E+01
100.00	3.187E+01



Q IV  
2S 2P2(4P) - 2S 2P2(2D)  
ETH = 5.040E-01

X	MANN DWX
1.01	3.427E+00
1.28	3.291E+00
1.63	3.129E+00
2.07	2.937E+00
2.63	2.718E+00
3.33	2.470E+00
4.23	2.199E+00
5.38	1.911E+00
6.83	1.618E+00
8.67	1.331E+00
11.01	1.061E+00
13.98	9.205E-01
17.75	5.146E-01
22.54	4.467E-01
28.62	3.155E-01
36.35	2.170E-01
46.15	1.457E-01
58.61	9.581E-02
74.42	6.186E-02
94.50	3.934E-02
120.00	2.472E-02

Q IV  
2S 2P2(2D) - 2S 2P2(2P)  
ETH = 4.894E-01

X	MANN DWX
1.01	1.718E+00
1.28	1.651E+00
1.63	1.572E+00
2.07	1.478E+00
2.63	1.371E+00
3.33	1.249E+00
4.23	1.115E+00
5.38	9.721E-01
6.83	8.258E-01
8.67	6.818E-01
11.01	5.460E-01
13.98	4.237E-01
17.75	3.197E-01
22.54	2.325E-01
28.62	1.648E-01
36.35	1.137E-01
46.15	7.659E-02
58.61	5.048E-02
74.42	3.266E-02
94.50	2.081E-02
120.00	1.309E-02

Q IV  
2S 2P2(4P) - 2S 2P2(2P)  
ETH = 9.934E-01

X	MANN DWX
1.01	4.820E-01
1.24	4.500E-01
1.52	4.146E-01
1.86	3.762E-01
2.29	3.355E-01
2.80	2.936E-01
3.44	2.516E-01
4.22	2.110E-01
5.17	1.729E-01
6.35	1.384E-01
7.78	1.084E-01
9.55	8.305E-02
11.71	6.237E-02
14.37	4.598E-02
17.62	3.333E-02
21.61	2.380E-02
26.51	1.676E-02
32.51	1.166E-02
39.88	8.030E-03
48.92	5.480E-03
60.00	3.711E-03

Q IV  
2S 2P2(2D) - 2S 2P2(2S)  
ETH = 3.411E-01

X	MANN DWX
1.01	5.327E-01
1.31	6.414E-01
1.70	6.516E-01
2.20	6.640E-01
2.85	6.786E-01
3.69	5.998E-01
4.78	7.163E-01
6.20	7.404E-01
8.03	7.693E-01
10.41	3.030E-01
13.48	8.418E-01
17.47	8.852E-01
22.54	9.318E-01
29.34	9.799E-01
38.02	1.027E+00
49.26	1.071E+00
63.84	1.111E+00
82.72	1.144E+00
107.20	1.170E+00
138.91	1.190E+00
190.00	1.205E+00

Q IV  
2S 2P2(4P) - 2S 2P2(2S)  
ETH = 8.451E-01

X	MANN DWX
1.01	5.091E-01
1.25	4.772E-01
1.55	4.412E-01
1.93	4.011E-01
2.39	3.575E-01
2.96	3.117E-01
3.68	2.650E-01
4.56	2.192E-01
5.66	1.759E-01
7.02	1.368E-01
8.70	1.030E-01
10.80	7.500E-02
13.39	5.292E-02
16.61	3.621E-02
20.60	2.405E-02
25.55	1.554E-02
31.69	9.789E-03
39.31	6.021E-03
48.75	3.625E-03
60.47	2.141E-03
75.00	1.243E-03

J V  
2S2 - 2S 2P(1P)  
ETH = 1.447E+00

X	MANN DWXC
1.01	2.953E+00
1.27	3.000E+00
1.60	3.171E+00
2.01	3.368E+00
2.53	3.591E+00
3.19	3.841E+00
4.01	4.117E+00
5.04	4.416E+00
6.35	4.736E+00
7.99	5.074E+00
10.05	5.426E+00
12.65	5.789E+00
15.91	6.159E+00
20.02	6.534E+00
25.19	6.912E+00
31.70	7.290E+00
39.89	7.667E+00
50.19	8.042E+00
63.16	8.414E+00
79.47	8.782E+00
100.00	9.147E+00

Q V  
2S2 - 2S 2P(3P)  
ETH = 7.494E-01

X	MANN DWXC
1.01	3.219E-01
1.27	3.103E-01
1.60	2.967E-01
2.01	2.810E-01
2.53	2.629E-01
3.19	2.425E-01
4.01	2.202E-01
5.04	1.960E-01
6.35	1.707E-01
7.99	1.450E-01
10.05	1.199E-01
12.65	9.625E-02
15.91	7.507E-02
20.02	5.591E-02
25.19	4.203E-02
31.70	3.031E-02
39.89	2.142E-02
50.19	1.487E-02
63.16	1.017E-02
79.47	6.873E-03
100.00	4.595E-03

Q V  
2S 2P(3P) - 2P2(3P)  
ETH = 1.199E+00

X	MANN DWX
1.01	1.381E+01
1.27	1.437E+01
1.60	1.502E+01
2.01	1.578E+01
2.53	1.666E+01
3.19	1.765E+01
4.01	1.875E+01
5.04	1.996E+01
6.35	2.126E+01
7.99	2.266E+01
10.05	2.412E+01
12.65	2.565E+01
15.91	2.721E+01
20.02	2.881E+01
25.19	3.043E+01
31.70	3.206E+01
39.89	3.369E+01
50.19	3.531E+01
63.16	3.691E+01
79.47	3.851E+01
100.00	4.009E+01

Q VI  
2S - 2P  
ETH = 8.815E-01

X	MANN DWX
1.01	5.222E+00
1.34	5.371E+00
1.78	5.558E+00
2.37	5.786E+00
3.15	6.064E+00
4.19	6.393E+00
5.57	6.777E+00
7.41	7.211E+00
9.85	7.694E+00
13.09	8.217E+00
17.41	8.774E+00
23.14	9.354E+00
30.76	9.949E+00
40.89	1.055E+01
54.36	1.116E+01
72.26	1.176E+01
96.06	1.235E+01
127.70	1.294E+01
169.76	1.351E+01
225.67	1.408E+01
300.00	1.464E+01

O VI  
 2S - 3S  
 ETH = 5.833E+00

X	MANN DWX
1.01	2.101E-01
1.17	2.132E-01
1.36	2.161E-01
1.58	2.199E-01
1.84	2.214E-01
2.13	2.238E-01
2.47	2.259E-01
2.87	2.278E-01
3.33	2.294E-01
3.87	2.308E-01
4.49	2.320E-01
5.22	2.329E-01
6.06	2.337E-01
7.03	2.343E-01
8.17	2.348E-01
9.48	2.351E-01
11.01	2.354E-01
12.78	2.356E-01
14.84	2.357E-01
17.23	2.358E-01
20.00	2.358E-01

O VI  
 2S - 3P  
 ETH = 6.071E+00

X	MANN DWX
1.01	8.120E-02
1.17	9.235E-02
1.36	1.065E-01
1.58	1.238E-01
1.84	1.441E-01
2.13	1.673E-01
2.47	1.934E-01
2.87	2.221E-01
3.33	2.533E-01
3.87	2.867E-01
4.49	3.223E-01
5.22	3.598E-01
6.06	3.990E-01
7.03	4.398E-01
8.17	4.819E-01
9.48	5.253E-01
11.01	5.699E-01
12.78	6.157E-01
14.84	6.624E-01
17.23	7.100E-01
20.00	7.584E-01

O VI  
 2S - 3D  
 ETH = 6.148E+00

X	MANN DWX
1.01	3.291E-01
1.17	3.397E-01
1.36	3.535E-01
1.58	3.701E-01
1.84	3.892E-01
2.13	4.099E-01
2.47	4.318E-01
2.87	4.541E-01
3.33	4.762E-01
3.87	4.975E-01
4.49	5.178E-01
5.22	5.367E-01
6.06	5.540E-01
7.03	5.695E-01
8.17	5.834E-01
9.48	5.956E-01
11.01	6.061E-01
12.78	6.152E-01
14.84	6.230E-01
17.23	6.294E-01
20.00	6.347E-01

NE VIII  
 2S - 2P  
 ETH = 1.189E+00

X	MANN DWX
1.01	3.333E+00
1.17	3.369E+00
1.36	3.409E+00
1.58	3.459E+00
1.84	3.507E+00
2.13	3.563E+00
2.47	3.628E+00
2.87	3.701E+00
3.33	3.781E+00
3.87	3.870E+00
4.49	3.967E+00
5.22	4.073E+00
6.06	4.187E+00
7.03	4.310E+00
8.17	4.442E+00
9.48	4.582E+00
11.01	4.729E+00
12.78	4.884E+00
14.84	5.045E+00
17.23	5.211E+00
20.00	5.383E+00

MG II  
 3S - 3P  
 ETH = 3.256E-01

X	MANN DWX
1.01	1.987E+01
1.27	2.326E+01
1.60	2.716E+01
2.01	3.153E+01
2.53	3.634E+01
3.19	4.151E+01
4.01	4.701E+01
5.04	5.277E+01
6.35	5.874E+01
7.99	6.487E+01
10.05	7.108E+01
12.65	7.732E+01
15.91	8.354E+01
20.02	8.971E+01
25.19	9.582E+01
31.70	1.019E+02
39.89	1.079E+02
50.19	1.138E+02
63.16	1.197E+02
79.47	1.255E+02
100.00	1.313E+02

MG II  
 3S - 4P  
 ETH = 7.349E-01

X	MANN DWX
1.01	1.403E+00
1.27	1.225E+00
1.60	1.121E+00
2.01	1.068E+00
2.53	1.048E+00
3.19	1.046E+00
4.01	1.052E+00
5.04	1.061E+00
6.35	1.070E+00
7.99	1.079E+00
10.05	1.086E+00
12.65	1.093E+00
15.91	1.100E+00
20.02	1.106E+00
25.19	1.111E+00
31.70	1.116E+00
39.89	1.121E+00
50.19	1.125E+00
63.16	1.130E+00
79.47	1.134E+00
100.00	1.138E+00

AL II  
 3S2 - 3S 3P(1P)  
 ETH = 5.454E-01

X	MANN DWXC
1.01	7.756E+00
1.27	9.649E+00
1.60	1.180E+01
2.01	1.419E+01
2.53	1.586E+01
3.19	1.779E+01
4.01	2.296E+01
5.04	2.633E+01
6.35	2.984E+01
7.99	3.343E+01
10.05	3.707E+01
12.65	4.072E+01
15.91	4.435E+01
20.02	4.795E+01
25.19	5.152E+01
31.70	5.505E+01
39.89	5.853E+01
50.19	6.199E+01
63.16	6.541E+01
79.47	6.880E+01
100.00	7.216E+01

AL II  
 3S 3P(3P) - 3P2(3P)  
 ETH = 5.166E-01

X	MANN DWX
1.01	3.286E+01
1.27	3.849E+01
1.60	4.584E+01
2.01	5.466E+01
2.53	6.473E+01
3.19	7.580E+01
4.01	8.771E+01
5.04	1.003E+02
6.35	1.133E+02
7.99	1.267E+02
10.05	1.401E+02
12.65	1.535E+02
15.91	1.668E+02
20.02	1.800E+02
25.19	1.930E+02
31.70	2.058E+02
39.89	2.185E+02
50.19	2.310E+02
63.16	2.435E+02
79.47	2.558E+02
100.00	2.681E+02

AL II  
 3S 3P(1P) - 3P2(1D)  
 ETH = 2.336E-01

X	MANN DWXC
1.01	2.846E+00
1.27	2.678E+00
1.60	2.492E+00
2.01	2.303E+00
2.53	2.145E+00
3.19	2.054E+00
4.01	2.045E+00
5.04	2.114E+00
6.35	2.248E+00
7.99	2.426E+00
10.05	2.633E+00
12.65	2.858E+00
15.91	3.091E+00
20.02	3.327E+00
25.19	3.558E+00
31.70	3.782E+00
39.89	3.993E+00
50.19	4.189E+00
63.16	4.369E+00
79.47	4.533E+00
100.00	4.682E+00

AL II  
 3S 3P(3P) - 3S 3D(3D)  
 ETH = 5.288E-01

X	MANN DWX
1.01	4.306E+01
1.27	4.698E+01
1.60	5.333E+01
2.01	6.204E+01
2.53	7.298E+01
3.19	8.550E+01
4.01	9.755E+01
5.04	1.147E+02
6.35	1.308E+02
7.99	1.475E+02
10.05	1.646E+02
12.65	1.820E+02
15.91	1.996E+02
20.02	2.173E+02
25.19	2.351E+02
31.70	2.529E+02
39.89	2.707E+02
50.19	2.884E+02
63.16	3.060E+02
79.47	3.234E+02
100.00	3.407E+02

AL II  
 3S2 - 3S 4P(1P)  
 ETH = 9.743E-01

X	MANN DWXC
1.01	6.072E-01
1.27	6.650E-01
1.60	7.334E-01
2.01	8.015E-01
2.53	8.637E-01
3.19	9.184E-01
4.01	9.658E-01
5.04	1.007E+00
6.35	1.043E+00
7.99	1.074E+00
10.05	1.101E+00
12.65	1.126E+00
15.91	1.148E+00
20.02	1.167E+00
25.19	1.184E+00
31.70	1.199E+00
39.89	1.212E+00
50.19	1.225E+00
63.16	1.236E+00
79.47	1.247E+00
100.00	1.257E+00

AL III  
 3S - 3P  
 ETH = 4.906E-01

X	MANN DWX
1.01	1.965E+01
1.27	2.125E+01
1.60	2.310E+01
2.01	2.520E+01
2.53	2.755E+01
3.19	3.016E+01
4.01	3.301E+01
5.04	3.606E+01
6.35	3.929E+01
7.99	4.265E+01
10.05	4.609E+01
12.65	4.959E+01
15.91	5.313E+01
20.02	5.668E+01
25.19	6.025E+01
31.70	6.380E+01
39.89	6.735E+01
50.19	7.088E+01
63.16	7.441E+01
79.47	7.793E+01
100.00	8.145E+01

AL III  
 3S - 4P  
 ETH = 1.309E+00

X	MANN DWX
1.01	5.803E-01
1.27	5.081E-01
1.60	4.646E-01
2.01	4.422E-01
2.53	4.333E-01
3.19	4.323E-01
4.01	4.361E-01
5.04	4.430E-01
6.35	4.524E-01
7.99	4.637E-01
10.05	4.766E-01
12.65	4.908E-01
15.91	5.051E-01
20.02	5.222E-01
25.19	5.387E-01
31.70	5.556E-01
39.89	5.725E-01
50.19	5.895E-01
63.16	6.067E-01
79.47	6.230E-01
100.00	6.391E-01

AL III  
 3S - 5P  
 ETH = 1.626E+00

X	MANN DWX
1.01	1.612E-01
1.27	1.307E-01
1.60	1.149E-01
2.01	1.083E-01
2.53	1.068E-01
3.19	1.081E-01
4.01	1.110E-01
5.04	1.150E-01
6.35	1.198E-01
7.99	1.253E-01
10.05	1.313E-01
12.65	1.378E-01
15.91	1.449E-01
20.02	1.524E-01
25.19	1.603E-01
31.70	1.683E-01
39.89	1.763E-01
50.19	1.843E-01
63.16	1.926E-01
79.47	2.015E-01
100.00	2.110E-01

AL IV  
 2P6 - 2P5 3S(3P)  
 ETH = 5.628E+00

X	MANN DWXC
1.01	4.755E-02
1.26	3.723E-02
1.56	2.904E-02
1.95	2.386E-02
2.42	2.136E-02
3.01	2.074E-02
3.75	2.133E-02
4.67	2.269E-02
5.81	2.457E-02
7.22	2.685E-02
8.99	2.945E-02
11.19	3.231E-02
13.92	3.536E-02
17.32	3.856E-02
21.55	4.197E-02
26.82	4.525E-02
33.37	4.870E-02
41.52	5.217E-02
51.67	5.567E-02
64.29	5.918E-02
80.00	6.270E-02

AL IV  
 2P6 - 2P5 3S(1P)  
 ETH = 5.693E+00

X	MANN DWXC
1.01	2.971E-02
1.26	3.809E-02
1.56	5.121E-02
1.95	6.779E-02
2.42	8.731E-02
3.01	1.091E-01
3.75	1.327E-01
4.67	1.577E-01
5.81	1.837E-01
7.22	2.105E-01
8.99	2.380E-01
11.19	2.660E-01
13.92	2.945E-01
17.32	3.234E-01
21.55	3.527E-01
26.82	3.823E-01
33.37	4.120E-01
41.52	4.420E-01
51.67	4.719E-01
64.29	5.019E-01
80.00	5.319E-01

AL IV  
 2P6 - 2P5 3D(3P)  
 ETH = 5.929E+00

X	MANN DWXC
1.01	7.284E-02
1.26	5.665E-02
1.56	4.078E-02
1.95	2.821E-02
2.42	1.927E-02
3.01	1.331E-02
3.75	9.528E-03
4.67	7.237E-03
5.81	5.929E-03
7.22	5.260E-03
8.99	4.997E-03
11.19	4.995E-03
13.92	5.158E-03
17.32	5.426E-03
21.55	5.762E-03
26.82	6.140E-03
33.37	6.545E-03
41.52	6.966E-03
51.67	7.397E-03
64.29	7.834E-03
80.00	8.273E-03

AL IV  
 2P6 - 2P5 3D(3D)  
 ETH = 7.000E+00

X	MANN DWXC
1.01	5.398E-02
1.26	5.118E-02
1.56	5.150E-02
1.95	5.540E-02
2.42	6.233E-02
3.01	7.146E-02
3.75	8.208E-02
4.67	9.368E-02
5.81	1.059E-01
7.22	1.187E-01
8.99	1.318E-01
11.19	1.453E-01
13.92	1.590E-01
17.32	1.730E-01
21.55	1.872E-01
26.82	2.015E-01
33.37	2.160E-01
41.52	2.305E-01
51.67	2.449E-01
64.29	2.594E-01
80.00	2.738E-01

AL IV  
 2P6 - 2P5 3P(1P)  
 ETH = 6.990E+00

X	MANN DWXC
1.01	1.253E-01
1.26	1.361E-01
1.56	2.552E-01
1.95	3.322E-01
2.42	4.157E-01
3.01	5.045E-01
3.75	5.975E-01
4.67	6.939E-01
5.81	7.930E-01
7.22	8.948E-01
8.99	9.988E-01
11.19	1.105E+00
13.92	1.214E+00
17.32	1.324E+00
21.55	1.437E+00
26.82	1.550E+00
33.37	1.665E+00
41.52	1.790E+00
51.67	1.935E+00
64.29	2.010E+00
90.00	2.125E+00

AL V  
 2S2 2P5(2P) - 2S1 2P6(2S)  
 ETH = 3.259E+00

X	MANN DWX
1.01	1.758E+00
1.27	1.858E+00
1.60	1.970E+00
2.01	2.096E+00
2.53	2.236E+00
3.19	2.390E+00
4.01	2.558E+00
5.04	2.738E+00
6.35	2.929E+00
7.99	3.130E+00
10.05	3.338E+00
12.65	3.553E+00
15.91	3.773E+00
20.02	3.995E+00
25.19	4.220E+00
31.70	4.445E+00
39.89	4.670E+00
50.19	4.894E+00
63.16	5.117E+00
79.47	5.339E+00
100.00	5.557E+00

AL VI  
 2S2 2P4(3P) - 2S1 2P5(3P)  
 ETH = 2.937E+00

X	MANN DWX
1.01	5.593E+00
1.27	5.807E+00
1.60	6.062E+00
2.01	6.359E+00
2.53	6.700E+00
3.19	7.086E+00
4.01	7.514E+00
5.04	7.984E+00
6.35	8.490E+00
7.99	9.029E+00
10.05	9.596E+00
12.65	1.018E+01
15.91	1.079E+01
20.02	1.141E+01
25.19	1.204E+01
31.70	1.267E+01
39.89	1.330E+01
50.19	1.392E+01
63.16	1.455E+01
79.47	1.517E+01
100.00	1.579E+01

AL VI  
 2S2 2P4(3P) - 2S1 2P5(1P)  
 ETH = 4.099E+00

X	MANN DWX
1.01	1.203E-01
1.27	1.110E-01
1.60	1.009E-01
2.01	9.024E-02
2.53	7.909E-02
3.19	6.766E-02
4.01	5.632E-02
5.04	4.547E-02
6.35	3.555E-02
7.99	2.694E-02
10.05	1.982E-02
12.65	1.420E-02
15.91	9.959E-03
20.02	6.858E-03
25.19	4.654E-03
31.70	3.122E-03
39.89	2.074E-03
50.19	1.366E-03
63.16	8.941E-04
79.47	5.815E-04
100.00	3.764E-04

SI III  
 3S2 - 3S 3P(3P)  
 ETH = 4.820E-01

X	MANN DWXC
1.01	2.172E+00
1.27	1.875E+00
1.60	1.568E+00
2.01	1.263E+00
2.53	9.919E-01
3.19	7.529E-01
4.01	5.591E-01
5.04	4.100E-01
6.35	2.991E-01
7.99	2.172E-01
10.05	1.562E-01
12.65	1.105E-01
15.91	7.669E-02
20.02	5.226E-02
25.19	3.515E-02
31.70	2.349E-02
39.89	1.572E-02
50.19	1.061E-02
63.16	7.294E-03
79.47	5.135E-03
100.00	3.758E-03

SI III  
 3S2 - 3S 3P(1P)  
 ETH = 7.553E-01

X	MANN DWXC
1.01	8.698E+00
1.27	9.759E+00
1.60	1.100E+01
2.01	1.244E+01
2.53	1.405E+01
3.19	1.584E+01
4.01	1.778E+01
5.04	1.983E+01
6.35	2.197E+01
7.99	2.418E+01
10.05	2.643E+01
12.65	2.871E+01
15.91	3.099E+01
20.02	3.328E+01
25.19	3.555E+01
31.70	3.782E+01
39.89	4.008E+01
50.19	4.232E+01
63.16	4.456E+01
79.47	4.678E+01
100.00	4.898E+01

SI III  
 3S 3P(3P) - 3P2(3P)  
 ETH = 7.016E-01

X	MANN DWXC
1.01	3.063E+01
1.27	3.420E+01
1.60	3.838E+01
2.01	4.315E+01
2.53	4.850E+01
3.19	5.440E+01
4.01	6.077E+01
5.04	6.753E+01
6.35	7.460E+01
7.99	8.183E+01
10.05	8.929E+01
12.65	9.675E+01
15.91	1.043E+02
20.02	1.117E+02
25.19	1.192E+02
31.70	1.265E+02
39.89	1.340E+02
50.19	1.413E+02
63.16	1.486E+02
79.47	1.553E+02
100.00	1.631E+02

SI IV  
 3S - 3P  
 ETH = 6.525E-01

X	MANN DWX
1.01	1.668E+01
1.27	1.762E+01
1.60	1.871E+01
2.01	1.997E+01
2.53	2.140E+01
3.19	2.300E+01
4.01	2.476E+01
5.04	2.666E+01
6.35	2.869E+01
7.99	3.083E+01
10.05	3.305E+01
12.65	3.533E+01
15.91	3.766E+01
20.02	4.003E+01
25.19	4.242E+01
31.70	4.482E+01
39.89	4.724E+01
50.19	4.965E+01
63.16	5.207E+01
79.47	5.449E+01
100.00	5.690E+01

SI IV  
 3S - 4P  
 ETH = 1.990E+00

X	MANN DWX
1.01	2.854E-01
1.27	2.546E-01
1.60	2.377E-01
2.01	2.310E-01
2.53	2.314E-01
3.19	2.370E-01
4.01	2.469E-01
5.04	2.604E-01
6.35	2.771E-01
7.99	2.964E-01
10.05	3.179E-01
12.65	3.410E-01
15.91	3.656E-01
20.02	3.913E-01
25.19	4.181E-01
31.70	4.454E-01
39.89	4.730E-01
50.19	5.008E-01
63.16	5.288E-01
79.47	5.571E-01
100.00	5.840E-01

SI XII  
2S - 2P  
ETH = 1.800E+00

X	MANN DWX
1.01	1.629E+00
1.34	1.658E+00
1.78	1.694E+00
2.37	1.741E+00
3.15	1.800E+00
4.19	1.872E+00
5.57	1.959E+00
7.41	2.061E+00
9.85	2.177E+00
13.09	2.303E+00
17.41	2.452E+00
23.14	2.605E+00
30.76	2.766E+00
40.89	2.931E+00
54.36	3.099E+00
72.26	3.266E+00
96.06	3.432E+00
127.70	3.596E+00
169.76	3.757E+00
225.67	3.914E+00
300.00	4.067E+00

S IV  
3S2 3P - 3S 3P2(4P)  
ETH = 6.540E-01

X	MANN DWXC
1.01	2.046E+00
1.36	1.761E+00
1.84	1.463E+00
2.47	1.176E+00
3.33	9.197E-01
4.49	7.067E-01
6.06	5.341E-01
8.17	3.930E-01
11.01	2.775E-01
14.84	1.871E-01
20.00	1.216E-01
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

S IV  
3S2 3P - 3S 3P2(2D)  
ETH = 9.520E-01

X	MANN DWXC
1.01	5.503E+00
1.36	5.490E+00
1.84	5.463E+00
2.47	5.547E+00
3.33	5.746E+00
4.49	6.044E+00
6.06	6.419E+00
8.17	6.853E+00
11.01	7.336E+00
14.84	7.859E+00
20.00	8.413E+00
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

S IV  
3S2 3P - 3S 3P2(2S)  
ETH = 1.120E+00

X	MANN DWXC
1.01	2.978E+00
1.36	3.288E+00
1.84	3.652E+00
2.47	4.068E+00
3.33	4.533E+00
4.49	5.039E+00
6.06	5.579E+00
8.17	6.142E+00
11.01	6.727E+00
14.84	7.324E+00
20.00	7.933E+00
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

S IV  
3S2 3P - 3S 3P2(2P)  
ETH = 1.216E+00

X	MANN DWXC
1.01	1.657E+01
1.36	1.904E+01
1.84	2.198E+01
2.47	2.539E+01
3.33	2.925E+01
4.49	3.348E+01
6.06	3.802E+01
8.17	4.277E+01
11.01	4.766E+01
14.84	5.261E+01
20.00	5.761E+01
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

AR VIII  
3S - 3P  
ETH = 1.293E+00

X	MANN DWX
1.01	8.803E+00
1.27	9.031E+00
1.60	9.302E+00
2.01	9.623E+00
2.53	9.997E+00
3.19	1.042E+01
4.01	1.091E+01
5.04	1.146E+01
6.35	1.207E+01
7.99	1.273E+01
10.05	1.344E+01
12.65	1.420E+01
15.91	1.500E+01
20.02	1.583E+01
25.19	1.668E+01
31.70	1.755E+01
39.89	1.844E+01
50.19	1.934E+01
63.16	2.024E+01
79.47	2.115E+01
100.00	2.205E+01

AR VIII  
3S - 4P  
ETH = 5.731E+00

X	MANN DWX
1.01	5.426E-02
1.27	5.441E-02
1.60	5.772E-02
2.01	6.450E-02
2.53	7.498E-02
3.19	8.917E-02
4.01	1.059E-01
5.04	1.277E-01
6.35	1.513E-01
7.99	1.772E-01
10.05	2.050E-01
12.65	2.344E-01
15.91	2.652E-01
20.02	2.973E-01
25.19	3.303E-01
31.70	3.641E-01
39.89	3.986E-01
50.19	4.335E-01
63.16	4.686E-01
79.47	5.037E-01
100.00	5.391E-01

AR XV  
2S2 - 2S 2P(1P)  
ETH = 3.787E+00

X	MANN DWXC
1.01	5.679E-01
1.27	6.790E-01
1.60	6.925E-01
2.01	7.088E-01
2.53	7.284E-01
3.19	7.516E-01
4.01	7.786E-01
5.04	8.100E-01
6.35	8.458E-01
7.99	8.860E-01
10.05	9.304E-01
12.65	9.786E-01
15.91	1.030E+00
20.02	1.084E+00
25.19	1.141E+00
31.70	1.199E+00
39.89	1.257E+00
50.19	1.316E+00
63.16	1.375E+00
79.47	1.434E+00
100.00	1.492E+00

AR XV  
2S2 - 2S 2P(3P)  
ETH = 2.173E+00

X	MANN DWXC
1.01	2.939E-02
1.27	2.908E-02
1.60	2.866E-02
2.01	2.918E-02
2.53	2.758E-02
3.19	2.685E-02
4.01	2.595E-02
5.04	2.497E-02
6.35	2.356E-02
7.99	2.205E-02
10.05	2.031E-02
12.65	1.837E-02
15.91	1.627E-02
20.02	1.407E-02
25.19	1.196E-02
31.70	9.738E-03
39.89	7.789E-03
50.19	6.077E-03
63.16	4.635E-03
79.47	3.470E-03
100.00	2.561E-03

AR XV		A XVI		FE XV	
2S 2P(3P) - 2P2(3P)		2S - 2P		3S2 - 3S 3P(3P)	
ETH = 3.391E+00		ETH = 2.480E+00		ETH = 2.250E+00	
X	MANN DWXC	X	MANN DWX	X	MANN DWXC
1.01	2.751E+00	1.01	9.680E-01	1.01	6.060E-02
1.27	2.803E+00	1.34	9.824E-01	1.27	5.977E-02
1.60	2.353E+00	1.78	1.002E+00	1.60	5.877E-02
2.01	2.914E+00	2.37	1.027E+00	2.01	5.749E-02
2.53	2.987E+00	3.15	1.059E+00	2.53	5.605E-02
3.19	3.075E+00	4.19	1.098E+00	3.19	5.436E-02
4.01	3.177E+00	5.57	1.145E+00	4.01	5.246E-02
5.04	3.295E+00	7.41	1.201E+00	5.04	5.038E-02
6.35	3.432E+00	9.85	1.266E+00	6.35	4.820E-02
7.99	3.535E+00	13.09	1.340E+00	7.99	4.602E-02
10.05	3.755E+00	17.41	1.421E+00	10.05	4.400E-02
12.65	3.940E+00	23.14	1.509E+00	12.65	4.226E-02
15.91	4.139E+00	30.76	1.602E+00	15.91	4.092E-02
20.02	4.350E+00	40.89	1.698E+00	20.02	4.004E-02
25.19	4.570E+00	54.36	1.795E+00	25.19	3.964E-02
31.70	4.797E+00	72.25	1.893E+00	31.70	3.969E-02
39.39	5.028E+00	96.06	1.991E+00	39.39	4.014E-02
50.19	5.262E+00	127.70	2.097E+00	50.19	4.091E-02
63.16	5.496E+00	169.76	2.181E+00	63.16	4.194E-02
79.47	5.728E+00	225.67	2.273E+00	79.47	4.318E-02
100.00	5.959E+00	300.00	2.362E+00	100.00	4.455E-02

FE XV		FE XV		FE XV	
3S2 - 3S 3P(1P)		3S2 - 3S 3D(3D)		3S2 - 3S 3D(1D)	
ETH = 3.207E+00		ETH = 6.200E+00		ETH = 6.345E+00	
X	MANN DWXC	X	MANN DWXC	X	MANN DWXC
1.01	2.784E+00	1.01	4.806E-02	1.01	1.821E-01
1.27	2.835E+00	1.25	4.458E-02	1.25	1.876E-01
1.60	2.993E+00	1.54	4.078E-02	1.54	1.937E-01
2.01	2.965E+00	1.91	3.674E-02	1.91	2.004E-01
2.53	3.053E+00	2.36	3.252E-02	2.36	2.074E-01
3.19	3.155E+00	2.91	2.821E-02	2.91	2.147E-01
4.01	3.274E+00	3.60	2.395E-02	3.60	2.221E-01
5.04	3.410E+00	4.45	1.987E-02	4.45	2.293E-01
6.35	3.563E+00	5.50	1.609E-02	5.50	2.363E-01
7.99	3.735E+00	6.80	1.270E-02	6.80	2.428E-01
10.05	3.922E+00	8.41	9.787E-03	8.41	2.486E-01
12.65	4.126E+00	10.39	7.365E-03	10.39	2.538E-01
15.91	4.343E+00	12.85	5.422E-03	12.85	2.593E-01
20.02	4.572E+00	15.88	3.918E-03	15.88	2.620E-01
25.19	4.811E+00	19.63	2.787E-03	19.63	2.650E-01
31.70	5.057E+00	24.26	1.958E-03	24.26	2.673E-01
39.39	5.309E+00	29.99	1.364E-03	29.99	2.690E-01
50.19	5.564E+00	37.07	9.467E-04	37.07	2.700E-01
63.16	5.822E+00	45.82	6.576E-04	45.82	2.707E-01
79.47	6.080E+00	56.63	4.598E-04	56.63	2.706E-01
100.00	6.338E+00	70.00	3.259E-04	70.00	2.702E-01

FE XV		FE XV		FE XV	
3S2 - 3S 4S(3S)		3S2 - 3S 4S(1S)		3S2 - 3S 4P(1P)	
ETH = 1.607E+01		ETH = 1.632E+01		ETH = 1.719E+01	
X	MANN DWXC	X	MANN DWXC	X	MANN DWXC
1.01	3.422E-03	1.01	7.855E-02	1.01	1.132E-02
1.21	2.795E-03	1.21	1.012E-01	1.27	1.611E-02
1.46	2.263E-03	1.46	1.038E-01	1.60	2.266E-02
1.75	1.818E-03	1.75	1.061E-01	2.01	3.111E-02
2.11	1.449E-03	2.11	1.083E-01	2.53	4.152E-02
2.53	1.142E-03	2.53	1.101E-01	3.19	5.383E-02
3.05	8.896E-04	3.05	1.117E-01	4.01	6.797E-02
3.66	5.931E-04	3.66	1.130E-01	5.04	8.376E-02
4.40	5.157E-04	4.40	1.140E-01	6.35	1.010E-01
5.29	3.824E-04	5.29	1.149E-01	7.99	1.197E-01
6.36	2.840E-04	6.36	1.154E-01	10.05	1.395E-01
7.54	2.071E-04	7.64	1.159E-01	12.65	1.604E-01
9.18	1.493E-04	9.18	1.151E-01	15.91	1.822E-01
11.04	1.078E-04	11.04	1.163E-01	20.02	2.047E-01
13.27	7.715E-05	13.27	1.164E-01	25.19	2.279E-01
15.95	5.903E-05	15.95	1.164E-01	31.70	2.916E-01
19.17	3.915E-05	19.17	1.163E-01	39.39	2.757E-01
23.04	2.777E-05	23.04	1.162E-01	50.19	3.001E-01
27.69	1.905E-05	27.69	1.161E-01	63.16	3.247E-01
33.28	1.337E-05	33.28	1.160E-01	79.47	3.495E-01
40.00	7.757E-06	40.00	1.159E-01	100.00	3.742E-01

FE XV  
3S2 - 3S 4P(3P)  
ETH = 1.719E+01

X	MANN DWXC
1.01	7.699E-03
1.27	8.932E-03
1.60	8.590E-03
2.01	8.798E-03
2.53	9.616E-03
3.19	1.103E-02
4.01	1.298E-02
5.04	1.539E-02
6.35	1.818E-02
7.99	2.128E-02
10.05	2.465E-02
12.05	2.824E-02
15.91	3.201E-02
20.02	3.594E-02
25.19	3.999E-02
31.70	4.413E-02
39.89	4.834E-02
50.19	5.251E-02
63.16	5.693E-02
79.47	6.127E-02
100.00	6.561E-02

FE XV  
3S2 - 3S 4F(3F)  
ETH = 1.922E+01

X	MANN DWX
1.01	2.930E-02
1.21	2.343E-02
1.46	1.833E-02
1.75	1.404E-02
2.11	1.055E-02
2.53	7.789E-03
3.05	5.671E-03
3.66	4.079E-03
4.40	2.907E-03
5.29	2.056E-03
6.36	1.446E-03
7.64	1.013E-03
9.18	7.076E-04
11.04	4.934E-04
13.27	3.436E-04
15.95	2.392E-04
19.17	1.665E-04
23.04	1.158E-04
27.69	8.047E-05
33.28	5.591E-05
40.00	3.884E-05

FE XV  
3S2 - 3S 4F(1F)  
ETH = 1.935E+01

X	MANN DWX
1.01	4.989E-02
1.21	5.560E-02
1.46	6.108E-02
1.75	6.517E-02
2.11	7.074E-02
2.53	7.471E-02
3.05	7.806E-02
3.66	8.082E-02
4.40	8.305E-02
5.29	8.484E-02
6.36	8.627E-02
7.64	8.742E-02
9.18	8.935E-02
11.04	8.913E-02
13.27	8.799E-02
15.95	9.039E-02
19.17	9.090E-02
23.04	9.136E-02
27.69	9.178E-02
33.28	9.217E-02
40.00	9.253E-02

FE XVI  
2P6 3S - 2P6 3P  
ETH = 2.653E+00

X	MANN DWX
1.01	3.541E+00
1.30	3.596E+00
1.67	3.661E+00
2.14	3.744E+00
2.75	3.846E+00
3.53	3.958E+00
4.53	4.113E+00
5.81	4.292E+00
7.46	4.475E+00
9.59	4.695E+00
12.31	4.937E+00
15.81	5.202E+00
20.29	5.485E+00
26.06	5.785E+00
33.46	6.096E+00
42.97	6.415E+00
55.17	6.740E+00
70.85	7.058E+00
90.97	7.397E+00
116.82	7.726E+00
150.00	8.052E+00

FE XVI  
2P6 3S - 2P6 3D  
ETH = 6.172E+00

X	MANN DWX
1.01	3.013E-01
1.30	3.047E-01
1.67	3.097E-01
2.14	3.132E-01
2.75	3.179E-01
3.53	3.231E-01
4.53	3.284E-01
5.81	3.337E-01
7.46	3.388E-01
9.59	3.436E-01
12.31	3.480E-01
15.81	3.518E-01
20.29	3.550E-01
26.06	3.574E-01
33.46	3.589E-01
42.97	3.597E-01
55.17	3.599E-01
70.85	3.592E-01
90.97	3.580E-01
116.82	3.565E-01
150.00	3.545E-01

FE XVI  
2P6 3S - 2P6 4S  
ETH = 1.702E+01

X	MANN DWX
1.01	1.011E-01
1.23	1.031E-01
1.49	1.051E-01
1.81	1.070E-01
2.20	1.087E-01
2.68	1.103E-01
3.26	1.119E-01
3.96	1.126E-01
4.81	1.133E-01
5.85	1.139E-01
7.11	1.144E-01
8.64	1.146E-01
10.50	1.148E-01
12.76	1.149E-01
15.51	1.149E-01
18.85	1.148E-01
22.91	1.147E-01
27.85	1.146E-01
33.85	1.145E-01
41.14	1.144E-01
50.00	1.143E-01

FE XVI  
2P6 3S - 2P6 4P  
ETH = 1.907E+01

X	MANN DWX
1.01	1.721E-02
1.23	1.948E-02
1.49	2.289E-02
1.81	2.750E-02
2.20	3.366E-02
2.68	4.111E-02
3.26	4.989E-02
3.96	5.993E-02
4.81	7.111E-02
5.85	8.333E-02
7.11	9.648E-02
8.64	1.105E-01
10.50	1.252E-01
12.76	1.407E-01
15.51	1.557E-01
18.85	1.732E-01
22.91	1.902E-01
27.85	2.075E-01
33.85	2.251E-01
41.14	2.430E-01
50.00	2.611E-01

FE XVI  
2P6 3S - 2P5 3S2  
ETH = 5.239E+01

X	MANN DWX
1.01	4.600E-03
1.19	4.727E-03
1.39	5.024E-03
1.63	5.485E-03
1.92	6.103E-03
2.25	6.872E-03
2.64	7.782E-03
3.11	8.825E-03
3.65	9.988E-03
4.28	1.126E-02
5.02	1.262E-02
5.90	1.407E-02
6.93	1.559E-02
8.13	1.717E-02
9.55	1.879E-02
11.21	2.046E-02
13.16	2.217E-02
15.45	2.391E-02
18.14	2.567E-02
21.29	2.746E-02
25.00	2.927E-02

FE XVI  
2P6 3S - 2P5 3S 3P(TOTAL)  
ETH = 5.531E+01

X	MANN DWX
1.01	1.582E-01
1.23	1.541E-01
1.49	1.506E-01
1.81	1.479E-01
2.20	1.460E-01
2.68	1.447E-01
3.26	1.440E-01
3.96	1.437E-01
4.81	1.436E-01
5.85	1.437E-01
7.11	1.439E-01
8.64	1.441E-01
10.50	1.443E-01
12.76	1.445E-01
15.51	1.447E-01
18.85	1.448E-01
22.91	1.449E-01
27.85	1.450E-01
33.85	1.449E-01
41.14	1.448E-01
50.00	1.446E-01

FE XVI  
 2P6 3S - 2P5 3S 3D(TOTAL)  
 ETH = 5.900E+01

X	MANN DWX
1.01	3.167E-01
1.19	3.291E-01
1.39	3.486E-01
1.63	3.748E-01
1.92	4.069E-01
2.25	4.443E-01
2.64	4.862E-01
3.11	5.320E-01
3.65	5.811E-01
4.28	6.331E-01
5.02	6.377E-01
5.90	7.442E-01
6.73	3.025E-01
8.13	8.623E-01
9.55	9.234E-01
11.21	9.357E-01
13.16	1.049E+00
15.45	1.113E+00
18.14	1.178E+00
21.29	1.244E+00
25.00	1.310E+00

FE XVI  
 2P6 3S - 2P5 3S 4P(TOTAL)  
 ETH = 7.145E+01

X	MANN DWX
1.01	3.720E-02
1.39	3.343E-02
1.92	3.103E-02
2.64	2.971E-02
3.65	2.909E-02
5.02	2.886E-02
6.93	2.882E-02
9.55	2.885E-02
13.16	2.890E-02
18.14	2.895E-02
25.00	2.896E-02
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

FE XVI  
 2P6 3S - 2P5 3S 4D(TOTAL)  
 ETH = 7.274E+01

X	MANN DWX
1.01	8.587E-02
1.39	8.818E-02
1.92	9.894E-02
2.64	1.152E-01
3.65	1.349E-01
5.02	1.566E-01
6.93	1.796E-01
9.55	2.036E-01
13.16	2.284E-01
18.14	2.538E-01
25.00	2.796E-01
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

FE XVI  
 2S2 2P6 3S - 2S 2P6 3S2  
 ETH = 6.286E+01

X	MANN DWX
1.01	1.514E-02
1.23	1.656E-02
1.49	1.697E-02
1.81	1.736E-02
2.20	1.771E-02
2.68	1.803E-02
3.26	1.830E-02
3.96	1.853E-02
4.81	1.871E-02
5.85	1.885E-02
7.11	1.896E-02
8.64	1.905E-02
10.50	1.911E-02
12.76	1.915E-02
15.51	1.918E-02
19.85	1.920E-02
22.91	1.921E-02
27.85	1.922E-02
33.85	1.922E-02
41.14	1.921E-02
50.00	1.921E-02

FE XVI  
 2S2 2P6 3S - 2S 2P6 3S 3P(TOT)  
 ETH = 6.500E+01

X	MANN DWX
1.01	1.451E-02
1.23	1.696E-02
1.49	2.065E-02
1.81	2.547E-02
2.20	3.132E-02
2.68	3.810E-02
3.26	4.571E-02
3.96	5.403E-02
4.81	6.298E-02
5.85	7.246E-02
7.11	8.238E-02
8.64	9.270E-02
10.50	1.034E-01
12.76	1.143E-01
15.51	1.255E-01
19.85	1.370E-01
22.91	1.486E-01
27.85	1.604E-01
33.85	1.722E-01
41.14	1.842E-01
50.00	1.962E-01

FE XVI  
 2S2 2P6 3S - 2S 2P6 3S 3D(TOT)  
 ETH = 6.353E+01

X	MANN DWX
1.01	4.586E-02
1.23	4.717E-02
1.49	4.967E-02
1.81	5.309E-02
2.20	5.710E-02
2.68	6.140E-02
3.26	6.575E-02
3.96	6.994E-02
4.81	7.383E-02
5.85	7.733E-02
7.11	8.041E-02
8.64	8.305E-02
10.50	8.527E-02
12.76	8.719E-02
15.51	8.877E-02
19.85	8.978E-02
22.91	9.068E-02
27.85	9.129E-02
33.85	9.163E-02
41.14	9.171E-02
50.00	9.154E-02

FE XVII  
 2S2 2P6 - 2S2 2P5 3S(1P)  
 ETH = 5.370E+01

X	MANN DWXC
1.01	1.646E-03
1.27	2.246E-03
1.60	3.032E-03
2.01	3.999E-03
2.53	5.135E-03
3.19	6.424E-03
4.01	7.846E-03
5.04	9.382E-03
6.35	1.101E-02
7.99	1.272E-02
10.05	1.449E-02
12.65	1.631E-02
15.91	1.819E-02
20.02	2.003E-02
25.19	2.202E-02
31.70	2.397E-02
39.89	2.595E-02
50.19	2.793E-02
63.16	2.992E-02
79.47	3.192E-02
100.00	3.393E-02

FE XVII  
 2S2 2P6 - 2S2 2P5 3S(3P)  
 ETH = 5.370E+01

X	MANN DWXC
1.01	3.456E-03
1.27	3.628E-03
1.60	3.967E-03
2.01	4.477E-03
2.53	5.161E-03
3.19	6.014E-03
4.01	7.023E-03
5.04	8.171E-03
6.35	9.434E-03
7.99	1.079E-02
10.05	1.222E-02
12.65	1.371E-02
15.91	1.525E-02
20.02	1.683E-02
25.19	1.843E-02
31.70	2.006E-02
39.89	2.170E-02
50.19	2.336E-02
63.16	2.502E-02
79.47	2.669E-02
100.00	2.836E-02

FE XVII  
 2S2 2P6 - 2S2 2P5 3P(3D)  
 ETH = 5.628E+01

X	MANN DWXC
1.01	1.134E-02
1.27	9.221E-03
1.60	7.484E-03
2.01	6.135E-03
2.53	5.144E-03
3.19	4.457E-03
4.01	4.010E-03
5.04	3.739E-03
6.35	3.592E-03
7.99	3.527E-03
10.05	3.512E-03
12.65	3.525E-03
15.91	3.552E-03
20.02	3.585E-03
25.19	3.612E-03
31.70	3.631E-03
39.89	3.638E-03
50.19	3.632E-03
63.16	3.611E-03
79.47	3.577E-03
100.00	3.538E-03



FE XVII  
2S2 2P6 - 2S2 2P5 3P(3P)  
ETH = 5.628E+01

X	MANN DWXC
1.01	9.219E-03
1.27	8.608E-03
1.60	8.128E-03
2.01	7.791E-03
2.53	7.588E-03
3.19	7.497E-03
4.01	7.489E-03
5.04	7.534E-03
6.35	7.610E-03
7.99	7.697E-03
10.05	7.784E-03
12.65	7.865E-03
15.91	7.935E-03
20.02	7.994E-03
25.19	8.037E-03
31.70	8.063E-03
39.89	8.073E-03
50.19	8.066E-03
63.16	8.041E-03
79.47	8.002E-03
100.00	7.957E-03

FE XVII  
2S2 2P6 - 2S2 2P5 3P(3S)  
ETH = 5.628E+01

X	MANN DWXC
1.01	4.082E-03
1.27	3.308E-03
1.60	2.593E-03
2.01	1.973E-03
2.53	1.462E-03
3.19	1.060E-03
4.01	7.542E-04
5.04	5.277E-04
6.35	3.641E-04
7.99	2.480E-04
10.05	1.671E-04
12.65	1.115E-04
15.91	7.380E-05
20.02	4.847E-05
25.19	3.162E-05
31.70	2.052E-05
39.89	1.325E-05
50.19	8.526E-06
63.16	5.465E-06
79.47	3.492E-06
100.00	2.222E-06

FE XVII  
2S2 2P6 - 2S2 2P5 3P(10)  
ETH = 5.528E+01

X	MANN DWXC
1.01	3.825E-03
1.27	3.557E-03
1.60	3.399E-03
2.01	3.335E-03
2.53	3.361E-03
3.19	3.449E-03
4.01	3.578E-03
5.04	3.726E-03
6.35	3.878E-03
7.99	4.023E-03
10.05	4.154E-03
12.65	4.269E-03
15.91	4.366E-03
20.02	4.448E-03
25.19	4.508E-03
31.70	4.547E-03
39.89	4.567E-03
50.19	4.565E-03
63.16	4.543E-03
79.47	4.502E-03
100.00	4.454E-03

FE XVII  
2S2 2P6 - 2S2 2P5 3P(1P)  
ETH = 5.628E+01

X	MANN DWXC
1.01	1.901E-03
1.27	1.475E-03
1.60	1.109E-03
2.01	8.047E-04
2.53	5.676E-04
3.19	3.899E-04
4.01	2.614E-04
5.04	1.713E-04
6.35	1.110E-04
7.99	7.063E-05
10.05	4.444E-05
12.65	2.772E-05
15.91	1.717E-05
20.02	1.060E-05
25.19	6.527E-06
31.70	4.018E-06
39.89	2.475E-06
50.19	1.527E-06
63.16	9.443E-07
79.47	5.850E-07
100.00	3.627E-07

FE XVII  
2S2 2P6 - 2S2 2P5 3P(1S)  
ETH = 5.628E+01

X	MANN DWXC
1.01	4.889E-02
1.27	5.075E-02
1.60	5.239E-02
2.01	5.375E-02
2.53	5.494E-02
3.19	5.566E-02
4.01	5.625E-02
5.04	5.664E-02
6.35	5.688E-02
7.99	5.702E-02
10.05	5.707E-02
12.65	5.706E-02
15.91	5.702E-02
20.02	5.696E-02
25.19	5.689E-02
31.70	5.682E-02
39.89	5.675E-02
50.19	5.667E-02
63.16	5.660E-02
79.47	5.653E-02
100.00	5.650E-02

FE XVII  
2S2 2P6 - 2S2 2P5 3D(3F)  
ETH = 5.959E+01

X	MANN DWXC
1.01	1.728E-02
1.27	1.285E-02
1.60	9.490E-03
2.01	7.079E-03
2.53	5.432E-03
3.19	4.359E-03
4.01	3.692E-03
5.04	3.297E-03
6.35	3.076E-03
7.99	2.954E-03
10.05	2.916E-03
12.65	2.907E-03
15.91	2.919E-03
20.02	2.943E-03
25.19	2.971E-03
31.70	3.000E-03
39.89	3.028E-03
50.19	3.053E-03
63.16	3.075E-03
79.47	3.095E-03
100.00	3.111E-03

FE XVII  
2S2 2P6 - 2S2 2P5 3D(3D)  
ETH = 5.959E+01

X	MANN DWXC
1.01	3.424E-02
1.27	3.712E-02
1.60	4.145E-02
2.01	4.705E-02
2.53	5.371E-02
3.19	6.124E-02
4.01	6.946E-02
5.04	7.825E-02
6.35	8.749E-02
7.99	9.709E-02
10.05	1.070E-01
12.65	1.171E-01
15.91	1.275E-01
20.02	1.380E-01
25.19	1.486E-01
31.70	1.593E-01
39.89	1.701E-01
50.19	1.809E-01
63.16	1.917E-01
79.47	2.025E-01
100.00	2.133E-01

FE XVII  
2S2 2P6 - 2S2 2P5 3D(3P)  
ETH = 5.959E+01

X	MANN DWXC
1.01	1.819E-02
1.27	1.348E-02
1.60	9.798E-03
2.01	7.046E-03
2.53	5.074E-03
3.19	3.720E-03
4.01	2.835E-03
5.04	2.288E-03
6.35	1.978E-03
7.99	1.829E-03
10.05	1.788E-03
12.65	1.816E-03
15.91	1.890E-03
20.02	1.993E-03
25.19	2.115E-03
31.70	2.248E-03
39.89	2.389E-03
50.19	2.534E-03
63.16	2.682E-03
79.47	2.832E-03
100.00	2.982E-03

FE XVII  
2S2 2P6 - 2S2 2P5 3D(1F)  
ETH = 5.959E+01

X	MANN DWXC
1.01	4.568E-03
1.27	3.854E-03
1.60	3.404E-03
2.01	3.153E-03
2.53	3.071E-03
3.19	3.075E-03
4.01	3.131E-03
5.04	3.213E-03
6.35	3.303E-03
7.99	3.392E-03
10.05	3.476E-03
12.65	3.554E-03
15.91	3.625E-03
20.02	3.690E-03
25.19	3.747E-03
31.70	3.798E-03
39.89	3.842E-03
50.19	3.880E-03
63.16	3.911E-03
79.47	3.939E-03
100.00	3.959E-03

FE XVII  
2S2 2P6 - 2S2 2P5 3D(1D)  
ETH = 5.959E+J1

X	MANN DWXC
1.01	3.307E-03
1.27	2.303E-03
1.60	1.546E-03
2.01	1.005E-03
2.53	6.345E-04
3.19	3.912E-04
4.01	2.369E-04
5.04	1.416E-04
6.35	8.413E-05
7.99	4.989E-05
10.05	2.964E-05
12.65	1.771E-05
15.91	1.066E-05
20.02	6.467E-06
25.19	3.954E-06
31.70	2.434E-06
39.89	1.507E-06
50.19	9.380E-07
63.16	5.859E-07
79.47	3.671E-07
100.00	2.305E-07

FE XVII  
2S2 2P6 - 2S2 2P5 3D(1P)  
ETH = 5.959E+J1

X	MANN DWXC
1.01	8.844E-02
1.27	1.084E-01
1.60	1.310E-01
2.01	1.562E-01
2.53	1.836E-01
3.19	2.129E-01
4.01	2.441E-01
5.04	2.768E-01
6.35	3.108E-01
7.99	3.461E-01
10.05	3.823E-01
12.65	4.194E-01
15.91	4.572E-01
20.02	4.956E-01
25.19	5.344E-01
31.70	5.736E-01
39.89	6.130E-01
50.19	6.525E-01
63.16	6.921E-01
79.47	7.317E-01
100.00	7.713E-01

FE XVII  
2S2 2P6 - 2S1 2P6 3S(3S)  
ETH = 6.326E+01

X	MANN DWXC
1.01	1.321E-03
1.27	9.745E-04
1.60	6.970E-04
2.01	4.877E-04
2.53	3.367E-04
3.19	2.305E-04
4.01	1.569E-04
5.04	1.061E-04
6.35	7.138E-05
7.99	4.769E-05
10.05	3.166E-05
12.65	2.089E-05
15.91	1.371E-05
20.02	8.954E-06
25.19	5.824E-06
31.70	3.775E-06
39.89	2.439E-06
50.19	1.571E-06
63.16	1.009E-06
79.47	6.452E-07
100.00	4.098E-07

FE XVII  
2S2 2P6 - 2S1 2P6 3S(1S)  
ETH = 6.371E+01

X	MANN DWX
1.01	1.456E-02
1.27	1.549E-02
1.60	1.632E-02
2.01	1.704E-02
2.53	1.763E-02
3.19	1.810E-02
4.01	1.847E-02
5.04	1.875E-02
6.35	1.895E-02
7.99	1.910E-02
10.05	1.920E-02
12.65	1.927E-02
15.91	1.931E-02
20.02	1.934E-02
25.19	1.936E-02
31.70	1.937E-02
39.89	1.937E-02
50.19	1.937E-02
63.16	1.936E-02
79.47	1.936E-02
100.00	1.936E-02

FE XVII  
2S2 2P6 - 2S1 2P6 3P(1P)  
ETH = 6.585E+01

X	MANN DWXC
1.01	2.291E-03
1.27	3.652E-03
1.60	5.430E-03
2.01	7.603E-03
2.53	1.014E-02
3.19	1.300E-02
4.01	1.614E-02
5.04	1.952E-02
6.35	2.310E-02
7.99	2.686E-02
10.05	3.076E-02
12.65	3.478E-02
15.91	3.892E-02
20.02	4.315E-02
25.19	4.744E-02
31.70	5.180E-02
39.89	5.620E-02
50.19	6.063E-02
63.16	6.508E-02
79.47	6.955E-02
100.00	7.401E-02

FE XVII  
2S2 2P6 - 2S1 2P6 3P(3P)  
ETH = 6.585E+01

X	MANN DWXC
1.01	2.719E-03
1.27	2.338E-03
1.60	2.097E-03
2.01	1.982E-03
2.53	1.986E-03
3.19	2.099E-03
4.01	2.306E-03
5.04	2.594E-03
6.35	2.943E-03
7.99	3.342E-03
10.05	3.777E-03
12.65	4.241E-03
15.91	4.727E-03
20.02	5.230E-03
25.19	5.745E-03
31.70	6.269E-03
39.89	6.800E-03
50.19	7.336E-03
63.16	7.875E-03
79.47	8.417E-03
100.00	8.958E-03

FE XVII  
2S2 2P6 - 2S1 2P6 3D(1D)  
ETH = 6.911E+01

X	MANN DWXC
1.01	1.324E-02
1.27	1.706E-02
1.60	2.099E-02
2.01	2.485E-02
2.53	2.853E-02
3.19	3.193E-02
4.01	3.497E-02
5.04	3.761E-02
6.35	3.986E-02
7.99	4.172E-02
10.05	4.322E-02
12.65	4.440E-02
15.91	4.533E-02
20.02	4.602E-02
25.19	4.650E-02
31.70	4.679E-02
39.89	4.687E-02
50.19	4.679E-02
63.16	4.657E-02
79.47	4.619E-02
100.00	4.575E-02

FE XVII  
2S2 2P6 - 2S1 2P6 3D(3D)  
ETH = 6.911E+01

X	MANN DWXC
1.01	1.042E-02
1.27	7.551E-03
1.60	5.332E-03
2.01	3.689E-03
2.53	2.517E-03
3.19	1.704E-03
4.01	1.155E-03
5.04	7.908E-04
6.35	5.527E-04
7.99	3.989E-04
10.05	3.006E-04
12.65	2.383E-04
15.91	1.990E-04
20.02	1.745E-04
25.19	1.591E-04
31.70	1.493E-04
39.89	1.429E-04
50.19	1.385E-04
63.16	1.353E-04
79.47	1.326E-04
100.00	1.303E-04

FE XVIII  
2P5 - 2P4 3S(4P)  
ETH = 5.742E+01

X	MANN DWXC
1.01	7.926E-03
1.27	7.184E-03
1.60	6.724E-03
2.01	6.557E-03
2.53	6.593E-03
3.19	7.128E-03
4.01	7.936E-03
5.04	8.783E-03
6.35	9.922E-03
7.99	1.121E-02
10.05	1.262E-02
12.65	1.412E-02
15.91	1.569E-02
20.02	1.729E-02
25.19	1.895E-02
31.70	2.062E-02
39.89	2.232E-02
50.19	2.403E-02
63.16	2.575E-02
79.47	2.748E-02
100.00	2.921E-02

FE XVIII  
 2P5 - 2P4 3S(2P)  
 ETH = 5.742E+01

X	MANN	DWXC
1.01	4.709E-03	
1.27	5.915E-03	
1.60	7.661E-03	
2.01	9.932E-03	
2.53	1.269E-02	
3.19	1.589E-02	
4.01	1.946E-02	
5.04	2.335E-02	
6.35	2.750E-02	
7.99	3.185E-02	
10.05	3.637E-02	
12.65	4.102E-02	
15.91	4.579E-02	
20.02	5.064E-02	
25.19	5.557E-02	
31.70	6.055E-02	
39.89	6.557E-02	
50.19	7.062E-02	
63.16	7.569E-02	
79.47	8.077E-02	
100.00	8.586E-02	

FE XVIII  
 2P5 - 2P4 3S(2D)  
 ETH = 5.742E+01

X	MANN	DWXC
1.01	7.069E-03	
1.27	7.432E-03	
1.60	8.278E-03	
2.01	9.605E-03	
2.53	1.139E-02	
3.19	1.361E-02	
4.01	1.620E-02	
5.04	1.912E-02	
6.35	2.229E-02	
7.99	2.567E-02	
10.05	2.922E-02	
12.65	3.290E-02	
15.91	3.668E-02	
20.02	4.054E-02	
25.19	4.447E-02	
31.70	4.844E-02	
39.89	5.245E-02	
50.19	5.649E-02	
63.16	6.054E-02	
79.47	6.461E-02	
100.00	6.867E-02	

FE XVIII  
 2P5 - 2P4 3S(2S)  
 ETH = 5.742E+01

X	MANN	DWXC
1.01	1.413E-03	
1.27	1.485E-03	
1.60	1.654E-03	
2.01	1.918E-03	
2.53	2.274E-03	
3.19	2.716E-03	
4.01	3.233E-03	
5.04	3.819E-03	
6.35	4.448E-03	
7.99	5.123E-03	
10.05	5.830E-03	
12.65	6.564E-03	
15.91	7.319E-03	
20.02	8.090E-03	
25.19	8.873E-03	
31.70	9.666E-03	
39.89	1.047E-02	
50.19	1.127E-02	
63.16	1.208E-02	
79.47	1.289E-02	
100.00	1.370E-02	

FE XVIII  
 2P5 - 2P4(3P)3D(4F)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	4.907E-02	
1.27	3.697E-02	
1.60	2.801E-02	
2.01	2.177E-02	
2.53	1.772E-02	
3.19	1.534E-02	
4.01	1.416E-02	
5.04	1.380E-02	
6.35	1.398E-02	
7.99	1.452E-02	
10.05	1.529E-02	
12.65	1.620E-02	
15.91	1.721E-02	
20.02	1.827E-02	
25.19	1.936E-02	
31.70	2.047E-02	
39.89	2.159E-02	
50.19	2.271E-02	
63.16	2.382E-02	
79.47	2.490E-02	
100.00	2.594E-02	

FE XVIII  
 2P5 - 2P4(3P)3D(2F)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	5.023E-02	
1.27	5.320E-02	
1.60	5.821E-02	
2.01	6.497E-02	
2.53	7.315E-02	
3.19	8.250E-02	
4.01	9.271E-02	
5.04	1.036E-01	
6.35	1.151E-01	
7.99	1.270E-01	
10.05	1.392E-01	
12.65	1.518E-01	
15.91	1.645E-01	
20.02	1.775E-01	
25.19	1.906E-01	
31.70	2.037E-01	
39.89	2.169E-01	
50.19	2.302E-01	
63.16	2.434E-01	
79.47	2.565E-01	
100.00	2.695E-01	

FE XVIII  
 2P5 - 2P4(3P)3D(4D)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	5.203E-02	
1.27	3.807E-02	
1.60	2.722E-02	
2.01	1.912E-02	
2.53	1.332E-02	
3.19	9.312E-03	
4.01	6.636E-03	
5.04	4.910E-03	
6.35	3.838E-03	
7.99	3.202E-03	
10.05	2.850E-03	
12.65	2.682E-03	
15.91	2.529E-03	
20.02	2.450E-03	
25.19	2.715E-03	
31.70	2.807E-03	
39.89	2.916E-03	
50.19	3.035E-03	
63.16	3.156E-03	
79.47	3.278E-03	
100.00	3.392E-03	

FE XVIII  
 2P5 - 2P4(3P)3D(2D)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	5.955E-02	
1.27	7.617E-02	
1.60	8.533E-02	
2.01	9.678E-02	
2.53	1.102E-01	
3.19	1.252E-01	
4.01	1.417E-01	
5.04	1.592E-01	
6.35	1.777E-01	
7.99	1.970E-01	
10.05	2.169E-01	
12.65	2.372E-01	
15.91	2.580E-01	
20.02	2.792E-01	
25.19	3.006E-01	
31.70	3.222E-01	
39.89	3.439E-01	
50.19	3.656E-01	
63.16	3.874E-01	
79.47	4.091E-01	
100.00	4.308E-01	

FE XVIII  
 2P5 - 2P4(3P)3D(4P)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	4.978E-02	
1.27	5.041E-02	
1.60	5.319E-02	
2.01	5.785E-02	
2.53	6.409E-02	
3.19	7.160E-02	
4.01	8.011E-02	
5.04	8.942E-02	
6.35	9.935E-02	
7.99	1.098E-01	
10.05	1.205E-01	
12.65	1.316E-01	
15.91	1.430E-01	
20.02	1.545E-01	
25.19	1.661E-01	
31.70	1.779E-01	
39.89	1.897E-01	
50.19	2.015E-01	
63.16	2.134E-01	
79.47	2.252E-01	
100.00	2.369E-01	

FE XVIII  
 2P5 - 2P4(3P)3D(2P)  
 ETH = 6.301E+01

X	MANN	DWXC
1.01	2.079E-02	
1.27	1.839E-02	
1.60	1.704E-02	
2.01	1.664E-02	
2.53	1.701E-02	
3.19	1.801E-02	
4.01	1.949E-02	
5.04	2.133E-02	
6.35	2.344E-02	
7.99	2.574E-02	
10.05	2.819E-02	
12.65	3.075E-02	
15.91	3.338E-02	
20.02	3.608E-02	
25.19	3.881E-02	
31.70	4.157E-02	
39.89	4.436E-02	
50.19	4.715E-02	
63.16	4.994E-02	
79.47	5.273E-02	
100.00	5.551E-02	

FE XVIII  
 2P5 - 2P4(10)3D(2G)  
 ETH = 6.301E+01

X	MANN DWXC
1.01	2.328E-02
1.27	2.222E-02
1.60	1.784E-02
2.01	1.488E-02
2.53	1.300E-02
3.19	1.191E-02
4.01	1.135E-02
5.04	1.112E-02
6.35	1.109E-02
7.99	1.117E-02
10.05	1.132E-02
12.65	1.149E-02
15.91	1.166E-02
20.02	1.184E-02
25.19	1.201E-02
31.70	1.216E-02
39.89	1.229E-02
50.19	1.241E-02
63.16	1.251E-02
79.47	1.260E-02
100.00	1.256E-02

FE XVIII  
 2P5 - 2P4(10)3D(2F)  
 ETH = 6.301E+01

X	MANN DWXC
1.01	2.493E-02
1.27	2.114E-02
1.60	1.886E-02
2.01	1.784E-02
2.53	1.781E-02
3.19	1.853E-02
4.01	1.977E-02
5.04	2.137E-02
6.35	2.321E-02
7.99	2.522E-02
10.05	2.734E-02
12.65	2.953E-02
15.91	3.178E-02
20.02	3.407E-02
25.19	3.638E-02
31.70	3.869E-02
39.89	4.102E-02
50.19	4.333E-02
63.16	4.564E-02
79.47	4.790E-02
100.00	5.011E-02

FE XVIII  
 2P5 - 2P4(10)3D(2D)  
 ETH = 6.301E+01

X	MANN DWXC
1.01	2.142E-01
1.27	2.555E-01
1.60	3.032E-01
2.01	3.569E-01
2.53	4.158E-01
3.19	4.795E-01
4.01	5.473E-01
5.04	6.188E-01
6.35	6.934E-01
7.99	7.707E-01
10.05	8.502E-01
12.65	9.318E-01
15.91	1.015E+00
20.02	1.099E+00
25.19	1.185E+00
31.70	1.271E+00
39.89	1.358E+00
50.19	1.445E+00
63.16	1.532E+00
79.47	1.619E+00
100.00	1.706E+00

FE XVIII  
 2P5 - 2P4(10)3D(2P)  
 ETH = 5.301E+01

X	MANN DWXC
1.01	1.562E-01
1.27	1.852E-01
1.60	2.188E-01
2.01	2.569E-01
2.53	2.988E-01
3.19	3.442E-01
4.01	3.926E-01
5.04	4.438E-01
6.35	4.972E-01
7.99	5.526E-01
10.05	6.097E-01
12.65	6.682E-01
15.91	7.279E-01
20.02	7.885E-01
25.19	8.499E-01
31.70	9.117E-01
39.89	9.740E-01
50.19	1.036E+00
63.16	1.099E+00
79.47	1.162E+00
100.00	1.224E+00

FE XVIII  
 2P5 - 2P4(10)3D(2S)  
 ETH = 5.301E+01

X	MANN DWXC
1.01	3.981E-02
1.27	4.537E-02
1.60	5.221E-02
2.01	6.025E-02
2.53	6.934E-02
3.19	7.937E-02
4.01	9.020E-02
5.04	1.017E-01
6.35	1.138E-01
7.99	1.264E-01
10.05	1.394E-01
12.65	1.528E-01
15.91	1.664E-01
20.02	1.802E-01
25.19	1.943E-01
31.70	2.084E-01
39.89	2.226E-01
50.19	2.369E-01
63.16	2.512E-01
79.47	2.655E-01
100.00	2.798E-01

FE XVIII  
 2P5 - 2P4(15)3D(2D)  
 ETH = 6.301E+01

X	MANN DWXC
1.01	8.047E-02
1.27	9.053E-02
1.60	1.034E-01
2.01	1.189E-01
2.53	1.365E-01
3.19	1.561E-01
4.01	1.773E-01
5.04	1.998E-01
6.35	2.235E-01
7.99	2.481E-01
10.05	2.735E-01
12.65	2.995E-01
15.91	3.261E-01
20.02	3.531E-01
25.19	3.805E-01
31.70	4.080E-01
39.89	4.357E-01
50.19	4.635E-01
63.16	4.914E-01
79.47	5.192E-01
100.00	5.470E-01

FE XVIII  
 2S2 2P5 - 2S 2P6  
 ETH = 3.390E+00

X	MANN DWXC
1.01	4.469E-01
1.27	4.555E-01
1.60	4.659E-01
2.01	4.782E-01
2.53	4.929E-01
3.19	5.102E-01
4.01	5.301E-01
5.04	5.529E-01
6.35	5.783E-01
7.99	6.066E-01
10.05	6.375E-01
12.65	6.703E-01
15.91	7.061E-01
20.02	7.430E-01
25.19	7.812E-01
31.70	8.204E-01
39.89	8.600E-01
50.19	8.998E-01
63.16	9.396E-01
79.47	9.792E-01
100.00	1.018E+00

FE XVIII  
 2S2 2P5 - 2S 2P5(3P)3P(4D)  
 ETH = 6.851E+01

X	MANN DWXC
1.01	9.874E-03
1.27	1.023E-02
1.60	1.134E-02
2.01	1.314E-02
2.53	1.557E-02
3.19	1.856E-02
4.01	2.202E-02
5.04	2.589E-02
6.35	3.008E-02
7.99	3.454E-02
10.05	3.922E-02
12.65	4.408E-02
15.91	4.909E-02
20.02	5.423E-02
25.19	5.946E-02
31.70	6.476E-02
39.89	7.012E-02
50.19	7.553E-02
63.16	8.096E-02
79.47	8.641E-02
100.00	9.186E-02

FE XVIII  
 2S2 2P5 - 2S 2P5(3P)3P(2D)  
 ETH = 6.851E+01

X	MANN DWXC
1.01	9.521E-03
1.27	1.116E-02
1.60	1.474E-02
2.01	1.914E-02
2.53	2.433E-02
3.19	3.021E-02
4.01	3.670E-02
5.04	4.370E-02
6.35	5.115E-02
7.99	5.898E-02
10.05	6.712E-02
12.65	7.554E-02
15.91	8.419E-02
20.02	9.304E-02
25.19	1.020E-01
31.70	1.112E-01
39.89	1.204E-01
50.19	1.297E-01
63.16	1.390E-01
79.47	1.483E-01
100.00	1.577E-01

FE XVIII  
2S2 2P5 - 2S 2P5(3P)3P(4P)  
ETH = 6.851E+01

X	MANN DWXC
1.01	8.125E-03
1.27	9.861E-03
1.60	1.237E-02
2.01	1.561E-02
2.53	1.950E-02
3.19	2.399E-02
4.01	2.899E-02
5.04	3.442E-02
6.35	4.023E-02
7.99	4.634E-02
10.05	5.271E-02
12.65	5.930E-02
15.91	6.609E-02
20.02	7.302E-02
25.19	8.008E-02
31.70	8.723E-02
39.89	9.446E-02
50.19	1.017E-01
63.16	1.091E-01
79.47	1.164E-01
100.00	1.239E-01

FE XVIII  
2S2 2P5 - 2S 2P5(3P)3P(2P)  
ETH = 6.851E+01

X	MANN DWXC
1.01	5.560E-03
1.27	9.156E-03
1.60	1.250E-02
2.01	1.655E-02
2.53	2.128E-02
3.19	2.659E-02
4.01	3.239E-02
5.04	3.864E-02
6.35	4.528E-02
7.99	5.223E-02
10.05	5.946E-02
12.65	6.693E-02
15.91	7.460E-02
20.02	8.244E-02
25.19	9.042E-02
31.70	9.850E-02
39.89	1.067E-01
50.19	1.149E-01
63.16	1.232E-01
79.47	1.315E-01
100.00	1.397E-01

FE XVIII  
2S2 2P5 - 2S 2P5(3P)3P(4S)  
ETH = 6.851E+01

X	MANN DWXC
1.01	1.403E-03
1.27	1.077E-03
1.60	3.195E-04
2.01	6.208E-04
2.53	4.737E-04
3.19	3.711E-04
4.01	3.048E-04
5.04	2.570E-04
6.35	2.504E-04
7.99	2.491E-04
10.05	2.584E-04
12.65	2.751E-04
15.91	2.967E-04
20.02	3.218E-04
25.19	3.491E-04
31.70	3.779E-04
39.89	4.077E-04
50.19	4.383E-04
63.16	4.692E-04
79.47	5.005E-04
100.00	5.318E-04

FE XVIII  
2S2 2P5 - 2S 2P5(3P)3P(2S)  
ETH = 6.851E+01

X	MANN DWXC
1.01	2.843E-03
1.27	4.163E-03
1.60	5.329E-03
2.01	7.825E-03
2.53	1.012E-02
3.19	1.269E-02
4.01	1.550E-02
5.04	1.852E-02
6.35	2.171E-02
7.99	2.505E-02
10.05	2.852E-02
12.65	3.211E-02
15.91	3.579E-02
20.02	3.956E-02
25.19	4.338E-02
31.70	4.726E-02
39.89	5.118E-02
50.19	5.513E-02
63.16	5.910E-02
79.47	6.308E-02
100.00	6.705E-02

FE XVIII  
2S2 2P5 - 2S 2P5(1P)3P(2D)  
ETH = 6.851E+01

X	MANN DWXC
1.01	6.597E-03
1.27	7.923E-03
1.60	9.870E-03
2.01	1.240E-02
2.53	1.545E-02
3.19	1.898E-02
4.01	2.291E-02
5.04	2.719E-02
6.35	3.177E-02
7.99	3.659E-02
10.05	4.162E-02
12.65	4.693E-02
15.91	5.218E-02
20.02	5.765E-02
25.19	6.323E-02
31.70	6.887E-02
39.89	7.458E-02
50.19	8.033E-02
63.16	8.611E-02
79.47	9.191E-02
100.00	9.771E-02

FE XVIII  
2S2 2P5 - 2S 2P5(1P)3P(2P)  
ETH = 6.851E+01

X	MANN DWXC
1.01	4.721E-03
1.27	6.044E-03
1.60	7.351E-03
2.01	1.011E-02
2.53	1.279E-02
3.19	1.534E-02
4.01	1.921E-02
5.04	2.286E-02
6.35	2.674E-02
7.99	3.083E-02
10.05	3.508E-02
12.65	3.947E-02
15.91	4.399E-02
20.02	4.861E-02
25.19	5.331E-02
31.70	5.808E-02
39.89	6.289E-02
50.19	6.774E-02
63.16	7.262E-02
79.47	7.751E-02
100.00	8.240E-02

FE XVIII  
2S2 2P5 - 2S 2P5(1P)3P(2S)  
ETH = 6.851E+01

X	MANN DWXC
1.01	7.334E-04
1.27	5.928E-04
1.60	4.910E-04
2.01	4.230E-04
2.53	3.850E-04
3.19	3.729E-04
4.01	3.824E-04
5.04	4.089E-04
6.35	4.486E-04
7.99	4.930E-04
10.05	5.546E-04
12.65	6.165E-04
15.91	6.824E-04
20.02	7.511E-04
25.19	8.217E-04
31.70	8.942E-04
39.89	9.676E-04
50.19	1.042E-03
63.16	1.116E-03
79.47	1.191E-03
100.00	1.266E-03

FE XIX  
2P4(3P) - 2P4(1D)  
ETH = 1.228E+00

X	MANN DWXC
1.01	1.255E-01
1.38	1.247E-01
1.88	1.236E-01
2.56	1.221E-01
3.49	1.202E-01
4.76	1.176E-01
6.50	1.142E-01
8.86	1.099E-01
12.08	1.045E-01
16.48	9.762E-02
22.47	8.957E-02
30.65	8.037E-02
41.79	7.035E-02
57.00	6.003E-02
77.73	5.017E-02
106.00	4.138E-02
144.56	3.416E-02
197.14	2.870E-02
268.85	2.487E-02
366.64	2.238E-02
500.00	2.084E-02

FE XIX  
2P4(3P) - 2P4(1S)  
ETH = 2.653E+00

X	MANN DWXC
1.01	1.683E-02
1.38	1.656E-02
1.88	1.619E-02
2.56	1.571E-02
3.49	1.509E-02
4.76	1.430E-02
6.50	1.330E-02
8.86	1.209E-02
12.08	1.069E-02
16.48	9.124E-03
22.47	7.473E-03
30.65	5.341E-03
41.79	4.346E-03
57.00	3.077E-03
77.73	2.086E-03
106.00	1.369E-03
144.56	8.879E-04
197.14	5.347E-04
268.85	4.037E-04
366.64	2.399E-04
500.00	2.420E-04

FE XIX  
2S2 2P4(3P) - 2S 2P5(3P)  
ETH = 8.335E+00

X	MANN DWXC
1.01	1.280E+00
1.27	1.303E+00
1.50	1.330E+00
2.01	1.362E+00
2.53	1.401E+00
3.19	1.447E+00
4.01	1.501E+00
5.04	1.562E+00
6.35	1.631E+00
7.99	1.709E+00
10.05	1.794E+00
12.65	1.886E+00
15.91	1.984E+00
20.02	2.086E+00
25.19	2.193E+00
31.70	2.303E+00
39.89	2.414E+00
50.19	2.526E+00
63.16	2.638E+00
79.47	2.749E+00
100.00	2.859E+00

FE XIX  
2S2 2P4(3P) - 2S 2P5(1P)  
ETH = 1.124E+01

X	MANN DWXC
1.01	5.752E-02
1.27	5.815E-02
1.60	5.889E-02
2.01	5.980E-02
2.53	6.086E-02
3.19	6.212E-02
4.01	6.358E-02
5.04	6.528E-02
6.35	6.722E-02
7.99	6.944E-02
10.05	7.195E-02
12.65	7.477E-02
15.91	7.788E-02
20.02	8.126E-02
25.19	8.489E-02
31.70	9.871E-02
39.89	9.267E-02
50.19	9.673E-02
63.16	1.008E-01
79.47	1.050E-01
100.00	1.091E-01

FE XX  
2S2 2P3(4S) - 2S 2P4(4P)  
ETH = 7.189E+00

X	MANN DWXC
1.01	8.405E-01
1.23	8.515E-01
1.49	8.646E-01
1.81	8.799E-01
2.20	8.979E-01
2.68	9.193E-01
3.26	9.423E-01
3.96	9.697E-01
4.81	1.001E+00
5.85	1.036E+00
7.11	1.074E+00
8.64	1.116E+00
10.50	1.162E+00
12.76	1.211E+00
15.51	1.263E+00
18.85	1.318E+00
22.91	1.375E+00
27.85	1.433E+00
33.85	1.493E+00
41.14	1.553E+00
50.00	1.614E+00

FE XX  
2S2 2P3(4S) - 2S 2P4(2D)  
ETH = 9.440E+00

X	MANN DWXC
1.01	1.820E-02
1.23	1.842E-02
1.49	1.868E-02
1.81	1.899E-02
2.20	1.933E-02
2.68	1.974E-02
3.26	2.021E-02
3.96	2.075E-02
4.81	2.135E-02
5.85	2.202E-02
7.11	2.276E-02
8.64	2.357E-02
10.50	2.446E-02
12.76	2.541E-02
15.51	2.642E-02
18.85	2.748E-02
22.91	2.850E-02
27.85	2.975E-02
33.85	3.094E-02
41.14	3.215E-02
50.00	3.337E-02

FE XX  
2S2 2P3(4S) - 2S 2P4(2S)  
ETH = 1.060E+01

X	MANN DWXC
1.01	6.102E-03
1.23	6.144E-03
1.49	6.193E-03
1.81	6.246E-03
2.20	6.312E-03
2.68	6.389E-03
3.26	6.477E-03
3.96	6.578E-03
4.81	6.693E-03
5.85	6.824E-03
7.11	6.972E-03
8.64	7.141E-03
10.50	7.330E-03
12.76	7.541E-03
15.51	7.775E-03
18.85	8.031E-03
22.91	8.307E-03
27.85	8.602E-03
33.85	8.911E-03
41.14	9.233E-03
50.00	9.564E-03

FE XX  
2S2 2P3(4S) - 2S 2P4(2P)  
ETH = 1.134E+01

X	MANN DWXC
1.01	2.315E-02
1.23	2.832E-02
1.49	2.850E-02
1.81	2.972E-02
2.20	2.896E-02
2.68	2.928E-02
3.26	2.963E-02
3.96	3.003E-02
4.81	3.049E-02
5.85	3.102E-02
7.11	3.163E-02
8.64	3.233E-02
10.50	3.314E-02
12.76	3.404E-02
15.51	3.506E-02
18.85	3.618E-02
22.91	3.740E-02
27.85	3.870E-02
33.85	4.008E-02
41.14	4.152E-02
50.00	4.300E-02

FE XXI  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 3.356E+00

X	MANN DWXC
1.01	4.019E-02
1.23	4.013E-02
1.49	4.012E-02
1.81	4.011E-02
2.20	4.010E-02
2.68	4.008E-02
3.26	4.004E-02
3.96	3.999E-02
4.81	3.990E-02
5.85	3.980E-02
7.11	3.967E-02
8.64	3.950E-02
10.50	3.930E-02
12.76	3.906E-02
15.51	3.890E-02
18.85	3.853E-02
22.91	3.829E-02
27.85	3.807E-02
33.85	3.794E-02
41.14	3.792E-02
50.00	3.802E-02

FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 6.456E+00

X	MANN DWXC
1.01	8.776E-01
1.23	8.876E-01
1.49	8.996E-01
1.81	9.137E-01
2.20	9.302E-01
2.68	9.491E-01
3.26	9.714E-01
3.96	9.970E-01
4.81	1.026E+00
5.85	1.059E+00
7.11	1.095E+00
8.64	1.135E+00
10.50	1.179E+00
12.76	1.226E+00
15.51	1.277E+00
18.85	1.330E+00
22.91	1.385E+00
27.85	1.442E+00
33.85	1.501E+00
41.14	1.561E+00
50.00	1.621E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 7.681E+00

X	MANN DWXC
1.01	7.507E-01
1.23	7.607E-01
1.49	7.725E-01
1.81	7.865E-01
2.20	8.024E-01
2.68	8.214E-01
3.26	8.433E-01
3.96	8.653E-01
4.81	8.866E-01
5.85	9.284E-01
7.11	9.636E-01
8.64	1.002E+00
10.50	1.044E+00
12.76	1.089E+00
15.51	1.136E+00
18.85	1.186E+00
22.91	1.238E+00
27.85	1.291E+00
33.85	1.346E+00
41.14	1.401E+00
50.00	1.456E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 9.069E+00

X	MANN DWXC
1.01	5.256E-01
1.23	5.349E-01
1.49	6.459E-01
1.81	6.588E-01
2.20	6.735E-01
2.68	6.909E-01
3.26	7.109E-01
3.96	7.337E-01
4.81	7.594E-01
5.85	7.881E-01
7.11	8.198E-01
8.64	8.543E-01
10.50	8.915E-01
12.76	9.313E-01
15.51	9.732E-01
18.85	1.017E+00
22.91	1.062E+00
27.85	1.109E+00
33.85	1.156E+00
41.14	1.203E+00
50.00	1.251E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 9.398E+00

X	MANN DWXC
1.01	1.090E-01
1.23	1.103E-01
1.49	1.120E-01
1.81	1.138E-01
2.20	1.160E-01
2.68	1.186E-01
3.26	1.215E-01
3.96	1.249E-01
4.81	1.287E-01
5.85	1.329E-01
7.11	1.376E-01
8.64	1.427E-01
10.50	1.483E-01
12.76	1.543E-01
15.51	1.606E-01
18.85	1.673E-01
22.91	1.742E-01
27.85	1.814E-01
33.85	1.888E-01
41.14	1.963E-01
50.00	2.038E-01

FE XXI  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 1.051E+01

X	MANN DWXC
1.01	2.434E-02
1.23	2.460E-02
1.49	2.490E-02
1.81	2.524E-02
2.20	2.566E-02
2.68	2.614E-02
3.26	2.669E-02
3.96	2.732E-02
4.81	2.803E-02
5.85	2.883E-02
7.11	2.971E-02
8.64	3.069E-02
10.50	3.177E-02
12.76	3.293E-02
15.51	3.418E-02
18.85	3.550E-02
22.91	3.690E-02
27.85	3.839E-02
33.85	3.995E-02
41.14	4.139E-02
50.00	4.295E-02

FE XXI  
2S2 2P2(3P) - 2P1 3D1(3F)  
ETH = 7.426E+01

X	MANN DWXC
1.01	9.577E-02
1.17	9.303E-02
1.36	9.202E-02
1.58	9.253E-02
1.84	9.476E-02
2.13	9.824E-02
2.47	1.029E-01
2.87	1.096E-01
3.33	1.151E-01
3.87	1.225E-01
4.49	1.304E-01
5.22	1.388E-01
6.06	1.477E-01
7.03	1.569E-01
8.17	1.654E-01
9.48	1.762E-01
11.01	1.862E-01
12.78	1.964E-01
14.84	2.068E-01
17.23	2.172E-01
20.00	2.278E-01

FE XXI  
2S2 2P2(3P) - 2P1 3D1(3D)  
ETH = 7.426E+01

X	MANN DWXC
1.01	2.172E-01
1.17	2.345E-01
1.36	2.545E-01
1.58	2.771E-01
1.84	3.021E-01
2.13	3.295E-01
2.47	3.591E-01
2.87	3.906E-01
3.33	4.239E-01
3.87	4.590E-01
4.49	4.955E-01
5.22	5.334E-01
6.06	5.729E-01
7.03	6.127E-01
8.17	6.540E-01
9.48	6.961E-01
11.01	7.390E-01
12.78	7.825E-01
14.84	8.268E-01
17.23	8.715E-01
20.00	9.167E-01

FE XXI  
2S2 2P2(3P) - 2P1 3D1(3P)  
ETH = 7.426E+01

X	MANN DWXC
1.01	1.193E-01
1.17	1.266E-01
1.36	1.354E-01
1.58	1.458E-01
1.84	1.576E-01
2.13	1.708E-01
2.47	1.853E-01
2.87	2.009E-01
3.33	2.175E-01
3.87	2.352E-01
4.49	2.536E-01
5.22	2.728E-01
6.06	2.927E-01
7.03	3.132E-01
8.17	3.342E-01
9.48	3.557E-01
11.01	3.777E-01
12.78	3.999E-01
14.84	4.226E-01
17.23	4.455E-01
20.00	4.686E-01

FE XXI  
2S2 2P2(3P) - 2P1 3D1(1F)  
ETH = 7.426E+01

X	MANN DWXC
1.01	2.154E-02
1.17	2.070E-02
1.36	2.027E-02
1.58	2.023E-02
1.84	2.055E-02
2.13	2.119E-02
2.47	2.213E-02
2.87	2.332E-02
3.33	2.474E-02
3.87	2.633E-02
4.49	2.809E-02
5.22	2.998E-02
6.06	3.197E-02
7.03	3.407E-02
8.17	3.623E-02
9.48	3.847E-02
11.01	4.075E-02
12.78	4.310E-02
14.84	4.549E-02
17.23	4.788E-02
20.00	5.032E-02

FE XXI  
2S2 2P2(3P) - 2P1 3D1(1D)  
ETH = 7.426E+01

X	MANN DWXC
1.01	4.363E-02
1.17	4.574E-02
1.36	4.849E-02
1.58	5.180E-02
1.84	5.566E-02
2.13	6.004E-02
2.47	6.490E-02
2.87	7.019E-02
3.33	7.588E-02
3.87	8.193E-02
4.49	8.829E-02
5.22	9.493E-02
6.06	1.018E-01
7.03	1.090E-01
8.17	1.163E-01
9.48	1.238E-01
11.01	1.314E-01
12.78	1.392E-01
14.84	1.471E-01
17.23	1.551E-01
20.00	1.631E-01

FE XXI  
2S2 2P2(3P) - 2P1 3D1(1P)  
ETH = 7.426E+01

X	MANN DWXC
1.01	6.761E-03
1.17	5.831E-03
1.36	5.160E-03
1.58	4.598E-03
1.84	4.154E-03
2.13	3.844E-03
2.47	3.642E-03
2.87	3.532E-03
3.33	3.498E-03
3.87	3.527E-03
4.49	3.606E-03
5.22	3.726E-03
6.06	3.878E-03
7.03	4.056E-03
8.17	4.253E-03
9.48	4.466E-03
11.01	4.691E-03
12.78	4.925E-03
14.84	5.167E-03
17.23	5.415E-03
20.00	5.667E-03

FE XXII  
2S2 2P - 2S 2P2(4P)  
ETH = 3.536E+00

X	MANN DWXC
1.01	7.447E-02
1.27	7.443E-02
1.60	7.462E-02
2.01	7.477E-02
2.53	7.496E-02
3.19	7.516E-02
4.01	7.539E-02
5.04	7.558E-02
6.35	7.582E-02
7.99	7.604E-02
10.05	7.625E-02
12.65	7.643E-02
15.91	7.659E-02
20.02	7.676E-02
25.19	7.699E-02
31.70	7.735E-02
39.89	7.799E-02
50.19	7.869E-02
63.16	7.979E-02
79.47	8.121E-02
100.00	8.293E-02

FE XXII  
2S2 2P - 2S 2P2(2P)  
ETH = 7.959E+00

X	MANN DWXC
1.01	8.897E-01
1.27	9.039E-01
1.60	9.212E-01
2.01	9.422E-01
2.53	9.668E-01
3.19	9.967E-01
4.01	1.032E+00
5.04	1.072E+00
6.35	1.119E+00
7.99	1.171E+00
10.05	1.228E+00
12.65	1.291E+00
15.91	1.359E+00
20.02	1.430E+00
25.19	1.504E+00
31.70	1.580E+00
39.89	1.657E+00
50.19	1.735E+00
63.16	1.813E+00
79.47	1.990E+00
100.00	1.967E+00

FE XXII  
2S2 2P - 2S 2P2(20)  
ETH = 5.935E+00

X	MANN DWXC
1.01	6.169E-01
1.27	6.248E-01
1.60	6.346E-01
2.01	6.465E-01
2.53	6.609E-01
3.19	6.776E-01
4.01	6.979E-01
5.04	7.215E-01
6.35	7.497E-01
7.99	7.795E-01
10.05	8.140E-01
12.65	8.517E-01
15.91	8.927E-01
20.02	9.354E-01
25.19	9.824E-01
31.70	1.030E+00
39.89	1.079E+00
50.19	1.129E+00
63.16	1.179E+00
79.47	1.229E+00
100.00	1.278E+00

FE XXII  
2S2 2P - 2S 2P2(2S)  
ETH = 6.727E+00

X	MANN DWXC
1.01	2.820E-01
1.27	2.861E-01
1.60	2.912E-01
2.01	2.973E-01
2.53	3.045E-01
3.19	3.133E-01
4.01	3.235E-01
5.04	3.356E-01
6.35	3.495E-01
7.99	3.651E-01
10.05	3.824E-01
12.65	4.014E-01
15.91	4.219E-01
20.02	4.436E-01
25.19	4.663E-01
31.70	4.897E-01
39.89	5.136E-01
50.19	5.378E-01
63.16	5.619E-01
79.47	5.959E-01
100.00	6.097E-01

FE XXII  
2S2 2P - 2S2 3S  
ETH = 7.338E+01

X	MANN DWXC
1.01	3.495E-03
1.27	3.570E-03
1.60	3.851E-03
2.01	4.353E-03
2.53	5.073E-03
3.19	5.997E-03
4.01	7.101E-03
5.04	8.356E-03
6.35	9.734E-03
7.99	1.121E-02
10.05	1.277E-02
12.65	1.438E-02
15.91	1.605E-02
20.02	1.775E-02
25.19	1.949E-02
31.70	2.124E-02
39.89	2.302E-02
50.19	2.480E-02
63.16	2.660E-02
79.47	2.840E-02
100.00	3.020E-02

FE XXII  
2S2 2P - 2S2 3P  
ETH = 7.685E+01

X	MANN DWXC
1.01	1.747E-01
1.27	1.886E-01
1.60	2.079E-01
2.01	2.324E-01
2.53	2.614E-01
3.19	2.943E-01
4.01	3.306E-01
5.04	3.698E-01
6.35	4.114E-01
7.99	4.549E-01
10.05	5.001E-01
12.65	5.466E-01
15.91	5.942E-01
20.02	6.427E-01
25.19	6.917E-01
31.70	7.413E-01
39.89	7.911E-01
50.19	8.412E-01
63.16	8.913E-01
79.47	9.414E-01
100.00	9.914E-01

FE XXII  
2S2 2P - 2S2 3D  
ETH = 7.685E+01

X	MANN DWXC
1.01	1.736E-01
1.27	1.871E-01
1.60	2.059E-01
2.01	2.297E-01
2.53	2.580E-01
3.19	2.902E-01
4.01	3.298E-01
5.04	3.641E-01
6.35	4.048E-01
7.99	4.474E-01
10.05	4.916E-01
12.65	5.371E-01
15.91	5.837E-01
20.02	6.310E-01
25.19	6.790E-01
31.70	7.275E-01
39.89	7.762E-01
50.19	8.252E-01
63.16	8.742E-01
79.47	9.231E-01
100.00	9.720E-01

FE XXII  
2S2 2P - 2S2 4S  
ETH = 7.948E+01

X	MANN DWXC
1.01	1.287E-03
1.27	1.195E-03
1.60	1.162E-03
2.01	1.184E-03
2.53	1.257E-03
3.19	1.374E-03
4.01	1.527E-03
5.04	1.709E-03
6.35	1.910E-03
7.99	2.127E-03
10.05	2.354E-03
12.65	2.597E-03
15.91	2.929E-03
20.02	3.073E-03
25.19	3.320E-03
31.70	3.567E-03
39.89	3.815E-03
50.19	4.062E-03
63.16	4.310E-03
79.47	4.560E-03
100.00	4.817E-03

FE XXIII  
2S2 - 2S 2P(1P)  
ETH = 6.478E+00

X	MANN DWXC
1.01	3.183E-01
1.27	3.228E-01
1.60	3.284E-01
2.01	3.351E-01
2.53	3.432E-01
3.19	3.528E-01
4.01	3.643E-01
5.04	3.777E-01
6.35	3.931E-01
7.99	4.106E-01
10.05	4.301E-01
12.65	4.515E-01
15.91	4.747E-01
20.02	4.993E-01
25.19	5.250E-01
31.70	5.516E-01
39.89	5.788E-01
50.19	6.062E-01
63.16	6.337E-01
79.47	6.610E-01
100.00	6.886E-01



FE XXIII  
 ZS2 - ZS 2P(3P)  
 ETH = 3.703E+00

X	MANN DWXC
1.01	2.124E-02
1.27	2.120E-02
1.60	2.117E-02
2.01	2.115E-02
2.53	2.111E-02
3.19	2.106E-02
4.01	2.099E-02
5.04	2.089E-02
6.35	2.077E-02
7.99	2.062E-02
10.05	2.043E-02
12.65	2.021E-02
15.91	1.996E-02
20.02	1.968E-02
25.19	1.940E-02
31.70	1.915E-02
39.89	1.895E-02
50.19	1.884E-02
63.16	1.882E-02
79.47	1.891E-02
100.00	1.911E-02

FE XXIII  
 ZS 2P(3P) - 2P2(3P)  
 ETH = 5.547E+00

X	MANN DWXC
1.01	1.175E+00
1.27	1.190E+00
1.60	1.208E+00
2.01	1.231E+00
2.53	1.258E+00
3.19	1.290E+00
4.01	1.329E+00
5.04	1.374E+00
6.35	1.426E+00
7.99	1.486E+00
10.05	1.553E+00
12.65	1.626E+00
15.91	1.706E+00
20.02	1.792E+00
25.19	1.881E+00
31.70	1.975E+00
39.89	2.070E+00
50.19	2.168E+00
63.16	2.265E+00
79.47	2.363E+00
100.00	2.459E+00

FE XXIII  
 ZS2 - ZS 3S(1S)  
 ETH = 8.166E+01

X	MANN DWXC
1.01	1.353E-02
1.27	1.424E-02
1.60	1.489E-02
2.01	1.546E-02
2.53	1.594E-02
3.19	1.633E-02
4.01	1.654E-02
5.04	1.689E-02
6.35	1.707E-02
7.99	1.721E-02
10.05	1.731E-02
12.65	1.737E-02
15.91	1.742E-02
20.02	1.745E-02
25.19	1.747E-02
31.70	1.749E-02
39.89	1.749E-02
50.19	1.749E-02
63.16	1.750E-02
79.47	1.750E-02
100.00	1.750E-02

FE XXIII  
 ZS2 - ZS 3S(3S)  
 ETH = 9.108E+01

X	MANN DWXC
1.01	1.230E-03
1.27	9.255E-04
1.60	6.830E-04
2.01	4.936E-04
2.53	3.544E-04
3.19	2.501E-04
4.01	1.744E-04
5.04	1.202E-04
6.35	8.196E-05
7.99	5.535E-05
10.05	3.705E-05
12.65	2.461E-05
15.91	1.624E-05
20.02	1.065E-05
25.19	6.945E-06
31.70	4.511E-06
39.89	2.919E-06
50.19	1.890E-06
63.16	1.209E-06
79.47	7.719E-07
100.00	4.897E-07

FE XXIII  
 ZS2 - ZS 3P(1P)  
 ETH = 8.289E+01

X	MANN DWXC
1.01	5.615E-03
1.27	7.525E-03
1.60	9.854E-03
2.01	1.259E-02
2.53	1.572E-02
3.19	1.921E-02
4.01	2.303E-02
5.04	2.713E-02
6.35	3.149E-02
7.99	3.608E-02
10.05	4.085E-02
12.65	4.579E-02
15.91	5.089E-02
20.02	5.609E-02
25.19	6.139E-02
31.70	6.677E-02
39.89	7.220E-02
50.19	7.768E-02
63.16	8.319E-02
79.47	8.872E-02
100.00	9.425E-02

FE XXIII  
 ZS2 - ZS 3P(3P)  
 ETH = 8.299E+01

X	MANN DWXC
1.01	4.508E-03
1.27	4.720E-03
1.60	5.170E-03
2.01	5.851E-03
2.53	6.783E-03
3.19	7.914E-03
4.01	9.231E-03
5.04	1.071E-02
6.35	1.231E-02
7.99	1.403E-02
10.05	1.584E-02
12.65	1.773E-02
15.91	1.968E-02
20.02	2.168E-02
25.19	2.372E-02
31.70	2.579E-02
39.89	2.788E-02
50.19	2.999E-02
63.16	3.212E-02
79.47	3.425E-02
100.00	3.639E-02

FE XXIII  
 ZS2 - ZS 3D(1D)  
 ETH = 8.433E+01

X	MANN DWXC
1.01	1.729E-02
1.27	2.054E-02
1.60	2.412E-02
2.01	2.762E-02
2.53	3.101E-02
3.19	3.420E-02
4.01	3.712E-02
5.04	3.969E-02
6.35	4.190E-02
7.99	4.374E-02
10.05	4.523E-02
12.65	4.641E-02
15.91	4.734E-02
20.02	4.802E-02
25.19	4.850E-02
31.70	4.879E-02
39.89	4.889E-02
50.19	4.881E-02
63.16	4.863E-02
79.47	4.827E-02
100.00	4.785E-02

FE XXIII  
 ZS2 - ZS 3D(3D)  
 ETH = 8.438E+01

X	MANN DWXC
1.01	8.600E-03
1.27	6.536E-03
1.60	4.854E-03
2.01	3.539E-03
2.53	2.549E-03
3.19	1.829E-03
4.01	1.313E-03
5.04	9.658E-04
6.35	7.294E-04
7.99	5.721E-04
10.05	4.697E-04
12.65	4.039E-04
15.91	3.623E-04
20.02	3.300E-04
25.19	3.195E-04
31.70	3.089E-04
39.89	3.017E-04
50.19	2.963E-04
63.16	2.922E-04
79.47	2.881E-04
100.00	2.844E-04

FE XXI  
 ZS2 - ZS 2P  
 ETH = 4.239E+00

X	MANN DWXC
1.01	4.492E-01
1.34	4.546E-01
1.78	4.628E-01
2.37	4.734E-01
3.15	4.869E-01
4.19	5.033E-01
5.57	5.237E-01
7.41	5.492E-01
9.85	5.768E-01
13.09	6.095E-01
17.41	6.459E-01
23.14	6.855E-01
30.76	7.276E-01
40.39	7.714E-01
54.36	8.162E-01
72.26	8.614E-01
96.06	9.064E-01
127.70	9.508E-01
169.76	9.942E-01
225.67	1.037E+00
300.00	1.078E+00

FE XXIV  
 1S2 2S - 1S2 3S  
 ETH = 8.490E+01

X	MANN DWX
1.01	1.426E-02
1.21	1.459E-02
1.46	1.492E-02
1.75	1.524E-02
2.11	1.554E-02
2.53	1.582E-02
3.05	1.606E-02
3.66	1.626E-02
4.40	1.644E-02
5.29	1.659E-02
6.36	1.671E-02
7.64	1.680E-02
9.18	1.687E-02
11.04	1.693E-02
13.27	1.698E-02
15.95	1.701E-02
19.17	1.704E-02
23.04	1.705E-02
27.69	1.707E-02
33.28	1.708E-02
40.00	1.709E-02

FE XXIV  
 1S2 2S - 1S2 3P  
 ETH = 8.570E+01

X	MANN DWX
1.01	1.094E-02
1.21	1.269E-02
1.46	1.487E-02
1.75	1.748E-02
2.11	2.052E-02
2.53	2.396E-02
3.05	2.778E-02
3.66	3.195E-02
4.40	3.644E-02
5.29	4.122E-02
6.36	4.624E-02
7.64	5.150E-02
9.18	5.695E-02
11.04	6.257E-02
13.27	6.836E-02
15.95	7.427E-02
19.17	8.030E-02
23.04	8.643E-02
27.69	9.264E-02
33.28	9.892E-02
40.00	1.052E-01

FE XXIV  
 1S2 2S - 1S2 3D  
 ETH = 9.627E+01

X	MANN DWX
1.01	2.710E-02
1.21	2.813E-02
1.46	2.949E-02
1.75	3.112E-02
2.11	3.296E-02
2.53	3.493E-02
3.05	3.694E-02
3.66	3.892E-02
4.40	4.082E-02
5.29	4.257E-02
6.36	4.416E-02
7.64	4.556E-02
9.18	4.677E-02
11.04	4.779E-02
13.27	4.865E-02
15.95	4.934E-02
19.17	4.990E-02
23.04	5.032E-02
27.69	5.063E-02
33.28	5.081E-02
40.00	5.087E-02

FE XXIV  
 1S2 2S - 1S 2S2  
 ETH = 4.861E+02

X	MANN DWX
1.01	1.116E-03
1.19	1.131E-03
1.39	1.146E-03
1.63	1.161E-03
1.92	1.175E-03
2.25	1.189E-03
2.64	1.203E-03
3.11	1.216E-03
3.65	1.229E-03
4.28	1.240E-03
5.02	1.251E-03
5.90	1.262E-03
6.93	1.271E-03
8.13	1.280E-03
9.55	1.288E-03
11.21	1.295E-03
13.16	1.302E-03
15.45	1.307E-03
18.14	1.312E-03
21.29	1.317E-03
25.00	1.320E-03

FE XXIV  
 1S2 2S - 1S 2S 2P(4P)  
 ETH = 4.870E+02

X	MANN DWXC
1.01	2.831E-03
1.19	2.268E-03
1.39	1.821E-03
1.63	1.474E-03
1.92	1.213E-03
2.25	1.024E-03
2.64	8.922E-04
3.11	9.068E-04
3.65	7.573E-04
4.28	7.352E-04
5.02	7.339E-04
5.90	7.481E-04
6.93	7.733E-04
8.13	9.077E-04
9.55	9.479E-04
11.21	8.924E-04
13.16	9.400E-04
15.45	9.899E-04
18.14	1.041E-03
21.29	1.094E-03
25.00	1.149E-03

FE XXIV  
 1S2 2S - 1S 2S(1S)2P(2P)  
 ETH = 4.902E+02

X	MANN DWXC
1.01	1.959E-03
1.19	1.999E-03
1.39	2.109E-03
1.63	2.280E-03
1.92	2.503E-03
2.25	2.767E-03
2.64	3.066E-03
3.11	3.391E-03
3.65	3.738E-03
4.28	4.102E-03
5.02	4.478E-03
5.90	4.864E-03
6.93	5.258E-03
8.13	5.657E-03
9.55	6.061E-03
11.21	6.468E-03
13.16	6.877E-03
15.45	7.287E-03
18.14	7.699E-03
21.29	8.112E-03
25.00	8.525E-03

FE XXIV  
 1S2 2S - 1S 2S(3S)2P(2P)  
 ETH = 4.902E+02

X	MANN DWXC
1.01	3.708E-03
1.19	4.761E-03
1.39	5.925E-03
1.63	7.184E-03
1.92	8.520E-03
2.25	9.919E-03
2.64	1.137E-02
3.11	1.286E-02
3.65	1.438E-02
4.28	1.593E-02
5.02	1.750E-02
5.90	1.908E-02
6.93	2.068E-02
8.13	2.229E-02
9.55	2.391E-02
11.21	2.553E-02
13.16	2.716E-02
15.45	2.879E-02
18.14	3.043E-02
21.29	3.206E-02
25.00	3.370E-02

MO XXXI  
 3S2 - 3S 3P(3P)  
 ETH = 5.541E+00

X	MANN DWXC
1.01	1.091E-01
1.27	1.097E-01
1.60	1.108E-01
2.01	1.121E-01
2.53	1.137E-01
3.19	1.156E-01
4.01	1.180E-01
5.04	1.207E-01
6.35	1.240E-01
7.99	1.278E-01
10.05	1.321E-01
12.65	1.371E-01
15.91	1.426E-01
20.02	1.485E-01
25.19	1.551E-01
31.70	1.621E-01
39.89	1.694E-01
50.19	1.770E-01
63.16	1.847E-01
79.47	1.926E-01
100.00	2.005E-01

MO XXXI  
 3S2 - 3S 3P(1P)  
 ETH = 7.722E+00

X	MANN DWXC
1.01	8.418E-01
1.27	8.525E-01
1.60	8.656E-01
2.01	8.815E-01
2.53	9.008E-01
3.19	9.233E-01
4.01	9.506E-01
5.04	9.826E-01
6.35	1.020E+00
7.99	1.062E+00
10.05	1.109E+00
12.65	1.161E+00
15.91	1.218E+00
20.02	1.279E+00
25.19	1.343E+00
31.70	1.410E+00
39.89	1.479E+00
50.19	1.550E+00
63.16	1.621E+00
79.47	1.692E+00
100.00	1.764E+00

MO XXXI  
3S2 - 3S 3D(3D)  
ETH = 1.423E+01

X	MANN DWXC
1.01	1.372E-02
1.25	1.325E-02
1.54	1.272E-02
1.91	1.211E-02
2.36	1.144E-02
2.91	1.071E-02
3.60	9.934E-03
4.45	9.122E-03
5.50	8.301E-03
6.80	7.496E-03
9.41	6.737E-03
10.39	6.046E-03
12.85	5.441E-03
15.88	4.929E-03
19.63	4.513E-03
24.26	4.184E-03
29.99	3.933E-03
37.07	3.744E-03
45.52	3.605E-03
56.63	3.502E-03
70.00	3.427E-03

MO XXXI  
3S2 - 3S 3D(1D)  
ETH = 1.560E+01

X	MANN DWXC
1.01	5.658E-02
1.25	5.724E-02
1.54	5.795E-02
1.91	5.877E-02
2.36	5.967E-02
2.91	6.064E-02
3.60	6.165E-02
4.45	6.270E-02
5.50	6.375E-02
6.80	6.477E-02
8.41	6.576E-02
10.39	6.668E-02
12.85	6.752E-02
15.88	6.825E-02
19.63	6.886E-02
24.26	6.936E-02
29.99	6.973E-02
37.07	6.997E-02
45.52	7.009E-02
56.63	7.010E-02
70.00	7.001E-02

MO XXXI  
3S2 - 3S 4S(3S)  
ETH = 5.369E+01

X	MANN DWXC
1.01	4.517E-04
1.17	7.396E-04
1.36	6.369E-04
1.58	5.435E-04
1.94	4.590E-04
2.13	3.836E-04
2.47	3.170E-04
2.87	2.590E-04
3.33	2.093E-04
3.87	1.674E-04
4.44	1.327E-04
5.22	1.043E-04
6.06	8.140E-05
7.03	6.318E-05
9.17	4.881E-05
9.48	3.756E-05
11.01	2.880E-05
12.78	2.203E-05
14.84	1.680E-05
17.23	1.279E-05
20.00	9.710E-06

MO XXXI  
3S2 - 3S 4S(1S)  
ETH = 5.916E+01

X	MANN DWXC
1.01	3.032E-02
1.17	3.093E-02
1.36	3.153E-02
1.58	3.209E-02
1.94	3.262E-02
2.13	3.311E-02
2.47	3.355E-02
2.87	3.395E-02
3.33	3.429E-02
3.87	3.459E-02
4.44	3.484E-02
5.22	3.504E-02
6.06	3.520E-02
7.03	3.532E-02
8.17	3.541E-02
9.48	3.548E-02
11.01	3.552E-02
12.78	3.554E-02
14.84	3.555E-02
17.23	3.555E-02
20.00	3.553E-02

MO XXXI  
3S2 - 3S 4F(3F)  
ETH = 6.625E+01

X	MANN DWXC
1.01	3.648E-03
1.17	7.369E-03
1.36	6.203E-03
1.58	5.164E-03
1.84	4.258E-03
2.13	3.482E-03
2.47	2.830E-03
2.87	2.290E-03
3.33	1.852E-03
3.87	1.500E-03
4.44	1.221E-03
5.22	1.002E-03
6.06	8.331E-04
7.03	7.029E-04
8.17	6.034E-04
9.48	5.279E-04
11.01	4.710E-04
12.78	4.283E-04
14.84	3.964E-04
17.23	3.727E-04
20.00	3.552E-04

MO XXXI  
3S2 - 3S 4F(1F)  
ETH = 6.658E+01

X	MANN DWXC
1.01	1.819E-02
1.17	1.939E-02
1.36	2.057E-02
1.58	2.169E-02
1.84	2.274E-02
2.13	2.371E-02
2.47	2.458E-02
2.87	2.535E-02
3.33	2.603E-02
3.87	2.661E-02
4.44	2.710E-02
5.22	2.752E-02
6.06	2.788E-02
7.03	2.818E-02
8.17	2.844E-02
9.48	2.867E-02
11.01	2.887E-02
12.78	2.905E-02
14.84	2.922E-02
17.23	2.937E-02
20.00	2.951E-02

MO XXXII  
2P6 3S - 2P6 3P  
ETH = 5.424E+00

X	MANN DWX
1.01	1.116E+00
1.32	1.130E+00
1.71	1.148E+00
2.23	1.171E+00
2.91	1.199E+00
3.79	1.233E+00
4.94	1.275E+00
6.43	1.325E+00
8.38	1.384E+00
10.91	1.452E+00
14.21	1.528E+00
18.51	1.612E+00
24.12	1.703E+00
31.42	1.799E+00
40.93	1.899E+00
53.32	2.002E+00
69.45	2.106E+00
90.47	2.211E+00
117.86	2.315E+00
153.53	2.418E+00
200.00	2.520E+00

MO XXXII  
2P6 3S - 2P6 3D  
ETH = 1.413E+01

X	MANN DWX
1.01	8.809E-02
1.27	8.842E-02
1.60	8.880E-02
2.01	8.912E-02
2.53	8.955E-02
3.19	9.000E-02
4.01	9.046E-02
5.04	9.094E-02
6.35	9.142E-02
7.99	9.187E-02
10.05	9.234E-02
12.65	9.280E-02
15.91	9.323E-02
20.02	9.361E-02
25.19	9.392E-02
31.70	9.415E-02
39.89	9.426E-02
50.19	9.426E-02
63.16	9.413E-02
79.47	9.391E-02
100.00	9.360E-02

MO XXXII  
2P6 3S - 2P6 4S  
ETH = 6.045E+01

X	MANN DWX
1.01	2.951E-02
1.21	3.020E-02
1.46	3.077E-02
1.75	3.131E-02
2.11	3.191E-02
2.53	3.227E-02
3.05	3.267E-02
3.66	3.301E-02
4.40	3.329E-02
5.29	3.352E-02
6.36	3.369E-02
7.64	3.382E-02
9.18	3.392E-02
11.04	3.398E-02
13.27	3.401E-02
15.95	3.403E-02
19.17	3.403E-02
23.04	3.402E-02
27.69	3.401E-02
33.28	3.399E-02
40.00	3.397E-02

MO XXXII  
 2P6 3S - 2P6 4P  
 ETH = 5.308E+01

X	MANN DWX
1.01	6.607E-03
1.21	7.720E-03
1.46	9.209E-03
1.75	1.111E-02
2.11	1.343E-02
2.53	1.619E-02
3.05	1.937E-02
3.66	2.295E-02
4.40	2.692E-02
5.29	3.124E-02
5.36	3.589E-02
7.04	4.084E-02
9.18	4.605E-02
11.04	5.151E-02
13.27	5.719E-02
15.95	6.307E-02
19.17	6.912E-02
23.04	7.531E-02
27.69	8.162E-02
33.23	8.804E-02
40.00	9.456E-02

MO XXXII  
 2P6 3S - 2P5 3S2  
 ETH = 1.762E+02

X	MANN DWXC
1.01	1.397E-03
1.17	1.406E-03
1.36	1.451E-03
1.58	1.534E-03
1.84	1.655E-03
2.13	1.813E-03
2.47	2.008E-03
2.87	2.238E-03
3.33	2.500E-03
3.87	2.790E-03
4.49	3.107E-03
5.22	3.447E-03
6.06	3.806E-03
7.03	4.183E-03
8.17	4.574E-03
9.48	4.978E-03
11.01	5.392E-03
12.78	5.815E-03
14.84	6.246E-03
17.23	6.684E-03
20.00	7.128E-03

MO XXXII  
 2P6 3S - 2P5 3S 3P(TOTAL)  
 ETH = 1.821E+02

X	MANN DWX
1.01	5.391E-02
1.17	4.987E-02
1.36	4.899E-02
1.58	4.828E-02
1.84	4.773E-02
2.13	4.731E-02
2.47	4.704E-02
2.87	4.687E-02
3.33	4.679E-02
3.87	4.679E-02
4.49	4.683E-02
5.22	4.691E-02
6.06	4.700E-02
7.03	4.711E-02
8.17	4.721E-02
9.48	4.732E-02
11.01	4.741E-02
12.78	4.750E-02
14.84	4.758E-02
17.23	4.764E-02
20.00	4.769E-02

MO XXXII  
 2P5 3S - 2P5 3S 3P(TOTAL)  
 ETH = 1.821E+02

X	MANN DWX
1.01	5.091E-02
1.17	4.987E-02
1.36	4.899E-02
1.58	4.828E-02
1.84	4.773E-02
2.13	4.731E-02
2.47	4.704E-02
2.87	4.687E-02
3.33	4.679E-02
3.87	4.679E-02
4.49	4.683E-02
5.22	4.691E-02
6.06	4.700E-02
7.03	4.711E-02
8.17	4.721E-02
9.48	4.732E-02
11.01	4.741E-02
12.78	4.750E-02
14.84	4.758E-02
17.23	4.764E-02
20.00	4.769E-02

MO XXXII  
 2S2 2P6 3S - 2S 2P6 3S2  
 ETH = 1.986E+02

X	MANN DWX
1.01	5.575E-03
1.17	5.677E-03
1.36	5.730E-03
1.58	5.883E-03
1.84	5.982E-03
2.13	6.075E-03
2.47	6.152E-03
2.87	6.240E-03
3.33	6.311E-03
3.87	6.373E-03
4.49	6.426E-03
5.22	6.472E-03
6.06	6.510E-03
7.03	6.542E-03
8.17	6.567E-03
9.48	6.589E-03
11.01	6.605E-03
12.78	6.619E-03
14.84	6.629E-03
17.23	6.637E-03
20.00	6.643E-03

BE II  
2S - 2P  
ETH = 3.330E-01

X	R388	2CC
1.00	1.359E+01	
1.33	1.619E+01	
1.67	1.858E+01	
2.00	2.085E+01	
2.33	2.278E+01	
2.67	2.468E+01	
3.33	2.815E+01	
6.67	3.919E+01	
10.00	4.592E+01	
13.33	5.067E+01	
16.67	5.421E+01	
20.00	5.753E+01	
23.33	6.004E+01	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	

C III  
1S2 2S2 - 1S2 2S 2P(1P)  
ETH = 9.954E-01

X	ROBB	5CCX
1.51	4.410E+00	
2.01	5.150E+00	
2.51	5.770E+00	
4.02	7.400E+00	
6.03	8.810E+00	
12.06	1.114E+01	
14.07	1.170E+01	
16.07	1.218E+01	
18.08	1.262E+01	
20.09	1.300E+01	
22.10	1.335E+01	
24.11	1.366E+01	
26.12	1.396E+01	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	

C III  
1S2 2S2 - 1S2 2S 2P(3P)  
ETH = 4.522E-01

X	ROBB	5CCX
1.02	9.580E-01	
1.33	7.720E-01	
1.68	7.000E-01	
3.32	6.140E-01	
4.42	5.500E-01	
5.53	4.740E-01	
6.63	4.180E-01	
8.84	3.190E-01	
11.06	2.560E-01	
13.27	2.100E-01	
15.48	1.570E-01	
17.69	1.340E-01	
19.90	1.140E-01	
22.11	9.800E-02	
26.53	7.300E-02	
30.96	5.670E-02	
35.38	4.510E-02	
39.80	3.672E-02	
44.22	3.056E-02	
48.65	2.585E-02	
53.07	2.203E-02	
57.49	1.901E-02	

C III  
1S2 2S2 - 1S2 2P2 (3P)  
ETH = 1.263E+00

X	ROBB	5CCX
1.19	1.160E-02	
1.58	1.040E-02	
1.98	9.300E-03	
2.38	8.400E-03	
3.17	6.700E-03	
3.96	5.300E-03	
4.75	4.200E-03	
5.54	3.200E-03	
6.34	2.500E-03	
7.13	2.000E-03	
7.92	1.600E-03	
9.50	1.090E-03	
11.09	7.839E-04	
12.67	5.782E-04	
14.26	4.377E-04	
15.84	3.409E-04	
17.42	2.737E-04	
19.01	2.151E-04	
20.59	1.721E-04	

C III  
1S2 2S2 - 1S2 2P2 (1D)  
ETH = 1.350E+00

X	ROBB	5CCX
1.11	4.250E-01	
1.48	4.050E-01	
1.85	3.880E-01	
2.22	3.750E-01	
2.96	3.534E-01	
3.70	3.420E-01	
4.45	3.344E-01	
5.19	3.259E-01	
5.93	3.192E-01	
6.67	3.116E-01	
7.41	3.054E-01	
8.99	2.965E-01	
10.37	2.905E-01	
11.95	2.872E-01	
13.33	2.843E-01	
14.82	2.837E-01	
16.30	2.832E-01	
17.79	2.830E-01	
19.26	2.830E-01	

C III  
2S 2P(3P) - 2S 2P(1P)  
ETH = 5.431E-01

X	ROBB	5CCX
1.93	1.699E+00	
2.85	1.373E+00	
3.77	1.101E+00	
4.69	1.321E+00	
6.53	6.119E-01	
8.37	7.303E-01	
10.21	3.136E-01	
12.06	2.524E-01	
13.90	1.929E-01	
15.74	1.601E-01	
17.59	1.320E-01	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	

C III  
2S 2P(3P) - 2P2(1D)  
ETH = 8.977E-01

X	ROBB	5CCX
1.17	1.330E+00	
1.72	1.180E+00	
2.28	1.019E+00	
2.84	8.707E-01	
3.95	6.529E-01	
5.07	5.391E-01	
6.18	4.600E-01	
7.29	3.195E-01	
8.41	2.553E-01	
9.52	2.119E-01	
10.64	1.785E-01	

C III  
2S 2P(1P) - 2P2(3P)  
ETH = 2.673E-01

X	ROBB	5CCX
1.99	8.398E-01	
3.76	7.369E-01	
5.63	6.250E-01	
7.50	1.728E+00	
11.24	4.418E-01	
14.98	3.140E-01	
18.72	2.425E-01	
22.47	1.861E-01	
26.21	1.458E-01	
29.95	1.143E-01	
33.69	9.776E-02	

C III  
2S 2P(3P) - 2P2(3P)  
ETH = 9.104E-01

X	ROBB	5CCX
1.29	1.897E+01	
1.91	2.264E+01	
2.53	2.577E+01	
3.14	2.789E+01	
4.38	3.312E+01	
5.61	3.556E+01	
6.85	3.930E+01	
8.09	4.155E+01	
9.31	4.347E+01	
10.55	4.516E+01	
11.78	4.666E+01	

C III  
1S2 2P(1P) - 2P2(1D)  
ETH = 3.546E-01

X	ROBB 5CCX
1.42	1.310E+01
2.83	1.596E+01
4.24	1.820E+01
5.65	2.006E+01
8.47	2.275E+01
11.29	2.474E+01
14.11	2.649E+01
16.93	2.784E+01
19.76	2.899E+01
22.58	3.001E+01
25.40	3.092E+01

C III  
1S2 2P2(3P) - 1S2 2P2(1D)  
ETH = 8.730E-02

X	ROBB 5CCX
2.72	3.879E+00
8.45	3.491E+00
14.17	3.012E+00
19.90	2.767E+00
31.36	1.793E+00
42.81	1.266E+00
54.27	1.001E+00
65.72	7.963E-01
77.18	6.113E-01
88.63	4.853E-01
100.09	3.989E-01

C IV  
1S2 2S - 1S2 2P  
ETH = 5.924E-01

X	ROBB 2CCX
1.01	9.850E+00
1.35	9.330E+00
1.69	9.810E+00
2.03	1.016E+01
2.36	1.054E+01
2.70	1.089E+01
3.04	1.121E+01
3.38	1.153E+01
6.75	1.417E+01
10.13	1.554E+01
13.50	1.668E+01
27.01	1.962E+01

O IV  
1S2 2S2 2P - 1S2 2S 2P2(4P)  
ETH = 5.981E-01

X	ROBB O IV
3.01	8.870E-01
4.01	8.240E-01
5.02	7.640E-01
6.02	7.060E-01
7.02	6.510E-01
8.03	6.010E-01
9.03	5.550E-01
10.03	5.110E-01
13.38	3.940E-01
16.72	3.090E-01
20.06	2.470E-01
23.41	2.010E-01
25.75	1.660E-01
33.44	1.190E-01
66.88	3.766E-02
100.32	1.827E-02

O IV  
1S2 2S2 2P - 1S2 2S 2P2(2D)  
ETH = 1.211E+00

X	ROBB O IV
1.49	5.987E+00
1.98	6.313E+00
2.48	6.712E+00
2.97	7.063E+00
3.47	7.383E+00
3.96	7.669E+00
4.46	7.929E+00
4.95	8.176E+00
5.60	8.880E+00
8.26	9.463E+00
9.91	9.962E+00
11.56	1.041E+01
13.21	1.079E+01
16.51	1.145E+01
33.02	1.356E+01
49.54	1.493E+01

O IV  
1S2 2S2 2P - 1S2 2S 2P2(2S)  
ETH = 1.552E+00

X	ROBB O IV
1.16	2.079E+00
1.55	2.279E+00
1.93	2.460E+00
2.32	2.628E+00
2.71	2.784E+00
3.09	2.930E+00
3.48	3.066E+00
3.87	3.193E+00
5.16	3.570E+00
6.44	3.879E+00
7.73	4.122E+00
9.02	4.360E+00
10.31	4.576E+00
12.89	4.867E+00
25.78	5.821E+00
38.66	6.367E+00

O IV  
1S2 2S2 2P - 1S2 2S 2P2(2P)  
ETH = 1.756E+00

X	ROBB 5CCX
1.02	6.804E+00
1.37	7.652E+00
1.71	8.414E+00
2.05	9.118E+00
2.39	9.760E+00
2.73	1.035E+01
3.07	1.088E+01
3.42	1.137E+01
4.56	1.282E+01
5.69	1.399E+01
6.83	1.494E+01
7.97	1.581E+01
9.11	1.654E+01
11.39	1.776E+01
22.78	2.153E+01
34.16	2.371E+01

O IV  
2S 2P2(4P) - 2S 2P2(2D)  
ETH = 6.131E-01

X	ROBB 5CCX
1.96	2.835E+00
2.94	2.572E+00
3.92	2.314E+00
4.90	2.075E+00
5.87	1.859E+00
6.85	1.667E+00
7.83	1.497E+00
8.81	1.347E+00
12.07	9.669E-01
15.33	7.168E-01
18.60	5.486E-01
21.86	4.313E-01
25.12	3.462E-01
31.64	2.346E-01
54.26	6.367E-02
96.88	2.841E-02

O IV  
2S 2P2(4P) - 2S 2P2(2S)  
ETH = 9.538E-01

X	ROBB 5CCX
1.26	3.878E-01
1.89	3.528E-01
2.52	3.151E-01
3.15	2.787E-01
3.78	2.454E-01
4.41	2.158E-01
5.03	1.898E-01
5.66	1.672E-01
7.76	1.114E-01
9.86	7.653E-02
11.95	5.446E-02
14.05	4.011E-02
16.15	3.039E-02
20.34	1.848E-02
41.31	3.440E-03
62.28	1.220E-03

O IV  
2S 2P2(4P) - 2S 2P2(2P)  
ETH = 1.158E+00

X	ROBB 5CCX
1.04	5.353E-01
1.56	4.774E-01
2.07	4.202E-01
2.59	3.679E-01
3.11	3.219E-01
3.63	2.821E-01
4.15	2.480E-01
4.66	2.188E-01
6.39	1.486E-01
8.12	1.057E-01
9.84	7.853E-02
11.57	6.061E-02
13.30	4.812E-02
16.75	3.213E-02
34.02	8.780E-03
51.29	4.030E-03

O IV  
2S 2P2(2D) - 2S 2P2(2S)  
ETH = 3.406E-01

X	ROBB 5CCX
1.73	6.667E-01
3.49	6.834E-01
5.25	6.960E-01
7.01	7.118E-01
8.77	7.287E-01
10.54	7.460E-01
12.30	7.633E-01
14.06	7.798E-01
19.93	8.283E-01
25.80	8.720E-01
31.57	9.169E-01
37.55	9.542E-01
43.42	9.864E-01
55.15	1.020E+00
113.88	1.101E+00
172.59	1.153E+00

O IV  
2S 2P2(2D) - 2S 2P2(2P)  
ETH = 5.450E-01

X	ROBB 5CCX
1.08	1.553E+00
2.18	1.432E+00
3.28	1.302E+00
4.39	1.175E+00
5.48	1.058E+00
6.58	9.523E-01
7.69	8.581E-01
8.79	7.748E-01
12.46	5.617E-01
16.13	4.209E-01
19.80	3.261E-01
23.46	2.602E-01
27.13	2.123E-01
34.47	1.492E-01
71.17	4.890E-02
107.86	2.560E-02

Q IV  
2S 2P2(2S) - 2S 2P2(2P)  
ETH = 2.044E-01

X	ROBB	5CCX
1.21	2.460E-01	
4.15	2.333E-01	
7.08	2.164E-01	
10.02	1.983E-01	
12.96	1.805E-01	
15.89	1.639E-01	
18.83	1.489E-01	
21.76	1.355E-01	
31.55	1.012E-01	
41.33	7.860E-02	
51.11	6.360E-02	
60.90	5.336E-02	
70.68	4.598E-02	
90.25	3.614E-02	
188.10	1.834E-02	
295.94	1.234E-02	
-	-	
-	-	
-	-	
-	-	

Q VI  
1S2 2S - 1S2 2P  
ETH = 8.832E-01

X	ROBB	O VI
1.02	5.124E+00	
1.36	5.284E+00	
1.70	5.446E+00	
2.04	5.586E+00	
2.38	5.698E+00	
2.72	5.819E+00	
3.40	6.070E+00	
4.53	6.433E+00	
5.66	6.751E+00	
6.79	7.030E+00	
7.93	7.308E+00	
9.06	7.511E+00	
10.19	7.720E+00	
11.32	7.917E+00	
22.65	9.291E+00	
33.97	1.014E+01	
45.29	1.076E+01	
56.62	1.124E+01	
67.94	1.163E+01	
79.26	1.197E+01	

NE VIII  
2S - 2P  
ETH = 1.168E+00

X	ROBB	5CCX
1.20	3.280E+00	
1.54	3.350E+00	
1.88	3.430E+00	
2.57	3.560E+00	
5.14	3.990E+00	
7.71	4.340E+00	
10.28	4.620E+00	
12.85	4.850E+00	
15.42	5.050E+00	
17.99	5.230E+00	
20.56	5.390E+00	
23.13	5.530E+00	
25.70	5.660E+00	
-	-	
-	-	
-	-	
-	-	

AL I  
3S2 3P - 3S2 3D  
ETH = 2.951E-01

X	ROBB	PWB
1.10	1.922E+00	
2.00	9.706E+00	
5.00	2.317E+01	
10.00	3.402E+01	
20.00	4.513E+01	
50.00	6.305E+01	
100.00	7.124E+01	

AL I  
3S2 3P - 3S2 4S  
ETH = 2.300E-01

X	ROBB	PWB
1.10	1.165E+00	
2.00	6.872E+00	
5.00	1.614E+01	
10.00	2.331E+01	
50.00	4.013E+01	
100.00	4.741E+01	
-	-	

AL V  
2S2 2P5(2P) - 2S1 2P6(2S)  
ETH = 3.259E+00

X	ROBB	PWB
1.10	7.350E-01	
2.00	1.919E+00	
5.00	2.921E+00	
10.00	3.569E+00	
20.00	4.196E+00	
50.00	5.011E+00	
100.00	5.622E+00	

AL VI  
2S2 2P4(3P) - 2S1 2P5(3P)  
ETH = 2.945E+00

X	ROBB	PWB
1.10	2.169E+00	
2.00	5.680E+00	
5.00	8.471E+00	
10.00	1.030E+01	
50.00	1.428E+01	
100.00	1.594E+01	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	

FE XVIII  
2S2 2P5(2P) - 2S 2P5(2S)  
ETH = 8.736E+00

X	ROBB	2CCX
1.14	4.580E-01	
2.86	5.120E-01	
4.98	5.630E-01	
6.29	6.030E-01	
8.01	6.350E-01	
9.73	6.630E-01	
11.44	6.890E-01	
22.89	7.960E-01	
34.33	8.620E-01	
45.77	9.090E-01	
57.22	9.470E-01	
68.66	9.790E-01	
80.10	1.000E+00	
91.54	1.030E+00	

FE XIX  
2S2 2P4(3P) - 2S2 2P4(10)  
ETH = 9.351E-01

X	ROBB
11.23	1.163E-01
14.97	1.115E-01
18.71	1.070E-01
22.46	1.029E-01
53.47	7.743E-02
160.41	4.440E-02
267.35	3.476E-02
374.29	3.070E-02
481.23	2.854E-02
588.17	2.719E-02
695.11	2.609E-02
802.05	2.550E-02
-	-
-	-

FE XIX  
2S2 2P4(3P) - 2S2 2P4(1S)  
ETH = 1.945E+00

X	ROBB
5.40	2.255E-02
7.20	2.159E-02
9.00	2.075E-02
10.80	2.005E-02
25.71	1.565E-02
77.12	1.051E-02
128.93	9.261E-03
179.94	8.761E-03
231.35	8.504E-03
282.76	8.289E-03
334.17	8.082E-03
385.58	7.976E-03

FE XIX  
2S2 2P4(3P) - 2S 2P5(3P)  
ETH = 7.498E+00

X	ROBB
1.40	1.310E+00
1.87	1.341E+00
2.33	1.365E+00
2.80	1.393E+00
6.67	1.592E+00
20.00	2.015E+00
33.34	2.247E+00
46.68	2.407E+00
60.01	2.532E+00
73.35	2.633E+00
86.69	2.715E+00
100.02	2.785E+00

FE XIX  
2S2 2P4(3P) - 2S 2P5(1P)  
ETH = 1.033E+01

X	ROBB
1.02	9.009E-02
1.35	9.184E-02
1.69	9.356E-02
2.03	9.478E-02
4.84	9.924E-02
14.51	1.013E-01
24.19	1.032E-01
33.87	1.047E-01
43.54	1.064E-01
53.22	1.076E-01
62.89	1.088E-01
72.57	1.097E-01

FE XIX  
2S2 2P4(1D) - 2S2 2P4(1S)  
ETH = 1.010E+00

X	ROBB
10.40	1.570E-02
13.86	1.550E-02
17.33	1.540E-02
20.79	1.530E-02
49.50	1.510E-02
148.51	1.600E-02
247.52	1.660E-02
346.53	1.680E-02
445.54	1.680E-02
544.55	1.660E-02
643.56	1.640E-02
742.57	1.630E-02

FE XIX  
2S2 2P4(1D) - 2S 2P5(3P)  
ETH = 6.563E+00

X	ROBB
1.60	8.402E-02
2.13	8.498E-02
2.67	8.572E-02
3.20	8.670E-02
7.62	9.358E-02
22.85	1.051E-01
38.09	1.105E-01
53.33	1.158E-01
68.56	1.203E-01
93.80	1.231E-01
99.04	1.260E-01
114.27	1.288E-01

FE XIX  
2S2 2P4(1D) - 2S 2P5(1P)  
ETH = 9.400E+00

X	ROBB
1.12	6.490E-01
1.49	6.680E-01
1.86	6.850E-01
2.23	7.010E-01
5.32	8.060E-01
15.96	1.023E+00
26.60	1.150E+00
37.23	1.230E+00
47.87	1.300E+00
58.51	1.350E+00
69.15	1.390E+00
79.79	1.430E+00

FE XIX  
2S2 2P4(1S) - 2S 2P5(3P)  
ETH = 5.553E+00

X	ROBB
1.89	5.917E-02
2.52	6.063E-02
3.15	6.168E-02
3.78	6.273E-02
9.00	6.648E-02
27.01	6.453E-02
45.02	6.225E-02
63.03	6.094E-02
81.03	6.008E-02
99.04	5.938E-02
117.05	5.881E-02
135.05	5.827E-02

FE XIX  
2S2 2P4(1S) - 2S 2P5(1P)  
ETH = 8.390E+00

X	ROBB
1.25	3.960E-02
1.57	4.090E-02
2.09	4.220E-02
2.50	4.350E-02
5.96	5.550E-02
17.88	8.830E-02
29.80	1.070E-01
41.72	1.200E-01
53.54	1.303E-01
65.56	1.380E-01
77.48	1.440E-01
99.39	1.500E-01

FE XIX  
2S 2P5(3P) - 2S 2P5(1P)  
ETH = 2.837E+00

X	ROBB
3.70	5.052E-02
4.94	4.797E-02
6.17	4.556E-02
7.40	4.337E-02
17.63	3.328E-02
52.88	1.252E-02
88.14	7.519E-03
123.39	5.506E-03
158.65	4.459E-03
193.90	3.890E-03
229.16	3.447E-03
264.41	3.229E-03

FE XX  
2S2 2P3(4S) - 2S2 2P3(2D)  
ETH = 1.431E+00

X	ROBB
7.69	7.780E-02
10.48	7.360E-02
17.47	6.480E-02
34.94	4.880E-02
69.88	3.050E-02
209.64	1.030E-02
349.41	6.100E-03

FE XX  
2S2 2P3(4S) - 2S2 2P3(2P)  
ETH = 2.093E+00

X	ROBB
5.26	3.420E-02
7.17	3.239E-02
11.94	2.850E-02
23.89	2.173E-02
47.78	1.459E-02
143.33	7.220E-03
238.89	5.830E-03

FE XX  
2S2 2P3(4S) - 2S 2P4(4P)  
ETH = 6.209E+00

X	ROBB
1.77	8.740E-01
2.42	8.930E-01
4.03	9.400E-01
8.05	1.047E+00
16.11	1.216E+00
48.32	1.545E+00
90.53	1.709E+00

FE XX  
2S2 2P3(4S) - 2S 2P4(2D)  
ETH = 8.595E+00

X	ROBB
1.28	4.468E-02
1.75	4.576E-02
2.91	4.739E-02
5.82	4.763E-02
11.63	4.627E-02
34.90	4.372E-02
58.17	4.260E-02

FE XX  
2S2 2P3(4S) - 2S 2P4(2S)  
ETH = 1.003E+01

X	ROBB
1.10	1.080E-02
1.50	1.100E-02
2.49	1.160E-02
4.99	1.230E-02
9.98	1.250E-02
29.93	1.260E-02
49.88	1.260E-02

FE XX  
2S2 2P3(4S) - 2S 2P4(2P)  
ETH = 1.050E+01

X	ROBB
1.05	3.000E-02
1.43	3.020E-02
2.38	3.063E-02
4.76	3.059E-02
9.52	3.060E-02
28.56	3.350E-02
47.60	3.600E-02

FE XX  
2S2 2P3(2D) - 2S2 2P3(2P)  
ETH = 6.620E-01

X	ROBB
15.62	1.125E-01
22.66	1.099E-01
37.76	1.044E-01
75.53	9.680E-02
151.06	9.112E-02
453.17	8.894E-02
755.29	8.785E-02

FE XX  
2S2 2P3(2D) - 2S 2P4(4P)  
ETH = 4.778E+00

X	ROBB
2.30	9.649E-02
3.14	9.818E-02
5.23	1.038E-01
10.46	1.168E-01
20.93	1.344E-01
52.79	1.699E-01
104.65	1.896E-01

FE XX  
2S2 2P3(2D) - 2S 2P4(2D)  
ETH = 7.164E+00

X	ROBB
1.54	1.019E+00
2.09	1.049E+00
3.49	1.113E+00
6.98	1.244E+00
13.96	1.452E+00
41.88	1.896E+00
69.79	2.112E+00



FE XX  
2S2 2P3(2D) - 2S 2P4(2S)  
ETH = 8.594E+00

X	ROBB
1.28	5.950E-04
1.75	6.550E-04
2.91	2.528E-03
5.82	1.843E-02
11.64	5.929E-02
34.91	1.570E-01
58.18	2.070E-01

FE XX  
2S2 2P3(2P) - 2S 2P4(2D)  
ETH = 6.502E+00

X	ROBB
1.69	3.610E-01
2.31	3.711E-01
3.84	3.942E-01
7.59	4.293E-01
15.38	4.736E-01
46.14	5.556E-01
76.90	5.950E-01

FE XX  
2S2 2P3(2D) - 2S 2P4(2P)  
ETH = 9.073E+00

X	ROBB
1.21	1.075E+00
1.65	1.109E+00
2.76	1.182E+00
5.51	1.333E+00
11.02	1.598E+00
33.07	2.235E+00
55.11	2.560E+00

FE XX  
2S2 2P3(2P) - 2S 2P4(2S)  
ETH = 7.932E+00

X	ROBB
1.39	3.603E-01
1.89	3.713E-01
3.15	3.944E-01
6.30	4.230E-01
12.61	4.480E-01
37.82	4.930E-01
63.04	5.140E-01

FE XX  
2S2 2P3(2P) - 2S 2P4(4P)  
ETH = 4.116E+00

X	ROBB
2.67	7.618E-02
3.64	7.690E-02
6.07	7.339E-02
12.15	7.969E-02
24.30	7.668E-02
72.89	7.307E-02
121.48	7.268E-02

FE XX  
2S2 2P3(2P) - 2S 2P4(2P)  
ETH = 8.411E+00

X	ROBB
1.31	3.022E-01
1.78	3.122E-01
2.97	3.380E-01
5.94	4.072E-01
11.89	5.343E-01
35.67	9.215E-01
59.45	9.650E-01

FE XX  
2S 2P4(4P) - 2S 2P4(2D)  
ETH = 2.386E+00

X	ROBB
4.61	1.413E-01
6.29	1.336E-01
10.48	1.172E-01
20.96	8.733E-02
41.91	5.426E-02
125.73	1.871E-02
209.56	1.162E-02

FE XX  
2S 2P4(4P) - 2S 2P4(2S)  
ETH = 3.816E+00

X	ROBB
2.88	1.586E-02
3.93	1.489E-02
6.55	1.274E-02
13.10	8.990E-03
26.21	5.000E-03
78.62	1.111E-03
131.03	4.800E-04

FE XX  
2S 2P4(4P) - 2S 2P4(2P)  
ETH = 4.295E+00

X	ROBB
2.56	3.254E-02
3.49	3.063E-02
5.82	2.657E-02
11.64	1.929E-02
23.28	1.152E-02
69.85	3.479E-03
114.41	1.950E-03

FE XX  
2S 2P4(2D) - 2S 2P4(2S)  
ETH = 1.430E+00

X	ROBB
7.59	4.490E-02
10.49	4.440E-02
17.48	4.360E-02
34.97	4.320E-02
69.93	4.400E-02
209.79	4.710E-02
349.65	4.710E-02

FE XX  
2S 2P4(2D) - 2S 2P4(2P)  
ETH = 1.909E+00

X	ROBB
5.75	7.858E-02
7.86	7.484E-02
13.10	6.677E-02
26.19	5.235E-02
52.38	3.687E-02
157.15	2.076E-02
261.92	1.745E-02

FE XX  
2S 2P4(2S) - 2S 2P4(2P)  
ETH = 4.790E-01

X	ROBB
22.96	1.544E-02
31.32	1.549E-02
52.19	1.346E-02
104.38	9.830E-03
208.77	5.930E-03
626.30	1.938E-03
1043.84	1.179E-03

FE XXI  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 9.670E-01

X	ROBB
8.79	9.806E-02
10.34	9.129E-02
15.51	8.646E-02
20.68	8.237E-02
51.71	6.410E-02
103.41	4.823E-02
206.83	3.553E-02
517.06	2.657E-02

FE XXI  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 1.948E+00

X	ROBB
4.36	1.369E-02
5.13	1.348E-02
7.70	1.270E-02
10.27	1.197E-02
25.67	8.933E-03
51.33	6.421E-03
102.67	4.566E-03
256.67	3.436E-03

FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 5.501E+00

X	ROBB
1.55	8.737E-01
1.82	8.979E-01
2.73	9.056E-01
3.64	9.274E-01
9.09	1.057E+00
18.18	1.223E+00
36.36	1.418E+00
90.89	1.698E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 6.468E+00

X	ROBB
1.31	6.592E-01
1.55	6.708E-01
2.32	5.885E-01
3.09	7.051E-01
7.73	7.986E-01
15.46	9.234E-01
30.92	1.081E+00
77.30	1.309E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 8.385E+00

X	ROBB
1.01	5.672E-01
1.19	5.732E-01
1.79	5.932E-01
2.39	6.104E-01
5.96	6.957E-01
11.93	7.780E-01
23.85	9.053E-01
59.63	1.091E+00

FE XXI  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 9.910E-01

X	ROBB
8.66	2.200E-02
10.19	2.140E-02
15.29	2.139E-02
20.39	2.110E-02
50.97	2.110E-02
101.94	2.170E-02
203.87	2.290E-02
509.68	2.360E-02

FE XXI  
2S2 2P2(10) - 2S 2P3(3D)  
ETH = 4.534E+00

X	ROBB
1.87	1.274E-01
2.21	1.292E-01
3.31	1.317E-01
4.41	1.351E-01
11.03	1.503E-01
22.06	1.662E-01
44.11	1.831E-01
110.28	2.096E-01

FE XXI  
2S2 2P2(10) - 2S 2P3(3P)  
ETH = 5.501E+00

X	ROBB
1.55	1.610E-01
1.82	1.637E-01
2.73	1.680E-01
3.64	1.720E-01
9.09	1.896E-01
18.18	2.047E-01
36.36	2.219E-01
90.89	2.486E-01

FE XXI  
2S2 2P2(10) - 2S 2P3(3S)  
ETH = 7.418E+00

X	ROBB
1.15	6.290E-02
1.35	6.350E-02
2.02	6.620E-02
2.70	6.899E-02
6.74	8.720E-02
13.48	1.110E-01
26.96	1.420E-01
67.43	1.840E-01

FE XXI  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 3.553E+00

X	ROBB
2.39	1.672E-02
2.81	1.731E-02
4.22	1.860E-02
5.63	1.988E-02
14.07	2.532E-02
28.15	3.004E-02
56.29	3.487E-02
140.73	4.152E-02

FE XXI  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 4.520E+00

X	ROBB
1.89	1.034E-02
2.21	1.024E-02
3.32	9.970E-03
4.42	9.760E-03
11.06	8.820E-03
22.12	7.830E-03
44.25	7.067E-03
110.62	7.290E-03

FE XXI  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 6.437E+00

X	ROBB
1.32	9.190E-03
1.55	9.300E-03
2.33	7.670E-03
3.11	1.000E-02
7.77	1.120E-02
15.54	1.200E-02
31.07	1.280E-02
77.68	1.370E-02

FE XXI  
2S 2P3(3D) - 2S 2P3(3P)  
ETH = 9.670E-01

X	ROBB
8.79	1.745E-01
10.34	1.730E-01
15.51	1.689E-01
20.68	1.645E-01
51.71	1.507E-01
103.41	1.429E-01
206.83	1.402E-01
517.06	1.373E-01

FE XXI  
2S 2P3(3D) - 2S 2P3(3S)  
ETH = 2.884E+00

X	ROBB
2.95	2.091E-02
3.47	2.051E-02
5.20	1.929E-02
6.93	1.818E-02
17.34	1.336E-02
34.67	9.090E-03
69.35	5.610E-03
173.37	3.226E-03

FE XXI  
2S 2P3(3P) - 2S 2P3(3S)  
ETH = 1.917E+00

X	ROBB
4.43	9.610E-03
5.22	7.390E-03
7.82	9.750E-03
10.43	8.170E-03
26.08	5.726E-03
52.16	3.628E-03
104.33	1.979E-03
260.82	9.014E-04

FE XXII  
2S2 2P(2P) - 2S 2P2(4P)  
ETH = 2.843E+00

X	ROBB
2.54	6.835E-02
3.52	6.948E-02
4.40	7.039E-02
5.28	7.097E-02
7.03	7.192E-02
14.07	7.348E-02
21.10	7.315E-02
28.14	7.259E-02
35.17	7.218E-02
70.35	7.157E-02
140.70	7.396E-02
211.04	7.654E-02
281.39	7.897E-02
351.74	8.086E-02

FE XXII  
2S2 2P(2P) - 2S 2P2(2D)  
ETH = 5.293E+00

X	ROBB
1.42	5.897E-01
1.89	6.084E-01
2.36	6.190E-01
2.83	6.277E-01
3.78	6.490E-01
7.56	7.322E-01
11.34	7.879E-01
15.11	8.390E-01
18.89	8.783E-01
37.79	1.011E+00
75.57	1.155E+00
113.35	1.239E+00
151.14	1.299E+00
188.93	1.345E+00

FE XXII  
2S2 2P(2P) - 2S 2P2(2S)  
ETH = 6.781E+00

X	ROBB
1.11	2.565E-01
1.47	2.617E-01
1.84	2.689E-01
2.21	2.741E-01
2.95	2.856E-01
5.90	3.244E-01
8.85	3.498E-01
11.83	3.698E-01
14.75	3.877E-01
29.49	4.467E-01
58.99	5.088E-01
88.48	5.467E-01
117.98	5.731E-01
147.47	5.931E-01

FE XXII  
2S2 2P(2P) - 2S 2P2(2P)  
ETH = 7.216E+00

X	ROBB
1.04	8.780E-01
1.39	8.979E-01
1.73	9.171E-01
2.08	9.365E-01
2.77	9.717E-01
5.54	1.097E+00
8.31	1.186E+00
11.09	1.254E+00
13.86	1.317E+00
27.72	1.528E+00
55.43	1.760E+00
83.15	1.889E+00
110.86	1.984E+00
138.58	2.060E+00

FE XXIII  
2S2(1S) - 2S 2P(3P)  
ETH = 3.255E+00

X	ROBB
3.69	2.257E-02
4.61	2.275E-02
6.14	2.289E-02
15.36	2.271E-02
30.72	2.159E-02
92.17	1.983E-02
153.61	1.966E-02
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

FE XXIII  
2S2(1S) - 2S 2P(1P)  
ETH = 6.170E+00

X	ROBB
1.94	3.140E-01
2.43	3.299E-01
3.24	3.280E-01
8.10	3.770E-01
16.21	4.410E-01
48.62	5.660E-01
81.04	6.290E-01
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

FE XXIII  
2S2(1S) - 2P2(3P)  
ETH = 8.295E+00

X	ROBB
1.45	5.638E-03
1.81	5.540E-03
2.41	5.470E-03
6.03	5.160E-03
12.06	4.821E-03
36.17	4.336E-03
60.28	4.145E-03

FE XXIII  
2S2(1S) - 2P2(10)  
ETH = 9.263E+00

X	ROBB
1.30	1.200E-03
1.62	1.190E-03
2.16	1.170E-03
5.40	1.130E-03
10.80	1.140E-03
32.39	1.220E-03
53.98	1.230E-03

FE XXIII  
2S2(1S) - 2P2(1S)  
ETH = 1.131E+01

X	ROBB
1.06	3.720E-04
1.33	3.700E-04
1.77	3.640E-04
4.42	3.440E-04
8.84	3.740E-04
26.53	7.470E-04
44.21	9.610E-04

FE XXIII  
2S 2P(3P) - 2S 2P(1P)  
ETH = 2.915E+00

X	ROBB
4.12	3.315E-02
5.15	3.092E-02
6.86	2.910E-02
17.15	2.097E-02
34.31	1.380E-02
102.92	5.198E-03
171.53	3.198E-03

FE XXIII  
2S 2P(3P) - 2P2(3P)  
ETH = 5.040E+00

X	ROBB
2.38	1.305E+00
2.98	1.339E+00
3.97	1.377E+00
9.92	1.581E+00
19.84	1.825E+00
59.52	2.274E+00
99.21	2.496E+00

FE XXIII  
2S 2P(3P) - 2P2(10)  
ETH = 6.008E+00

X	ROBB
2.00	1.810E-01
2.50	1.832E-01
3.33	1.853E-01
8.32	2.031E-01
16.64	2.290E-01
49.93	2.813E-01
83.22	3.098E-01

FE XXIII  
2S 2P(3P) - 2P2(1S)  
ETH = 8.054E+00

X	ROBB
1.49	2.233E-03
1.86	2.147E-03
2.48	2.033E-03
6.21	1.553E-03
12.42	1.114E-03
37.25	6.840E-04
62.08	6.560E-04

FE XXIII  
2S 2P(1P) - 2P2(3P)  
ETH = 2.125E+00

X	ROBB
5.65	2.006E-01
7.06	2.084E-01
9.41	2.154E-01
23.53	2.501E-01
47.06	2.836E-01
141.18	3.455E-01
235.29	3.741E-01

FE XXIII  
2S 2P(1P) - 2P2(10)  
ETH = 3.093E+00

X	ROBB
3.88	6.850E-01
4.85	7.050E-01
6.47	7.220E-01
16.17	8.350E-01
32.33	9.670E-01
96.99	1.210E+00
161.66	1.330E+00

FE XXIII  
2S 2P(1P) - 2P2(1S)  
ETH = 5.139E+00

X	ROBB
2.34	2.760E-01
2.92	2.840E-01
3.89	2.960E-01
9.73	3.360E-01
19.46	3.810E-01
58.38	4.750E-01
97.30	5.210E-01

FE XXIII  
2P2(3P) - 2P2(10)  
ETH = 9.680E-01

X	ROBB
12.40	8.971E-02
15.50	8.578E-02
20.66	8.190E-02
51.65	6.509E-02
103.31	5.067E-02
309.92	3.350E-02
516.53	2.899E-02

FE XXIII  
2P2(3P) - 2P2(1S)  
ETH = 3.014E+00

X	ROBB
3.98	1.415E-02
4.98	1.385E-02
6.64	1.421E-02
16.59	1.094E-02
33.18	8.980E-03
99.54	6.950E-03
165.89	6.447E-03

FE XXIII  
2P2(10) - 2P2(1S)  
ETH = 2.046E+00

X	ROBB
5.87	2.000E-02
7.33	1.990E-02
9.78	1.980E-02
24.44	1.990E-02
48.88	2.040E-02
146.63	2.160E-02
244.38	2.150E-02
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

FE XXIV  
1S2 2S - 1S2 2P  
ETH = 3.451E+00

X	ROBB CCX
1.01	4.673E-01
2.03	4.860E-01
2.90	4.934E-01
7.24	5.628E-01
11.59	6.146E-01
15.94	6.536E-01
20.28	6.858E-01
24.63	7.136E-01
28.98	7.377E-01
43.47	8.008E-01
57.95	8.479E-01
72.44	8.845E-01
86.93	9.143E-01
101.42	9.394E-01

MO XXXVIII  
2S2 2P(2P) - 2S 2P2(4P)  
ETH = 4.830E+00

X	ROBB
2.59	1.073E-01
3.88	1.123E-01
5.18	1.173E-01
6.47	1.202E-01
7.76	1.229E-01
12.94	1.346E-01
25.88	1.529E-01
38.82	1.644E-01
51.76	1.724E-01
103.52	1.953E-01
155.29	2.088E-01
207.05	2.191E-01
-	-
-	-

MO XXXVIII  
 2S2 2P(2P) - 2S 2P2(2D)  
 ETH = 8.895E+00

X	ROBB
1.41	2.042E-01
2.11	2.064E-01
2.81	2.097E-01
3.51	2.072E-01
4.22	2.072E-01
7.03	2.129E-01
14.05	2.339E-01
21.08	2.556E-01
28.11	2.731E-01
56.21	3.258E-01
84.32	3.591E-01
112.42	3.829E-01

MO XXXVIII  
 2S2 2P(2P) - 2S 2P2(2S)  
 ETH = 1.140E+01

X	ROBB
1.10	8.382E-02
1.65	8.491E-02
2.19	8.572E-02
2.74	8.612E-02
3.29	8.590E-02
5.48	8.678E-02
10.97	9.124E-02
16.45	9.772E-02
21.94	1.032E-01
43.87	1.202E-01
65.81	1.312E-01
87.74	1.392E-01

MO XXXVIII  
 2S2 2P(2P) - 2S 2P2(2P)  
 ETH = 1.202E+01

X	ROBB
1.04	3.029E-01
1.56	3.088E-01
2.08	3.147E-01
2.60	3.194E-01
3.12	3.251E-01
5.20	3.474E-01
10.40	4.055E-01
15.60	4.619E-01
20.80	5.041E-01
41.59	6.286E-01
62.39	7.070E-01
93.19	7.633E-01

MO XXXVIII  
 2S 2P2(4P) - 2S 2P2(2D)  
 ETH = 4.065E+00

X	ROBB
4.61	4.982E-02
6.15	4.850E-02
7.69	4.737E-02
9.22	4.637E-02
15.37	4.321E-02
30.75	3.712E-02
46.12	3.295E-02
61.50	2.995E-02
122.99	2.391E-02
184.49	2.149E-02
245.98	2.026E-02

MO XXXVIII  
 2S 2P2(4P) - 2S 2P2(2S)  
 ETH = 6.567E+00

X	ROBB
2.86	5.979E-03
3.91	5.841E-03
4.76	5.729E-03
5.71	5.606E-03
8.52	5.224E-03
19.03	4.499E-03
28.55	4.005E-03
39.07	3.663E-03
76.14	2.981E-03
114.20	2.717E-03
152.27	2.584E-03

MO XXXVIII  
 2S 2P2(4P) - 2S 2P2(2P)  
 ETH = 7.191E+00

X	ROBB
2.61	1.219E-02
3.48	1.177E-02
4.35	1.145E-02
5.21	1.114E-02
8.69	1.014E-02
17.38	8.171E-03
26.07	6.793E-03
34.76	5.779E-03
69.53	3.708E-03
104.29	2.847E-03
139.06	2.434E-03

MO XXXVIII  
 2S 2P2(2D) - 2S 2P2(2S)  
 ETH = 2.502E+00

X	ROBB
7.49	1.130E-02
9.99	1.119E-02
12.49	1.110E-02
14.99	1.099E-02
24.98	1.069E-02
49.96	1.018E-02
74.94	9.910E-03
99.92	9.780E-03
199.85	9.660E-03
299.77	9.690E-03
399.70	9.670E-03

MO XXXVIII  
 2S 2P2(2D) - 2S 2P2(2P)  
 ETH = 3.126E+00

X	ROBB
6.00	2.812E-02
8.00	2.751E-02
10.00	2.695E-02
12.00	2.641E-02
19.99	2.460E-02
39.99	2.116E-02
59.98	1.881E-02
79.98	1.714E-02
159.95	1.364E-02
239.93	1.217E-02
319.91	1.137E-02

MO XXXVIII  
 2S 2P2(2S) - 2S 2P2(2P)  
 ETH = 6.240E+01

X	ROBB
30.05	7.390E-03
40.06	7.220E-03
50.08	7.090E-03
60.10	6.970E-03
100.16	6.590E-03
200.32	5.910E-03
300.48	5.458E-03
400.64	5.160E-03
801.28	4.622E-03
1201.92	4.429E-03
1602.56	4.325E-03

C III		N IV		O V	
2S2(1S) - 2S 2P(1P)		2S2(1S) - 2S 2P(1P)		2S2(1S) - 2S 2P(1P)	
ETH = 9.540E-01		ETH = 1.200E+00		ETH = 1.450E+00	
REF. 3		REF. 3		REF. 3	
X	NAKAZAKI	X	NAKAZAKI	X	NAKAZAKI
1.00	6.310E+00	1.00	4.710E+00	1.00	3.530E+00
3.85	8.800E+00	3.07	5.820E+00	2.54	4.080E+00
7.70	1.071E+01	6.14	6.900E+00	5.08	4.740E+00
11.56	1.196E+01	9.22	7.670E+00	7.61	5.230E+00
15.40	1.288E+01	12.28	8.240E+00	10.16	5.600E+00
38.50	1.594E+01	30.70	1.022E+01	25.40	6.950E+00
77.00	1.823E+01	61.40	1.173E+01	50.80	7.990E+00
154.00	2.052E+01	122.80	1.323E+01	101.60	9.050E+00
308.00	2.277E+01	245.60	1.472E+01	203.20	1.008E+01

NE VII  
2S2(1S) - 2S 2P(1P)  
ETH = 1.950E+00  
REF. 3

X	NAKAZAKI
1.00	2.190E+00
1.88	2.360E+00
3.76	2.650E+00
5.65	2.880E+00
7.52	3.070E+00
18.80	3.790E+00
37.60	4.380E+00
75.20	4.980E+00
150.40	5.570E+00

JACKSON, EISSNER, DERE, MASON, WIDING, BHATIA, STOREY, SEATON, HUMMER AND NORCROSS

BE II		C III		C III	
2S - 2P		2S2 - 2S 2P(3P)		2S2 - 2S 2P(1P)	
ETH = 3.330E-01		ETH = 4.860E-01		ETH = 1.032E+00	
REF. 12		REF. 5		REF. 5	
X	SEATON	X	EISSNER	X	EISSNER
1.00	1.260E+01	2.44	6.900E-01	1.15	3.567E+00
3.33	2.441E+01	3.06	6.140E-01	1.44	3.669E+00
4.00	2.715E+01	5.12	4.440E-01	2.41	4.974E+00
6.67	3.607E+01	-	-	-	-

C III		C III		C III	
2S 2P(3P) - 2S 2P(1P)		2S 2P(3P) - 2P2(3P)		2S 2P(1P) - 2P2(1P)	
ETH = 5.460E-01		ETH = 7.840E-01		ETH = 4.280E-01	
REF. 5		REF. 5		REF. 5	
X	EISSNER	X	EISSNER	X	EISSNER
2.17	2.197E+00	1.90	2.213E+01	3.47	1.664E+01
2.72	1.676E+00	3.17	2.975E+01	5.81	2.16E+01
4.55	1.102E+00	-	-	-	-

O III		O III		O III	
2S2 2P2(3P) - 2S 2P(5S)		2S2 2P2(3P) - 2S2 2P2(1O)		2S2 2P2(3P) - 2S2 2P2(1S)	
ETH = 5.480E-01		ETH = 1.997E-01		ETH = 3.612E-01	
REF. 4		REF. 10		REF. 10	
X	JACKSON	X	BHATIA	X	BHATIA
1.00	1.362E+00	29.93	1.298E+00	11.07	1.910E-01
-	-	30.05	8.400E-01	16.61	1.173E-01
-	-	40.06	5.808E-01	22.15	7.619E-02

Q III  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 4.541E-01  
REF. 10

X	BHATIA
8.81	4.216E-01
13.21	3.044E-01
17.62	2.285E-01

Q III  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 1.115E+00  
REF. 10

X	BHATIA
3.59	1.289E+01
5.38	1.475E+01
7.17	1.506E+01

Q III  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 1.315E+00  
REF. 10

X	BHATIA
3.04	1.146E+01
4.56	1.352E+01
6.08	1.396E+01

Q III  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 1.838E+00  
REF. 10

X	BHATIA
2.18	2.854E-01
3.26	1.970E-01
4.35	1.413E-01

Q III  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 1.900E+00  
REF. 10

X	BHATIA
2.10	5.690E+00
3.16	7.374E+00
4.21	8.012E+00

Q III  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 2.038E+00  
REF. 10

X	BHATIA
1.96	1.179E-01
2.94	7.927E-02
3.93	5.647E-02

Q III  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 1.615E-01  
REF. 10

X	BHATIA
24.77	3.815E-01
37.15	4.068E-01
49.93	4.221E-01

Q III  
2S2 2P2(1D) - 2S 2P3(3D)  
ETH = 9.155E-01  
REF. 10

X	BHATIA
4.37	7.229E-01
6.55	5.089E-01
8.74	3.744E-01

Q III  
2S2 2P2(1D) - 2S 2P3(3P)  
ETH = 1.115E+00  
REF. 10

X	BHATIA
3.59	1.802E-01
5.38	1.199E-01
7.17	8.992E-02

Q III  
2S2 2P2(1D) - 2S 2P3(1D)  
ETH = 1.639E+00  
REF. 10

X	BHATIA
2.44	8.391E+00
3.66	1.061E+01
4.88	1.130E+01

Q III  
2S2 2P2(1D) - 2S 2P3(3S)  
ETH = 1.701E+00  
REF. 10

X	BHATIA
2.35	1.360E-02
3.53	7.900E-03
4.70	4.526E-03

Q III  
2S2 2P2(1D) - 2S 2P3(1P)  
ETH = 1.838E+00  
REF. 10

X	BHATIA
2.18	4.261E+00
3.26	5.222E+00
4.35	5.977E+00

Q III  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 7.540E-01  
REF. 10

X	BHATIA
5.31	4.300E-03
7.96	1.485E-03
10.61	6.510E-04

Q III  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 9.537E-01  
REF. 10

X	BHATIA
4.19	2.190E-01
6.29	1.576E-01
8.39	1.166E-01

Q III  
2S2 2P2(1S) - 2S 2P3(1D)  
ETH = 1.477E+00  
REF. 10

X	BHATIA
2.71	1.200E-02
4.06	1.160E-02
5.42	1.073E-02

Q III  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 1.539E+00  
REF. 10

X	BHATIA
2.60	7.000E-05
3.90	7.300E-05
5.20	6.900E-05

Q III  
2S2 2P2(1S) - 2S 2P3(1P)  
ETH = 1.677E+00  
REF. 10

X	BHATIA
2.39	1.548E+00
3.58	1.980E+00
4.77	2.113E+00

NE V  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 2.869E-01  
REF. 11

X	BHATIA
17.43	9.101E-01
34.86	4.533E-01
52.29	2.832E-01

NE V  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 5.402E-01  
REF. 11

X	BHATIA
9.26	1.216E-01
18.51	6.200E-02
27.77	3.554E-02

NE V  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 6.985E-01  
REF. 11

X	BHATIA
7.16	2.438E-01
14.32	1.569E-01
21.47	1.073E-01

NE V  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 1.617E+00  
REF. 11

X	BHATIA
3.09	7.176E+00
6.19	9.402E+00
9.29	9.380E+00

NE V  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 1.904E+00  
REF. 11

X	BHATIA
2.63	6.440E+00
5.25	7.665E+00
7.88	8.644E+00

NE V  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 2.593E+00  
REF. 11

X	BHATIA
1.93	1.481E-01
3.86	9.180E-02
5.78	6.103E-02

NE V  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 2.651E+00  
REF. 11

X	BHATIA
1.89	3.983E+00
3.77	4.863E+00
5.66	5.601E+00

NE V  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 2.880E+00  
REF. 11

X	BHATIA
1.74	6.253E-02
3.47	3.825E-02
5.21	2.527E-02

NE V  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 2.533E-01  
REF. 11

X	BHATIA
19.74	1.969E-01
39.47	2.143E-01
59.21	2.239E-01

NE V  
2S2 2P2(1D) - 2S 2P3(5S)  
ETH = 4.117E-01  
REF. 11

X	BHATIA
12.15	3.000E-05
24.29	2.000E-05
36.44	1.000E-05

NE V  
2S2 2P2(1D) - 2S 2P3(3D)  
ETH = 1.330E+00  
REF. 11

X	BHATIA
3.76	3.997E-01
7.52	2.523E-01
11.28	1.702E-01

NE V  
2S2 2P2(1D) - 2S 2P3(3P)  
ETH = 1.617E+00  
REF. 11

X	BHATIA
3.09	9.840E-02
6.19	5.928E-02
9.28	3.922E-02

NE V  
2S2 2P2(1D) - 2S 2P3(1D)  
ETH = 2.306E+00  
REF. 11

X	BHATIA
2.17	5.374E+00
4.34	6.676E+00
6.50	7.541E+00

NE V  
2S2 2P2(1D) - 2S 2P3(3S)  
ETH = 2.364E+00  
REF. 11

X	BHATIA
2.11	5.850E-03
4.23	2.550E-03
6.34	1.280E-03

NE V  
2S2 2P2(1D) - 2S 2P3(1P)  
ETH = 2.593E+00  
REF. 11

X	BHATIA
1.93	2.758E+00
3.86	3.472E+00
5.78	3.991E+00

NE V  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 1.076E+00  
REF. 11

X	BHATIA
4.64	1.500E-03
9.29	4.100E-04
13.93	2.200E-04

NE V  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 1.353E+00  
REF. 11

X	BHATIA
3.67	1.220E-01
7.33	7.803E-02
11.00	5.275E-02

NE V  
2S2 2P2(1S) - 2S 2P3(1D)  
ETH = 2.053E+00  
REF. 11

X	BHATIA
2.44	4.040E-03
4.87	3.340E-03
7.31	2.810E-03

NE V  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 2.111E+00  
REF. 11

X	BHATIA
2.37	1.900E-04
4.74	1.700E-04
7.11	1.500E-04

NE V  
2S2 2P2(1S) - 2S 2P3(1P)  
ETH = 2.340E+00  
REF. 11

X	BHATIA
2.14	1.026E+00
4.27	1.281E+00
6.41	1.461E+00
-	-
-	-
-	-

NE VII  
2S2 - 2S 2P(3P)  
ETH = 1.014E+00  
REF. 13

X	HUMMER
1.09	2.050E-01
1.45	1.800E-01
2.54	1.520E-01
3.62	1.300E-01
36.24	1.760E-02
72.49	6.340E-03

NE VII  
2S2 - 2S 2P(1P)  
ETH = 2.327E+00  
REF. 13

X	HUMMER
1.27	1.910E+00
1.81	1.970E+00
18.13	3.550E+00
36.26	4.190E+00
-	-
-	-

NE VII  
2S 2P(3P) - 2P2(3P)  
ETH = 1.624E+00  
REF. 13

X	HUMMER
2.26	9.390E+00
22.63	1.640E+01
45.26	1.920E+01

MG VI  
2S2 2P3(4S) - 2S2 2P3(2D)  
ETH = 5.303E-01  
REF. 11

X	BHATIA
18.86	4.085E-01
28.29	2.826E-01
37.71	2.054E-01

MG VI  
2S2 2P3(4S) - 2S2 2P3(2P)  
ETH = 7.524E-01  
REF. 11

X	BHATIA
13.29	1.593E-01
19.94	1.020E-01
26.58	6.880E-02

MG VI  
2S2 2P3(4S) - 2S 2P4(4P)  
ETH = 2.257E+00  
REF. 11

X	BHATIA
4.43	5.969E+00
6.65	6.809E+00
8.86	7.306E+00

MG VI  
2S2 2P3(4S) - 2S 2P4(2D)  
ETH = 3.206E+00  
REF. 11

X	BHATIA
3.12	3.600E-03
4.68	1.800E-03
6.24	1.100E-03

MG VI  
2S2 2P3(4S) - 2S 2P4(2S)  
ETH = 3.736E+00  
REF. 11

X	BHATIA
2.68	3.000E-04
4.02	2.000E-04
5.35	2.000E-04

MG VI  
2S2 2P3(4S) - 2S 2P4(2P)  
ETH = 4.043E+00  
REF. 11

X	BHATIA
2.47	9.260E-02
3.71	6.300E-02
4.95	4.700E-02

MG VI  
2S2 2P3(2D) - 2S2 2P3(2P)  
ETH = 2.221E-01  
REF. 11

X	BHATIA
45.03	8.633E-01
67.54	8.203E-01
90.05	7.980E-01

MG VI  
2S2 2P3(2D) - 2S 2P4(4P)  
ETH = 1.726E+00  
REF. 11

X	BHATIA
5.79	2.115E-01
8.69	1.585E-01
11.59	1.153E-01

MG VI  
2S2 2P3(2D) - 2S 2P4(2D)  
ETH = 2.675E+00  
REF. 11

X	BHATIA
3.74	7.091E+00
5.61	7.845E+00
7.48	8.439E+00

MG VI  
2S2 2P3(2D) - 2S 2P4(2S)  
ETH = 3.206E+00  
REF. 11

X	BHATIA
3.12	4.600E-03
4.68	3.200E-02
6.24	3.400E-02

MG VI  
2S2 2P3(2D) - 2S 2P4(2P)  
ETH = 3.513E+00  
REF. 11

X	BHATIA
2.85	5.987E+00
4.27	6.730E+00
5.69	6.983E+00

MG VI  
2S2 2P3(2P) - 2S 2P4(4P)  
ETH = 1.504E+00  
REF. 11

X	BHATIA
6.65	1.701E-01
9.97	1.225E-01
13.30	9.190E-02

MG VI  
2S2 2P3(2P) - 2S 2P4(2D)  
ETH = 2.453E+00  
REF. 11

X	BHATIA
4.08	1.566E+00
6.11	1.695E+00
8.15	1.798E+00

MG VI  
2S2 2P3(2P) - 2S 2P4(2S)  
ETH = 2.984E+00  
REF. 11

X	BHATIA
3.35	2.227E+00
5.03	2.446E+00
6.70	2.621E+00

MG VI  
2S2 2P3(2P) - 2S 2P4(2P)  
ETH = 3.291E+00  
REF. 11

X	BHATIA
3.04	2.222E+00
4.56	2.515E+00
6.08	2.720E+00

S IV  
3S2 3P(2P) - 3S 3P2(4P)  
ETH = 5.413E-01  
REF. 11

X	BHATIA
3.69	6.221E-01
7.39	3.532E-01
11.08	2.310E-01

S IV  
3S2 3P(2P) - 3S 3P2(2D)  
ETH = 8.233E-01  
REF. 11

X	BHATIA
2.43	7.905E+00
4.86	8.827E+00
7.29	9.788E+00

S IV  
3S2 3P(2P) - 3S 3P2(2S)  
ETH = 1.098E+00  
REF. 11

X	BHATIA
1.82	3.394E+00
3.64	4.283E+00
5.47	4.911E+00

S IV  
3S2 3P(2P) - 3S 3P2(2P)  
ETH = 1.265E+00  
REF. 11

X	BHATIA
1.58	2.442E+01
3.16	3.364E+01
4.74	3.916E+01

S IV  
3S2 3P(2P) - 3S2 3D(2D)  
ETH = 1.601E+00  
REF. 11

X	BHATIA
1.25	1.752E+01
2.50	2.644E+01
3.75	3.112E+01

S IV  
3S 3P2(4P) - 3S 3P2(2D)  
ETH = 2.820E-01  
REF. 11

X	BHATIA
7.09	1.435E+00
14.18	6.730E-01
21.27	3.722E-01

S IV  
3S 3P2(4P) - 3S 3P2(2S)  
ETH = 5.565E-01  
REF. 11

X	BHATIA
3.59	1.603E-01
7.19	6.820E-02
10.78	3.320E-02

S IV  
3S 3P2(4P) - 3S 3P2(2P)  
ETH = 7.241E-01  
REF. 11

X	BHATIA
2.76	3.259E-01
5.52	1.479E-01
8.29	7.950E-02

S IV  
3S 3P2(4P) - 3S2 3D(2D)  
ETH = 1.060E+00  
REF. 11

X	BHATIA
1.89	1.907E-01
3.78	9.320E-02
5.66	5.050E-02

S IV  
3S 3P2(2D) - 3S 3P2(2S)  
ETH = 2.744E-01  
REF. 11

X	BHATIA
7.29	2.926E+00
14.58	2.996E+00
21.86	2.976E+00

S IV  
3S 3P2(2D) - 3S 3P2(2P)  
ETH = 4.421E-01  
REF. 11

X	BHATIA
4.52	9.120E-01
9.05	4.565E-01
13.57	2.808E-01



S IV  
3S 3P2(2D) - 3S2 3D(2D)  
ETH = 7.776E-01  
REF. 11

X	BHATIA
2.57	1.836E+00
5.14	1.047E+00
7.72	7.239E-01

S IV  
3S 3P2(2S) - 3S 3P2(2P)  
ETH = 1.677E-01  
REF. 11

X	BHATIA
11.93	2.255E-01
23.86	1.323E-01
35.79	9.080E-02

S IV  
3S 3P2(2S) - 3S2 3D(2D)  
ETH = 5.032E-01  
REF. 11

X	BHATIA
3.97	3.442E-01
7.95	3.547E-01
11.92	3.569E-01

S IV  
3S 3P2(2P) - 3S2 3D(2D)  
ETH = 3.355E-01  
REF. 11

X	BHATIA
5.96	4.157E-01
11.92	3.511E-01
17.98	3.090E-01

AR XIII  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 6.537E-01  
REF. 10

X	BHATIA
22.95	1.681E-01
45.89	1.151E-01
68.84	8.390E-02

AR XIII  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 1.294E+00  
REF. 10

X	BHATIA
11.59	2.360E-02
23.18	1.510E-02
34.77	1.020E-02

AR XIII  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 1.824E+00  
REF. 10

X	BHATIA
8.22	4.860E-02
16.45	3.590E-02
24.67	2.730E-02

AR XIII  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 3.732E+00  
REF. 10

X	BHATIA
4.02	2.236E+00
8.04	2.547E+00
12.06	2.778E+00

AR XIII  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 4.384E+00  
REF. 10

X	BHATIA
3.42	1.965E+00
6.84	2.242E+00
10.26	2.442E+00

AR XIII  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 5.689E+00  
REF. 10

X	BHATIA
2.64	4.880E-02
5.27	4.600E-02
7.91	4.400E-02

AR XIII  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 5.695E+00  
REF. 10

X	BHATIA
2.63	1.472E+00
5.27	1.690E+00
7.90	1.868E+00

AR XIII  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 6.334E+00  
REF. 10

X	BHATIA
2.37	2.010E-02
4.74	1.960E-02
7.12	1.760E-02

AR XIII  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 6.405E-01  
REF. 10

X	BHATIA
23.42	4.840E-02
46.84	4.990E-02
70.26	5.110E-02

AR XIII  
2S2 2P2(1D) - 2S 2P3(5S)  
ETH = 1.170E+00  
REF. 10

X	BHATIA
12.92	4.000E-04
25.64	3.000E-04
38.45	2.000E-04

AR XIII  
2S2 2P2(1D) - 2S 2P3(3D)  
ETH = 3.079E+00  
REF. 10

X	BHATIA
4.87	9.940E-02
9.74	9.340E-02
14.62	7.310E-02

AR XIII  
2S2 2P2(1D) - 2S 2P3(3P)  
ETH = 3.730E+00  
REF. 10

X	BHATIA
4.02	2.660E-02
8.04	2.200E-02
12.06	1.910E-02

AR XIII  
2S2 2P2(1D) - 2S 2P3(1D)  
ETH = 5.035E+00  
REF. 10

X	BHATIA
2.98	1.927E+00
5.96	2.215E+00
8.94	2.433E+00

AR XIII  
2S2 2P2(1D) - 2S 2P3(3S)  
ETH = 5.041E+00  
REF. 10

X	BHATIA
2.98	1.000E-03
5.95	7.000E-04
8.93	6.000E-04

AR XIII  
2S2 2P2(1D) - 2S 2P3(1P)  
ETH = 5.681E+00  
REF. 10

X	BHATIA
2.64	9.785E-01
5.28	1.123E+00
7.92	1.233E+00

AR XIII  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 2.438E+00  
REF. 10

X	BHATIA
6.15	1.300E-03
12.30	1.000E-03
18.46	9.000E-04

AR XIII  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 3.090E+00  
REF. 10

X	BHATIA
4.85	2.560E-02
9.71	2.740E-02
14.56	1.700E-02

AR XIII  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 4.401E+00  
REF. 10

X	BHATIA
3.41	3.200E-03
6.82	3.700E-03
10.23	4.000E-03

AR XIII  
2S2 2P2(1S) - 2S 2P3(1P)  
ETH = 5.040E+00  
REF. 10

X	BHATIA
2.98	3.887E-01
5.95	4.465E-01
8.93	4.903E-01

AR XIV  
2S2 2P(2P) - 2S 2P2(4P)  
ETH = 2.016E+00  
REF. 6

X	DERE
4.96	8.140E-02
19.84	4.640E-02
39.69	2.570E-02

AR XIV  
2S2 2P(2P) - 2S 2P2(2D)  
ETH = 3.651E+00  
REF. 6

X	DERE
2.74	1.330E+00
10.96	1.686E+00
21.91	1.959E+00

AR XIV  
2S2 2P(2P) - 2S 2P2(2S)  
ETH = 4.586E+00  
REF. 6

X	DERE
2.18	5.177E-01
8.72	6.592E-01
17.45	7.710E-01

AR XIV  
2S2 2P(2P) - 2S 2P2(2P)  
ETH = 4.988E+00  
REF. 6

X	DERE
2.00	2.040E+00
8.02	2.631E+00
16.04	3.098E+00

CA XIV  
2S2 2P3(4S) - 2S2 2P3(2D)  
ETH = 1.035E+00  
REF. 11

X	BHATIA
14.50	1.428E-01
29.00	1.025E-01
43.50	7.700E-02

CA XIV  
2S2 2P3(4S) - 2S2 2P3(2P)  
ETH = 1.624E+00  
REF. 11

X	BHATIA
9.24	5.960E-02
19.48	3.980E-02
27.71	2.790E-02

CA XIV  
2S2 2P3(4S) - 2S 2P4(4P)  
ETH = 4.795E+00  
REF. 11

X	BHATIA
3.14	1.834E+00
6.27	2.051E+00
9.41	2.221E+00

CA XIV  
2S2 2P3(4S) - 2S 2P4(2D)  
ETH = 6.568E+00  
REF. 11

X	BHATIA
2.28	1.800E-03
4.57	1.300E-03
6.85	1.000E-03

CA XIV  
2S2 2P3(4S) - 2S 2P4(2S)  
ETH = 7.578E+00  
REF. 11

X	BHATIA
1.98	2.600E-03
3.96	2.100E-03
5.94	1.700E-03

CA XIV  
2S2 2P3(4S) - 2S 2P4(2P)  
ETH = 8.049E+00  
REF. 11

X	BHATIA
1.86	2.990E-02
3.73	2.450E-02
5.59	2.080E-02

CA XIV  
2S2 2P3(2D) - 2S2 2P3(2P)  
ETH = 5.891E-01  
REF. 11

X	BHATIA
25.46	2.450E-01
50.92	2.210E-01
76.38	2.080E-01

CA XIV  
2S2 2P3(2D) - 2S 2P4(4P)  
ETH = 3.750E+00  
REF. 11

X	BHATIA
4.00	7.470E-02
8.00	5.730E-02
12.00	4.530E-02

CA XIV  
2S2 2P3(2D) - 2S 2P4(2D)  
ETH = 5.533E+00  
REF. 11

X	BHATIA
2.71	2.166E+00
5.42	2.410E+00
8.13	2.605E+00

CA XIV  
2S2 2P3(2D) - 2S 2P4(2S)  
ETH = 6.544E+00  
REF. 11

X	BHATIA
2.29	1.736E-01
4.58	1.918E-01
5.89	2.077E-01

CA XIV  
2S2 2P3(2D) - 2S 2P4(2P)  
ETH = 7.014E+00  
REF. 11

X	BHATIA
2.14	1.822E+00
4.28	2.029E+00
6.42	2.196E+00

CA XIV  
2S2 2P3(2P) - 2S 2P4(4P)  
ETH = 3.161E+00  
REF. 11

X	BHATIA
4.75	5.700E-02
9.49	4.330E-02
14.24	3.380E-02

CA XIV  
2S2 2P3(2P) - 2S 2P4(2D)  
ETH = 4.944E+00  
REF. 11

X	BHATIA
3.03	5.515E-01
6.07	6.029E-01
9.10	6.434E-01

CA XIV  
2S2 2P3(2P) - 2S 2P4(2S)  
ETH = 5.954E+00  
REF. 11

X	BHATIA
2.52	5.550E-01
5.04	6.077E-01
7.56	6.500E-01

CA XIV  
2S2 2P3(2P) - 2S 2P4(2P)  
ETH = 6.425E+00  
REF. 11

X	BHATIA
2.33	9.504E-01
4.67	1.063E+00
7.00	1.144E+00

CA XV  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 7.730E-01  
REF. 10

X	BHATIA
19.41	1.406E-01
38.81	1.044E-01
58.22	8.090E-02

CA XV  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 1.521E+00  
REF. 10

X	BHATIA
9.86	1.990E-02
19.73	1.380E-02
29.59	4.530E-03

CA XV  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 2.169E+00  
REF. 10

X	BHATIA
6.92	4.050E-02
13.83	3.190E-02
20.75	2.560E-02

CA XV  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 4.320E+00  
REF. 10

X	BHATIA
3.47	1.734E+00
6.95	1.955E+00
10.42	2.125E+00

CA XV  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 5.085E+00  
REF. 10

X	BHATIA
2.95	1.511E+00
5.90	1.702E+00
8.85	1.852E+00

CA XV  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 6.535E+00  
REF. 10

X	BHATIA
2.30	5.860E-02
4.59	5.910E-02
6.89	6.020E-02

CA XV  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 6.506E+00  
REF. 10

X	BHATIA
2.31	1.163E+00
4.61	1.317E+00
6.92	1.442E+00

CA XV  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 7.286E+00  
REF. 10

X	BHATIA
2.06	2.120E-02
4.12	2.090E-02
6.13	2.090E-02

CA XV  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 7.478E-01  
REF. 10

X	BHATIA
20.06	3.790E-02
40.12	3.860E-02
60.18	3.920E-02

CA XV  
2S2 2P2(1D) - 2S 2P3(5S)  
ETH = 1.396E+00  
REF. 10

X	BHATIA
10.75	8.000E-04
21.49	6.000E-04
32.24	5.000E-04

CA XV  
2S2 2P2(1D) - 2S 2P3(3D)  
ETH = 3.547E+00  
REF. 10

X	BHATIA
4.23	1.012E-01
8.46	9.360E-02
12.69	8.840E-02

CA XV  
2S2 2P2(1D) - 2S 2P3(3P)  
ETH = 4.313E+00  
REF. 10

X	BHATIA
3.48	2.460E-02
6.96	1.930E-02
10.43	1.590E-02

CA XV  
2S2 2P2(1D) - 2S 2P3(1D)  
ETH = 5.752E+00  
REF. 10

X	BHATIA
2.60	1.499E+00
5.21	1.697E+00
7.81	1.853E+00

CA XV  
2S2 2P2(1D) - 2S 2P3(3S)  
ETH = 5.734E+00  
REF. 10

X	BHATIA
2.62	7.000E-04
5.23	6.000E-04
7.85	4.000E-04

CA XV  
2S2 2P2(1D) - 2S 2P3(1P)  
ETH = 6.513E+00  
REF. 10

X	BHATIA
2.30	7.682E-01
4.61	9.655E-01
6.91	9.435E-01

CA XV  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 2.797E+00  
REF. 10

X	BHATIA
5.36	1.900E-03
10.72	1.500E-03
16.08	1.300E-03

CA XV  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 3.565E+00  
REF. 10

X	BHATIA
4.21	2.220E-02
8.42	1.910E-02
12.62	1.700E-02

CA XV  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 4.986E+00  
REF. 10

X	BHATIA
3.01	5.200E-03
6.02	5.900E-03
9.03	6.200E-03

CA XV  
2S2 2P2(1S) - 2S 2P3(1P)  
ETH = 5.766E+00  
REF. 10

X	BHATIA
2.60	3.061E-01
5.20	3.468E-01
7.81	3.787E-01

FE XXI  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 1.410E+00  
REF. 10

X	BHATIA
14.18	8.200E-02
35.46	6.310E-02
70.92	4.610E-02

FE XXI  
2S2 2P2(3P) - 2S2 2P2(1S)  
ETH = 2.506E+00  
REF. 10

X	BHATIA
7.99	1.180E-02
19.95	8.700E-03
39.90	5.105E-03

FE XXI  
2S2 2P2(3P) - 2S 2P3(5S)  
ETH = 3.492E+00  
REF. 10

X	BHATIA
5.73	2.870E-02
14.32	2.240E-02
28.63	1.590E-02

FE XXI  
2S2 2P2(3P) - 2S 2P3(3D)  
ETH = 6.366E+00  
REF. 10

X	BHATIA
3.14	9.302E-01
7.85	1.084E+00
15.71	1.252E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(3P)  
ETH = 7.656E+00  
REF. 10

X	BHATIA
2.61	9.210E-01
6.53	9.536E-01
13.06	1.107E+00

FE XXI  
2S2 2P2(3P) - 2S 2P3(1D)  
ETH = 9.526E+00  
REF. 10

X	BHATIA
2.10	9.320E-02
5.25	1.045E-01
10.50	1.191E-01

FE XXI  
2S2 2P2(3P) - 2S 2P3(3S)  
ETH = 9.215E+00  
REF. 10

X	BHATIA
2.17	6.513E-01
5.43	7.579E-01
10.85	8.826E-01

FE XXI  
2S2 2P2(3P) - 2S 2P3(1P)  
ETH = 1.082E+01  
REF. 10

X	BHATIA
1.85	2.260E-02
4.62	2.430E-02
9.24	2.690E-02

FE XXI  
2S2 2P2(1D) - 2S2 2P2(1S)  
ETH = 1.095E+00  
REF. 10

X	BHATIA
18.24	2.050E-02
45.60	2.010E-02
91.21	1.990E-02

FE XXI  
2S2 2P2(1D) - 2S 2P3(5S)  
ETH = 2.082E+00  
REF. 10

X	BHATIA
9.60	2.300E-03
24.01	1.700E-03
49.02	1.200E-03

FE XXI  
2S2 2P2(1D) - 2S 2P3(3D)  
ETH = 4.956E+00  
REF. 10

X	BHATIA
4.04	1.400E-01
10.09	1.504E-01
20.18	1.624E-01

FE XXI  
2S2 2P2(1D) - 2S 2P3(3P)  
ETH = 6.246E+00  
REF. 10

X	BHATIA
3.20	2.000E-02
8.31	1.540E-02
16.01	1.110E-02

FE XXI  
2S2 2P2(1D) - 2S 2P3(1D)  
ETH = 8.116E+00  
REF. 10

X	BHATIA
2.46	7.823E-01
6.16	9.114E-01
12.32	1.060E+00

FE XXI  
2S2 2P2(1D) - 2S 2P3(3S)  
ETH = 7.895E+00  
REF. 10

X	BHATIA
2.56	2.500E-03
6.41	1.900E-03
12.81	1.500E-03

FE XXI  
2S2 2P2(1D) - 2S 2P3(1P)  
ETH = 9.407E+00  
REF. 10

X	BHATIA
2.13	4.360E-01
5.32	5.016E-01
10.63	5.815E-01

FE XXI  
2S2 2P2(1S) - 2S 2P3(3D)  
ETH = 3.859E+00  
REF. 10

X	BHATIA
5.18	6.800E-03
12.96	7.800E-03
25.91	9.000E-03

FE XXI  
2S2 2P2(1S) - 2S 2P3(3P)  
ETH = 5.149E+00  
REF. 10

X	BHATIA
3.88	1.630E-02
9.71	1.540E-02
19.42	1.490E-02

FE XXI  
2S2 2P2(1S) - 2S 2P3(3S)  
ETH = 6.709E+00  
REF. 10

X	BHATIA
2.98	1.320E-01
7.45	1.520E-02
14.91	1.740E-02
-	-
-	-

FE XXI  
2S2 2P2(1S) - 2S 2P3(1P)  
ETH = 8.311E+00  
REF. 10

X	BHATIA
2.41	1.700E-01
6.02	1.991E-01
12.03	2.325E-01
-	-
-	-

FE XXII  
2S2 2P(2P) - 2S 2P2(4P)  
ETH = 3.568E+00  
REF. 8

X	MASON
2.80	6.990E-02
14.01	6.760E-02
23.82	6.630E-02
42.04	6.620E-02
70.06	6.720E-02

FE XXII  
2S2 2P(2P) - 2S 2P2(2D)  
ETH = 6.139E+00  
REF. 8

X	MASON
1.63	5.748E-01
8.14	7.084E-01
13.85	7.964E-01
24.43	9.249E-01
40.72	1.033E+00

FE XXII  
2S2 2P(2P) - 2S 2P2(2S)  
ETH = 7.093E+00  
REF. 8

X	MASON
1.41	2.673E-01
7.05	3.321E-01
11.98	3.719E-01
21.15	4.246E-01
35.24	4.766E-01

FE XXII  
2S2 2P(2P) - 2S 2P2(2P)  
ETH = 8.321E+00  
REF. 8

X	MASON
1.20	8.582E-01
6.01	1.064E+00
10.22	1.193E+00
18.03	1.369E+00
30.04	1.540E+00

O V  
 2S2 - 2S 2P(1P)  
 ETH = 1.447E+00  
 REF. 14

X	YOUNGER DW
2.00	3.520E+00
5.00	4.510E+00
8.00	5.210E+00
10.00	5.510E+00
16.00	6.160E+00
20.00	6.500E+00

AR VII  
 3S2 - 3S 3P(1P)  
 ETH = 1.556E+00  
 REF. 14

X	YOUNGER DW
2.00	7.340E+00
5.00	9.150E+00
8.00	1.040E+01
10.00	1.100E+01
16.00	1.220E+01
20.00	1.300E+01

AR XV  
 2S2 - 2S 2P(1P)  
 ETH = 4.122E+00  
 REF. 14

X	YOUNGER DW
2.00	6.540E-01
5.00	7.500E-01
8.00	9.260E-01
10.00	8.680E-01
16.00	7.660E-01
20.00	1.020E+00

FE XV  
 3S2 - 3S 3P(1P)  
 ETH = 3.207E+00  
 REF. 14

X	YOUNGER DW
2.00	2.920E+00
5.00	3.350E+00
8.00	3.670E+00
10.00	3.840E+00
16.00	4.310E+00
20.00	4.510E+00

FE XXIII  
 2S2 - 2S 2P(1P)  
 ETH = 6.807E+00  
 REF. 14

X	YOUNGER DW
2.00	3.180E-01
5.00	3.580E-01
8.00	3.900E-01
10.00	4.090E-01
16.00	4.510E-01
20.00	4.740E-01

AS IV  
 4S2 - 4S 4P(1P)  
 ETH = 1.038E+00  
 REF. 14

X	YOUNGER DW
2.00	1.300E+01
5.00	1.850E+01
10.00	2.270E+01
16.00	2.610E+01
20.00	2.800E+01
-	-

KR VII  
 4S2 - 4S 4P(1P)  
 ETH = 1.571E+00  
 REF. 14

X	YOUNGER DW
2.00	9.760E+00
5.00	1.220E+01
8.00	1.400E+01
10.00	1.480E+01
16.00	1.650E+01
20.00	1.740E+01

KR XXV  
 3S2 - 3S 3P(1P)  
 ETH = 5.736E+00  
 REF. 14

X	YOUNGER DW
2.00	1.330E+00
5.00	1.490E+00
8.00	1.610E+00
10.00	1.680E+00
16.00	1.850E+00
20.00	1.940E+00

MO XXII  
 4S2 - 4S 4P(1P)  
 ETH = 2.670E+00  
 REF. 14

X	YOUNGER DW
2.00	5.820E+00
5.00	6.860E+00
8.00	7.530E+00
10.00	7.970E+00
16.00	8.900E+00
20.00	9.320E+00

MO XIV  
 4S(2S) - 4P(2P)  
 ETH = 2.330E+00  
 REF. 14

X	YOUNGER DW
2.00	3.880E+00
5.00	4.350E+00
8.00	4.720E+00
10.00	4.950E+00
16.00	5.410E+00
20.00	5.610E+00

MO XXXI  
 3S2 - 3S 3P(1P)  
 ETH = 7.760E+00  
 REF. 14

X	YOUNGER DW
2.00	8.970E-01
5.00	9.910E-01
8.00	1.080E+00
10.00	1.120E+00
16.00	1.250E+00
20.00	1.290E+00

XE XXV  
 4S2 - 4S 4P(1P)  
 ETH = 5.354E+00  
 REF. 14

X	YOUNGER DW
2.00	2.750E+00
5.00	3.100E+00
8.00	3.370E+00
10.00	3.530E+00
16.00	3.880E+00
20.00	4.090E+00

C III		C III		O V	
2S2 2S 2P(3P)		2S2 2S 2P(1P)		2S2 2S 2P(1P)	
ETH = 4.777E-01		ETH = 9.327E-01		ETH = 1.447E+00	
REF. 15		REF. 15		REF. 15	
X	PEEK DWUC	X	PEEK DWUC	X	PEEK DWUC
1.00	1.197E+00	1.00	4.102E+00	1.00	2.913E+00
1.15	1.140E+00	1.15	4.395E+00	1.15	2.999E+00
1.35	1.071E+00	1.35	4.752E+00	1.35	3.106E+00
1.55	1.009E+00	1.55	5.082E+00	1.55	3.208E+00
1.80	9.395E-01	1.80	5.460E+00	1.80	3.329E+00
2.10	8.573E-01	2.10	5.878E+00	2.10	3.464E+00
2.40	8.045E-01	2.40	6.254E+00	2.40	3.592E+00
2.70	7.495E-01	2.70	6.602E+00	2.70	3.711E+00
3.20	6.715E-01	3.20	7.122E+00	3.20	3.896E+00
4.20	5.522E-01	4.20	8.011E+00	4.20	4.220E+00
5.60	4.359E-01	5.60	8.990E+00	5.60	4.597E+00
7.50	3.306E-01	7.50	1.003E+01	7.50	5.015E+00
10.00	2.416E-01	10.00	1.107E+01	10.00	5.449E+00
13.50	1.663E-01	13.50	1.218E+01	13.50	5.920E+00
18.00	1.114E-01	18.00	1.325E+01	18.00	6.381E+00
24.00	7.197E-02	24.00	1.430E+01	24.00	6.850E+00
-	-	32.00	1.535E+01	32.00	7.322E+00
-	-	56.00	1.734E+01	56.00	8.227E+00
-	-	100.00	1.939E+01	100.00	9.145E+00
-	-	180.00	2.139E+01	180.00	1.004E+01
-	-	320.00	2.330E+01	320.00	1.093E+01

O V		NE VIII	
2S2 2S 2P(3P)		2S - 2P	
ETH = 7.494E-01		ETH = 1.189E+00	
REF. 15		REF. 15	
X	PEEK DWUC	X	PEEK DWX
1.00	3.193E-01	1.00	3.265E+00
1.15	3.122E-01	1.01	3.257E+00
1.35	3.031E-01	1.23	3.317E+00
1.55	2.945E-01	1.50	3.374E+00
1.80	2.844E-01	1.84	3.440E+00
2.10	2.730E-01	2.73	3.610E+00
2.40	2.623E-01	4.07	3.835E+00
2.70	2.524E-01	6.06	4.120E+00
3.20	2.371E-01	11.01	4.661E+00
4.20	2.105E-01	27.00	5.312E+00
5.60	1.804E-01	40.00	6.208E+00
7.50	1.487E-01	100.00	7.310E+00
10.00	1.180E-01	-	-
13.50	8.841E-02	-	-
18.00	6.403E-02	-	-
24.00	4.443E-02	-	-
32.00	2.966E-02	-	-

C II		C III		C IV	
1S2 2S2 2P - 1S2 2S 2P2(2P)		1S2 2S2 - 1S2 2S 2P(1P)		1S2 2S - 1S2 2P	
ETH = 9.920E-01		ETH = 9.330E-01		ETH = 5.883E-01	
REF. 16		REF. 16		REF. 16	
X	DAVIS	X	DAVIS	X	DAVIS
1.00	1.690E+01	1.00	5.800E+00	1.00	1.100E+01
1.50	2.480E+01	1.50	7.300E+00	1.50	1.150E+01
2.00	3.100E+01	2.00	8.400E+00	2.00	1.200E+01
3.00	3.853E+01	3.00	1.020E+01	3.00	1.300E+01
4.00	4.400E+01	4.00	1.175E+01	4.00	1.370E+01
5.00	4.900E+01	5.00	1.270E+01	5.00	1.430E+01

O IV  
 1S2 2S2 2P - 1S2 2S 2P2(2P)  
 ETH = 1.645E+00  
 REF. 16

X	DAVIS
1.00	1.500E+01
1.50	1.680E+01
2.00	1.810E+01
3.00	2.080E+01
4.00	2.230E+01
5.00	2.390E+01

O V  
 1S2 2S2 - 1S2 2S 2P(1P)  
 ETH = 1.448E+00  
 REF. 16

X	DAVIS
1.00	4.200E+00
1.50	4.550E+00
2.00	4.950E+00
3.00	5.600E+00
4.00	6.000E+00
5.00	6.400E+00

O VI  
 1S2 2S - 1S2 2P  
 ETH = 9.819E-01  
 REF. 16

X	DAVIS
1.00	5.750E+00
1.50	5.903E+00
2.00	6.000E+00
3.00	6.400E+00
4.00	6.650E+00
5.00	7.000E+00

CA X  
 3S - 3P  
 ETH = 1.618E+00  
 REF. 17

X	BLAHA
1.00	7.340E+00
2.00	7.770E+00
4.00	8.510E+00
8.00	9.650E+00
16.00	1.110E+01

CA X  
 3S - 3D  
 ETH = 3.803E+00  
 REF. 17

X	BLAHA
1.00	7.510E-01
1.50	7.820E-01
2.00	8.050E-01
4.00	8.540E-01
8.00	8.900E-01

CA X  
 3S - 4S  
 ETH = 7.589E+00  
 REF. 17

X	BLAHA
1.00	2.560E-01
1.50	2.590E-01
2.00	2.610E-01
3.00	2.620E-01
4.00	2.620E-01

CA X  
 3S - 4P  
 ETH = 8.207E+00  
 REF. 17

X	BLAHA
1.00	3.560E-02
1.25	4.110E-02
1.50	4.720E-02
2.00	5.990E-02
3.00	8.490E-02

CA X  
 3S - 4D  
 ETH = 8.998E+00  
 REF. 17

X	BLAHA
1.00	5.040E-02
1.25	5.600E-02
1.50	6.090E-02
2.00	6.930E-02
3.00	9.170E-02

CA X  
 3S - 4F  
 ETH = 9.250E+00  
 REF. 17

X	BLAHA
1.00	1.750E-01
1.25	1.800E-01
1.50	1.830E-01
2.00	1.870E-01
3.00	1.880E-01

CA X  
 3P - 3D  
 ETH = 2.185E+00  
 REF. 17

X	BLAHA
1.00	1.190E+01
2.00	1.280E+01
4.00	1.430E+01
8.00	1.640E+01
16.00	1.950E+01

CA X  
 3P - 4S  
 ETH = 5.971E+00  
 REF. 17

X	BLAHA
1.00	1.010E-01
1.50	1.380E-01
2.00	1.710E-01
3.00	2.300E-01
4.00	2.790E-01

CA X  
 3P - 4P  
 ETH = 6.598E+00  
 REF. 17

X	BLAHA
1.00	9.990E-01
1.50	1.000E+00
2.00	1.010E+00
3.00	1.020E+00
4.00	1.020E+00

CA X  
 3P - 4D  
 ETH = 7.379E+00  
 REF. 17

X	BLAHA
1.00	1.820E-01
1.50	2.540E-01
2.00	3.200E-01
3.00	4.360E-01
4.00	5.370E-01

CA X  
 3P - 4F  
 ETH = 7.642E+00  
 REF. 17

X	BLAHA
1.00	8.060E-01
1.50	9.170E-01
2.00	1.000E+00
3.00	1.120E+00
4.00	1.200E+00

FE XVI  
 3S - 3P  
 ETH = 2.553E+00  
 REF. 17

X	BLAHA
1.00	3.710E+00
2.00	3.980E+00
4.00	4.200E+00
8.00	4.670E+00
16.00	5.410E+00

FE XVI  
 3S - 3D  
 ETH = 6.172E+00  
 REF. 17

X	BLAHA
1.00	3.520E-01
1.50	3.580E-01
2.00	3.630E-01
4.00	3.740E-01
8.00	3.790E-01

FE XVI  
 3S - 4S  
 ETH = 1.702E+01  
 REF. 17

X	BLAHA
1.00	1.190E-01
1.25	1.190E-01
1.50	1.190E-01
2.00	1.210E-01
3.00	1.210E-01

FE XVI  
 3S - 4P  
 ETH = 1.807E+01  
 REF. 17

X	BLAHA
1.00	1.850E-02
1.25	2.310E-02
1.50	2.800E-02
2.00	3.750E-02
3.00	5.540E-02

FE XVI  
3S - 4D  
ETH = 1.936E+01  
REF. 17

X	BLAHA
1.00	4.800E-02
1.25	4.910E-02
1.50	5.290E-02
2.00	5.930E-02
3.00	6.880E-02

FE XVI  
3S - 4F  
ETH = 1.991E+01  
REF. 17

X	BLAHA
1.00	9.960E-02
1.25	1.020E-01
1.50	1.030E-01
2.00	1.040E-01
3.00	1.040E-01

FE XVI  
3P - 3D  
ETH = 3.518E+00  
REF. 17

X	BLAHA
1.00	5.640E+00
2.00	5.950E+00
4.00	6.470E+00
8.00	7.300E+00
16.00	9.350E+00

FE XVI  
3P - 4S  
ETH = 1.437E+01  
REF. 17

X	BLAHA
1.00	3.040E-02
1.50	4.170E-02
2.00	5.220E-02
3.00	7.110E-02
4.00	8.720E-02

FE XVI  
3P - 4P  
ETH = 1.542E+01  
REF. 17

X	BLAHA
1.00	4.390E-01
1.50	4.460E-01
2.00	4.500E-01
3.00	4.550E-01
4.00	4.570E-01

FE XVI  
3P - 4D  
ETH = 1.671E+01  
REF. 17

X	BLAHA
1.00	1.650E-01
1.50	2.190E-01
2.00	2.680E-01
3.00	3.530E-01
4.00	4.250E-01

FE XVI  
3P - 4F  
ETH = 1.726E+01  
REF. 17

X	BLAHA
1.00	4.220E-01
1.50	4.700E-01
2.00	5.080E-01
3.00	5.610E-01
4.00	5.970E-01

FE XXIII  
2S2 - 2S 2P(1P)  
ETH = 6.860E+00  
REF. 18

X	BLAHA	DW
1.00	4.050E-01	
2.00	4.280E-01	
4.00	4.660E-01	
8.00	5.210E-01	
16.00	6.100E-01	

FE XXIII  
2S2 - 2S 2P(3P)  
ETH = 3.878E+00  
REF. 19

X	BLAHA	DW
1.00	2.217E-02	
2.00	2.222E-02	
4.00	2.246E-02	
8.00	2.262E-02	
16.00	2.265E-02	

FE XXIII  
2S 2P(1P) - 2P2(1S)  
ETH = 6.071E+00  
REF. 18

X	BLAHA	DW
1.00	1.920E-01	
2.00	1.590E-01	
4.00	1.710E-01	
8.00	1.900E-01	
16.00	2.170E-01	

FE XXIII  
2S 2P(1P) - 2P2(1D)  
ETH = 4.075E+00  
REF. 18

X	BLAHA	DW
1.00	7.360E-01	
2.00	7.630E-01	
4.00	8.130E-01	
8.00	8.960E-01	
16.00	1.010E+00	

FE XXIII  
2S 2P(3P) - 2P2(3P)  
ETH = 5.631E+00  
REF. 18

X	BLAHA	DW
1.00	1.325E+00	
2.00	1.382E+00	
4.00	1.489E+00	
8.00	1.654E+00	
16.00	1.880E+00	

MO XXXII  
3S - 3P  
ETH = 5.148E+00  
REF. 17

X	BLAHA
1.00	1.155E+00
2.00	1.197E+00
4.00	1.282E+00
8.00	1.410E+00
16.00	1.576E+00

MO XXXII  
3S - 3D  
ETH = 1.379E+01  
REF. 17

X	BLAHA
1.00	1.000E-01
1.50	1.010E-01
2.00	1.010E-01
4.00	1.020E-01
8.00	1.010E-01

MO XXXII  
3S - 4S  
ETH = 6.043E+01  
REF. 17

X	BLAHA
1.00	3.400E-02
1.25	3.430E-02
1.50	3.460E-02
2.00	3.490E-02
3.00	3.520E-02

MO XXXII  
3S - 4P  
ETH = 6.303E+01  
REF. 17

X	BLAHA
1.00	7.500E-03
1.25	9.470E-03
1.50	1.140E-02
2.00	1.520E-02
3.00	2.220E-02

MO XXXII  
3S - 4D  
ETH = 6.580E+01  
REF. 17

X	BLAHA
1.00	2.160E-02
1.25	2.320E-02
1.50	2.470E-02
2.00	2.720E-02
3.00	3.090E-02

MO XXXII  
3S - 4F  
ETH = 6.760E+01  
REF. 17

X	BLAHA
1.00	3.270E-02
1.25	3.310E-02
1.50	3.330E-02
2.00	3.350E-02
3.00	3.330E-02



MO XXXII  
3P - 3D  
ETH = 8.640E+00  
REF. 17

X	BLAHA
1.00	1.688E+00
2.00	1.742E+00
4.00	1.873E+00
8.00	2.076E+00
16.00	2.319E+00

MO XXXII  
3P - 4S  
ETH = 5.400E+01  
REF. 17

X	BLAHA
1.00	6.710E-03
1.50	9.130E-03
2.00	1.150E-02
3.00	1.570E-02
4.00	1.930E-02

MO XXXII  
3P - 4P  
ETH = 5.657E+01  
REF. 17

X	BLAHA
1.00	1.170E-01
1.50	1.190E-01
2.00	1.200E-01
3.00	1.220E-01
4.00	1.220E-01

MO XXXII  
3P - 4D  
ETH = 5.937E+01  
REF. 17

X	BLAHA
1.00	8.540E-02
1.50	1.070E-01
2.00	1.270E-01
3.00	1.610E-01
4.00	1.900E-01

MO XXXII  
3P - 4F  
ETH = 6.118E+01  
REF. 17

X	BLAHA
1.00	1.340E-01
1.50	1.470E-01
2.00	1.570E-01
3.00	1.720E-01
4.00	1.820E-01

DATA OF M. S. PINDZOLA

PLOT SYMBOL 12

O III  
2S2 2P2(3P) - 2S2 2P2(1D)  
ETH = 2.513E+00  
REF. 19

X	PINDZOLA
1.04	2.539E+00
1.19	2.520E+00
1.39	2.524E+00
1.59	2.540E+00
1.79	2.560E+00
1.99	2.580E+00
2.39	2.580E+00
3.18	2.593E+00
3.98	2.646E+00
7.96	2.514E+00
11.94	2.183E+00

DATA OF J. CALLAWAY, R. J. W. HENRY AND P. L. DUFTON

PLOT SYMBOL 13

C IV  
1S2 2S(2S) - 1S2 2P(2P)  
ETH = 5.933E-01  
REF. 20

X	CALLAWAY
1.69	1.137E+01
3.71	1.300E+01
6.74	1.476E+01
10.11	1.622E+01
13.48	1.733E+01
20.23	1.884E+01
26.97	1.987E+01

FE XXIV  
1S2 2S(2S) - 1S2 2P(2P)  
ETH = 4.388E+00  
REF. 20

X	CALLAWAY
1.37	4.700E-01
2.28	4.930E-01
3.42	5.080E-01
4.56	5.260E-01
6.84	5.580E-01
9.12	5.860E-01
11.39	6.110E-01

MO XL  
1S2 2S(2S) - 1S2 2P(2P)  
ETH = 1.265E+01  
REF. 20

X	CALLAWAY
1.34	1.717E-01
1.90	1.757E-01
2.53	1.800E-01
3.95	1.889E-01
5.93	2.000E-01
-	-
-	-

K. A. BERRINGTON, P. G. BURKE, P. L. DUFTON AND A. E. KINGSTON

C III  
1S2 2S2 - 1S2 2S 2P(3P)  
ETH = 4.778E-01  
REF. 21

X	BELFAST
3.35	4.864E-01
3.77	4.657E-01
4.19	4.367E-01
4.71	4.049E-01
5.23	3.611E-01

C III  
1S2 2S2 - 1S2 2S 2P(1P)  
ETH = 9.409E-01  
REF. 21

X	BELFAST
1.70	4.781E+00
1.91	5.090E+00
2.13	5.376E+00
2.39	5.616E+00
2.66	5.849E+00

C III  
2S 2P(3P) - 2P2(3P)  
ETH = 7.820E-01  
REF. 21

X	BELFAST
1.44	1.998E+01
1.69	2.145E+01
1.95	2.238E+01
2.27	2.359E+01
2.59	2.460E+01

O V  
1S2 2S2 - 1S2 2S 2P(3P)  
ETH = 7.470E-01  
REF. 21

X	BELFAST
4.02	2.047E-01
4.69	1.902E-01
5.36	1.762E-01
6.02	1.627E-01
7.36	1.302E-01

O V  
1S2 2S2 - 1S2 2S 2P(1P)  
ETH = 1.457E+00  
REF. 21

X	BELFAST
2.06	3.107E+00
2.40	3.234E+00
2.75	3.306E+00
3.09	3.415E+00
3.78	3.536E+00

O V  
2S 2P(3P) - 2P2(3P)  
ETH = 1.203E+00  
REF. 21

X	BELFAST
1.87	1.401E+01
2.29	1.440E+01
2.70	1.480E+01
3.12	1.513E+01
3.95	1.544E+01

SI XI  
2S2(1S) - 2S 2P(3P)  
ETH = 1.892E+00  
REF. 23

X	SAMPSON C
1.00	4.990E-02
5.18	3.955E-02
16.54	2.612E-02
26.89	1.880E-02
78.68	7.602E-03
130.46	5.349E-03
234.02	4.253E-03
337.58	4.015E-03

SI XI  
2S2(1S) - 2S 2P(1P)  
ETH = 3.536E+00  
REF. 23

X	SAMPSON C
3.77	1.380E+00
9.31	1.610E+00
14.86	1.788E+00
42.57	2.291E+00
70.29	2.527E+00
125.72	2.815E+00
181.14	2.983E+00

SI XI  
2S 2P(3P) - 2P2(1S)  
ETH = 3.101E+00  
REF. 23

X	SAMPSON C
4.16	1.198E+00
10.48	1.401E+00
16.80	1.561E+00
48.40	2.005E+00
80.00	2.211E+00
143.19	2.461E+00
206.39	2.606E+00

SI XI  
2S 2P(1P) - 2P2(10)  
ETH = 1.895E+00  
REF. 23

X	SAMPSON C
6.17	3.780E+00
16.52	4.517E+00
26.86	5.015E+00
78.58	6.223E+00
130.31	6.862E+00
233.74	7.544E+00
337.18	7.938E+00

SI XI  
2S 2P(3P) - 2P2(3P)  
ETH = 2.937E+00  
REF. 23

X	SAMPSON C
4.34	6.091E+00
11.01	7.113E+00
17.69	7.889E+00
51.06	1.003E+01
94.43	1.103E+01
151.17	1.224E+01
217.91	1.295E+01

SI XI  
2S 2P(3P) - 2P2(1S)  
ETH = 4.745E+00  
REF. 23

X	SAMPSON C
1.00	9.346E-03
3.07	7.047E-03
7.20	4.331E-03
11.33	2.932E-03
31.98	9.121E-04
52.63	5.296E-04
93.94	3.456E-04
135.25	3.028E-04

SI XI  
2S 2P(3P) - 2P2(10)  
ETH = 3.538E+00  
REF. 23

X	SAMPSON C
3.77	8.455E-02
9.31	6.877E-02
14.85	6.144E-02
42.54	5.502E-02
70.24	5.638E-02
125.64	6.049E-02
181.03	6.349E-02

SI XI  
2S 2P(1P) - 2P2(3P)  
ETH = 1.293E+00  
REF. 23

X	SAMPSON C
8.50	7.076E-02
23.73	6.640E-02
38.89	6.497E-02
114.67	6.605E-02
170.45	6.975E-02
342.01	7.480E-02
493.57	7.805E-02

AR XV  
2S2(1S) - 2S 2P(3P)  
ETH = 2.543E+00  
REF. 23

X	SAMPSON C
1.00	2.854E-02
7.37	2.916E-02
20.11	1.844E-02
32.86	1.487E-02
96.57	9.697E-03
159.30	5.977E-03
287.72	8.920E-03
415.15	9.105E-03

AR XV  
2S2(1S) - 2S 2P(1P)  
ETH = 4.668E+00  
REF. 23

X	SAMPSON C
4.47	8.234E-01
11.41	9.688E-01
18.35	1.075E+00
53.06	1.363E+00
87.76	1.498E+00
157.17	1.659E+00
226.57	1.753E+00

AR XV  
2S 2P(1P) - 2P2(1S)  
ETH = 4.121E+00  
REF. 23

X	SAMPSON C
4.93	6.927E-01
12.79	8.178E-01
20.66	9.103E-01
59.97	1.152E+00
99.28	1.271E+00
177.91	1.407E+00
256.53	1.486E+00

AR XV  
2S 2P(1P) - 2P2(1D)  
ETH = 2.581E+00  
REF. 23

X	SAMPSON C
7.28	2.118E+00
19.83	2.549E+00
32.38	2.837E+00
95.13	3.491E+00
157.89	3.934E+00
283.39	4.199E+00
408.90	4.410E+00

AR XV  
2S 2P(3P) - 2P2(3P)  
ETH = 3.881E+00  
REF. 23

X	SAMPSON C
5.17	3.529E+00
13.52	4.158E+00
21.87	4.610E+00
63.61	5.763E+00
105.34	6.360E+00
188.82	7.022E+00
272.29	7.407E+00
-	-

AR XV  
2S 2P(3P) - 2P2(1S)  
ETH = 6.246E+00  
REF. 23

X	SAMPSON C
1.00	5.264E-03
3.59	4.107E-03
9.79	2.635E-03
13.97	1.879E-03
39.90	8.093E-04
65.84	6.215E-04
117.71	5.507E-04
169.58	5.452E-04

AR XV  
2S 2P(3P) - 2P2(1D)  
ETH = 4.707E+00  
REF. 23

X	SAMPSON C
4.44	1.117E-01
11.33	1.151E-01
18.21	1.198E-01
52.63	1.394E-01
87.04	1.511E-01
155.88	1.662E-01
224.71	1.753E-01
-	-

AR XV  
2S 2P(1P) - 2P2(3P)  
ETH = 1.756E+00  
REF. 23

X	SAMPSON C
10.23	1.201E-01
28.68	1.359E-01
47.13	1.467E-01
139.39	1.714E-01
231.65	1.858E-01
416.17	2.015E-01
600.68	2.107E-01

FE XXIII  
2S2(1S) - 2S 2P(3P)  
ETH = 4.260E+00  
REF. 23

X	SAMPSON C
8.93	2.316E-02
24.80	2.303E-02
40.67	2.321E-02
120.00	2.449E-02
199.34	2.598E-02
359.01	2.784E-02
516.69	2.901E-02

FE XXIII  
2S2(1S) - 2S 2P(1P)  
ETH = 7.493E+00  
REF. 23

X	SAMPSON C
5.51	3.893E-01
14.53	4.628E-01
23.56	5.134E-01
68.67	6.380E-01
113.78	7.049E-01
204.00	7.765E-01
294.22	8.180E-01

FE XXIII  
2S 2P(1P) - 2P2(1S)  
ETH = 6.815E+00  
REF. 23

X	SAMPSON C
5.96	2.965E-01
15.88	3.534E-01
25.80	3.929E-01
75.39	4.899E-01
124.98	5.412E-01
224.17	5.961E-01
323.36	6.279E-01

FE XXIII  
2S 2P(1P) - 2P2(1D)  
ETH = 4.708E+00  
REF. 23

X	SAMPSON C
8.18	7.547E-01
22.54	9.118E-01
36.90	1.015E+00
108.70	1.243E+00
190.50	1.361E+00
324.10	1.487E+00
467.70	1.560E+00

FE XXIII  
2S 2P(3P) - 2P2(3P)  
ETH = 6.050E+00  
REF. 23

X	SAMPSON C
6.59	1.500E+00
17.76	1.789E+00
28.93	1.983E+00
84.80	2.441E+00
140.67	2.689E+00
252.40	2.951E+00
364.14	3.103E+00

FE XXIII  
2S 2P(3P) - 2P2(1S)  
ETH = 1.005E+01  
REF. 23

X	SAMPSON C
1.00	2.417E-03
4.36	2.069E-03
11.09	1.467E-03
17.82	1.153E-03
51.46	7.283E-04
85.10	6.690E-04
152.38	6.674E-04
219.55	6.824E-04

FE XXIII  
2S 2P(3P) - 2P2(1D)  
ETH = 7.940E+00  
REF. 23

X	SAMPSON C
5.26	2.286E-01
13.77	2.653E-01
22.28	2.917E-01
64.85	3.588E-01
107.42	3.957E-01
192.56	4.357E-01
277.70	4.590E-01
-	-

FE XXIII  
2S 2P(1P) - 2P2(3P)  
ETH = 2.818E+00  
REF. 23

X	SAMPSON C
13.00	2.653E-01
36.99	3.228E-01
60.98	3.554E-01
180.94	4.293E-01
300.90	4.665E-01
540.82	5.058E-01
780.74	5.284E-01
-	-

MO XXXIX  
 2S2 - 2S 2P(3P)  
 ETH = 6.035E+00  
 REF. 23

X	SAMPSON CB
15.61	2.964E-02
44.84	3.600E-02
74.07	3.885E-02
220.22	4.676E-02
366.37	5.051E-02
658.66	5.449E-02
950.95	5.678E-02

MO XXXIX  
 2S2 - 2S 2P(1P)  
 ETH = 1.688E+01  
 REF. 23

X	SAMPSON CB
6.23	1.331E-01
16.68	1.573E-01
27.13	1.741E-01
79.38	2.158E-01
131.64	2.383E-01
236.15	2.624E-01
340.66	2.763E-01

DATA OF D. E. OSTERBROCK

PLOT SYMBOL 16

C III  
 1S2 2S2 - 1S2 2S 2P(3P)  
 ETH = 3.500E-01  
 REF. 25

X	OSTERBROCK
2.71	6.690E-01
3.00	6.450E-01
3.86	5.940E-01
4.43	5.620E-01

C III  
 1S2 2S2 - 1S2 2S 2P(1P)  
 ETH = 8.960E-01  
 REF. 25

X	OSTERBROCK
1.06	5.870E+00
1.17	6.220E+00
1.51	6.780E+00
-	-

N IV  
 2S2 - 2S 2P(3P)  
 ETH = 4.590E-01  
 REF. 25

X	OSTERBROCK
2.53	3.880E-01
2.74	3.820E-01
4.05	3.400E-01
-	-

N IV  
 2S2 - 2S 2P(1P)  
 ETH = 1.133E+00  
 REF. 25

X	OSTERBROCK
1.02	5.080E+00
1.11	5.190E+00
1.64	5.710E+00

O V  
 2S2 - 2S 2P(3P)  
 ETH = 5.680E-01  
 REF. 25

X	OSTERBROCK
2.59	2.480E-01
3.64	2.290E-01
-	-

O V  
 1S2 2S2 - 1S2 2S 2P(1P)  
 ETH = 1.366E+00  
 REF. 25

X	OSTERBROCK
1.51	4.560E+00
-	-
-	-

NE VII  
 2S2 - 2S 2P(3P)  
 ETH = 7.830E-01  
 REF. 25

X	OSTERBROCK
2.53	1.270E-01
3.55	1.190E-01
6.39	1.000E-01

NE VII  
 2S2 - 2S 2P(1P)  
 ETH = 1.825E+00  
 REF. 25

X	OSTERBROCK
1.09	2.910E+00
1.53	2.940E+00
2.74	3.050E+00

DATA OF S. ORMONDE, K. SMITH, B. V. TORRES AND A. R. DAVIES

PLOT SYMBOL 17

N IV  
 2S2 - 2S 2P(3P)  
 ETH = 6.130E-01  
 REF. 26

X	ORMONDE
2.04	4.626E-01
2.45	4.523E-01
2.85	4.424E-01
3.26	4.241E-01
4.49	3.706E-01
5.71	3.160E-01
6.93	2.673E-01
-	-

N IV  
 2S2 - 2S 2P(1P)  
 ETH = 1.191E+00  
 REF. 26

X	ORMONDE
1.05	5.078E+00
1.26	5.072E+00
1.47	5.321E+00
1.68	5.581E+00
2.31	6.299E+00
2.94	6.916E+00
3.57	7.472E+00
-	-

O III  
 2S2 2P2(3P) - 2S 2P3(3S)  
 ETH = 1.796E+00  
 REF. 26

X	ORMONDE
1.03	4.890E+00
1.06	5.010E+00
1.11	5.270E+00
1.25	5.890E+00
1.53	6.920E+00
1.95	8.260E+00
2.37	9.280E+00
2.78	1.020E+01

O III  
 2S2 2P2(1D) - 2S 2P3(1P)  
 ETH = 1.732E+00  
 REF. 26

X	ORMONDE
1.15	2.380E+00
2.02	3.610E+00
2.89	4.460E+00

DATA OF D.H. CRANDALL, P.O. TAYLOR, D.C. GREGORY, G.H. DUNN AND R.A. PHANEUF PLOT SYMBOL 18

C IV		N V	
2S(1S) - 2P(1P)		2S(1S) - 2P(1P)	
ETH = 5.890E-01		ETH = 7.348E-01	
REF. 27		REF. 28	
X	TAYLOR	X	GREGORY
1.05	4.950E+00	1.04	3.760E+00
1.10	6.870E+00	1.09	5.220E+00
1.13	7.270E+00	1.15	5.550E+00
1.16	7.450E+00	1.20	6.290E+00
1.19	8.380E+00	1.24	7.650E+00
1.24	9.000E+00	1.30	8.110E+00
1.31	9.270E+00	1.39	7.530E+00
1.39	8.500E+00	1.52	6.660E+00
1.66	9.550E+00	1.54	7.190E+00
2.84	1.051E+01	1.68	7.350E+00
5.26	1.225E+01	2.57	7.330E+00
11.20	1.258E+01	5.21	7.940E+00
29.13	2.232E+01	-	-
41.21	1.471E+01	-	-

DATA OF Y. K. KIM AND K. T. CHENG

PLOT SYMBOL 19

C IV		N V		O VI	
2S - 2P		2S - 2P		2S - 2P	
ETH = 5.940E-01		ETH = 7.420E-01		ETH = 8.890E-01	
REF. 30		REF. 30		REF. 30	
X	KIM	X	KIM	X	KIM
5.00	1.409E+01	5.00	9.724E+00	5.00	7.145E+00
6.00	1.497E+01	6.00	1.023E+01	6.00	7.506E+00
7.00	1.551E+01	7.00	1.066E+01	7.00	7.805E+00
8.00	1.607E+01	8.00	1.102E+01	8.00	8.054E+00
9.00	1.655E+01	9.00	1.134E+01	9.00	8.290E+00
10.00	1.699E+01	10.00	1.163E+01	10.00	8.491E+00
15.00	1.865E+01	15.00	1.271E+01	15.00	9.258E+00
20.00	1.980E+01	20.00	1.347E+01	20.00	9.796E+00
40.00	2.258E+01	40.00	1.530E+01	40.00	1.109E+01
60.00	2.419E+01	60.00	1.635E+01	60.00	1.193E+01
80.00	2.533E+01	80.00	1.710E+01	80.00	1.235E+01
100.00	2.622E+01	100.00	1.767E+01	100.00	1.276E+01

TI XII		TI XX		FE XVI	
3S - 3P		2S - 2P		3S - 3P	
ETH = 1.959E+00		ETH = 3.356E+00		ETH = 2.730E+00	
REF. 29		REF. 30		REF. 29	
X	KIM	X	KIM	X	KIM
5.00	6.249E+00	5.00	8.461E-01	5.00	4.051E+00
6.00	6.635E+00	6.00	8.803E-01	6.00	4.285E+00
7.00	6.944E+00	7.00	9.089E-01	7.00	4.480E+00
8.00	7.216E+00	8.00	9.335E-01	8.00	4.648E+00
9.00	7.454E+00	9.00	9.549E-01	9.00	4.796E+00
10.00	7.667E+00	10.00	9.741E-01	10.00	4.926E+00
15.00	8.497E+00	15.00	1.047E+00	15.00	5.426E+00
20.00	9.046E+00	20.00	1.098E+00	20.00	5.777E+00
40.00	1.041E+01	40.00	1.220E+00	40.00	6.615E+00
60.00	1.120E+01	60.00	1.291E+00	60.00	7.102E+00
80.00	1.176E+01	80.00	1.341E+00	80.00	7.447E+00
100.00	1.219E+01	100.00	1.379E+00	100.00	7.714E+00

FE XXIV		MO XXXII		MO XL	
2S - 2P		3S - 3P		2S - 2P	
ETH = 4.400E+00		ETH = 7.180E+00		ETH = 1.270E+01	
REF. 30		REF. 29		REF. 30	
X	KIM	X	KIM	X	KIM
5.00	5.987E-01	5.00	1.277E+00	5.00	2.127E-01
6.00	6.225E-01	6.00	1.344E+00	6.00	2.210E-01
7.00	6.423E-01	7.00	1.400E+00	7.00	2.291E-01
8.00	6.594E-01	8.00	1.448E+00	8.00	2.341E-01
9.00	6.744E-01	9.00	1.491E+00	9.00	2.394E-01
10.00	6.876E-01	10.00	1.529E+00	10.00	2.441E-01
15.00	7.382E-01	15.00	1.671E+00	15.00	2.619E-01
20.00	7.736E-01	20.00	1.772E+00	20.00	2.744E-01
40.00	8.592E-01	40.00	2.012E+00	40.00	3.043E-01
60.00	9.074E-01	60.00	2.152E+00	60.00	3.216E-01
80.00	9.421E-01	80.00	2.251E+00	80.00	3.338E-01
100.00	9.691E-01	100.00	2.329E+00	100.00	3.434E-01

C III  
1S2 2S2 - 1S2 2S 2P(1P)  
ETH = 9.330E-01  
REF. 31

X	NUSSBAUMER
1.26	3.580E+00
1.58	3.660E+00
2.65	5.120E+00

C III  
2S 2P(3P) - 2P2(3P)  
ETH = 7.750E-01  
REF. 31

X	NUSSBAUMER
1.29	2.230E+01
2.58	3.030E+01
-	-

C III  
2S 2P(1P) - 2P2(10)  
ETH = 3.960E-01  
REF. 31

X	NUSSBAUMER
1.37	1.670E+01
3.99	2.400E+01
-	-

C III  
1S2 2S2 - 1S2 2S 2P(1P)  
ETH = 1.033E+00  
REF. 33

X	LAUNAY
1.45	3.667E+00
1.94	4.409E+00
2.42	5.034E+00

C III  
1S2 2S2 - 1S2 2S 2P(3P)  
ETH = 4.850E-01  
REF. 33

X	LAUNAY
3.09	6.190E-01
4.12	5.270E-01
5.15	4.470E-01

N V  
2S - 2P  
ETH = 7.320E-01  
REF. 32

X	FLOWER DW
3.07	8.050E+00
8.20	9.940E+00
-	-

O IV  
2S2 2P - 2S 2P2(4P)  
ETH = 6.500E-01  
REF. 35

X	NUSSBAUMER
4.31	7.410E-01
6.45	5.840E-01
8.62	4.810E-01

O IV  
2S2 2P - 2S 2P2(2D)  
ETH = 1.154E+00  
REF. 35

X	NUSSBAUMER
2.43	6.800E+00
3.54	7.142E+00
4.85	7.201E+00

O IV  
2S2 2P - 2S 2P2(2S)  
ETH = 1.495E+00  
REF. 35

X	NUSSBAUMER
1.87	2.430E+00
2.81	2.780E+00
3.75	2.980E+00

O IV  
2S2 2P - 2S 2P2(2P)  
ETH = 1.644E+00  
REF. 35

X	NUSSBAUMER
1.70	7.910E+00
2.56	9.430E+00
3.41	1.043E+01

O IV  
2S 2P2(4P) - 2S 2P2(2D)  
ETH = 5.040E-01  
REF. 35

X	NUSSBAUMER
5.56	2.344E+00
8.33	1.738E+00
11.11	1.302E+00

O IV  
2S 2P2(4P) - 2S 2P2(2S)  
ETH = 8.450E-01  
REF. 35

X	NUSSBAUMER
3.31	3.590E-01
4.97	2.590E-01
6.63	1.890E-01

O IV  
2S 2P2(4P) - 2S 2P2(2P)  
ETH = 9.940E-01  
REF. 35

X	NUSSBAUMER
2.82	4.330E-01
4.23	3.050E-01
5.63	2.180E-01

SI IV  
3S - 3P  
ETH = 6.520E-01  
REF. 34

X	NUSSBAUMER
1.37	1.695E+01
2.30	1.834E+01
3.83	2.094E+01

CA X  
3S - 3P  
ETH = 1.610E+00  
REF. 34

X	NUSSBAUMER
1.05	6.820E+00
2.54	7.190E+00
3.72	7.280E+00

CA X  
3S - 3D  
ETH = 3.800E+00  
REF. 34

X	NUSSBAUMER
1.08	7.000E-01
1.58	7.000E-01

CA X  
3P - 3D  
ETH = 2.190E+00  
REF. 34

X	NUSSBAUMER
1.97	1.100E+01
2.74	1.175E+01

FE XIV  
3S2 3P - 3S 3P2(4P)  
ETH = 1.693E+00  
REF. 32

X	FLOWER
2.48	9.200E-02
3.54	8.500E-01

FE XIV  
3S2 3P - 3S 3P(2D)  
ETH = 2.370E+00  
REF. 32

X	FLOWER
1.77	2.430E+00
2.53	2.410E+00

FE XIV  
3S2 3P - 3S 3P(2S)  
ETH = 3.038E+00  
REF. 32

X	FLOWER
1.38	1.170E+00
1.97	1.200E+00

FE XIV  
3S2 3P - 3S 3P(2P)  
ETH = 3.386E+00  
REF. 32

X	FLOWER
1.24	9.850E+00
1.77	1.014E+01

FE XIV  
3S2 3P - 3S2 3D(2D)  
ETH = 4.150E+00  
REF. 32

X	FLOWER
1.01	8.190E+00
1.45	8.430E+00
-	-

FE XV  
3S2 - 3S 3P(1P)  
ETH = 3.073E+00  
REF. 32

X	FLOWER
1.01	3.330E+00
-	-
-	-

FE XVI  
3S - 3P  
ETH = 2.640E+00  
REF. 34

X	NUSSBAUMER
1.14	3.530E+00
2.46	3.670E+00
3.03	3.650E+00

FE XVI  
3S - 3D  
ETH = 6.150E+00  
REF. 34

X	NUSSBAUMER
1.06	3.200E-01
1.30	3.200E-01

FE XVI  
3P - 3D  
ETH = 3.500E+00  
REF. 34

X	NUSSBAUMER
1.96	5.439E+00
2.29	5.495E+00

DATA OF R. J. W. HENRY, W. L. WYNGAARDEN AND J. N. GAU

PLOT SYMBOL 22

C IV  
2S - 2P  
ETH = 5.290E-01  
REF. 39

X	GAU
1.35	9.300E+00
2.36	1.050E+01
3.72	1.170E+01
6.81	1.350E+01
10.21	1.520E+01
13.61	1.660E+01
27.22	2.010E+01

N V  
2S - 2P  
ETH = 7.334E-01  
REF. 38

X	VAN WYNGAA
1.36	6.900E+00
2.73	7.760E+00
5.45	9.040E+00
9.18	9.650E+00
10.91	1.016E+01
21.82	1.178E+01
-	-

NE VIII  
2S - 2P  
ETH = 1.170E+00  
REF. 37

X	VAN WYNGAA
1.37	3.340E+00
2.74	3.590E+00
6.84	4.230E+00
11.97	4.560E+00
15.38	4.860E+00
25.64	5.500E+00
-	-

AR XVI  
2S - 2P  
ETH = 2.307E+00  
REF. 39

X	GAU
1.36	9.800E-01
2.00	1.020E+00
3.00	1.060E+00
6.00	1.160E+00
23.39	1.330E+00
30.32	1.410E+00
50.24	1.590E+00

FE XXIII  
2S2 - 2P2(1D)  
ETH = 9.070E+00  
REF. 40

X	HENRY UNM
1.10	1.240E-03
2.20	1.210E-03
3.30	1.200E-03
4.40	1.200E-03
6.60	1.210E-03
8.80	1.240E-03
11.00	1.270E-03

FE XXIII  
2S2 - 2S 2P(3P)  
ETH = 3.121E+00  
REF. 40

X	HENRY UNM
3.20	1.240E-02
6.40	1.130E-02
9.60	1.340E-02
12.80	9.530E-03
19.20	9.090E-03
25.60	6.930E-03
32.00	5.990E-03

FE XXIII  
2S2 - 2S 2P(1P)  
ETH = 6.072E+00  
REF. 40

X	HENRY UNM
1.65	3.060E-01
3.30	3.290E-01
4.95	3.490E-01
6.60	3.590E-01
9.90	3.970E-01
13.20	4.220E-01
15.50	4.440E-01

FE XXIII  
2S2 - 2P2(3P)  
ETH = 8.054E+00  
REF. 40

X	HENRY UNM
1.24	5.100E-04
2.48	4.510E-04
3.72	4.010E-04
4.96	3.570E-04
7.44	2.860E-04
9.92	2.320E-04
12.40	1.900E-04

## 6. COLLISION STRENGTH FITS

### 6.1. Calculation of Excitation Rates

The rate coefficients can be obtained by numerical integration of the cross-sections (or collision strengths). The tables so obtained are commonly large and require in addition some interpolation formulae. We have chosen to accurately fit the collision strengths in forms that allow integration in terms of known functions for the rate coefficients. The rate coefficients are given in terms of the fit parameters and exponential integrals and simple exponential functions.

The fit forms are rather simple and are the same as those given in LA-6691-MS. However, for the cases where configuration mixing is large, it was convenient to represent the fits as combinations of optically allowed and nonallowed transitions. Computer programs in some applications have been written to accept the rate coefficients in very specific form, e.g., the so-called  $\bar{g}$  form. While we do not recommend this form for the rate coefficients, it is straightforward to convert the rates given here to that form.

For convenience we list the form of the fit formulae and the resultant rates below.

Form A - Dipole allowed and Spin Allowed transition

$$\Omega(X) = C_0 + \frac{C_1}{X} + \frac{C_2}{X^2} + C_3 \ln X \quad (1)$$

$$R = C_E \left[ \frac{C_0 e^{-y}}{y} + \left( C_1 + \frac{C_3}{y} \right) E_1(y) + C_2 E_2(y) \right] \text{cm}^3 \text{s}^{-1} \quad (2)$$

where  $C_0, C_1, C_2, C_3$  are least square fit determined coefficients ( $C_3 = 0$  for dipole forbidden transitions)

$$y = E_t/T$$

$E_n(y)$  = Exponential integral of order  $n$

$T$  = electron temperature (eV)

$E_t$  = threshold energy (eV)

$$C_E = 8.010 \times 10^{-8} y / [(2L + 1)(2S + 1)T^{1/2}]$$

$L, S = L, S$  values of ground state configuration.



Form B - Spin forbidden transitions

$$\Omega(X) = \frac{C_0}{X^2} + \sum_{n=1}^4 C_n e^{-n\alpha X} \quad (3)$$

$$R = C_E [C_0 E_2(y) + \sum_{n=1}^4 \frac{C_n e^{-(n\alpha+y)}}{n\alpha + y}] \text{ cm}^3 \text{ s}^{-1} \quad (4)$$

where  $\alpha$  is also determined from the least square fit of the data.

Form D - Mixed spin forbidden and dipole allowed transitions.

$$\Omega(X) = \frac{C_0}{X^2} + \sum_{n=1}^4 C_n e^{-n\alpha X} + C_5 + \frac{C_6}{X} + C_7 \ln X \quad (5)$$

$$R = C_E [C_0 E_2(y) + \sum_{n=1}^4 \frac{C_n e^{-(n\alpha+y)}}{n\alpha + y} + \frac{C_5 e^{-y}}{y} + \left(C_6 + \frac{C_7}{y}\right) E_1(y)] \text{ cm}^3 \text{ s}^{-1} \quad (6)$$

Conversion of these rates to a  $\bar{g}$  formula can be accomplished as follows.

A typical  $\bar{g}$  formula is

$$R = 1.57 \times 10^{-5} \frac{f \bar{g}}{E_t T^{\frac{1}{2}}} e^{-E_t/T} \text{ cm}^3 \text{ s}^{-1}$$

where  $f$  is the optical (oscillator strength). By using our rate fit to produce the numbers for  $R$ , one can multiply by  $T^{\frac{1}{2}} e^y$  and remove some of the temperature dependence, and obtain an expression for  $\bar{g}$ . Knowing the oscillator strength then gives a formula for the  $\bar{g}$  rate.

An explanation of the format used in presenting the fits to the collision strengths follows. First however, let us say that for obvious reasons a meaningful fit can be obtained only if there are many more points than fit parameters. Secondly, in some cases the fits to different authors' collision strengths gave essentially the same rate coefficient in which case we do not present both. Thirdly, the data must include points over a reasonable range of energy and must also include a point near threshold. For specific fits to the data not included in Tables II, III, and IV the reader should contact the authors.

Tables II, III and IV contain all the information needed to calculate the excitation rate, namely the element, ion and transition identification (column 1), the threshold energy (column 3) and the coefficients  $C_0$  through  $C_7$  and  $\alpha$ . Table II contains all the spin allowed and dipole allowed transitions, Table III contains the spin forbidden transitions and Table IV contains the mixed configuration transitions. Note that the coefficients  $C_5$  through  $C_7$  appear on a second line in this last table due to lack of space. In each, the transitions are arranged by increasing  $Z$  and increasing ionization stage. Column 2 of each table identifies the author whose data was used for the fit.

### 6.2. Comments on Single Parameter Scaling

The calculations for many needed transitions have not been done and it does not seem likely to expect many of them to be calculated in the near future. The cases which fall along an isoelectronic sequence may be scaled with sufficient accuracy to be useful in applications. Indeed, for  $Z > 3N$ , simple  $Z_{\text{eff}}^2$  scaling is frequently accurate enough for many applications. Examples of this scaling law can be seen in Figs. 5 through 9, showing the actual calculations and the scaled calculations with different screening constants ( $Z_{\text{eff}} = Z - \text{screening constant}$ ). Note that the scaling is, in general, not better than a factor of 2 for lightly ionized ions, especially near threshold.

The relation ( $Z \geq 3N$ ) is such that many ions of interest are eliminated. We show in Appendix B that we can do considerably better, for some cases, especially in the range of  $N = Z - 1$  to  $Z/3$ . A good example of this can be seen by comparing Fig. 8, which shows that  $Z_{\text{eff}}^2$  scaling is poor for low  $Z$  elements, compared with the relatively good agreement for the  $3s - 3p$  transition obtained in Appendix B (Fig. B16).

The nominally optically forbidden transitions deserve special consideration. The effects of increasing  $Z$  may introduce considerable intermediate coupling with optically allowed configurations. The result of this mixing is to substantially change the shape of the collision strength as a function of  $Z$ . Figure 10 shows this effect graphically. The individual collision strengths can be fit as a function of the scaled energy  $X$ . However, to date, no attempt has been made to fit these transitions as a function of  $Z$ .

The data used in the isoelectronic sequence plots is listed on page 187, following Fig. 10.




Fig. 5. Lithium isoelectronic sequence (1s<sup>2</sup> 2s - 1s<sup>2</sup> 2p) from Be to Mo. Graph 5a shows the actual collision strengths while 5b - 5f illustrate single parameter scaling of the collision strengths.




Fig. 6. Beryllium isoelectronic sequence  $(2s^2 - 2s 2p^1 p)$  from C to Fe. Graph 6a shows the actual collision strengths while 6b - 6f illustrate single parameter scaling of the collision strengths.




Fig. 7. Carbon isoelectronic sequence ( $2s^2 2p^2 3p - 2s 2p^3 3s$ ) from 0 to Fe. Graph 7a shows the actual collision strengths while 7b - 7f illustrate single parameter scaling of the collision strengths.




Fig. 8. Sodium isoelectronic sequence (3s - 3p) from Mg to Mo. Graph 8a shows the actual collision strengths while 8b - 8f illustrate single parameter scaling of the collision strengths.




Fig. 9. Sodium isoelectronic sequence (3s - 4p) from Mg to Mo. Graph 9a shows the actual collision strengths while 9b - 9f illustrate single parameter scaling of the collision strengths.




Fig. 10. Beryllium isoelectronic sequence ( $2s^2 - 2s 2p^3 p$ ) from C to Mo. Graph 10a shows the actual collision strengths while 10b - 10f illustrate single parameter scaling of the collision strengths.



181 LI IOM SEQ  
152 25 - 152 2P

ROBB 2CCX BE II 25 - 2P  
MANN DWX II BE II 25 TO 2P HFR DW II  
MANN DWX II B III 25 TO 2P HFR DW II  
ROBB 2CCX C IV 25 - 2P  
MANN DWX II C IV 25 TO 2P HFR DW II  
KIM SCALED M V 25 - 2P  
MANN DWX II M V 152 25 TO 152 2P HFR DW UNITARIZED  
ROBB 2CCX O VI 25 - 2P  
MANN DWX II O VI 25 TO 2P HFR DW II  
PEEK DWX NE VIII 152 25 TO 152 2P HF DW  
MANN DWX NE VIII 152 25 TO 152 2P HF DW  
MANN DWX II SI XII 25 TO 2P HFR DW II  
GAU-HENRY 3CCX AR XVI 25 - 2P  
MANN DWX II A XVI 25 TO 2P HFR DW II  
ROBB CCX FE XXIV 25 - 2P  
MANN DWX II FE XXIV 25 TO 2P HFR DW II  
KIM SCALED MO XL 25 - 2P

182 BE IOM SEQ  
152 252 - 152 25 2P(1P)

MANN DWXCI II C III 252 TO 25 2P(1P) MIX (2 X 2) HF DW  
ROBB 9CCX C III 25(2) - 252P(1P)  
NAKAZAKI N IV 252(15) - 25 2P(1P)  
NAKAZAKI O V 252(15) - 25 2P(1P)  
MANN DWXCI II O V 252 TO 25 2P(1P) HFR DWXCI II  
HUMMER UCL NE VII 252 - 25 2P(1P)  
SAMPSON CBX SI XI 252 - 25 2P(1P)  
MANN DWXCI AR XV 252 TO 25 2P(1P) HFR DW MIX(3 X 2)  
SAMPSON CBX AR XV 252 - 25 2P(1P)  
ROBB 6CCX FE XXIII 152 252 - 152 25 2P(1P)  
MANN DWXCI FE XXIII 252 TO 25 2P(1P) HFR DW MIX  
SAMPSON CBX MO XXXIX 252 - 25 2P(1P)

183 C IOM SEQ  
252 2P2(3P) - 25 2P3(3S)

URMONDE O III 252 2P2(3P) - 25 2P3(3S)  
BHATIA UCL O III 152 252 2P2(3P) - 152 25 2P3(3S)  
MANN DWXCI II O III 252 2P2(3P) TO 25 2P3(3S) MIX (2 X 1)  
BHATIA UCL NE V 152 252 2P2(3P) - 152 25 2P3(3S)  
MASON UCL MG VII 152 252 2P2(3P) - 152 25 2P3(3S)  
MASON UCL SI IX 152 252 2P2(3P) - 152 25 2P3(3S)  
MASON UCL S XI 152 252 2P2(3P) - 152 25 2P3(3S)  
BHATIA UCL AR XIII 152 252 2P2(3P) - 152 25 2P3(3S)  
BHATIA UCL CA XV 152 252 2P2(3P) - 152 25 2P3(3S)  
BHATIA UCL FE XXI 152 252 2P2(3P) - 152 25 2P3(3S)  
ROBB 6CCX FE XXI 252 2P2(3P) - 25 2P3(3S)  
MANN DWXCI FE XXI 252 2P2(3P) TO 25 2P3(3S) DWCI10

184 NA IOM SEQ  
35 - 3P

MANN DWX II MG II 35 TO 3P HFR DW II  
MANN DWX II AL III 35 TO 3P HFR DW  
MANN DWX II SI IV 35 TO 3P HFR DW II  
NUSSBAUMER-FLOWER S VI 35 - 3P  
MANN DWX II AR VIII 35 TO 3P HFR DW II  
BLAHA DW CA X 35 - 3P  
KIM SCALED FE XVI 35 - 3P  
BLAHA DW FE XVI 35 - 3P  
MANN DWX FE XVI 2P6 35 TO 2P6 3P HFR DW  
BLAHA DW KR XXVI 35 - 3P  
KIM SCALED MO XXXII 35 - 3P  
BLAHA DW MO XXXII 35 - 3P  
MANN DWX MO XXXII 2P6 35 TO 2P6 3P HFR DW

185 NA IOM SEQ  
35 - 4P

MANN DWX II MG II 35 TO 4P HFR DW II  
MANN DWX II AL III 35 TO 4P HFR DW  
MANN DWX II SI IV 35 TO 4P HFR DW II  
MANN DWX II AR VIII 35 TO 4P HFR DW II  
BLAHA DW CA X 35 - 4P  
BLAHA DW FE XVI 35 - 4P  
MANN DWX FE XVI 2P6 35 TO 2P6 4P HFR DW  
BLAHA DW ZN XX 35 - 4P  
BLAHA DW KR XXVI 35 - 4P  
BLAHA DW MO XXXII 35 - 4P  
MANN DWX MO XXXII 2P6 35 TO 2P6 4P HFR DW

186 BE IOM SEQ  
252 - 25 2P(3P)

MANN DWXCI II C III 252 TO 25 2P(3P) HF DW II MIX(2 X 2)  
ROBB 9CCX C III 25(2) - 252P(3P)  
URMONDE N IV 252 - 25 2P(3P)  
PEEK DWXCI O V 252 - 25 2P(3P)  
MANN DWXCI II O V 252 TO 25 2P(3P) HFR DWXCI II  
OSTERBROCK 3CCX NE VIII 252 - 25 2P(3P)  
HUMMER UCL NE VII 252 - 25 2P(3P)  
SAMPSON CBX SI XI 252 - 25 2P(3P)  
SAMPSON CBX AR XV 252 - 25 2P(3P)  
MANN DWXCI AR XV 252 TO 25 2P(3P) HFR DW MIX(3 X 2)  
ROBB 6CCX FE XXIII 152 252 - 152 25 2P(3P)  
SAMPSON CBX FE XXIII 252 - 25 2P(3P)  
MANN DWXCI FE XXIII 252 TO 25 2P(3P) HFR DW MIX  
SAMPSON CBX MO XXXIX 252 - 25 2P(3P)

TABLE II

TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS				C4	ALPHA
				C0	C1	C2	C3		
B E II 2S - 2P	RJBB CC	3.330E-01	A	5.635E+00	5.007E+00	3.024E+00	1.722E+01		
	MANN DWX	2.910E-01	A	1.274E+01	-5.447E+00	9.697E+00	1.559E+01		
B III 2S - 2P	MANN DWX	4.409E-01	A	7.411E+00	4.786E+00	8.697E-01	7.594E+00		
C III 1S2 2S2 - 1S2 2S 2P(1P)	NAKAZAKI	9.540E-01	A	3.531E+00	2.650E+00	1.305E-01	3.366E+00		
	RJBB CC	9.954E-01	A	2.329E+00	-1.618E-02	1.413E+00	3.555E+00		
	PEEK DWXCI	9.327E-01	A	2.885E+00	9.869E-02	1.201E+00	3.566E+00		
	MANN DWXCI	9.327E-01	A	2.373E+00	8.203E-01	7.495E-01	3.779E+00		
C III 2S 2P(3P) - 2P2(3P)	RJBB CC	8.104E-01	A	1.359E+01	-5.321E+00	1.016E+01	1.360E+01		
C III 2S 2P(1P) - 2P2(1D)	RJBB CC	3.546E-01	A	4.194E+00	1.009E+01	-2.127E+00	8.142E+00		
C IV 1S2 2S - 1S2 2P	MANN DWX	5.883E-01	A	4.903E+00	5.134E+00	-6.772E-01	4.485E+00		
C IV 1S2 2S - 1S2 3S	MANN DWX	2.760E+00	A	4.853E-01	-2.317E-02	-2.242E-02	0.		
C IV 1S2 2S - 1S2 3P	MANN DWX	2.917E+00	A	-5.554E-01	8.937E-01	-2.256E-01	5.580E-01		
C IV 1S2 2S - 1S2 3D	MANN DWX	2.951E+00	A	1.270E+00	-1.376E+00	7.201E-01	0.		
C IV 1S2 2S - 1S 2S2	MANN DWXCI	2.147E+01	A	2.321E-02	-4.067E-03	7.756E-04	0.		
C IV 1S2 2S - 1S 2S(1S) 2P(2P)	MANN DWXCI	2.202E+01	A	-4.133E-03	1.987E-02	3.419E-02	2.150E-01		
C IV 1S2 2S - 1S 2S(3S) 2P(2P)	MANN DWXCI	2.230E+01	A	-4.949E-03	1.537E-02	2.228E-02	2.471E-02		
N IV 2S2(1S) - 2S 2P(1P)	NAKAZAKI	1.200E+00	A	2.424E+00	2.790E+00	-5.019E-01	2.239E+00		
N V 1S2 2S - 1S2 2P	MANN DWXCI	7.349E-01	A	2.824E+00	6.099E+00	-2.091E+00	3.144E+00		
O III 2S2 2P2(3P) - 2S 2P3(3D)	MANN DWXCI	1.092E+00	A	4.678E+00	5.458E+00	-1.139E+00	6.239E+00		
O III 2S2 2P2(3P) - 2S 2P3(3P)	MANN DWXCI	1.296E+00	A	4.233E+00	3.101E+00	-3.908E-01	5.680E+00		
O III 2S2 2P2(3P) - 2S 2P3(3S)	MANN DWXCI	1.794E+00	A	3.039E+00	5.938E-01	4.254E-01	4.721E+00		
O IV 2S2 2P - 2S 2P2(2D)	RJBB CC	1.211E+00	A	2.080E+00	4.711E+00	-1.248E+00	3.241E+00		
	MANN DWXCI	1.155E+00	A	2.919E+00	4.479E+00	-1.034E+00	3.422E+00		
O IV 2S2 2P - 2S 2P2(2S)	RJBB CC	1.552E+00	A	1.132E+00	4.199E-01	5.236E-01	1.437E+00		
	MANN DWXCI	1.496E+00	A	1.101E+00	1.122E+00	-1.256E-01	1.321E+00		
J IV 2S2 2P - 2S 2P2(2P)	RJBB CC	1.756E+00	A	3.746E+00	2.307E+00	7.380E-01	5.651E+00		
	MANN DWXCI	1.644E+00	A	4.131E+00	2.986E+00	6.640E-01	6.048E+00		

TRANSITION	DATA	THRESHOLD ENERGY	FIT	C0	COEFFICIENTS			C3	C4	ALPHA
					C1	C2				
2S2 - 2S 2P(1P)	NAKAZAKI	1.450E+00	A	1.755E+00	2.384E+00	-6.063E-01	1.570E+00			
	PEEK DWXCI	1.447E+00	A	1.571E+00	1.435E+00	-6.767E-02	1.633E+00			
	MANN DWXCI	1.447E+00	A	1.323E+00	1.850E+00	-3.145E-01	1.703E+00			
2S 2P(3P) - 2P2(3P)	MANN DWX	1.199E+00	A	6.162E+00	1.014E+01	-2.487E+00	7.376E+00			
2S - 2P	RDBB CC	9.832E-01	A	2.062E+00	4.712E+00	-1.677E+00	2.252E+00			
	MANN DWX	8.815E-01	A	2.394E+00	4.089E+00	-1.261E+00	2.151E+00			
2S - 3S	MANN DWX	5.933E+00	A	2.382E-01	-3.111E-02	2.162E-03	0.			
2S2(1S) - 2S 2P(1P)	NAKAZAKI	1.950E+00	A	1.052E+00	1.644E+00	-5.046E-01	9.019E-01			
2S - 2P	RJBB CC	1.168E+00	A	1.244E+00	3.239E+00	-1.311E+00	1.320E+00			
	PEEK DWXCI	1.189E+00	A	1.285E+00	3.143E+00	-1.173E+00	1.303E+00			
	MANN DWX	1.189E+00	A	1.535E+00	2.823E+00	-1.039E+00	1.235E+00			
3S - 3P	MANN DWX	3.256E-01	A	9.373E+00	2.476E+00	8.349E+00	2.661E+01			
3S - 4P	MANN DWX	7.349E-01	A	1.109E+00	-4.681E-01	7.735E-01	6.766E-03			
3S2 - 3S 3P(1P)	MANN DWXCI	5.454E-01	A	9.212E-01	1.813E+00	5.292E+00	1.555E+01			
3S 3P(3P) - 3P2(3P)	MANN DWX	5.166E-01	A	1.065E+01	-6.699E+00	2.995E+01	5.624E+01			
3S 3P(3P) - 3S 3D(3D)	MANN DWX	5.288E-01	A	-2.417E+01	5.376E+01	1.437E+01	7.943E+01			
3S2 - 3S 4P(1P)	MANN DWXCI	9.743E-01	A	1.038E+00	-7.801E-01	2.961E-01	3.876E-02			
3S - 3P	MANN DWX	4.906E-01	A	8.132E+00	1.172E+01	-9.621E-02	1.595E+01			
3S - 4P	MANN DWX	1.309E+00	A	2.904E-01	1.105E-01	1.826E-01	7.563E-02			
3S - 5P	MANN DWX	1.625E+00	A	4.456E-02	4.314E-02	7.340E-02	3.559E-02			
2P6 - 2P5 3S(1P)	MANN DWXCI	5.693E+00	A	-7.979E-02	1.057E-01	2.630E-03	1.393E-01			
2P6 - 2P5 3D(1P)	MANN DWXCI	6.990E+00	A	-2.181E-01	4.292E-01	-8.999E-02	5.332E-01			
2S2 2P5(2P) - 2S1 2P6(2S)	MANN DWX	3.259E+00	A	9.015E-01	1.081E+00	-2.239E-01	1.012E+00			
2S2 2P4(3P) - 2S1 2P5(3P)	MANN DWX	2.937E+00	A	2.633E+00	3.919E+00	-9.664E-01	2.857E+00			
3S2 - 3S 3P(1P)	MANN DWXCI	7.553E-01	A	2.742E+00	4.317E+00	1.744E+00	1.007E+01			

TRANSITION	DATA	THRESHOLD ENERGY	FIT	C0	COEFFICIENTS			C4	ALPHA
					C1	C2	C3		
SI III 3S 3P(3P) - 3P2(3P)	MANN DWXCI	7.016E-01	A	1.202E+01	1.267E+01	6.308E+00	3.291E+01		
SI IV 3S - 3P	MANN DWX	6.525E-01	A	6.701E+00	1.257E+01	-2.588E+00	1.090E+01		
SI IV 3S - 4P	MANN DWX	1.990E+00	A	-6.266E-03	3.027E-01	-1.056E-02	1.278E-01		
SI XII 2S - 2P	MANN DWX	1.800E+00	A	6.607E-01	1.580E+00	-6.200E-01	6.003E-01		
S IV 3S2 3P - 3S 3P2(2D)	MANN DWXCI	8.520E-01	A	1.763E+00	5.083E+00	-1.238E+00	2.136E+00		
S IV 3S2 3P - 3S 3P2(2S)	MANN DWXCI	1.120E+00	A	1.376E+00	1.988E+00	-3.959E-01	2.156E+00		
S IV 3S2 3P - 3S 3P2(2P)	MANN DWXCI	1.216E+00	A	3.140E+00	1.593E+01	-2.549E+00	1.794E+01		
AR VIII 3S - 3P	MANN DWX	1.273E+00	A	3.262E+00	8.713E+00	-3.235E+00	4.059E+00		
AR VIII 3S - 4P	MANN DWX	5.731E+00	A	-1.939E-01	3.464E-01	-9.909E-02	1.584E-01		
AR XV 2S2 - 2S 2P(1P)	MANN DWXCI	3.787E+00	A	2.453E-01	6.900E-01	-2.725E-01	2.695E-01		
AR XV 2S 2P(3P) - 2P2(3P)	MANN DWXCI	3.391E+00	A	1.043E+00	2.860E+00	-1.166E+00	1.061E+00		
A XVI 2S - 2P	MANN DWX	2.480E+00	A	3.730E-01	9.996E-01	-4.115E-01	3.502E-01		
FE XV 3S2 - 3S 3P(1P)	MANN DWXCI	3.207E+00	A	9.791E-01	2.987E+00	-1.208E+00	1.155E+00		
FE XV 3S2 - 3S 3D(1D)	MANN DWXCI	6.945E+00	A	2.737E-01	-2.095E-01	1.223E-01	0.		
FE XV 3S2 - 3S 4P(1P)	MANN DWXCI	1.719E+01	A	-1.341E-01	2.125E-01	-6.820E-02	1.098E-01		
FE XV 3S2 - 3S 4F(1F)	MANN DWX	1.935E+01	A	9.381E-02	-5.107E-02	6.155E-03	0.		
FE XVI 2P6 3S - 2P6 3P	MANN DWX	2.653E+00	A	1.266E+00	3.897E+00	-1.659E+00	1.347E+00		
FE XVI 2P6 3S - 2P6 4P	MANN DWX	1.807E+01	A	-1.157E-01	1.892E-01	-5.708E-02	9.519E-02		
FE XVI 2P6 3S - 2P5 3S2	MANN DWX	5.239E+01	A	-1.037E-02	1.810E-02	-3.119E-03	1.210E-02		
FE XVI 2P6 3S - 2P5 3S 3D(TOTAL)	MANN DWX	5.900E+01	A	-9.136E-02	4.305E-01	-2.267E-02	4.299E-01		
FE XVI 2P6 3S - 2P5 3S 4D(TOTAL)	MANN DWX	7.274E+01	A	1.183E-02	5.346E-02	2.068E-02	8.248E-02		
FE XVI 2S2 2P6 3S-2S 2P6 3S 3P(TOT)	MANN DWX	6.500E+01	A	-5.306E-02	8.275E-02	-1.543E-02	6.327E-02		
FE XVII 2S2 2P6 - 2S2 2P5 3S(1P)	MANN DWXCI	5.370E+01	A	-7.028E-03	1.076E-02	-2.111E-03	8.871E-03		

TRANSITION		DATA	THRESHOLD ENERGY	FIT	C0	COEFFICIENTS			C4	ALPHA
						C1	C2	C3		
2S2 2P6 - 2S2 2P5 3P(1D)	FE XVII	MANN DWXCI	5.628E+01	A	4.604E-03	-4.696E-03	4.074E-03	0.		
2S2 2P6 - 2S2 2P5 3D(1F)	FE XVII	MANN DWXCI	5.959E+01	A	3.309E-03	-2.365E-03	3.720E-03	1.553E-04		
2S2 2P6 - 2S2 2P5 3D(1P)	FE XVII	MANN DWXCI	5.959E+01	A	-3.818E-02	1.627E-01	-3.727E-02	1.755E-01		
2S2 2P6 - 2S1 2P6 3S(1S)	FE XVII	MANN DWX	6.371E+01	A	1.954E-02	-4.457E-03	-7.098E-04	0.		
2S2 2P6 - 2S1 2P5 3P(1P)	FE XVII	MANN DWXCI	6.535E+01	A	-1.726E-02	2.508E-02	-5.640E-03	1.976E-02		
2S2 2P6 - 2S1 2P6 3D(1D)	FE XVII	MANN DWXCI	6.911E+01	A	4.809E-02	-5.722E-02	2.223E-02	0.		
2P5 - 2P4 3S(2P)	FE XVIII	MANN DWXCI	5.742E+01	A	-1.853E-02	2.757E-02	-4.348E-03	2.262E-02		
2P5 - 2P4 3S(2D)	FE XVIII	MANN DWXCI	5.742E+01	A	-1.552E-02	2.694E-02	-4.303E-03	1.825E-02		
2P5 - 2P4 3S(2S)	FE XVIII	MANN DWXCI	5.742E+01	A	-3.098E-03	5.381E-03	-8.593E-04	3.641E-03		
2P5 - 2P4(3P)3D(2F)	FE XVIII	MANN DWXCI	6.301E+01	A	-1.303E-03	4.942E-02	2.203E-03	5.880E-02		
2P5 - 2P4(3P)3D(2D)	FE XVIII	MANN DWXCI	6.301E+01	A	-1.629E-02	9.610E-02	-1.042E-02	9.698E-02		
2P5 - 2P4(3P)3D(2P)	FE XVIII	MANN DWXCI	6.301E+01	A	-3.318E-03	1.976E-02	4.672E-03	1.278E-02		
2P5 - 2P4(1D)3D(2G)	FE XVIII	MANN DWXCI	6.301E+01	A	8.919E-03	1.349E-03	1.873E-02	8.712E-04		
2P5 - 2P4(1D)3D(2F)	FE XVIII	MANN DWXCI	6.301E+01	A	1.717E-03	1.138E-02	1.232E-02	1.055E-02		
2P5 - 2P4(1D)3D(2D)	FE XVIII	MANN DWXCI	6.301E+01	A	-7.702E-02	3.688E-01	-7.990E-02	3.866E-01		
2P5 - 2P4(1D)3D(2P)	FE XVIII	MANN DWXCI	6.301E+01	A	-5.701E-02	2.693E-01	-5.767E-02	2.778E-01		
2P5 - 2P4(1D)3D(2S)	FE XVIII	MANN DWXCI	6.301E+01	A	-1.366E-02	6.498E-02	-1.176E-02	6.363E-02		
2P5 - 2P4(1S)3D(2D)	FE XVIII	MANN DWXCI	6.301E+01	A	-2.406E-02	1.223E-01	-1.813E-02	1.238E-01		
2S2 2P5 - 2S 2P6	FE XVIII	ROBB CC	8.735E+00	A	2.434E-01	2.708E-01	-5.941E-02	1.728E-01		
		MANN DWX	9.390E+00	A	1.795E-01	4.273E-01	-1.630E-01	1.815E-01		
2S2 2P5 - 2S 2P5(3P)3P(2D)	FE XVIII	MANN DWXCI	6.851E+01	A	-3.376E-02	5.431E-02	-1.226E-02	4.145E-02		
2S2 2P5 - 2S 2P5(3P)3P(2P)	FE XVIII	MANN DWXCI	6.851E+01	A	-2.976E-02	4.718E-02	-1.109E-02	3.670E-02		
2S2 2P5 - 2S 2P5(3P)3P(2S)	FE XVIII	MANN DWXCI	6.851E+01	A	-1.423E-02	2.235E-02	-5.388E-03	1.760E-02		
2S2 2P5 - 2S 2P5(1P)3P(2D)	FE XVIII	MANN DWXCI	6.851E+01	A	-2.112E-02	3.491E-02	-7.300E-03	2.573E-02		

TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS					ALPHA
				C0	C1	C2	C3	C4	
2S2 2P5 - FE XVIII 2S 2P5(1P)3P(2P)	MANN DWXCI	6.951E+01	A	-1.768E-02	2.863E-02	-6.345E-03	2.167E-02		
2S2 2P5 - FE XVIII 2S 2P5(1P)3P(2S)	MANN DWXCI	6.851E+01	A	-3.748E-04	1.072E-03	5.077E-05	3.559E-04		
2S2 2P4(3P) - FE XIX 2S 2P5(3P)	ROBB CC MANN DWXCI	7.498E+00 8.396E+00	A A	3.902E-01 5.017E-01	1.578E+00 1.262E+00	-7.489E-01 -4.932E-01	5.167E-01 5.096E-01		
2S2 2P4(1D) - FE XIX 2S 2P5(1P)	RJBB CC	9.400E+00	A	2.301E-01	6.841E-01	-2.808E-01	2.720E-01		
2S2 2P4(1S) - FE XIX 2S 2P5(1P)	ROBB CC	8.390E+00	A	-4.063E-02	1.372E-01	-6.094E-02	4.214E-02		
2S2 2P3(4S) - FE XX 2S 2P4(4P)	MANN DWXCI	7.189E+00	A	3.283E-01	8.436E-01	-3.388E-01	3.233E-01		
2S2 2P2(3P) - FE XXI 2S 2P3(3D)	MANN DWXCI	6.456E+00	A	3.585E-01	8.684E-01	-3.575E-01	3.169E-01		
2S2 2P2(3P) - FE XXI 2S 2P3(3P)	MANN DWXCI	7.681E+00	A	2.847E-01	7.653E-01	-3.059E-01	2.945E-01		
2S2 2P2(3P) - FE XXI 2S 2P3(3S)	ROBB CC MANN DWXCI	8.395E+00 9.069E+00	A A	1.962E-01 2.332E-01	6.478E-01 6.346E-01	-2.824E-01 -2.473E-01	2.157E-01 2.563E-01		
2S2 2P2(3P) - FE XXI 2P1 3D1(3F)	MANN DWXCI	7.426E+01	A	-8.369E-03	1.014E-01	3.385E-03	7.723E-02		
2S2 2P2(3P) - FE XXI 2P1 3D1(3D)	MANN DWXCI	7.426E+01	A	-5.579E-02	3.381E-01	-6.669E-02	3.189E-01		
2S2 2P2(3P) - FE XXI 2P1 3D1(3P)	MANN DWXCI	7.426E+01	A	-3.202E-02	1.827E-01	-3.191E-02	1.640E-01		
2S2 2P - FE XXII 2S 2P2(2P)	ROBB CC MANN DWXCI	7.216E+00 7.959E+00	A A	3.659E-01 3.239E-01	8.124E-01 9.319E-01	-3.088E-01 -3.734E-01	3.422E-01 3.549E-01		
2S2 2P - FE XXII 2S 2P2(2D)	RJBB CC MANN DWXCI	5.293E+00 5.935E+00	A A	2.069E-01 2.354E-01	6.761E-01 6.521E-01	-3.402E-01 -2.769E-01	2.168E-01 2.246E-01		
2S2 2P - FE XXII 2S 2P2(2S)	ROBB CC MANN DWXCI	6.781E+00 6.727E+00	A A	1.224E-01 1.015E-01	2.051E-01 3.023E-01	-7.536E-02 -1.244E-01	9.400E-02 1.097E-01		
2S2 2P - FE XXII 2S2 3S	MANN DWXCI	7.338E+01	A	-7.184E-03	1.284E-02	-2.124E-03	8.101E-03		
2S2 2P - FE XXII 2S2 3P	MANN DWXCI	7.685E+01	A	-4.112E-02	2.541E-01	-3.854E-02	2.239E-01		
2S2 2P - FE XXII 2S2 3D	MANN DWXCI	7.685E+01	A	-3.748E-02	2.474E-01	-3.653E-02	2.189E-01		
2S2 2P - FE XXII 2S2 4S	MANN DWX	7.948E+01	A	-4.301E-04	1.521E-03	2.220E-04	1.139E-03		
2S2 - FE XXIII 2S 2P(1P)	MANN DWXCI	6.478E+00	A	1.103E-01	3.506E-01	-1.456E-01	1.247E-01		
2S 2P(3P) - FE XXIII 2P2(3P)	MANN DWXCI	5.547E+00	A	4.195E-01	1.295E+00	-5.522E-01	4.393E-01		

TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS					ALPHA
				C0	C1	C2	C3	C4	
FE XXIII 2S2 - 2S 3S(1S)	MANN DWXCI	8.166E+01	A	1.764E-02	-4.215E-03	-3.242E-05	0.		
FE XXIII 2S2 - 2S 3P(1P)	MANN DWXCI	8.289E+01	A	-1.880E-02	3.335E-02	-9.132E-03	2.447E-02		
FE XXIII 2S2 - 2S 3D(1D)	MANN DWXCI	8.433E+01	A	5.007E-02	-5.656E-02	2.379E-02	0.		
FE XXIV 1S2 2S - 1S2 2P	RJBB CC MANN DWX	3.451E+00 4.289E+00	A A	1.537E-01 1.620E-01	5.504E-01 4.950E-01	-2.383E-01 -2.129E-01	1.686E-01 1.611E-01		
FE XXIV 1S2 2S - 1S2 3S	MANN DWX	8.450E+01	A	1.725E-02	-3.943E-03	8.891E-04	0.		
FE XXIV 1S2 2S - 1S2 3P	MANN DWX	8.570E+01	A	-2.701E-02	5.041E-02	-1.268E-02	3.548E-02		
FE XXIV 1S2 2S - 1S 2S2	MANN DWX	4.861E+02	A	1.330E-03	-4.121E-04	2.048E-04	0.		
FE XXIV 1S2 2S - 1S 2S(1S)2P(2P)	MANN DWXCI	4.902E+02	A	-1.092E-04	1.227E-03	8.563E-04	2.670E-03		
FE XXIV 1S2 2S - 1S 2S(3S)2P(2P)	MANN DWXCI	4.902E+02	A	2.792E-04	2.291E-03	1.091E-03	1.036E-02		
4J XXXVIII 2S2 2P(2P) - 2S 2P2(2S)	RJBB CC	1.140E+01	A	1.227E-02	1.547E-01	-8.780E-02	2.773E-02		
4D XXXVIII 2S2 2P(2P) - 2S 2P2(2P)	RJBB CC	1.202E+01	A	-1.343E-01	8.273E-01	-4.011E-01	1.998E-01		
4D XXXI 3S2 - 3S 3P(1P)	MANN DWXCI	7.722E+00	A	2.866E-01	9.651E-01	-4.200E-01	3.175E-01		
4D XXXI 3S2 - 3S 4S(1S)	MANN DWXCI	5.916E+01	A	3.609E-02	-6.366E-03	3.954E-04	0.		
4D XXXI 3S2 - 3S 4F(1F)	MANN DWXCI	6.658E+01	A	3.030E-02	-1.546E-02	3.160E-03	0.		
4D XXXII 2P6 3S - 2P6 4P	MANN DWX	6.308E+01	A	-4.214E-02	6.996E-02	-2.157E-02	3.651E-02		
4J XXXII 2P6 3S - 2P5 3S2	MANN DWXCI	1.762E+02	A	-2.968E-03	5.357E-03	-9.875E-04	3.284E-03		
4D XXXII 2S2 2P6 3S - 2S 2P6 3S2	MANN DWX	1.986E+02	A	6.748E-03	-1.607E-03	4.122E-04	0.		

TABLE III

TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS					ALPHA
				C0	C1	C2	C3	C4	
C III 2S 2P(3P) - 2P2(3P)	RJBB CC	4.522E-01	B	1.950E-01	3.130E-01	-8.384E-01	2.360E+00	-1.047E+00	4.640E-02
	MANN DWXCI	7.751E-01	B	1.114E+01	6.478E+00	2.595E+00	1.587E+01	0.	0.
C IV 1S2 2S - 1S 2S 2P(4P)	MANN DWX	2.162E+01	B	5.757E-02	4.533E-03	-1.256E-02	1.179E-01	-1.349E-01	4.650E-01
D IV 2S 2P2(4P) - 2S 2P2(2S)	RJBB CC	9.538E-01	B	3.477E-03	2.964E-02	2.477E-03	-4.641E-03	4.758E-01	5.179E-02
D IV 2S 2P2(4P) - 2S 2P2(2P)	RJBB CC	1.158E+00	B	7.622E-02	7.117E-02	-5.254E-02	-9.925E-02	6.900E-01	5.625E-02
D IV 2S 2P2(2S) - 2S 2P2(2P)	RJBB CC	2.044E-01	B *	-9.174E-03	1.113E-01	-1.309E-01	-1.344E-01	4.163E-01	7.219E-03
D V 2S2 - 2S 2P(3P)	PEEK DWXCI	7.494E-01	B	1.118E-02	1.175E-01	9.798E-03	5.721E-03	2.189E-01	4.460E-02
	MANN DWXCI	7.494E-01	B	4.785E-02	5.771E-02	-1.691E-02	-7.987E-02	3.544E-01	2.567E-02
AR XV 2S2 - 2S 2P(3P)	MANN DWXCI	2.173E+00	B	7.685E-06	1.039E-02	-2.664E-03	1.471E-03	2.150E-02	1.381E-02
FE XV 3S2 - 3S 4S(3S)	MANN DWXCI	1.607E+01	B	1.441E-02	-2.303E-03	-9.168E-03	2.585E-02	-1.078E-01	5.651E-01
FE XV 3S2 - 3S 4F(3F)	MANN DWX	1.922E+01	B	6.102E-02	-5.449E-03	-3.479E-02	6.735E-02	-5.386E-01	7.401E-01
FE XVII 2S2 2P6 - 2S2 2P5 3P(3S)	MANN DWXCI	5.628E+01	B	2.024E-02	-3.514E-03	-1.054E-02	4.536E-02	-1.579E-01	5.226E-01
FE XVII 2S2 2P6 - 2S2 2P5 3P(1P)	MANN DWXCI	5.628E+01	B	3.909E-03	4.951E-04	-5.322E-03	2.225E-02	-3.337E-02	4.181E-01
FE XVII 2S2 2P6 - 2S2 2P5 3D(1D)	MANN DWXCI	5.959E+01	B	2.363E-03	4.743E-05	2.335E-04	-5.492E-04	2.813E-03	2.314E-01
FE XVII 2S2 2P6 - 2S1 2P6 3S(3S)	MANN DWXCI	6.326E+01	B	3.769E-03	-4.673E-04	-1.298E-03	7.086E-03	-2.239E-02	4.849E-01
FE XXIII 2S2 - 2S 3S(3S)	MANN DWXCI	8.108E+01	B	4.480E-03	-6.406E-04	-1.843E-03	8.723E-03	-2.928E-02	4.944E-01



TABLE IV

TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS							ALPHA
				C0	C5	C1	C6	C2	C7	C3	
AL IV 2P6 - 2P5 3S(3P)	MANN DWXCI	5.628E+00	D	5.208E-02	-3.063E-02	1.767E-02	2.640E-01	-1.561E+00	1.085E+00		
					-1.052E-02	2.503E-02	1.665E-02				
AL IV 2P6 - 2P5 3D(3P)	MANN DWXCI	6.929E+00	D	1.140E-01	-2.631E-01	-5.698E+00	2.448E+01	-2.290E+02	2.752E+00		
					-5.780E-04	-2.500E-03	2.023E-03				
AL IV 2P6 - 2P5 3D(3D)	MANN DWXCI	7.000E+00	D	2.982E-04	2.162E-01	-1.153E+00	1.182E+01	-6.095E+01	2.219E+00		
					-2.390E-02	6.106E-02	6.782E-02				
FE XV 3S2 - 3S 3P(3P)	MANN DWXCI	2.250E+00	D	-2.331E-03	1.077E-02	1.236E-02	4.915E-03	1.769E-02	5.270E-02		
					1.432E-02	8.785E-03	6.534E-03				
FE XV 3S2 - 3S 4P(3P)	MANN DWXCI	1.719E+01	D	-9.388E-03	1.797E-03	2.272E-03	-7.224E-03	1.110E-02	2.073E-01		
					-2.429E-02	3.948E-02	1.944E-02				
FE XVII 2S2 2P6 - 2S2 2P5 3S(3P)	MANN DWXCI	5.370E+01	D	-1.162E-03	7.030E-04	9.419E-04	-1.174E-03	4.147E-03	1.974E-01		
					-5.686E-03	7.854E-03	7.377E-03				
FE XVII 2S2 2P6 - 2S2 2P5 3P(3D)	MANN DWXCI	5.623E+01	D	5.259E-03	3.363E-03	5.210E-03	-3.651E-03	2.314E-02	2.946E-01		
					4.809E-03	-9.620E-03	-2.540E-04				
FE XVII 2S2 2P6 - 2S2 2P5 3P(3P)	MANN DWXCI	5.628E+01	D	-9.941E-04	-1.761E-03	-6.642E-04	1.936E-03	-4.524E-03	7.848E-02		
					8.437E-03	5.778E-03	-1.158E-04				
FE XVII 2S2 2P6 - 2S2 2P5 3P(1S)	MANN DWXCI	5.628E+01	D	3.908E-03	1.615E-03	2.320E-04	-2.125E-04	2.791E-03	5.844E-02		
					5.840E-02	-1.731E-02	-3.756E-04				
FE XVII 2S2 2P6 - 2S2 2P5 3D(3F)	MANN DWXCI	5.959E+01	D	2.901E-02	-4.657E-03	-4.072E-02	-2.437E-02	-3.725E-01	1.148E+00		
					2.968E-03	-4.346E-03	4.053E-05				
FE XVII 2S2 2P6 - 2S2 2P5 3D(3D)	MANN DWXCI	5.959E+01	D	-4.317E-03	-2.977E-03	6.298E-04	4.999E-03	-6.534E-03	8.136E-02		
					-6.841E-03	4.832E-02	4.770E-02				
FE XVII 2S2 2P6 - 2S2 2P5 3D(3P)	MANN DWXCI	5.959E+01	D	3.244E-02	-7.503E-03	-6.972E-02	3.706E-03	-4.788E-01	1.145E+00		
					-1.197E-04	3.456E-04	6.724E-04				
FE XVII 2S2 2P6 - 2S1 2P6 3P(3P)	MANN DWXCI	6.595E+01	D	-1.287E-04	3.806E-04	5.057E-04	-6.289E-06	2.339E-03	2.524E-01		
					-2.173E-03	3.590E-03	2.410E-03				
FE XVII 2S2 2P6 - 2S1 2P6 3D(3D)	MANN DWXCI	6.911E+01	D	1.824E-02	-2.694E-03	-2.126E-02	1.019E-02	-2.098E-01	9.846E-01		
					1.683E-04	-3.044E-04	-7.936E-06				
FE XVIII 2P5 - 2P4 3S(4P)	MANN DWXCI	5.742E+01	D	-1.199E-03	1.318E-03	2.074E-03	6.172E-04	6.988E-03	2.521E-01		
					-6.197E-03	1.024E-02	7.667E-03				
FE XVIII 2P5 - 2P4(3P)3D(4F)	MANN DWXCI	6.301E+01	D	9.022E-02	-2.059E-02	-1.265E-01	-3.038E-02	-1.123E+00	1.091E+00		
					4.302E-03	-8.147E-03	4.726E-03				



TRANSITION	DATA	THRESHOLD ENERGY	FIT	COEFFICIENTS							ALPHA
				C0	C5	C1	C6	C2	C7	C3	
FE XXI 2S2 2P2(3P) - 2P1 3D1(1P)	MANN DWXCI	7.426E+01	D	8.168E-03 8.893E-05		-2.623E-03 1.671E-03	-2.828E-02 1.827E-03	-4.260E-03	-1.723E-01	1.395E+00	
FE XXIII 2S2 - 2S 3P(3P)	MANN DWXCI	8.289E+01	D	-2.071E-03 -7.314E-03		7.057E-04 1.243E-02	5.424E-04 9.464E-03	-8.370E-04	2.194E-03	2.031E-01	
FE XXIII 2S2 - 2S 3D(3D)	MANN DWXCI	8.438E+01	D	1.927E-02 3.477E-04		-4.513E-03 -3.908E-04	-3.061E-02 -1.320E-05	1.437E-02	-2.359E-01	9.588E-01	
FE XXIV 1S2 2S - 1S 2S 2P(4P)	MANN DWXCI	4.870E+02	D	4.116E-03 3.825E-05		-1.031E-03 -1.102E-04	-1.184E-02 3.440E-04	-5.039E-03	-7.680E-02	1.456E+00	
MO XXXI 3S2 - 3S 3P(3P)	MANN DWXCI	5.541E+00	D	-6.078E-03 3.998E-02		1.521E-02 3.498E-02	1.830E-02 3.478E-02	-1.515E-02	3.294E-02	9.456E-02	
MO XXXI 3S2 - 3S 3D(3D)	MANN DWXCI	1.423E+01	D	-3.655E-04 4.436E-03		2.371E-03 7.812E-04	3.427E-03 -2.434E-04	9.523E-04	3.988E-03	7.416E-02	

## ACKNOWLEDGMENTS

The authors would like to acknowledge the help and cooperation which they received from all of the people who contributed data to this report. They are particularly indebted to Mary Argo and Christella Secker for their help with the administration of the Atomic Data Workshop and the preparation of this manuscript. This work was supported by the U. S. Department of Energy.

## REFERENCES

1. J. B. Mann, private communication.
2. W. D. Robb, private communication.
3. S. Nakazaki and T. Hashino, "Excitation of Beryllium-like Ions by Electron Impact," *Journ. of the Phys. Soc. of Japan* 43, 281 (1977).
4. A. R. Jackson, "Excitation of C II]  $\lambda$ 2326, O III]  $\lambda$ 1664 and Other Semiforbidden Emission Lines in Quasars," *Mon. Not. R. Astron. Soc.* 165, 53-60 (1973).
5. W. Eissner, "Computer Methods and Packages in Electron-Atom Collisions II," the VII ICPEAC Invited Papers and Progress Reports, T. R. Govers and F. J. deHeer, Eds. (North Holland Publishing Co., Amsterdam, 1971), pp. 460-78.
6. K. P. Dere, H. E. Mason, K. G. Widing and A. K. Bhatia (Preprint).
7. H. E. Mason, "The Excitation of Several Iron and Calcium Lines in the Visible Spectrum of the Solar Corona," *Mon. Not. R. Astron. Soc.* 170, 651 (1975).
8. H. E. Mason and P. J. Storey (Preprint).
9. H. E. Mason and A. K. Bhatia, "Theoretical Intensity Ratios for the UV Lines of Mg VII, Si IX, and S XI," *Mon. Not. R. Astron. Soc.* 184, 423 (1978).
10. A. K. Bhatia and H. E. Mason, private communication.
11. A. K. Bhatia, private communication.
12. M. J. Seaton, "Computer programs for the Calculation of Electron-Atom Collision Cross Sections," *J. Phys. B1*, 1817 (1974).
13. D. G. Hummer and D. W. Norcross, "Light Ions of Astrophysical Interest-Radiative Transition Probabilities for C III, N IV, O V and Ne VII," *Mon. Not. R. Astron. Soc.* 168, 263-272 (1974).
14. S. M. Younger, private communication.
15. J. Peek, private communication.

16. J. Davis, P. C. Kepple and M. Blaha, "Distorted Wave Calculations for Gaunt Factors, Cross Sections and Rate Coefficients of Selected Allowed Forbidden and Spin Exchange Transitions," Naval Research Laboratory Memorandum Report 2939, November 1974.
17. M. Blaha and J. Davis, "Electron Impact Excitation of Highly Charged Sodium-like Ions," *J. Quant. Spectrosc. Radiant. Transfer* 19, 227 (1978).
18. M. Blaha, private communication.
19. M. S. Pindzola, "Electron Impact Excitation of Oxygen III," *Phys. Rev. A* 15, 2238 (1977).
20. J. Callaway, R. J. W. Henry and A. P. Msezane, "Excitation of Ions of the Lithium Isoelectronic Sequence in the Relativistic Coulomb Born Approximation," preprint.
21. K. A. Berrington, P. G. Burke, P. L. Dufton and A. E. Kingston, "Electron Collisional Excitations of C III and O V," *J. Phys. B* 10, 1465 (1977).
22. P. L. Dufton, K. A. Berrington, P. G. Burke and A. E. Kingston, "The Interpretation of C III and O V Emission Line Ratios in the Sun," *Astrophys. J.* 62, 111 (1978).
23. P. G. Burke and A. E. Kingston, private communication.
24. D. H. Sampson, R. E. H. Clark, L. B. Golden and A. D. Parks, "Collision Strengths for Transitions Among Levels of the  $1s^2 2s^2$ ,  $1s^2 2s 2p$  and  $1s^2 2p^2$  Configurations in Highly Charged Be-like Ions," preprint.
25. D. H. Sampson, H. D. Parks and R. E. H. Clark, "Intermediate-Coupling Collision Strengths for Fine-Structure Transitions Between S and P Levels and S and D Levels in Highly Charged He-like Ions," *Phys. Rev. A* 17, 1619 (1978).
26. D. E. Osterbrock, "Excitation of Semi-Forbidden  $2s^2 \ ^1S - 2s 2p \ ^3P$  Lines Observed in Quasars and Nebulae," *J. Phys. B* 3, 149-160 (1970).
27. S. Ormonde, K. Smith, B. W. Torres and A. R. Davies, "Configuration Interaction Effects in the Scattering of Electrons by Atoms and Ions of Nitrogen and Oxygen," *Phys. Rev. A* 8, 262 (1973).
28. P. O. Taylor, D. C. Gregory, G. H. Dunn, R. A. Phaneuf and D. H. Crandall, "Absolute Cross Sections for  $2s - 2p$  Excitation of  $C^{3+}$  by Electron Impact," *Phys. Rev. Lett.* 39, 1256 (1977).
29. D. C. Gregory, G. H. Dunn, R. A. Phaneuf and D. H. Crandall, private communication.
30. Y. K. Kim and K. T. Cheng, "Bethe Cross Sections for the Sodium Isoelectronic Sequence," *Phys. Rev. A* 18, 36-47 (1978).
31. Y. K. Kim, private communication.

32. H. Nussbaumer, "Spectral Lines in the Be I Isoelectronic Sequence," *Astron. and Astrophys.* 16, 77-80 (1972).
33. D. R. Flower, "Collision Strengths for Electron Excitation of Highly Ionized Complex Ions," *J. Phys. E* 4, 647 (1971).
34. D. R. Flower and J. M. Launay, "Electron Collisional Excitation of  $C^{2+}$ ," *Astron. and Astrophys.* 29, 321-6 (1973).
35. D. R. Flower and H. Nussbaumer, "Relative Intensities of Solar Emission Lines of Ions in the Sodium Isoelectronic Sequence," *Astron. and Astrophys.* 42, 265 (1975).
36. D. R. Flower and H. Nussbaumer, "On the Extreme Ultraviolet Solar Emissions of B-like Ions: O IV," *Astron. and Astrophys.* 45, 145 (1975).
37. D. R. Flower and H. Nussbaumer, "On the Extreme Ultraviolet Solar Emission of B-like Ions: Na VII, Si X, S XII," *Astron. and Astrophys.* 45, 349 (1975).
38. W. L. Wyngaarden and R. J. W. Henry, "Excitation of Ne VIII by Electron Impact," *Canadian Journal of Physics* 54, 2019 (1976).
39. W. L. Wyngaarden and R. J. W. Henry, "Excitation of N V by Electron Impact," *J. Phys. B* 9, 1461 (1976).
40. J. N. Gau and R. J. W. Henry, "Excitation of Lithium-like Ions by Electron Impact," *Phys. Rev. A* 16, 986 (1977).
41. R. J. W. Henry, private communication.
42. N. H. Magee, J. B. Mann, A. L. Merts, and W. D. Robb, "Electron Impact Excitation of Carbon and Oxygen Ions," Los Alamos Scientific Laboratory report LA-6691-MS (1977).
43. P. G. Burke and M. J. Seaton, "Numerical Solutions of the Integro-Differential Equation of Electron-Atom Collision Theory," *Methods Comp. Phys.* 10, 1 (1971).
44. M. A. Cross, M. J. Seaton and P. M. H. Wilson, "IMPACT, A Program for the Solution of the Coupled Integro-Differential Equations of Electron-Atom Collision Theory," *Comp. Phys. Commun.* 15, 23 (1978).
45. K. A. Berrington, P. G. Burke, M. LeDourneuf, W. D. Robb, K. I. Taylor and Vo Ky Lan, "A New Version of the General Program to Calculate Atomic Continuum Processes using the R-Matrix Method," *Comp. Phys. Commun.* 14, 367 (1978).
46. E. R. Smith and R. J. W. Henry, "Noniterative Integral-Equation Approach to Scattering Problems," *Phys. Rev.* A7, 1585 (1973).
47. S. Ormonde, K. Smith, B. W. Torres and A. R. Davies, "Configuration-Interaction Effects in the Scattering of Electrons by Atoms and Ions of Nitrogen and Oxygen," *Phys. Rev.* A8, 262 (1973).

48. J. M. Peek and J. B. Mann, "Continuum Orbital Approximations in Weak-Coupling Theories for Inelastic Electron Scattering," Phys. Rev. 16, 2375 (1977).
49. R. D. Cowan and D. C. Griffin, "Approximate Relativistic Corrections to Atomic Radial Wave Functions," J.O.S.A. 66, 1010 (1976).
50. M. E. Riley and D. G. Truhlar, "Approximations for the Exchange Potential in Electron Scattering," J. Chem. Phys. 63, 2182 (1975).
51. R. D. Cowan, Theory of Atomic Structure and Spectra, University of California Press, Berkeley (1980).
52. K. A. Berrington, P. G. Burke, P. L. Dufton, A. E. Kingston and A. L. Sinfailam, "Electron Collisional Excitation of O V: Effect of Resonances Converging to the  $n = 3$  Thresholds," J. Phys. B: Atom. Molec. Phys. in press.
53. R. D. Cowan, "Resonant-Scattering (Autoionization) Contributions to Excitation Rates in  $O^{4+}$  and Similar Ions," J. Phys. B: Atom. Molec. Phys. in press.

---

#### APPENDIX A

Yong-Ki Kim

I enclose a few tables of cross sections in the hope that you may be able to include some of them in the Atomic Data Workshop Report. For the resonance transitions of some Li-like and Na-like ions, I converted the Bethe cross sections to Seaton's collision strength,  $\Omega$ , in the same unit as that used in your report. The tables of  $\Omega$  are there only to help you compare with your results. Since  $\Omega$  can be easily calculated from the Bethe parameters (AA, BB, CC), I think it is unnecessary to include the  $\Omega$  tables in the report.

For fitting purposes, I suggest that the high-energy values of the first two parameters (AA and BB) be retained and fit the other parameters (e.g.,  $C_1$  and  $C_2$  of Form A, p. 122 of LASL preliminary report) to the low-x part of  $\Omega$  calculated by Mann and Robb.

I used relativistic Hartree-Fock wavefunctions, and the parameters for the  $np_{\frac{1}{2}}$  and  $np_{3/2}$  excitations should be summed to be compared with corresponding nonrelativistic results. For example,  $\Omega(2s \rightarrow 2p; C^{3+}) = \Omega(2s \rightarrow 2p_{\frac{1}{2}}) + \Omega(2s \rightarrow 2p_{3/2})$ ,  
 $AA(2s \rightarrow 2p; C^{3+}) = AA(2s \rightarrow 2p_{\frac{1}{2}}) + AA(2s \rightarrow 2p_{3/2}) = 1.313 + 2.626 = 3.939$   
 $BB(2s \rightarrow 2p; C^{3+}) = 2.697 + 5.392 = 8.089$   
 $CC(2s \rightarrow 2p; C^{3+}) = -0.5584 - 1.117 = -1.675.$

The excitation energies for the  $np_{1/2}$  and  $np_{3/2}$  states of Fe and Mo ions show 10-200% differences according to relativistic calculations, and I am not sure whether one should put them together on the same  $x(=T/E)$  scale or not. Please feel free to use the enclosed data in any way you choose, and let me know if you have any questions. Our Na-sequence data should be credited to Y.-K. Kim and K. T. Cheng, Phys. Rev. A 18, 36 (1978), but the Li-sequence data have not been published yet.

D. H. Sampson

Intermediate Coupling Collision Strengths for Transitions Among Levels of the  $1s^2 2s^2$ ,  $1s^2 2s2p$  and  $1s^2 2p^2$  Configurations in Highly Charged Be-like Ions

D. H. Sampson,<sup>+</sup> R. E. H. Clark,<sup>+</sup> L. B. Golden<sup>†</sup> and A. D. Parks<sup>§</sup>

<sup>+</sup>Department of Astronomy  
The Pennsylvania State University  
University Park, PA 16801

<sup>†</sup>Department of Physics  
The Pennsylvania State University  
Worthington Scranton Campus  
Dunmore, PA 18512

<sup>§</sup>General Electric Company  
Valley Forge Space Center  
Valley Forge, PA 19481

#### Summary

Intermediate coupling collision strengths are given for transitions among the levels of the  $1s^2 2s^2$ ,  $1s^2 2s2p$  and  $1s^2 2p^2$  configurations in the Be-like ions  $Si^{10+}$ ,  $A^{14+}$ ,  $Fe^{22+}$ ,  $Mo^{38+}$  and  $W^{70+}$ . The method used is a Coulomb Born exchange method described in Secs. II and III of Ref. 1. The approach can be regarded as use of first order time dependent perturbation theory in which the entire electrostatic interaction between the electrons and the relativistic interactions are treated as the perturbation. Hence the zeroth order Hamiltonian is a sum of independent hydrogenic-ion Hamiltonians all of the same form. As a consequence of this no orthogonality problems arise and exchange is handled in a completely consistent manner. Also the results for complex ions can be expressed in terms of the scaled R-matrix elements  $Z R_{\mathbb{H}}$  for hydrogenic ions so the computational



effort is relatively small. Configuration mixing and intermediate coupling effects are included through use of mixing coefficients determined by diagonalizing the electrostatic interaction between the electrons in the target ion and the relativistic interaction. For the latter we use the terms going as  $\alpha^2 Z^4$ . Mixing is allowed among all states having a common J value and belonging to the same complex. For optically allowed transitions the Coulomb-Bethe approximation<sup>2</sup> is used to obtain the contribution for large L. In doing this we used line strengths calculated with the same target ion wave functions as used in determining the R-matrix elements for small L. Our calculations give the scaled collision strengths  $Z^2 \Omega$ . In order to obtain  $\Omega$  we divided by  $Z_{\text{eff}}^2$ , where  $Z_{\text{eff}} = Z - 2.46$  for Be-like ions.

<sup>1</sup>D. H. Sampson, A. D. Parks and R.E.H. Clark, Phys. Rev. A 17, 1619 (1978).

<sup>2</sup>A. Burgess and V. B. Sheorey, J. Phys. E: Atom. Molec. Phys. 7, 2403 (1974).

J. Callaway

EXCITATION OF IONS OF THE LITHIUM ISOELECTRONIC SEQUENCE  
IN THE RELATIVISTIC COULOMB BORN APPROXIMATION

J. Callaway, R. J. W. Henry, and A. Z. Msezane

Department of Physics and Astronomy  
Louisiana State University  
Baton Rouge, LA 70803

ABSTRACT

The cross sections for the electron impact excitation of the  $2p_{1/2}$  and  $2p_{3/2}$  states of the lithium-like ions  $C^{3+}$ ,  $Fe^{23+}$ ,  $Mo^{39+}$ , and  $W^{71+}$  were calculated in the Relativistic Coulomb-Born Approximation. Exchange and unitarization were neglected. A range of incident electron energies from the  $2p_{1/2}$  threshold to (approximately) 10 times the  $2p_{3/2}$  threshold was considered. Numerical wave functions for the ionic states were obtained from a Dirac-Fock program. The continuum Coulomb wave functions were also computed numerically. The most significant relativistic effects result from the spin orbit splitting of the 2p states. An interpolation formula was obtained which permits the estimation of these cross sections for similar ions of intermediate charges.

Brief Description of Calculations

Electron impact excitation collision strengths were computed in a nonunitarized distorted wave approximation with consideration of exchange in the transition matrix element. The target states were Hartree-Fock orbitals and the partial waves were generated in the direct electrostatic potential corresponding to the frozen-core Hartree-Fock target. Distinct initial and final state potentials were employed. Configuration interaction within the target was approximated by multiplying the single configuration collision strengths by the ratio of the correlated to noncorrelated line strength corresponding to the transition under study.

## APPENDIX B

### FITTING COLLISION STRENGTHS ALONG ISOELECTRONIC SEQUENCES\*

N. H. Magee, Jr., and A. L. Merts

#### ABSTRACT

In many applications that use electron-ion impact cross sections (collisions strengths or excitation rates), it is prohibitive in time or storage to either calculate or store all of the necessary cross section data. Since accuracy of 10-20% is usually adequate, it is highly suggestive to use scaling along an isoelectronic sequence. However, it is easy to demonstrate that single parameter scaling will not work to better than a factor of 2 over the entire energy range unless one is only interested in quite high stages of ionization. We will show, for optically allowed,  $\Delta n = 0$  transitions, that a 2 parameter type "scaling" can be used to achieve results with about a 10% maximum error. Examples are shown in this paper for Li, Be, and Na like sequences. The form of the fit is

$$\Omega = F_1(Z)(A + B/X + C/X^2) + F_2(Z) \ln(X)$$

where A, B and C are constants for each isoelectronic sequence. The X (or energy dependence) fit has been used previously to better than a few percent error for a large number of optically allowed transitions.

#### B-1. INTRODUCTION

There are a growing number of applications today that require the use of a large number of electron impact cross-sections (collision strengths or excitation rates). These include Tokamak power loss and transport calculations and many astrophysical calculations. For diagnostic work, the most precise values possible are required, but for modeling and transport calculations, accuracy of 10 to 20% is usually quite adequate. In solving a system containing a large number of elements and possible ionization stages, it is prohibitive in time or storage to either calculate or store all of the necessary cross section data. Thus, it was

---

\*Work performed under the auspices of the U.S. Department of Energy.

felt to be useful to provide fits that would be accurate to better than 20%.

Our first venture into this field<sup>42</sup> arose from a meeting on collision strengths held in Los Alamos in September 1976. Using the data available from this meeting, we developed fits for spin allowed and spin forbidden transitions, which are given below.

Spin allowed transition:

$$\Omega(X) = C_0 + \frac{C_1}{X} + \frac{C_2}{X^2} + C_3 \ln X \quad . \quad (B.1)$$

Spin forbidden transition:

$$\Omega(X) = \frac{C_0}{X^2} + \sum_{n=1}^4 C_n e^{-n\alpha X} \quad (B.2)$$

where  $X = E/E_{\text{threshold}}$ .

For  $\Delta n = 0$ , dipole allowed transitions (a subset of the spin allowed transitions and the only ones to be discussed in the rest of this paper), this fit proved to be accurate to better than a few percent for more than fifty transitions in elements from beryllium to molybdenum and a wide variety of ionization stages. This was an improvement for calculations, as only four members needed to be stored for each individual transition. However, it would be more convenient to have a single fit for every transition in an isoelectronic sequence, as long as the accuracy was still acceptable. Using the data from the November 1978 Atomic Data Workshop held in Los Alamos, we are presenting our initial attempt to provide a single fit for both energy and  $Z$ .

## B.2 CALCULATIONS

We have restricted ourselves to  $\Delta n = 0$ , optically allowed transitions for three reasons:

1. They are perhaps the most important types of transition in radiation power loss calculations.
2. There is much more data (relatively speaking) available for these transitions than for other spin allowed or spin forbidden transitions.

3. As stated above, the energy fits that we developed in Eq. B.1 are very accurate, and it was felt that adapting this fit into an energy and Z dependent fit would leave us with an expression that would be accurate to within 10% over the entire data range. The isoelectronic sequences considered in this paper are: Li 2s - 2p, Be 2s<sup>2</sup> - 2s2p (<sup>1</sup>P) and Na 3s - 3p. We have used the data of J. B. Mann,<sup>1</sup> Y. K. Kim,<sup>30,31</sup> and M. Blaha<sup>17</sup> in our calculations (see Table B-I for more details). Figures B1-B5 show the actual collision strength data for each author.

When presenting the data at the Atomic Data Workshop we tried to scale the transitions in an isoelectronic sequence using a single parameter scaling  $(Z-C)^2$ . An example of this is shown in Fig. B6 for the sodium 3s - 3p sequence. It was not possible to find a single constant C that simultaneously scaled both the threshold and high energy points. In order to show this point more effectively, let us consider the following. If it is true that a single parameter scaling exists, then it can be states that

$$(Z_1 - C)^2 \Omega_{Z_1}(X) = (Z_2 - C)^2 \Omega_{Z_2}(X) \quad (B.3)$$

or

$$\frac{\Omega_{Z_1}(X)}{\Omega_{Z_2}(X)} = \frac{(Z_2 - C)^2}{(Z_1 - C)^2} = \text{constant for all } X.$$

To show this for an entire isoelectronic sequence, the following ratio is more easily plotted.

$$R = \frac{\Omega_Z(X)}{\Omega_{Z_{\max}}(X)} \cdot \frac{\Omega_{Z_{\max}}(100)}{\Omega_Z(100)}$$

this gives a family of curves that are all normalized to 1. at  $X = 100$ . and where the highest Z curve is normalized to 1 for all X. These ratios are shown in Figs. B7-B10 for the data of Figs. B1-B4. As can be seen, all of the sequences diverge from 1. at threshold, more than a factor of 2 for the lightly

ionized elements. Normalizing at a smaller X will reduce the differences at threshold, but the high energy values will then diverge. Overall, if one attempts to fit these sequences with a single parameter scaling, one can not do better than a factor of two over the full energy range, unless you only consider high stages of ionization or large X.

In Fig. B11, we plot the collision strength at X = 1. and X = 100. for the lithium and sodium sequences versus ionization stage (Roman nomenclature). It is apparent that the threshold and high energy curves display different behavior. For this reason, we use a two parameter "Z scaling" to handle the threshold and asymptotic regions, but we use for each the form of the single parameter scaling, for reasons to be discussed later. Combining this with the energy fit of Eq. B.1, we have

$$\Omega_Z(X) = \frac{1}{(Z - B_1)^2} \left( C_0 + \frac{C_1}{X} + \frac{C_2}{X^2} \right) + \frac{1}{(Z - B_2)^2} C_3 \ln X \quad (\text{B.4})$$

The constants are obtained as follows. Each data set is fit using Eq. B.1 to get a  $C_3$  for each element, which represents the asymptotic slope. For both  $C_3$  and  $\Omega(1)$ , we have the form:

$$\frac{A}{(Z - B)^2}$$

$A_1$ ,  $B_1$  and  $A_2$ ,  $B_2$  are obtained from all the  $\Omega(1)$ 's and  $C_3$ 's respectively using a weighed least squares fit over the available data.  $B_1$  and  $B_2$  are then substituted into Eq. B.4 and  $C_0$ ,  $C_1$ ,  $C_2$  and  $C_3$  obtained from a least square fit over the entire data set. The constants for the first four sets of data are given in Table B-II (the Na 3s - 3p numbers for the Blaha data are omitted as the data only goes to X = 16. and this was not far enough to establish the asymptotic behavior). Figures B12-B16 show the fits plotted against the data. Note that only the 2<sup>+</sup> and higher stages of ionization are included. While we have fit the 1<sup>+</sup> ionization state, we are presently getting a 25% error at threshold for those curves and that is outside the accuracy we are attempting to establish. With that data excluded, we can fit the remaining data to better than 10% for all X and Z. This is shown in Figs. B17-B20, where we plot the ratio  $\Omega_{\text{Fit}}(X)/\Omega(X)$ .

### B-3. CONCLUSIONS

We feel that the 2 parameter "scaling" gives good results for optically allowed transitions, but that the results must be considered preliminary due to the small sample of transitions studies thus far. It is encouraging that we can fit the data of three different authors as this indicates that the procedure is not dependent upon any specific method of calculation, such as Distorted Wave, R-Matrix, Coulomb Born, etc. It is possible that the Z dependence may need to be changed, especially for the threshold term.  $B_2$ , which reflects the high energy behavior, is quite close to the screening calculated from hydrogenic shielding and thus  $Z - B_2$  becomes the effective Z, which we feel is a good representation for the high energy behavior. We can find no such simple interpretation of  $B_1$ , which may be trying to represent the effects of exchange, unitarization, and configuration interaction. Comparison of  $B_1$ ,  $B_2$  and the shielding constants are shown in Table B-III. After we have examined the above in more detail and for more transitions, we hope to extend our calculations to all spin allowed and the spin forbidden transitions.

TABLE B-I

## THRESHOLD ENERGIES

Sequence	Z	Threshold Energy (Ryd.)		
		Averaged Mann	Kim	Blaha
Li like 2s - 2p	4	.2910		
	5	.4409		
	6	.5883	.5940	
	7	.7348	.7417	
	8	.8815	.8892	
	14	1.8000		
	18	2.4797		
	22		3.3560	
	26	4.2888	4.4010	
	42		12.7000	
Be like 2s <sup>2</sup> - 2s2p <sup>1</sup> P	6	.9327		
	8	1.4471		
	18	3.7870		
	26	6.4781		
Na like 3s - 3p	11		.1435	
	12	.3256	.3142	
	13	.4906	.4825	
	14	.6525		
	15		.8086	
	18	1.2928	1.2940	
	20			1.6184
	26	2.6532	2.6670	2.6531
	30			3.1389
	36		4.7940	4.1309
42	6.4235	6.4990	5.1484	



TABLE B-II  
FIT COEFFICIENTS

Sequence	Author	$B_1$	$B_2$	$C_0$	$C_1$	$C_2$	$C_3$
Li 2s - 2p	Mann	.238	1.498	107.90	339.36	-145.69	98.23
Li 2s - 2p	Kim	-.12	1.81	287.90	-31.71	-18.06	70.70
Be $2s^2 - 2s2p^1P$	Mann	-1.95	1.53	54.74	376.31	-178.88	81.03
Na 3s - 3p	Mann	4.02	7.66	682.04	1412.1	-434.24	441.53

TABLE B-III  
Z COEFFICIENT COMPARISON

Sequence	$B_1$			$B_2$			Screening Constant
	Kim	Blaha	Mann	Kim	Blaha	Mann	
Li 2s - 2p	-.12		.238	1.81		1.498	1.679
Be $2s^2 - 2s2p^1P$			-1.95			1.525	2.28
Na 3s - 3p		5.48	4.02	7.69	8.69*	7.66	7.99
			(4.73)**				

\* Data only goes to  $X = 16.$ , not far enough to establish asymptotic behavior.

\*\* Comparison with Blaha when using approximately same range of elements.




Fig. B1. Lithium isoelectronic sequence  $(1s^2 2s - 1s^2 2p)$  of J. B. Mann data from B to Fe.




Fig. B2. Lithium isoelectronic sequence  $(1s^2 2s - 1s^2 2p)$  of Y. K. Kim data from C to Mo.




Fig. B3. Beryllium isoelectronic sequence ( $2s^2 - 2s 2p^1 p$ ) of J. B. Mann data from C to Fe.




Fig. B4. Sodium isoelectronic sequence ( $3s - 3p$ ) of J. B. Mann data from Al to Mo.




Fig. B5. Sodium isoelectronic sequence (3s - 3p) of Blaha and Davis data from Ca to Mo.




Fig. B6. Scaled sodium isoelectronic sequence, several authors data included (see Fig. 8).




Fig. B7. Collision strength ratios of J. B. Mann for the Lithium sequence of Fig. B1.




Fig. B8. Collision strength ratios of Y.K. Kim for the Lithium sequence of Fig. B2.




Fig. B9. Collision strength ratios of J. B. Mann for the Beryllium sequence of Fig. B3.




Fig. B10. Collision strength ratios of J. B. Mann for the Sodium sequence of Fig. B4.




Fig. B11. Plots of Mann collision strengths at  $X = 1$  and  $X = 100$  ( $X = E/E_T$ ) for the Lithium and Sodium isoelectronic sequences, demonstrating the difference in  $X$  dependence at threshold and high energy.




Fig. B12. Fits (connected X's) and data for the Lithium sequence ( $1s^2 2s - 1s^2 2p$ ) of Fig. B1.




Fig. B13. Fits (connected X's) and data for the Lithium sequence ( $1s^2 2s - 1s^2 2p$ ) of Fig. B2.




Fig. B14. Fits (connected X's) and data for the Beryllium sequence ( $2s^2 - 2s 2p$ ) of Fig. B3.






Fig. B15. Fits (connected X's) and data for the Sodium sequence (3s - 3p) of Fig. B4.




Fig. B16. Fits (connected X's) and data for the Sodium sequence (3s - 3p) of Fig. B5.




Fig. B17. Relative error ratio between fit and data for Lithium sequence of Fig. B12.




Fig. B18. Relative error ratio between fit and data for Lithium sequence of Fig. B13.




Fig. B19. Relative error ratio between fit and data for Beryllium sequence of Fig. B14.




Fig. B20. Relative error ratio between fit and data for Sodium sequence of Fig. B15.

Printed in the United States of America. Available from  
 National Technical Information Service  
 U.S. Department of Commerce  
 5285 Port Royal Road  
 Springfield, VA 22161

Microfiche \$3.00

001-025	4.00	126-150	7.25	251-275	10.75	376-400	13.00	501-525	15.25
026-050	4.50	151-175	8.00	276-300	11.00	401-425	13.25	526-550	15.50
051-075	5.25	176-200	9.00	301-325	11.75	426-450	14.00	551-575	16.25
076-100	6.00	201-225	9.25	326-350	12.00	451-475	14.50	576-600	16.50
101-125	6.50	226-250	9.50	351-375	12.50	476-500	15.00	601-up	

Note: Add \$2.50 for each additional 100-page increment from 601 pages up.