

**Appendix A.****Hanford Defined Waste List Solids/Vol%***March 1996*

The Hanford Defined Waste List is a set of wastes that can be used to define all of Hanford's waste types. Implicit within each HDW is a solids and a supernatant fraction. Note that some HDW's are derived from other Defined Wastes, such as BSlCk, for example, are actually a mixture of supernatants from other waste types that have been blended to create a new waste type. The HDW's for four concentrates are derived from the evaporator campaigns from which they were formed—B, T1, R, and BY.

**BiPO<sub>4</sub> and Uranium Recovery Wastes 1944-56**

no.	waste type	vol%	comments
1	MW1	12.0	1944-49
2	MW2	12.0	1950-56
3	1C1	13.7	1944-49, includes cladding waste.
4	1C2	24.9	1950-56, includes cladding waste.
5	2C1	6.8	1944-49
6	2C2	3.4	1950-56, includes supernatants formerly cribbed at T-plant.
7	224	3.9	LaF finishing waste.
8	UR	2.8	same as TBP waste.
9	PFeCN1	3.7	Ferrocyanide scavenged UR supernatants in Plant.
10	PFeCN2	3.2	Ferrocyanide scavenged UR supernatants in Plant.
11	TFeCN	1.4	Ferrocyanide scavenged CR Vault.
12	1CFeCN	4.8	Ferrocyanide scavenged 1C supernatants.

**REDOX Wastes 1952-62**

13	R1	4.5	1952-57
14	R2	1.9	1958-66
15	CWR1	8.1	1952-60, aluminum clad fuel.
16	CWR2	2.9	1961-72, aluminum clad fuel with some Zr fuel

**PUREX Wastes 1956-76**

17	P1	2.2	1955-62
18	P2	3.9	1963-67, also called IWW, FP, including Al and Zr clad fuel for this period.
19	P2'		1968-72, assigned to P2, including Al and Zr clad fuel for this period.
20	PL1	2.2	
21	CWP1	8.1	1956-60, Al cladding
22	CWP2	2.9	1961-72, Al cladding
23	CWZr1	10.5	1968-72, Zr cladding—all Zr including Redox and 1966-1967 Zr clad fuel in Purex.
24	OWW1	0.0	1956-62, called CARB, low solids.
25	OWW2	0.0	1963-67, low solids.
26	OWW3	0.0	1968-72, low solids.
27	Z	2.3	derived from analysis of SY-102, 1,910 kgal from 1976-80 sent to TX-118, 1,656 kgal from 1981-86 sent to SY-102.

28	HS	1.2	also SSW, Strontium semiworks.
29	TH1	5.8	1966 thoria
30	TH2	5.8	1970 thoria
31	AR	3.1	"washed" P sludge. Also used to derive SRR.
32	B	0.50	acid waste from PAW, processed through B-Plant for Sr extraction.
33	BL	0.68	low level waste from all B Plant operations.
34	SRR	2.6	strontium recovery waste from sluiced P sludge—based on washed PUREX sludge plus added EDTA, HEDTA, and glycolate.
35	CSR	0.0	waste from cesium recovery from supernatants—not a characteristic waste type, but rather a supernatant from which the <sup>137</sup> Cs has been removed. Need only to add citrate to supernatants to track this component.

**Other wastes**

---

36	DE	all	Diatomaceous earth added to six tanks.
37	CEM	all	Cement added to only one tank, BY-105.
38	NIT	no solids	Partial Neutralization Feed for evaporator campaigns '77-81.
	Salt Slurry		same as DSS, estimated from chemical model by precipitation (via evaporator). Once again, DSS derives from the supernatants of a variety of wastes following evaporation of water.

**Decontamination Waste**

---

39	DW	1.0	decontamination waste, from D&D of plants, but mainly from T Plant operations, mostly Turco residues (phenol, alkyl phosphate esters, hydroxy alkyl amines) with neutralized phosphoric acid.
40	N	1.0	N-Reactor decontamination waste, mainly neutralized phosphoric acid. Concentrates of N are CP (Concentrated Phosphate) waste, which are in AN-106 and AP-102.

**Salt Cakes and Salt Slurries**

---

41	BSltCk		Salt cake from 242-B operation, 1951-3, B-106 feed.
42	T1SltCk		Salt cake from 242-T, 1951-6, TX-118 feed.
43	RSltCk		Salt cake from self-concentration in S and SX Farms.
44	BYSltCk		Salt cake blend from ITS in BY Farm, 1965-74.

The following salt cakes were used in HDW rev. 1 and are now replaced by the SMM.

T2SltCk	Salt cake from 242-T, 1965-76, TX-118 feed.
S1SltCk	242-S campaign 1973-6, S-102 feed.
S2SltSlr	242-S campaign, 1977-80, SY-102 feed.
A1SltCk	242-A campaign, 1976-80, A-102 feed.
A2SltSlr	242-A campaign, 1981-88, AW-102 feed.

**PUREX Wastes from 1983-88 Campaign**

---

45	P3	3.9	1983-88, now called PXNAW or NCAW.
46	PL2	2.0	1983-88, now called PXMSC, among other things.
47	CWZr2	10.5	1983-88, now called PD or NCRW.
	BP/Cplx83-88		1983-88, was SSR, CSR, B, BL now it's all in A101.
	BP/NCplx83-88		1983-88, assigned to BL, now in AY-102
48	PASF	0.6	PUREX Ammonia Scrubber Feed, never before seen.

**Appendix B.**

**HDW Compositions Spreadsheet**

*May 1996*

Among the columns are each of the forty-eight Hanford Defined Wastes (HDW's), with some other columns for former wastes or blended waste inputs. Most waste definitions begin with amount, exposure, and radionuclide content of fuel processed. The chemicals added list along with the fuel information then determines the total species. Next, the sludge and supernatant compositions, both in mol/L, are calculated based on information about the solids concentration, solids volumes, and solids fraction precipitated from the total species list. The sludge and supernatant concentrations are also provided in ppm, and finally, there is information about the volumes of supernatant feed for various evaporator and reprocessing campaigns.

The sludge and supernatant compositions are determined by the solubility of each species as well as the solids volume per cent parameter (vol% solids) that is established for each waste type. The solids precipitated are shown in later rows as molarity within sludge layer, volume of pure solids, and fraction of total species precipitated. Solubilities are set by adjusting the fraction precipitated parameter until the supernatant molarity reaches the target value. This can be performed by hand or by a macro routine that has been written to do the entire spreadsheet.

**Spadsheet contents:**

campaign information .....B-2 to B-4

chemicals added (mol/L) .....B-5 to B-7

species total concentration (mol/L) .....B-8 to B-10

sludge species (mol/L) .....B-11 to B-13

supernatant species (mol/L) .....B-14 to B-16

solids concentration in layer (mol/L) .....B-17 to B-19

solids volumes (cc/L) .....B-20 to B-22

solids fraction precipitated .....B-23 to B-25

sludge concentration (ppm) .....B-26 to B-28

supernatant concentration (ppm) .....B-29 to B-31

supernatant volumes to evaporator campaigns (kgal) .....B-32 to B-34

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
st.date	1944	1950	1944	1950	1944	1950	1952	1952	1955	1955	1955	1955	1952	1959	1952	1961	1956	1963	1968	1968	1956	1961	1968	
en.date	1949	1956	1949	1956	1949	1956	1956	1958	1958	1958	1958	1958	1958	1967	1960	1967	1962	1967	1972	1976	1960	1967	1972	
short tons fuel	3,676	4,904	3,676	4,904	3,676	4,904							11,905	9,554	13,660	7,799	30,236	27,016	16,449	16,449	18,141	54,583	977	
kgal waste input								35,574																
volume factor								0.65	0.37	0.58	0.33													
kgal waste out	15,325	20,551	11,767	16,531	8,962	22,727	8,300	23,090	13,179	20,537	11,602	3,818	25,067	10,690	2,975	1,752	26,502	10,208	397	1,325	6,276	22,286	1,650	
gal/ton	4,169	4,191	3,201	3,371	2,438	4,634		6,621	total waste rate				2,106	1,119	218	225	877	378	24	81	346	408	1,689	
		35,876		28,298																				
avg. MWD/T	232	439											661	661	661	661	661	661	923		661	687	1600	
g Pu-239*/MWD	0.76	0.76											0.76	0.76	0.76	0.76	0.76	0.76	0.64		0.76	0.76	0.64	
kg Pu-239*	648	1,636											5,981	4,800			15,189	13,572	9,717		9,113	28,499	1,000	
Pu* ex. %	99	99	99	98.6	98.6	99	99.6						99.6	99.6	99.6	99.6	99.6	99.6	99.6		99.6	99.6	99	
res. kg Pu-239*	6.48	16.36	6.48	22.91	9.07	16.36	6.54	7.43	4.24	6.61			23.92	19.20	43.12	19.20	60.76	54.29	38.87		36.45	114.00	10.00	
Pu-239* $\mu$ Ci/L	6.82	12.83	8.88	22.33	16.32	11.60	12.71	5.18	5.18	5.18			15.38	28.94	233.59	176.60	36.95	85.71	525.41		93.61	82.44	97.72	
(* Pu-239 is U-233 for TH waste)																								
then																								
MCi Cs-137	2.48	6.25											22.84	18.33	26.20	14.96	58.00	51.83	37.10		34.80	108.83	3.82	
MCi Sr-90	2.14	5.40											19.72	15.83	22.63	12.92	50.09	44.76	32.05		30.05	93.99	3.30	
kCi Tc-99	0.30	0.76	0.00	0.00	0.00	0.00							2.76	2.22	3.17	1.81	7.01	6.26	4.48	0.00	4.21	13.15	0.46	
Ci I-129	0.61	1.54											5.62	4.51			14.28	12.76	9.14					
1994																								
MCi Cs-137	0.83	2.44											9.33	9.00	10.95	7.51	25.98	26.64	21.39		15.23	54.66	2.20	
MCi Sr-90	0.66	1.96											7.54	7.37	8.86	6.16	21.13	21.89	17.73		12.37	44.84	1.83	
	1.19	0.00	0.01	0.02	0.00	0.00	0.00	2.11	0.17	0.27	0.00	0.00	3.23	1.38	0.04	0.02	3.41	1.31	0.00	0.13	0.05	0.18	0.01	
	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.01	0.00	0.00	4.76	5.98	0.00	0.00	0.12	4.20		0.00	0.00	0.00	0.00	
kgal solids	1839	2466	1612	4116	609	773	324	647	403	719	156	183	1128	203	241	51	583	398	15	43	508	646	173	
vol% solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9	3.9	2.2	8.1	2.9	10.5	
uncertainty			2.6	1.1	2	1							3	1.3	1.4	0.5	1.7	3	3		1.4	0.5	1	
kgal solids left	736		1731.9	1406.9	762.24	821.51	322	636	359	437	112	119	1206	202	241	51	4	81	0	14	366	598	40	
				2387.9	kgal lost to B and T1																			
	MW1	MW2	1C1	1C2	2C1	2C2	224	UR	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2	PL1	CWP1	CWP2	CWZr1	

	24	25	26	27	28	29	30	31	32	33				36	37	38		39	40
	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
st.date	1956	1963	1968	1974	1962	1966	1970	1967	1967	1967	1969	1967	1967	1970	1977	1977	1967	1967	1976
en.date	1962	1967	1972	1988	1967	1966	1970	1976	1972	1976	1976	1976	1976	1972	1977	1980	1976	1976	1990
short tons fuel	30,236	27,016	16,449			191	390		16,449										
kgal waste input								7,826			801	21,744	21,744			640	19,244	5,737	1,814
volume factor											4.81		1.16				0.85		
kgal waste out	4,543	10,563	8,094	1,656	1003	927	428	5,796	10,569	14,845	3,854		25,321	254	8	640	16,357	8,805	2,157
gal/ton	150	391	492	only SY-102			4,853	1,097		643									
				1,910 to TX-118															
avg. MWD/T						1.7	1606										BX-102	BY-105	
g Pu-239*/MWD						0.74	0.74										SX-113		
kg Pu-239*						0.2403	463.49										U-104		
Pu* ex. %						99.6	99.6										TX-116		
res. kg Pu-239*				57.9		0.001	1.854		25.924		127.99						TX-117		
Pu-239* µCi/L				563.48		0.0026	10.872		6.1565		83.351						TY-106		
(* Pu-239 is U-233 then						(* Pu is U-233 for TH waste)													
MCi Cs-137						0.00	1.77												
MCi Sr-90						0.00	1.53												
kCi Tc-99						0.00	0.21												
Ci I-129 1994						0.00	0.44												
MCi Cs-137						0.00	1.02	0.22	12.80	0.00	0.71	51.83	4.66						
MCi Sr-90					0.95	0.00	0.85	8.24	4.05	3.69	4.43								
	0.00	0.00	0.00		0.93	0.00	0.06	0.75	1.36	1.91	1.33		6.70						
	0.00	0.00	0.00		0.82	0.00	0.79	7.43	2.65	1.78	3.16		0.00	20.95					
kgal solids	27	116	49	82	12	54	25	180	53	101	100		253	254	8				
vol% solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6	2	1			0			
uncertainty																			
kgal solids left				82	12	54	25	166	23	100	101		7						
	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR		CSR					DW	N

	41		42		43		44		45		46		47		48										
	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr2	BP /Cplx	BP /NCplx	PASF	
st.date	1951	1951	1951	1951	1952	1952	1965	1965	1965	1965	1973	1973	1977	1977	1977	1977	1981	1981	1983	1983	1983	1983	1983	1983	
en.date	1955	1955	1955	1955	1965	1965	1976	1976	1974	1974	1976	1976	1980	1980	1980	1980	1989	1989	1988	1988	1988	1988	1988	1988	
short tons fuel																				4,302	4,302	4,302			
kgal waste input	8,078	8,078	11,918	11,918	15,743	15,743	43,311	43,311	36,602	36,602	43,709	43,709	9,105	9,105	16,476	16,476									
volume factor	0.55	0.55	0.56	0.56	0.49	0.49	0.25	0.25	0.22	0.22	0.26	0.26	0.39	0.39	0.28	0.28									
kgal waste out	4,445	4,445	6,675	6,675	7,706	7,706	10,828	10,828	8,124	8,124	11,364	11,364	3,562	3,562	4,668	4,668			1,132	11,499	5,555	1,044	6,841	4,227	
gal/ton																				263	2,673	1,291	243	1,590	983
avg. MWD/T																				1,163	1,163	1,163			
g Pu-239*/MWD																				0.74	0.74	0.74			
kg Pu-239*																				3,702		3,702			
Pu* ex. %																				99.6		99			
res. kg Pu-239*		0.7163		0.8247		9.7324		45.934		43.438		50.824		12.922		18.237		0	14.81		37.02				
Pu-239* µCi/L																				210.85		107.42			
(* Pu-239 is U-233 then																									
MCi Cs-137																				14.14	14.14	14.14			
MCi Sr-90																				12.21	12.21	12.21			
kCi Tc-99																				1.71	1.71	1.71	0.00	0.00	
Ci I-129																				3.48					
1994																									
MCi Cs-137																				11.63	11.63	11.63			
MCi Sr-90																				9.90	9.90	9.90			
kgal solids		786		764		1065		5997		3978		6270		3243		2125		895	44	230	583	83	32	25.362	
vol% solids		9.73		6.41						10.87		14.34				12.90			3.9	2	10.5	7.9502	0.4678	0.6	
uncertainty																			1	0.6	2				
kgal solids left		855		767		1065		5997		3978		6270		3243		2125		895	44	192	583	83	32	25.362	
	964.65		1423.2	1C2 solids input																					
		BSltCk		T1SltCk		RSltCk		T2SltCk		BYsltCk		S1SltCk		S2SltSlr		A1SltCk		A2AltSlr	P3	PL2	CWZr2	ass.SRR	ass.BL	PASF	

	FMJ		FMJ		FMJ		Lucas	HW-30399	HW-30399	B&S	B&S			CUWP	CUWP	FMJ		CUWP	FMJ		FMJ	FMJ	FMJ	FMJ
chemicals in mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
HNO3	0.1	0.1	0.5	0.5	1.15	0.605	1.06	3.3	3.3	3.3	2.3	0.5	2.3	4	0.8	0.8	0.28	0.55	0.55	2.7	0.6	0.6	0.01	
NaAlO2			0.233	0.233							0.02828	0.1864	0.65	1.13	2	0.78						1.2	0.78	
Al(NO3)3																								
Fe(HSO4)2			0.03	0.03	0.024	0.0126		0.03	0.014	0.014		0.002	0.0075	0.013			0.0198	0.0774		0.026				
Fe(NO3)3	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016	0.016			0.04	0.04	0.0152	0.0152	0.04	0.04	0.04	0.04	0.0152	0.0152	0.0152	
NaCrO4	0.0032	0.0032	0.0052	0.0052	0.0042	0.0054	0.0041	0.0032	0.0032	0.0032		0.002	0.068	0.113	0.003	0.003	0.008	0.008	0.008	0.008	0.003	0.003	0.00304	
BiPO4			0.014	0.014	0.01	0.0053	0.0062		0.013	0.013		0.014												
ZrO(OH)2			0.004	0.004								0.004												0.1
NiSO4	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.005	0.005	0.01	0.01	0.004	0.004	0.0015	0.0015	0.004	0.004	0.004	0.004	0.0015	0.0015	0.00152	
NaOH	0.1412	0.1412	0.89	0.6712	1.3062	0.7383	1.2912	3.4512	3.6112	3.6012	2.34	0.84	2.11	3.888	0.4386	0.6786	0.628	1.128	0.328	2.943	0.2786	0.4786	0.24864	
NaNO2			0.174	0.174							0.17	0.17			1.4	0.28	0.01	0.01	0.01	0.01	0.78	0.28	0.007	
Na2CO3	0.6	0.7	0.0181	0.0181	0.0182	0.0181	0.0182	0.2	0.01843	0.018432	0.021	0.009	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803	
Na3PO4	0.18	0.18	0.3	0.32	0.2	0.1052	0.043	0.13	0.13	0.13	0.13	0.150065								0.096				
Na2SO4	0.21	0.21						0.08	0.15	0.15														
Na2SiO3	0.004	0.004			0.037	0.0195							0.0147	0.0424	0.03		0.0469	0.0921			0.02			
Na2SiF6			0.038	0.038					0.035	0.035		0.038												
NaF					0.22	0.1157	0.31																	0.77
NaCl	0.0032	0.0032	0.0205	0.0154	0.03	0.017	0.0297	0.10238	0.08306	0.082828	0.05382	0.01932	0.0485	0.0894	0.0101	0.0156	0.0144	0.0259	0.0075	0.067689	0.0064	0.011	0.00572	
Na2S											0.006	0.006												
La(NO3)3							0.015																	
Hg(NO3)2			2E-05	2E-05											0.0003	0.0003					0.0002	0.0002	0.00022	
KNO3	0.0007	0.0007	0.0045	0.0034	0.0065	0.0037	0.2665	0.01726	0.01806	0.018006	0.0117	0.0042	0.0106	0.0194	0.0022	0.0034	0.0031	0.0056	0.0016	0.014715	0.0014	0.0024	0.22124	
Ca(NO3)2	0.018	0.018	0.0181	0.0181	0.0182	0.0181	0.0182	0.01841	0.01843	0.018432	0.02	0.02	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803	
KMnO4							0.0046																	
Sr(NO3)2							0.063																	
PbSO4															0.011	0.011				6.00E-05	0.011	0.011		
H3C6H5O7																								
H4EDTA																								
H3HEDTA																								
Hglycolate																								
Hacetate																								
H2oxalate							0.03																	
Na4Fe(CN)6									0.005	0.0025	0.005	0.005												
NH3																								0.77
Pu (μCi/L)	10.26		8.88	22.33	16.32	11.60	12.71	4.01267	1.87	1.87		23.56	15.38	28.94	233.59	176.60	36.95	85.71		154	93.61	82.44	97.72	
U (M)	0.2421	0.2408	0.0008	0.0007	0.0001	5E-05		0.0078	0.0078	0.0078	0.0078	0.00079	0.0048	0.009	0.0185	0.018	0.0046	0.0107			0.0117	0.0099	0.00239	
Cs (Ci/L)	0.0022		0.0168	0.0351	0.0002	0.0003		0.00106	4.93E-04	4.93E-04	0.025	0.035069	0.10	0.22	0.0039	0.0045	0.259	0.6894		0.03	0.0026	0.0026	0.00141	
Sr (Ci/L)	0.0189		0.0001	0.0003	1E-05	6E-05		0.02403	3.44E-03	3.44E-03		0.000314	0.08	0.18	0.0031	0.0037	0.2106	0.5665		0.026	0.0021	0.0021	0.00117	



	FMJ	FMJ	HW-30399		HS report	from P	from P	from P	FMJ	FMJ	from P		fr/P	WHC-MR-0302	type 1 Portland Cement	FMJ	model	Lucas	Lucas
chemicals in mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
HNO3	0.073	0.22	0.782	3.5	0.86	2.57	2.57				0.6					0.8	2.8		
NaAlO2				0.5		0.34	0.34										2.2		
Al(NO3)3									0.083	0.56									
Fe(HSO4)2				0.0007	0.03	0.025	0.025		0.007	0.017	0.041								
Fe(NO3)3	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04										0.04	0.04
NaCrO4	0.008	0.008	0.008	0.0094	0.008	0.008	0.008	0.008	0.002	2E-07	0							0.008	0.008
BiPO4																			
ZrO(OH)2																			
NiSO4	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.002	0.01	0							0.004	0.004
NaOH	0.2	0.3	0.928	3.628	2.138	2.758	2.758	0	0.5524	2.6944	2.7112		0.2			0.3	3.2	0.138	0.138
NaNO2	0.01	0.01	0.01	0.014	0.01	0.01	0.01		0.01	0.01	0.01		0.01				4.05	0.024	0.014
Na2CO3	0.22	0.4	0.3041	0.2	0.0049	0.0183	0.0183	0.0018	0.0101	0.27	0.25		2E-05				1	0.011	0.011
Na3PO4				0.0001		0.09	0.09	0.02		0.01							0.1		0.36
Na2SO4				0.0014				0.02			0.02						0.03		
Na2SiO3								0.08	0.04	0.05	0.08								
Na2SiF6																			
NaF						0.12	0.12										0.06		
NaCl	0.0046	0.0069	0.0213	0.1144	0.0492	0.0634	0.0634	0	0.0127	0.062	0.0624		0.0046				0.5	0.0032	0.0032
Na2S																			
La(NO3)3																			
Hg(NO3)2																			
KNO3	0.001	0.0015	0.0046	0.0181	0.0887	0.0278	0.0278	0	0.0028	0.0135	0.0136		0.001				0.016	0.0007	0.0007
Ca(NO3)2	0.01802	0.01804	0.0181	0.0184	0.0049	0.0183	0.0183	0.0018	0.0101	0.0103	0.0123		2E-05					0.018	0.018
KMnO4		0.012	0.0009													0.0013			
Sr(NO3)2																			
PbSO4					0.0034				1E-06										
H3C6H5O7					0.04				0.01	0.015			0.025						
H4EDTA					0.08						0.15								
H3HEDTA											0.3		4E-05						
Hglycolate										0.2	0.3								
Hacetate					0.51														
H2oxalate																			
Na4Fe(CN)6																			
NH3																			
Pu (μCi/L)				625				300	132	65	127.99		61.685				0		
U (M)						0.0021	0.0094		0.0063	0.0078	0.03		0						
Cs (Ci/L)						0.0001	0.6298	0.01	0.32		0.0487		0.0487				0.5		
Sr (Ci/L)					0.25	0.0001	0.522	0.3757	0.1861	0.0657	0.3038		0.0697				0.005		

chemicals in mol/L	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltSlr	A1 in	A1-SltCk	A2 in	A2-SltSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
HNO3	0.03		0.03																0.41	0.1	0.01			
NaAlO2																			0.34					
Al(NO3)3																								
Fe(HSO4)2																			0.0674					
Fe(NO3)3																			0.05	0.04	0.04			0.01
NaCrO4																				0.008				
BiPO4																								
ZrO(OH)2																						0.1		
NiSO4																					0.004			
NaOH	0.09		0.09		0.04		0		0		0		0		0		0			2.2	0.17	0.2		0.04
NaNO2																				0.01	0.01	0.007		
Na2CO3												0								0.0183	0.12	0.018		0.0095
Na3PO4																					0.0695			
Na2SO4																								
Na2SiO3																				0.0921				
Na2SiF6																								
NaF																				0.03		0.77		
NaCl																				0.0506	0.0039	0.0046		0.0009
Na2S																								
La(NO3)3																								
Hg(NO3)2																						0.0002		
KNO3																				0.011	0.0009	0.221		0.0002
Ca(NO3)2																				0.0183	0.018	0.018		0.018
KMnO4																					0.006			
Sr(NO3)2																								
PbSO4																								
H3C6H5O7																					4E-05			
H4EDTA																								
H3HEDTA																								
Hglycolate																								
Hacetate																								
H2oxalate																								
Na4Fe(CN)6																								
NH3																						0.77		0.05
Pu (µCi/L)	8.0261	14.586	9.8518	17.59	22.291	45.54	19.222	76.89	21.902	98.676	20.791	79.965	23.831	60.915	21.579	76.163	0	0	210.85	4.6411	107.42			
U (M)																				0.0384	#####	0.0031		
Cs (Ci/L)	0.0095	0.0172	0.0097	0.0173	0.1448	0.2959	0.0652	0.2607	0.0432	0.1947	0.0896	0.3447	0.224	0.5725	0.1188	0.4192	0	0	2.7149	0.03	0.0022			
Sr (Ci/L)	0.0121	0.0219	0.0127	0.0227	0.0321	0.0656	0.0251	0.1004	0.018	0.081	0.0326	0.1254	0.0239	0.061	0.022	0.0777	0	0	2.3108	0.026	0.0019			

species mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
Na	2.3156	2.5156	2.3349	2.171	2.2708	1.2672	1.8003	4.50678	4.51432	4.494092	3.0561	1.793916	2.9425	5.3422	3.9479	1.7935	0.7905	1.3925	1.0043	3.353395	2.3442	1.5888	1.07046	
Al	0	0	0.233	0.233	0	0	0	0	0	0	0.02828	0.1864	0.65	1.13	2	0.78	0	0	0	0	1.2	0.78	0	
Fe	0.016	0.016	0.046	0.046	0.04	0.0286	0.016	0.046	0.03	0.03	0	0.002	0.0475	0.053	0.0152	0.0152	0.0598	0.1174	0.04	0.066	0.0152	0.0152	0.0152	
Cr	0.0032	0.0032	0.0052	0.0052	0.0042	0.0054	0.0041	0.0032	0.0032	0.0032	0	0.002	0.068	0.113	0.003	0.003	0.008	0.008	0	0.008	0.003	0.003	0.00304	
Bi	0	0	0.014	0.014	0.01	0.0053	0.0062	0	0.013	0.013	0	0.014	0	0	0	0	0	0	0	0	0	0	0	
La							0.015																	
Hg	0	0	2E-05	2E-05	0	0	0	0	0	0	0	0	0	0	0.0003	0.0003	0	0	0	0	0.0002	0.0002	0.00022	
ZrO(OH)2	0	0	0.004	0.004	0	0	0	0	0	0	0	0.004	0	0	0	0	0	0	0	0	0	0	0.1	
Pb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.011	0.011	0	0	0	0.00006	0.011	0.011	0	
Ni	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.0016	0.005	0.005	0.01	0.01	0.004	0.004	0.0015	0.0015	0.004	0.004	0	0.004	0.0015	0.0015	0.00152	
Sr							0.063																	
Mn	0	0	0	0	0	0	0.0046	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ca	0.018	0.018	0.0181	0.0181	0.0182	0.0181	0.0182	0.0184	0.01843	0.018432	0.02	0.02	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0.018	0.018353	0.018	0.0181	0.01803	
K	0.0007	0.0007	0.0045	0.0034	0.0065	0.0037	0.2711	0.01726	0.01806	0.018006	0.0117	0.0042	0.0106	0.0194	0.0022	0.0034	0.0031	0.0056	0	0.014715	0.0014	0.0024	0.22124	
balance	0	0	0	-4E-16	-9E-16	2E-16	4E-16	-1.8E-15	-9E-16	-8.9E-16	4.4E-16	-8.9E-16	-2E-15	0	2E-15	9E-16	-2E-16	0		0	9E-16	0	2.2E-16	
density																								
vol%solids	12	12	13.7	24.9	6.8	3.4	3.9	2.8	3.7	3.2	1.4	4.8	4.5	1.9	8.1	2.9	2.2	3.9	3.9	2.2	8.1	2.9	10.5	
void frac.	0.3577	0.2292	0.6948	0.7906	0.7704	0.9437	0.8339	0.91417	0.93451	0.923005	0.89558	0.925071	0.7988	0.5737	0.6508	0.7629	0.8413	0.8077	0.7832	0.861767	0.8339	0.7631	0.85731	
species																								
OH	1.5064	1.4989	1.1055	0.8865	0.1496	0.1427	0.2106	0.1808	0.1468	0.1368	0.19991	0.884338	2.7033	4.9011	7.762	3.1186	0.3878	0.5967	0.3646	0.249	4.5608	3.0701	0.66514	
NO3	0.1847	0.1847	0.5887	0.5876	1.2408	0.6928	1.5818	3.40208	3.40292	3.40287	2.3517	0.5442	2.4671	4.1764	0.8846	0.8858	0.4393	0.7119	0.7077	2.871421	0.6835	0.6845	0.31334	
NO2	0	0	0.174	0.174	0	0	0	0	0	0	0.17	0.17	0	0	1.4	0.28	0.01	0.01	0.01	0.01	0.78	0.28	0.007	
CO3	0.6	0.7	0.0181	0.0181	0.0182	0.0181	0.0182	0.2	0.01843	0.018432	0.021	0.009	0.0183	0.0185	0.0181	0.0181	0.0181	0.0181	0	0.018353	0.018	0.0181	0.01803	
PO4	0.18	0.18	0.314	0.334	0.21	0.1105	0.0492	0.13	0.143	0.143	0.13	0.164065	0	0	0	0	0	0	0	0.096	0	0	0	
SO4	0.2116	0.2116	0.0616	0.0616	0.0496	0.0269	0.0016	0.1416	0.183	0.183	0.016	0.02	0.019	0.03	0.0125	0.0125	0.0436	0.1588	0.2348	0.05606	0.0125	0.0125	0.00152	
SiO3	0.004	0.004	0.038	0.038	0.037	0.0195	0	0	0.035	0.035	0	0.038	0.0147	0.0424	0.03	0	0.0469	0.0921	0.0921	0	0.02	0	0	
F	0	0	0.228	0.228	0.22	0.1157	0.31	0	0.21	0.21	0	0.228	0	0	0	0	0	0	0	0	0	0	0.77	
Cl	0.0032	0.0032	0.0205	0.0154	0.03	0.017	0.0297	0.10238	0.08306	0.082828	0.05382	0.01932	0.0485	0.0894	0.0101	0.0156	0.0144	0.0259	0	0.067689	0.0064	0.011	0.00572	
C6H5O7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
glycolate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
acetate																								
oxalate	0	0	0	0	0	0	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DBP								3E-05																
butanol								3E-05																
NH3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.77	
Fe(CN)6----	0	0	0	0	0	0	0	0	0.005	0.0025	0.005	0.005	0	0	0	0	0	0	0	0	0	0	0	
Pu-239 (μCi/L)	10.262	0	8.8772	22.332	16.318	11.602	12.708	4.01267	1.86574	1.86574	0	23.55986	15.38	28.943	233.59	176.6	36.947	85.708	0	154	93.609	82.437	97.718	
U-238 (M)	0.2421	0.2408	0.0008	0.0007	0.0001	5E-05	0	0.0078	0.0078	0.0078	0.0078	0.0078	0.00079	0.0048	0.009	0.0185	0.018	0.0046	0.0107	0.037	0	0.0117	0.0099	0.00239
Cs-137 (Ci/L)	0.0022	0	0.0168	0.0351	0.0002	0.0003	0	0.00106	0.00049	0.000493	0.025	0.035069	0.0983	0.2224	0.0039	0.0045	0.259	0.6894	0	0.03	0.0026	0.0026	0.00141	
Sr-90 (Ci/L)	0.0189	0	0.0001	0.0003	1E-05	6E-05	0	0.02403	0.00344	0.003444	0	0.000314	0.0794	0.1821	0.0031	0.0037	0.2106	0.5665	0	0.026	0.0021	0.0021	0.00117	

species mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	0.6626	1.1249	1.5756	4.6691	2.215	3.6061	3.6061	1.4859	0.6772	3.4364	3.4836	3.9938	4.2085			0.3	12.37	0.1952	1.2652
Al	0	0	0	0.5	0	0.34	0.34	0.0234	0.083	0.56	0	0.4169	0.4169			0	2.2	0	0
Fe	0.04	0.04	0.04	0.0407	0.07	0.065	0.065	0.0423	0.007	0.017	0.041	0.0054	0.0054			0	0	0.04	0.04
Cr	0.008	0.008	0.008	0.0094	0.008	0.008	0.008	0.017	0.002	2E-07	0	0.0282	0.0282			0	0	0.008	0.008
Bi	0	0	0	0	0	0	0	1E-05	0	0	0	0.0001	0.0001			0	0	0	0
La												2E-09	2E-09						
Hg	0	0	0	0	0	0	0	4E-07	0	0	0	1E-06	1E-06			0	0	0	0
ZrO(OH)2	0	0	0	0	0	0	0	4E-07	0	0	0	7E-05	7E-05			0	0	0	0
Pb	0	0	0	0	0.0034	0	0	6E-05	1E-06	0	0	0.0002	0.0002			0	0	0	0
Ni	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.0061	0.002	0.01	0	0.0049	0.0049			0	0	0.004	0.004
Sr												8E-10	8E-10						
Mn	0	0.012	0.0009	0	0	0	0	0.0027	0	0	0	0.0038	0.0038			0.0013	0	0	0
Ca	0.01802	0.01804	0.0181	0.0184	0.0049	0.0183	0.0183	0.0121	0.0101	0.0103	0.0123	0.0244	0.0245			0		0.018	0.018
K	0.001	0.0135	0.0055	0.0181	0.0887	0.0278	0.0278	0.0074	0.0028	0.0135	0.0136	0.0199	0.0209			0.0013	0.016	0.0007	0.0007
balance	0	2.2E-16	0	0	-4E-16	9E-16	0	2E-16	0	0	0	2E-06	0.0011			-6E-17	4E-15	-6E-17	0
density																			
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6	2	1	100	100	13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.8226	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505	0.352	0.6426	0.6	0.6	1	0.8	0.7152	0.7152
species																			
OH	0.159	0.172	0.1824	2.1649	0.33	1.5678	1.6116	0.2857	0.5611	2.4791	0.4501	2.0198	2.1447			-0.494	9.2	0.17	0.17
NO3	0.23005	0.37757	0.9429	3.675	1.0785	2.7545	2.7545	0.5075	0.2719	1.7141	0.6382	1.4502	1.4503			0.8	2.816	0.1567	0.1567
NO2	0.01	0.01	0.01	0.014	0.01	0.01	0.01	0.2588	0.01	0.01	0.01	1.0136	1.0236			0	4.05	0.024	0.014
CO3	0.22	0.4	0.3041	0.2	0.0049	0.0183	0.0183	0.1483	0.0101	0.27	0.25	0.2409	0.2409			0	1	0.011	0.011
PO4	0	0	0	0.0001	0	0.09	0.09	0.0233	0	0.01	0	0.0136	0.0136			0	0.1	0	0.36
SO4	0.004	0.004	0.004	0.0068	0.0674	0.054	0.054	0.0814	0.016	0.044	0.102	0.1279	0.1279			0	0.03	0.004	0.004
SiO3	0	0	0	0	0	0	0	0.1032	0.04	0.05	0.08	0.0665	0.0665			0	0	0	0
F	0	0	0	0	0	0.12	0.12	0.0004	0	0	0	0.0061	0.0061			0	0.06	0	0
Cl	0.0046	0.0069	0.0213	0.1144	0.0492	0.0634	0.0634	0.0178	0.0127	0.062	0.0624	0.0682	0.0728			0	0.5	0.0032	0.0032
C6H5O7	0	0	0	0	0.04	0	0	0	0.01	0.015	0	0.0029	0.0279			0	0	0	0
EDTA	0	0	0	0	0.08	0	0	0	0	0	0.15	0.0005	0.0005			0	0	0	0
HEDTA	0	0	0	0	0	0	0	0	0	0	0.3	0.001	0.001			0	0	0	0
												0	0						
glycolate	0	0	0	0	0	0	0	0	0	0.2	0.3	0.0064	0.0064			0	0	0	0
acetate					0.51							9E-05							
oxalate	0	0	0	0	0	0	0	0	0	0	0	2E-09	2E-09			0	0	0	0
DBP	0.06061	0.02329	0.0185		0	0.0019	0.0083					3E-05	0.0177	0.0177					
butanol	0.06061	0.02329	0.0185		0	0.0019	0.0083					3E-05	0.0177	0.0177					
												0	0						
NH3	0	0	0	0	0	0	0	0.0084	0	0	0	0.0254	0.0254			0	0	0	0
Fe(CN)6----	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Pu-239 (µCi/L)	0	0	0	625	0	0	0	322.29	132	65	127.99	61.685	61.685						
U-238 (M)	0	0	0	0	0	0.0021	0.0094	0.0029	0.0063	0.0078	0.03	0.0082	0.0082			0	0	0	0
Cs-137 (Ci/L)	0	0	0	0	0	0.0001	0.6298	0.2749	0.32	0	0.0487	0.6297	0.0487						
Sr-90 (Ci/L)	0	0	0	0	0.25	0.0001	0.522	0.3997	0.1861	0.0657	0.3038	0.0697	0.0697						





pred. sludge mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	0.41647	0.73565	0.9876	2.0895	1.8258	3.384	3.384	5.6024	2.9631	6.6962	6.4431		9.0004	10.67	0	0.3	12.926	0.996	1.3109
Al	0	0	0	11.008	0	0.7071	0.7071	0.0711	1.2273	6.065	0		0.2688	0.08	1.82	0	2.2875	0	0
Fe(total)	6.33533	3.45659	6.3353	1.6846	5.6687	1.0882	1.0882	1.3018	1.0019	2.2078	1.502		0.3467	0.09	0.53	0	0	4.0014	4.0014
Cr	0.00503	0.00643	0.005	0.0052	0.0066	0.0075	0.0075	0.0142	0.0017	1E-07	0		0.0182	0	0	0	0	0.8057	0.8057
Bi	0	0	0	0	0	0	0	1E-05	0	0	0		8E-05	0	0	0	0	0	0
La	0	0	0	0	0	0	0	0	0	0	0		1E-09	0	0	0	0	0	0
Hg	0	0	0	0	0	0	0	3E-07	0	0	0		8E-07	0	0	0	0	0	0
ZrO(OH)2	0	0	0	0	0	0	0	3E-07	0	0	0		4E-05	0	0	0	0	0	0
Pb	0	0	0	0	0.1516	0	0	5E-05	8E-07	0	0		0.0001	0	0	0	0	0	0
Ni	0.36847	0.20184	0.3685	0.0974	0.1851	0.0397	0.0397	0.139	0.042	1.2076	0		0.3087	0	0	0	0	0.4013	0.4013
Sr	0	0	0	0	0	0	0	0	0	0	0		8E-08	0	0	0	0	0	0
Mn	0	0.28191	0.0006	0	0	0	0	0.0022	0	0	0		0.0025	0	0	0.0013	0	0	0
Ca	1.513	0.83063	1.5276	0.419	0.004	0.1698	0.1698	0.1096	0.222	0.2034	0.1368		1.5248	0.08	20.9	0	0	0.9101	0.9101
K	0.00063	0.01085	0.0035	0.0101	0.0731	0.0261	0.0261	0.0062	0.0023	0.0078	0.0116		0.0135	0	0	0.0013	0.0152	0.0005	0.0005
balance	3.6E-15	-2E-15	4E-15	7E-15	0	0	-2E-15	-2E-15	0	0	0		0.0007	0	-7.1E-15	-6E-17	7E-15	0	4E-15
density	1.55322	1.33755	1.576	1.7282	1.4473	1.2494	1.2879	1.3008	1.4319	1.9866	1.7469		1.689	0.39	1.9	1.0188	1.6393	1.488	1.5
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1	100	100	13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.8226	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505		0.6426			1	0.8	0.7152	0.7152
wt.% H2O	42.3178	58.19	40.504	28.191	43.568	64.436	65.026	69.261	65.215	33.614	49.218		54.476	-6	8	94.733	43.115	52.516	51.754
TOC wt.%C	0.35321	0.20164	0.106	0	1.408	0.0203	0.0871	0	0.0426	0.1707	2.9914		0.1546			0	0	0	0
free OH-	0.0255	0.03336	0.0401	0.1633	0.0972	0.0358	0.0463	0.0536	0.1742	0.1119	0.1512		0.2813	0	0	-0.494	0.5276	0.037	0.037
OH-	19.7624	11.8978	19.777	38.57	17.766	5.7888	6.3627	4.4605	9.7453	30.989	10.651		5.4651	0	34.73	-0.494	9.4851	15.237	15.237
NO3-	0.14459	0.30359	0.591	1.5381	1E-17	2.5823	4E-07	4E-09	8E-24	0.0009	4E-06		0.9353	0	0	0.8	2.7909	0.1124	0.1124
NO2-	0.00629	0.00804	0.0063	0.0078	0.8973	0.0119	2.5942	0.6399	0.2386	0.9933	0.5534		0.6601	0	0	0	4.2375	0.0172	0.01
CO3--	1.63995	1.05334	1.7068	0.5197	0.004	0.1698	0.1698	0.2233	0.222	0.3531	0.3397		1.6644	0	0	0	1.15	0.9051	0.9051
PO4---	0	0	0	8E-05	0	0.0845	0.0845	0.0195	0	0.0058	0		0.0088	0	0	0	0.0952	0	0.1073
SO4--	0.00251	0.00322	0.0025	0.0038	0.0556	0.0507	0.0507	0.0679	0.0135	0.0254	0.0871		0.0825	0	0.69	0	0.0286	0.4309	0.4309
SiO3--	0	0	0	0	0	0	0	2.267	1.2288	2.3862	1.8027		3.1861	5.67	6.37	0	0	0	0
F-	0	0	0	0	0	0.1126	0.1126	0.0003	0	0	0		0.0039	0	0	0	0.0571	0	0
Cl-	0.00289	0.00555	0.0134	0.0635	0.0405	0.0595	0.0595	0.0148	0.0108	0.0357	0.0532		0.0469	0	0	0	0.59	0.0023	0.0023
C6H5O7---	0	0	0	0	0.033	0	0	0	0.0085	0.0086	0		0.018	0	0	0	0	0	0
EDTA----	0	0	0	0	0.0659	0	0	0	0	0	0.1281		0.0003	0	0	0	0	0	0
HEDTA---	0	0	0	0	0	0	0	0	0	0	0.2561		0.0007	0	0	0	0	0	0
glycolate-	0	0	0	0	0	0	0	0	0	0.1153	0.2561		0.0041	0	0	0	0	0	0
acetate-	0	0	0	0	0.4204	0	0	0	0	0	0		0	0	0	0	0	0	0
oxalate--	0	0	0	0	0	0	0	0	0	0	0		1E-09	0	0	0	0	0	0
DBP	0.0381	0.01873	0.0116	0	0	0.0018	0.0078	0	0	0	3E-05		0.0114	0	0	0	0	0	0
butanol	0.0381	0.01873	0.0116	0	0	0.0018	0.0078	0	0	0	3E-05			0	0	0	0	0	0
NH3	0	0	0	0	0.4455	1E-07	0.7179	0.1929	0.1426	0.0883	0.1148		0.0164	0	0	0	0	0	0
Fe(CN)6----																			
Pu-239 (µCi/g)	0	0	0	14.99	0	0	0	7.2753	14.277	2.6118	2.1827		1.878	0	0	0	0	0	0
U-238 (M)	0	0	0	0	0	0.002	0.0977	0.0024	0.4604	0.5604	1.0033		0.4122			0	0	0	0
Cs-137 (Ci/L)	0	0	0	0	0	0.0001	0.591	0.2295	0.2709	0	0.0416		0.0314	0	0	0	0	0	0
Sr-90 (Ci/L)	0	0	0	0	18.034	0.0001	8.4474	11.83	30.458	4.7022	8.2565		0.0449	0	0	0	0	0	0

pred. sludge mol/L	B in	B- SltCk	T1 in	T1- SltCk	R in	RSltC k	T2 in	T2- SltCk	BY in	BY- SltCk	S1 in	S1- SltCk	S2 in	S2- SltSlr	A1 in	A1- SltCk	A2 in	A2- SltSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
Na		9.1685		9.2907		8.8549		12.092		12.404		14.83		17.121		16.035		0	5.1709	0.5701	5.5017	0	0	0.0471
Al		0.2227		0.1704		1.3643		1.0616		2.1458		2.0478		2.5146		2.4507		0	0.8618	0	0			0
Fe(total)		0.205		0.2221		0.017		0.014		0.0161		0.0125		0.003		0.0127		0	2.9608	1.9019	0.3639			1.3352
Cr		0.0059		0.0053		0.2276		0.0594		0.0507		0.1048		0.0545		0.0661		0	0	0.0071	0	0	0	0
Bi		0.046		0.0455		8E-06		0.0017		0.0009		0.0013		0.0057		0.0074		0	0	0	0	0	0	0
La		0		0		3E-11		3E-09		3E-06		2E-05		3E-05		1E-05		0	0	0	0	0	0	0
Hg		5E-05		4E-05		1E-06		9E-06		4E-05		1E-05		2E-05		4E-05		0	0	0	0	0.0021		0
ZrO(OH)2		0.0039		0.0033		4E-06		0.0011		0.0003		0.0008		0.0039		0.0071		0	0	0	0	0.9268		0
Pb		0		0		0.0002		0.0009		0.0057		0.001		0.0022		0.0012		0	0	4E-05	0			0
Ni		0.0081		0.0114		0.0151		0.0113		0.0135		0.0108		0.0036		0.0103		0	0	0.1118	0			0
Sr		0		0		9E-11		1E-09		4E-06		2E-05		2E-05		1E-05		0	0	0	0	0		0
Mn		0		0		5E-05		0.0048		0.0033		0.0059		0.0023		0.0056		0	0	0.0053	0			0
Ca		0.0906		0.1134		0.0768		0.0599		0.0734		0.0566		0.0193		0.0572		0	0.2464	0.4598	0.0949			1.5089
K		0.0156		0.0143		0.0254		0.039		0.0377		0.0504		0.1017		0.1107		0	0.0088	0.0061	0.1909			0.0002
balance		2E-15		-4E-15		1E-05		0.0005		0.0008		0.0009		0.0017		0.0008		0	0	9E-16	0			0
density		1.5284		1.5535		1.491		1.5859		1.6179		1.7217		1.7997		1.7829		0.5	1.7786	1.1827	1.2763			1.217
vol%solids		17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6
void frac.		0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842
wt.% H2O		55.646		57.172		50.215		40.126		37.378		30.542		26.057		28.906		100	49.287	74.594	64.507			75.533
TOC wt.%C		0.0002		0.0002		0.0066		0.5382		0.4515		0.6976		1.4025		0.9431		0	0	0.0369	0			0
free OH-		0.0182		0.0559		0.0035		0.3198		0.3234		0.3294		0.5795		0.4563		0	1.1328	0.0146	0.0916			0.0126
OH-		1.5579		1.4523		6.3202		4.8447		9.2009		8.9542		10.803		10.571		0	18.137	5.9355	4.8794			4.0133
NO3-		3.7697		3.0877		5.2908		6.9463		6.4132		7.4723		4.9071		6.1492		0	2E-14	0.2175	0.3335			0.052
NO2-		0.2989		0.2897		1.8533		1.5827		1.7421		2.5866		4.7857		2.8607		0	0.4913	0.02	0.0073			0
CO3--		0.2193		0.248		0.0822		0.4625		0.5015		0.5259		0.6837		0.6351		0	0.2464	0.5505	0.0949			1.5022
PO4---		1.4019		1.6888		0.0005		0.1326		0.0685		0.1091		0.3341		0.4282		0	0	0.0619	0			0
SO4--		0.146		0.1384		0.0442		0.2311		0.1913		0.2554		0.574		0.4244		0	0.1072	0.0036	0			0
SiO3--		0.0316		0.0234		0.1287		0.1061		0.0783		0.1252		0.0737		0.1753		0	1.5246	0	0			0
F-		0.1583		0.1461		0.0004		0.0945		0.0596		0.0731		0.1442		0.1505		0	0.0239	0	5.2878			0
Cl-		0.0882		0.0816		0.1166		0.1353		0.1271		0.1254		0.1025		0.1076		0	0.0403	0.0035	0.004			0.0007
C6H5O7---		0		0		0.0004		0.0175		0.024		0.028		0.0537		0.0275		0	0	0	0			0
EDTA----		0		0		2E-05		0.0106		0.0054		0.0145		0.0326		0.0263		0	0	0	0			0
HEDTA---		0		0		1E-05		0.0206		0.0007		0.0274		0.0611		0.0465		0	0	0	0			0
glycolate-		0		0		0.0006		0.0629		0.0169		0.0861		0.1752		0.0986		0	0	0	0			0
acetate-		0		0		6E-05		0.002		0.032		0.0051		0.0132		0.0193		0	0	0	0			0
oxalate--		0		0		3E-11		1E-09		3E-06		1E-05		2E-05		1E-05		0	0	0	0			0
DBP		2E-05		2E-05		0.0004		0.0137		0.0255		0.0193		0.039		0.0227		0	0	0.003	0			0
butanol		2E-05		2E-05		0.0004		0.0137		0.0255		0.0193		0.039		0.0227		0	0	0.003	0			0
NH3		0.0009		0.0009		0.031		0.0119		0.0103		0.0179		0.0253		0.1161		0	0.1972	1E-05	0.6547			0.0392
Fe(CN)6----																								
Pu-239 (µCi/g)		0.0095		0.011		0.0972		0.0766		0.107		0.0746		0.0351		0.0763		0	2.6321	0.004	0.6063			0
U-238 (M)		0.006		0.0076		0.0339		0.0189		0.0258		0.0207		0.0069		0.0158		0	0.8848	0.0004	0.0027			0
Cs-137 (Ci/L)		0.0218		0.0189		0.2912		0.2453		0.2156		0.3271		0.5686		0.3433		0	4.4532	0.0267	0.0019			0
Sr-90 (Ci/L)		0.0172		0.0171		0.2627		0.1556		0.1299		0.2017		0.0613		0.1351		0	58.413	0.0231	0.0016			0





pred. su mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	0.66409	1.12565	1.5791	3.8061	2.2197	3.6198	3.6198	1.3542	0.6658	3.4141	3.4046		4.1601			0.3	10.147	0.1957	0.636
Al(OH)4 -	0	0	0	0.2526	0	0.3174	0.3174	0.0219	0.0772	0.5223	0		0.4184			0	1.85	0	0
Fe	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002			0	0	0.002	0.002
Cr	0.00802	0.00802	0.008	0.0095	0.00802	0.008	0.008	0.0171	0.002	2E-07	0		0.0283			0	0	0.008	0.008
Bi	0	0	0	0	0	0	0	1E-05	0	0	0		0.0001			0	0	0	0
La	0	0	0	0	0	0	0	0	0	0	0		2E-09			0	0	0	0
Hg	0	0	0	0	0	0	0	4E-07	0	0	0		1E-06			0	0	0	0
Zr	0	0	0	0	0	0	0	4E-07	0	0	0		7E-05			0	0	0	0
Pb	0	0	0	0	0.0016	0	0	6E-05	1E-06	0	0		0.0002			0	0	0	0
Ni	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0.0018	0		0.0018			0	0	0.0018	0.0018
Sr	0	0	0	0	0	0	0	0	0	0	0		8E-10			0	0	0	0
Mn	0	0.009	0.0009	0	0	0	0	0.0027	0	0	0		0.0038			0.0013	0	0	0
Ca	0.009	0.009	0.009	0.009	0.00491	0.009	0.009	0.009	0.009	0.009	0.009		0.0093			0	0	0.009	0.009
K	0.001	0.01353	0.0055	0.0183	0.08888	0.0279	0.0279	0.0074	0.0028	0.0135	0.0136		0.021			0.0013	0.019	0.0007	0.0007
balance	1.1E-16	-2E-16	2E-16	1E-15	-1E-15	0	0	-7E-16	-1E-16	-4E-16	0		0.0011			-6E-17	4E-15	0	0
density	1.02463	1.04215	1.059	1.1579	1.08258	1.1592	1.159	1.052	1.0276	1.1634	1.1267		1.1808	1	1	1.0188	1.5052	1.0067	1.0234
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1			13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505		0.6426			1	0.8	0.7152	0.7152
wt.% H2O	94.6986	92.3315	88.776	74.379	82.2641	74.482	76.861	90.678	95.597	77.458	73.58		74.065			94.733	51.848	98.281	95.973
TOC wt.%C	0.85377	0.32255	0.2522	0	2.28832	0.0234	0.1035	0	0.0701	0.5069	5.4534		0.4166			0	0	0	0
species																			
OH-	0.04067	0.04158	0.0641	0.2974	0.11822	0.0383	0.0495	0.0645	0.2059	0.1947	0.1778		0.4377			-0.494	0.6595	0.0517	0.0517
NO3-	0.23056	0.37839	0.945	2.8016	1.00502	2.7635	0.9408	0.3215	0.151	1.6343	0.5262		1.4555			0.8	2.9166	0.1572	0.1572
NO2-	0.01002	0.01002	0.01	0.0141	0.0858	0.0114	1.8341	0.4488	0.1311	0.0948	0.1246		1.0273			0	3.3	0.0241	0.014
CO3--	0.21143	0.39094	0.2956	0.1925	0.00491	0.009	0.009	0.1459	0.009	0.2694	0.2476		0.2265			0	0.4	0.002	0.002
PO4---	0	0	0	0.0001	0	0.0903	0.0903	0.0235	0	0.01	0		0.0136			0	0.119	0	0.1501
SO4--	0.00401	0.00401	0.004	0.0069	0.06754	0.0542	0.0542	0.0818	0.016	0.0441	0.1024		0.1283			0	0.0357	0.004	0.004
SiO3--	0	0	0	0	0	0	0	0.034	0.034	0.034	0.034		0.035			0	0	0	0
F-	0	0	0	0	0	0.1205	0.1205	0.0004	0	0	0		0.0061			0	0.0714	0	0
Cl-	0.00461	0.00692	0.0214	0.1156	0.04928	0.0637	0.0637	0.0179	0.0127	0.0622	0.0626		0.073			0	0.14	0.0032	0.0032
C6H5O7---	0	0	0	0	0.04009	0	0	0	0.01	0.015	0		0.028			0	0	0	0
EDTA----	0	0	0	0	0.08017	0	0	0	0	0	0.1506		0.0005			0	0	0	0
HEDTA---	0	0	0	0	0	0	0	0	0	0	0.3012		0.001			0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
glycolate-	0	0	0	0	0	0	0	0	0	0.2006	0.3012		0.0064			0	0	0	0
acetate-	0	0	0	0	0.51109	0	0	0	0	0	0		0			0	0	0	0
oxalate--	0	0	0	0	0	0	0	0	0	0	0		2E-09			0	0	0	0
DBP	0.06075	0.02334	0.0185	0	0	0.0019	0.0083	0	0	0	3E-05		0.0178			0	0	0	0
butanol	0.06075	0.02334	0.0185	0	0	0.0019	0.0083	0	0	0	3E-05		0.0178			0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
NH3	0	0	0	0	0.00027	2E-07	0.0629	0.0147	0.0028	0.0002	0.001		0.0255			0	0	0	0
Fe(CN)6----	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
Pu-239 (µCi/g)	0	0	0	30.018	0	0	0	30.025	29.986	30.005	29.996		30.352	0	0	0	0	0	0
U-238 (M)	0	0	0	0	0	0.0021	0.004	0.0029	0.004	0.004	0.004		0.0042			0	0	0	0
Cs-137 (Ci/L)	0	0	0	0	0	0.0001	0.6322	0.2763	0.3202	0	0.0489		0.0488	0	0	0	0	0	0
Sr-90 (Ci/L)	0	0	0	0	0.034	0.0001	0.034	0.034	0.034	0.034	0.0915		0.0699	0	0	0	0	0	0

pred. su mol/L	B in	B- SlcCk	T1 in	T1- SlcCk	R in	RSltC k	T2 in	T2- SlcCk	BY in	BY- SlcCk	S1 in	S1- SlcCk	S2 in	S2- SlcSlr	A1 in	A1- SlcCk	A2 in	A2- SlcSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
Na		4.9982		4.9802		6.6539		8.7509		8.8297		10.777		12.705		11.541		0	2.7573	0.6419	0.4916	0	0	0.06
Al(OH)4 -		0.2971		0.2331		1.5625		1.34		1.6011		1.6559		1.7465		1.6203		0	0.3188	0	0			0
Fe		0.002		0.002		0.002		0.0005		0.002		0.0005		0.0009		0.001		0	0.002	0.002	0.002			0.002
Cr		0.0079		0.0072		0.03		0.0311		0.03		0.0312		0.033		0.032		0	0	0.008	0			0
Bi		0.004		0.004		9E-06		0.0022		0.0012		0.0019		0.0044		0.0041		0	0	0	0			0
La		0		0		3E-11		1E-09		4E-06		2E-05		5E-05		2E-05		0	0	0	0			0
Hg		1E-05		1E-05		1E-06		1E-05		1E-05		1E-05		1E-05		1E-05		0	0	0	1E-05			0
Zr		0.003		0.003		4E-06		0.0014		0.0004		0.0011		0.0034		0.0031		0	0	0	0.003			0
Pb		0		0		0.0002		0.0011		0.0016		0.0014		0.0038		0.0019		0	0	4E-05	0			0
Ni		0.0018		0.0018		0.0018		0.0013		0.0018		0.0012		0.0014		0.0016		0	0	0.0018	0			0
Sr		0		0		1E-11		5E-10		1E-06		8E-06		2E-05		6E-06		0	0	0	0			0
Mn		0		0		6E-05		0.001		0.0042		0.0011		0.0014		0.0021		0	0	0.006	0			0
Ca		0.009		0.009		0.009		0.0067		0.009		0.0061		0.0076		0.0082		0	0.009	0.009	0.009			0.009
K		0.0209		0.0196		0.0291		0.0492		0.0484		0.0699		0.1808		0.1797		0	0.0111	0.0069	0.2245			0.0002
balance		9E-16		-4E-15		2E-05		0.0007		0.001		0.0012		0.0013		0.0013		0	-4E-16	1E-16	-1E-16			0
density		1.2104		1.2044		1.3622		1.4203		1.4414		1.5186		1.5896		1.5409		1	1.1056	1.0241	1.0171			1.002
vol%solids		17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6
void frac.		0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842
wt.% H2O		68.357		68.569		60.8		54.129		53.953		47.268		40.222		44.166		100	87.097	95.386	94.866			99.388
TOC wt.%C		0.0003		0.0003		0.0083		0.7586		0.6505		1.0953		2.8233		1.7719		0	0	0.048	0			0
species		excludes hydroxide bound to Al													excludes hydroxide bound to Al									excludes hydroxide bound to Al
OH-		0.0243		0.0765		0.004		0.4036		0.4152		0.4561		1.0305		0.7409		0	1.4358	0.0164	0.1077			0.016
NO3-		2.8005		2.8004		2.7988		2.7545		2.8017		2.7619		2.9383		2.7766		0	0.1735	0.2507	0.3929			0.0663
NO2-		0.3988		0.3963		2.1225		1.9977		2.2363		3.3538		3.4604		3.4329		0	0.4492	0.0167	0.0079			0
CO3--		0.1807		0.1932		0.0152		0.3968		0.3705		0.4204		0.4678		0.4391		0	0.009	0.1112	0.009			0.0005
PO4---		0.15		0.15		0.0006		0.1504		0.088		0.151		0.159		0.1527		0	0	0.0697	0			0
SO4--		0.1947		0.1894		0.0506		0.2917		0.2455		0.3537		0.3975		0.3933		0	0.1359	0.0041	0			0
SiO3--		0.034		0.0321		0.034		0.0278		0.034		0.0263		0.0309		0.0321		0	0.034	0	0			0
F-		0.2112		0.1999		0.0005		0.1193		0.0765		0.1012		0.2564		0.2444		0	0.0302	0	0.24			0
Cl-		0.1177		0.1116		0.1335		0.1708		0.1632		0.1736		0.1823		0.1746		0	0.051	0.0039	0.0047			0.0009
C6H5O7---		0		0		0.0005		0.0221		0.0308		0.0388		0.0954		0.0447		0	0	0	0			0
EDTA----		0		0		2E-05		0.0134		0.0069		0.02		0.058		0.0426		0	0	0	0			0
HEDTA---		0		0		1E-05		0.026		0.0009		0.0379		0.1086		0.0755		0	0	0	0			0
		0		0		0		0		0		0		0		0		0	0	0	0			0
glycolate-		0		0		0.0007		0.0794		0.0217		0.1192		0.3115		0.16		0	0	0	0			0
acetate-		0		0		7E-05		0.0025		0.0411		0.007		0.0234		0.0313		0	0	0	0			0
oxalate--		0		0		3E-11		1E-09		4E-06		2E-05		4E-05		2E-05		0	0	0	0			0
DBP		3E-05		3E-05		0.0004		0.0173		0.0327		0.0268		0.0693		0.0369		0	0	0.0034	0			0
butanol		3E-05		3E-05		0.0004		0.0173		0.0327		0.0268		0.0693		0.0369		0	0	0.0034	0			0
		0		0		0		0		0		0		0		0		0	0	0	0			0
NH3		0.0012		0.0012		0.0355		0.015		0.0132		0.0248		0.0451		0.1885		0	0.0172	1E-05	0.7823			0.0501
Fe(CN)6----		0		0		0		0		0		0		0		0		0	0	0	0			0
Pu-239 (µCi/g)		15.262		18.149		30.009		24.411		30.02		22.966		25.399		28.425		0	30	4.6515	30			0
U-238 (M)		0.004		0.004		0.004		0.0034		0.004		0.0033		0.0033		0.004		0	0.004	0.0005	0.0032			0
Cs-137 (Ci/L)		0.0162		0.0171		0.2967		0.2799		0.1746		0.3664		0.9596		0.4826		0	2.6444	0.0301	0.0022			0
Sr-90 (Ci/L)		0.023		0.0234		0.034		0.0318		0.034		0.0314		0.0326		0.0298		0	0.034	0.0261	0.0019			0

prec. solids mol/L	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
NaNO3																								
NaNO2																								
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaF	0	0	0	0.002	0	0	1.8347	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.08069
Sr(OH)2							1.5644																	
Na2CO3.7H2O	1.6642	2.479	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	0	-0	-0	-0	-0
Na3PO4.10H2O	0	0	0	0	0	0	-0	0	-0	-0	0	-0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.12H2O	0.34605	0.3658	1.153	0.721	0.8102	0	0	0	0	0	0	0.09182	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SiO3	0	0	0.04	0.023	0.0518	0	0	0	0.02942	0.03403	0	0.085878	0	0.458	0	0	0.5935	1.4966			0	0	0	0
(Al2O3.3H2O)/2	0	0	0.34	0.842	0	0	0	0	0	0	0.14139	0.271833	3.756	4.1632	4.9383	5.3793	0	0			0	4.4444	5.3793	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.4969	0	0	0	0		0	0	0	0
FeO(OH)	0.11795	0.1182	0.322	0.177	0.5593	0.78322	0.3593	1.57156	0.75686	0.87512	0	0.000152	1.011	2.6851	0.1637	0.4556	2.6277	2.9592		2.909331	0.1633	0.4556	0.12599	
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	0	0.85	4.3816	0	0	0	0	0		0	0	0	0
MnO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
BiPO4	0	0	0.074	0.041	0.0891	0.03731	0.0571	0	0.24352	0.28158	0	0.208633	0	0	0	0	0	0	0		0	0	0	0
Pb(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1166	0.3245	0	0			0	0.1163	0.3245	0
(La2O3)/2	0	0	0	0	0	0	0.2318	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	0	1E-04	5E-05	0	0	0	0	0	0	0	0	0	0	0.0041	0.011	0	0	0		0	0.0025	0.0059	0.00199
Na3cit.5H2O																								
Na Acetate																								
Na 2 Oxalate	0	0	0	0	0	0	0.6385						0	0	0	0	0	0	0		0	0	0	0
Na3HEDTA																								
Na4EDTA																								
CaCO3.6H2O	0.0809	0.0821	0.069	0.038	0.1367	0.26783	0.2362	0.3368	0.2554	0.29528	0.78628	0.22984	0.207	0.5018	0.1149	0.315	0.4137	0.2358		0.426148	0.1129	0.3142	0.08723	
Ni(OH)2	0	0	0	0	0	0	0	0	0	0.05007	0.29291	0.085484	0.049	0.1166	0	0	0.1002	0.0567		0.100216	0	0	0	
ZrO2*2H2O	0	0	0.008	0.005	0	0	0	0	0	0	0	0.021058	0	0	0	0	0	0	0		0	0	0	0.92422
Na2NiFe(CN)6.6H2O									0.13514	0.07813	0.35714	0.104167												
UO2(OH)2*6H2O	1.98647	1.9765	0	0	0	0	0	0.13608	0.10298	0.11908	0.27165	0	0.018	0.2659	0.1809	0.4826	0.028	0.1721		0	0.0953	0.2038	0	

prec. solids mol/L	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3						0	0	0			0	0	0				0.4576	0	0
NaNO2						0	0	0			0	0	0				1.5975	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0.478	0	0
NaF	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Sr(OH)2																			
Na2CO3.7H2O	-0	-0.0837	-0	-0	0	-0	-0	0	-0	0	0	-0	-0			0	0.83	-0	-0
Na3PO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na3PO4.12H2O	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0.4	0.4
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	1.1338	0			0	0	0.028	0.028
Na2SiO3	0	0	0	0	0	0	0	2.2387	1.2	2.3666	1.7738	3.3269	3.1636			0	0	0	0
(Al2O3.3H2O)/2	0	0	0	10.87	0	0.4103	0.4103	0.0529	1.162	5.7647	0	1.459	0			0	0.1925	0	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0.615	0	0
FeO(OH)	6.33408	3.45498	6.3341	1.6835	5.66703	1.0863	1.0863	1.3001	1.0003	2.2067	1.5003	0	0.3454			0	0	4	4
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	1.4089	0			0	0	0.8	0.8
MnO2	0	0.27469	0	0	0	0	0	0	0	0	0	0.1916	0			0	0	0	0
BiPO4	0	0	0	0	0	0	0	0	0	0	0	0.006	0			0	0	0	0
Pb(OH)2	0	0	0	0	0.15029	0	0	0	0	0	0	0.0084	0			0	0	0	0
(La2O3)/2	0	0	0	0	0	0	0	0	0	0	0	7E-08	0			0	0	0	0
HgO	0	0	0	0	0	0	0	0	0	0	0	6E-05	0			0	0	0	0
Na3cit.5H2O																			
Na Acetate																			
Na 2 Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0
Na3HEDTA																			
Na4EDTA																			
CaCO3.6H2O	1.50736	0.82341	1.5219	0.4141	0	0.1614	0.1614	0.1021	0.2144	0.1982	0.1291	1.0996	1.5188			0	0	0.9037	0.9037
Ni(OH)2	0.36734	0.20039	0.3673	0.0964	0.18366	0.038	0.038	0.1375	0.0404	1.2066	0	0.2428	0.3075			0	0	0.4	0.4
ZrO2•2H2O	0	0	0	0	0	0	0	0	0	0	0	0.0035	0			0	0	0	0
Na2NiFe(CN)6.6H2O																			
UO2(OH)2*6H2O	0	0	0	0	0	0	0.0939	0	0.457	0.5581	0.9999	0.3183	0.4095			0	0	0	0

prec. solids mol/L	B in	B- SltCk	T1 in	T1- SltCk	R in	RSltC k	T2 in	T2- SltCk	BY in	BY- SltCk	S1 in	S1- SltCk	S2 in	S2- SltSlr	A1 in	A1- SltCk	A2 in	A2- SltSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF	
NaNO3		1.6704		1.0407		2.847		4.7642		4.2307		5.4778		3.2546		4.4392		0							
NaNO2		0		0		0		0		0		0.1647		2.8396		0.7465		0							
NaCl		0		0																0	0	0			0
NaF		0		0																0	0	5.0837			0
Sr(OH)2																									
Na2CO3.7H2O		0		0		-0		0.0935		0.1465		0.1701		0.4056		0.3125		0		-0	-0	-0			-0
Na3PO4.10H2O		1.2464		1.5365		0		0.0135		0		0		0.2415		0.3293		0		0	0	0			0
Na3PO4.12H2O																				0	0	0			0
Na2SO4		0		0		0		0		0		0		0		0		0		0	0	0			0
Na2SO4.10H2O		0		0		0		0		0		0		0.3504		0.1822		0		0	0	0			0
Na2SiO3		0.0061		0		0.099		0.084		0.0518		0.1062		0.0563		0.1555		0		1.4977	0	0			0
(Al2O3.3H2O)/2		0		0		0		0		0		0		0		0		0		0.6103	0	0			0
NaAlO2		0		0		0		0		0.8985		0.8519		1.5323		1.4528		0		0	0	0			0
FeO(OH)		0.2035		0.2207		0.0153		0.0136		0.0145		0.0122		0.0025		0.0121		0		2.9592	1.9002	0.3622			1.3336
Cr(OH)3		0		0		0.2014		0.0348		0.0273		0.0823		0.0359		0.0464		0		0	0	0			0
MnO2		0		0		0		0.004		0		0.0052		0.0016		0.0043		0		0	0	0			0
BiPO4		0.043		0.0426		0		0		0		0		0.0032		0.0049		0		0	0	0			0
Pb(OH)2		0		0		0		0		0.0044		0		0		0		0		0	0	0			0
(La2O3)/2		0		0		0		0		0		0		0		0		0		0	0	0			0
HgO		0		0		0		0		0		0		0		0		0		0	0	0			0
Na3cit.5H2O																									
Na Acetate																									
Na 2 Oxalate		0		0		0		0		0		0		0		0		0		0	0	0			0
Na3HEDTA																									
Na4EDTA																									
CaCO3.6H2O		0.0839		0.1068		0.0689		0.0546		0.0664		0.0522		0.015		0.0521		0		0.2393	0.4518	0.0872			1.5019
Ni(OH)2		0.0067		0.0101		0.0135		0.0103		0.0121		0.0099		0.0028		0.0094		0		0	0.1102	0			0
ZrO2•2H2O		0.0017		0.0012		0		0		0		0		0.002		0.0052		0		0	0	0			0
Na2NiFe(CN)6.6H																									
UO2(OH)2*6H2O		0.003		0.0047		0.0304		0.0162		0.0227		0.0183		0.005		0.0133		0		0.8816	0	0			0

cc/L solids	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFcCN1	PFcCN2	TFeCN	1CFcCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
NaNO3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaF	0	0	0	0.034	0	0	30.117	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	83.4004
Sr(OH)2	0	0	0	0	0	0	52.492	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2CO3.7H2O	255.802	381.04	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0	-0
Na2CO3.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.10H2O	0	0	0	0	0	0	-0	0	-0	-0	0	-0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.12H2O	81.1984	85.821	270.6	169.1	190.11	0	0	0	0	0	0	21.54484	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SiO3	0	0	2.013	1.179	2.6321	0	0	0	1.4961	1.73087	0	4.367619	0	23.295	0	0	30.184	76.116	0	0	0	0	0	0
Al2O3.3H2O	0	0	10.96	27.15	0	0	0	0	0	0	4.55749	8.762132	121.1	134.19	159.18	173.39	0	0	0	0	0	143.26	173.39	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	166.88	0	0	0	0	0	0	0	0	0
FeO(OH)	3.47007	3.4778	9.467	5.211	16.454	23.0427	10.571	46.2361	22.2671	25.7464	0	0.004486	29.76	78.997	4.8152	13.404	77.308	87.061	0	85.59405	4.8036	13.404	3.70669	
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	0	24.8	127.82	0	0	0	0	0	0	0	0	0	0
MnO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BiPO4	0	0	3.567	1.971	4.2847	1.79348	2.7436	0	11.7063	13.5356	0	10.02909	0	0	0	0	0	0	0	0	0	0	0	0
Pb(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4.6879	13.046	0	0	0	0	0	4.6759	13.046	0
La2O3	0	0	0	0	0	0	5.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	0	0.002	1E-03	0	0	0	0	0	0	0	0	0	0	0.0795	0.2149	0	0	0	0	0	0.0491	0.1152	0.03887
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaAcetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2Oxalate	0	0	0	0	0	0	36.561	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CaCO3.6H2O	9.51026	9.6492	8.137	4.508	16.072	31.4837	27.769	39.591	30.0224	34.7103	92.4263	27.01759	24.37	58.986	13.511	37.027	48.631	27.722	0	50.09345	13.273	36.929	10.2542	
Ni(OH)2	0	0	0	0	0	0	0	0	0	1.27197	7.44066	2.171529	1.251	2.9615	0	0	2.5463	1.4411	0	2.545759	0	0	0	0
ZrO(OH)2	0	0	0.403	0.228	0	0	0	0	0	0	0	1.031836	0	0	0	0	0	0	0	0	0	0	0	45.2869
Na2NiFe(CN)6.6H2O			0	0	0	0	0	0	31.8739	18.4271	84.2381	24.56944	0	0	0	0	0	0	0	0	0	0	0	0
UO2(OH)2*6H2O	292.295	290.83	0	0	0	0	0	20.0238	15.1533	17.5214	39.972	0	2.703	39.131	26.611	71.018	4.127	25.32	0	0	14.021	29.989	0	

cc/L solids	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17.203	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50.843	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12.903	0	0
NaF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sr(OH)2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2CO3.7H2O	-0	-12.871	-0	-0	0	-0	-0	0	-0	0	0	-0	-0	0	0	0	127.58	-0	-0
Na2CO3.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4.12H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21.2	21.2
Na2SO4.10H2O	0	0	0	0	0	0	0	0	0	0	0	249.53	0	0	0	0	0	6.1621	6.1621
Na2SiO3	0	0	0	0	0	0	0	113.86	61.03	120.36	90.213	169.2	160.9	0	0	0	0	0	0
Al2O3.3H2O	0	0	0	350.36	0	13.227	13.227	1.7063	37.455	185.82	0	47.03	0	0	0	0	6.2049	0	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18.671	0	0
FeO(OH)	186.352	101.647	186.35	49.528	166.727	31.96	31.96	38.25	29.428	64.922	44.14	0	10.162	0	0	0	0	117.68	117.68
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	0	41.101	0	0	0	0	0	23.338	23.338
MnO2	0	7.02069	0	0	0	0	0	0	0	0	0	4.8959	0	0	0	0	0	0	0
BiPO4	0	0	0	0	0	0	0	0	0	0	0	0.2901	0	0	0	0	0	0	0
Pb(OH)2	0	0	0	0	6.04172	0	0	0	0	0	0	0.3357	0	0	0	0	0	0	0
La2O3	0	0	0	0	0	0	0	0	0	0	0	2E-06	0	0	0	0	0	0	0
HgO	0	0	0	0	0	0	0	0	0	0	0	0.0012	0	0	0	0	0	0	0
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaAcetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CaCO3.6H2O	177.189	96.7919	178.9	48.673	0	18.969	18.969	12.004	25.205	23.302	15.176	129.26	178.53	0	0	0	0	106.23	106.23
Ni(OH)2	9.33142	5.09051	9.3314	2.4493	4.6655	0.9662	0.9662	3.4924	1.0273	30.651	0	6.1674	7.8123	0	0	0	0	10.161	10.161
ZrO(OH)2	0	0	0	0	0	0	0	0	0	0	0	0.1704	0	0	0	0	0	0	0
Na2NiFe(CN)6.6H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UO2(OH)2*6H2O	0	0	0	0	0	0	13.819	0	67.245	82.118	147.13	46.838	60.261	0	0	0	0	0	0



cc/L solids	B in	B- SlcCk	T1 in	T1- SlcCk	R in	RSltC k	T2 in	T2- SlcCk	BY in	BY- SlcCk	S1 in	S1- SlcCk	S2 in	S2- SlcSlr	A1 in	A1- SlcCk	A2 in	A2- SlcSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
NaNO3		62.796		39.123		107.03		179.1		159.05		205.93		122.35		166.89		0	0	0	0			0
NaNO2		0		0		0		0		0		5.241		90.373		23.757		0	0	0	0			0
NaCl		0		0		0		0		0		0		0		0		0	0	0	0		0	0
NaF		0		0		0		0		0		0		0		0		0	0	0	83.45		0	0
Sr(OH)2		0		0		0		0		0		0		0		0		0	0	0	0			0
Na2CO3.7H2O		0		0		-0		14.375		22.521		26.15		62.343		48.033		0	-0	-0	-0			-0
Na2CO3.10H2O		0		0		0		0		0		0		0		0		0	0	0	0			0
Na3PO4.10H2O		169.12		208.48		0		1.8291		0		0		32.768		44.678		0	0	0	0			0
Na3PO4.12H2O		0		0		0		0		0		0		0		0		0	0	0	0			0
Na2SO4		0		0		0		0		0		0		0		0		0	0	0	0			0
Na2SO4.10H2O		0		0		0		0		0		0		77.118		40.089		0	0	0	0			0
Na2SiO3		0.3091		0		5.0352		4.2746		2.6339		5.4026		2.865		7.9088		0	76.172	0	0			0
Al2O3.3H2O		0		0		0		0		0		0		0		0		0	19.671	0	0			0
NaAlO2		0		0		0		0		27.279		25.864		46.52		44.107		0	0	0	0			0
FeO(OH)		5.9866		6.4925		0.4502		0.3988		0.4266		0.3592		0.0726		0.3556		0	87.062	55.904	10.656			39.235
Cr(OH)3		0		0		5.8747		1.0148		0.7961		2.4001		1.047		1.3526		0	0	0	0			0
MnO2		0		0		0		0.101		0		0.1321		0.0401		0.1105		0	0	0	0			0
BiPO4		2.0692		2.0466		0		0		0		0		0.1549		0.235		0	0	0	0			0
Pb(OH)2		0		0		0		0		0.1778		0		0		0		0	0	0	0			0
La2O3	0	0	0	0	0	0	0	3E-08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HgO	0	0.0008	0	0.0006	0	0	0	1E-05	0	0.0006	0	4E-05	0	0.0003	0	0.0007	0	0	0	0	0	0.0408	0	0
Na3cit.5H2O		0		0		0		0		0		0		0		0		0	0	0	0			0
NaAcetate		0		0		0		0		0		0		0		0		0	0	0	0			0
Na2Oxalate		0		0		0		0		0		0		0		0		0	0	0	0			0
Na3HEDTA		0		0		0		0		0		0		0		0		0	0	0	0			0
Na4EDTA		0		0		0		0		0		0		0		0		0	0	0	0			0
CaCO3.6H2O		9.857		12.556		8.1029		6.4223		7.8011		6.1305		1.7643		6.1255		0	28.13	53.104	10.255			176.54
Ni(OH)2		0.171		0.2566		0.3439		0.2612		0.3072		0.2523		0.0701		0.2376		0	0	2.8003	0			0
ZrO(OH)2		0.0818		0.0564		0		0		0		0		0.0967		0.2541		0	0	0	45.289			0
Na2NiFe(CN)6.6H		0		0		0		0		0		0		0		0		0	0	0	0			0
UO2(OH)2*6H2O		0.4466		0.688		4.4682		2.3857		3.3347		2.6934		0.739		1.9574		0	129.73	0	0			0

frac. prec. solids	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFeCN1	PFeCN2	TFeCN	1CFeCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1
NaNO3	0	0	0	0	0	0	0	0.17895	0.17917	0.17919	0	0	0	0.335	0	0	0	0	0	0.027839	0	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NaF	0	0	0	0.002	0	0	0.2308		0	0	0	0	0	0									0.69282
Sr(OH)2							0.9685																
Na2CO3	0.38472	0.4814	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na3PO4	0.2307	0.2438	0.527	0.561	0.2755	0	0	0	0	0	0	0.02937	0	0	0	0	0.9	0.9		0	0.9	0.9	0.9
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Na2SiO3	0	0	0.143	0.152	0.0951	0	1	1	0.0311	0.03112	1	0.108478	0	0.2051	0	1	0.2782	0.6335	0.63	1	0	1	1
Al2O3.3H2O	0.6	0.6	0.2	0.9	0.3	0.6	0.8	0.07	0.07	0.07	0.07	0.07	0.26	0.07	0.2	0.2	0.07	0.07		0.3	0.3	0.2	0
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2226	0	0	0		0	0	0	0
FeO(OH)	0.88461	0.8866	0.958	0.959	0.9508	0.93027	0.8758	0.9566	0.93346	0.93346	1	0.003659	0.958	0.9626	0.8722	0.8692	0.9667	0.9831	0.95	0.969777	0.8701	0.8692	0.87032
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	1	0	0.563	0.7367	0	0	0	0		0	0	0	0
MnO2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BiPO4	1	1	0.726	0.729	0.6061	0.24113	0.359	1	0.69311	0.69311	1	0.715312	1	1	1	1	1	1	1	1	1	1	1
Pb(OH)2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0.8587	0.8555	1	1		0	0.8565	0.8555	1
La2O3	0.60255	0.6025	0.603	0.603	0.6025	0.60255	0.6026	0.60255	0.60255	0.60255	0.60255	0.602547	0.603	0.6025	0.6025	0.6025	0.6025	0.6025	0.6	0.602547	0.6025	0.6025	0.60255
HgO	1	1	0.585	0.568	1	1	1	1	1	1	1	1	1	1	0.9714	0.9698	1	1	1	1	0.9539	0.9452	0.95503
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Na Acetate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Na 2 Oxalate	0	0	0	0	0	0	0.83	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0
CaCO3.6H2O	0.53886	0.5467	0.524	0.528	0.5121	0.50343	0.5075	0.51213	0.51265	0.51264	0.55039	0.551617	0.511	0.5163	0.5157	0.5052	0.5035	0.5072	0.5	0.510825	0.5072	0.5045	0.50802
Ni(OH)2	0	0	0	0	0	0	0	0	0.64092	0.64092	0.82014	0.820647	0.554	0.5538	0	0	0.5513	0.5531		0.551188	0	0	0
ZrO(OH)2	1	1	0.281	0.289	1	1	1	1	1	1	1	0.252694	1	1	1	1	1	1		1	1	1	0.97043
Na2NiFe(CN)6.6H2O			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1
Pu	0	0.5	0	0	0	0	0	0	0	0	0	0.5	0	0	0.8752	0.8313	0.1904	0.6524		0.805709	0.6835	0.6382	0.69742
UO2(OH)2*6H2O	0.98475	0.9849	0	0	0	0	0	0.48851	0.48851	0.48852	0.48758	0	0.173	0.5602	0.7904	0.7789	0.134	0.6282	0.89	0	0.6615	0.5978	0
Cs	0	0	0	0	0	0	0	0.01	1	1	1	1	1	0	0.005	0	0	0		0.027839	0	0	0
Sr	0	0	0	0	0	0	0	0	0	0	0	0	0.576	0.8147	0	0	0.839	0.9404	0	0	0	0	0

frac. prec. solids	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
NaNO3	0	0	0	0.2456	0	0	0	0	0	0	0	0	0			0	0.13	0	0
NaNO2	0	0	0	0	0	0	0	0	0	0	0	0	0				0.3156	0	0
NaCl	0	0	0	0	0	0	0	0	0	0	0	0	0				0.7648	0	0
NaF	0	0	0			0	0	0					0				0	0	0
Sr(OH)2	0	0	0																
Na2CO3	0	0.00218	0	0	0	0	0	0	0	0	0	0	0				0.664	0	0
	0	0	0																
	0	0	0																
Na3PO4	0	0	0	0	0	0	0	0	0.9	0	0	0	0				0	1	0.5843
	0	0	0																
Na2SO4	0	0	0	0	0	0	0	0	0	0	0	0.1773	0				0	0	0
Na2SiO3	0	0	0	1	1	1	1	0.6722	0.15	0.3219	0.5765	1	0.4755				1	1	1
Al2O3.3H2O	0	0	0	0.5	0.1	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0				0.07	0.07	0.07
NaAlO2	0	0	0	0	0	0	0	0	0	0	0	0	0				0.2236	0.23	0.23
FeO(OH)	0.95011	0.95012	0.9501	0.9513	0.97149	0.9693	0.9693	0.9529	0.7145	0.8827	0.9514	0	0.6362				1	0.9501	0.9501
Cr(OH)3	0	0	0	0	0	0	0	0	0	0	1	1	0				1	0	0
MnO2	0	0.2518	0	1	1	1	1	1	0	1	1	1	1	0		0	1	1	1
BiPO4	0	0	0	1	1	1	1	0	1	1	1	1	0				1	1	1
Pb(OH)2	0	0	0	1	0.53044	1	1	0	0	1	1	1	0				1	1	1
La2O3	0	0	0	0.6025	0.60255	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025	0				0.6025	0.6025	0.6025
HgO	0	0	0	1	1	1	1	0	1	1	1	1	0				1	1	1
Na3cit.5H2O	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na Acetate	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na 2 Oxalate	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na3HEDTA	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
Na4EDTA	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0
CaCO3.6H2O	0.50178	0.50219	0.5042	0.5166	0	0.5106	0.5106	0.2611	0.1065	0.1306	0.2723	0.9	0.6209				0.9	0.5016	0.5016
Ni(OH)2	0.55101	0.55108	0.551	0.5544	0.55098	0.5515	0.5515	0.704	0.1011	0.8205	1	1	0.6334				1	0.551	0.551
ZrO(OH)2	0	0	0	1	1	1	1	0	1	1	1	1	0				1	1	1
Na2NiFe(CN)6.6H2O	0	0	0	1	1	1	1	1	1	1	1	1	0				1	1	1
Pu	0	0	0	0.9525	0.8	0.8	0.8	0.9073	0.773	0.5397	0.7665	0	0.5097				0.8	0.8	0.8
UO2(OH)2*6H2O	0	0	0	0	0	0	0.5774	0	0.3637	0.4875	0.8671	0.7726	0.497				0	0	0
Cs	0	0	0	0.2456	0	0	0	0	0	0	0	0	0				0.16	0.16	0.16
Sr	0	0	0	0	0.86429	0	0.9351	0.9153	0.8175	0.4843	0.7	0.0765	0				1	1	1

frac. prec. solids	B in	B-SltCk	T1 in	T1-SltCk	R in	RSltCk	T2 in	T2-SltCk	BY in	BY-SltCk	S1 in	S1-SltCk	S2 in	S2-SltCk	A1 in	A1-SltCk	A2 in	A2-SltCk	P3	PL2	CWZr	BP	BP	PASF
						k															2	/Cplx	/NCplx	
NaNO3		0.0994		0.042		0.1252		0.5198		0.4533		0.5638		0.6593		0.4687		0	0	0	0			0
NaNO2		0		0		0		0		0		0.031		0.589		0.1071		0.3694	0	0	0			0
NaCl		0		0		0		0.2349		0		0.3532		0.6409		0.365		0.2237	0	0	0			0
NaF		0		0		0		0		0		0		0.5545		0.5184		0	0		0.6932			0.6932
Sr(OH)2						0		0		0		0		0		0		0	0		0			0
Na2CO3		0		0		0		0.1356		0.1914		0.2175		0.6023		0.2936		0.1935	0	0	0			0
Na3PO4		0.6286		0.5761		0		0.0531		0		0	0	0.7263		0.5457		0	0.9	0	0.9			0.9
Na2SO4		0		0		0		0		0		0		0.6063		0.2035		0.0263	0	0	0			0
Na2SiO3		0.032		0		0.2905		0.6545		0.4554		0.7249		0.761		0.7278		0.4794	0.634	1	1			1
Al2O3.3H2O		0		0		0		0		0		0		0		0		0	0.07	0.3	0			0
NaAlO2		0		0		0		0		0.2356		0.2511		0.6051		0.331		0.0942	0	0	0			0
FeO(OH)		0.9495		0.9287		0.5184		0.9402		0.7991		0.9442		0.8265		0.8678		0.702	0.9831	0.9501	0.9508			0.8002
Cr(OH)3		0		0		0.4855		0.4118		0.3329		0.6318		0.655		0.4445		0.4295	1	0	1			1
MnO2		1		1		0		0.7052		0		0.759		0.6663		0.53		0.3269	1	0	1			1
BiPO4		0.6656		0.5569		0		0		0		0		0.5599		0.3939		0	1	1	1			1
Pb(OH)2		1		1		0		0		0.6027		0		0		0		0	1	0	1			1
La2O3		0.6025		0.6025		0		0.6025		0		0		0		0		0	0.6025	0.6025	0.6025	0.6025	0.6025	0.6025
HgO		0.4458		0.2725		0		0.0375		0.6095		0.1189		0.7378		0.6597		0.3106	1	1	0.957			1
Na3cit.5H2O		0		0		0		0		0		0		0		0		0	0	0	0			0
Na Acetate		0		0		0		0		0		0		0		0		0	0	0	0			0
Na 2 Oxalate		0		0		0		0		0		0		0		0		0	0	0	0			0
Na3HEDTA		0		0		0		0		0		0		0		0		0	0	0	0			0
Na4EDTA		0		0		0		0		0		0		0		0		0	0	0	0			0
CaCO3.6H2O		0.6328		0.5836		0.5185		0.8367		0.8018		0.847		0.7761		0.7771		0.6466	0.511	0.5014	0.5082			0.5005
Ni(OH)2		0.4089		0.3985		0.5141		0.836		0.7866		0.8491		0.7693		0.7688		0.6572	1	0.5512	1			1
ZrO(OH)2		0.0933		0.0434		0		0		0		0		0.5058		0.4783		0	1	1	0.9705			0.9705
Na2NiFe(CN)6.6H2O		1		1		1		1		1		1		1		1		1	1	1	1			1
Pu		0		0		0.3526		0.7191		0.7287		0.7568		0.7637		0.692		0.528	0.8589	0	0.7251			0.8
UO2(OH)2*6H2O		0.1231		0.1213		0.5163		0.7498		0.7566		0.7845		0.7258		0.6487		0.5064	0.8965	0	0			0
Cs		0.0994		0.042		0.015		0.05		0.2		0.1		0.05		0.05		0.08	0.034	0	0			0
Sr		0		0		0.491		0.7198		0.6252		0.7877		0.6973		0.6834		0.5403	0.9854	0	0			1



pred. sludge ppm	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	6164.35	12644.5	14407	27796	29003.5	62271	60408	99013	47576	77493	84795		122507	628983	0	6769.7	181276	15388	20091
Al	0	0	0	171852	0	15269	14812	1475.5	23126	82370	0		4294.3	5534.4	25844	0	37649	0	0
Fe	227792	144324	224495	54435	218740	48643	47187	55888	39079	62068	48019		11463	12888	15578.4	0	0	150176	148978
Cr	168.341	250.079	165.45	156.9	236.939	312.47	303.12	567.51	61.484	0.003	0		559.45	0	0	0	0	28157	27932
Bi	0	0	0	0	0	0	0	1.5486	0	0	0		9.6306	0	0	0	0	0	0
La	0	0	0	0	0	0	0	0	0	0	0		0.0001	0	0	0	0	0	0
Hg	0	0	0	0	0	0	0	0.0466	0	0	0		0.0962	0	0	0	0	0	0
ZrO(OH)2	0	0	0	0	0	0	0	0.0241	0	0	0		2.4227	0	0	0	0	0	0
Pb	0	0	0	0	21703.8	0	0	7.8744	0.1225	0	0		13.212	0	0	0	0	0	0
Ni	13927.7	8859.34	13726	3309	7510.4	1866.5	1810.6	6272.6	1720.6	35690	0		10730	0	0	0	0	15833	15706
Sr	0	0	0	0	0	0	0	0	0	0	0		0.004	0	0	0	0	0	0
Mn	0	11579.4	19.277	0	0	0	0	93.48	0	0	0		80.365	0	0	70.104	0	0	0
Ca	39042.4	24890.2	38848	9717.3	111.858	5447	5284.1	3377.1	6214.9	4103.8	3137.9		36182	8221.5	440880	0	0	24514	24319
K	15.8224	317.318	85.876	227.67	1975.12	816.16	791.74	185.13	63.845	152.89	259.06		312.61	0	0	49.892	363.46	13.005	12.901
balance	100.31	100.195	100.11	100.37	99.6819	100.9	100.8	100.95	100.73	100.59	100.33		101.86	100.4	100.21	99.467	103.6	100.29	100.29
density	1.55322	1.33755	1.576	1.7282	1.44728	1.2494	1.2879	1.3008	1.4319	1.9866	1.7469		1.689	0.39	1.9	1.0188	1.6393	1.488	1.5
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1	100	100	13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505		0.6426	0	0	1	0.8	0.7152	0.7152
wt.% H2O	42.3178	58.19	40.504	28.191	43.5675	64.436	65.026	69.261	65.215	33.614	49.218		54.476	-6	8	94.733	43.115	52.516	51.754
TOC wt.%C	0.35321	0.20164	0.106	0	1.40796	0.0203	0.0871	0	0.0426	0.1707	2.9914		0.1546	0	0	0	0	0	0
free OH-	279.152	424.018	432.65	1606	1142.27	487.35	610.52	700.12	2068.2	957.8	1471.4		2830.9	0	0	-8235	5471.6	422.65	419.28
OH-	216300	151219	213328	379396	208685	78768	83987	58293	115701	265188	103656		55006	0	310742	-8235	98364	174074	172685
NO3-	5771.74	14072.6	23250	55177	6.4E-13	128150	0.0189	0.0002	4E-19	26.865	0.1392		34331	0	0	48685	105554	4683.7	4646.4
NO2-	186.146	276.53	182.95	206.71	28518.4	437.67	92659	22630	7666	23000	14573		17978	0	0	0	118909	532.15	307.95
CO3--	63361.2	47258.7	64991	18047	167.48	8155.6	7911.6	10301	9305.3	10668	11669		59133	0	0	0	42099	36501	36210
PO4---	0	0	0	4.2678	0	6420.1	6228	1422.5	0	275.66	0		492.28	0	0	0	5517.5	0	6796.5
SO4--	155.489	230.987	152.82	209.67	3687.61	3896.3	3779.7	5016.8	908.69	1226.8	4788.9		4690.4	0	34884.9	0	1674.2	27815	27593
SiO3--	0	0	0	0	0	0	0	48953	24106	33741	28988		52987	408385	94175.4	0	0	0	0
F-	0	0	0	0	0	1712.6	1661.3	4.7848	0	0	0		44.294	0	0	0	662.31	0	0
Cl-	65.9516	146.962	300.77	1301.5	992.314	1688.1	1637.6	404.23	266.12	637.3	1079.8		984.57	0	0	0	12752	54.206	53.773
C6H5O7---	0	0	0	0	4307.27	0	0	0	1117.7	823.14	0		2017	0	0	0	0	0	0
EDTA----	0	0	0	0	13127.3	0	0	0	0	0	21121		55.023	0	0	0	0	0	0
HEDTA---	0	0	0	0	0	0	0	0	0	0	40190		106.03	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
glycolate-	0	0	0	0	0	0	0	0	0	4355	11000		183.8	0	0	0	0	0	0
acetate-	0	0	0	0	17144	0	0	0	0	0	0		0	0	0	0	0	0	0
oxalate--	0	0	0	0	0	0	0	0	0	0	0		7E-05	0	0	0	0	0	0
DBP	5150.18	2940.1	1545.6	0	0	295.94	1269.7	0	0	0	3.1154		1421.8	0	0	0	0	0	0
butanol	1818.03	1037.86	545.61	0	0	104.47	448.19	0	0	0	1.0997		0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
NH3	0	0	0	0	5232.87	0.0019	9476.3	2521.6	1693.2	755.96	1116.8		165.08	0	0	0	0	0	0
NiFe(CN)6--	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
Pu-239 (µCi/g)	0	0	0	14.99	0	0	0	7.2753	14.277	2.6118	2.1827		1.878	0	0	0	0	0	0
U-238 (M)	0	0	0	0	0	381.37	18049	440.86	76534	67145	136708		58091	0	0	0	0	0	0
Cs-137 (µCi/g)	0	0	0	0	0	0.1033	458.91	176.45	189.18	0	23.787		18.583	0	0	0	0	0	0
Sr-90 (µCi/g)	0	0	0	0	12460.6	0.085	6559.1	9094	21272	2367	4726.4		26.594	0	0	0	0	0	0

pred. sludge ppm	B in	B- SlrCk	T1 in	T1- SlrCk	R in	RSltC k	T2 in	T2- SlrCk	BY in	BY- SlrCk	S1 in	S1- SlrCk	S2 in	S2- SlrSlr	A1 in	A1- SlrCk	A2 in	A2- SlrSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
Na		137909		137493		136532		175298		176264		198021		218714		206757		0	66836	11082	99104			888.86
Al		3931.1		2958.7		24687		18060		35783		32089		37697		37085		0	13073	0	0			0
Fe		7489.9		7985.9		638.53		492.35		554.38		407.07		92.359		398.19		0	92966	89807	15924			61271
Cr		201.16		176.06		7937.2		1948.2		1628.7		3166.3		1573.5		1926.5		0	0	313.1	0			0
Bi		6295.6		6120.7		1.0579		228.92		116.19		163.58		663.12		872.39		0	0	0	0			0
La		0		0		3E-06		0.0002		0.2771		1.3458		1.9869		0.8756		0	0	0	0			0
Hg		6.6911		5.0404		0.1595		1.1758		4.4931		1.1571		2.6758		4.7868		0	0	0	0	329.62		0
ZrO(OH)2		233.89		196.41		0.224		65.917		16.73		43.84		196.05		363.64		0	0	0	0	66243		0
Pb		0		0		26.117		113.91		726.14		124.05		248.45		138.28		0	0	6.7754	0			0
Ni		310.42		431.47		594.91		417.63		489.71		367.04		116.62		339.4		0	0	5551.4	0			0
Sr		0		0		5E-06		6E-05		0.1945		0.8843		0.843		0.7259		0	0	0	0			0
Mn		0		0		2.024		165.3		110.45		189.52		71.545		173.38		0	0	248.1	0			0
Ca		2375.9		2925.6		2064.3		1514.4		1817.9		1317.3		429.01		1285.6		0	5552.6	15580	2980.2			49695
K		400.21		361.14		666.75		961.47		910.84		1145.7		2209.1		2426.8		0	192.37	201.58	5849			5.0458
balance		100.53		100.47		104.18		103.14		103.72		103.31		102.7		102.87		100	101.71	100.03	100.95			100.05
density		1.5284		1.5535		1.491		1.5859		1.6179		1.7217		1.7997		1.7829		0.5	1.7786	1.1827	1.2763			1.217
vol%solids		17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6
void frac.		0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842
wt.% H2O		55.646		57.172		50.215		40.126		37.378		30.542		26.057		28.906		100	49.287	74.594	64.507			75.533
TOC wt.%C		0.0002		0.0002		0.0066		0.5382		0.4515		0.6976		1.4025		0.9431		0	0	0.0369	0			0
free OH-		202.41		612.14		40.195		3427.7		3398.5		3252.1		5474.5		4350.9		0	10827	209.23	1220.1			175.45
OH-		17328		15893		72059		96679		51933		88412		102044		100793		0	173353	85314	64995			56063
NO3-		152915		123231		219998		271565		245767		269080		169054		213834		0	7E-10	11404	16204			2648.7
NO2-		8996.4		8577.1		57175		45906		49532		69106		122324		73805		0	12705	779.26	261.64			0
CO3--		8610.8		9581.3		3309.2		17501		18603		18329		22798		21375		0	8313.6	27933	4462.1			74077
PO4---		87109		103240		31.017		7943.4		4023.3		6015.3		17633		22810		0	0	4969	0			0
SO4--		9174.3		8559.5		2847.1		13997		11357		14249		30636		22864		0	5791	292.34	0			0
SiO3--		580.2		423.83		2424.5		1878.4		1359.2		2042.6		1150.5		2761.3		0	24077	0	0			0
F-		1967.6		1787.4		5.5034		1132.4		699.45		806.16		1522.3		1604.1		0	254.94	0	78720			0
Cl-		2044.9		1860.7		2770.2		3022.7		2784.3		2580.1		2018.7		2137.3		0	801.83	104.26	110.32			21.032
C6H5O7---		0		0		51.018		2082.6		2803.3		3074.1		5636.6		2918		0	0	0	0			0
EDTA----		0		0		3.0283		1925.2		958.85		2421.6		5219.5		4243.6		0	0	0	0			0
HEDTA---		0		0		2.3928		3556.6		123.16		4357.1		9305.3		7145.6		0	0	0	0			0
		0		0		0		0		0		0		0		0		0	0	0	0			0
glycolate-		0		0		28.59		2976.3		783.56		3752.2		7301.9		4147.1		0	0	0	0			0
acetate-		0		0		2.3332		73.963		1168.8		173.24		432.08		638.76		0	0	0	0			0
oxalate--		0		0		1E-06		5E-05		0.1502		0.7296		1.0771		0.4747		0	0	0	0			0
DBP		2.9469		2.7795		50.249		1819.7		3306.5		2359.7		4547.1		2679		0	0	538.46	0			0
butanol		1.0403		0.9812		17.738		642.36		1167.2		832.97		1605.1		945.69		0	0	190.08	0			0
		0		0		0		0		0		0		0		0		0	0	0	0			0
NH3		10.06		9.8333		353.72		127.37		108.12		176.92		239.45		1106.9		0	1884.3	0.1804	8721.2			547.75
NiFe(CN)6--		0		0		0		0		0		0		0		0		0	0	0	0			0
Pu-239 (µCi/g)		0.0095		0.011		0.0972		0.0766		0.107		0.0746		0.0351		0.0763		0	2.6321	0.004	0.6063	0	0	0
U-238 (M)		939.73		1164.5		5405.5		2836		3793		2857.7		910.7		2102.7		0	118408	82.768	503.7			0
Cs-137 (µCi/g)		14.262		12.158		195.28		154.66		133.24		189.97		315.96		192.53		0	2503.7	22.579	1.4979			0
Sr-90 (µCi/g)		11.26		11.011		176.17		98.112		80.267		117.13		34.059		75.771		0	32841	19.569	1.275			0





pred. su. ppm	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
Na	14900.4	24831.9	34280	75573	47138.4	71790	71800	29594	14894	67467	69469		80996			6769.7	154984	4470.1	14287
Al	0	0	0	5886.5	0	7387.4	7388.5	562.07	2028.2	12113	0		9559.2			0	33160	0	0
Fe	109.009	107.153	105.47	96.523	103.168	96.394	96.408	106.26	108.71	96.023	99.102		93.771			0	0	111.02	109.21
Cr	406.912	400.044	393.69	426.59	385.089	360.23	360.28	844.74	101.28	0.009	0		1245.3			0	0	414.43	407.65
Bi	0	0	0	0	0	0	0	2.3052	0	0	0		21.438			0	0	0	0
La	0	0	0	0	0	0	0	0	0	0	0		0.0003			0	0	0	0
Hg	0	0	0	0	0	0	0	0.0694	0	0	0		0.2141			0	0	0	0
Zr	0	0	0	0	0	0	0	0.0358	0	0	0		5.3928			0	0	0	0
Pb	0	0	0	0	306.2	0	0	11.721	0.2018	0	0		29.409			0	0	0	0
Ni	103.138	101.381	99.786	91.324	97.6116	91.202	91.215	100.53	102.79	90.851	0		88.836			0	0	105.04	103.32
Sr	0	0	0	0	0	0	0	0	0	0	0		6E-05			0	0	0	0
Mn	0	474.356	45.869	0	0	0	0	139.14	0	0	0		178.89			70.104	0	0	0
Ca	352.05	346.053	340.61	311.72	181.799	311.36	311.41	343.15	351.07	310.11	320.28		315.86			0	0	358.54	352.68
K	38.2459	507.604	204.34	619	3210.1	940.92	941.06	275.57	105.17	454.09	472.27		695.87			49.892	494.79	26.877	26.438
balance	100.773	100.32	100.28	99.584	100.121	99.18	99.351	99.869	99.826	98.607	100.03		99.354			99.467	96.549	100.06	100.06
density	1.02463	1.04215	1.059	1.1579	1.08258	1.1592	1.159	1.052	1.0276	1.1634	1.1267		1.1808			1.0188	1.5052	1.0067	1.0234
vol%solids	0.6	1.1	0.6	2.3	1.2	5.8	5.8	3.1	0.5	0.68	2.6		1			13.6	80	1	1
void frac.	0.62713	0.80232	0.6254	0.549	0.82257	0.9349	0.9349	0.8307	0.8459	0.5749	0.8505		0.6426			1	0.8	0.7152	0.7152
wt.% H2O	94.6986	92.3315	88.776	74.379	82.2641	74.482	76.861	90.678	95.597	77.458	73.58		74.065			94.733	51.848	98.281	95.973
TOC wt.%C	0.85377	0.32255	0.2522	0	2.28832	0.0234	0.1035	0	0.0701	0.5069	5.4534		0.4166			0	0	0	0
species																			
OH	674.765	678.289	1029.5	4366.4	1856.5	561.84	725.65	1042.1	3407	2844.7	2682.4		6301.5			-8235	7448.8	873.52	859.24
NO3	13951.4	22511.6	55323	150021	57558.1	147808	50329	18950	9109.9	87097	28953		76422			48685	120136	9680.1	9521.9
NO2	449.951	442.357	435.33	562.03	3645.64	453.25	72792	19625	5869.4	3749.2	5086.1		40020			0	100851	1099.8	631.08
CO3	12382.9	22511.6	16752	9975.6	272.199	466.19	466.26	8320.7	525.64	13898	13188		11512			0	15947	117.36	115.44
PO4	0	0	0	11.603	0	7401.4	7402.5	2117.3	0	818.7	0		1095.8			0	7511.3	0	13928
SO4	375.846	369.502	363.63	570.07	5993.36	4491.8	4492.5	7467.5	1496.9	3643.6	8730.2		10441			0	2279.2	382.79	376.53
Si	0	0	0	0	0	0	0	908.59	930.11	821.06	847.99		833.26			0	0	0	0
F	0	0	0	0	0	1974.3	1974.6	7.1221	0	0	0		98.598			0	901.64	0	0
Cl	159.418	235.09	715.67	3538.7	1612.78	1946.2	1946.4	601.7	438.39	1892.8	1968.5		2191.6			0	3295.4	112.03	110.2
C6H5O7	0	0	0	0	7000.47	0	0	0	1841.2	2444.7	0		4489.9			0	0	0	0
EDTA	0	0	0	0	21335.4	0	0	0	0	0	38505		122.48			0	0	0	0
HEDTA	0	0	0	0	0	0	0	0	0	0	73267		236.02			0	0	0	0
NTA	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
glycolate	0	0	0	0	0	0	0	0	0	12934	20053		409.13			0	0	0	0
acetate	0	0	0	0	27863.6	0	0	0	0	0	0		0			0	0	0	0
oxalate	0	0	0	0	0	0	0	0	0	0	0		0.0001			0	0	0	0
DBP	12449	4703.19	3677.8	0	0	341.18	1509.1	0	0	0	5.6794		3164.9			0	0	0	0
butanol	4394.52	1660.24	1298.3	0	0	120.44	532.71	0	0	0	2.0049		1117.2			0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
NH3	0	0	0	0	4.28626	0.0023	923.06	237.75	46.085	3.1191	15.617		367.46			0	0	0	0
NiFe(CN)6--	0	0	0	0	0	0	0	0	0	0	0		0			0	0	0	0
Pu-239 (µCi/g)																			
U-238 (M)	0	0	0	0	0	439.67	821.82	656.22	926.65	818.54	845.38		838.43			0	0	0	0
Cs-137 (Ci/L)																			
Sr-90 (Ci/L)																			

pred. su. ppm	B in	B- SltCk	T1 in	T1- SltCk	R in	RSltC k	T2 in	T2- SltCk	BY in	BY- SltCk	S1 in	S1- SltCk	S2 in	S2- SltSlr	A1 in	A1- SltCk	A2 in	A2- SltSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx	PASF
Na		94938		95062		112301		141650		140834		163155		183752		172197		0	57337	14409	11112			1376.5
Al		6622.3		5220.6		30949		25455		29969		29420		29643		28370		0	7780.6	0	0			0
Fe		92.297		92.749		81.998		21.201		77.543		17.285		31.791		36.828		0	101.03	109.12	109.81			111.52
Cr		338.87		310.66		1146.1		1138.4		1083		1070		1080.1		1078.8		0	0	407.1	0			0
Bi		690.75		694.14		1.3262		322.66		167.41		256.83		581.59		562.69		0	0	0	0			0
La		0		0		3E-06		0.0001		0.3993		2.1129		3.9997		1.6451		0	0	0	0			0
Hg		1.6576		1.6657		0.1999		1.5366		1.3925		1.4117		1.3941		1.3411		0	0	0	1.9734			0
Zr		226.14		227.24		0.2809		92.908		24.106		68.828		193.27		184.71		0	0	0	269.04			0
Pb		0		0		32.74		160.55		230.14		194.76		500.15		259.81		0	0	8.8095	0			0
Ni		87.326		87.753		77.561		52.18		73.364		44.478		53.42		59.11		0	0	103.14	0			0
Sr		0		0		7E-07		3E-05		0.0839		0.4442		0.841		0.3459		0	0	0	0			0
Mn		0		0		2.5374		39.994		159.15		38.677		47.49		75.422		0	0	322.59	0			0
Ca		298.08		299.54		264.93		188.38		250.42		162.05		190.74		214.45		0	326.47	352.42	354.88			360.2
K		674.19		637.24		835.84		1355.2		1312.4		1798.7		4447.1		4559.4		0	392.26	262.11	8631.8			7.8142
balance		99.104		99.325		96.261		97.368		96.944		97.003		97.689		97.567		100	100.38	100.06	101.42			100.1
density		1.2104		1.2044		1.3622		1.4203		1.4414		1.5186		1.5896		1.5409		1	1.1056	1.0241	1.0171			1.002
vol%solids		17.683		11.446		13.82		55.385		48.966		55.173		99		45.523		90	3.9	2	10.5			0.6
void frac.		0.7496		0.731		0.8732		0.7922		0.779		0.7221		0.5624		0.6159		0.5	0.789	0.8882	0.8503			0.7842
wt.% H2O		68.357		68.569		60.8		54.129		53.953		47.268		40.222		44.166		100	87.097	95.386	94.866			99.388
TOC wt.%C		0.0003		0.0003		0.0083		0.7586		0.6505		1.0953		2.8233		1.7719		0	0	0.048	0			0
species																								
OH		340.97		1080.1		50.39		4831.2		4896.8		5105.7		11020		8174.5		0	22078	272.04	1800.6			271.72
NO3		143452		144155		127387		120244		120512		112760		114604		111723		0	9729.5	15180	23953			4102
NO2		15155		15134		71676		64703		71370		101589		100139		102483		0	18689	751.86	356.52			0
CO3		8959.3		9625.5		670.58		16765		15427		16613		17660		17102		0	488.81	6516.6	531.34			29.313
PO4		11772		11829		38.884		10058		5797.1		9444		9498.4		9413.5		0	0	6460.8	0			0
SO4		15455		15103		3569.1		19728		16364		22370		24019		24518		0	11809	380.11	0			0
Si		789.2		747.84		701.28		549.23		662.84		485.9		546.02		584.97		0	863.87	0	0			0
F		3314.6		3153.8		6.8992		1596.1		1007.8		1265.7		3064.5		3013.7		0	519.86	0	4483.2			0
Cl		3444.8		3283.2		3472.8		4260.3		4011.8		4050.7		4063.8		4015.6		0	1635	135.57	162.8			32.571
C6H5O7		0		0		63.956		2935.3		4039.3		4826.4		11347		5482.4		0	0	0	0			0
EDTA		0		0		3.7963		2713.5		1381.6		3801.9		10507		7972.9		0	0	0	0			0
HEDTA		0		0		2.9996		5013		177.45		6840.6		18732		13425		0	0	0	0			0
NTA		0		0		0		0		0		0		0		0		0	0	0	0			0
glycolate		0		0		35.841		4194.9		1129		5890.9		14699		7791.5		0	0	0	0			0
acetate		0		0		2.9249		104.25		1684.1		271.99		869.8		1200.1		0	0	0	0			0
oxalate		0		0		2E-06		8E-05		0.2164		1.1454		2.1683		0.8918		0	0	0	0			0
DBP		4.9643		4.9045		62.993		2564.8		4764.3		3704.7		9153.5		5033.3		0	0	700.12	0			0
butanol		1.7524		1.7313		22.237		905.38		1681.8		1307.8		3231.2		1776.8		0	0	247.15	0			0
		0		0		0		0		0		0		0		0		0	0	0	0			0
NH3		16.946		17.351		443.43		179.53		155.78		277.76		482.04		2079.7		0	265.19	0.2457	13076			849.37
NiFe(CN)6--		0		0		0		0		0		0		0		0		0	0	0	0			0
Pu-239 (µCi/g)																								
U-238 (M)		786.77		790.63		699.32		567.36		660.98		513.43		496.15		614.01		0	861.72	107.62	743.33			0
Cs-137 (Ci/L)																								
Sr-90 (Ci/L)																								

	MW1	MW2	1C1	1C2	2C1	2C2	224	UR/TBP	PFcCN1	PFcCN2	TFeCN	1CFcCN	R1	R2	CWR1	CWR2	P1	P2	P2'	PL1	CWP1	CWP2	CWZr1	
B	7		2990		219	194		4472	172															
B'																								
BY	1		110	1	3	13	5	501	285	819	470	2	23	7	15	17	553	700		159	3,723	13,203		
BY'																								
A1			4673	66	2	9	5	66		18	20	5	479	25	511	22	326	139		20	19		1650	
A1'																								
T1	319		3059	962	79			6465				1034												
T1'																								
R				1					3	2	2		7,796	6,697	457	465	2	1		1	9	75		
R'																								
T2			1098	884	63	176		4420	245	105	49	318	4,361	869	1,082	1,859	2110	1239		110	312	2606		
T2'																								
S1			538	172	14	146	37	1091	142	134	107	115	10452	643	1352	750	941	495		133	436	2071		
S1'																								
S2			113	2319		2	1	22	10	8	3	1			7	129	70	36		7	11	46		
S2'																								
A2																								
A2'																								
CSR in	0.0	0.0	5.0	10.5	0.4	71.3	0.0	292.3	58.1	24.2	5.7	8.5	2681.7	1728.8	36.8	28.2	20318.0	5963.5	0.0	625.4	259.8	1433.6	15.2	
AR in	0.0	0.0	0.5	0.3	0.1	13.4	0.0	26.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2775.4	1164.8	0.0	145.3	19.9	189.1	0.0	
			12581	4405	380	540	48	17037	857	1086	651	1475	23111	8241	3424	3242	4002	2610	0	430	4510	18001	1650	
frac NO3- left in su	0.904	1	0.925	0.878	0.9989	0.9988	1	0.92241	0.9896	0.9896	1	0.999048	0.6517	0.5548	0.9779	0.982	0.44823	0.2184	1	0.9231	0.9867	0.9897	0.99577	
frac. NO2 to NH3 in su	0.002	0	0.002	0.003	3E-05	3E-05	0	0.00194	0.00025	0.00025	0	2.29E-05	0.0102	0.014	0.0005	0.0004	0.01907	0.0359	0	0.0019	0.0003	0.0002	0.0001	
frac NO3- left in sl	0.965	1	0.947	0.903	0.9991	0.9989	1	0.9277	0.95117	0.94532	0.0045	0.109468	0.0271	1E-08	0.9855	0.9862	1.5E-10	1E-13	1	0.8836	0.9889	0.9921	0.99637	
frac. NO2 to NH3 in sl	9E-04	0	0.001	0.002	2E-05	3E-05	0	0.0018	0.0012	0.00135	0.12165	0.051706	0.0829	0.3565	0.0003	0.0003	0.41876	0.5103	0	0.003	0.0003	0.0002	8.7E-05	
su ionic strength	4.451	1.762	4.055	6.138	5.2509	4.3755	4.629	3.29621	2.73121	2.72936	1.8935	6.146414	5.1564	6.9381	6.9819	6.8541	6.79521	6.8578	0.27	6.9855	6.8976	6.8419	6.7763	
complexability	0.923	0.928	0.373	0.374	0.3596	0.2547	0.105	0.59363	0.46108	0.4611	0.28641	0.318165	0.0282	0.0393	0.0219	0.0216	0.05276	0.169	0	0.2578	0.0217	0.0216	0.01055	

	OWW1	OWW2	OWW3	Z	HS	TH1	TH2	AR	B	BL	SRR	CSR in	CSR	DE	CEM	NIT	Salt Slurry	DW	N
<b>B</b>																		24	
<b>B'</b>																			
<b>BY</b>	382	43	4,771		583	304	634	21	470	570			6649					575	325
<b>BY'</b>																			
<b>A1</b>	79	181	55	18	38	4		777	751	608	713		556					125	65
<b>A1'</b>																			
<b>T1</b>																			
<b>T1'</b>																			
<b>R</b>	1		56		1	1	2		2	21			111					6	
<b>R'</b>																			
<b>T2</b>	320	938	900	1,637	47	100	27	429	403	2389	806		6,038					4598	355
<b>T2'</b>																			
<b>S1</b>	233	380	676	164	107	61	18	710	337	2574	828		8345					2,634	1,444
<b>S1'</b>																			
<b>S2</b>	16	37	16		5	3	1	167	127	134	143		146					33	14
<b>S2'</b>																			
<b>A2</b>																			
<b>A2'</b>																			
<b>CSR in</b>	3098.5	7972.4	552.4	0.0	3.4	11.3	0.4	4100.5	5390.6	582.4	70.1	0.0	888.4	0.0	0.0	0.0	0.0	763.3	0.2
<b>AR in</b>	464.6	1692.2	153.5	0.0	0.0	0.0	0.0	157.9	4785.2	1.2	42.0	0.0	58.0	0.0	0.0	0.0	0.0	96.0	0.0
	1031	1579	6474	1819	781	473	682	2104	2090	6296	2490	0	21845	0	0	0	0	7995	2203
frac NO3- left in su	1	1	1	1	0.92989	0.9995	0.3403	0.6302	0.5549	0.9507	0.8212	1	0.8381	1	1	1	1	1	1
frac. NO2 to NH3 in su	0	0	0	0	0.00174	1E-05	0.0255	0.011	0.014	0.0012	0.0047	0	0.0042	0	0	0	0	0	0
frac NO3- left in sl	1	1	1	1	1.8E-17	0.9995	4E-07	2E-08	6E-23	0.0009	9E-06	1	0.8927	1	1	1	1	1	1
frac. NO2 to NH3 in sl	0	0	0	0	0.60361	1E-05	0.296	0.3499	0.7066	0.1546	0.2438	0	0.0027	0	0	0	0	0	0
	0.05																		
	2.49																		
	1.20E-03																		
su ionic strength	0.98556	1.27621	1.3986	7.0082	1.76161	2.022	2.1248	6.8581	6.7857	7.0002	7.1332	0	7.1099	0	0	0.5519	3.3104	0.5127	1.074
complexability	0.27619	0.41829	0.3182	0.1996	0.9844	0.2458	0.2522	0.2746	0.045	0.5643	2.1571	0	0.4675	0	0	0	0.6738	0.006	0.3062

	B in	B- SlcCk	T1 in	T1- SlcCk	R in	RSltC k	T2 in	T2- SlcCk	BY in	BY- SlcCk	S1 in	S1- SlcCk	S2 in	S2- SlcSlr	A1 in	A1- SlcCk	A2 in	A2- SlcSlr	P3	PL2	CWZr 2	BP /Cplx	BP /NCplx
<b>B</b>																							
<b>B'</b>		4,445																					
<b>BY</b>		637		15		13																	
<b>BY'</b>										8,124													
<b>A1</b>		48		20				850		2,180		1353											
<b>A1'</b>																4,668							
<b>T1</b>																							
<b>T1'</b>				6,675																			
<b>R</b>		1		6		24																	
<b>R'</b>						7,706																	
<b>T2</b>		56		2,123		239																	
<b>T2'</b>								10,828															
<b>S1</b>		152		514		597		4,110		56													
<b>S1'</b>											11,364												
<b>S2</b>		11		10				1407		377		3,673											
<b>S2'</b>														3,562									
<b>A2</b>																							
<b>A2'</b>																		0					
<b>CSR in</b>	0.0	125.1	0.0	335.9	0.0	2441.7	0.0	0.0	0.0	39.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>AR in</b>	0.0	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	0	5350	0	9363	0	8579	0	17195	0	10737	0	16390	0	3562	0	4668	0	0	0	0	0	0	0
frac NO3- left in su	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0.2832	0.9739	0.998	1	1
frac. NO2 to NH3 in su	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0298	0.0006	5E-05	0	0
frac NO3- left in sl	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1E-13	0.9768	0.9983	1	1
frac. NO2 to NH3 in sl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5087	0.0006	4E-05	0	0
0.05																							
2.49																							
1.20E-03																							
su ionic strength	0	5.3805	0	5.768	0	7.2218	0	6.8675	0	7.4358	0	6.8772	0	7.353	0	7.5363	0	0	7.0292	2.8468	6.7708	0	0
complexability	0	0.6755	0	0.6826	0	0.0691	0	1.2641	0	0.9796	0	1.5005	0	2.336	0	1.8525	0	0	0.1449	0.258	0.009	0	0

	PASF
<b>B</b>	
<b>B'</b>	
<b>BY</b>	
<b>BY'</b>	
<b>A1</b>	
<b>A1'</b>	
<b>T1</b>	
<b>T1'</b>	
<b>R</b>	
<b>R'</b>	
<b>T2</b>	
<b>T2'</b>	
<b>S1</b>	
<b>S1'</b>	
<b>S2</b>	
<b>S2'</b>	
<b>A2</b>	
<b>A2'</b>	
<b>CSR in</b>	0.0
<b>AR in</b>	0.0
	0
frac NO3- left in su	1
frac. NO2 to NH3 in su	0
frac NO3- left in sl	1
frac. NO2 to NH3 in sl	0
	0.05
	2.49
	1.20E-03
su ionic strength	0.3158
complexability	0.0005