# NAG Fortran Library Routine Document

# F11BAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

## 1 Purpose

F11BAF is a setup routine, the first in a suite of three routines for the iterative solution of a general (nonsymmetric) system of simultaneous linear equations. F11BAF must be called before F11BBF, the iterative solver. The third routine in the suite, F11BCF, can be used to return additional information about the computation.

These three routines are suitable for the solution of large sparse general (nonsymmetric) systems of equations.

## 2 Specification

```
SUBROUTINE F11BAF(METHOD, PRECON, NORM, WEIGHT, ITERM, N, M, TOL,1MAXITN, ANORM, SIGMAX, MONIT, LWREQ, IFAIL)INTEGERITERM, N, M, MAXITN, MONIT, LWREQ, IFAILrealTOL, ANORM, SIGMAXCHARACTER*(*)METHODCHARACTER*1PRECON, NORM, WEIGHT
```

## **3** Description

The suite consisting of the routines F11BAF, F11BBF, F11BCF is designed to solve the general (nonsymmetric) system of simultaneous linear equations Ax = b of order n, where n is large and the coefficients matrix A is sparse.

F11BAF is a setup routine which must be called before F11BBF, the iterative solver. The third routine in the suite, F11BCF, can be used to return additional information about the computation. A choice of methods is available:

restarted generalized minimum residual method (RGMRES);

conjugate gradient squared method (CGS);

bi-conjugate gradient stabilized ( $\ell$ ) method (Bi-CGSTAB( $\ell$ )).

## 3.1 Restarted Generalized Minimum Residual Method (RGMRES)

The restarted generalized minimum residual method (RGMRES) (Saad and Schultz (1986), Barrett *et al.* (1994), Dias da Cunha and Hopkins (1994)) starts from the residual  $r_0 = b - Ax_0$ , where  $x_0$  is an initial estimate for the solution (often  $x_0 = 0$ ). An orthogonal basis for the Krylov subspace span $\{A^k r_0\}$ , for  $k = 0, 1, 2, \ldots$ , is generated explicitly: this is referred to as Arnoldi's method (Arnoldi (1951)). The solution is then expanded onto the orthogonal basis so as to minimize the residual norm  $||b - Ax||_2$ . The lack of symmetry of A implies that the orthogonal basis is generated by applying a 'long' recurrence relation, whose length increases linearly with the iteration count. For all but the most trivial problems, computational and storage costs can quickly become prohibitive as the iteration count increases. RGMRES limits these costs by employing a restart strategy: every m iterations at most, the Arnoldi process is restarted from  $r_l = b - Ax_l$ , where the subscript l denotes the last available iterate. Each group of m iterations is referred to as a 'super-iteration'. The value of m is chosen in advance and is fixed throughout the computation. Unfortunately, an optimum value of m cannot easily be predicted.

## 3.2 Conjugate Gradient Squared Method (CGS)

The conjugate gradient squared method (CGS) (Sonneveld (1989), Barrett *et al.* (1994), Dias da Cunha and Hopkins (1994)) is a development of the bi-conjugate gradient method where the nonsymmetric Lanczos method is applied to reduce the coefficients matrix to real tridiagonal form: two bi-orthogonal sequences of vectors are generated starting from the residual  $r_0 = b - Ax_0$ , where  $x_0$  is an initial estimate for the solution (often  $x_0 = 0$ ) and from the *shadow residual*  $\hat{r}_0$  corresponding to the arbitrary problem  $A^T \hat{x} = \hat{b}$ , where  $\hat{b}$  can be any vector, but in practice is chosen so that  $r_0 = \hat{r}_0$ . In the course of the iteration, the residual and shadow residual  $r_i = P_i(A)r_0$  and  $\hat{r}_i = P_i(A^T)\hat{r}_0$  are generated, where  $P_i$  is a polynomial of order *i*, and bi-orthogonality is exploited by computing the vector product  $\rho_i = (\hat{r}_i, r_i) = (P_i(A^T)\hat{r}_0, P_i(A)r_0) = (\hat{r}_0, P_i^2(A)r_0)$ . Applying the 'contraction' operator  $P_i(A)$  twice, the iteration coefficients can still be recovered without advancing the solution of the shadow problem, which is of no interest. The CGS method often provides fast convergence; however, there is no reason why the contraction operator should also reduce the once reduced vector  $P_i(A)r_0$ : this may well lead to a highly irregular convergence which may result in large cancellation errors.

## 3.3 Bi-Conjugate Gradient Stabilized (\ell) Method (Bi-CGSTAB(\ell))

The bi-conjugate gradient stabilized  $(\ell)$  method (Bi-CGSTAB $(\ell)$ ) (Van der Vorst (1989), Sleijpen and Fokkema (1993), Dias da Cunha and Hopkins (1994)) is similar to the CGS method above. However, instead of generating the sequence  $\{P_i^2(A)r_0\}$ , it generates the sequence  $\{Q_i(A)P_i(A)r_0\}$ , where the  $Q_i(A)$  are polynomials chosen to minimize the residual *after* the application of the contraction operator  $P_i(A)$ . Two main steps can be identified for each iteration: an OR (Orthogonal Residuals) step where a basis of order  $\ell$  is generated by a Bi-CG iteration and an MR (Minimum Residuals) step where the residual is minimized over the basis generated, by a method akin to GMRES. For  $\ell = 1$ , the method corresponds to the Bi-CGSTAB method of Van der Vorst (1989). For  $\ell > 1$ , more information about complex eigenvalues of the iteration matrix can be taken into account, and this may lead to improved convergence and robustness. However, as  $\ell$  increases, numerical instabilities may arise. For this reason, a maximum value of  $\ell = 10$  is imposed, but probably  $\ell = 4$  is sufficient in many cases.

## **3.4 General Considerations**

For each method, a sequence of solution iterates  $\{x_i\}$  is generated such that, hopefully, the sequence of the residual norms  $\{||r_i||\}$  converges to a required tolerance. Note that, in general, convergence, when it occurs, is not monotonic.

In the RGMRES and Bi-CGSTAB( $\ell$ ) methods above, the user's program must provide the **maximum** number of basis vectors used, m or  $\ell$ , respectively; however, a **smaller** number of basis vectors may be generated and used when the stability of the solution process requires this (see Section 8).

Faster convergence can be achieved using a **preconditioner** (Golub and van Loan (1996), Barrett *et al.* (1994)). A preconditioner maps the original system of equations onto a different system, say

$$\bar{A}\bar{x} = \bar{b},\tag{1}$$

with, hopefully, better characteristics with respect to its speed of convergence: for example, the condition number of coefficients matrix can be improved or eigenvalues in its spectrum can be made to coalesce. An orthogonal basis for the Krylov subspace span{ $\bar{A}^k \bar{r}_0$ }, for k = 0, 1, ..., is generated and the solution proceeds as outlined above. The algorithms used are such that the solution and residual iterates of the original system are produced, not their preconditioned counterparts. Note that an unsuitable preconditioner or no preconditioning at all may result in a very slow rate, or lack, of convergence. However, preconditioning involves a trade-off between the reduction in the number of iterations required for convergence and the additional computational costs per iteration. Also, setting up a preconditioner may involve non-negligible overheads.

A *left* preconditioner  $M^{-1}$  can be used by the RGMRES and CGS methods, such that  $\bar{A} = M^{-1}A \sim I_n$  in (1) of , where  $I_n$  is the identity matrix of order n; a *right* preconditioner  $M^{-1}$  can be used by the Bi-CGSTAB( $\ell$ ) method, such that  $\bar{A} = AM^{-1} \sim I_n$ . These are formal definitions, used only in the design of the algorithms; in practice, only the means to compute the matrix–vector products v = Au and  $v = A^T u$  (the latter only being required when an estimate of  $||A||_1$  or  $||A||_{\infty}$  is computed internally), and to solve the

preconditioning equations Mv = u are required, that is, explicit information about M, or its inverse is not required at any stage.

The first termination criterion

$$\|r_k\|_p \le \tau \left(\|b\|_p + \|A\|_p \|x_k\|_p\right) \tag{2}$$

is also available for all three methods. In (2),  $p = 1, \infty$  or 2 and  $\tau$  denotes a user-specified tolerance subject to  $\max(10, \sqrt{n}), \epsilon \leq \tau < 1$ , where  $\epsilon$  is the *machine precision*. Facilities are provided for the estimation of the norm of the coefficients matrix  $||A||_1$  or  $||A||_{\infty}$ , when this is not known in advance, by applying Higham's method (Higham (1988)). Note that  $||A||_2$  cannot be estimated internally. This criterion uses an error bound derived from **backward** error analysis to ensure that the computed solution is the exact solution of a problem as close to the original as the termination tolerance requires. Termination criteria employing bounds derived from **forward** error analysis are not used because any such criteria would require information about the condition number  $\kappa(A)$  which is not easily obtainable.

The second termination criterion

$$\|\bar{r}_{k}\|_{2} \leq \tau \left(\|\bar{r}_{0}\|_{2} + \sigma_{1}(\bar{A}) \|\Delta \bar{x}_{k}\|_{2}\right)$$
(3)

is also available for all three methods. In (3),  $\sigma_1(\bar{A}) = \|\bar{A}\|_2$  is the largest singular value of the (preconditioned) iteration matrix  $\bar{A}$ . This termination criterion monitors the progress of the solution of the preconditioned system of equations and is less expensive to apply than criterion (2) for the Bi-CGSTAB( $\ell$ ) method with  $\ell > 1$ . Only the RGMRES method provides facilities to estimate  $\sigma_1(\bar{A})$  internally, when this is not supplied (see Section 8).

Termination criterion (2) is the recommended choice, despite its additional costs per iteration when using the Bi-CGSTAB( $\ell$ ) method with  $\ell > 1$ . Also, if the norm of the initial estimate is much larger than the norm of the solution, that is, if  $||x_0|| \gg ||x||$ , a dramatic loss of significant digits could result in complete lack of convergence. The use of criterion (2) will enable the detection of such a situation, and the iteration will be restarted at a suitable point. No such restart facilities are provided for criterion (3).

Optionally, a vector w of user-specified weights can be used in the computation of the vector norms in termination criterion (2), i.e.,  $||v||_p^{(w)} = ||v^{(w)}||_p$ , where  $(v^{(w)})_i = w_i v_i$ , for i = 1, 2, ..., n. Note that the use of weights increases the computational costs.

The sequence of calls to the routines comprising the suite is enforced: first, the setup routine F11BAF must be called, followed by the solver F11BBF. F11BCF can be called either when F11BBF is carrying out a monitoring step or after F11BBF has completed its tasks. Incorrect sequencing will raise an error condition.

In general, it is not possible to recommend one method in preference to another. RGMRES is often used in the solution of systems arising from PDEs. On the other hand, it can easily stagnate when the size m of the orthogonal basis is too small, or the preconditioner is not good enough. CGS can be the fastest method, but the computed residuals can exhibit instability which may greatly affect the convergence and quality of the solution. Bi-CGSTAB( $\ell$ ) seems robust and reliable, but it can be slower than the other methods: if a preconditioner is used and  $\ell > 1$ , Bi-CGSTAB( $\ell$ ) computes the solution of the preconditioned system  $\bar{x}_k = Mx_k$ : the preconditioning equations must be solved to obtain the required solution. The algorithm employed limits to 10% or less, when no intermediate monitoring is requested, the number of times the preconditioner has to be thus applied compared with the total number of applications of the preconditioner. Also, when the termination criterion (2) is used, the CGS and Bi-CGSTAB( $\ell$ ) methods will restart the iteration automatically when necessary in order to solve the given problem.

## 4 References

Arnoldi W (1951) The principle of minimized iterations in the solution of the matrix eigenvalue problem *Quart. Appl. Math.* **9** 17–29

Barrett R, Berry M, Chan T F, Demmel J, Donato J, Dongarra J, Eijkhout V, Pozo R, Romine C and Van der Vorst H (1994) *Templates for the Solution of Linear Systems: Building Blocks for Iterative Methods* SIAM, Philadelphia

Dias da Cunha R and Hopkins T (1994) PIM 1.1 — the parallel iterative method package for systems of linear equations user's guide — Fortran 77 version *Technical Report* Computing Laboratory, University of Kent at Canterbury, Kent, UK

Golub G H and van Loan C F (1996) Matrix Computations (3rd Edition) Johns Hopkins University Press, Baltimore

Higham N J (1988) FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation *ACM Trans. Math. Software* **14** 381–396

Saad Y and Schultz M (1986) GMRES: a generalized minimal residual algorithm for solving nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **7** 856–869

Sleijpen G L G and Fokkema D R (1993) BiCGSTAB( $\ell$ ) for linear equations involving matrices with complex spectrum *ETNA* **1** 11–32

Sonneveld P (1989) CGS, a fast Lanczos-type solver for nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **10** 36–52

Van der Vorst H (1989) Bi-CGSTAB, a fast and smoothly converging variant of Bi-CG for the solution of nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **13** 631–644

## **5** Parameters

1: METHOD – CHARACTER\*(\*)

On entry: the iterative method to be used. The possible choices are:

if METHOD = 'RGMRES', restarted generalized minimum residual method;

if METHOD = 'CGS', conjugate gradient squared method;

if METHOD = 'BICGSTAB', bi-conjugate gradient stabilized ( $\ell$ ) method.

*Constraint*: METHOD = 'RGMRES', 'CGS' or 'BICGSTAB'.

## 2: PRECON – CHARACTER\*1

On entry: determines whether preconditioning is used. The possible choices are:

if PRECON = 'N', no preconditioning;

if PRECON = 'P', preconditioning.

Constraint: PRECON = 'N' or 'P'.

#### 3: NORM – CHARACTER\*1

*On entry*: defines the matrix and vector norm to be used in the termination criteria. The possible choices are:

if NORM = '1',  $l_1$  norm; if NORM = 'I',  $l_{\infty}$  norm; if NORM = '2',  $l_2$  norm.

Suggested values:

if ITERM = 1, NORM = 'I'; if ITERM = 2, NORM = '2'.

Constraints:

if ITERM = 1, NORM = '1', 'I' or '2'; if ITERM = 2, NORM = '2'. Input

Input

Input

## 4: WEIGHT – CHARACTER\*1

On entry: specifies whether a vector w of user-supplied weights is to be used in the computation of the vector norms required in termination criterion (2) (ITERM = 1):  $||v||_p^{(w)} = ||v^{(w)}||_p$ , where  $v_i^{(w)} = w_i v_i$ , for i = 1, 2, ..., n. The suffix  $p = 1, 2, \infty$  denotes the vector norm used, as specified by the parameter NORM. Note that weights cannot be used when ITERM = 2, i.e., when criterion (3) is used. The possible choices are:

if WEIGHT = 'W', user-supplied weights are to be used and must be supplied on initial entry to F11BBF.

if WEIGHT = 'N', all weights are implicitly set equal to one. Weights do not need to be supplied on initial entry to F11BBF.

Suggested value: WEIGHT = 'N'.

Constraints:

if ITERM = 1, WEIGHT = 'W' or 'N', if ITERM = 2, WEIGHT = 'N'.

5: ITERM – INTEGER

On entry: defines the termination criterion to be used. The possible choices are:

if ITERM = 1, use the termination criterion defined in (2);

if ITERM = 2, use the termination criterion defined in (3).

Suggested value: ITERM = 1.

Constraints: ITERM = 1 or 2.

6: N – INTEGER

On entry: the order n of the matrix A.

*Constraint*: N > 0.

7: M – INTEGER

On entry: if METHOD = 'RGMRES', M is the dimension m of the restart subspace.

If METHOD = 'BICGSTAB', M is the order  $\ell$  of the polynomial Bi-CGSTAB method;

otherwise, M is not referenced.

Constraints:

if METHOD = 'RGMRES',  $0 < M \le \min(N, 50)$ , if METHOD = 'BICGSTAB',  $0 < M \le \min(N, 10)$ .

8: TOL – *real* 

On entry: the tolerance  $\tau$  for the termination criterion. If  $\text{TOL} \le 0.0, \tau = \max(\sqrt{\epsilon}, \sqrt{n} \epsilon)$  is used, where  $\epsilon$  is the *machine precision*. Otherwise  $\tau = \max(\text{TOL}, 10\epsilon, \sqrt{n} \epsilon)$  is used.

*Constraint*: TOL < 1.0.

## 9: MAXITN – INTEGER

*On entry*: the maximum number of iterations. *Constraint*: MAXITN > 0. Input

Input

Input

Input

Input

Input

Input

Input

Input

10: ANORM – *real* 

On entry: if ANORM > 0.0, the value of  $||A||_p$  to be used in the termination criterion (2) (ITERM = 1).

If ANORM  $\leq 0.0$ , ITERM = 1 and NORM = '1' or 'I', then  $||A||_1 = ||A||_{\infty}$  is estimated internally by F11BBF.

If ITERM = 2, then ANORM is not referenced.

Constraint: if ITERM = 1 and NORM = '2', then ANORM > 0.0.

11: SIGMAX – *real* 

*On entry*: if ITERM = 2, the largest singular value  $\sigma_1$  of the preconditioned iteration matrix; otherwise, SIGMAX is not referenced.

If SIGMAX  $\leq 0.0$ , ITERM = 2 and METHOD = 'RGMRES', then the value of  $\sigma_1$  will be estimated internally.

Constraint: if METHOD = 'CGS' or 'BICGSTAB' and ITERM = 2, then SIGMAX > 0.0.

12: MONIT – INTEGER

On entry: if MONIT > 0, the frequency at which a monitoring step is executed by F11BBF: if METHOD = 'CGS' a monitoring step is executed every MONIT iterations; otherwise, a monitoring step is executed every MONIT super-iterations (groups of up to m or  $\ell$  iterations for RGMRES or Bi-CGSTAB( $\ell$ ), respectively).

There are some additional computational costs involved in monitoring the solution and residual vectors when the Bi-CGSTAB( $\ell$ ) method is used with  $\ell > 1$ .

*Constraint*: MONIT  $\leq$  MAXITN.

13: LWREQ – INTEGER

*On exit:* the minimum amount of workspace required by F11BBF. (See also Section 5 of the document for F11BBF.)

14: IFAIL – INTEGER

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = -i

On entry, the *i*th argument had an illegal value.

IFAIL = 1

F11BAF has been called out of sequence.

Output

Input/Output

## 7 Accuracy

Not applicable.

## 8 Further Comments

RGMRES can estimate internally the maximum singular value  $\sigma_1$  of the iteration matrix, using  $\sigma_1 \sim ||T||_1$ , where T is the upper triangular matrix obtained by QR factorization of the upper Hessenberg matrix generated by the Arnoldi process. The computational costs of this computation are negligible when compared to the overall costs.

Loss of orthogonality in the RGMRES method, or of bi-orthogonality in the Bi-CGSTAB( $\ell$ ) method may degrade the solution and speed of convergence. For both methods, the algorithms employed include checks on the basis vectors so that the number of basis vectors used for a given super-iteration may be less than the value specified in the input parameter M. Also, the Bi-CGSTAB( $\ell$ ) method will automatically restart the computation from the last available iterates, when the stability of the solution process requires it.

Termination criterion (3) involves only the residual (or norm of the residual) produced directly by the iteration process: this may differ from the norm of the true residual  $\tilde{r}_k = b - Ax_k$ , particularly when the norm of the residual is very small. Also, if the norm of the initial estimate of the solution is much larger than the norm of the exact solution, convergence can be achieved despite very large errors in the solution. On the other hand, termination criterion (3) is cheaper to use and inspects the progress of the actual iteration. Termination criterion (2) should be preferred in most cases, despite its slightly larger costs.

## 9 Example

The example solves an  $8 \times 8$  nonsymmetric system of simultaneous linear equations using the bi-conjugate gradient stabilized method of order  $\ell = 2$ , where the coefficients matrix A has random sparsity pattern. An incomplete LU preconditioner is used (routines F11DAF and F11DBF).

## 9.1 Program Text

**Note:** the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
F11BAF Example Program Text
*
*
     Mark 18 Release. NAG Copyright 1997.
*
      .. Parameters ..
      INTEGER
                        NIN, NOUT
                        (NIN=5,NOUT=6)
     PARAMETER
                        NMAX, LA, LIWORK, LWORK
      INTEGER
      PARAMETER
                       (NMAX=1000,LA=10000,LIWORK=7*NMAX+2,LWORK=6*NMAX)
*
      .. Local Scalars ..
      real
                        ANORM, DTOL, SIGMAX, STPLHS, STPRHS, TOL
      INTEGER
                        I, IFAIL, IFAIL1, IFAILX, IREVCM, ITERM, ITN,
                        LFILL, LWREQ, M, MAXITN, MONIT, N, NNZ, NNZC,
     +
     +
                        NPIVM
     LOGICAL
                        LOOP
                        MILU, NORM, PRECON, PSTRAT, WEIGHT
      CHARACTER
      CHARACTER*8
                        METHOD
*
      .. Local Arrays ..
                        A(LA), B(NMAX), WORK(LWORK), X(NMAX)
     real
     INTEGER
                        ICOL(LA), IDIAG(NMAX), IPIVP(NMAX), IPIVQ(NMAX),
     +
                        IROW(LA), ISTR(NMAX+1), IWORK(LIWORK)
      .. External Subroutines ..
EXTERNAL F11BAF, F11BBF, F11BCF, F11DAF, F11DBF, F11XAF
*
      EXTERNAL
      .. Executable Statements ..
      WRITE (NOUT, *) 'F11BAF Example Program Results'
*
      Skip heading in data file
     READ (NIN, *)
     READ (NIN,*) N
      IF (N.LE.NMAX) THEN
```

#### F11BAF

```
Read or initialize the parameters for the iterative solver
*
         READ (NIN, *) METHOD
         READ (NIN, *) PRECON, NORM, WEIGHT, ITERM
         READ (NIN,*) M, TOL, MAXITN
         READ (NIN,*) MONIT
         ANORM = 0.0e^{0}
         SIGMAX = 0.0e0
*
         Read the parameters for the preconditioner
*
         READ (NIN,*) LFILL, DTOL
         READ (NIN, *) MILU, PSTRAT
*
*
         Read the number of non-zero elements of the matrix A, then read
*
         the non-zero elements
         READ (NIN, *) NNZ
         DO 20 I = 1, NNZ
            READ (NIN, *) A(I), IROW(I), ICOL(I)
   20
         CONTINUE
*
         Read right-hand side vector b and initial approximate solution x
*
*
         READ (NIN, \star) (B(I), I=1, N)
         READ (NIN, \star) (X(I), I=1, N)
*
*
         Calculate incomplete LU factorization
4
         IFAIL = 0
         MILU = 'N'
         CALL F11DAF(N,NNZ,A,LA,IROW,ICOL,LFILL,DTOL,PSTRAT,MILU,IPIVP,
                      IPIVQ,ISTR,IDIAG,NNZC,NPIVM,IWORK,LIWORK,IFAIL)
     +
*
         Call F11BAF to initialize the solver
*
*
         IFAIL = 0
         CALL F11BAF(METHOD, PRECON, NORM, WEIGHT, ITERM, N, M, TOL, MAXITN,
                      ANORM, SIGMAX, MONIT, LWREQ, IFAIL)
     +
*
         Call repeatedly F11BBF to solve the equations
*
*
         Note that the arrays B and X are overwritten
*
         On final exit, X will contain the solution and B the residual
*
*
         vector
         IFAIL = 0
         IREVCM = 0
         LOOP = .TRUE.
*
         LWREQ = LWORK
   40
         CONTINUE
         CALL F11BBF(IREVCM, X, B, WORK, LWREQ, IFAIL)
         IF (IREVCM.EQ.-1) THEN
            CALL F11XAF('Transpose', N, NNZ, A, IROW, ICOL, 'No checking', X, B,
     +
                         IFAILX)
         ELSE IF (IREVCM.EQ.1) THEN
            CALL F11XAF('No transpose',N,NNZ,A,IROW,ICOL,'No checking',
     +
                         X,B,IFAILX)
         ELSE IF (IREVCM.EQ.2) THEN
            IFAIL1 = -1
            CALL F11DBF('No transpose',N,A,LA,IROW,ICOL,IPIVP,IPIVQ,
                         ISTR, IDIAG, 'No checking', X, B, IFAIL1)
     +
            IF (IFAIL1.NE.O) IREVCM = 6
         ELSE IF (IREVCM.EQ.3) THEN
            IFAIL1 = 0
            CALL F11BCF(ITN, STPLHS, STPRHS, ANORM, SIGMAX, IFAIL1)
            WRITE (NOUT, 99999) ITN, STPLHS
            WRITE (NOUT, 99998)
            WRITE (NOUT, 99997) (X(I), B(I), I=1, N)
         ELSE IF (IREVCM.EQ.4) THEN
```

```
LOOP = .FALSE.
        END IF
        IF (LOOP) GO TO 40
*
*
        Obtain information about the computation
*
        TFATL1 = 0
        CALL F11BCF(ITN, STPLHS, STPRHS, ANORM, SIGMAX, IFAIL1)
*
*
        Print the output data
        WRITE (NOUT,99996)
        WRITE (NOUT,99995) 'Number of iterations for convergence:
                                                                   ΄,
    +
          ITN
        WRITE (NOUT, 99994) 'Residual norm:
                                                                   ΄,
    +
          STPLHS
        WRITE (NOUT, 99994) 'Right-hand side of termination criterion:',
    +
          STPRHS
                                                                   ٢,
        WRITE (NOUT, 99994) '1-norm of matrix A:
    +
          ANORM
*
*
        Output x
*
        WRITE (NOUT, 99998)
        WRITE (NOUT, 99997) (X(I), B(I), I=1, N)
     END IF
     STOP
99997 FORMAT (1X,1P,e16.4,1X,e16.4)
99996 FORMAT (/1X, 'Final Results')
99995 FORMAT (2X,A,I4)
99994 FORMAT (1X,A,1P,e14.4)
     END
```

## 9.2 Program Data

```
F11BAF Example Program Data
 8
                         Ν
  'BICGSTAB'
                         METHOD
  'P' '1' 'N' 1
                         PRECON, SIGCMP, NORM, WEIGHT, ITERM
 1 1.0e-8 20
                        M, TOL, MAXITN
                         MONIT
 1
                         LFILL, DTOL
 0 0.0
 'N' 'C'
                         MILU, PSTRAT
24
                         NNZ
 2.
       1
            1
-1.
       1
            4
 1.
       1
            8
 4.
       2
            1
 -3.
            2
       2
 2.
       2
            5
 -7.
       3
            3
 2.
       3
            6
 3.
       4
            1
-4.
       4
            3
 5.
       4
            4
 5.
       4
            7
       5
-1.
            2
 8.
       5
            5
-3.
       5
            7
-6.
       6
            1
 5.
       6
            3
 2.
       6
            6
-5.
       7
            3
-1.
       7
            5
       7
            7
 6.
-1.
            2
       8
```

8	6			
8	8		A(I),	<pre>IROW(I), ICOL(I), I=1,,NNZ</pre>
8.	-9.	46.		
21.	22.	34.	B(I),	I=1,,N
Ο.	Ο.	Ο.		
Ο.	Ο.	Ο.	X(I),	I=1,,N
	8 8. 21. 0.	89. 21. 22. 0. 0.	8 8 89. 46. 21. 22. 34. 0. 0. 0.	8 8 A(I), 89. 46. 21. 22. 34. B(I),

#### 9.3 Program Results

F11BAF Example Program Results

Monitoring at iteration no. 1 residual norm: 1.4059E+02

```
Solution vector Residual vector
     -4.5858E+00
                    1.5256E+01
     1.0154E+00
                      2.6624E+01
    -2.2234E+00
                    -8.7498E+00
     6.0097E+00
                     1.8602E+01
     1.3827E+00
                     8.2821E+00
     -7.9070E+00
                      2.0416E+01
     4.4270E-01
                     9.6094E+00
     5.9248E+00
                     3.3055E+01
Monitoring at iteration no.
                             2
residual norm: 3.2742E+01
   Solution vector Residual vector
      4.1642E+00
                    -2.9585E+00
     4.9370E+00
                     -5.5523E+00
      4.8101E+00
                     8.2070E-01
     5.4324E+00
                     -1.6828E+01
     5.8531E+00
                      5.5975E-01
      1.1925E+01
                     -1.9150E+00
     8.4826E+00
                      1.0081E+00
     6.0625E+00
                     -3.1004E+00
Final Results
 Number of iterations for convergence:
                                            3
Residual norm:
                                            4.2638E-11
Right-hand side of termination criterion:
                                           5.5900E-06
1-norm of matrix A:
                                           1.1000E+01
   Solution vector Residual vector
     1.0000E+00
                    -5.5635E-12
      2.0000E+00
                     -1.0722E-11
      3.0000E+00
                     9.3614E-13
                     -1.3230E-11
     4.0000E+00
      5.0000E+00
                     2.5935E-12
     6.0000E+00
                     -2.1600E-12
     7.0000E+00
                      3.9293E-12
     8.0000E+00
                     -3.5030E-12
```