

emi
**power filter
solutions**



EMI Power Filter Solutions

Understanding how to best filter the AC or DC power entering your system to prevent radiated or conducted EMI can be challenge enough. Finding a partner capable of developing a custom EMI filter solution that will lower your costs and reduce your time to market can seem unrealistic. API Technologies – Spectrum Control is your answer. Our comprehensive consulting, diagnostic testing and world class manufacturing will provide you an ideal solution to satisfy global EMC standards while meeting your design/project parameters.




EMI Filter Expertise

API Technologies – Spectrum Control was founded in 1968 and quickly emerged as the leading provider of custom application-specific EMI filter solutions. Today, not only are we still the leader in designing and manufacturing products to suppress or eliminate EMI, but our company offers the industry's most complete line of coaxial EMI components, power surface mount filters, filtered connectors, filtered arrays, power filters and EMC testing services. New products help address the mechanical, electrical and/or power requirements of your design, while still offering our customers the largest and most experienced team of EMI focused engineers in the world.

We Understand Power

"Follow the power cord" has long been a mantra for the power specialists at API Technologies – Spectrum Control. In conjunction with API's Power and Systems Solutions division, we offer a unique ability to understand and address AC and DC power issues ranging from EMC compliance to transient suppression, low voltage cut-off, circuit breakers, redundant power configurations, power distribution and remote power system access.



EMI Testing... Finding the problem

Integral to finding a solution to an EMC problem is the ability to test for compliance. We conduct a wide range of EMC and environmental tests to help us identify potential problems and recommend design solutions. Our extensive in-house test capabilities allow for a faster turnaround of your complete design solution and lower total cost.

- In-house anechoic chamber and shielded room
- Baseline of device under ambient-free anechoic chamber
- NARTE certified engineering staff
- Highly accurate computer controlled instrumentation accumulates and presents data in multiple formats
- Testing for MIL standards, European emissions and immunity regulations, and FCC Part 15 (market specific detail on following pages).



Custom Application Specific Designs

Rarely does a 100% off-the-shelf power filter completely satisfy the mechanical, electrical and power requirements and constraints of a sophisticated OEM design. Yet, for many the term custom is intimidating, implying long lead times and higher costs. At API Technologies – Spectrum Control, we're focused on providing a complete solution that takes all factors into consideration. Whether modifying an existing power filter design, working from a "clean sheet" approach, or integrating various technologies into a subassembly, the resulting custom solution will be tailored to your project's design, logistic and budgetary requirements.

Application-Specific Options:




- EMI filtering
- Power distribution
- Transient protection
- Indicator lights
- Circuit breaker protection
- Leads or studs
- Voltage cut-off
- Agency approvals
- Reverse polarity

Your Vertically Integrated Partner

API Technologies – Spectrum Control is uniquely positioned to offer a complete resource with in-house capabilities ranging from diagnostic testing, to formulating and producing the ceramics used in many of our filters, to metalworking fabrication to facilitate your mechanical/packaging requirements. It all adds up to a quicker prototype and a more complete/cost-effective solution.

- Comprehensive in-house EMC testing
 - EMI filter design and manufacture, including ceramic formulation
 - Complete metal fabrication operation
 - Quick-turn prototypes
 - World class manufacturing in US, Mexico and China
 - Faster time-to-market
 - ISO9001:2000 and TS-16949 certifications

We can "clean up" your system by creating an easy to install assembly that contains all the components and filtering solutions in one compact package.



Military & Aerospace

API Technologies – Spectrum Control has a long history of partnering with leading suppliers of the defense industry. Our ability to find solutions to suppress or eliminate electromagnetic interference (EMI) allows us to provide the high reliability filters required for military and aerospace applications. API – Spectrum Control can design your custom filter with a unique mechanical package for those unusual or tight fitting spaces, higher performance filtering and the voltage rating you need to address all of your AC and DC power issues.



Applications

- Military aviation – countermeasures, fire control and communications systems
- Military communications shelters
- Commercial aviation – air traffic control, radar, engine control, and aircraft lighting
- Shipboard systems – radar, communications search, navigation and guidance systems
- Hardened computers
- Missile systems – smart bombs and air to surface missiles
- Land based vehicles

MIL Specific Capabilities

No matter how challenging your mechanical or electrical problem, our team of engineers will use their years of experience in working with MIL specifications to design the ideal EMI filter to eliminate unwanted interference from the power entering your system. From a single power filter to a customized and fully integrated assembly, API Technologies – Spectrum Control has the know-how to build the right power filter solution for you.

- Voltage ratings of 115-250VAC up to 800Hz and 400VDC
- Meet MIL-F-15733, MIL-STD-461, MIL-STD-1399, MIL-STD-704 and MIL-STD-1275 requirements
- High common and differential mode attenuation
- Standard designs up to 100 Amps
- Meet TEMPEST and FCC requirements
- Rugged construction satisfies MIL-STD environmental conditions
- Custom application-specific filters available
- MIL-STD-790 approved manufacturing facility
- Excellent insertion loss characteristics up to 1GHz
- Designed to meet weight constraints



Unique mechanical packages addressing specific size and space constraints



MIL Testing

One of the most considerable advantages of API Technologies – Spectrum Control is our in-house testing service and its role in helping us evaluate, design and produce products for the effective suppression of EMI. We rigorously test our designs to meet the stringent MIL standards, as well as other global EMC regulations. In addition, our facilities have been audited and qualified to MIL-I-45208 and registered to ISO 9001:2000.




Customized and fully integrated assemblies incorporating filters, circuit components and connectors

In-House Environmental Testing

MIL-STD-202 Capabilities

Group	Examination	Method
IIA	Voltage Drop	Para 4. 6. 8 of MIL-F-15733
	Leakage Current	UL 1283
	Temperature Rise	Para 4. 6. 4 of MIL-F-15733
	Terminal Strength	Method 211, Condition A
IIB	Shock	Method 213, Condition G
	Vibration	Method 204, Condition A
	Thermal Shock	Method 107, Test Condition A
	Humidity	Method 107, Condition B
III	Life	Method 108, Condition D



Custom application-specific filters that meet MIL standard environmental conditions

MIL-STD-461 A/B/C Capabilities

Group	Examination	Type
CE01-07	Conducted Emissions	Power Leads, Control & Signal Leads, Inverse Filter Method, Antenna Terminal, Tactical Vehicle Power Leads, Power Lead Switching Transients
CS01-09	Conducted Susceptibility	Power Leads, Two Signal Intermodulation, Undesired Signal Rejection, Cross-Modulation, Power Leads, Squelch Circuits, Structure Current
RE01, 02, 04 & 05	Radiated Emission	Magnetic Field, Electric Field, Vehicles and Engine-driven Equipment
RS01, 02 & 06	Radiated Susceptibility	Magnetic Field, Magnetic Induction Fields, Electromagnetic Field, Switching Pulses (Chattering Relay)

MIL-STD-461 D/E Capabilities

Group	Examination	Type
CE101 & 102	Conducted Emissions	Power Leads
CS101, 103, 104, 105, 109, 114, 115 & 116	Conducted Susceptibility	Power Leads, Intermodulation, Undesired Signal Rejection, Cross-Modulation, Structure Current, Bulk Cable Injection and Impulse Excitation, Damped Sinusoidal Transients, Cables & Power Leads
RE101 & 102	Radiated Emission	Magnetic Field, Electric Field
RS101	Radiated Susceptibility	Magnetic Field

Communications


Today's competitive communications marketplace demands system designs that incorporate methods to prevent unwanted interference from entering the system, as well as eliminate emissions that can contaminate your distributed AC & DC power. API Technologies – Spectrum Control's power filter solutions can create an agency-approved product that will filter and condition the power to your communications infrastructure equipment. Our custom power filters will incorporate all the components and the filtering in one complete package to save you space, time and money. And as a vertically integrated supplier, API – Spectrum offers global low-cost manufacturing which allows us to produce fast prototypes and a quicker time-to-market.

Applications


- Cellular base stations
- Communications racks
- Telephone switching devices
- Traffic control systems
- IT hubs
- Data centers



Communications Capabilities

- Incorporate filtering and custom circuitry into one easy to install package
- Effective conducted filtering from 10KHz to 1GHz
- Current ratings up to 500Amps
- Maximum voltage ratings up to 400VDC and 240VAC standard
- Various capacitance values and custom voltage ratings available
- Incorporate specified circuit breakers and mounting handles
- Complex, multifunction designs available
- Customized ground plane
- Design for CISPR22/24 and EN55022/24 regulations
- RoHS Compliant
- Low cost manufacturing



Designs with selective line filtering, high voltages and agency approvals







Complex, multifunctional designs that incorporate the filtering and custom circuitry into one easy to install package

EMC Testing

API Technologies – Spectrum Control’s fully equipped EMC test laboratory and NARTE certified engineering staff will test for European emission and immunity regulations, all FCC part 15 regulations as well as define all compliance issues. Our communications systems OEM partners rely on the expertise of our EMC test and design engineers to help identify the problem in your system, develop the solution and verify its compliance... many times resulting in your equipment leaving our lab as a working prototype.


Test Specifications

FCC Part 15 Emission Testing	CISPR 11, 14, 22 Emission Testing	CISPR 11, 14, 22 Emission Testing
Conducted Emissions: 450kHz to 30MHz	Conducted Emissions: 150kHz to 30MHz	Conducted Emissions: 150kHz to 108MHz
100A, 60Hz, Single and Three phase, 120/208/400/480vac	100A, 60Hz, Single and Three phase, 120/208/400/480vac	50A, 0-60Vdc, Class 1/2/3/4/5
Radiated Emissions: 30MHz to 1000MHz (1 to 18GHz as required)	Radiated Emissions: 30MHz to 1000MHz (1 to 18GHz as required)	Radiated Emissions: 150kHz to 30MHz (E-Field) and 30MHz to 1000MHz (Plane Wave)
3 and 5 Meter Semi-Anechoic Chamber, Class A/B, No open field test site capability	3 and 5 Meter Semi-Anechoic Chamber, Class A/B, No open field test site capability	1 Meter distance in Semi-Anechoic Chamber, Class 1/2/3/4/5




Medical

Our many years of experience in providing EMI/RFI solutions has given us the know-how to design products to meet the specific constraints and requirements of the medical industry. Much of the medical equipment used today requires complete suppression of any and all EMI, as well as low-leakage non-magnetic properties to prevent negatively affecting surrounding equipment. At vertically integrated API Technologies – Spectrum Control, we will design and build a high reliability, high performance custom power filter to meet your system and all EN requirements.



Applications

- X-ray equipment
- MRI and CAT scan machines
- Portable dialysis machines
- Laboratory equipment
- Heart defibrillators





Shielding Filters

- Provides MRI/RF shielding solutions for medical, commercial and government applications
- Offers 100 dB insertion loss per MIL-STD 220 from 14KHz to 10GHz
- Options available with or without discharge lights
- Custom configurations are available

Medical Capabilities

- Vertically integrated solutions
- Accommodate non-magnetic requirements
- High performance/high-reliability
- Low leakage
- Effective conducted filtering from 10KHz to 1GHz
- Current ratings up to 10Amps
- Maximum voltage ratings of 400VDC and 240VAC standard, custom voltages available
- Meet EN 55011, EN 55022, and IEC/EN60601-1-2 requirements
- RoHS Compliant

Vertically integrated solutions include packaging, circular connectors and filter plates






EMC Testing

- EN 55011
- EN 55022



Our EMC NARTE Engineers can perform pre-scans and provide assistance with troubleshooting if your product is found to be non-compliant as well as perform EN 55011, EN 55022 and IEC 1000-4-x requirements below:




High reliability filters with low leakage and non-magnetic options meet EN testing requirements

Test Specifications

Group	Examination	Method
1000-4-1	General Immunity Testing Guidelines	—
1000-4-2	Electrostatic Discharge, ESD	Level 1,2,3,4 - 16kV air discharge 8kV contact discharge
1000-4-3	Radiated RF Immunity, RFI	Level 1,2,3, - 10V per meter @ 3 meters, 20-1000MHz, 1kHz 80% AM
1000-4-4	Electrical Fast Transient Burst, EFT	Level 1,2,3,4 - 4kV peak
1000-4-5	Surge	Level 1,2,3,4 - 6kV 1.2x50usec pulse and 6kV 10x700usec pulse
1000-4-6	Conducted RF	Level 1,2,3, - 20V, 150kHz-80MHz, 1kHz 80% AM
1000-4-7	Guide to AC Line Harmonics Measurements	—
1000-4-8	Power Frequency Magnetic Field	Level 1,2,3,4,5 - 300A/m for DUTs less than 36" 100A/m for DUTs over 36"
1000-4-9	Pulsed Magnetic Field	Undetermined
1000-4-10	Damped Oscillatory Magnetic Field	—
1000-4-11	Voltage Dips, Short Interruptions, and Voltage Variations	—



Industrial




Compact, space saving assembly optimized for the welding industry.

At API Technologies – Spectrum Control, we do it all from package design and metalworking to EMI filtering to EMC testing which means a lower cost for you. Our engineers will design and build a custom power filter that will satisfy global EMC regulations, improve speed-to-market times, overcome space constraints and withstand harsh environmental conditions. Our plug-and-play designs cover a range of industrial and instrumentation applications that will address any of your power filtering needs with current ratings as high as 500 Amps.

Applications

- Process control equipment
- Welders
- Ultrasonic cleaners
- Ruggedized computers
- Industrial washing machines
- Vending machines
- Gaming machines
- Elevators, escalators, moving sidewalks

Ruggedized construction and design flexibility allow our filters to meet demanding environmental and performance requirements





Industrial Capabilities

- Effective conducted filtering from 10KHz to 30MHz
- Switched & fused product options
- Current ratings up to 500 Amps
- Maximum voltage ratings of 400VDC and 240VAC standard
- Low leakage IEC inlet
- Circuit breaker protection
- Unique packaging
- Ruggedized construction to withstand harsh conditions
- Design flexibility to meet demanding environmental & performance requirements
- Agency approval available
- Compact, space saving size

Testing

- FCC Part 15 Emissions
- CISPR 11, 14, 22 Emissions
- CISPR 25 Emissions
- IEC 1000-4-x Immunity



Request for Quote/ Custom Design Form



Company name _____
 Name/Title _____
 Address _____
 City _____ State _____ Zip _____
 Phone () _____ Fax () _____
Target price _____
Anticipated yearly usage _____
Life of program _____

Customer Time Line (fill in dates):

Quotation _____
 Prototype _____
 First Article _____
 Production Start Up _____

Product Offering Suggested for this Application:

(Check appropriate response)
 Custom Assembly (Multi-Section Filter) _____
 Power Entry Filter _____
 High Current Single/Dual Line Filter _____

Physical Parameters

Mechanical Requirements - Maximum Dimensions:

Length (inches) _____ Height (inches) _____
 Width (inches) _____

Please include drawing or sketch, if available.

Electrical Parameters

Electrical Terminations:

	<u>LINE SIDE</u>	<u>LOAD SIDE</u>
Connector	_____	_____
Studs	_____	_____
Pigtails Leads	_____	_____
Connector	_____	_____
Terminal	_____	_____
Block	_____	_____
Other	_____	_____

Outlet/Inlet Type: Duplex _____ Single _____
 IEC _____ Vendor _____ P/N _____
 Other _____

AC Requirements: 120VAC _____ 250VAC _____
 Other _____

Frequency (Hz): 50 _____ 400 _____
 60 _____ Other _____

Current (Amps): Current/phase (Amps): _____
 Phase requirements:
 Single _____
 Three _____
 _____ Delta (3 wires)
 _____ Wye (4 wires)
 Other _____

Leakage Current: _____ mA (max.)

DC Requirements: Voltage: _____
 Current (Amps): _____

Insertion Loss Requirements: Common mode (load) (no load) _____
 Differential mode (no load) _____

Accessories

Surge Suppression: No _____ Yes _____
 Define _____

Circuit Breaker: Yes _____ No _____
 Current Rating _____
 Voltage Rating _____
 Vendor _____ P/N _____

Switches: Lighted _____ Non-lighted _____
 Remote _____ None _____

Agency Approvals: UL _____ CE _____
 CSA _____ TUV _____
 Other _____

API Technologies – Spectrum Control

8061 Avonia Road Phone: 814-474-1571
 Fairview, Pennsylvania 16415 Fax: 814-474-3110
 eis.apitech.com

- EMI Filters
- Filtered Interconnects
- Advanced Ceramics
- Specialty Connectors
- Power Filters & Capacitors
- Magnetics

Sales Offices

NORTH AMERICA

8061 Avonia Road
Fairview, Pennsylvania 16415
Phone: 814-474-1571
Fax: 814-474-3110

EUROPE

Spectrum Control GmbH
Hansastraße 6
91126 Schwabach, Germany
Phone: (49)-9122-795-0
Fax: (49)-9122-795-58

CHINA

Spectrum Control Limited
2nd Industrial Area
Ling Tou Industrial Road
Qiad Tou Town, Dong Guan City
Guang Dong Province 523530
Peoples Republic of China
Phone: (011)-86-769-8343-7761
Fax: (011)-86-769-8343-7760

ISO 9001:2000

RoHS
COMPLIANT



About API Technologies

API Technologies Corp. is a trusted provider of RF/microwave, microelectronics, and security solutions for critical and high-reliability applications. The company designs, develops and manufactures electronic components, modules, systems and products for technically demanding defense, commercial/industrial and aerospace applications. API Technologies' customers include many leading Fortune 500 companies, as well as a majority of NATO governments. While API was founded in 1981, our heritage brands have served the demanding, hi-rel marketplace for more than 60 years. API Technologies trades on the NASDAQ under the symbol ATNY.

Power & Systems Solutions

Sensors Solutions

RF/Microwave & Microelectronics

Electromagnetic Integrated Solutions

Electronics Manufacturing Services

Secure Systems & Information Assurance

+1 855.294.3800
www.apitech.com

api 
technologies corp.