

## MAXQ1740 Evaluation Kit

### Evaluates: MAXQ1740

#### General Description

The MAXQ1740 evaluation kit (EV kit) provides a proven platform for conveniently evaluating the capabilities of the MAXQ1740 magnetic card reader security microcontroller. The EV kit includes the MAXQ1740 EV kit board, which contains a triple-track magnetic stripe reader head assembly, a level-translated DB9 RS-232 interface to the serial port, an on-board USB-to-1-Wire® loader/debugger interface using the MAXQ622 microcontroller, six GPIO-controlled pushbuttons and LED indicators for application use, and headers providing access to all I/O pins on the MAXQ1740. With the included software and a USB cable connected to a Windows® PC, the EV kit provides a complete, functional system ideal for developing and debugging applications as well as evaluating the overall capabilities of the MAXQ1740 RISC microcontroller.

#### EV Kit Contents

- ◆ MAXQ1740 EV Kit Board with Either Socketed MAXQ1740 (XU1) or Soldered MAXQ1740 (U1) Populated, Along with a 12MHz Crystal or Resonator Installed in the Appropriate Location (Y2 for Socketed, Y1 for Soldered)
- ◆ Standard A-to-Mini-B USB Interface Cable
- ◆ DB9 Straight-Through Male-to-Female Serial (RS-232) Interface Cable
- ◆ MAXQ1740 EV Kit CD (Contains Additional Documentation, Application Notes, Utilities and Configuration Files, and Example Programs Including Source Code)

#### Features

- ◆ Easily Loads and Debugs Code Using On-Board USB-to-1-Wire Interface
- ◆ 1-Wire Interface Provides In-Application Debugging Features
  - ◇ Step-by-Step Execution Tracing
  - ◇ Up to Four Simultaneous Hardware Breakpoints by Code Address
  - ◇ Data Memory or Register Content View and Edit
- ◆ On-Board 3.3V Voltage Regulator (Powered by 5V Input or USB)
- ◆ Six User-Input Pushbutton Switches with Paired Indicator LEDs (Connected to GPIO)
- ◆ RS-232 Interface (DB9 Connector) for MAXQ1740 Serial Port
- ◆ SDI (Normally Open/Normally Closed) Manual Trigger

[Ordering Information](#) appears at end of data sheet.

**Note to readers:** This document is an abridged version of the full data sheet. To request the full data sheet, go to [www.maxim-ic.com/MAXQ1740-KIT](http://www.maxim-ic.com/MAXQ1740-KIT) and click on **Request Full Data Sheet**.

1-Wire is a registered trademark of Maxim Integrated Products, Inc.

Windows is a registered trademark of Microsoft Corp.

# ABRIDGED DATA SHEET

## MAXQ1740 Evaluation Kit

### Evaluates: MAXQ1740




Figure 2. MAXQ1740 EV Kit Board Functional Layout

# ABRIDGED DATA SHEET

## MAXQ1740 Evaluation Kit

Evaluates: MAXQ1740

### Ordering Information

PART	TYPE
MAXQ1740-KIT#	EV Kit

#Denotes a RoHS-compliant device that may include lead(Pb) that is exempt under the RoHS requirements.