

78.81MHz Low Loss SAW IF Filter

DS3532 - 1.4 October 1995

The DW9241 has been specifically developed for the Personal Communications market, where the 1st I.F. stage filter is typically in the 60 to 80MHz range.

The filter is realised on ST-Quartz, using Uni-directional Transducer technology, which provides excellent insertion loss, and temperature stability.

The unique design odviates the need for distinct Roof & Channel filters, usually required to achieve a low shape factor, with maximum bandwidth. The filters can be used in single or cascade format, and are available in a low profile, leadless, surface mount package, which is compatible with most modern manufacturing techniques.

FEATURES


- 78.8125MHz Centre Frequency (f_o)
- Low Insertion Loss (<6dB Single <12dB Cascade)
- Excellent Sidelobe Suppression
- Low Profile, Leadless Surface Mount Package
- Hermetically Sealed Package

ABSOLUTE MAXIMUM RATINGS


DC Voltage VDC 0V Input Power Max. PIN 10dBm

ORDERING INFORMATION

DW9241



DW9241




ELECTRICAL CHARACTERISTICS

Parameter	Value	Units
Centre Frequency (f _O)	78.8125	MHz
Passband	±85 (Min)	kHz
Insertion Loss	< 6	dB
Passband Ripple	0.5 (Max)	dB
Group Delay	< 0.5	μs
Stopband Rejection: f _O ±200kHz	> 2	dB
f _O ±400kHz	> 12	dB
f _O ±600kHz	> 20	dB
f _O ±800kHz	> 20	dB
-1.625MHz (BW = 200kHz)	> 40	dB
Ultimate Rejection (±1MHz ~ ±25MHz)	> 30	dB
Operating Temperature	-20 to +85	dB

DW9241

PACKAGE DETAILS

Dimensions are shown thus: mm (in). For further package information, please contact your local Customer Service Centre.





HEADQUARTERS OPERATIONS MITEL SEMICONDUCTOR

Cheney Manor, Swindon, Wiltshire SN2 2QW, United Kingdom.

Tel: (01793) 518000 Fax: (01793) 518411

MITEL SEMICONDUCTOR

1500 Green Hills Road, Scotts Valley, California 95066-4922 United States of America. Tel (408) 438 2900 Fax: (408) 438 5576/6231

Internet: http://www.gpsemi.com

CUSTOMER SERVICE CENTRES

- FRANCE & BENELUX Les Ulis Cedex Tel: (1) 69 18 90 00 Fax: (1) 64 46 06 07
- GERMANY Munich Tel: (089) 419508-20 Fax: (089) 419508-55
- ITALY Milan Tel: (02) 6607151 Fax: (02) 66040993
- JAPAN Tokyo Tel: (03) 5276-5501 Fax: (03) 5276-5510
- KOREA Seoul Tel: (2) 5668141 Fax: (2) 5697933
- NORTH AMERICA Scotts Valley, USA Tel: (408) 438 2900 Fax: (408) 438 5576/6231
- **SOUTH EAST ASIA** Singapore Tel:(65) 3827708 Fax: (65) 3828872
- **SWEDEN** Stockholm Tel: 46 8 702 97 70 Fax: 46 8 640 47 36
- TAIWAN, ROC Taipei Tel: 886 2 25461260 Fax: 886 2 27190260
- UK, EIRE, DENMARK, FINLAND & NORWAY

Swindon Tel: (01793) 726666 Fax: (01793) 518582 These are supported by Agents and Distributors in major countries world-wide.

© Mitel Corporation 1998 Publication No. DS3532 Issue No. 1.4 October 1995 TECHNICAL DOCUMENTATION - NOT FOR RESALE. PRINTED IN UNITED KINGDOM

This publication is issued to provide information only which (unless agreed by the Company in writing) may not be used, applied or reproduced for any purpose nor form part of any order or contract nor to be regarded as a representation relating to the products or services concerned. No warranty or guarantee express or implied is made regarding the capability, performance or suitability of any product or service. The Company reserves the right to alter without prior notice the specification, design or price of any product or service. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date and has not been superseded. These products are not suitable for use in any medical products whose failure to perform may result in significant injury or death to the user. All products and materials are sold and services provided subject to the Company's conditions of sale, which are available on request.