

VISHAY INTERTECHNOLOGY, INC.



SURFACE-MOUNT CHIP INDUCTORS

For Commercial Applications

KEY BENEFITS

- Wide range of construction technologies available
- Inductance range from 1.0 nH to 10,000 µH
- EIA standard sizes
- Available on tape and reel packaging

APPLICATIONS

- Communications: cellular phones, pagers, PDAs
- Video: television tuners, radios, VCRs, game consoles



SURFACE-MOUNT CHIP INDUCTORS

Product	Inductance Range	Q Min	SRF Min	Rated Current	Construction
IMC-0402	1.0 nH to 100 nH	14 to 21	1,200 to 6,000 MHz	90 mA to 400 mA	Laser spiral
IMC-0402-01	1.0 nH to 47 nH	13 to 26	2,100 to 6,000 MHz	150 mA to 1,360 mA	Wirewound
ILC-0402	1.0 nH to 100 nH	8	600 to 10,000 MHz	100 mA to 300 mA	Multilayer ceramic
IFCB-0402	1.0 nH to 22 nH	5 to 7	2,800 to 12,000 MHz	90 mA to 700 mA	Thin Film
IMC-0603	1.0 nH to 150 nH	26 to 30	1,100 to 6,000 MHz	100 mA to 500 mA	Laser spiral
IMC-0603-01	2.0 nH to 270 nH	16 to 43	1,000 to 6,900 MHz	170 mA to 700 mA	Wirewound
ILC-0603	1.0 nH to 220 nH	8 to 12	400 to 10,000 MHz	300 mA	Multilayer ceramic
IFCB-0603	1.0 nH to 68 nH	10 to 13	1,000 to 13,000MHz	150 mA to 800 mA	Thin Film
IFC-0603	1.5 nH to 18 nH	10 to 12	2,500 to >15,000 MHz	400 mA to 1,000 mA	Photolythic
IMC-0805-01	2.2 nH to 10 μH	10 to 60	40 to 6,000 MHz	150 mA to 600 mA	Wirewound
IFC-0805	1.0 nH to 100 nH	12 to 18	1,060 to >15,000 MHz	300 mA to 1000 mA	Photolythic
IMC-1008	1.0 nH to 100 nH	20 to 60	22 to 6,000 MHz	125 mA to 600 mA	Wirewound
IMC-1210	1.0 nH to 100 nH	15 to 30	6.0 to 1,000 MHz	50 mA to 734 mA	Wirewound
ISC-1210	1.0 nH to 100 nH	30 to 50	6.0 to 1,000 MHz	80 mA to 810 mA	Wirewound shielded
IMC-1812	1.0 nH to 100 nH	30 to 50	2.5 to 1,000 MHz	30 mA to 450 mA	Wirewound
ISC-1812	1.0 nH to 100 nH	30 to 50	2.0 to 460 MHz	6.6 mA to 552 mA	Wirewound shielded
IMCH-1812	1.0 nH to 100 nH	10 to 20	4.0 to 200 MHz	90 mA to 1,050 mA	Wirewound
IMC-2220	1.0 nH to 100 nH	10 to 30	0.5 to 95 MH	25 mA to 1,800 m	Wirewound

One of the World's Largest Manufacturers of Discrete Semiconductors and Passive Components

www.vishay.com

DISCLAIMER All product specifications and data are subject to change without notice. Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or herwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications. Product names and markings noted herein may be trademarks of their respective owners.