

The comprehensive AELIA II range meets all your needs

ΛΕΙΙΛ ΙΙ





AELIA II 7 CD

AELIA II 7 IR

AELIA II 10 CD

AELIA II 10 IR

				0.111.0	
Unit design		Monobloc		Split-System	
Control type		Direct	Infrared	Direct	Infrared
Cooling capacity	kW	2		2.93	
Powerful input	kW	0.95 1.19		9	
Airflow - normal fan speed	m ³ /h	270 390		C	
Power supply		1 ~ 230 V - 50 Hz			
Voltage range		198/254 V			
-					
Indoor units					
Weight	kg	32	32 30)
Dimensions (LxDxH)	mm	470x360x800 470x360x800		008xC	
Acoustic pressure at 1 m (min/max)	dB(A)	50/52		44/48	
Outdoor unit					
Compressor type		Rotary		ary	
Acoustic pressure at 1 m	dB(A)	- 62)	
Weight	kg	- 10)	
Dimensions (LxDxH)	mm	- 440x188x490			
Linking specifications between in and ou	tdoor units				
Linking pipes					
Weight	m	-		3	
Maximum height difference	m	-		2	

NOTES: All values are specified for a 230 V or 3N 400 V - 50 Hz supply voltage.

- (1) Nominal cooling capacity: International conditions: 27° C / 19° C (wet bulb) outdoor air temperature 35° C / 24° C (wet bulb) (Standards NF EN 255.2 NF EN 814.2).
- (2) Acoustic levels: Global acoustic pressure in dBA at 1 m under nominal conditions: outdoor unit in an open area against a reflective background indoor unit: installation in an average sized room (LS 0.5 s reverberation).



ACEMarketing







ACE - 1 bis, av. du 8 mai 1945 - Saint-Quentin-en-Yvelines F - 78284 Guyancourt Cedex

Fax: +33 (0) | 39 44 11 55 - Tel.: +33 (0) | 39 44 78 00 www.airwell.com





Just plug in... and enjoy clear air, always at the right temperature

ho, today is insensitive to air quality?
Airwell AELIA II air conditioners provide pleasant, balance and evenly distributed coolness.

They offer additional comfort by dehumidifying, filtering and distributing the air in the home.

They follow you everywhere.

Mounted on castors and compact in size, AELIA II air conditoners are a model of manoeuvrabiliy. They create a cool, comfortable environment all around the home... in the living room, in the bedroom.`

Once summer days are over, the AELIA II can be easily stored away. Simple!

Portable

Throughout the summer, you and your family live in a healthy, constantly renewed atmosphere.

With AELIA II air conditioners, you have instantaneous coolness and wellbeing where you want, when you want...





Monobloc or split units: Plug in and close your eyes...



AELIA II 7 monobloc model

Connection:
a simple small diameter
condensate drainage link is
directed outdoors.



AELIA II 10 split model

Connection: a flexible and disconnectable pipe link connects the two parts.



Controls

2 possibillities, depending on the model:

Main functions:

- · Cooling / Ventilation (FAN) / dehumidification modes
- 3 fan speeds
- Display room temperature
- Temperature adjustment
- «I feel» function
- Night time slow running
- Automatic treated air sweeping (infrared remote control models)...





AELIA II



■ AELIA II 7 : Perfect comfort

Cooling only

Silent

Silent, they are discretion itself.

AELIA II air conditioners know how to be unobtrusive.

In fact, they are silent in operation. The room is cool, calm.

You are relaxed, everyone feels good.

So easy to use, they obey the hand and eye.

A simple glance at the remote control enables you check the temperature. By simply pressing the keypad, you can adjust the temperature or programme your comfort. To the nearest degree, naturally.

So simple and so easy to install.

AELIA II range, 2 models with resolutely modern and attractive styling.



AELIA II 10 :
Coolness
all summer long





Direct control



Infrared remote control

