



DLP TV

Chassis : L64D
Model : PT50DL24X/SMS

SERVICE Manual

DLP TV



PT-50DL24

FEATURES

- HD Built in TV
- NTSC/ATSC Tuner Embedded
- PC input
- DNle Pro Adopted
- 2HDMI Interface Adopted
- Digital Audio output (OPTICAL) jack
- Firmware upgrade by USB Port
- USB 1.1 portable device Correspondence

AKAI

Jul. 2006
Printed in Korea
AA82-03933A

Table of Contents

Chapter 1 Precaution

■ 1-1 Safety Precautions	1-1
■ 1-2 Servicing Precautions	1-3
■ 1-3 Static Electricity Precautions	1-4
■ 1-4 Installation Precautions	1-5

Chapter 2 Product Specification

■ 2-1 Product Features	2-1
■ 2-2 Key Features	2-2
■ 2-3 Specifications Analysis	2-4
■ 2-4 Accessories	2-5

Chapter 3 Alignment & Adjustment

■ 3-1 Service Instruction	3-1
■ 3-2 How to Access Service Mode	3-2
■ 3-3 Factory Data	3-3
■ 3-4 Service Adjustment	3-11
■ 3-5 Software Upgrade	3-14
■ 3-6 Replacements & Calibration	3-15

Chapter 4 Exploded View & Part List

■ 4-1 PT50DL24X/SMS	4-1
---------------------------	-----

Chapter 5 Electrical Part List

■ 5-1 PT50DL24X/SMS Service Item	5-1
--	-----

Chapter 6 Troubleshooting

■ 6-1 Checkpoints by Error Mode	6-1
■ 6-2 Troubleshooting Procedures by Error Modes	6-7
■ 6-3 Troubleshooting Procedures by ASS'Y	6-8

Chapter 7 Block Diagram

■ 7-1 Overall Block Diagram	7-1
■ 7-2 Partial Block Diagram	7-2

Chapter 8 Wiring Diagram

■ 8-1 Overall Wiring	8-1
■ 8-2 Connector of Main Board	8-3

Chapter 9 PCB Diagram

■ 9-1 Power Board	9-1
■ 9-2 Main Board	9-2
■ 9-3 DMD Board	9-5

Chapter 10 Schematic Diagram

■ 10-1 Main Board	10-1
■ 10-2 DMD Board	10-21
■ 10-3 Power Board	10-30
■ 10-4 Key Control	10-31
■ 10-5 Side-AV	10-32
■ 10-6 RMC-LED	10-33