


# OSICS ECL<sub>1270 nm to 1640 nm</sub>

## SPECIFICATIONS

### External Cavity Laser Module



The ECL modules are high-performance External Cavity Lasers using Tunics technology which leads to a high output power over the whole tuning range.

The precision mechanism coupled to a stepper motor allows the wavelength to be tuned over more than 80 nm. Various wavelength range options are available to fulfill all needs in DWDM applications from 1260 nm to 1640 nm. The ECL 1560 and the ECL 1600 offer more than +6 dBm at peak power. Each module can be controlled from the front panel of the mainframe or through the remote interface. In addition, the modules and the mainframe offer a full suite of internal and external modulation capabilities.

Specifications						
OSICS-ECL		ECL-1300	ECL-1400	ECL-1480	ECL-1560/P6	ECL-1600/P6
Wavelength range	P = 0 dBm	1270-1340 nm	1340-1430 nm	1440-1520 nm	1520-1600 nm	1560-1640 nm
	P = 6 dBm				1530-1580 nm	1570-1620 nm
Wavelength accuracy <sup>*1</sup>		±0.2 nm				
Wavelength stability <sup>*1, *2</sup>		±0.01 nm / h ±0.01 nm / 24 h (typ.)				
Wavelength setting resolution		0.01 nm (0.001 nm optional)				
Tuning repeatability		±0.01 nm (typ.)				
Tuning speed		10 nm/s (typ.)				
Power stability <sup>*1, *2</sup>		±0.01 dB / h; ±0.01 dB / 24 h (typ.)				
Spectral width (FWHM)		150 kHz (typ.) (coherence control OFF) >100 MHz (coherence control ON)				
Side mode suppression ratio <sup>*1</sup>		>45 dB				
Relative intensity noise <sup>*1, *3</sup>		>145 dB/Hz (typ.)				

\*1: After warm-up, for 0 dBm output power.

\*2: At a constant temperature.

\*3: Measured at an electrical frequency of 100 MHz.

## Ordering Information

The ECL modules are high-performance External Cavity Lasers using Tunics technology which leads to a high output power over the whole tuning range. The precision mechanism allows the wavelength to be tuned over more than 80 nm.

### • Model Number:

ECL-1300  
ECL-1400  
ECL-1480  
ECL-1560 / P6  
ECL-1600 / P6

Please specify the model name followed by the options.

Example: ECL - 1560 / P6 / M / R

### • Options

Use the following code references that correspond to the available option:

Code	Description
M	Polarization maintaining output fiber (orientation TE in slow axis, in line with connector key)
R	High resolution: 1 pm resolution (tuning speed changes to 3 nm/s)

### • Accessories

Use the following descriptions that correspond to the available accessories:

#### Description

- LabView driver for OSICS
- FO Jumper FC-APC/FC-APC
- FO Jumper FC-APC/FC-PC
- Polarization maintaining FO Jumper FC-APC/FC-APC
- Polarization maintaining FO Jumper FC-APC/FC-PC

**Anritsu Corporation**

5-1-1 Onna, Atsugi-shi, Kanagawa, 243-8555  
Japan  
Phone: +81-46-223-1111  
Fax: +81-46-296-1264

**• U.S.A.****Anritsu Company**

1155 East Collins Blvd., Richardson, TX 75081,  
U.S.A.  
Toll Free: 1-800-ANRITSU (267-4878)  
Phone: +1-972-644-1777  
Fax: +1-972-671-1877

**• Canada****Anritsu Electronics Ltd.**

700 Silver Seven Road, Suite 120, Kanata,  
Ontario K2V 1C3, Canada  
Phone: +1-613-591-2003  
Fax: +1-613-591-1006

**• Brazil****Anritsu Eletrônica Ltda.**

Praca Amadeu Amaral, 27 - 1 Andar  
01327-010-Paraiso-São Paulo-Brazil  
Phone: +55-11-3283-2511  
Fax: +55-11-3288-6940

**• U.K.****Anritsu EMEA Ltd.**

200 Capability Green, Luton, Bedfordshire LU1  
3LU, U.K.  
Phone: +44-1582-433280  
Fax: +44-1582-731303

**• France****Anritsu S.A.**

9, Avenue du Québec Z.A. de Courtabœuf  
91951 Les Ulis Cedex, France  
Phone: +33-1-60-92-15-50  
Fax: +33-1-64-46-10-65

**• Germany****Anritsu GmbH**

Nemetschek Haus, Konrad-Zuse-Platz 1  
81829 München, Germany  
Phone: +49 89 442308-0  
Fax: +49 89 442308-55

**• Italy****Anritsu S.p.A.**

Via Elio Vittorini, 129, 00144 Roma, Italy  
Phone: +39-6-509-9711  
Fax: +39-6-502-2425

**• Sweden****Anritsu AB**

Borgafjordsgatan 13, 164 40 KISTA, Sweden  
Phone: +46-853470700  
Fax: +46-853470730

**• Finland****Anritsu AB**

Teknobulevardi 3-5, FI-01530 Vantaa, Finland  
Phone: +358-20-741-8100  
Fax: +358-20-741-8111

**• Denmark****Anritsu A/S**

Kirkebjerg Allé 90 DK-2605 Brøndby, Denmark  
Phone: +45-72112200  
Fax: +45-72112210

**• Spain****Anritsu EMEA Ltd.****Oficina de Representación en España**

Edificio Veganova  
Avda de la Vega, n° 1 (edf 8, pl 1, of 8)  
28108 ALCOBENDAS - Madrid, Spain  
Phone: +34-914905761  
Fax: +34-914905762

**• United Arab Emirates****Anritsu EMEA Ltd.****Dubai Liaison Office**

P O Box 500413 - Dubai Internet City  
Al Thuraya Building, Tower 1, Suit 701, 7th  
Floor  
Dubai, United Arab Emirates  
Phone: +971-4-3670352  
Fax: +971-4-3688460

**• Singapore****Anritsu Pte Ltd.**

10, Hoe Chiang Road, #07-01/02, Keppel  
Towers,  
Singapore 089315  
Phone: +65-6282-2400  
Fax: +65-6282-2533

**• P.R. China (Hong Kong)****Anritsu Company Ltd.**

Suite 923, 9/F., Chinachem Golden Plaza, 77  
Mody Road,  
Tsimshatsui East, Kowloon, Hong Kong, P.R.  
China  
Phone: +852-2301-4980  
Fax: +852-2301-3545

**• P.R. China (Beijing)****Anritsu Company Ltd.****Beijing Representative Office**

Room 1515, Beijing Fortune Building,  
No. 5, Dong-San-Huan Bei Road,  
Chao-Yang District, Beijing 10004, P.R. China  
Phone: +86-10-6590-9230  
Fax: +86-10-6590-9235

**• Korea****Anritsu Corporation, Ltd.**

8F Hyunjuk Building, 832-41, Yeoksam dong,  
Kangnam-ku, Seoul, 135-080, Korea  
Phone: +82-2-553-6603  
Fax: +82-2-553-6604

**• Australia****Anritsu Pty Ltd.**

Unit 21 / 270 Ferntree Gully Road,  
Notting Hill, Victoria 3168 Australia  
Phone: +61-3-9558-8177  
Fax: +61-3-9558-8255

**• Taiwan****Anritsu Company Inc.**

7F, No. 316, Sec. 1, Neihu Rd., Taipei 114,  
Taiwan  
Phone: +886-2-8751-1816  
Fax: +886-2-8751-1817

**• India****Anritsu Corporation****India Liaison Office**

Unit No. S-3, Second Floor, Esteem Red Cross  
Bhavan,  
No. 26, Race Course Road, Bangalore 560  
001, India  
Phone: +91-80-32944707  
Fax: +91-80-22356648