


Mobile Chipset Protocol Test Solutions



Wireless devices need complex modem software development and many hours of testing. Significant research and development (R&D) investment and specialized expertise are needed. Anritsu's protocol test solutions for chipset R&D address your key challenges of time-to-market and technical complexity.

We offer a range of solutions optimally designed to meet your specific needs. All our protocol test solutions are available with the Rapid Test Designer (RTD) integrated test environment which means they offer the same efficient user interface for test creation, management and execution.

The MD8430A signaling tester for LTE technologies and the MD8480C signaling tester for WCDMA and GERAN are perfect for developing, integrating and regression testing a modem chipset for a smartphone, tablet or M2M device.

The Challenge


Industry Trends - Ensuring a Quality User Experience

We take for granted the ability to make a voice call from anywhere, to anyone, anywhere. It is easy to forget just how fast this technology has developed.

Alongside voice communications we also expect to check the latest news, receive navigation assistance, find information about our locality, view the activities of our friends and connections on social media, post our own activity updates and blog entries, download or stream music and high definition videos. In fact, many of the tasks we used to perform sitting at a desktop computer, connected to the internet by wire in a static location, we now expect to be able to perform while on the move.

All of these applications and services need an ever-increasing amount of data to be transferred over the air to our devices. Furthermore, it needs to be delivered over an increasingly congested frequency spectrum.

"[2014's] mobile data traffic was nearly 30 times the size of the entire global Internet in 2000. One exabyte of traffic traversed the global Internet in 2000, and in 2014 mobile networks carried nearly 30 exabytes of traffic." - Cisco®



Testing is critical to ensure that devices deliver an exceptional level of performance to the user under all required use cases. This means testing under many different radio conditions and active frequency bands to ensure they perform well and do not impair the performance of the other devices sharing these crowded networks. Problems experienced by consumers in the field can be catastrophic for a brand. Reduction in consumer confidence resulting from field issues can quickly decimate your brand value. This is why identifying and fixing problems early is a business goal for any mobile product development organization.

RTD's flowchart-based test scripting makes it the fastest way to create tests with many variants so you can cover any scenario imaginable that might occur in the real world. This gives you reassurance that your brand's reputation is protected.

Device Trends - Increasingly Complex Devices

The latest devices support the latest radio technologies, but they must also support legacy radio standards. Mobile networks around the globe evolve at different rates and we expect our devices to work anywhere. This means our devices must be backwards compatible with earlier standards. They must also support mobility between coverage areas where different radio standards are supported. Today's smartphone therefore has to support 2G, 3G and 4G technologies. It must provide transitions between these technologies that are seamless from a user's perspective. This means that voice calls must not drop, and data transfer must continue without any perceptible interruption during transitions.

Support for multiple frequency bands must be built in to modern products in order to address different markets. The radio spectrum is a scarce resource that is allocated for different uses in different regions of the world. In order for users to experience

seamless global roaming most smartphones and similar devices are capable of operating in many different frequency bands.

RTD can work in conjunction with multiple Anritsu signaling testers, covering all the major cellular radio technologies for all globally deployed frequency bands. It fully supports complex interworking scenarios for all commonly deployed combinations.

2001 WCDMA



2006 HSUPA 2011 LTE-Advanced 2014 LTE-Advanced with 3x DL Component Carriers

2005 HSDPA 2009 LTE



2012 VoLTE-IMS

Product Development Trends

As more wireless technologies are crammed inside devices, and the pressure for global consumer brands to maintain competitive advantage intensifies, wireless developers face the challenges of ensuring a quality user experience and managing complexity with the added pressure of decreasing product launch timescales. The way wireless development teams are organized, and the development methods they employ have changed in order to address these challenges.

Agile Development

In order to compress product launch timescales problems must be found and fixed early. Wireless developers are increasingly borrowing the latest techniques from general purpose software development methodologies such as 'Agile'. Tests are

defined in parallel with, or even before feature implementation. Where in the past the core development team passed its build to a separate test department in a sequential manner, the trend is for testing to be concurrent with development - there may no longer be a separation between the developers and the testers.

RTD's flowchart based test scripting makes it the fastest way to design and implement complex tests. It does not require specialist programming skills and so it can be used by engineers from a broad range of backgrounds – whether they are development engineers, or test specialists.

Multiple Remote Teams

We see that development teams are now organized into smaller, specialized subteams, often located across multiple geographies so that they are close to the relevant customer and supplier organizations within the ecosystem. For example, the team specialized in the Time Division Duplex (TDD) may be located in China where TDD is the main standard. This team may be working on the same software code base that is worked on by other teams in the US and India. All the teams need to share common design methods and test equipment to ensure consistent results and a high quality end product. They need easy ways to ensure that any changes made to the code base do not break previously verified functionality. The best way to

RTD features, such as the ability to connect to a networked server to share a single instance of the software enables efficient use of your investment by multiple remote teams.

do this is to set up a shared regression test 'farm' of multiple concurrent, fully automated test systems that is capable of running comprehensive suites of tests on daily software builds.





Anritsu's Protocol Test Solutions

Anritsu provides you with a complete set of protocol test solutions to help at every step from early development through to type approval and at every link in the mobile value chain.

Development stage:	Chipset Development,	Protocol	Carrier
	Integration, Regression	Conformance	Acceptance
Ideal Solution:	RTD + MD8430A/MD8480C	ME7834 PCT	ME7834 CAT MD8475A CAT

Chipset Development, Integration and Regression

Chipset and device makers develop platforms and reference designs which provide the wireless modem to multiple end products. Protocol testers for core platform development need to support leading edge technology, and features to help with initial feature development such as a digital baseband interface that can be used prior to baseband integration with the RF front end.

All developers need to ensure their implementation continues to work perfectly when code changes are made. Regular builds and frequent regression tests are needed to flag up any unwanted side effects of a new feature implementation at the earliest opportunity. Protocol testers for regression testing need to support fully automated testing of multiple technologies so that broad functional test coverage can be achieved with minimal human intervention. Smartphone and other device makers need to integrate the core wireless platform into their end products. They need a way to easily create a comprehensive set of reference tests that can easily be extended as new platform features are integrated. RTD coupled with the Anritsu MD8430A and MD8480C signalling testers is perfectly suited to these tasks.

Protocol Conformance

Gaining certification from a recognized industry body such as the Global Certification Forum (GCF), will increase your customer's confidence and open up new possibilities for your device on the global market. Anritsu's Protocol Conformance Toolkit application, running on the ME7834 Mobile Device Test Platform provides industry leading test coverage for certification to device makers and commercial test houses.

Carrier Acceptance


The world's leading mobile network operators/carriers need to guarantee that a device used with their network and/or sold in their retail outlets will delight customers and reduce subscriber churn. This is why many have defined their own carrier-specific testing regimes. Anritsu's Carrier Acceptance Test (CAT) application running on the ME7834 and MD8475A Mobile Device Test Platforms, provide support for the highest number of carrier-specific acceptance programmes in the industry.

RTD - simplifying your testing

RTD software runs on a standard PC. Tests are created using a simple flowchart based editor within a fully integrated test design and execution environment. During test execution, RTD controls one or more Anritsu signaling testers to accurately simulate a number of cellular base stations and provide runtime monitoring information. After the test is complete, protocol analysis features allow rapid troubleshooting of any issues found with the implementation under test.



Test Editor



The flowchart based test design environment allows engineers at all levels of expertise to create tests quickly by dragging and connecting signaling blocks to define the test flow. Test parameters default to typical sensible values and can easily be adjusted using intuitive parameter dialog boxes.

Example tests are supplied as standard to provide a solid reference base from which you can freely adapt to create bespoke tests.

RTD gives you the ultimate trade-off between ease-of-use and control. Testing of a complete stack should not require the user to understand the parameterization of the lower layers but testing a partial stack implementation (e.g. physical layer only) will need full control over the low layer protocols. RTD achieves this by offering 2 levels of protocol procedures. 'Layer 3 procedures' enable fast and error-free test creation through automatic configuration of layers 1 and 2. 'Low level' procedures deliver fine-grained control of layers 1 and 2. Time and money is saved - not only through rapid test creation, but also because RTD is the correct tool for each job.

Automated Test Execution

RTD provides all the features you would expect for efficiently running a single test, and for running your extensive, automated regression campaigns. You can rely on RTD to keep going without the need for manual intervention and to provide rock-solid, repeatable results.

It's remote control interface makes it easy to integrate with your existing automated testing environment and it supports standard 'AT commands' as well as tailor-made interfaces for controlling the device under test.

Protocol Analysis

The latest technologies support high data rates, and also a large amount of control signaling. All this information is stored during test execution, and somewhere, buried within this information will be the clue that points you to the cause of any issues.

RTD's protocol analyzer has been designed by protocol engineers, for protocol engineers to deliver the best possible tool for pinpointing issues.

Its message sequence format provides clear distinction between data, and control messages. This makes it easy to establish the test flow.

User Support

RTD is much more than just a software application. User help and documentation are delivered with the product, and the support service provides you with direct access to expert engineers. Regular software updates allow you to access the latest features and ensure that your testing complies with the latest protocol standards. Anritsu can also provide you with onsite support and bespoke user training courses.

Everything is in place to maximize your testing productivity!

Supported Signaling Testers and Radio Technologies



MD8430A - LTE-Advanced

The MD8430A is trusted by hundreds of leading LTE and LTE-Advanced development engineers as the unsurpassed signaling tester for simulating LTE networks in the development lab. It continues to evolve with the rapidly changing LTE standards. It simulates 2 full cells (uplink and downlink) and 4 downlink only neighbor cells for the recreation of complex, real world scenarios.

Core Platform Development



MD8480C - WCDMA and GSM/(E)GPRS

The MD8480C was the world's first ever – and most widely adopted - WCDMA signaling tester. Now supporting HSPA Evolution features up to 3GPP Release 9, it can simulate up to 4 WCDMA plus 2 TDMA cells.

Integration and Regression



MD8475A - Multiple Technologies in a Compact Unit

The MD8475A Signalling Tester is a simple bench-top solution to help engineers test and evaluate worldwide mobile systems. It can simulate up to 2 cells and supports LTE, WCDMA, GSM/(E)GPRS and TD-SCDMA. The MD8475A can be added to an RTD-based solution for TD-SCDMA support.


RTD for eMBMS Testing

The evolved Multimedia Multicast Broadcast Service (eMBMS) enables the efficient delivery of media content simultaneously to a high number of subscribers. Operators are upgrading their networks to utilize eMBMS technology in order to keep up with the demand for services such as mobile TV.

Devices not only have to implement support for additional radio channels and protocols, but also need to implement a service layer to communicate with additional core network elements for eMBMS. The most important of these is the Broadcast Multicast Service Center (BM-SC).

Anritsu partners with Expway – the leading supplier of BM-SC technology components, top deliver a complete end-to-end eMBMS test solution consisting of the MD8430A Signaling Tester, RTD software and a BM-SC adapted for test purposes. This provides a complete lab simulation to test not only LTE Layer 1 and Layer 2 operation, but also the eMBMS service layer and interactions between the radio modem and the eMBMS middleware.

"Mobile Video Will Generate More Than 69 Percent of Mobile Data Traffic by 2019" – Cisco®.







The Business Case for RTD


It is difficult to quantify the benefits of early problem fixes and faster time to market in hard cash terms, but one may safely assume that it is a high value measured in millions of dollars. This is why world-class organisations are performing as much testing as possible using signaling testers in their laboratories. Significant benefits will be gained by adopting a purpose-built signaling tester as the heart of a successful UE development and testing strategy.

RTD enables more testing of leading technologies, faster than anything else.

RTD will save you time and money because it maximizes all the business benefits arising from the use of a signaling tester.

RTD tests are interpreted – not compiled, this means a modified test is ready to run straight away. During early development this saves many hours of precious time.

We have developed a model, based on a typical UE development process, which allows you to calculate the time to market advantage and operational cost savings that RTD can deliver relative to an alternative solution.





Our model assumes a typical UE development process where a test for a protocol feature is defined and created before the feature is implemented. The test is run against the initial implementation, the results are analyzed and any required changes are made to the UE code and/or the test script. The process of test execution, analysis and modification is repeated until the feature implementation and the test script have been verified. Once verified, the test script is added into an automated regression suite that is used to verify that further UE changes have not broken existing functionality. Every so often the UE software will be updated to conform to the latest release of the 3GPP standard. To ensure that the tests in the regression suite remain valid they will need to undergo a 'maintenance update'.



For our illustrative example project, RTD gave a time to market advantage in the region of 3 to 4 months with cost savings of over \$500k. When we also consider the other benefits such as reduced personnel and training costs, time saved by self-documenting tests, time saved updating test suites to newer standards, easier system setup and configuration and improved test automation, then these significant operational savings only represent a proportion of the total time and money that RTD can save your organization. It is easy to understand why RTD has been adopted by the world's leading mobile protocol developers.

3 Year Cost Savings with RTD





Ordering Information

Please specify the model/order number, name and quantity when ordering.
The names listed in the chart below are Order Names. The actual name of the item may differ from the Order Name.

The names listed in the chart below are Order Names. The actual name of the item			
Model/Order No.	Name		
	Main frame		
MX786201A	Rapid Test Designer (RTD)		
Z1591A	USB Dongle (Protocol)		
	Options		
MX786201A-025	eMBMS BM-SC Procedure Library		
MX786201A-027	RTD IMS Signalling Library		
MX786201A-028	Layer 1/Layer 2 Statistics Monitor (LTE)		
MX786201A-031	RTD Layer 3 Procedure Library (LTE)		
MX786201A-038	Low-level Configuration Library for RTD (LTE)		
MX786201A-40	Ciphering		
MX786201A-041 MX786201A-45	RTD Layer 3 Procedure Library (UTRAN/GERAN)		
MX786201A-45	RTD Test Creation and Editing Tools RTD Run Time Engine		
MX786201A-46	Low-level Configuration Library (UTRAN/GERAN)		
MX786201A-048	Dual Cell Capability (Run-time Option)		
MX786201A-056	Dual-cell to Multi-cell Upgrade (Run Time Option)		
11177 0020 171 030	13		
MX787401A	Tools options Set of Signalling Application Support Tools		
MX787401A MX787401A-011	Protocol Analyzer (RTD)		
MX787401A-011	Remote Control Interface		
MX787401A-013	Signalling Application Tool for Terminal Automation		
MX787401A-014	Signalling Application Tool for Test Sequencing		
MX787401A-017	IMS Audio calls on RTD PC (AMR codec)		
MX787401A-018	IMS over 3G		
MX787401A-019	IMS over WiFi		
MX787401A-020	IMS RCS		
MX787401A-033	Protocol Analyzer 3- Real Time Log Capture Tool		
MX787401A-062	Interface Driver for MF6900A (Fading Simulator)		
MX787401A-065	RTD Fading Library		
MX787401A-066 MX787401A-070	RTD Fading Library (Higher Order MIMO) RTD Fading Library (UTRAN)		
WX787401A-070	3 71 1		
MX787201A	Framework options Multi-RAT Framework for Signalling Testing Applications		
MX787201A-012	Enabler for Multiple Signalling Testers		
MX787201A-013	LTE UL 2x2 MIMO FRAMEWORK		
MX787201A-021	GERAN Framework for Signalling Testing Applications		
MX787201A-023	Framework UTRAN Core (Incl. HSPA)		
MX787201A-026	Framework HSPA Evo (Rel-8)		
MX787201A-027	LTE Core FRAMEWORK for Signalling Testing Applications		
MX787201A-028	LTE FDD Framework for Signalling Testing Applications		
MX787201A-029	Framework LTE TDD Option		
MX787201A-030	LTE Advanced Carrier Aggregation Framework		
MX787201A-031	Framework C2K Core		
MX787201A-032	(Can be ordered only for ME7834L CAT) UTRAN LCR TDD Framework Core (Incl. HSPA)		
MX787201A-035	LTE Framework Technology MD8430 ETM Driver		
MX787201A-038	LTE DL 4x4 MIMO Framework		
MX787201A-039	LTE CoMP Framework		
MX787201A-041	LTE-A 4 Carrier Aggregation Framework		
MX787201A-042	LTE DL 8x4 MIMO FRAMEWORK		
MX787201A-043	LTE Dual Connectivity Framework		
MX787201A-047	LTE Unlicensed 6 GHz Framework		
MX787201A-048	Extended DL Frequency Bandwidth Framework		
MX787201A-050	LTE Licensed Assisted Access (LAA) Framework		
MX787201A-051	Floating (Server based) License		
NAV707466 :	Options for eMBMS		
MX787460A	eMBMS BM-SC Server		
MX787460A-SS120 MX787460A-SS020	MX787460A 1 Year Support Service MX787460A 1 Month Support Service		
Z1896A	Additional PC for RTD eMBMS (With Monitor)		
Z1897A	eMBMS USB Dongle		

anter from the Order Name.			
Model/Order No.	Name		
	Update & maintenance		
MX786201A-20	Software Update and Maintenance Contract		
MX787201A-SS100	Maintenance for Technology Framework		
MX787401A-SS100	Maintenance for Software Tools		
	Additional accessories		
Z1320D	Standard PC for RTD (with monitor)		
P0055D6	RTD Standard UICC Pack -4FF		
P0055D7	RTD Standard UICC Pack -3FF		



Specifications are subject to change without notice.

United States **Anritsu Company**

1155 East Collins Blvd., Suite 100, Richardson, TX 75081, U.S.A. Toll Free: 1-800-267-4878 Phone: +1-972-644-1777 Fax: +1-972-671-1877

• Canada

Anritsu Electronics Ltd.

700 Silver Seven Road, Suite 120, Kanata, Ontario K2V 1C3, Canada Phone: +1-613-591-2003 Fax: +1-613-591-1006

Brazil

Anritsu Eletronica Ltda.

Praca Amadeu Amaral, 27 - 1 Andar 01327-010 - Bela Vista - Sao Paulo - SP Brazil Phone: +55-11-3283-2511 Fax: +55-11-3288-6940

Anritsu Company, S.A. de C.V.

Av. Ejército Nacional No. 579 Piso 9, Col. Granada 11520 México, D.F., México Phone: +52-55-1101-2370 Fax: +52-55-5254-3147

United Kingdom Anritsu EMEA Ltd.

200 Capability Green, Luton, Bedfordshire, LU1 3LU, U.K. Phone: +44-1582-433200 Fax: +44-1582-731303

France

Anritsu S.A.

12 avenue du Québec, Bâtiment Iris 1- Silic 612, 91140 VILLEBON SUR YVETTE, France Phone: +33-1-60-92-15-50 Fax: +33-1-64-46-10-65

Germany Anritsu GmbH

Nemetschek Haus, Konrad-Zuse-Platz 1 81829 München, Germany Phone: +49-89-442308-0 Fax: +49-89-442308-55

Italy

Anritsu S.r.l.

Via Elio Vittorini 129, 00144 Roma, Italy Phone: +39-6-509-9711 Fax: +39-6-502-2425

Anritsu AB

Kistagången 20B, 164 40 KISTA, Sweden Phone: +46-8-534-707-00 Fax: +46-8-534-707-30

Anritsu AB

Teknobulevardi 3-5, FI-01530 VANTAA, Finland Phone: +358-20-741-8100 Fax: +358-20-741-8111

Denmark

Anritsu A/S

Kay Fiskers Plads 9, 2300 Copenhagen S, Denmark Phone: +45-7211-2200 Fax: +45-7211-2210

Russia

Anritsu EMEA Ltd.

Representation Office in Russia

Tverskaya str. 16/2, bld. 1, 7th floor. Moscow, 125009, Russia Phone: +7-495-363-1694 Fax: +7-495-935-8962

Spain

Anritsu EMEA Ltd.

Representation Office in Spain

Edificio Cuzco IV, Po. de la Castellana, 141, Pta. 5 28046, Madrid, Spain Phone: +34-915-726-761 Fax: +34-915-726-621

United Arab Emirates Anritsu EMEA Ltd.

Dubai Liaison Office

902. Aurora Tower. P O Box: 500311- Dubai Internet City Dubai, United Arab Emirates Phone: +971-4-3758479 Fax: +971-4-4249036

Anritsu India Private Limited

2nd & 3rd Floor, #837/1, Binnamangla 1st Stage, Indiranagar, 100ft Road, Bangalore - 560038, India Phone: +91-80-4058-1300 Fax: +91-80-4058-1301

Singapore

Anritsu Pte. Ltd.

11 Chang Charn Road, #04-01, Shriro House Singapore 159640 Phone: +65-6282-2400 Fax: +65-6282-2533

• P.R. China (Shanghai)

Anritsu (China) Co., Ltd.

Room 2701-2705, Tower A, New Caohejing International Business Center No. 391 Gui Ping Road Shanghai, 200233, P.R. China Phone: +86-21-6237-0898 Fax: +86-21-6237-0899

• P.R. China (Hong Kong) Anritsu Company Ltd.

Unit 1006-7, 10/F., Greenfield Tower, Concordia Plaza, No. 1 Science Museum Road, Tsim Sha Tsui East, Kowloon, Hong Kong, P.R. China Phone: +852-2301-4980 Fax: +852-2301-3545

Japan

Anritsu Corporation

8-5, Tamura-cho, Atsugi-shi, Kanagawa, 243-0016 Japan Phone: +81-46-296-6509 Fax: +81-46-225-8359

Korea

Anritsu Corporation, Ltd.

5FL, 235 Pangyoyeok-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, 13494 Korea Phone: +82-31-696-7750 Fax: +82-31-696-7751

Australia

Anritsu Pty. Ltd.

Unit 20, 21-35 Ricketts Road, Mount Waverley, Victoria 3149, Australia Phone: +61-3-9558-8177 Fax: +61-3-9558-8255

Taiwan

Anritsu Company Inc.

7F, No. 316, Sec. 1, NeiHu Rd., Taipei 114, Taiwan Phone: +886-2-8751-1816

Fax: +886-2-8751-1817