

4

3

2

1

IMPEDANCE: 50 OHMS NOMINAL
 FREQUENCY RANGE: DC TO 2.4GHZ
 VSWR: 1.10:1 - DC TO 1 GHz
 1.25:1 - 1 GHz TO 2.4GHZ
 POWER RATING: 100 WATTS MAX. @ 40° C.
 125 WATTS MAX. @ 25° C.
 COOLING FIN: ALUMINUM, BLACK ANODIZED
 HEAT SPREADER: ALUMINUM, TRI-ALLOY PLATED
 CONNECTOR: BNC FEMALE, TRI-ALLOY PLATED

REVISIONS		DWG. NO.	100-T-FB	SHEET	REV
ZONE	REV	DESCRIPTION	DATE	APPROVED	
	A	CONVERT TO BEC FORMAT	DMR 11-12-02	mev	

D

C

B





A

D

C

B

A



OTHER MOUNTING PATTERNS
 AVAILABLE ON SPECIAL REQUEST

DIMENSIONS HEREON ARE FOR CUSTOMER
 CONVENIENCE AND REFERENCE ONLY.
 TOLERANCE TO BE APPLIED ONLY WHERE
 INDIVIDUALLY STATED ON THE RESPECTIVE
 DIMENSION. -DO NOT SCALE DRAWING-

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± 1/64 .005 ± .010 ± 30° DO NOT SCALE DRAWING	MILLIMETERS X = ± .4 XX = ± 1.2	THIS DRAWING IS THE PROPERTY OF THE BIRD ELECTRONIC CORPORATION. THE DESIGNS AND SPECIFICATIONS DISCLOSED HEREON ARE PROPRIETARY AND SHALL NOT BE REPRODUCED, NOR COPIED, NOR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.	BIRD Electronic Corporation Cleveland (Solon) Ohio USA	
MATERIAL		APPROVALS	DATE	TITLE
FINISH		DRAWN DMD	11-11-02	TERMINATION, CONVECTION COOLED BNC FEMALE, 100W
		CHECKED		SIZE FSCM NO. DWG. NO. REV
		APPROVED MEV	11-12-02	C 70998 100-T-FB A
		AUTOCAD		SCALE 1:1 COMM CODE LD1 SHEET 1 OF 1

4

3

2

1