



SHEET 1
 REV A
 DWG NO. 25-T-FB

SPECIFICATIONS:

25 WATT COAXIAL TERMINATION
 POWER RATING: 25 WATTS MAXIMUM @ 40°C.
 30 WATTS MAXIMUM @ 25°C.
 CONNECTOR: BNC-TYPE FEMALE
 FREQUENCY RANGE & VSWR: DC TO 1GHz AT 1.10:1 MAX.
 1GHz TO 4GHz AT 1.25:1 MAX.
 IMPEDANCE: 50 OHMS, NOMINAL
 AMBIENT TEMPERATURE RANGE: -40°C TO +40°C
 OPERATING POSITION: ANY
 COOLANT: DRY (CONVECTION COOLED)
 FINISH: BLACK ANODIZED COOLING FINN, SILVER OR TRI-ALLOY PLATED CONNECTORS
 NOMINAL SIZE: 4.61" L X 2.3" DIA. (WITH BNC-FEMALE CONNECTOR)
 WEIGHT: APPROX. 7 OZ.

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	ECN #0185	12-19-97	<i>MRJ</i>



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES $\pm 1/64$.XX = ± 0.010 $\pm 30'$.XXX = ± 0.005		MILLIMETERS .X = ± 0.4 .XX = ± 0.12		THIS DRAWING IS THE PROPERTY OF THE BIRD ELECTRONIC CORPORATION. THE DESIGNS AND SPECIFICATIONS DISCLOSED HEREON ARE PROPRIETARY AND SHALL NOT BE REPRODUCED, NOR COPIED, NOR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.				 BIRD Electronic Corporation Cleveland (Solon) Ohio USA				
DO NOT SCALE DRAWING		APPROVALS		DATE		TITLE						
MATERIAL		DRAWN		5-13-03		FINAL ASS'Y, TERMINATION BNC-TYPE FEMALE, 25W						
FINISH		CHECKED		APPROVED		SIZE		FSCM NO.		DWG. NO.		REV
				<i>MRJ</i>		B		70998		25-T-FB		A
				6-15-03		SCALE		COMM CODE		SHEET		
				AUTOCAD		1:1		LD1		1 OF 1		