කුමූ REVISIONS **SPECIFICATIONS:** ZONE REV DESCRIPTION POWER RATING: 50 W MAX. @ 40°C. A ECN #0012 60 W MAX. @ 25°C. B ECN #0201 FREQUENCY RANGE & VSWR: DC TO 1GHz AT 1.10:1 MAX. 1GHz TO 4GHz AT 1.25:1 MAX. IMPEDANCE: 50 OHMS, NOMINAL 50 AMBIENT TEMPERATURE RANGE: -40°C TO +40°C CONNECTOR: TNC FEMALE (TRI-ALLOY PLATED) OPERATING POSITION: ANY (CONVECTION COOLED) FINISH: BLACK ANODIZED NOMINAL SIZE: APPROX. 4.62" X 2.30 WEIGHT: APPROX. 1.1 LBS (2.30) — (4.62) -DATE CODE (2.00)- (4.00) — UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: THIS DRAWING IS THE PROPERTY OF THE BIRD ELECTRONIC CORPORATION. THE DESIGNS AND SPECIFICATIONS DISCLOSED MILLIMETERS Electronic Corporation
Cleveland (Solon) Ohio USA .X= ±.4 .XX= ±.12 HEREON ARE PROPRIETARY AND SHALL NOT BE REPRODUCED, NOR COPIED, NOR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT. FRACTIONS DECIMALS ANGLES ±1/64 .XX=±.010 ±30' DO NOT SCALE DRAWING **APPROVALS** DATE **TERMINATION** MATERIAL D.M.RINK 6-13-03 TNC FEMALE, 50W CHECKED SIZE FSCM NO. 70998 MARKY COMM CODE LD1

DATE

11-20-95

9-2-98

APPROVED

MRV

mes

REV

В

1 OF 1

50-T-FT

AUTOCAD