

REV A
 SHEET 1
 DWG NO. 75-A-FFB-XX

SPECIFICATIONS:

POWER RATING: 75 WATT CONTINUOUS

FREQUENCY RANGE & VSWR:

DC TO 1GHz AT 1.10:1 MAX.

1GHz TO 2.4GHz AT 1.25:1 MAX.




AMBIENT TEMPERATURE RANGE: -40° C TO +40° C

CONNECTOR: BNC FEMALE, TRI-ALLOY PLATED

OPERATING POSITION: ANY

DRY LOAD: CONVECTION COOLED

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	CONVERT TO BEC FORMAT	DMR 11-12-02	<i>meu</i>



-30	30	0.8	1.3
-20	20	0.5	1.0
-10	10	0.4	0.8
-06	6	0.4	0.6
-03	3	0.3	0.5
-02	2	0.3	0.5
-01	1	0.3	0.5
DASH NO.	dB ATTEN.	DC - 1GHz ATTENUATOR	1 - 2.4GHz ACCURACY ±dB

DIMENSIONS HEREON ARE FOR CUSTOMER CONVENIENCE AND REFERENCE ONLY. TOLERANCE TO BE APPLIED ONLY WHERE INDIVIDUALLY STATED ON THE RESPECTIVE DIMENSION. -DO NOT SCALE DRAWING-

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES $\pm 1/64$.XX = ± 0.10 $\pm 30'$.XXX = ± 0.005	MILLIMETERS .X = $\pm .4$.XX = $\pm .12$	THIS DRAWING IS THE PROPERTY OF THE BIRD ELECTRONIC CORPORATION. THE DESIGNS AND SPECIFICATIONS DISCLOSED HEREON ARE PROPRIETARY AND SHALL NOT BE REPRODUCED, NOR COPIED, NOR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THEIR EXPRESS WRITTEN CONSENT.			
		APPROVALS DRAWN DMD 11-11-02 CHECKED APPROVED <i>MARK V</i> 11-12-02 AUTOCAD		TITLE ATTENUATOR, CONVECTION COOLED BNC FEMALE, 75W	
MATERIAL FINISH		SIZE B SCALE 1:1	FSCM NO. 70998 COMM CODE AT1	DWG. NO. 75-A-FFB-XX SHEET 1 OF 1	REV A

