

ASMBL 1
REORD 1.00

THE BURROUGHS ALGEBRAIC COMPILER
J. ERDWINN, J. MERNER, F. CROWDER, J. SPERONI, D. KNUTH

(BALGOL)

MAY 1, 1961

14 0	0000	OT	DEFN	1	OUTPUT TAPE UNIT
15 0	0000	T	DEFN	2	PROGRAM TAPE UNIT
16 0	0000	PNTR	DEFN	2	PRINTER UNIT
17 0	0000	LODOX	DEFN	69	
18 0	0000	LODOV	DEFN	71	
19 0	0000	MSIZE	DEFN	4999	SIZE OF MEMORY
20 0	0000		LOCN	0	
21 0	0000	BUF	DEFN	*	
22 0	0000		BUN	LOD	
23 0	0001		BUN	STORE	
25 0	0002	LOD	MRW	4 T	TAPE LOADING ROUTINE
26 0	0003		CLB		FOR FIRST PHASE
27 0	0004	*A	MNC	5 0,T,10	
28 0	0005		LDB	*+1	
29 0	0006		CLA	999	
30 0	0007	*B	ADD	- 0	
31 0	0008		DBB	B-,1	
32 0	0009		BZA	C+	
33 0	0010		SPO	E+,4	SUM CHECK NONZERO
34 0	0011		MPB	4 T,10	CAUSES TYPEOUT AND HALT
35 0	0012		F424	9669,0,9669	
36 0	0013		LDB	B-	PRESS START TO TRY AGAIN
37 0	0014		BUN	A-	
38 0	0015	*C	DFL	*+1,11,1	FIVE TIMES
39 0	0016	*G	F424	4000,42,B-	TEN BLOCKS
40 0	0017		IBB	*+1,999	999 LOCATIONS PER BLOCK
41 0	0018		STB	B-,04	
42 0	0019		RRP	A-	
43 0	0020		BUN	46	
44 0	0021	*E	CNST	\$\$CHECK SUM ERROR\$\$	
45 0	0025		LOCN	46	
46 0	0046	*D	LDB	Z+	READ LAST BLOCK INTO THE
47 0	0047		MNC	5 0,T,1	END OF MEMORY
48 0	0048		LDB	*+1	(THIS HOLDS PATCHES AND
49 0	0049		CLA	99	CORRECTIONS, IF ANY)
50 0	0050	*Z	ADD	- MSIZE-99	
51 0	0051		DBB	*-1,1	SUM CHECK IT, TOO
52 0	0052		BZA	D+	
53 0	0053		SPO	E-,4	
54 0	0054		MPB	4 T,1	
55 0	0055		F424	9669,00,9669	
56 0	0056		BUN	D-	
57 0	0057	*D	DFL	G-,11,5	
58 0	0058		STA	B-,04	
59 0	0059		BOF	STACK	

TAPE STORING ROUTINE.

62 0	0060	STORE	MRW	4 T	
63 0	0061	*B	LDB	*+1	REWRITES COMPILER FROM CORE

2 30 0	0230	HLT	0	
2 31 0	0231	HLT	0	
2 32 0	0232	HLT	0	
2 33 0	0233	HLT	0	
2 34 0	0234	HLT	0	
2 35 0	0235	HLT	0	
2 36 0	0236	HLT	0	
2 37 0	0237	HLT	0	
2 38 0	0238	V1	HLT	0
2 39 0	0239	V2	HLT	0
2 40 0	0240	V3	HLT	0
2 41 0	0241	V4	F244	21,XONE,0
2 42 0	0242	V5	F244	20,FONE,0
2 43 0	0243	V6	F244	21,XZERO,0
2 44 0	0244	V7	F244	20,FZERO,0
2 45 0	0245	V8	F244	40,LALF,0
2 46 0	0246	V9	HLT	
2 47 0	0247	V10	F244	21,XTWO,0
2 48 0	0248	V11	F244	20,FTWO,0
-02 49 0	0249	VARB	HLT	MSIZE
2 50 0	0250	VIMAG	HLT	0
2 51 0	0251	V	DEFN	V1-1
V-OPERANDS ARE SET UP BY GENERATOR AND USED BY ASSEMBLER				
SWITCHES SET BY TRANSLATOR				
2 54 0	0251	SW2	HLT	0
2 55 0	0252	SW3	HLT	0
2 56 0	0253	SW6	HLT	0
2 57 0	0254	ALPHA	HLT	1
2 58 0	0255	DELTA	HLT	0
2 59 0	0256	FPSLN	HLT	0
2 60 0	0257	KAPPA	HLT	0
2 61 0	0258	PHI	HLT	0
2 62 0	0259	PSI	HLT	0
2 63 0	0260	CHI	HLT	0
2 64 0	0261	CHI3	HLT	0
2 65 0	0262	OMEGA	HLT	0
2 66 0	0263	FNSW	HLT	0
2 67 0	0264	PARSW	HLT	0
2 68 0	0265	TAG	HLT	0
2 69 0	0266	XI	HLT	0
2 70 0	0267	LAMDA	HLT	0
-02 71 0	0268	PI	HLT	0
2 72 0	0269	IOTA	HLT	0
2 73 0	0270	OMCRN	HLT	0
STACKS IN ASSOCIATIVE MEMORY				
2 76 0	0271	AVAIL	F424	0000,0,0
2 77 0	0272	FUNS	F424	FUNS,0,0
2 78 0	0273	OP	F424	OP,0,0
2 79 0	0274	ARAS	F424	ARAS,0,0
2 80 0	0275	DIMS	F424	DIMS,0,0
2 81 0	0276	EXEC	F424	EXEC,0,0
2 82 0	0277	FV	F424	FV,0,0
2 83 0	0278	MULS	F424	MULS,0,0
002 84 0	0279	MODE	F424	MODE,0,NRMMD
2 85 0	0280	MULT	F424	MULT,0,0

2 86 0	0281	OPRND F424	OPRND,0,0	OPERANDS WAITING TO BE USED
2 87 0	0282	PARFF F424	PAREF,0,0	REFERENCE TO PROCEDURE PARAMETERS
2 88 0	0283	PR1 F424	PR3,0,0	PREFIXES OUTSIDE OF PROCEDURES
2 89 0	0284	PR3 F424	PR3,0,0	CURRENT PREFIXES
2 90 0	0285	RV F424	RV,0,0	FOR VARIABLE (BACKWARDS)
2 91 0	0286	SAVET F424	SAVET,0,0	TEMP STORAGE CELLS SAVED
2 92 0	0287	SETUP F424	SETUP,0,0	REFERENCE TO A PROCEDURE PARAMETER
2 93 0	0288	TEMPS F424	TEMPS,0,0	TEMP STORAGE CELLS AVAILABLE
2 94 0	0289	XVP F424	XVP,0,0	ARRAYS IN MULTIPLE INDEXING
2 95 0	0290	DUMBS F424	DUMBS,0,0	LEVELS WHERE DUMP CARD APPEARS

2 98 0	0291	OPTAB DEFN *		TABLE OF OPERATION SYMBOLS
2 99 0	0291	CRA F2443	0,G CRA,1	00 INPUT OR OUTPUT
3 00 0	0292	CRB F2441	01,G CRB,1	01 EQUAL
3 01 0	0293	CRC F2442	00,G CRC,1	02 FUNCTION CALL COMMA
3 02 0	0294	DOT F2440	12,0048,1	03 . MULTIPLICATION
3 03 0	0295	RPAR F2440	00,0000,3	04) RIGHT PARENTHESIS
3 04 0	0296	CRD F2441	41,G CRD,1	05 MOD COMMA
3 05 0	0297	CRE F2443	00,G CRE,1	06 EITHER
3 06 0	0298	CRF F2441	00,G CRF,1	07 ARRAY DECLARATION
3 07 0	0299	CRG F2442	00,G CRG,1	08 ARRAY DECLARATION
3 08 0	0300	CRH F2442	00,G CRH,1	09 SWITCH
3 09 0	0301	PLUS F2440	10,0000,1	10 + ADDITION
3 10 0	0302	CRI F2443	00,G CRI,1	11 INPUT OR OUTPUT
3 11 0	0303	CRJ F2442	00,G CRJ,1	12 INPUT LABEL COMMA
3 12 0	0304	SMCLN F2446	00,SEMI,5	13 \$ SEMICOLON
3 13 0	0305	EXPN F2441	14,G EXPN,1	14 * EXPONENTIATION
3 14 0	0306	CRK F2443	00,G CRK,1	15 OUTPUT LABEL COMMA
3 15 0	0307	TEMP1 CNST	0	NOT USED
3 16 0	0308	CRM F2443	00,G CRM,1	17 MONITOR
3 17 0	0309	CRN F2441	00,G CRN,1	18 PARAMETRIC ARRAY
3 18 0	0310	CRQ F2441	41,G CRQ,1	19 FUNCTION CALL
3 19 0	0311	HYPH F2443	14,G HYPH,1	20 - NEGATION
3 20 0	0312	SOLD F2440	11,0024,1	21 / DIVISION
3 21 0	0313	CRP F2443	00,G CRP,1	22 PROCEDURE
3 22 0	0314	KOMA F2446	00,COMMA,5	23 , COMMA
3 23 0	0315	LPAR F2440	00,0000,2	24 (LEFT PARENTHESIS
3 24 0	0316	CRQ F2443	00,G CRQ,1	25 PROCEDURE
3 25 0	0317	CRR F2441	40,G CRR,1	26 ARRAY
3 26 0	0318	CRS F2443	00,G CRS,1	27 SUBROUTINE
3 27 0	0319	CRT F2442	00,G CRT,1	28 GO TO
3 28 0	0320	CRU F2442	00,G CRU,1	29 UNTIL
3 29 0	0321	CRV F2443	00,G CRV,1	30 SEGMENT
3 30 0	0322	CRW F2443	00,G CRW,1	31 OTHERWISE
3 31 0	0323	CRX F2443	00,G CRX,1	32 FOR
3 32 0	0324	SBST F2446	00,EQU,5	33 = ASSIGNMENT
3 33 0	0325	CRY F2442	00,G CRY,1	34 FIX
3 34 0	0326	CRZ F2442	00,G CRZ,1	35 STOP
3 35 0	0327	TEMP3 CNST	0	NOT USED
3 36 0	0328	BREF F2445	00,0000,1	37 BACKWARD REFERENCE
3 37 0	0329	TOP CNST	0	NOT USED
3 38 0	0330	CWEND F2446	00,END,1	39 END
3 39 0	0331	CWDX F2446	00,NDXMD,4	40 ARRAY CALL
3 40 0	0332	CWARD F2446	00,ARDEC,1	41 ARRAY DECLARATION

3 41 0	0333	CWEMP F2446	00,EMPTY,5	42	EMPTY SUBSCRIPT
3 42 0	0334	CWLAB F2446	00,LARMD,4	43	LABEL IN DECLARATION
3 43 0	0335	CWAPM F2446	00,ARAPM,1	44	ARRAY PARAMETER
3 44 0	0336	CWCLN F2446	00,FUNMD,4	45	FUNCTION,PROCEDURE CALL
3 45 0	0337	BOR F2440	22,0203,1	46	BOOLEAN OR
3 46 0	0338	OPIF F2442	00,GIF,1	47	IF
3 47 0	0339	RGEQ F2448	01,0024,1	48	GEQ
3 48 0	0340	RLEQ F2448	01,0012,1	49	LEQ
3 49 0	0341	OPMAX F2440	00,0100,1	50	MAX
3 50 0	0342	OPMIN F2440	00,0112,1	51	MIN
3 51 0	0343	CROY F2443	22,GCROY,1	52	TRACE

VARIOUS MODES

3 54 0	0344	ARAMD F244	0,ARACM,ARRAY	ARRAY DECLARATION MODE
3 55 0	0345	ARFMD F244	0,ARFCM,ARFCM	ARRAY-FILL MODE
3 56 0	0346	DCLMD DEFN	*	TYPE DECLARATION MODES
3 57 0	0346	INTMD F244	0,DCLCM,INTG	INTEGER DECLARATION MODE
3 58 0	0347	FLTMD F244	0,DCLCM,FLTG	FLOATING DECLARATION MODE
003 59 0	0348	FORMD F244	1,FORCM,FOR	FOR MODE (PROCESSING ITERATION LIST)
3 60 0	0349	FRMMD F2449	0,FRMCM,FRMT	FORMAT DECLARATION MODE
3 61 0	0350	FUNMD F244	0,FUNCM,COLON	FUNCTION MODE (SETTING UP PARAMETERS)
3 62 0	0351	INNMD F2449	1,PUTCM,INPUT	INPUT DECLARATION MODE
3 63 0	0352	MAXMD F244	0,MAXCM,NORM	MAX MODE
3 64 0	0353	MINMD F244	0,MINCM,NORM	MIN MODE
3 65 0	0354	MODMD F244	0,MODCM,NORM	MOD MODE
3 66 0	0355	NDXMD F244	0,NDXCM,INDEX	INDEX MODE (PROCESSING SUBSCRIPTS)
3 67 0	0356	NRMMD F2441	10,0,0	NORMAL MODE
3 68 0	0357	OUTMD F2449	1,PUTCM,OUTPT	OUTPUT DECLARATION MODE
3 69 0	0358	PRCMD F244	0,PRCCM,PROCD	PROCEDURE DECLARATION MODE
3 70 0	0359	SWMD F244	0,SWCM,SWTCH	SWITCH MODE
3 71 0	0360	FNCMD F244	0,PRCCM,FUNC	FUNCTION DECLARATION MODE
003 72 0	0361	LARMD F2442	0,LARCM,LABEL	LABEL MODE (OUTSIDE OF I-O,FORMAT MODES)
3 73 0	0362	EXTMD F2449	1,FRMCM,EXTRN	EXTERNAL MODE
3 74 0	0363	MEMMD F2447	1,ARACM,MEMST	TRACE MODE

RESERVED WORDS

3 77 0	0364	SUBGN F4246	7001,0,SUBR	
3 78 0	0365	CNST	\$SUBROUTINES	
3 79 0	0367	UNTGN F4246	7001,0,UNTIL	(DO A SLA 4 ON THESE CODES
3 80 0	0368	CNST	\$UNTILS	TO GET THEIR TRUE SIGNIFICANCE)
3 81 0	0369	INPGN F4246	7004,0,INNMD	
3 82 0	0370	CNST	\$INPUTS	
3 83 0	0371	RETGN F4246	7001,0,RETN	
3 84 0	0372	CNST	\$RETURNS	
3 85 0	0374	IFGN F4246	7691,0,IF	
3 86 0	0375	CNST	\$IFS	
3 87 0	0376	IMPGN F4240	7001,20,1209	
3 88 0	0377	CNST	\$IMPLS	
3 89 0	0378	ORGN F4246	7001,0,OR	
3 90 0	0379	CNST	\$ORS	
3 91 0	0380	GOGN F4246	7001,0,GO	
3 92 0	0381	CNST	\$GOS	
3 93 0	0382	OUTGN F4246	7004,0,OUTMD	
3 94 0	0383	CNST	\$OUTPUTS	
3 95 0	0385	EITGN F4246	7001,0,FTHR	
3 96 0	0386	CNST	\$EITHERS	

3 97 0	0388	BOOBN	F4246	7004,0,INTMD
3 98 0	0389		CNST	\$BOOLEANS
3 99 0	0391	COMGN	F4246	7001,0,COMNT
4 00 0	0392		CNST	\$COMMENTS
4 01 0	0394	LEQGN	F4248	7001,01,12
4 02 0	0395		CNST	\$LEQS
4 03 0	0396	FORMG	F4246	7004,0,FRMMD
4 04 0	0397		CNST	\$FORMATS
4 05 0	0399	MINGN	F4246	7404,0,MINMD
4 06 0	0400		CNST	\$MINS
4 07 0	0401	NEQGN	F4248	7001,01,6
4 08 0	0402		CNST	\$NEQS
4 09 0	0403	FLOGN	F4246	7004,0,FLTMD
4 10 0	0404		CNST	\$FLOATINGS
4 11 0	0406	INTGN	F4246	7004,0,INTMD
4 12 0	0407		CNST	\$INTEGERS
4 13 0	0409	FORGN	F4246	7004,0,FORMD
4 14 0	0410		CNST	\$FORS
4 15 0	0411	PROGN	F4246	7004,0,PRCMD
4 16 0	0412		CNST	\$PROCEDURES
4 17 0	0414	MAXGN	F4246	7404,0,MAXMD
4 18 0	0415		CNST	\$MAXS
4 19 0	0416	FINGN	F4246	7001,0,FINSH
4 20 0	0417		CNST	\$FINISHS
4 21 0	0419	PCSGN	F4242	7401,41,GPCS
4 22 0	0420		CNST	\$PCSS
4 23 0	0421	SEGGN	F4246	7001,0,SGMT
4 24 0	0422		CNST	\$SEGMENTS
4 25 0	0424	OVEGN	F4246	7001,0,OVRLY
4 26 0	0425		CNST	\$OVERLAYS
4 27 0	0427	ENTGN	F4246	7001,0,ENTER
4 28 0	0428		CNST	\$ENTERS
4 29 0	0429	GTRGN	F4248	7001,01,18
4 30 0	0430		CNST	\$GTRS
4 31 0	0431	ARRGN	F4246	7004,0,ARAMD
4 32 0	0432		CNST	\$ARRAYS
4 33 0	0433	OTHGN	F4246	7005,0,WISE
4 34 0	0434		CNST	\$OTHERWISES
4 35 0	0436	FUNGN	F4246	7004,0,FNCMD
4 36 0	0437		CNST	\$FUNCTIONS
4 37 0	0439	NOTGN	F4242	7001,24,GBNOT
4 38 0	0440		CNST	\$NOTS
4 39 0	0441	LSSGN	F4248	7001,01,30
4 40 0	0442		CNST	\$LSSS
4 41 0	0443	MONGN	F4246	7001,0,MONT
4 42 0	0444		CNST	\$MONITORS
4 43 0	0446	SWIGN	F4246	7004,0,SWMD
4 44 0	0447		CNST	\$SWITCHS
4 45 0	0449	STOBN	F4246	7001,0,STOP
4 46 0	0450		CNST	\$STOP\$
4 47 0	0451	FIXGN	F244	06,FIX,0
4 48 0	0452	GSEG	F244	14,SEGGN,0
4 49 0	0453	GNARR	F244	10,ARRGN,0
4 50 0	0454	ANDGN	F4240	7001,23,0200
4 51 0	0455		CNST	\$ANDS

4	52	0	0456	EXTGN	F4246	7004,0,EXTMD
4	53	0	0457		CNST	\$EXTERNAL\$
4	54	0	0459	REAL	F4246	7004,00,FLTMD
4	55	0	0460		CNST	\$REAL \$
4	56	0	0461	DUMPE	F4246	7001,0,DUMP
4	57	0	0462		CNST	\$DUMP\$
4	58	0	0463	MEMRY	F4246	7004,0,MEMMD
4	59	0	0464		CNST	\$TRACES
4	60	0	0465	STAX	F2446	73,0199,0
4	61	0	0466		CNST	\$STATEMENTS

THERE ARE MORE RESERVED WORD CODES
SCATTERED THROUGH TABSC

4	64	0	0468	TABSC	F4248	8888,30,R1
04	65	0	0469		F4248	8888,30,R1
004	66	0	0470		F4248	8888,30,R3
004	67	0	0471		F4248	8888,30,R2
4	68	0	0472		F4248	8888,30,R17
4	69	0	0473		F4248	8888,30,R3
4	70	0	0474		F4248	8888,30,R3
4	71	0	0475		F4248	8888,30,R3
4	72	0	0476		F4248	8888,30,R11
4	73	0	0477		F4248	8888,30,R3K
4	74	0	0478		F4248	8888,30,R4
004	75	0	0479		F4248	8888,30,R5
4	76	0	0480		F4248	8888,30,R6
4	77	0	0481		F4248	8888,30,R19
4	78	0	0482		F4248	8888,30,R20
4	79	0	0483		F4248	8888,30,R6
4	80	0	0484		F4248	8888,30,R6
4	81	0	0485		F4248	8888,30,R22
4	82	0	0486		F4248	8888,30,R18
4	83	0	0487		F4248	8888,30,R6
4	84	0	0488		F4248	8888,30,R7P
4	85	0	0489		F4248	8888,30,R21
4	86	0	0490		F4248	8888,30,R8
4	87	0	0491		F4248	8888,30,R10
4	88	0	0492		F4248	8888,30,R8
4	89	0	0493		F4248	8888,30,R8
4	90	0	0494		F4248	8888,30,R8
4	91	0	0495		F4248	8888,30,R8
4	92	0	0496		F4248	8888,30,R12
4	93	0	0497		F4248	8888,30,R8
4	94	0	0498		F4248	8888,30,R7
4	95	0	0499		F4248	8888,30,R23
4	96	0	0500		F4248	8888,30,R25
4	97	0	0501		F4248	8888,30,R8
4	98	0	0502		F244	14,COMGN,0
4	99	0	0503		F4248	8888,30,R26
5	00	0	0504		F4248	8888,30,R25
5	01	0	0505		F244	06,LEQGN,0
5	02	0	0506		F4248	8888,30,R8
5	03	0	0507		F4248	8888,30,R9
5	04	0	0508		F4248	8888,30,R7
5	05	0	0509		F4248	8888,30,R23
5	06	0	0510		F244	06,NEQGN,0
5	07	0	0511		F4248	8888,30,R8

AA	
AN	TABLE OF ADMISSIBLE
A)	CHARACTER PAIRS AND
A(CORRESPONDING R-ROUTINES
A.	IN SCANNER
A\$	
A.	
A*	
A-	
AP	A=ALPHA
NA	N=NUMBER
NN	P=PLUS, DIVIDE, OR EQUALS
N)	
N(
N.	
N\$	
N.	
N*	
N-	
NP	
)A	
)N	
)	
)(
).	
)\$	
),	
)*	
)-	
)P	
(A	
(N	
(
((
(. ILLEGAL	
(\$	
(,	
(* ILLEGAL	
(-	
(P	
.A	
.N	
.) ILLEGAL	
.(

5 08 0	0512	F244	14,INTGN,TABSC+72	..	ILLEGAL
5 09 0	0513	F244	18,PROGN,0	.\$	ILLEGAL
5 10 0	0514	F244	12,FINGN,**+1	..	ILLEGAL
5 11 0	0515	F244	06,PCSGN,FIXGN	.*	ILLEGAL
5 12 0	0516	F4248	8888,30,R8	.-	
5 13 0	0517	F4248	8888,30,R9	.P	
5 14 0	0518	F4248	8888,30,R7	.\$A	
5 15 0	0519	F4248	8888,30,R23	.\$N	
5 16 0	0520	F4248	8888,30,R27	.\$)	
5 17 0	0521	F4248	8888,30,R8	.\$(
5 18 0	0522	F244	20,SUBGN,0	.\$.	ILLEGAL
5 19 0	0523	F4248	8888,30,R26	.\$\$	
5 20 0	0524	SIGGN F4242	7401,41,GSIGN	.\$.	ILLEGAL
5 21 0	0525	CNST	\$\$SIGN\$.\$*	ILLEGAL
5 22 0	0526	F4248	8888,30,R8	.\$-	
5 23 0	0527	F4248	8888,30,R9	.\$P	
5 24 0	0528	F4248	8888,30,R7	.\$A	
5 25 0	0529	F4248	8888,30,R23	.\$N	
5 26 0	0530	F4248	8888,30,R25	.\$)	
5 27 0	0531	F4248	8888,30,R8	.\$(
5 28 0	0532	EQIGN F4240	7001,21,0206	.\$.	ILLEGAL
5 29 0	0533	CNST	\$\$EQUI\$.\$	ILLEGAL
5 30 0	0534	F4248	8888,30,R25	.\$,	
5 31 0	0535	F244	08,SIGGN,0	.\$*	ILLEGAL
5 32 0	0536	F4248	8888,30,R8	.\$-	
5 33 0	0537	F4248	8888,30,R9	.\$P	
5 34 0	0538	F4248	8888,30,R7	.\$A	
5 35 0	0539	F4248	8888,30,R23	.\$N	
5 36 0	0540	F2441	10,FONE,TABSC+82	.\$)	ILLEGAL
5 37 0	0541	F4248	8888,30,R8	.\$(
5 38 0	0542	TOGN F4246	7001,0,TO	.\$.	ILLEGAL
5 39 0	0543	CNST	\$\$TOS\$.\$*	ILLEGAL
5 40 0	0544	BEGGN F4240	7002,0,0	.\$,	ILLEGAL
5 41 0	0545	CNST	\$\$BEGIN\$.\$*	ILLEGAL
5 42 0	0546	F4248	8888,30,R8	.\$-	
5 43 0	0547	F4248	8888,30,R9	.\$P	
5 44 0	0548	F4248	8888,30,R7	.\$A	
5 45 0	0549	F4248	8888,30,R23	.\$N	
5 46 0	0550	F244	10,FLOAT,0	.\$)	ILLEGAL
5 47 0	0551	F4248	8888,30,R8	.\$(
5 48 0	0552	ENDGN F4246	7001,0,END	.\$.	ILLEGAL
5 49 0	0553	CNST	\$\$END\$.\$-	ILLEGAL
5 50 0	0554	ABSGN F4242	7401,41,GABSF	.\$,	ILLEGAL
5 51 0	0555	CNST	\$\$ABS\$.\$*	ILLEGAL
5 52 0	0556	GEOGN F4248	7001,01,0024	.\$-	ILLEGAL
5 53 0	0557	CNST	\$\$GEQ\$.\$P	ILLEGAL
5 54 0	0558	F4248	8888,30,R7	.\$A	
5 55 0	0559	F4248	8888,30,R23	.\$N	
5 56 0	0560	F2440	08,STOGN,0	.\$)	ILLEGAL
5 57 0	0561	F4248	8888,30,R8	.\$(
5 58 0	0562	MODGN F4246	7404,0,MODMD	.\$.	ILLEGAL
5 59 0	0563	CNST	\$\$MOD\$.\$*	ILLEGAL
5 60 0	0564	EQLGN F4248	7001,01,0	.\$,	ILLEGAL
5 61 0	0565	CNST	\$\$EQL\$.\$*	ILLEGAL
5 62 0	0566	F4248	8888,30,R8	.\$-	

5 63 0

0567

F4248 8888,30,R9

PP

Address	Operation	Code	Value	Operation	Description
5 66 0	VOCAB	DEFN	*	TABLE OF 220 OPERATIONS WE CAN DO	
5 67 0	CADV1	CNST	00000100001	01	
5 68 0	CADV2	CNST	00000100002	02	
5 69 0	CADX1	CNST	00000100004	03	
5 70 0	CADF1	CNST	00000100005	04	
5 71 0	CADL1	CNST	60000100001	05	
5 72 0	CSUV1	CNST	00000110001	06	SIGN OF 0,1, OR 3..
5 73 0	CSUV2	CNST	00000110002	07	ADDRESS I IS TO BE REPLACED BY
5 74 0	ADDV1	CNST	00000120001	08	V(I) AND IF V(I) IS AN
5 75 0	ADDV2	CNST	00000120002	09	ARRAY WE MUST ALSO COMPUTE
5 76 0	ADDL1	CNST	60000120001	10	ITS SUBSCRIPT AND LOAD B
5 77 0	FADV1	CNST	00000220001	11	
5 78 0	FADV2	CNST	00000220002	12	
5 79 0	SUBV1	CNST	00000130001	13	SIGN OF 1.. DONT RELEASE
5 80 0	SUBV2	CNST	00000130002	14	TEMPORARY STORAGE CELL.
005 81 0	SUBX1	CNST	00000130004	15	IF V(I) IS AN ARRAY DONT RELEASE
5 82 0	FSUV1	CNST	00000230001	16	THE INCREMENT WORD
5 83 0	FSUV2	CNST	00000230002	17	
5 84 0	MULV1	CNST	00000140001	18	
-05 85 0	MULV2	CNST	00000140002	19	SIGN OF 3.. THIS IS A PSEUDO-OP.
05 86 0	FMUV1	CNST	00000240001	20	WE GET READY TO CALCULATE V(I)
5 87 0	FMUV2	CNST	00000240002	21	BUT DONT ACTUALLY FINISH
5 88 0	DIVV1	CNST	00000150001	22	
5 89 0	DIVV2	CNST	00000150002	23	
05 90 0	FDVV1	CNST	00000250001	24	SIGN OF 4.. ADDRESS IS ARSOLUTE
05 91 0	SHIFT	CNST	40000000000	25	SIGN OF 5.. SAME, B-MODIFIED
5 92 0	CFAV1	CNST	10000180001	26	
5 93 0	CFAV2	CNST	10000180002	27	
005 94 0	EXTV1	CNST	00000170001	28	SIGN OF 6.. ADDRESS IS RELATIVE
5 95 0	EXTV2	CNST	00000170002	29	TO LOCATION
5 96 0	STAV1	CNST	00000400001	30	
5 97 0	STAV2	CNST	00000400002	31	
5 98 0	STAT1	CNST	10000400001	32	SIGN OF 7,8, OR 9..
5 99 0	STAT2	CNST	10000400002	33	ADDRESS IS BLANKED OUT
6 00 0	STAL2	CNST	61110400002	34	
6 01 0	STAI	CNST	40410400000	35	
-6 02 0	STAAB	CNST	50000400000	36	SIGN OF 8.. FORWARD REFERENCE
6 03 0	BUNV1	CNST	00000300001	37	IS PUT ON STACK
06 04 0	BUNV2	CNST	00000300002	38	SIGN OF 9.. SAME, INCREMENTED
6 05 0	BUNV3	CNST	00000300003	39	
6 06 0	BUNZ	CNST	70000300300	40	
6 07 0	BUNBZ	CNST	50000300000	41	
6 08 0	BUN1	CNST	40000300000	42	
6 09 0	BUN3V	CNST	00000300003	43	
6 10 0	BUNL2	CNST	60000300002	44	
6 11 0	BSALN	CNST	60001330003	45	
6 12 0	BSALP	CNST	60000330003	46	
6 13 0	BZAL2	CNST	60000360002	47	
6 14 0	BZAL3	CNST	60000360003	48	
6 15 0	BZAL4	CNST	60000360004	49	
6 16 0	BNZAF	CNST	80101369999	50	
6 17 0	NOPZ	CNST	70000010000	51	
6 18 0	NOPV1	CNST	00000010001	52	

6 19 0	0620	NOPV2	CNST	00000010002	53
6 20 0	0621	NOPAV	F424	0,01, TOP-V	54
6 21 0	0622	SLT10	CNST	40001490010	55
6 22 0	0623	SLTZ	CNST	40001490000	56
6 23 0	0624	SLT30	CNST	40001490030	57
6 24 0	0625	SRT10	CNST	40001480010	58
6 25 0	0626	SRTZ	CNST	40001480000	59
6 26 0	0627	SLA9	CNST	40000490009	60
6 27 0	0628	LDBI	CNST	40000420000	61
6 28 0	0629	LDBL0	CNST	60000420000	62
6 29 0	0630	LBCV1	CNST	00001420001	63
6 30 0	0631	DLBV2	CNST	04400260002	64
6 31 0	0632	LSA0	CNST	40000430000	65
6 32 0	0633	LSA1	CNST	40001430000	66
6 33 0	0634	LSA9	CNST	40009430000	67
6 34 0	0635	STPZ	CNST	70000440000	68
6 35 0	0636	STPV2	CNST	00000440002	69
6 36 0	0637	STPV3	CNST	00000440003	70
6 37 0	0638	BCSL2	CNST	60000380002	71
6 38 0	0639	CLA	CNST	40001450002	72
6 39 0	0640	IBRI	CNST	40002200000	73
6 40 0	0641	LDRV1	CNST	00000410001	74
6 41 0	0642	HLTZ	CNST	40137007310	75
6 42 0	0643	CAAV1	CNST	00001100001	76
6 43 0	0644	CSAV1	CNST	00001110001	77
6 44 0	0645	NDXV1	CNST	30000000001	78
6 45 0	0646	NDXV2	CNST	30000000002	79
6 46 0	0647	RCCL2	CNST	60000340002	80
6 47 0	0648	RCLL2	CNST	60001340002	81
6 48 0	0649	RCUL2	CNST	60011350002	82
6 49 0	0650	ADDX1	CNST	00000120004	83
6 50 0	0651	CLLV2	CNST	00000460002	84
6 51 0	0652	BZAFR	CNST	80000369999	85
6 52 0	0653	BSAFN	CNST	80001339999	86
6 53 0	0654	BSAFP	CNST	80000339999	87
6 54 0	0655	BUNFR	CNST	80000309999	88
6 55 0	0656	STPA	F4244	0,44, LODOX	89
6 56 0	0657	BUNA	F4244	0,30, LODOV	90
6 57 0	0658	BFILR	CNST	60101360002	91
6 58 0	0659	BUNFB	CNST	90000309999	92
6 59 0	0660	STPER	CNST	80000449999	93
6 60 0	0661	STAT3	CNST	10000400003	94
6 61 0	0662	LDBV9	CNST	00000420000	95
6 62 0	0663	CSUV4	CNST	00000110004	96
6 63 0	0664	CLRO	CNST	40002450000	97
6 64 0	0665	BOF2	CNST	61111310002	98

MACRO-OPERATION TABLES

		LOCN	*	OP	V1	V2	RESULT		
6 67 0	0666	GTAB0	CNST	10900000000	+ A	V	X	ADDV2	X=FIXED
6 68 0	0666		CNST	11400000000	+ A	V-	X	SURV2	F=FLOATING
6 69 0	0667		CNST	31400000000	+ A-	V	X-	SURV2	A=IN ACCUMULATOR
06 70 0	0668		CNST	30900000000	+ A-	V-	X-	ADDV2	V=NOT IN ACCUMULATOR
006 71 0	0669		CNST	10800000000	+ V	A	X	ADDV1	-=NEGATED
6 72 0	0670		CNST	31300000000	+ V	A-	X-	SURV1	
6 73 0	0671		CNST						

6 74 0	0672	CNST	11300000000	+ V-	A X	SUBV1			
6 75 0	0673	CNST	30800000000	+ V-	A- X-	ADDV1			
6 76 0	0674	CNST	10109000000	+ V	V X	CADV1	ADDV2		
6 77 0	0675	CNST	10708000000	+ V	V- X	CSUV2	ADDV1		
6 78 0	0676	CNST	10213000000	+ V-	V X	CADV2	SUBV1		
6 79 0	0677	CNST	10713000000	+ V-	V- X	CSUV2	SUBV1		
6 80 0	0678	CNST	21200000000	+ A	V F	FADV2			
6 81 0	0679	CNST	21700000000	+ A	V- F	FSUV2			
6 82 0	0680	CNST	41700000000	+ A-	V F-	FSUV2			
6 83 0	0681	CNST	41200000000	+ A-	V- F-	FADV2			
6 84 0	0682	CNST	21100000000	+ V	A F	FADV1			
6 85 0	0683	CNST	41600000000	+ V	A- F-	FSUV1			
6 86 0	0684	CNST	21600000000	+ V-	A F	FSUV1			
6 87 0	0685	CNST	41100000000	+ V-	A- F-	FADV1			
6 88 0	0686	CNST	20112000000	+ V	V F	CADV1	FADV2		
6 89 0	0687	CNST	20711000000	+ V	V- F	CSUV2	FADV1		
6 90 0	0688	CNST	20216000000	+ V-	V F	CADV2	VSUV1		
6 91 0	0689	CNST	20716000000	+ V-	V- F	CSUV2	FSUV1		
6 92 0	0690	CNST	13202582200	/ A	V X	STAT1	CADV2	SRT10	DIVV1
6 93 0	0691	CNST	13207582200	/ A	V- X	STAT1	CSUV2	SRT10	DIVV1
6 94 0	0692	CNST	13207582200	/ A-	V X	STAT1	CSUV2	SRT10	DIVV1
6 95 0	0693	CNST	13202582200	/ A-	V- X	STAT1	CADV2	SRT10	DIVV1
6 96 0	0694	CNST	15822000000	/ V	A X	SRT10	DIVV1		
6 97 0	0695	CNST	35822000000	/ V	A- X-	SRT10	DIVV1		
6 98 0	0696	CNST	35822000000	/ V-	A X-	SRT10	DIVV1		
6 99 0	0697	CNST	15822000000	/ V-	A- X	SRT10	DIVV1		
7 00 0	0698	CNST	10258220000	/ V	V X	CADV2	SRT10	DIVV1	
7 01 0	0699	CNST	10758220000	/ V	V- X	CSUV2	SRT10	DIVV1	
7 02 0	0700	CNST	10758220000	/ V-	V X	CSUV2	SRT10	DIVV1	
7 03 0	0701	CNST	10258220000	/ V-	V- X	CADV2	SRT10	DIVV1	
7 04 0	0702	CNST	23202972400	/ A	V F	STAT1	CADV2	CLR	FDVV1
7 05 0	0703	CNST	23207972400	/ A	V- F	STAT1	CSUV2	CLR	FDVV1
7 06 0	0704	CNST	23207972400	/ A-	V F	STAT1	CSUV2	CLR	FDVV1
7 07 0	0705	CNST	23202972400	/ A-	V- F	STAT1	CADV2	CLR	FDVV1
7 08 0	0706	CNST	29724000000	/ V	A F	CLR	FDVV1		
7 09 0	0707	CNST	49724000000	/ V	A- F-	CLR	FDVV1		
7 10 0	0708	CNST	49724000000	/ V-	A F-	CLR	FDVV1		
7 11 0	0709	CNST	29724000000	/ V-	A- F	CLR	FDVV1		
7 12 0	0710	CNST	20297240000	/ V	V F	CADV2	CLR	FDVV1	
7 13 0	0711	CNST	20797240000	/ V	V- F	CSUV2	CLR	FDVV1	
7 14 0	0712	CNST	20797240000	/ V-	V F	CSUV2	CLR	FDVV1	
7 15 0	0713	CNST	20297240000	/ V-	V- F	CADV2	CLR	FDVV1	
7 16 0	0714	CNST	11955000000	• A	V X	MULV2	SLT10		
7 17 0	0715	CNST	31955000000	• A	V- X-	MULV2	SLT10		
7 18 0	0716	CNST	31955000000	• A-	V X-	MULV2	SLT10		
7 19 0	0717	CNST	11955000000	• A-	V- X	MULV2	SLT10		
7 20 0	0718	CNST	11855000000	• V	A X	MULV1	SLT10		
7 21 0	0719	CNST	31855000000	• V	A- X-	MULV1	SLT10		
7 22 0	0720	CNST	31855000000	• V-	A X-	MULV1	SLT10		
7 23 0	0721	CNST	11855000000	• V-	A- X	MULV1	SLT10		
7 24 0	0722	CNST	10218550000	• V	V X	CADV2	MULV1	SLT10	
7 25 0	0723	CNST	10718550000	• V	V- X	CSUV2	MULV1	SLT10	
7 26 0	0724	CNST	10718550000	• V-	V X	CSUV2	MULV1	SLT10	
7 27 0	0725	CNST	10218550000	• V-	V- X	CADV2	MULV1	SLT10	
7 28 0	0726	CNST	22100000000	• A	V F	FMUV2			
7 29 0	0727	CNST	42100000000	• A	V- F-	FMUV2			

7 30 0	0728	CNST	42100000000	• A- V F-	FMUV2				
7 31 0	0729	CNST	22100000000	• A- V- F	FMUV2				
7 32 0	0730	CNST	22000000000	• V A F	FMUV1				
7 33 0	0731	CNST	42000000000	• V A- F-	FMUV1				
7 34 0	0732	CNST	42000000000	• V- A F-	FMUV1				
7 35 0	0733	CNST	22000000000	• V- A- F	FMUV1				
7 36 0	0734	CNST	20220000000	• V V F	CADV2	FMUV1			
7 37 0	0735	CNST	20720000000	• V V- F	CSUV2	FMUV1			
7 38 0	0736	CNST	20720000000	• V- V F	CSUV2	FMUV1			
7 39 0	0737	CNST	20220000000	• V- V- F	CADV2	FMUV1			
7 41 0	0738	GTAB1	CNST	52780020000	MAX A V	CFAV2	BCHL2	CADV2	
007 42 0	0739	CNST	53207268001	MAX A V-	STAT1	CSUV2	CFAV1	BCHL2	CADV1
007 43 0	0740	CNST	53206278002	MAX A- V	STAT1	CSUV1	CFAV2	BCHL2	CADV2
7 44 0	0741	CNST	62781020000	MAX A- V- -	CFAV2	BCLL2	CADV2		
7 45 0	0742	CNST	52680010000	MAX V A	CFAV1	BCHL2	CADV1		
007 46 0	0743	CNST	53307268001	MAX V A-	STAT2	CSUV2	CFAV1	BCHL2	CADV1
007 47 0	0744	CNST	53306278002	MAX V- A	STAT2	CSUV1	CFAV2	BCHL2	CADV2
7 48 0	0745	CNST	62681010000	MAX V- A- -	CFAV1	BCLL2	CADV1		
7 49 0	0746	CNST	50127800200	MAX V V	CADV1	CFAV2	BCHL2	CADV2	
7 50 0	0747	CNST	50726800100	MAX V V-	CSUV2	CFAV1	BCHL2	CADV1	
7 51 0	0748	CNST	50627800200	MAX V- V	CSUV1	CFAV2	BCHL2	CADV2	
7 52 0	0749	CNST	60127800200	MAX V- V- -	CADV1	CFAV2	BCHL2	CADV2	
7 53 0	0750	CNST	52781020000	MIN A V	CFAV2	BCLL2	CADV2		
007 54 0	0751	CNST	53207268101	MIN A V-	STAT1	CSUV2	CFAV1	BCLL2	CADV1
007 55 0	0752	CNST	53206278102	MIN A- V	STAT1	CSUV1	CFAV2	BCLL2	CADV2
7 56 0	0753	CNST	62780020000	MIN A- V- -	CFAV2	BCHL2	CADV2		
7 57 0	0754	CNST	52681010000	MIN V A	CFAV1	BCLL2	CADV1		
007 58 0	0755	CNST	53307268101	MIN V A-	STAT2	CSUV2	CFAV1	BCLL2	CADV1
007 59 0	0756	CNST	53306278102	MIN V- A	STAT2	CSUV1	CFAV2	BCLL2	CADV2
7 60 0	0757	CNST	62680010000	MIN V- A- -	CFAV1	BCHL2	CADV1		
7 61 0	0758	CNST	50127810200	MIN V V	CADV1	CFAV2	BCLL2	CADV2	
7 62 0	0759	CNST	50726810100	MIN V V-	CSUV2	CFAV1	BCLL2	CADV1	
7 63 0	0760	CNST	50627810200	MIN V- V	CSUV1	CFAV2	BCLL2	CADV2	
7 64 0	0761	CNST	60127810200	MIN V- V- -	CADV1	CFAV2	BCLL2	CADV2	
7 67 0	0762	GTAB2	CNST	12900000000	AND A V X	EXTV2			
7 68 0	0763	CNST	12800000000	AND V A X	EXTV1				
7 69 0	0764	CNST	10129000000	AND V V X	CADV1	EXTV2			
7 70 0	0765	CNST	17991020000	OR A V X	NDXV2	BIAL2	CADV2		
7 71 0	0766	CNST	17891010000	OR V A X	NDXV1	BIAL2	CADV1		
7 72 0	0767	CNST	10278910100	OR V V X	NDXV1	BIAL2	CADV1		
7 73 0	0768	CNST	10915650000	EQV A V X	ADDV2	SUBX1	LSAO		
7 74 0	0769	CNST	10815650000	EQV V A X	ADDV1	SUBX1	LSAO		
7 75 0	0770	CNST	10109156500	EQV V V X	CADV1	ADDV2	SUBX1	LSAO	
7 76 0	0771	CNST	12782030000	IMP A V X	CFAV2	BCUL2	CADX1		
7 77 0	0772	CNST	17883910100	IMP V A X	NDXV1	ADDX1	BIAL2	CADV1	
7 78 0	0773	CNST	10127820300	IMP V V X	CADV1	CFAV2	BCUL2	CADX1	
7 81 0	0774	GTAB3	CNST	14872440300	EQL ()	BZAL3	CLA	BUNL2	CADX1
7 82 0	0775	CNST	14872440300	EQL - ()	BZAL3	CLA	BUNL2	CADX1	
7 83 0	0776	CNST	14788000000	EQL IF	BZAL2	BUNFR			
7 84 0	0777	CNST	14788000000	EQL - IF	BZAL2	BUNFR			

7 85 0	0778	CNST	18500000000	EQL	UN	BZAFR				
7 86 0	0779	CNST	18500000000	EQL	- UN	BZAFR				
7 87 0	0780	CNST	14703000000	NEQ	()	BZAL2	CADX1			
7 88 0	0781	CNST	14703000000	NEQ	- ()	BZAL2	CADX1			
7 89 0	0782	CNST	18500000000	NEQ	IF	BZAFR				
7 90 0	0783	CNST	18500000000	NEQ	- IF	BZAFR				
7 91 0	0784	CNST	14788000000	NEQ	UN	BZAL2	BUNFR			
7 92 0	0785	CNST	14788000000	NEQ	- UN	BZAL2	BUNFR			
007 93 0	0786	CNST	14945724403	LEQ	()	BZAL4	BMAL3	CLA	BUNL2	CADX1
007 94 0	0787	CNST	14946724403	LEQ	- ()	BZAL4	BPAL3	CLA	BUNL2	CADX1
7 95 0	0788	CNST	14787000000	LEQ	IF	BZAL2	BPAFR			
7 96 0	0789	CNST	14786000000	LEQ	- IF	BZAL2	BMAFR			
7 97 0	0790	CNST	18586000000	LEQ	UN	BZAFR	BMAFR			
7 98 0	0791	CNST	18587000000	LEQ	- UN	BZAFR	BPAFR			
007 99 0	0792	CNST	14945034472	GTR	()	BZAL4	BMAL3	CADX1	BUNL2	CLA
008 00 0	0793	CNST	14946034472	GTR	- ()	BZAL4	BPAL3	CADX1	BUNL2	CLA
8 01 0	0794	CNST	18586000000	GTR	IF	BZAFR	BMAFR			
8 02 0	0795	CNST	18587000000	GTR	- IF	BZAFR	BPAFR			
8 03 0	0796	CNST	14787000000	GTR	UN	BZAL2	BPAFR			
8 04 0	0797	CNST	14786000000	GTR	- UN	BZAL2	BMAFR			
008 05 0	0798	CNST	14946724403	GEQ	()	BZAL4	BPAL3	CLA	BUNL2	CADX1
008 06 0	0799	CNST	14945724403	GEQ	- ()	BZAL4	BMAL3	CLA	BUNL2	CADX1
8 07 0	0800	CNST	14786000000	GEQ	IF	BZAL2	BMAFR			
8 08 0	0801	CNST	14787000000	GEQ	- IF	BZAL2	BPAFR			
8 09 0	0802	CNST	18587000000	GEQ	UN	BZAFR	BPAFR			
8 10 0	0803	CNST	18586000000	GEQ	- UN	BZAFR	BMAFR			
08 11 0	0804	CNST	14946034472	LSS	()	BZAL4	BPAL3	CADX1	BUNL2	CLA
-08 12 0	0805	CNST	14945034472	LSS	- ()	BZAL4	BMAL3	CADX1	BUNL2	CLA
8 13 0	0806	CNST	18587000000	LSS	IF	BZAFR	BPAFR			
8 14 0	0807	CNST	18586000000	LSS	- IF	BZAFR	BMAFR			
8 15 0	0808	CNST	14786000000	LSS	UN	BZAL2	BMAFR			
8 16 0	0809	CNST	14787000000	LSS	- UN	BZAL2	BPAFR			

COMP	DEFN	*-2	IJ-PAIRS	FOR	ARITH	GENERATOR				
008 18 0	0810									
008 19 0	0810	LOCN	*	V1	V2	X=FIX	F=FLT	A=ACC	V=OPRND	C=CONST
8 20 0	0810	CNST	3000000000	XA	XV					
8 21 0	0811	CNST	1133000000	XA	FV					
8 22 0	0812	CNST	2630000000	XA	XC					
8 23 0	0813	CNST	1126330000	XA	FC					
8 24 0	0814	TEMP2	CNST	0000000000		(IMPOSSIBLE CASE)				
8 25 0	0815	CNST	7284007200			(IMPOSSIBLE CASE)				
8 26 0	0816	CNST	1224213400	FA	XV					
8 27 0	0817	CNST	3300000000	FA	FV	I=1 OR I=2..				
8 28 0	0818	CNST	2623330000	FA	XC	J=1 FLOAT V(I)				
8 29 0	0819	CNST	2633000000	FA	FC	J=2 STORE V(I) IN TEMP				
8 30 0	0820	CNST	3100000000	XV	XA	J=3 FLOAT CONSTANT V(I)				
008 31 0	0821	CNST	2214113300	XV	FA	J=4 BRING V(I) INTO A REGISTER				
008 32 0	0822	CNST	3200000000	XV	XV	J=5 CALC CONST OP CONSTS I=TYPE				
008 33 0	0823	CNST	1411330000	XV	FV	J=6 CHECK IF V(I)=SPECIAL CONST				
8 34 0	0824	CNST	2632000000	XV	XC					
8 35 0	0825	CNST	1411263300	XV	FC					
8 36 0	0826	CNST	2134000000	FV	XA	I=3..				
8 37 0	0827	CNST	3400000000	FV	FA	J=0 V1 IS IN A, FIXED				
8 38 0	0828	CNST	2421340000	FV	XV	J=1 V2 IS IN A, FIXED				
8 39 0	0829	CNST	3500000000	FV	FV	J=2 NEITHER IN A, FIXED				
8 40 0	0830	CNST	2623350000	FV	XC	J=3 V1 IS IN A, FLOATING				

8 41 0	0831	CNST	2635000000	FV	FC	J=4 V2 IS IN A, FLOATING
08 42 0	0832	CNST	1631000000	XC	XA	J=5 NEITHER IS IN A, FLOATING
8 43 0	0833	CNST	1613340000	XC	FA	
8 44 0	0834	CNST	1632000000	XC	XV	
8 45 0	0835	CNST	1613350000	XC	FV	
8 46 0	0836	CNST	1532000000	XC	XC	
8 47 0	0837	CNST	1325350000	XC	FC	
8 48 0	0838	CNST	2116340000	FC	XA	
8 49 0	0839	CNST	1634000000	FC	FA	
8 50 0	0840	CNST	2421163400	FC	XV	
8 51 0	0841	CNST	1635000000	FC	FV	
8 52 0	0842	CNST	2325350000	FC	XC	
8 53 0	0843	CNST	2535000000	FC	FC	

SECTION B. THE SCANNER CO-ROUTINE.

8 58 0	0844	SCAN	BUN	SCN1	EXIT-ENTRANCE LINE
8 59 0	0845	SCN10	CAD	CWEMP	
8 60 0	0846	SCN5	STP	SCAN	
8 61 0	0847		BUN	EXCTR	GO TO EXECUTOR CO-ROUTINE.
8 62 0	0848	SCN1	LDR	S2	
8 63 0	0849		STR	S1	MOVE SCANNING WINDOWS TO RIGHT
8 64 0	0850		LDR	K2	ACROSS SOURCE STRING
8 65 0	0851		STR	K1	
8 66 0	0852	SCN2	STP	INPTX	
8 67 0	0853		BUN	INPT	GET NEXT CHARACTER FROM CARD
8 68 0	0854	SCN3	DEFN	*	
8 69 0	0854	STFOL	CLB		
008 70 0	0855		CAD	CHAR	SET K2 TO THE CODE FOR THIS CHARACTER
8 71 0	0856		DBB	0,9999	
8 72 0	0857		BFA	C+,91,8	NUMBER 1
8 73 0	0858		CFA	FORTY,02	ALPHA 0
8 74 0	0859		BCH	D+) 2
8 75 0	0860		DBB	0,9999	(3
8 76 0	0861		BFA	C+,02,04	• 4
8 77 0	0862		DBB	0,9999	\$ 5
8 78 0	0863		BFA	C+,02,24	• 6
8 79 0	0864		DBB	0,9999	* 7
8 80 0	0865		BFA	C+,02,03	- 8
8 81 0	0866		DBB	0,9999	BLANK 10
8 82 0	0867		BFA	C+,02,13	OTHER 9
8 83 0	0868		DBB	0,9999	
8 84 0	0869		BFA	C+,02,23	
8 85 0	0870		DBB	0,9999	
8 86 0	0871		BFA	C+,02,14	
8 87 0	0872		DBB	0,9999	
8 88 0	0873		BFA	C+,02,20	
8 89 0	0874		BFA	B+,02,34	
8 90 0	0875		DBB	0,9998	
8 91 0	0876		BFA	C+,02,00	
8 92 0	0877	*D	DBB	C+,1	
008 93 0	0878	*B	DFL	CHAR,02,14	CHANGE CRAZY MINUS SIGN TO REGULAR ONE
8 94 0	0879	*C	STB	K2	

8 96 0	0880	SCN4	LDR	CHAR	
8 97 0	0881		STR	S2	
8 98 0	0882		CAD	K1	
8 99 0	0883		BFA	A+,02,10	BRANCH IF EITHER
9 00 0	0884		CAD	K2	SCANNED CHARACTER IS BLANK
9 01 0	0885		BFA	B+,02,10	
9 02 0	0886		CAD	K1	OTHERWISE INDEX INTO TABLE AND
9 03 0	0887		SLA	1	BRANCH TO PROPER R-ROUTINE
9 04 0	0888		ADD	K2	
9 05 0	0889		STA	TEMP	
9 06 0	0890		LDB	TEMP	
9 07 0	0891		CAD	- TABSC	
9 08 0	0892		BFA	- TABSC,45,88	
9 09 0	0893		CLL	K2	
9 10 0	0894		IFL	K2,00,10	IF THE PAIR IS ILLEGAL,
9 11 0	0895		STP	WEMX	WRITE ERROR MESSAGE
9 12 0	0896		BUN	WEM,SCN4	IMPROPER CHARACTER PAIR
9 13 0	0897		CNST	30103050000	
9 14 0	0898	*A	CAD	K2	
9 15 0	0899		BZA	R13	BLANK ALPHA ... TO R13
9 16 0	0900		BFA	R24,02,01	BLANK NUMBER ... TO R24
9 17 0	0901		BUN	SCN1	BLANK OTHER ... TO SCN1 AGAIN
9 18 0	0902	*B	CAD	K1	
9 19 0	0903		BZA	C+	IF RIGHT CHARACTER IS BLANK,
9 20 0	0904		BUN	R15	GET THE NEXT NONBLANK CHARACTER
9 21 0	0905	SCN11	DEFN	*	
9 22 0	0905	*C	STP	PASSX	
09 23 0	0906		BUN	PASS	THEN COMPLETE THE PROCESSING OF THE
9 24 0	0907		CFA	FORTY,02	LEFTHAND SYMBOL IN THE CASES OF
9 25 0	0908		BCL	SCN3	ALPHA-ALPHA, ALPHA-NUMBER
9 26 0	0909	SCN8	STP	CLASX	
9 27 0	0910		BUN	CLASS	
9 28 0	0911	SCN6	CLL	K1	
009 29 0	0912		IFL	K1,00,10	BLANK OUT LEFTHAND SYMBOL AND RECYCLE
9 30 0	0913		BUN	SCN3	
9 31 0	0914	SCN7	CLL	K2	
09 32 0	0915		IFL	K2,00,10	BLANK OUT BOTH SYMBOLS AND RECYCLE
9 33 0	0916		BUN	SCN1	
9 36 0	0917	*B	IFL	SW1,62,29	
9 37 0	0918	R1	CLL	K2	AA AN
9 38 0	0919	SW1	HLT	SCN1	
9 39 0	0920		LBC	K	THIS CHARACTER IS PART OF
9 40 0	0921		CAD	S2	AN IDENTIFIER
9 41 0	0922		SLA	- 8	STORE IT IN SYMBL AREA
9 42 0	0923		DLB	K,94,0	
9 43 0	0924		ADL	- SYMBL	
9 44 0	0925		IFL	K,02,2	
009 45 0	0926		BOF	B-	IF IDENTIFIER IS MORE THAN 50 CHARACTERS
9 46 0	0927	*A	BUN	SCN1	IN LENGTH, TRUNCATE IT TO 50
9 49 0	0928	R2	STP	ALPLX	A(
9 50 0	0929		BUN	ALPLU	WE HAVE MANY CASES TO EXAMINE.
9 51 0	0930		CFR	PRCMD,64	LOOKUP IDENTIFIER FIRST

9 52 0	0931	LDB	FUNS	
9 53 0	0932	CAD	- 0	
9 54 0	0933	BCU	D+	
9 55 0	0934	BSA	A+,0	IF IN PROCEDURE MODE, CHECK
9 56 0	0935	DLB	L,64,00	SEMICOLON COUNT
9 57 0	0936	BSA	C+,3	
009 58 0	0937	IFL	- 0,11,5	THE PRESENT SYMBOL IS A PARAMETRIC ARRAY
009 59 0	0938	STP	FRMEX	SEND ITS NAME AND AN ARRAY-PARAMETER
9 60 0	0939	BUN	FRME	OPERATOR TO THE EXECUTOR
9 61 0	0940	CAD	CWAPM	
9 62 0	0941	BUN	SCN5	
9 63 0	0942	*A	IFL - 0,12,10	
009 64 0	0943	DLB	L,64,0	THE PRESENT SYMBOL IS THE NAME OF THE
9 65 0	0944	LDR	- 0	PROCEDURE BEING DECLARED
9 66 0	0945	BFR	B+,11,0	
9 67 0	0946	STB	- 0,11	
9 68 0	0947	STP	WEMX	
9 69 0	0948	BUN	WEM,A-+1	IF IT OCCURRED BEFORE,
9 70 0	0949	CNST	30608100000	DUPLICATE PROCEDURE NAME
9 71 0	0950	*B	IFL - 0,11,8	
9 72 0	0951	CAD	LOCN	SET SEMICOLON COUNT TO 1
9 73 0	0952	STA	- 0,64	
9 74 0	0953	R2P	STP FRMEX	SEND NAME TO EXECUTOR
9 75 0	0954	BUN	FRME	
9 76 0	0955	BUN	SCN1	
09 77 0	0956	*C	DFL - 0,11,1	THE PRESENT SYMBOL IS THE NAME OF
009 78 0	0957	STP	FRMEX	A PARAMETRIC FUNCTION OR PROCEDURE
9 79 0	0958	BUN	FRME	
-09 80 0	0959	*E	LDR SC7	PASS CHARACTERS UNTIL MATCHING RIGHT
-09 81 0	0960	BUN	PRCNT	PARENTHESIS IS FOUND AND GO TO SCN7
9 82 0	0961	*D	CFR FUNMD,64	
9 83 0	0962	BCU	F+	
009 84 0	0963	BSA	F+,1	IF CALLING A FUNCTION,CHECK \$ COUNT
09 85 0	0964	STP	FRMEX	IF THIS COUNT IS 1,WE DONT KNOW YET
009 86 0	0965	BUN	FRME	WHETHER OR NOT THE PRESENT SYMBOL IS
009 87 0	0966	LDB	FUNS	A PARAMETRIC ARRAY, BUT IF THE COUNT
9 88 0	0967	CAD	- 0	IS 2 OR 3 WE KNOW IT IS A
9 89 0	0968	DLB	L,64,00	PARAMETRIC ARRAY OR PROCEDURE
9 90 0	0969	LDR	- 0	
9 91 0	0970	BSA	G+,2	
9 92 0	0971	BFR	E-,11,6	
9 93 0	0972	BFR	E-,11,4	
9 94 0	0973	BFR	E-,11,8	IF IT ISNT,
9 95 0	0974	*T	STP WEMX	
9 96 0	0975	BUN	WEM,F-	
9 97 0	0976	CNST	30111130000	IMPROPER FUNCTION ARGUMENT
9 98 0	0977	*G	BFR H+,11,5	
9 99 0	0978	BUN	T-	
010 00 0	0979	*F	DLB L,64,00	
010 01 0	0980	CAD	- 0	
010 02 0	0981	CFR	DCLMD,64	IF IN TYPE DECLARATION,
010 03 0	0982	BCE	E-	SKIP TO NEXT MATCHING RIGHT PARENTHESIS
010 04 0	0983	BFA	J+,11,0	
010 05 0	0984	BFA	K+,11,9	
010 06 0	0985	*I	STP FRMEX	IF SYMBOL WAS CLASSIFIED BEFORE AND

010	07	0	0986	BUN	FRME	IS NOT A LABEL, SEND IT TO THE EXECUTOR.	
010	08	0	0987	DLB	L,64,00		
010	09	0	0988	LDR	- 0	THEN LOOK SEE WHAT KIND IT IS	
010	10	0	0989	BFR	R19P,11,1	IF VARIABLE INSERT DOT	
010	11	0	0990	BFR	M+,11,4	IF LIBRARY ROUTINE, INSERT FUNC CALL OP	
010	12	0	0991	BFR	H+,11,5	IF ARRAY, SEE BELOW	
010	13	0	0992	BFR	SCN1,11,9	IF LABEL, EXIT	
010	14	0	0993	BFR	SCN1,11,7	IF RESERVED WORD, EXIT	
010	15	0	0994	BFR	M+,12,98	IF EXT PROCEDURE, INSERT FUNC CALL OP	
010	16	0	0995	*P	CFR	LEVEL,02	IS IT THE NAME OF THE PRESENT
010	17	0	0996	BCE	E-	PROCEDURE BEING DECLARED	
010	18	0	0997	*M	CAD	CWCLN	
010	19	0	0998	RUN	SCN5		
010	20	0	0999	*H	LDB	- 0	IF AN ARRAY, MOVE THE MULTIPLIERS TO
010	21	0	1000	SLT	0	THE DIMENSION STACK	
010	22	0	1001	ADD	XZFRO+1		
010	23	0	1002	BSA	*+2,1		
010	24	0	1003	LDB	- 0	(IF NOT PARAMETRIC, SKIP OVER THE	
010	25	0	1004	IBB	Q+,9999	TOTAL-LENGTH ENTRY)	
010	26	0	1005	*R	CAD	- 1	(IF ITS ONLY 1-DIMENSIONAL, WE
010	27	0	1006	STA	TEMP	LEAVE THE DIMENSION STACK ALONE)	
010	28	0	1007	STP	INSX,DIMS		
010	29	0	1008	RUN	INS		
010	30	0	1009	LDB	TEMP		
010	31	0	1010	DBB	R-,1		
010	32	0	1011	*Q	CAD	CWNDX	SEND INDEX OP TO EXECUTOR
010	33	0	1012	RUN	SCN5		
010	34	0	1013	*J	CFR	ARAMD,64	IF WE HAVE A NEW SYMBOL, AND WE ARENT
010	35	0	1014	DLB	L,64,00	PROCESSING AN ARRAY DECLARATION,	
010	36	0	1015	BCE	S+	ITS A VARIABLE	
010	37	0	1016	IFL	- 0,11,1		
010	38	0	1017	RUN	I-		
010	39	0	1018	*S	IFL	- 0,11,5	IN ARRAY DECLARATION, MARK THE PRESENT
010	40	0	1019	STP	FRMEX	SYMBOL AS AN ARRAY AND SEND IT AND AN	
010	41	0	1020	BUN	FRME	ARRAY-DECLARATION OPERATOR TO EXECUTOR	
010	42	0	1021	CAD	CWARD		
010	43	0	1022	RUN	SCN5		
010	44	0	1023	*K	SLT	0	IF IT IS A LABEL, THE MODE MUST
010	45	0	1024	BSA	N+,9	BE A DECLARATION OF SOME KIND	
010	46	0	1025	STP	WFMX		
010	47	0	1026	BUN	WEM,I-	ELSE, MISPLACED LABEL	
010	48	0	1027	CNST	31517000000		
010	49	0	1028	*N	STA	- 0	
010	50	0	1029	CFR	FRMMD,64		
010	51	0	1030	BCU	*+2		
010	52	0	1031	DFL	M+,62,29	I=0 DECLARATION	
010	53	0	1032	DLB	LOCN,64,00		
010	54	0	1033	STB	IOPUS,04	STORE 1ST LOCATION IN IOPUS	
010	55	0	1034	STP	TRTGX		
010	56	0	1035	RUN	TRTG2	SEND A LABEL OPERATOR TO THE EXECUTOR	
010	57	0	1036	IFL	ALEPH,62,6		
010	58	0	1037	CAD	CWLAB		
010	59	0	1038	*M	RUN	SCN5	IN FORMAT DECLARATION SEND THE
010	60	0	1039	IFL	M-,62,29	LABEL ITSELF TO EXECUTOR INSTEAD	
010	61	0	1040	STP	FRMEX		
010	62	0	1041	RUN	FRME		

010	63	0	1042	SC7	BUN	SCN7	
010	66	0	1043	R3K	LDR	SYMBL	AP
010	67	0	1044		CFR	STOGR+1,00	IN THE STATEMENT STOP +E, + IS REDUNDANT
010	68	0	1045		BCE	SCN11	
010	69	0	1046	R3	BUN	A+	A) AS A, A*
010	70	0	1047		IFL	*-1,62,29	
010	71	0	1048		CAD	RR2	IF WE ARE WORKING ON A PREFIX,
010	72	0	1049		SLS	2	
010	73	0	1050		STA	TEMP3,12	CALCULATE SL-FIELD FOR COMPARISON
010	74	0	1051		CAD	K	
010	75	0	1052		SLA	8	
010	76	0	1053		STA	TEMP3,21	
010	77	0	1054		SLA	1	
010	78	0	1055		STA	TEMP3,11	
010	79	0	1056		DFL	TEMP3,22,22	
010	80	0	1057		CAD	SSC	PUT PREFIX CODE INTO PR3-STACK
010	81	0	1058		SLA	4	IN ALPHABETICAL ORDERING
010	82	0	1059		STA	TEMP3,64	
010	83	0	1060		LDB	SSC	
010	84	0	1061		CAD	SYMBL	
010	85	0	1062		STA	- 0	
010	86	0	1063		IFL	SSC,00,1	
010	87	0	1064		LDR	*+1	
010	88	0	1065		LDB	PR3	
010	89	0	1066	*C	STR	TEMP2	
010	90	0	1067		STR	TEMP1	
010	91	0	1068		IBB	B+,9999	
010	92	0	1069		LDR	- 1	
010	93	0	1070		STR	TEMP	
010	94	0	1071		DLB	TEMP,64,0	
010	95	0	1072		CFA	- 0	
010	96	0	1073		BCH	D+	
010	97	0	1074	*B	LDB	TEMP2	
010	98	0	1075		CAD	TEMP3	
010	99	0	1076		STP	INSX	
011	00	0	1077		BUN	INS1	
011	01	0	1078		BUN	SCN1	
011	02	0	1079	*D	LDR	TEMP1	
011	03	0	1080		LDB	TEMP	
011	04	0	1081		RUN	C-	
011	05	0	1082	*A	STP	CLASX	FINISH PROCESSING IDENTIFIER OR
011	06	0	1083		BUN	CLASS	NUMERIC LABEL
011	07	0	1084		BUN	SCN1	
011	08	0	1085	SW5	DEFN	R3	
011	11	0	1085	R4	STP	WINDX	NA
011	12	0	1086		BUN	WIND1,SCN8	FINISH UP CONSTANT
011	13	0	1087		IFL	SW6,00,1	SET UP IMPLIED MULTIPLICATION
011	14	0	1088		BUN	R13	
011	17	0	1089	R5	DFL	D,22,1	NN

011 18 0	1090		CAD	SYMBL	
011 19 0	1091		SLS	1	
011 20 0	1092		STA	SYMBL	BUILD CONSTANT
011 21 0	1093		LDR	S2	
011 22 0	1094		STR	SYMBL,01	
011 23 0	1095		BUN	SCN1	
011 26 0	1096	R6	STP	WINDX) N) N\$ N, NP
011 27 0	1097		BUN	WIND1,R3	
011 28 0	1098		BUN	SCN1	FINISH WORKING ON CONSTANT
011 29 0	1099	NTAG	CNST	20000000010	
011 32 0	1100	R7P	IFL	SW6,00,1)A IMPLIED MULTIPLICATION
011 33 0	1101	R7	STP	OPRTX,R13	(A A SA A -A *A PA
011 34 0	1102		BUN	OPRT	SEND OPERATOR TO EXECUTOR,GO TO R13
011 37 0	1103	R8	STP	OPRTX,SCN1	MANY E.G.)) (-
011 38 0	1104		BUN	OPRT	SEND LEFTHAND OP TO EXECUTOR
011 41 0	1105	R9	LDR	S2	(P P SP P *P PP
011 42 0	1106		BFR	SCN2,02,10	
011 43 0	1107		CLL	SW2	THE RIGHTHAND SYMBOL MUST BE A
011 44 0	1108		STP	WEMX	REDUNDANT PLUS SIGN
011 45 0	1109		BUN	WEM,SCN7	
011 46 0	1110		CNST	31518200000	MISPLACED ARITHMETIC OPERATION
011 49 0	1111	R10	CAD	RPAR) (
011 50 0	1112		STP	SCAN	
011 51 0	1113		BUN	EXCTR) TO EXECUTOR
011 52 0	1114		BUN	R19P	IMPLIED MULTIPLICATION
011 55 0	1115	R11	STP	ALPLX	A-
011 56 0	1116		BUN	ALPLU	LEFTHAND SYMBOL MUST BE A SIMPLE VARIABLE
011 57 0	1117		BFA	D+,11,0	
011 58 0	1118		BFA	C+,11,1	
011 59 0	1119		BFA	R2P,11,7	OR A RESERVED WORD
011 60 0	1120		CLL	TAG	
011 61 0	1121		STP	WEMX	
011 62 0	1122		BUN	WEM,C+	
011 63 0	1123		CNST	30122240000	IMPROPER VARIABLE SYMBOL
011 64 0	1124	*D	IFL	- 0,11,1	
011 65 0	1125	*C	STP	FRMEX	
011 66 0	1126		BUN	FRME	
011 67 0	1127	R11P	CAD	PLUS	INSERT PLUS SIGN SO EXECUTOR
011 68 0	1128		BUN	SCN5	ALWAYS THINKS MINUS IS UNARY OPERATOR
011 72 0	1129	R12	STP	OPRTX,R11P)-
011 73 0	1130		BUN	OPRT) TO EXECUTOR, INSERT + SIGN

011 77 0	1131	R13	CLL	K	BLANK A
011 78 0	1132		STB	SW1,62	
011 79 0	1133		IFL	SW1,62,01	PREPARE TO BUILD AN IDENTIFIER
011 80 0	1134		LDB	SBL	
011 81 0	1135		CLL	SYMBL	
011 82 0	1136		RTF	SYMBL,9	
011 83 0	1137		BUN	R1	
011 86 0	1138	R15	STP	PASSX	SKIP OVER BLANKS
011 87 0	1139		BUN	PASS	
011 88 0	1140		BUN	SCN3	
011 91 0	1141	R17	STP	PASSX	A.
011 92 0	1142		BUN	PASS	GET NEXT NONBLANK CHARACTER
011 93 0	1143		BFA	R170,02,03	
011 94 0	1144		STP	CLASX	IF NOT A COLON CLASSIFY
011 95 0	1145		BUN	CLASS	LEFT IDENTIFIER
011 96 0	1146	R17P	LDR	S2	MOVE WINDOW TO THE RIGHT
011 97 0	1147		STR	S1	AND CONTINUE SCANNING
011 98 0	1148		LDR	K2	
011 99 0	1149		STR	K1	
012 00 0	1150		BUN	SCN3	
012 01 0	1151	R17R	LDR	NTAG	
012 02 0	1152		STR	K	MARK NUMBER AS LABEL
012 03 0	1153	R17Q	STP	PASSX	GET NEXT NONBLANK CHARACTER
012 04 0	1154		BUN	PASS	
012 05 0	1155		BFA	C+,02,03	
012 06 0	1156		IFL	TAG,00,1	COLON IS DETECTED
012 07 0	1157		STP	ALPLX	
012 08 0	1158		BUN	ALPLU	LOOK UP IDENTIFIER
012 09 0	1159		STP	TRTGX	
012 10 0	1160		BUN	TRTG	PROCESS LABEL
012 11 0	1161		BUN	SCN6	RETURN
012 12 0	1162	*C	LDB	K	
012 13 0	1163		DBB	R17Q,12	THREE DOTS DETECTED
012 14 0	1164		CLL	S2	TREAT AS COLON IF IDENTIFIER IS
012 15 0	1165		IFL	S2,00,90	OVER FIVE CHARACTERS. SET RIGHT
012 16 0	1166		CLL	K2	CHARACTER AS SPECIAL CODE 90 FOR PREFIXES
012 17 0	1167		DFL	R3,62,29	SET PREFIX SWITCH
012 18 0	1168		BUN	R1	PROCESS AS IDENTIFIER
012 21 0	1169	R18	STP	WINDX	N-
012 22 0	1170		BUN	WINDU	PROCESS CONSTANT
012 23 0	1171		BUN	R11P	AND INSERT + SIGN
012 26 0	1172	R19	STP	WINDX	N(
012 27 0	1173		BUN	WIND1,R2	PROCESS CONSTANT
012 28 0	1174	R19P	CAD	DOT	IF NOT A LABEL, INSERT IMPLIED MULT

012 29 0	1175	BUN	SCN5	
012 32 0	1176	R20	STP INPTX	N.
012 33 0	1177	BUN	INPT	
012 34 0	1178	LDR	CHAR	IF THE NEXT CHARACTER IS A DOT, WE HAVE
012 35 0	1179	BFR	R17R,02,03	A STATEMENT LABEL.
012 36 0	1180	BFR	C+,91,08	OTHERWISE IF ITS NOT NUMERIC
012 37 0	1181	*A	STP WINDX	WE FINISH MAKING UP THE CONSTANT
012 38 0	1182	BUN	WINDU	AND CONTINUE
012 39 0	1183	BUN	R17P	
012 40 0	1184	*C	CAA SW2	OTHERWISE WE HAVE A FLOATING CONSTANT
012 41 0	1185	ADA	SW3	
012 42 0	1186	BZA	E+	
012 43 0	1187	*D	STP WEMX	ERROR CONDITIONS ARE N.N.N OR N**N.N
012 44 0	1188	BUN	WEM,A-	
012 45 0	1189	CNST	31526280000	MISPLACED DECIMAL POINT
012 46 0	1190	*E	CLL D	
012 47 0	1191	IFL	D,22,58	RECORD DECIMAL POINT AND CONTINUE
012 48 0	1192	IFL	SW3,00,1	SCANNING AND BUILDING CONSTANT
012 49 0	1193	STR	S2	
012 50 0	1194	LDR	XONE+1	
012 51 0	1195	STR	K2	
012 52 0	1196	BUN	R5	

012 55 0	1197	R21	CAD RPAR)N
012 56 0	1198	STP	SCAN) TO EXECUTOR
012 57 0	1199	BUN	EXCTR	.
012 58 0	1200	CAD	DOT	TO EXECUTOR
012 59 0	1201	STP	SCAN	
012 60 0	1202	BUN	EXCTR	
012 61 0	1203	BUN	R24	

012 65 0	1204	R22	STP PASSX	N*
012 66 0	1205	BUN	PASS	
012 67 0	1206	BFA	B+,02,14	CHECK FOR SECOND ASTERISK
012 68 0	1207	BUN	A-	IF NOT * MEANS EXPONENTIATE
012 69 0	1208	*B	LDB SW3	START SCALE FACTOR
012 70 0	1209	DBB	G+,1	
012 71 0	1210	CLL	D	IF MANTISSA HAD NO DECIMAL POINT
012 72 0	1211	IFL	D,22,58	MANUFACTURE ONE
012 73 0	1212	IFL	SW3,00,01	
012 74 0	1213	*G	STP WNDX	PROCESS MANTISSA
012 75 0	1214	BUN	WINDS	
012 76 0	1215	*B	LDR SYMBL	
012 77 0	1216	STR	FP	
012 78 0	1217	IFL	SW2,00,1	
012 79 0	1218	STP	PASSX	
012 80 0	1219	BUN	PASS	EXAMINE NEXT NONBLANK CHARACTER
012 81 0	1220	BFA	D+,02,20	
012 82 0	1221	BFA	D+,02,34	
012 83 0	1222	BFA	E+,02,10	
012 84 0	1223	*C	BFA F+,91,08	WE MUST HAVE **N **-N OR **+N

012 85 0	1224		STP	WEMX	
012 86 0	1225		BUN	WEM,A-	
012 87 0	1226		CNST	30129300000	IMPROPER SCALE FACTOR
012 88 0	1227	*D	IFL	SW4,61,1	RECORD SIGN
012 89 0	1228	*E	STP	PASSX	
012 90 0	1229		BUN	PASS	
012 91 0	1230		BUN	C-	
012 92 0	1231	*F	STA	S2	PREPARE TO PROCESS SCALE FACTOR
012 93 0	1232		DFL	K2,02,6	
012 94 0	1233		BUN	R24P	R23 IS LOCATED BY OPRT
012 97 0	1234	R24	CLL	SW2	BLANK N
012 98 0	1235		STB	SW4,61	
012 99 0	1236		CAD	S2	
013 00 0	1237	R24P	CLL	SYMBL	PREPARE TO BUILD A CONSTANT
013 01 0	1238		CLL	D	
013 02 0	1239		CLL	SW3	
013 03 0	1240		STA	SYMBL,01	
013 04 0	1241		BUN	SCN1	
013 07 0	1242	R25	STP	OPRTX,SCN10	(, , ,) ()
013 08 0	1243		BUN	OPRT	INSERT THE EMPTY OPERATOR
013 11 0	1244	R26	STP	OPRTX,**+2	(\$ \$\$
013 12 0	1245		BUN	OPRT	
013 13 0	1246		LDB	FUNS	
013 14 0	1247		IFL	- 0,12,10	INCREASE THE SEMICOLON COUNT
013 15 0	1248		CAD	- 0	
013 16 0	1249		IFL	OMCRN,00,1	
013 17 0	1250		RSA	SCN1,2	
013 18 0	1251		IFL	TAG,00,1	
013 19 0	1252		BUN	SCN1	
013 22 0	1253	R27	DEFN	SCN1	\$)
013 25 0	1253	TRTG2	DFL	ALEPH,62,6	TRTG2 ENTRANCE -- SUPPRESS MONITORING
013 26 0	1254	TRTG	CLL	TAG	
013 27 0	1255		DLB	L,64,0	DEFINE A LABEL
013 28 0	1256		CAD	- 0	
013 29 0	1257		BFA	TRTG1,64,0	IT HAD BETTER BE UNDEFINED
013 30 0	1258		BFA	COMNT,12,67	OR THE WORD COMMENT
013 31 0	1259		STP	WEMX	
013 32 0	1260		BUN	WEM,NU	DUPLICATE LABEL
013 33 0	1261		CNST	30617000000	
013 34 0	1262	*E	BPA	T+	
013 35 0	1263		LDR	DUMPR	PUT OUT CODE FOR DUMP ROUTINE
013 36 0	1264		STR	V3	IF THIS LABEL WAS SPECIFIED ON TRACE CARD
013 37 0	1265		LDR	MEMRY+1	
013 38 0	1266		STR	EXPLN	
013 39 0	1267		STP	CONVX	

013 40 0	1268		BUN	CONV3	
013 41 0	1269		BUN	TRTG1	
013 42 0	1270	*T	STP	FXUPX	
013 43 0	1271		BUN	FXUP	
013 44 0	1272	TRTG1	DLB	L,64,0	FIX ALL FORWARD REFERENCES TO THIS LABEL
013 45 0	1273		STP	REMX	
013 46 0	1274		BUN	REM1,E-	
013 47 0	1275	*D	DLB	L,64,00	
013 48 0	1276		CAD	LOCN	THE NEW DEFINITION IS LOCN
013 49 0	1277		STA	0,64	
013 50 0	1278	NU	BUN	B+	
013 51 0	1279		STR	ASMBX	IF THIS IS A SUBROUTINE LABEL,
013 52 0	1280		BUN	ASMBL,NOPZ	INSERT A NOP INSTRUCTION
013 53 0	1281		IFL	NU,62,29	
013 54 0	1282	*B	LDR	LOCNP	IF THIS IS A SEGMENT NUMBER,
013 55 0	1283	ZUTA	F424	0001,01,LOCN	RESTORE LOCN
013 56 0	1284	*R	CAD	CHI	IF MONITOR STATEMENT HASNT APPEARED,EXIT
013 57 0	1285	ALEPH	BZA	TRTGX	
013 58 0	1286		DLB	V8,64,0	
013 59 0	1287		STP	LIBRX	BRING IN THE LABEL PROCESSOR ROUTINE
013 60 0	1288		BUN	LIBRF	
013 61 0	1289		DLB	L,64,0	
013 62 0	1290		STB	MNTR,04	
013 63 0	1291		CAD	L	IF THIS IS A NUMERIC LABEL
013 64 0	1292		BSA	*+2,0	ATTACH A MINUS SIGN TO IT
013 65 0	1293		IFL	- 1,12,10	AS A SIGNAL TO THE LABEL PROCESSOR
013 66 0	1294		STP	CONVX	
013 67 0	1295		BUN	CONV	
013 68 0	1296	MNTR	CAA	*	IF LABEL IS REQUESTED FOR MONITORING,
013 69 0	1297	MU	NOP	TRTGX	
013 70 0	1298		BSA	*+3,2	
013 71 0	1299		BSA	*+2,6	PREPARE TO MONITOR ALL ASSIGNMENT
013 72 0	1300	TRTGX	BUN	*	STATEMENTS IN ITS SCOPE
013 73 0	1301		STP	CMPLX	
013 74 0	1302		BUN	WMG,CRM	COMPILE CIRCL-M (THIS WILL COME UP
013 75 0	1303		IFL	MU,62,29	WHEN THE SCOPE OF THE LABEL IS ENDED)
013 76 0	1304		BUN	TRTGX	
013 79 0	1305	PASS	STP	INPTX	GET NEXT NONBLANK CHARACTER FROM CARD
013 80 0	1306		BUN	INPT	
013 81 0	1307		BZA	INPT	
013 82 0	1308	PASSX	BUN	*	
013 85 0	1309	WIND1	DLB	TAG	FINISH PROCESSING CONSTANT.
013 86 0	1310		DLB	E+,1	IF TAG IS ON, IT IS A NUMERIC LABEL
013 87 0	1311	WINDU	STP	WNDSX	
013 88 0	1312		BUN	WINDS	OTHERWISE MAKE A CONSTANT OUT OF IT
013 89 0	1313		STP	NMBRX	
013 90 0	1314		BUN	NMBR	
013 93 0	1315	FRME	DLB	L,64,00	SEND CODED SYMROL TO EXECUTOR
013 94 0	1316		CAD	- 0	
013 95 0	1317		BFA	A+,11,7	

013 96 0	1318		STA	L,22	
013 97 0	1319		BFA	C+,11,6	
013 98 0	1320	*D	CAD	L	IF IT ISNT A RESERVED WORD,
013 99 0	1321		EXT	BOF2	MARK IT AS AN OPERAND
014 00 0	1322	*B	STP	SCAN	
014 01 0	1323		BUN	EXCTR	
014 02 0	1324	FRMEX	BUN	*	
014 03 0	1325	*A	SLA	4	RESERVED WORD - SLA4 FOR PROPER CODE
014 04 0	1326		BUN	B-	
014 05 0	1327	*C	IFL	L,11,2	FUNCTION CODE IS 6 IN SCANNER,
014 06 0	1328		BUN	D-	8. IN EXECUTOR
014 07 0	1329	*E	LDR	NTAG	
014 08 0	1330		STR	K	
014 09 0	1331		LDB	WINDX	
014 10 0	1332		DLB	- 9999,44,0	
014 11 0	1333		BUN	- 0	
014 14 0	1334	WINDS	CLL	RR0	PUT CONSTANT INTO FINAL FORM
014 15 0	1335		CAD	SW3	
014 16 0	1336		BZA	E+	
014 17 0	1337		CAD	SYMBL	IF DECIMAL POINT WAS SENSED,
014 18 0	1338	*G	BFA	F+,23,0	TRUNCATE CONSTANT TO EIGHT SIGNIFICANT
014 19 0	1339		IFL	D,22,01	DIGITS
014 20 0	1340		SRS	1	
014 21 0	1341		BUN	G-	
014 22 0	1342	*F	SRT	10	
014 23 0	1343		CAD	D	
014 24 0	1344		STR	D,08	ATTACH EXPONENT
014 25 0	1345		FAD	D	
014 26 0	1346		STA	SYMBL	NORMALIZE
014 27 0	1347	WNDSX	BUN	*	
014 28 0	1348	*E	CAD	SW2	
014 29 0	1349		BZA	D+	
014 30 0	1350	SW4	CAA	SYMBL	IF SCALE FACTOR TO BE ADDED,
014 31 0	1351		BFA	B+,88,0	MAKE SURE IT IS IN THE PROPER RANGE
014 32 0	1352	*A	STP	WEMX	
014 33 0	1353		BUN	WEM,C+	
014 34 0	1354		CNST	33436373800	CONSTANT OUT OF RANGE
014 35 0	1355	*B	SLA	8	
014 36 0	1356		ADA	FP	
014 37 0	1357		BOF	A-	
014 38 0	1358		BPA	WNDSX-1	
014 39 0	1359	SVAR	DEFN	*	
014 40 0	1359	*C	CLA		IF UNDERFLOW OR TOO BIG USE ZERO
014 41 0	1360		BUN	WNDSX-1	
014 42 0	1361	*D	IFL	RR0,22,1	SET TYPE OF FIXED POINT CONSTANT
014 43 0	1362		BUN	WNDSX	
014 44 0	1363	WINDX	DEFN	FRMEX	
014 47 0	1363	INSRT	ADD	LL0	PUT A NEW SYMBOL INTO MEMORY
014 48 0	1364		EXT	NN	
014 49 0	1365		ADD	SCT	
014 50 0	1366		STA	L,04	

014 51 0	1367		LDR	SSC	
014 52 0	1368		SLT	4	
014 53 0	1369		STR	L,64	
014 54 0	1370		CAD	D2D3	
014 55 0	1371		STA	L,23	
014 56 0	1372		SRA	2	
014 57 0	1373		STA	B+,43	
014 58 0	1374		BFA	D+,42,00	
014 59 0	1375	*E	LDR	L	IF IT DOESNT FIT INTO THE SCRAMBLE
014 60 0	1376		LDR	- 0	TABLE, PUT IT INTO ASSOCIATIVE MEMORY
014 61 0	1377		CAD	L	
014 62 0	1378		BFR	C+,00,0	
014 63 0	1379		STP	INSX	
014 64 0	1380		BUN	INS1	
014 65 0	1381	*C	STA	- 0,67	
014 66 0	1382	*A	LDB	SSC	
014 67 0	1383		IFL	*+1,43,19	
014 68 0	1384	*B	RTF	RR0,0	MOVE NAME INTO SSC AREA
014 69 0	1385		STB	SSC	
014 70 0	1386		LDR	SSC	
014 71 0	1387		CFR	MAMAX,04	CHECK IF MEMORY EXCEEDED
014 72 0	1388		BCH	FULL	
014 73 0	1389		DLB	L,64,0	
014 74 0	1390		CLL	- 0	
014 75 0	1391	INSRX	BUN	*	
014 76 0	1392	*D	IFL	B-,21,1	50-CHARACTER IDENTIFIER WORRIES
014 77 0	1393		BUN	E-	
014 80 0	1394	ALPLU	CAD	K	LOOKUP IDENTIFIER OR NUMERIC LABEL
014 81 0	1395		SLA	8	
014 82 0	1396		STA	D2D3,23	CONTROL ROUTINE
014 83 0	1397	D2D3	CAA	SYMBL	
014 84 0	1398		SRT	10	SCRAMBLE FIRST PART OF SYMBOL
014 85 0	1399		DIV	NN	BY TAKING ITS REMAINDER MOD 99
014 86 0	1400		STR	LLO	
014 87 0	1401		LDR	PARSW	
014 88 0	1402		CAD	FNSW	
014 89 0	1403		BZR	E+	
014 90 0	1404		LDR	DICT+3	
014 91 0	1405		BZA	B+	
014 92 0	1406		STP	SRCHX	COLLECTING FUNCTION PARAMETERS
014 93 0	1407		BUN	SRCH1	USE TYPE AS SPECIFIED IN TYPE DECLRATNS
014 94 0	1408		BUN	X+	
014 95 0	1409	*B	STR	RR2,21	COLLECTING PROCEDURE PARAMETERS
014 96 0	1410		CAD	KC	MARK TYPE AS UNSPECIFIED
014 97 0	1411		STP	INSRX	
014 98 0	1412		BUN	INSRT	PUT PARAMETER INTO TABLE AT KC LEVEL
014 99 0	1413		LDR	RR2	
015 00 0	1414		STR	- 0,21	
015 01 0	1415		LDR	TAG	
015 02 0	1416		BZR	ALPX1	
015 03 0	1417		BUN	Y+	
015 04 0	1418	*E	BZA	D+	PROCESSING A FUNCTION DECLARATION
015 05 0	1419		CAD	KC	IS THE IDENTIFIER A PARAMETER
015 06 0	1420		STP	SRCHX	

015 07 0	1421		BUN	SRCH	
015 08 0	1422		BUN	D+	IF NOT TREAT AS NORMAL
015 09 0	1423	*J	LDR	SW6	
015 10 0	1424		BZR	ALPX1	
015 11 0	1425		LDR	L	INSERT IMPLIED MULTIPLICATION
015 12 0	1426		STR	LP	IF REQUIRED
015 13 0	1427		CAD	DOT	
015 14 0	1428		STP	SCAN	
015 15 0	1429		BUN	EXCTR	
015 16 0	1430		LDR	LP	
015 17 0	1431		STR	L	
015 18 0	1432		CLL	SW6	
015 19 0	1433	ALPX1	LDB	MODE	ON EXIT, PUT MODE IN R REGISTER
015 20 0	1434		LDR	- 0	SYMBL CODE IN A REGISTER
015 21 0	1435		DLB	L,64,0	
015 22 0	1436		BFR	W+,12,70	
015 23 0	1437		CAD	- 0	
015 24 0	1438	ALPLX	BUN	*	
015 25 0	1439	*D	STP	SRCHX	NORMAL CASE
015 26 0	1440		BUN	SRCH1	SEARCH FOR THIS IDENTIFIER
015 27 0	1441		BUN	F+	
015 28 0	1442	THI	NOP	FRME	IF PROCESSING MONITOR LIST,EXIT TO FRME
015 29 0	1443		BFR	J-,22,70	IF ITS AN INTRINSIC FUNCTION GO TO J-
015 30 0	1444		BFR	ALPX1-1,11,7	IF ANOTHER RESERVED WORD,EXIT
015 31 0	1445		BFR	G+,11,9	IS IT A LABEL
015 32 0	1446	*L	BFR	H+,22,83	IS IT A PROCEDURE NAME
015 33 0	1447		BFR	Z+,21,3	IS ITS TYPE UNSPECIFIED
015 34 0	1448		STP	LIBRX	IF IT IS A NEW LIBRARY PROCEDURE,
015 35 0	1449		BFR	LIBRF,11,3	ADD IT TO THE LIBRARY
015 36 0	1450		BUN	J-	OTHERWISE CHEK IMPLIED MULTIPLICATION
015 37 0	1451	*F	CAD	LEVEL	
015 38 0	1452	PEH	BZA	M+	SYMBOL NOT FOUND
015 39 0	1453	L9	CLA	9	INSIDE PROCEDURE
015 40 0	1454		STP	SRCHX	
015 41 0	1455		BUN	SRCH	
015 42 0	1456		BUN	K+	MAYBE ITS A RESERVED WORD
015 43 0	1457		BFR	J-,22,74	
015 44 0	1458		BFR	ALPX1-1,11,7	
015 45 0	1459		BFR	J-,11,4	OR A PROCEDURE, LIBRARY FUNCTION NAME
015 46 0	1460		BFR	L-,11,3	
015 47 0	1461		BFR	L-,11,8	
015 48 0	1462	*K	CAD	LEVEL	IF WE HAVE A BONA FIDE NEW SYMBOL,
015 49 0	1463	*M	STP	INSRX	ADD IT TO THE TABLE
015 50 0	1464		BUN	INSRT	
015 51 0	1465	*Z	LDR	TAG	
015 52 0	1466		BZR	M+	
015 53 0	1467	*Y	DFL	- 0,11,1	MAKE IT A LABEL, IF IT APPEARS IN
015 54 0	1468		BUN	ALPX1-1	THAT CONTEXT
015 55 0	1469	*X	CAD	KC	
015 56 0	1470		BUN	M-	
015 57 0	1471	*G	CLL	SW6	
015 58 0	1472	*H	LDB	MODE	OTHERWISE IF IN TYPE DECLARATION MODE
015 59 0	1473		LDR	- 0	SET ITS TYPE
015 60 0	1474		CFR	DCLMD,64	
015 61 0	1475		BCU	N+	

015 62 0	1476		CAD	RR2	
015 63 0	1477		DLR	L,64,0	
015 64 0	1478		STA	- 0,21	
015 65 0	1479		BUN	ALPX1	
015 66 0	1480	*N	CAD	SYMBL	GIVEN A NEW SYMBOL, LETS ASSIGN
015 67 0	1481		LDB	PR3	A TYPE FOR IT
015 68 0	1482	*AZ	IBB	F+,9999	LOOK IN PREFIX STACK FOR
015 69 0	1483		LDR	- 1	FIRST PREFIX WHICH APPLIES
015 70 0	1484		STR	TEMP	
015 71 0	1485		DLB	TEMP,64,0	
015 72 0	1486		STR	*+1,22	
015 73 0	1487		CFA	- 0,22	
015 74 0	1488		LDB	TEMP	
015 75 0	1489		BCU	A2-	
015 76 0	1490		CAD	TEMP	
015 77 0	1491		SRS	2	
015 78 0	1492	*P	DLB	L,64,0	
015 79 0	1493		STA	- 0,21	
015 80 0	1494		BUN	J-	IF NONE FITS, SET OTHERWISE TYPE
015 81 0	1495	*F	CAD	RR3	
015 82 0	1496		RUN	P-	
015 83 0	1497	*W	CAD	8 *	
015 84 0	1498		STR	JCROY,04	
015 85 0	1499		CLL	TAG	LABEL ON A TRACE CARD SENSED
015 86 0	1500		STP	INSX	
015 87 0	1501		RUN	INS1	PUT CODE REFERENCE ON ITS FIXUP STACK
015 88 0	1502		STP	CMPLX	
015 89 0	1503		BUN	WMG,CROY	
015 90 0	1504		IFL	CHI,00,1	
015 91 0	1505		BUN	SCN1	
015 94 0	1506	NMBR	CAD	SYMBL	SEE IF CONSTANT HAS APPEARED BEFORE.
015 95 0	1507		LDR	RR0	EITHER SEARCH FLOATING POINT ONES
015 96 0	1508	RHO	NOP	C+	OR INTEGER ONES
015 97 0	1509		DLB	V6,64,00	
015 98 0	1510		BFR	*+2,21,1	
015 99 0	1511		DLB	V7,64,00	
016 00 0	1512	*A	CFA	- 1	
016 01 0	1513		BCE	B+	
016 02 0	1514		STR	E+,04	
016 03 0	1515		LDB	- 0	
016 04 0	1516		IBB	D+,9999	
016 05 0	1517		IBB	A-,1	
016 06 0	1518	*D	LDB	SSC	
016 07 0	1519	*E	STR	*,04	ENTER NEW CONSTANT IN TABLE
016 08 0	1520		RTF	RR0,2	
016 09 0	1521		STR	SSC	
016 10 0	1522		IFL	- 9998,11,2	
016 11 0	1523		IBB	*+1,9998	
016 12 0	1524	*B	STR	L	CONSTANT IN TABLE
016 13 0	1525		CAD	L	
016 14 0	1526		SLA	4	
016 15 0	1527		STA	L,64	
016 16 0	1528		DLB	L,64,0	
016 17 0	1529	NMBRX	BUN	*	

016	18	0	1530	*C	CFR	V2,21	IN ARRAY FILL
016	19	0	1531		BCH	FLTCM	CHANGE TO PROPER TYPE, IF NECESSARY
016	20	0	1532		BCL	FIXCM	
016	21	0	1533		DFL	RHO,62,29	
016	22	0	1534		STA	V1	
016	23	0	1535		STP	TSTOX	REVERSE ITS SIGN IF NECESSARY
016	24	0	1536		BUN	TSTOP	
016	25	0	1537		LDR	V1	
016	26	0	1538		CAD	ABASE	
016	27	0	1539		IFL	ABASE,04,1	
016	28	0	1540		STP	WRITX	COMPILE IT
016	29	0	1541		BUN	WRIT3	
016	30	0	1542		BUN	WINDX	
016	35	0	1543	CLASS	STP	ALPLX	PROCESS AND CLASSIFY SYMBOL
016	36	0	1544		BUN	ALPLU	
016	37	0	1545		BFA	FRME,11,7	
016	38	0	1546		CFR	DCLMD,64	
016	39	0	1547		BCE	SCN1	EXIT IF IN A TYPE DECLARATION
016	40	0	1548		LDB	TAG	
016	41	0	1549		BFA	E+,11,0	OTHERWISE IT MUST BE A
016	42	0	1550		BFA	C+,11,1	LABEL OR SIMPLE VARIABLE
016	43	0	1551		BFA	D+,11,9	
016	44	0	1552		DBB	P+,1	
016	45	0	1553	*Q	STP	WEMX	
016	46	0	1554		BUN	WEM,FRME	
016	47	0	1555		CNST	30122240000	IMPROPER VARIABLE SYMBOL
016	48	0	1556	*C	IBB	FRME,9999	
016	49	0	1557	*P	STP	WEMX	
016	50	0	1558		BUN	WEM,A+	
016	51	0	1559		CNST	30117240000	IMPROPER LABEL SYMBOL
016	52	0	1560	*D	DBB	A+,1	
016	53	0	1561		BUN	Q-	
016	54	0	1562	*B	CFR	FUNMD,64	MAKE UNASSIGNED SYMBOL
016	55	0	1563		BCU	X+	INTO EITHER A SIMPLE VARIABLE
016	56	0	1564		LDB	FUNS	
016	57	0	1565		CAD	- 0	OR, IF IN LABEL PART OF A PROCEDURE
016	58	0	1566		BSA	Y+,3	CALL, INTO A LABEL
016	59	0	1567	*X	DLB	L,64,0	
016	60	0	1568		IFL	- 0,11,1	
016	61	0	1569	*A	CLL	TAG	
016	62	0	1570		BUN	FRME	EXIT TO FRME ROUTINE IN ANY EVENT
016	63	0	1571	*Y	DLB	L,64,0	
016	64	0	1572		IFL	- 0,11,9	
016	65	0	1573		BUN	FRME	
016	66	0	1574	CLASX	DEFN	FRMEX	
016	69	0	1574	THETA	DEFN	*	
016	70	0	1574	INPT	NOP	INP3	GET NEXT CHARACTER, FROM FV-STACK
016	71	0	1575	INP1	DLB	SCNCT,94,00	OR FROM CARD. NORMALLY FROM CARD
016	72	0	1576		CAD	- IMAGE	BRING IN ALPHA WORD

016	73	0	1577	LDB	SCNCT	
016	74	0	1578	SLA	- 0	ISOLATE NEXT DIGIT PAIR
016	75	0	1579	CCCNT	DBB	D+,144
016	76	0	1580	ZETA	RFA	E+,00,00
5	77	0	1581		SRA	8
6	78	0	1582		IFL	SCNCT,05,02
016	79	0	1583	*F	STA	CHAR,02
016	80	0	1584	BETA	BUN	INPTX
016	81	0	1585		SLA	4
016	82	0	1586		STP	INSX,RV
016	83	0	1587		BUN	INS
016	84	0	1588		BFA	*+3,62,33
016	85	0	1589		CAD	CHAR
016	86	0	1590	INPTX	BUN	*
016	87	0	1591	*B	CAD	FV
016	88	0	1592		LDB	RV
016	89	0	1593		STB	FV,04
016	90	0	1594		LDR	- 0
016	91	0	1595		STA	- 0,04
016	92	0	1596		STR	RV,04
016	93	0	1597		BFR	*+2,04,00
016	94	0	1598		BUN	B-
016	95	0	1599	*C	IFL	BETA,62,29
016	96	0	1600		CAD	CHAR
016	97	0	1601		BUN	INPTX
016	98	0	1602	*D	CNC	4 IMAGE+15,1
016	99	0	1603		BCS	*+2,4
017	00	0	1604	RITE	CWR	4 IMAGE+15,22,4
017	01	0	1605		CLL	SCNCT
017	02	0	1606	CCBEG	IFL	SCNCT,00,02
017	03	0	1607		BUN	INP1
017	04	0	1608	*E	IFL	SCNCT,00,10
017	05	0	1609		STA	SCNCT,01
017	06	0	1610		BUN	F-
017	07	0	1611	INP3	LDB	STFOL
017	08	0	1612		CAD	- 0
017	09	0	1613		SRA	4
017	10	0	1614		STA	CHAR,02
017	11	0	1615		IBB	RUNXX,9999
017	12	0	1616		LDR	- 1
017	13	0	1617		STR	STFOL,04
017	14	0	1618		BUN	INPTX

IF PROCESSING FOR STATEMENT
WE PUT CHARACTERS INTO RV-STACK

IF BETA ON AND WE HAVE JUST PUT IN
AN EQUAL SIGN,
RV STACK HAS CHARACTERS IN BACKWARDS
TRANSFER THEM TO FV-STACK IN RIGHT ORDER

UNTIL RV-STACK IS EMPTY

READ A NEW CARD

PRINT IT UNLESS PCS(4) DOWN

START IN COLUMN 2

HIGH SPEED IGNORING OF SUCCESSIVE
BLANK COLUMNS UNLESS ZETA SWITCH IS ON

PULL CHARACTERS OUT OF FV (FOR-VARIABLE)
STACK

017	17	0	1619	IMAGE	HLT	0
017	18	0	1620		CNST	\$BURROUGHS ALGEBRAIC COMPILER - STANDARD VERSIONS
017	19	0	1630		CNST	\$ 4/1/61\$\$
017	20	0	1632		CNST	0,0,0
017	21	0	1635		LOCN	IMAGE+16

017	24	0	1635	SRCHI	CAD	LEVEL
017	25	0	1636	SRCH	ADD	LLO
017	26	0	1637		EXT	NN
017	27	0	1638		ADD	SCT
017	28	0	1639		STA	L

LOOK FOR SYMBOL IN TABLE

017 29 0	1640	*B	LDB	L	
017 30 0	1641		IBB	SRCHX,9999	
017 31 0	1642	*C	CAD	- 1	
017 32 0	1643		STA	L	FIRST COMPARE LENGTHS
017 33 0	1644		CFA	D2D3,23	(AND WHETHER OR NOT A NUMERIC LABEL)
017 34 0	1645		BCU	B-	
017 35 0	1646		SRA	4	
017 36 0	1647		STA	TEMP	
017 37 0	1648		IFL	TEMP,63,9	
017 38 0	1649		STA	A+,04	
017 39 0	1650		IFL	A+,04,1	
017 40 0	1651		DLB	TEMP,54,1	
017 41 0	1652		BRP	A+	
017 42 0	1653		LDB	L9	
017 43 0	1654	*A	CAD	- *	IF LENGTHS AGREE, COMPARE THE REST
017 44 0	1655		CFA	- SYMBL,00	
017 45 0	1656		BCU	B-	
017 46 0	1657		DBB	A-,1	
017 47 0	1658		IFL	SRCHX,04,1	EXIT TO ONE BIGGER LOCATION
017 48 0	1659		DLB	L,64,0	IF SYMBOL IS FOUND
017 49 0	1660		LDR	- 0	
017 50 0	1661	SRCHX	BUN	*	

017 53 0	1662	R23	STP	OPRTX,R24	IN .N \$N ,N *N -N PN
----------	------	-----	-----	-----------	-----------------------

017 56 0	1663	OPRT	LDB	OPRTX	
017 57 0	1664		DLB	- 9998,44,0	
017 58 0	1665		STB	SCAN,04	
017 59 0	1666		LDB	S1	SEND S1 OPERATOR TO EXECUTOR
017 60 0	1667		CAD	- OPTAB	
017 61 0	1668		BUN	EXCTR	
017 62 0	1669	OPRTX	DEFN	SCAN	

017 68 0	1669	WEM	CLL	MSG	WRITE ERROR MESSAGE
017 69 0	1670		LDB	C+	
017 70 0	1671		RTF	MSG,6	CLEAR MESSAGE BUFFER
017 71 0	1672		CLL	TEMP	
017 72 0	1673	WEMX	CAD	*	
017 73 0	1674	*E	CLR	0000	
017 74 0	1675		SRT	8	
017 75 0	1676		BFA	F+,00,0	
017 76 0	1677		STA	E-,04	
017 77 0	1678		STR	TEMP3	
017 78 0	1679	*H	IFL	E-,04,1	
017 79 0	1680		LDB	E-	
017 80 0	1681		LDR	- DICT-2	GET DICTIONARY ENTRY
017 81 0	1682	*C	CLA	MSG+1	
017 82 0	1683		LBC	TEMP	
017 83 0	1684		SLT	2	TRANSFER CHARACTERS

017 84 0	1685		BFA	B+,00,00	ONE AT A TIME INTO
017 85 0	1686		SLA	- 8	BUFFER AREA
017 86 0	1687		DLB	TEMP,94,00	
017 87 0	1688		LSA	0	
017 88 0	1689		ADL	- MSG	
017 89 0	1690		IFL	TEMP,05,02	
017 90 0	1691		BUN	C-	
017 91 0	1692	*B	BSA	H-,3	
017 92 0	1693		IFL	TEMP,05,02	PUT SPACE BETWEEN WORDS
017 93 0	1694		CAD	TEMP3	
017 94 0	1695		BUN	E-	
017 95 0	1696	*F	BCS	*+2,4	
017 96 0	1697		BUN	*+2	
017 97 0	1698		CWR	4 IMAGE+15,22,4	
017 98 0	1699		CWR	4 MSG+6,42	
017 99 0	1700		LDB	WEMX	RETURN TO PROGRAM,
018 00 0	1701		DLR	- 9999,44,0	ATTEMPT TO CONTINUE ON
018 01 0	1702		CAD	V4	PUT V4 (CODE FOR CONSTANT 1)
018 02 0	1703		BUN	- 0	IN A REGISTER ON EXIT

018 06 0	1704	NEWT	CAD	TEMPS	RECORD CURRENT SET OF TEMPORARY
018 07 0	1705		SLA	4	STORAGE CELLS IN SAVET STACK
018 08 0	1706		CLL	TEMPS	AND MARK THE TEMPS STACK EMPTY
018 09 0	1707		BUN	INS	

018 12 0	1708	INS2	CAD	LOCN	
018 13 0	1709	INS	LDB	INSX	INSERT RA(67) INTO ASSOCIATIVE MEMORY
018 14 0	1710		DLB	- 9998,44,0	LOCATION PRECEDING (RB)
018 15 0	1711	INS1	STB	A+,04	
018 16 0	1712		LDR	AVAIL	NORMALLY THIS MEANS ON TOP OF THE
018 17 0	1713		BFR	B+,04,00	STACK NAMED BY THE B REGISTER OR
018 18 0	1714	*C	LDR	- 0	BY THE 44-FIELD OF THE STP
018 19 0	1715		LDB	AVAIL	
018 20 0	1716		STA	- 0,67	
018 21 0	1717		CAD	- 0	
018 22 0	1718		STR	- 0,04	
018 23 0	1719	*A	STB	*,04	
018 24 0	1720		STA	AVAIL,04	
018 25 0	1721	INSX	BUN	*	
018 26 0	1722	NEWTX	DEFN	INSX	
018 27 0	1722	*B	LDR	MAMAX	IF AVAIL STACK IS EMPTY, TRY TO
018 28 0	1723		CFR	SSC,04	INCREASE THE SIZE OF
018 29 0	1724		STR	AVAIL,04	ASSOCIATIVE MEMORY
018 30 0	1725		STR	D+,04	
018 31 0	1726		DFL	MAMAX,00,1	
018 32 0	1727	*D	CLL	*	
018 33 0	1728		BCH	C-	IF NO ROOM IS LEFT, GIVE UP
018 34 0	1729	FULL	STP	WEMX	
018 35 0	1730		BUN	WEM,EX0	
018 36 0	1731		CNST	33941430000	COMPILER CAPACITY EXCEEDED

018 39 0	1732	REM2	CLL	SER	
----------	------	------	-----	-----	--

018 40 0	1733	REM	LDB	REMX	REMOVE INFORMATION FROM
018 41 0	1734		DLB	- 9998,44,0	ASSOCIATIVE MEMORY LOCATION FOLLOWING
018 42 0	1735	REM1	STB	A+,04	(RB) ... NORMALLY THIS MEANS PULL OFF
018 43 0	1736		LDB	- 0	TOP OF STACK NAMED BY THE B REGISTER
018 44 0	1737		CAD	- 0	OR NAMED IN 44-FIELD OF STP INSTRUCTION
018 45 0	1738	REMX	IBB	*,9999	
018 46 0	1739		DBR	*+1,9999	IF THE STACK IS EMPTY, EXIT
018 47 0	1740		LDR	AVAIL	OTHERWISE MARK LOCATION AVAILABLE
018 48 0	1741		STB	AVAIL,04	FOR FUTURE USE
018 49 0	1742		STR	- 0,04	
018 50 0	1743	*A	STA	*,04	EXIT WITH THE REMOVED QUANTITY IN
018 51 0	1744		LDB	REMX	REGISTER A, TO THE LOCATION SPECIFIED
018 52 0	1745		DLB	- 9999,44,0	IN THE 44-FIELD OF THE BUN INSTRUCTION
018 53 0	1746		BUN	- 0	
018 55 0	1747	ASSN1	CAD	VARB	ASSIGN A PLACE FOR A VARIABLE,
018 56 0	1748		SLA	4	OR CONSTANT, OR TEMP STORAGE,
018 57 0	1749		STA	- 0,64	IF ITS NOT IN MEMORY ALREADY
018 58 0	1750		DFL	VARB,04,1	
018 59 0	1751	ASSN	CAD	- 0	
018 60 0	1752		BFA	ASSN1,64,0	
018 61 0	1753	ASSNX	BUN	*	
018 63 0	1754	CONV	CAD	- 0	PUT OUT MONITOR CODING
018 64 0	1755		LDR	DICT+16	
018 65 0	1756		STR	EXPLN	
018 66 0	1757		LDR	V8	
018 67 0	1758		STB	STPV3,44	FOR A LABEL, TO THE LABEL PROCESSOR
018 68 0	1759		BFA	F+,11,9	
018 69 0	1760		LDR	MONGN+1	
018 70 0	1761		STR	EXPLN	
018 71 0	1762		LDR	MNTRE	OTHERWISE TO THE MONITOR ROUTINE
018 72 0	1763		STA	STPV3,21	PUT TYPE IN THE STP INSTRUCTION
018 73 0	1764		BFA	F+,11,1	
018 74 0	1765		BFA	F+,11,8	MONITOR FUNCTION NAMES
018 75 0	1766		LDB	VIMAG	(ARRAY NAME IS IN VIMAG)
018 76 0	1767	*F	STR	V3	
018 77 0	1768		CAD	- 1	
018 78 0	1769		STA	SYMBL	
018 79 0	1770		STB	RRO,21	MAKE UP A CONSTANT WITH THE
018 80 0	1771		STP	NMBRX	LEADING ALPHABETIC CHARACTERS
018 81 0	1772		BUN	NMBR	(OR NUMERIC LABEL QUANTITY)
018 82 0	1773		STP	ASSNX	
018 83 0	1774		BUN	ASSN	
018 84 0	1775		SLA	2	
018 85 0	1776	CONV3	STA	BUN3V,44	PUT ADDRESS OF THIS CONSTANT
018 86 0	1777		CAD	G2	IN BUN INSTRUCTION
018 87 0	1778		BUN	INTRP	

SECTION C. THE EXECUTOR CO-ROUTINE

018 91 0	1779	MAXCM	CAD	OPMAX
018 92 0	1780		RUN	EXIT
018 93 0	1781	MINCM	CAD	OPMIN
018 94 0	1782	EXIT	STP	CMLX

018 95 0	1783		BUN	CMPL		
018 96 0	1784	NORM	STP	EXCTR		NORMAL EXIT TO THE
018 97 0	1785		BUN	SCAN		SCANNER CO-ROUTINE
018 98 0	1786	ANALZ	STA	TEMP,64		AT THIS POINT WE USUALLY GO TO
018 99 0	1787		DLB	TEMP,64,0		COMPL(THE COMPILER) BUT SOME SPECIAL
019 00 0	1788		BFA	A+,01,1		CASES OCCUR
019 01 0	1789		BFA	B+,01,4		
019 02 0	1790		BFA	C+,01,5		
019 03 0	1791		BUN	EXIT		
019 04 0	1792	*A	BSA	- 0,6		SPECIAL CONTROL OPERATOR, BRANCH
019 05 0	1793		BUN	EXIT		DIRECTLY TO IT
019 06 0	1794	*B	CAD	- 0		
019 07 0	1795	ANALY	STA	INSX,04		SET UP MODE FIRST, THEN GO DIRECTLY
019 08 0	1796		DLB	MODE,44,0		
019 09 0	1797		BUN	INS1		
019 10 0	1798	*C	STB	D+,04		
019 11 0	1799		LDB	MODE		PICK UP MODE FIRST, THEN GO DIRECTLY
019 12 0	1800		CAD	- 0		
019 13 0	1801	*D	BUN	*		
019 14 0	1802	EXCTR	BUN	ANALZ		EXIT-ENTRANCE LINE
019 18 0	1803	COMMA	BSA	A+,1		COMMA FOUND. WE CANT BE IN NORMAL MODE
019 19 0	1804		DLB	- 0,64,0		
019 20 0	1805	COMM	F4241	6273,30,0		BRANCH TO THE COMMA-GENERATOR
019 21 0	1806	*A	STP	- WEMX		SPECIFIED BY THIS MODE.
019 22 0	1807		BUN	WEM,NLRB		
019 23 0	1808		CNST	31545000000		MISPLACED COMMA
019 26 0	1809	MODCM	STP	CMPLX		MOD COMMA IS THOUGHT OF AS)CRD(
019 27 0	1810		BUN	RIGHT		
019 28 0	1811		STP	CMPLX		
019 29 0	1812		BUN	WMG,CRD		
019 30 0	1813		CAD	LPAR		
019 31 0	1814		BUN	EXIT		
019 34 0	1815	OVRLY	CAA	G12		GENERATE STP,BUN
019 35 0	1816		STP	INTRX		
019 36 0	1817		BUN	INTRP		FOLLOWED BY N (THE SEGMENT NUMBER)
019 39 0	1818	GO	IFL	TAG,00,1		SET UP TO EXPECT A LABEL
019 40 0	1819		CAD	CRT		AND COMPILE A CIRCLE-T OPERATOR
019 41 0	1820		BUN	EXIT		
019 44 0	1821	TO	DEFN	NORM		IGNORE THE WORD TO
019 46 0	1821	SWTCH	STP	CMPLX		SET UP TO PROCESS A SWITCH STATEMENT
019 47 0	1822		BUN	LEFT		SWITCH E,(L,....,L)
019 48 0	1823		IFL	DELTA,00,5		
019 49 0	1824		DFL	SWCM,62,29		
019 50 0	1825		CAD	CRH		

019 51 0	1826		BUN	EXIT	
019 53 0	1827	SWCM	BUN	GO	IF PROC. THE LABELS, ACT LIKE GO TO
019 54 0	1828		IFL	SWCM,62,29	
019 55 0	1829		STP	NULSX	
019 56 0	1830		BUN	NULSB	OTHERWISE, EVALUATE E, AND LBC E.
019 57 0	1831		STP	ASMBX	
019 58 0	1832		BUN	ASMBL, BUNFB	
019 59 0	1833		CLL	DEX	THEN COMPILE -BUN FORWARD AND
019 60 0	1834		BUN	GO	ACT LIKE GO TO
019 63 0	1835	UNTIL	IFL	PSI,00,01	
019 64 0	1836		CAD	LOCN	
019 65 0	1837		STA	BREF,64	
019 66 0	1838		STP	CMPLX	PUT OUT A BACKWARD REFERENCE OPERATOR,
019 67 0	1839		BUN	WMG, BREF	TO THE PRESENT LOCATION
019 68 0	1840		CAD	CRU	COMPILE A CIRCLE-U OPERATION
019 69 0	1841	*A	IFL	DELTA,22,1	
019 70 0	1842		BUN	EXIT	
019 73 0	1843	IF	CAD	OPIF	IF AND UNTIL TURN ON SWITCH
019 74 0	1844		BUN	A-	WHICH CHANGES = SIGN INTO EQL
019 77 0	1845	ETHR	STP	CMPLX	EITHER IS JUST A CIRCLE E OPERATOR
019 78 0	1846		BUN	WMG, CRE	AND A LEFT PARENTHESIS
019 79 0	1847		STP	CMPLX	
019 80 0	1848		BUN	LEFT	
019 81 0	1849		IFL	PSI,00,1	
019 82 0	1850		BUN	NORM	
019 85 0	1851	OR	STP	EXCTR	
019 86 0	1852		BUN	SCAN	
019 87 0	1853		STA	SMBL	
019 88 0	1854		BFA	A+,92,69	
019 89 0	1855		STP	CMPLX	OR, NOT OR IF.
019 90 0	1856		BUN	WMG, BOR	COMPILE A BOOLEAN OR
019 91 0	1857	*B	CAD	SMBL	
019 92 0	1858		BUN	EXIT	
019 93 0	1859	*A	STP	CMPLX	OR IF.
019 94 0	1860		BUN	RIGHT	THIS) MATCHES THE EITHER
019 95 0	1861		STP	ASMBX	
019 96 0	1862		BUN	ASMBL, BUNFR	PUT OUT A BUN FORWARD
019 97 0	1863		STP	CMPLX	
019 98 0	1864		BUN	LEFT	AND ANOTHER EITHER
019 99 0	1865		IFL	PSI,00,1	
020 00 0	1866		BUN	IF	AND THEN THE IF
020 03 0	1867	WISE	CFA	DCLMD,64	OTHERWISE SENSED.
020 04 0	1868		RCE	B+	
020 05 0	1869	*A	STP	CMPLX	IF IN EITHER IF CONTEXT.

020 06 0	1870	BUN	RIGHT	ACT LIKE OR IF
020 07 0	1871	STP	ASMBX	
020 08 0	1872	BUN	ASMBL,BUNFR	
020 09 0	1873	IFL	DELTA,00,4	
020 10 0	1874	CAD	CRW	
020 11 0	1875	BUN	EXIT	THEN PUT OUT CIRCLE-W OPERATOR.
020 12 0	1876	*B LDR	RR2	
020 13 0	1877	STR	RR3	IF IN TYPE DECLARATION, SET
020 14 0	1878	LDB	LEVEL	RR3 TO CURRENT TYPE
020 15 0	1879	DBB	NORM,1	AND IF OUTSIDE OF PROCEDURE DECLARATIONS,
020 16 0	1880	STR	RR1	PUT IT INTO RR1 ALSO.
020 17 0	1881	BUN	NORM	

020 20 0	1882	ENTER IFL	TAG,00,1	
020 21 0	1883	STP	EXCTR	
020 22 0	1884	BUN	SCAN	
020 23 0	1885	STP	LINKX	LINK TO SUBROUTINE
020 24 0	1886	BUN	LINK2	
020 25 0	1887	BUN	NORM	

020 28 0	1888	STOP STP	CMPLX	COMPILE CIRCLE Z
020 29 0	1889	BUN	WMG,CRZ	
020 30 0	1890	SCT CLA	SCRIB	AND AN ACCUMULATOR SYMBOL.
020 31 0	1891	BUN	EXIT	

020 34 0	1892	RETN STP	VSUBX	RETURN. SEE VSUB.
020 35 0	1893	BUN	VSUB	
020 36 0	1894	BUN	NORM	

020 39 0	1895	COMNT CLL	TAG	COMMENT.
020 40 0	1896	STP	INPTX	
020 41 0	1897	CAD	CHAR	BYPASS CHARACTERS
020 42 0	1898	BFA	SCN7,02,13	UNTIL WE SEE A SEMICOLON
020 43 0	1899	BUN	INPT	

020 46 0	1900	FOR STP	CMPLX	CIRCLE X - WILL GENERATE THE FINAL BUN
020 47 0	1901	BUN	WMG,CRX	
020 48 0	1902	STP	CMPLX	
020 49 0	1903	BUN	LEFT	
020 50 0	1904	DFL	BETA,62,29	SET TO STORE NEXT CHARACTERS
020 51 0	1905	CAD	CHAR	AWAY (UP UNTIL THE = SIGN)
020 52 0	1906	SLA	4	
020 53 0	1907	STP	INSX,RV	
020 54 0	1908	BUN	INS	
020 55 0	1909	CLL	ALPHA	
020 56 0	1910	IFL	ALPHA,01,1	ALPHA TELLS WHAT KIND OF
020 57 0	1911	BUN	C+	ITERATION LIST ELEMENT WE HAVE

020 60 0	1912	FORCM CLL	PI	COMMA IN ITERATION LIST.
020 61 0	1913	LDR	ALPHA	

020	62	0	1914	BFR	A+,01,1		
020	63	0	1915	BFR	B+,01,2		
020	64	0	1916	DFL	ALPHA,01,2		
020	65	0	1917	CLL	PHI	THE V=(E1,E2,E3), CASE.	
020	66	0	1918	STP	FSUBX	ASSEMBLE STP,BUN	
020	67	0	1919	BUN	FSUB2	RUN BACK THE V=	
020	68	0	1920	BUN	C+		
020	69	0	1921	*B	STP	SEMIX	THE V=(E1,E2), CASE
020	70	0	1922	BUN	SEMIC	FINISH INCREMENTATION OF V	
020	71	0	1923	STP	REMX,EXEC		
020	72	0	1924	BUN	REM,#+2		
020	73	0	1925	G1	F42Δ	6141,0,*	
020	74	0	1926	STP	FXUPX	FIX UP BUN INSTRUCTION	
020	75	0	1927	BUN	FXUP		
020	76	0	1928	STP	CMP LX	COMPILE AN UNTIL OPERATOR	
020	77	0	1929	BUN	WMG,CRU		
020	78	0	1930	IFL	PI,00,1		
020	79	0	1931	DFL	DELTA,01,2		
020	80	0	1932	IFL	ALPHA,01,1		
020	81	0	1933	CAD	TOP	AND THE LEQ OR GEQ RELATION	
020	82	0	1934	BUN	EXIT		
020	83	0	1935	*A	LDB	MODE	
020	84	0	1936	LDR	- 0		
020	85	0	1937	BFR	R+,22,2		
020	86	0	1938	IFL	ALPHA,00,1	THE V=(E1), CASE.	
020	87	0	1939	STP	CMP LX		
020	88	0	1940	BUN	RIGHT	ASSEMBLE V=E1, STP, BUN	
020	89	0	1941	STP	QSUBX		
020	90	0	1942	BUN	QSUB		
020	91	0	1943	STP	FSUBX	RUN BACK V=V	
020	92	0	1944	BUN	FSUB1		
020	93	0	1945	STP	RUNX		
020	94	0	1946	BUN	RUN		
020	95	0	1947	STP	EXCTR		
020	96	0	1948	BUN	SCAN		
020	97	0	1949	CFA	HYPH	REMEMBER IF E2 BEGINS WITH	
020	98	0	1950	LDR	RLEQ	THE CHARACTER MINUS	
020	99	0	1951	BCU	#+2		
021	00	0	1952	LDR	RGEQ		
021	01	0	1953	STR	TOP		
021	02	0	1954	STA	SMBL	COMPILE +, AND THEN CONTINUE SCANNING	
021	03	0	1955	STP	CMP LX		
021	04	0	1956	RUN	WMG,PLUS		
021	05	0	1957	CAD	SMPL		
021	06	0	1958	BUN	EXIT		
021	07	0	1959	*B	STP	QSUBX	THE V=E1, CASE.
021	08	0	1960	BUN	QSUB		
021	09	0	1961	STP	FSUBX	ASSEMBLE V=E1, STP, BUN	
021	10	0	1962	BUN	FSUB1	SCAN V= AGAIN	
021	11	0	1963	*C	CLL	DELTA	
021	12	0	1964	IFL	DELTA,00,3		
021	13	0	1965	BUN	NORM		
021	16	0	1966	SEMI	BSA	C+,2	SEMICOLON GENERATOR.

021 17 0	1967	LDB	OMCRN	CHECKS FIRST FOR LABEL MODE.
021 18 0	1968	CLL	OMCRN	EXIT IF EXPECTING A SEMICOLON
021 19 0	1969	DRB	NORM,1	
021 20 0	1970	CFA	FUNMD,64	
021 21 0	1971	BCE	A+	CHECK FOR FUNCTION OR PROCEDURE CALL
021 22 0	1972	CFA	PRCMD,64	
021 23 0	1973	BCE	R+	
021 24 0	1974	LDB	DELTA	OTHERWISE BRANCH ACCORDING TO THE
021 25 0	1975	BUN	- *+1	SETTING OF DELTA
021 26 0	1976	BUN	DELO	DELTA UNSET
021 27 0	1977	BUN	DEL1	FOR STATEMENT, AFTER (E1, E2, E3)
021 28 0	1978	BUN	DEL2	THIS LOCATION IS WASTED
021 29 0	1979	BUN	DEL3	FOR STATEMENT, AFTER E
021 30 0	1980	BUN	DEL4	AFTER OTHERWISE, SEGMENT, SUBROUTINE, ETC.
021 31 0	1981	DEL5	STP	DECLARATION (E.G., INTEGER, FORMAT)
021 32 0	1982	BUN	RIGHT	
021 33 0	1983	BUN	DELO	
021 34 0	1984	*B	STP	PROCESS PARAMETER
021 35 0	1985	BUN	YSUB1	
021 36 0	1986	*B	CAD - 0	INCREASE SEMICOLON COUNT
021 37 0	1987	IFL	- 0,12,10	
021 38 0	1988	BSA	*+2,2	
021 39 0	1989	BUN	NORM	
021 40 0	1990	MEMST	IFL	IF IT WAS 2, SET TO EXPECT LABELS.
021 41 0	1991	BUN	NORM	
021 42 0	1992	*A	STP	COMPILE A PARAMETER CALL OP
021 43 0	1993	-	BUN	
021 44 0	1994	LDB	FUNS	
021 45 0	1995	BUN	B-	
021 46 0	1996	DEL1	STP	FINISH FOR LIST
021 47 0	1997	BUN	RIGHT	
021 48 0	1998	CLL	PI	
021 49 0	1999	BUN	Q+	(SEE Q+ BELOW)
021 50 0	2000	*E	BFA	DEL4,11,0
021 51 0	2001	STP	WEMX	
021 52 0	2002	BUN	WEM,DEL4	
021 53 0	2003	CNST	34661000000	EXTRA OPERAND
021 54 0	2004	*F	STP	WEMX
021 55 0	2005	BUN	WEM,A+	
021 56 0	2006	CNST	30147000000	IMPROPER SUBSCRIPT
021 57 0	2007	DELO	STP	SEMICOLON IS)(
021 58 0	2008	BUN	SEMIX	
021 59 0	2009	DEL4	STP	ARE THERE ANY OPERANDS ON THE STACK
021 60 0	2010	BUN	REMX,OPRND	IF SO THEY HAD BETTER BE ACCUM SYMBOLS
021 61 0	2011	*A	STP	ARE THERE ANY DIMENSIONS LEFT
021 62 0	2012	BUN	REMX,DIMS	WE HOPE NOT
021 63 0	2013	*A	CLL	
021 64 0	2014	CLL	SER	IF EVERYTHING IS COPACETIC,
021 65 0	2015	CLL	DEX	CLEAR ALL SWITCHES IN SIGHT,
021 66 0	2016	CLL	PI	IN PREPARATION FOR A NEW STATEMENT
021 67 0	2017	CLL	PSI	
021 68 0	2018	CLL	DELTA	
021 69 0	2019	BUN	TAG	
021 70 0	2020	*C	STP	
021 71 0	2021	BUN	NORM	
021 72 0	2022	BUN	DECNX	
		BUN	DECN	
		BUN	DEL5	

021 73 0	2023	DEL2	DEFN	*	
021 74 0	2023	DEL3	STP	QSUBX	ASSEMBLE STP•BUN IN FOR LOOP
021 75 0	2024		BUN	QSUB	
021 76 0	2025	*Q	IFL	PSI•00•01	ASSEMBLE BUN AROUND THE LOOP
021 77 0	2026		STP	ASMBX	
021 78 0	2027		BUN	ASMBL•BUNFR	
021 79 0	2028		STP	CMPLX	COMPILE INPUT OR OUTPUT, IF THIS
021 80 0	2029	UPSLN	F424	CRA•01•WMG	FOR APPEARED THERE.
021 81 0	2030	*F	STP	REMX•EXEC	FIX UP ALL THE BUNS TO THIS FOR LOOP
021 82 0	2031		BUN	REM•C+	
021 83 0	2032	*A	STP	DECNX	DROP THE FOR MODE
021 84 0	2033		BUN	DECN	
021 85 0	2034		CLL	PHI	
021 86 0	2035	*B	STP	REMX•FV	RELEASE THE SYMBOLS FROM THE
021 87 0	2036		BUN	REM•B-	FOR-VARIABLE STACK
021 88 0	2037		BUN	DEL4	THEN DO LIKE A REGULAR SEMICOLON.
021 89 0	2038	*C	STP	FXUPX	
021 90 0	2039		BUN	FXUP	
021 91 0	2040		BUN	E-	
021 94 0	2041	INPUT	CAD	CRJ	
021 95 0	2042		BUN	A+	
021 98 0	2043	OUTPT	CAD	CRK	ASSEMBLE BUN FORWARD
021 99 0	2044	*A	STA	STSV	
022 00 0	2045	*B	STP	ASMBX	
022 01 0	2046		BUN	ASMBL•BUNFR	
022 02 0	2047		IFL	TAG•00•I	
022 03 0	2048		BUN	NLRB	
022 06 0	2049	PUTCM	STP	NULSX	COMMA BETWEEN TWO INPUT OR
022 07 0	2050		BUN	NULSB	OUTPUT DECLARATIONS
022 08 0	2051		BUN	B-	
022 11 0	2052	LABEL	STP	ASMBX	ASSEMBLE BUN 0000
022 12 0	2053		BUN	ASMBL•BUNZ	AS THE FIRST INSTRUCTION OF A DECLARATION
022 13 0	2054		IFL	UPSLN•62•29	
022 14 0	2055		STP	CMPLX	
022 15 0	2056		BUN	WMG•CRI	COMPILE CIRCLE I, CIRCLE A
022 16 0	2057		CAD	CRA	
022 17 0	2058		BUN	EXIT	
022 20 0	2059	LABCM	DEFN	*	
022 21 0	2059	*A	STP	PRSBX•CRA	COMPILE CIRCLE A
022 22 0	2060		BUN	PRSB	(INPUT OR OUTPUT)
022 25 0	2061	NLRB	CLL	DEX	
022 26 0	2062		BUN	NORM	MARK B REGISTER UNKNOWN

022 29 0	2063	FRMT	STP	ASMBX	FORMAT, ASSEMBLE RUN AROUND.
022 30 0	2064		BUN	ASMBL,RUNFR	
022 31 0	2065		IFL	DELTA,00,5	
022 32 0	2066		STP	CMLPX	
022 33 0	2067		BUN	LEFT	
022 36 0	2068	FRMCM	IFL	TAG,00,1	PROCESS FORMAT STRING.
022 37 0	2069		STP	EXCTR	
022 38 0	2070		BUN	SCAN	
022 39 0	2071		BFA	LEFT,02,02	(THIS IS A LITTLE SCANNER)
022 40 0	2072		CLL	DESCR	
022 41 0	2073	*L	STP	INSX,DIMS	BEGIN NEST
022 42 0	2074		BUN	INS2	
022 43 0	2075		LDB	DIMS	
022 44 0	2076		CAD	DESCR	
022 45 0	2077		SLS	8	
022 46 0	2078		STA	- 0,23	
022 47 0	2079	*A	CLL	INSTR	
022 48 0	2080	*B	CLL	DESCR	
022 49 0	2081		STP	PASSX	
022 50 0	2082		BUN	PASS	
022 51 0	2083		BFA	L-,02,24	LEFT PARENTHESIS
022 52 0	2084		BFA	N+,91,8	NUMERIC
022 53 0	2085		BFA	D+,02,03	DOT
022 54 0	2086		BFA	C+,02,23	COMMA
022 55 0	2087		BFA	S+,02,14	STAR
022 56 0	2088		BFA	R+,02,04	RIGHT PARENTHESIS
022 57 0	2089		SRT	2	
022 58 0	2090		CAD	DESCR	
022 59 0	2091		SLT	7	
022 60 0	2092		STA	INSTR,55	INSERT NUMBER(33 FIELD)ALPHA(52FIELD)
022 61 0	2093		BUN	B-	
022 62 0	2094	*N	SRT	1	BUILD NUMBER
022 63 0	2095		CAD	DESCR	
022 64 0	2096		SLT	1	
022 65 0	2097		STA	DESCR	
022 66 0	2098		BUN	PASS	
022 67 0	2099	*D	CAD	DESCR	INSERT NUMBER IN 83-FIELD
022 68 0	2100		SLA	2	
022 69 0	2101		STA	INSTR,83	
022 70 0	2102		BUN	B-	
022 71 0	2103	*R	DFL	L+,62,29	
022 72 0	2104	*C	CAD	DESCR	INSERT NUMBER IN EITHER 02 OR 83 FIELD
022 73 0	2105		LDR	INSTR	
022 74 0	2106		BZR	L+	(OR DO NOTHING - AFTER *)
022 75 0	2107		BFR	F+,83,0	
022 76 0	2108		STA	INSTR,02	
022 77 0	2109	*R	STP	WRITX	
022 78 0	2110		BUN	WRIT2	
022 79 0	2111		LDB	DIMS	
022 80 0	2112		IRB	NORM,9999	
022 81 0	2113	*L	BUN	A-	
022 82 0	2114		IFL	L-,62,29	RIGHT PARENTHESIS, GET

022 83 0	2115		STP	REMX,DIMS	LOCATION OF MATCHING LEFT PARENTHESIS
022 84 0	2116		BUN	REM,#+2	
022 85 0	2117	GZ	F424	7043,0,*	
022 86 0	2118		SRS	4	
022 87 0	2119		LSA	1	
022 88 0	2120		STA	INSTR	
022 89 0	2121		BUN	R-	
022 90 0	2122	*S	DFL	ZETA,62,35	ALPHANUMERIC STRINGS.
022 91 0	2123	*S	CLL	IOPUS	
022 92 0	2124		CLL	INSTR	
022 93 0	2125	*B	STP	INPTX	
022 94 0	2126		BUN	INPT	TRANSFER FIVE CHARACTERS
022 95 0	2127		DLB	IOPUS,04,2	AT A TIME, UP TO AND
022 96 0	2128		SLA	0	INCLUDING THE NEXT ASTERISK.
022 97 0	2129		ADL	INSTR	
022 98 0	2130		CAD	CHAR	
022 99 0	2131		BFA	C+,02,14	
023 00 0	2132		DBB	INPT,9992	
023 01 0	2133		IFL	INSTR,12,20	
023 02 0	2134		STP	WRITX	
023 03 0	2135		BUN	WRIT2	
023 04 0	2136		BUN	S-	
023 05 0	2137	*C	IFL	INSTR,12,30	
023 06 0	2138		IFL	ZETA,62,35	
023 07 0	2139		BUN	R-	
023 08 0	2140	*F	SLA	2	
023 09 0	2141		STA	INSTR,83	
023 10 0	2142		BUN	R-	
023 13 0	2143	SGMT	CAA	PREV	SEGMENT BEGINNING.
023 14 0	2144		ADA	BUF+98	IF BUFFER NOT EMPTY, DUMP IT
023 15 0	2145		BZA	*+3	
023 16 0	2146		STP	WRITX	
023 17 0	2147		BUN	WRIT5	
023 18 0	2148		IFL	BUF,64,1	INCREASE SEGMENT NUMBER
023 19 0	2149		CAD	BUF	
023 20 0	2150		EXT	BCUL2	
023 21 0	2151		STA	BUF	
023 22 0	2152		SLA	4	
023 23 0	2153		ADD	LOCN	
023 24 0	2154		STP	INSX,FUNS	STORE SEG NO,LOCN IN FUN-STACK
023 25 0	2155		BUN	INS	
023 26 0	2156		IFL	TAG,00,1	
023 27 0	2157		IFL	DELTA,04,4	
023 28 0	2158		CAD	LOCN	FIX UP FORWARD REFERENCES TO THIS
023 29 0	2159		LDR	BUF	SEGMENT NUMBER
023 30 0	2160		STR	LOCN	
023 31 0	2161		STA	LOCNP	
023 32 0	2162		STP	EXCTR	
023 33 0	2163		BUN	SCAN	
023 34 0	2164		IFL	ZUTA,62,39	
023 35 0	2165		STP	TRTGX	
023 36 0	2166		BUN	TRTG	
023 37 0	2167		DFL	ZUTA,62,39	

023 38 0	2168		CAD	CRV	COMPILE CIRCLE V, WHICH
023 39 0	2169		BUN	EXIT	WILL FINISH THE SEGMENT.
023 42 0	2170	END	STP	CMPLX	THE WORD END.
023 43 0	2171		BUN	RIGHT	
023 44 0	2172	*A	IFL	TAG,00,1	
023 45 0	2173		STP	EXCTR	SCAN UNTIL WE REACH
023 46 0	2174		BUN	SCAN	
023 47 0	2175		CFA	CWEND,67	END, RIGHT PAREN, SEMICOLON, OR COMMA.
023 48 0	2176		BCE	END	
023 49 0	2177		CFA	RPAR	
023 50 0	2178		BCE	END	
023 51 0	2179		CFA	SMCLN	
023 52 0	2180		BCE	ANALZ	
023 53 0	2181		CFA	KOMA,67	
023 54 0	2182		BCU	A-	
023 55 0	2183		CLL	TAG	
023 56 0	2184		BUN	ANALZ	
023 59 0	2185	FINSH	STP	CMPLX	FINISH.
023 60 0	2186		BUN	RIGHT	THIS RIGHT PARENTHESIS SHOULD MATCH
023 61 0	2187		MLS	4 T	THE LEFT PAREN TO WHICH WE
023 62 0	2188		MNC	4 400,T,0	INITIALIZED THE OPERATOR STACK
023 63 0	2189		BUN	800	
023 66 0	2190	EQL	CFA	ARAMD,64	
023 67 0	2191		BCE	B+	
023 68 0	2192	*A	CAD	CRB	= IN STATEMENT.
023 69 0	2193		BUN	EXIT	REPLACE BY CIRCLE B OP.
023 70 0	2194	*B	STP	NULSX	IF = APPEARS IN ARRAY DECLARATION,
023 71 0	2195		BUN	NULSB	GO INTO ARRAY-FILL MODE.
023 72 0	2196		CAD	ARFMD	
023 73 0	2197		BUN	ANALY	
023 76 0	2198	INDEX	STP	INSX,AVAIL	INDEX OP IS INSERTED BETWEEN A AND (
023 77 0	2199		BUN	INS	OF A(I). IT BEGINS PROCESSING SUBSCRIPTS.
023 78 0	2200		STR	A+,04	FIRST FIND SOME AVAILABLE LOCATION
023 79 0	2201		STR	B+,04	IN ASSOC MEMORY. THIS WILL BE CALLED
023 80 0	2202		SLT	14	THE INCREMENT WORD FOR THIS ARRAY.
023 81 0	2203		STP	INSX,ARAS	IN ARAS- AND OPERAND-STACKS WE PUT A
023 82 0	2204		BUN	INS	REFERENCE TO THIS INCREMENT WORD, WHICH
023 83 0	2205		LDR	OPRND	IS INITIALIZED TO V 5 R 0000 AAAA
023 84 0	2206		DLB	- 0,64,0	V=0 NORMAL V=1 CALL BY NAME V=2 MONITOR
023 85 0	2207		LDR	- 0	R=0 FLOATING R=1 FIXED
023 86 0	2208	*A	STR	*,23	AAAA=LOCATION OF OTHER INFORMATION
023 87 0	2209	*B	STB	*,08	
023 88 0	2210		LDB	OPRND	
023 89 0	2211		STA	- 0,64	
023 90 0	2212		STP	CMPLX	PUT CIRCLE-R OPERATOR ONTO THE STACK,
023 91 0	2213		BUN	WMG,CRR	ALSO A LEFT PARENTHESIS
023 92 0	2214		STP	CMPLX	
023 93 0	2215		BUN	LEFT	

023	94	0		CAD	V6	
023	95	0		STP	CMPLX	FURTHERMORE, INSERT THE CHARACTERS 0 +
023	96	0		BUN	VRBL	INTO THE INPUT STRING
023	97	0		CAD	PLUS	
023	98	0		IFL	PHI,00,1	FINALLY, SET UP TO IGNORE THE LEFT
023	99	0		BUN	EXIT	PARENTHESIS WE LL GET NEXT FROM SCANNER.
024	02	0		NDXCM	STP	PRSBX,CRY
024	03	0		BUN	PRSB	COMMA IN SUBSCRIPT POSITION.
024	04	0		STP	SPERX	FINISH EVALUATING SUBSCRIPT, MAKE SURE
024	05	0		BUN	SPERO	IT IS FIXED POINT.
024	06	0		STP	CMPLX	MULTIPLY IT BY THE PROPER DIMENSION
024	07	0		BUN	WMG,PLUS	
024	08	0		CAD	PAR	INSERT PLUS OPERATOR
024	09	0		BFA	A+,11,2	
024	10	0		BUN	B+	
024	11	0	*A	DLB	PAR,64,0	IF THE DIMENSION WAS A CONSTANT,
024	12	0		LDR	- 1	THE INCREMENT WORD CONTAINS SOME INCREMNT
024	13	0		STR	TEMP1	WE HAVE SUPPRESSED FROM THE TARGET CODE,
024	14	0		LDB	ARAS	AND WE MULTIPLY IT BY THE DIMENSION
024	15	0		DLB	- 0,64,0	AND REPLACE IT IN THE INCREMENT WORD.
024	16	0		CAD	- 0	
024	17	0		EXT	EX42	
024	18	0		MUL	TEMP1	
024	19	0		STR	- 0,64	
024	20	0	*B	LDB	ARAS	
024	21	0		LDR	- 0	IF AN EMPTY SUBSCRIPT APPEARED,
024	22	0		REF	NORM,22,0	PUT THIS DIMENSION ON MULT STACK
024	23	0	INSXX	STP	INSX,MULT	
024	24	0		BUN	INS	
024	25	0		BUN	NORM	
024	28	0		SPERO	STP	CMPLX
024	29	0		BUN	WMG,DOT	MULTIPLY PREVIOUS RESULT BY
024	30	0		IFL	CMPLX,04,6	THE NEXT DIMENSION
024	31	0		STP	REMX,DIMS	
024	32	0		BUN	REM,VRBL1	IF THERE IS NO NEXT DIMENSION,
024	33	0		STP	WEMX	
024	34	0		BUN	WEM,VRBL1	
024	35	0		CNST	30147000000	USE 1, AND SAY IMPROPER SUBSCRIPT
024	36	0		SPERX	BUN	*
024	39	0		DECN	LDB	MODE
024	40	0		DLB	- 0,22,1	DECREASE PARENTHESIS COUNT ON THIS MODE
024	41	0		DECNX	DRH	*,100
024	42	0		STP	REMX,MODE	AND IF IT IS NOW ZERO, PULL OFF THE
024	43	0		BUN	REM,#+2	TOP OF THE MODE STACK
024	44	0	G5	F424	0552,0,*	
024	45	0		CFA	NDXMD,64	
024	46	0		LDB	DECNX	IF WE FINISHED THE SUBSCRIPTS OF AN ARRAY
024	47	0		BCU	- 0	WE GO THROUGH MORE MANIPULATIONS
024	48	0	MLTS	LDB	ARAS	OTHERWISE WE EXIT.

024 49 0	2265		DLB - 0,64,0	NOW WE FINISH PROCESSING ARRAY SUBSCRIPTS
024 50 0	2266		STB P+,04	
024 51 0	2267		STB Q+,04	
024 52 0	2268		LDB - 0	
024 53 0	2269		STB R+,04	THE FINAL DIMENSION TO MULTIPLY BY
024 54 0	2270		CLA	IS EITHER THE CONSTANT 1
024 55 0	2271		ADD - 0	
024 56 0	2272		BSA A+,1	
024 57 0	2273		LDR V4	
024 58 0	2274		STR PAR	
024 59 0	2275		BUN R+	
024 60 0	2276	*A	STP CMLPX	OR A PARAMETER TO THE PROCEDURE
024 61 0	2277		BUN LEFT	
024 62 0	2278		STP SPERX	
024 63 0	2279		BUN SPERO	MULTIPLY BY IT.
024 64 0	2280		STP CMLPX	
024 65 0	2281		BUN RIGHT	
024 66 0	2282	*B	STP REMX,ARAS	PULL OFF TOP OF ARRAY STACK
024 67 0	2283		BUN REM,#+2	
024 68 0	2284	G3	F424 6742,0,*	
024 69 0	2285		SRT 10	
024 70 0	2286	*P	CAD *	INCR WORD/64 IS CHANGED FROM THE
024 71 0	2287		EXT BCUL2	INCREMENT TO THE BASE ADDRESS PLUS THE
024 72 0	2288	*R	ADD *	INCREMENT (MOD 10000)
024 73 0	2289	*Q	STA *,64	
024 74 0	2290		BFR G+,22,0	
024 75 0	2291		CAD PAR	IF AN EMPTY SUBSCRIPT HAS APPEARED,
024 76 0	2292		STP INSX,MULT	
024 77 0	2293		BUN INS	PUT LAST DIMENSION ONTO MULT-STACK
024 78 0	2294		STP USUBX,CRN	WITH THE OTHERS
024 79 0	2295		BUN USUB	PUT OUT THE RECALCULATED BASE ADDRESS
024 80 0	2296	*K	STP REMX,MULT	AS A PARAMETER
024 81 0	2297		BUN REM,I+	SET MULS TO MULT STACK IN REVERSE ORDER
024 82 0	2298	*C	STP REMX,MULS	
024 83 0	2299		BUN REM,#+2	FORGET TOP ENTRY OF MULS, IT IS ZERO
024 84 0	2300	G4	F424 6938,0,*	
024 85 0	2301	*A	IFL KAPPA,00,1	
024 86 0	2302		STP PRSRX,CRC	STORE THE PARAMETER.
024 87 0	2303		BUN PRSB	
024 88 0	2304	*F	STP REMX,MULS	
024 89 0	2305		BUN REM,J+	
024 90 0	2306	*D	IFL KAPPA,00,1	WE ARE FINISHED. PULL SPURIOUS + OPERATOR
024 91 0	2307		STP REMX,OP	(WE GET AN EXTRA ONE FOR EACH
024 92 0	2308		BUN REM,NORM	EMPTY SUBSCRIPT)
024 93 0	2309	TWL	HLT 12	
024 94 0	2310	*J	BFA E+,66,0	
024 95 0	2311		STP CMLPX	MULTIPLY TOGETHER ALL DIMENSIONS
024 96 0	2312		BUN VRBL	BETWEEN EMPTY SUBSCRIPT POSITIONS
024 97 0	2313		STP CMLPX	
024 98 0	2314		BUN WMG,DOT	
024 99 0	2315		BUN F-	
025 00 0	2316	*I	STP INSX,MULS	
025 01 0	2317		BUN INS	
025 02 0	2318		BUN K-	
025 03 0	2319	*E	STP REMX,OP	REMOVE EXTRA + SIGN AND STORE
025 04 0	2320		BUN REM,A-	COMPUTED MULTIPLIER

025 05 0	2321	NN	HLT	99	
025 06 0	2322	*G	LDB	MODE	
025 07 0	2323		CAD	- 0	IF NO EMPTY SUBSCRIPTS OCCURRED
025 08 0	2324		CFA	FUNMD,64	BUT IT IS A NAME CALL ANYWAY,
025 09 0	2325		BCU	NORM	WE PUT IT IN AS A NAME PARAMETER.
025 10 0	2326		LDB	FUNS	
025 11 0	2327		CAD	- 0	
025 12 0	2328		STP	USUBX,CRN	
025 13 0	2329		BSA	USUB,2	
025 14 0	2330		BUN	NORM	
025 17 0	2331	EMPTY	CFA	PRCMD,64	EMPTY SUBSCRIPT POSITION OPERATOR
025 18 0	2332		BCU	A+	
025 19 0	2333		LDB	SSC	IF IT IS SENSED WHILE COLLECTING
025 20 0	2334		CLL	- 0	NEW PROCEDURE PARAMETERS,
025 21 0	2335		DFL	- 0,12,10	
025 22 0	2336		DFL	- 0,23,39	CREATE A PSEUDO SIMPLE VARIABLE
025 23 0	2337		CAD	SSC	FOR THIS SUBSCRIPT MULTIPLIER
025 24 0	2338		SLA	4	
025 25 0	2339		ADD	- 0	
025 26 0	2340		STP	INSX,OPRND	PUT IT INTO THE OPERAND STACK
025 27 0	2341		BUN	INS	
025 28 0	2342	ARMS	STP	INSX,ARMS	AND INTO THE LIST OF MULTIPLIERS
025 29 0	2343		BUN	INS	FOR THIS ARRAY
025 30 0	2344		IFL	SSC,00,1	
025 31 0	2345		IFL	KAPPA,00,1	
025 32 0	2346		BUN	NORM	
025 33 0	2347	*A	CFA	NDXMD,64	OTHERWISE CHECK THAT THIS EMPTY POSITION
025 34 0	2348		BCU	B+	OCCURS IN AN ARRAY PARAMETER
025 35 0	2349		LDB	- 0	WHILE CALLING A PROCEDURE
025 36 0	2350		LDR	- 0	
025 37 0	2351		CFR	FUNMD,64	
025 38 0	2352		BCU	B+	
025 39 0	2353		LDR	FUNS	
025 40 0	2354		CAD	- 0	
025 41 0	2355		BSA	B+,3	
025 42 0	2356		STP	REMX,OP	
025 43 0	2357		BUN	REM,E+	
025 44 0	2358	*B	STP	WEMX	
025 45 0	2359		BUN	WEM,NORM	
025 46 0	2360		CNST	30149475000	IMPROPER EMPTY SUBSCRIPT POSITION
025 47 0	2361	*E	LDR	ARAS	
025 48 0	2362		IFL	- 0,22,1	RECORD IT IN ARAS
025 49 0	2363	SRL	CLA	SYMBL+1	AND PUT MARKER ON MULT STACK.
025 50 0	2364		BUN	INSXX	
025 53 0	2365	COLON	CLL	KAPPA	BEGINNING OF FUNCTION CALL
025 54 0	2366		LDB	OPRND	
025 55 0	2367		DLB	- 0,64,0	
025 56 0	2368		CAD	- 0	PUT NAME OF FUNCTION WERE CALLING
025 57 0	2369		STA	A+,64	ONTO FUN-STACK
025 58 0	2370		CAD	A+	
025 59 0	2371		STP	INSX,FUNS	

025 60 0	2372	BUN	INS		
025 61 0	2373	CAD	CRO	COMPILE A CIRCLE-O	
025 62 0	2374	BUN	EXIT		
025 63 0	2375	*A	F4241	0,0,0	
025 66 0	2376	FUNCM	STP	PRSBX,CRC	COMMA IN PROCEDURE,FUNCTION CALL
025 67 0	2377		BUN	PRSB	
025 68 0	2378		BUN	NORM	STORE THE PARAMETER
025 71 0	2379	DUMP	CAD	LEVEL	
025 72 0	2380		SLA	4	
025 73 0	2381		STP	INSX,DUMBS	PUT RECORD ON DUMB STACK, FOR OVERLAY
025 74 0	2382		BUN	INS	
025 75 0	2383		DFL	S+,61,4	
025 76 0	2384		DLB	LOCN,64,0	
025 77 0	2385		DRB	MONT,300	MAKE SURE LOCN IS AT LEAST 300
025 78 0	2386		STP	ASMBX	
025 79 0	2387		BUN	ASMBL,BUNZ	
025 80 0	2388		STB	LOCN,64	
025 81 0	2389		IFL	LOCN,44,3	
025 82 0	2390	MONT	DFL	THI,62,71	MONITOR STATEMENT.
025 83 0	2391		IFL	TAG,00,1	
025 84 0	2392		IFL	CHI,00,1	PREPARE FOR NUMERIC LABELS
025 85 0	2393		STP	EXCTR	
025 86 0	2394		BUN	SCAN	GET NEXT ITEM FROM SCANNER.
025 87 0	2395		CFA	SMCLN	
025 88 0	2396		BCU	*+5	IF IT IS A SEMICOLON WE EXIT
025 89 0	2397		DFL	THI,62,29	
025 90 0	2398		STB	S+,61	
025 91 0	2399		CLL	TAG	
025 92 0	2400		BUN	ANALZ	
025 93 0	2401		RFA	*+2,01,0	IF IT IS NOT AN OPERAND WE RECYCLE
025 94 0	2402		BUN	MONT+1	
025 95 0	2403		DLB	L,64,0	
025 96 0	2404		LDR	- 0	
025 97 0	2405		RFR	*+2,21,3	
025 98 0	2406		DFL	- 0,22,87	MARK OPERAND AS MONITORED,UNCLASSIFIED
025 99 0	2407	*S	BUN	A+,0299	
026 00 0	2408		DFL	- 0,12,60	OR IF PROCESSING DUMP,
026 01 0	2409		LDB	DUMBS	AS A VARIABLE TO BE DUMPED
026 02 0	2410		IFL	- 0,45,1	
026 03 0	2411		BUN	MONT+1	
026 04 0	2412	*A	DFL	- 0,12,80	
026 05 0	2413		LDB	ARTHG	
026 06 0	2414		STP	LIBRX	PUT MONITOR SUBROUTINE INTO PROGRAM
026 07 0	2415		BUN	LIBRF	
026 08 0	2416		BUN	MONT+1	
026 11 0	2417	SURR	IFL	TAG,00,1	SUBROUTINE
026 12 0	2418		DFL	NU,62,29	
026 13 0	2419		IFL	DELTA,00,4	
026 14 0	2420		STP	ASMBX	
026 15 0	2421		BUN	ASMBL,BUNFR	COMPILE BUN FORWARD

026 16 0	2422	STP	INSX,FUNS	PUT LOCN INTO FUNS
026 17 0	2423	BUN	INS2	(RETURN WILL LOOK AT THIS)
026 18 0	2424	STP	EXCTR	
026 19 0	2425	BUN	SCAN	GET NAME OF SUBROUTINE FROM SCANNER
026 20 0	2426	STP	TRTGX	
026 21 0	2427	BUN	TRTG	DEFINE IT
026 22 0	2428	STP	NEWIX,SAVET	
026 23 0	2429	BUN	NEWT	SAVE TEMP STORAGES
026 24 0	2430	CAD	CRS	
026 25 0	2431	BUN	EXIT	COMPILE CIRCLE S.

026 28 0	2432	EXTRM STP	EXCTR	EXTERNAL.
026 29 0	2433	BUN	SCAN	
026 30 0	2434	IFL	EPSLN,00,1	
026 31 0	2435	STA	V2	
026 32 0	2436	IFL	TAG,00,1	
026 33 0	2437	DFL	PEH,62,6	DONT LOOK ON LEVEL ZERO WHEN DOING A DECLARATION
026 34 0	2438	STP	EXCTR	GET NAME FROM SCANNER
026 35 0	2439	BUN	SCAN	
026 36 0	2440	IFL	PEH,62,6	
026 37 0	2441	DLB	V2,64,0	IS IT AN EXT STATEMENT OR EXT PROCEDURE
026 38 0	2442	DBB	A+,PRCMD	
026 39 0	2443	STP	TRTGX	EXTERNAL STATEMENT
026 40 0	2444	BUN	TRTG2	DEFINE IT
026 41 0	2445	CAD	BUF	RECORD ITS SEGMENT NUMBER
026 42 0	2446	SRT	4	
026 43 0	2447	DLB	L,64,0	(THE OVERLAY WILL FIX UP ANY FORWARD REFERENCES TO IT USING THIS SEGMENT NUMBER)
026 44 0	2448	STA	- 0,04	
026 45 0	2449	IFL	ALEPH,62,6	
026 46 0	2450	STP	ASMBX	
026 47 0	2451	BUN	ASMBL,BUNZ	COMPILE BUN FORWARD
026 48 0	2452	BUN	NORM	
026 49 0	2453	*A DLB	L,64,0	EXTERNAL PROCEDURE
026 50 0	2454	STB	- 0,66	MARK AS 83 CODE.
026 51 0	2455	IFL	- 0,22,83	
026 52 0	2456	LDR	NRM	SCAN OFF THE PARAMETERS.

026 55 0	2457	PRCNT STR	C+,04	(R/04 IS EXIT LINE)
026 56 0	2458	CLL	V2	
026 57 0	2459	STP	INPTX	BYPASS PARTS OF CARD
026 58 0	2460	BUN	INPT	UNTIL WE HAVE AN EXTRA RIGHT PARENTHESIS
026 59 0	2461	BFA	B+,02,04	
026 60 0	2462	BFA	A+,02,24	
026 61 0	2463	BUN	INPT	
026 62 0	2464	*A IFL	V2,00,2	
026 63 0	2465	*B DFL	V2,00,1	
026 64 0	2466	BRP	INPT	
026 65 0	2467	*C BUN	*	

026 68 0	2468	PROCD CLL	RR3	WORD PROCEDURE SENSED.
026 69 0	2469	LDR	VARB	
026 70 0	2470	STR	FRSTP,04	SET FRSTP TO LOCATION OF 1ST PARAMETER

026	71	0	2471	LDR	PR3		
026	72	0	2472	STR	PR1	SAVE PREFIX LIST	
026	73	0	2473	CLL	PR3		
026	74	0	2474	LDR	CHI		
026	75	0	2475	CLL	CHI	SHUT OFF LABEL PROCESSING	
026	76	0	2476	STR	CHI3		
026	77	0	2477	STP	XSUBX	INITIALIZE DECLARATION	
026	78	0	2478	BUN	XSUB	(THIS PART COMMON TO PROC AND FUNCTION)	
026	79	0	2479	STA	LEVEL	SET LEVEL = KC	
026	80	0	2480	STB	- 0,21		
026	81	0	2481	IFL	- 0,21,3	MARK TYPE OF THIS PROCEDURE UNSPECIFIED	
026	82	0	2482	NRM	BUN	NORM	
026	85	0	2483	FUNC	STP	XSUBX	WORD FUNCTION SENSED.
026	86	0	2484		BUN	XSUB	DO INITIAL STEPS
026	87	0	2485		DFL	- 0,11,2	SET TAU DIGIT = 6
026	88	0	2486		IFL	FNSW,00,1	
026	89	0	2487		CAD	TOP	COMPILE NAME OF THIS FUNCTION
026	90	0	2488		BUN	EXIT	
026	93	0	2489	PRCCM	STP	YSUBX	RECORD PARAMETER
026	94	0	2490		BUN	YSUB1	
026	95	0	2491		BUN	NORM	
026	98	0	2492	ARAPM	LDB	OPRND	ARRAY NAME APPEARS AS PARAMETER
026	99	0	2493		CAD	- 0	
027	00	0	2494		SLT	2	
027	01	0	2495		STA	ARMS,44	PUT NAME INTO ARMS
027	02	0	2496		STP	YSUBX	
027	03	0	2497		BUN	YSUB2	MARK IT AS PARAMETER
027	04	0	2498		BUN	NORM	
027	07	0	2499	INTG	CLL	RR2	INTEGER DECLARATION
027	08	0	2500		IFL	RR2,21,1	SET TYPE = FIXED
027	09	0	2501		BUN	ARRAY	7
027	12	0	2502	BOOL	DEFN	INTG	BOOLEAN DECLARATION (SAME)
027	15	0	2502	FLTG	CLL	RR2	FLOATING,REAL, SET TYPE = FLOATING
027	16	0	2503	ARRAY	IFL	DELTA,00,5	
027	17	0	2504		STP	CMPLX	ARRAY DECLARATION
027	18	0	2505		BUN	LEFT	
027	21	0	2506	DCLCM	BUN	NORM	DECLARATIONS ARE HANDLED BY SCANNER
027	24	0	2507	ARDEC	IFL	IOTA,00,1	START TO DECLARE AN ARRAY, JUST AFTER A(
027	25	0	2508		CAD	XONE+1	OF A(I,J,K,L) IS SENSED
027	26	0	2509		STA	ARRI	INITIALIZE ARRI,ARRL TO 1

027 27 0	2510	STA	ARRL		
027 28 0	2511	CAD	CRF		
027 29 0	2512	BUN	EXIT		
027 32 0	2513	ARACM	STP	NULSX	ARRAY DECLARATION COMMA SENSED
027 33 0	2514		BUN	NULSB	TREAT AS)) BUT PRESERVE ARRAY MODE
027 34 0	2515		LDR	IOTA	
027 35 0	2516		IBB	NORM,9999	IF THIS IS A COMMA BETWEEN DIMENSIONS,
027 36 0	2517		CAD	CRG	IT IS A CIRCLE-G OPERATOR
027 37 0	2518		BUN	EXIT	
027 40 0	2519	ARFCM	IFL	RHO,62,29	ARRAY FILL IS ALL HANDLED BY SCANNER
027 41 0	2520		BUN	NORM	(IN UNUSUAL WAY) SEE NUMBER SUBROUTINE
027 46 0	2521	SEMIC	STP	CMPLX	SEMICOLON IS THOUGHT OF AS))
027 47 0	2522		BUN	RIGHT	
027 48 0	2523		STP	CMPLX	THIS INNOCENT-LOOKING THING MAY CAUSE
027 49 0	2524		BUN	LEFT	ALL SORTS OF THINGS TO HAPPEN.
027 50 0	2525	SEMIX	BUN	*	
027 53 0	2526	QSUB	STP	CMPLX	FINISH SETTING V=F
027 54 0	2527		BUN	RIGHT	
027 55 0	2528		STP	ASMBX	ASSEMBLE STP FORWARD
027 56 0	2529		BUN	ASMBL,STPFR	
027 57 0	2530		CLL	DEX	
027 58 0	2531		IFL	PI,00,1	
027 59 0	2532		STP	ASMBX	BUN FORWARD
027 60 0	2533		BUN	ASMBL,RUNFR	
027 61 0	2534		CLL	PI	
027 62 0	2535	QSUBX	BUN	*	
027 65 0	2536	RUN	LDR	K2	INTERRUPT NORMAL SCANNING.
027 66 0	2537		STR	K3,04	
027 67 0	2538		LDR	S2	RUN BACK THE VARIABLE PART
027 68 0	2539		STR	S3,04	OF THE FOR STATEMENT AGAIN
027 69 0	2540		LDR	SCAN	
027 70 0	2541		STR	SCNXX,04	
027 71 0	2542		LDR	FV	
027 72 0	2543		STR	STFOL,04	
027 73 0	2544		IFL	THETA,62,29	
027 74 0	2545		BUN	SCN7	
027 75 0	2546	RUNXX	DFL	THETA,62,29	AFTER THE = SIGN COMES,
027 76 0	2547		LDR	K3	RESTORE NORMAL SCANNING PROCEDURE.
027 77 0	2548		STR	K2,04	
027 78 0	2549		LDR	S3	
027 79 0	2550		STR	S2,04	
027 80 0	2551		LDR	SCNXX	
027 81 0	2552		STR	SCAN,04	

027	82	0	2553	RUNX	BUN	*	
027	85	0	2554	FSUB1	STP	REMX,OPRND	
027	86	0	2555		BUN	REM,#+2	PULL LEFT PARENTHESIS
027	87	0	2556	G6	F424	7039,0,*	
027	88	0	2557		STP	CMLPX	
027	89	0	2558		BUN	LEFT	PUT ANOTHER ONE ON
027	90	0	2559	FSUB2	CLL	DEX	
027	91	0	2560		STP	RUNX	RUN BACK V =
027	92	0	2561		BUN	RUN	
027	93	0	2562		STP	CMLPX	
027	94	0	2563		BUN	WMG,CRR	
027	95	0	2564	FSUBX	BUN	*	
							THROW AWAY TOP OF STACK, SUBSTITUTE CRN
027	98	0	2565	USUB	STP	REMX,OP	
027	99	0	2566		BUN	REM,PRSB	
028	00	0	2567	G8	F424	1053,0,*	
028	03	0	2568	PRSB	LDB	PRSBX	
028	04	0	2569		DLB	- 9998,44,0	PRSB SENDS SPECIFIED OPERATOR TO COMPILER
028	05	0	2570		CAD	- 0	
028	06	0	2571		STP	CMLPX	AND THEN DOES NULSB
028	07	0	2572		BUN	WMG1	
028	08	0	2573	NULSB	LDB	MODE	NULSB IS A SEMICOLON WHICH PROTECTS
028	09	0	2574		IFL	- 0,22,1	THE MODE STACK
028	10	0	2575		STP	SEMIX	
028	11	0	2576		BUN	SEMIC	
028	12	0	2577		LDB	MODE	
028	13	0	2578		DFL	- 0,22,1	
028	14	0	2579	PRSBX	BUN	*	
028	15	0	2580	USUBX	DEFN	PRSBX	
028	16	0	2580	NULSX	DEFN	PRSBX	
028	19	0	2580	OLDT	STP	REMX,TEMPS	THROW OUT ALL TEMP STORAGES
028	20	0	2581		BUN	REM,OLDT	CURRENTLY BEING USED, THEY CANT
028	21	0	2582	*A	STP	REMX,SAVET	BE USED ANY MORE
028	22	0	2583		BUN	REM,#+2	
028	23	0	2584	G7	F424	1565,0,*	REINSTATE OLD SET
028	24	0	2585		SRA	4	
028	25	0	2586		STA	TEMPS,04	
028	26	0	2587		BUN	GENRX	
028	29	0	2588	GETMP	STP	REMX,TEMPS	SET AN AVAILABLE TEMP STORAGE CELL
028	30	0	2589		BUN	REM,GETMX	
028	31	0	2590		CAD	VARB	EITHER FROM TEMPS STACK
028	32	0	2591		SLA	4	OR A NEW ONE, IF THAT STACK HAS BEEN
028	33	0	2592		DFL	VARB,04,1	CLEANED OUT.
028	34	0	2593	GETMX	BUN	GETMX	
028	37	0	2594	XSUB	STP	ASMBX	COMMON PART OF BEGINNING OF PROCEDURE

028 38 0	2595	BUN	ASMBL,BUNFR	AND FUNCTION DECLARATIONS
028 39 0	2596	STP	INSX,FUNS	FIRST COMPILE FORWARD REFERENCE AROUND
028 40 0	2597	BUN	INS2	
028 41 0	2598	STP	NEWTX,SAVET	PUT LOCN ONTO FUN-STACK
028 42 0	2599	BUN	NEWT	STASH AWAY CURRENT SET OF TEMP STORAGE
028 43 0	2600	STP	EXCTR	
028 44 0	2601	BUN	SCAN	GET NAME OF PROCEDURE FROM SCANNER
028 45 0	2602	STA	TOP	
028 46 0	2603	STP	CMLPX	COMPILE CIRCLE-P OPERATOR
028 47 0	2604	BUN	WMG,CRP	
028 48 0	2605	IFL	PARSW,00,1	
028 49 0	2606	IFL	KC,00,1	
028 50 0	2607	STP	CMLPX	AND A LEFT PARENTHESIS
028 51 0	2608	BUN	LEFT	
028 52 0	2609	STP	CMLPX	AND A CIRCLE Q
028 53 0	2610	BUN	WMG,CRQ	
028 54 0	2611	CAD	VARR	
028 55 0	2612	SRT	4	
028 56 0	2613	STR	NOPAV,44	ASSEMBLE
028 57 0	2614	STP	ASMBX	(LOC OF PARAMETER 1) NOP 0000
028 58 0	2615	BUN	ASMBL,NOPAV	
028 59 0	2616	IFL	PHI,00,1	
028 60 0	2617	DLB	L,64,0	
028 61 0	2618	CAD	KC	RECORD NUMBER OF THIS PROCEDURE
028 62 0	2619	STA	- 0,04	
028 63 0	2620	DFL	- 0,82,1	
028 64 0	2621	XSUBX BUN	*	

028 67 0	2622	YSUB1 LDB	KAPPA	COLLECTING PARAMETERS
028 68 0	2623	CLL	KAPPA	
028 69 0	2624	DBB	A+,1	HAVE EMPTY SUBSCRIPTS APPEARED
028 70 0	2625	LDB	FUNS	OR DO WE HAVE A CALL BY VALUE
028 71 0	2626	CAD	- 0	
028 72 0	2627	BSA	A+,1	
028 73 0	2628	YSUB2 DLB	L,64,00	- IF NOT,
028 74 0	2629	IFL	0,12,10	MARK PARAMETER AS CALL BY NAME
028 75 0	2630	LDB	FUNS	
028 76 0	2631	CAD	- 0	
028 77 0	2632	BSA	*+2,3	
028 78 0	2633	BUN	*+2	
028 79 0	2634	IFL	TAG,00,1	PUT TAG ON AFTER 2ND SEMICOLON
028 80 0	2635	SRA	4	
028 81 0	2636	LSA	0	
028 82 0	2637	STP	INSX,PAREF	PUT CALL BY NAME PARAMETERS ONTO
028 83 0	2638	BUN	INS	PAREF STACK,WE WILL USE THIS
028 84 0	2639	CAD	- 0	
028 85 0	2640	SLA	4	LATER TO FIX UP REFERENCES TO THEM
028 86 0	2641	STA	- 0	SHIFT LINK FIELD AROUND(SHREWD MOVE)
028 87 0	2642	PRESW F4241	1210,01,0	IN PAREF LINK FIELD IS 64-FIELD
028 88 0	2643	*A STP	REMX,OPRND	
028 89 0	2644	BUN	REM,*+2	
028 90 0	2645	FUR HLT	4	
028 91 0	2646	SRA	4	ASSIGN PARAMETER LOCATION
028 92 0	2647	STA	*+3,04	

028	93	0	2648	CAD	VARB		
028	94	0	2649	SLA	4		
028	95	0	2650	STA	*.64		
028	96	0	2651	DLB	TOP.64.0	KEEP COUNT OF NUMBER OF	
028	97	0	2652	DFL	- 0.82.99	PARAMETERS FOR FUTURE CHECKING	
028	98	0	2653	DFL	VARB.04.1		
028	99	0	2654	LDB	FUNS	KEEP COUNT OF NUMBER OF	
029	00	0	2655	IFL	- 0.22.1	PARAMETERS IN FUNS.	
029	01	0	2656	YSUBX	BUN	*	
029	06	0	2657	CMPL	BFA	VRBL.01.0	THIS HERE IS THE COMPILER
029	07	0	2658		BFA	WMG1.01.1	
029	08	0	2659		BFA	LEFT.01.2	CHECK KIND OF QUANTITY..
029	09	0	2660	RIGHT	STP	REMX.OP	OPERAND.OPERATOR.LEFT PAREN. OR RIGHT PAR
029	10	0	2661		BUN	REM.E+	PROCESS RIGHT PARENTHESIS..
029	11	0	2662		STP	WEMX	
029	12	0	2663		BUN	WEM.LEFT	
029	13	0	2664		CNST	34652540000	(EXTRA RIGHT PARENTHESIS)
029	14	0	2665	*E	CFA	LPAR.67	
029	15	0	2666		BCE	B+	DO ALL OPERATIONS OUTSTANDING SINCE
029	16	0	2667		STP	GENRX	LAST LEFT PARENTHESIS
029	17	0	2668		BUN	GENR	
029	18	0	2669		BUN	RIGHT	
029	19	0	2670	*B	STP	DECNX	CHANGE PARENTHESIS COUNT
029	20	0	2671		BUN	DECN	ON THIS MODE
029	21	0	2672	CMPLX	BUN	*	
029	22	0	2673	VRBL1	STA	PAR	
029	23	0	2674	VRBL	STP	INSX.OPRND	PROCESS OPERAND..
029	24	0	2675		BUN	INS	SIMPLY PUT IT ON OPERAND STACK
029	25	0	2676		BUN	CMPLX	
029	26	0	2677	LEFT	LDB	PHI	PROCESS LEFT PARENTHESIS..
029	27	0	2678		CLL	PHI	
029	28	0	2679		DBB	CMPLX.1	EXIT. IF EXPECTING A LEFT PARENTHESIS
029	29	0	2680		LDB	MODE	
029	30	0	2681		IFL	- 0.22.1	INCREASE PARENTHESIS COUNT ON THIS MODE
029	31	0	2682	FORTY	CLA	40	
029	32	0	2683		BUN	A+	AND INSERT LEFT PARENTHESIS IN OP STACK
029	33	0	2684	WMG	LDB	CMPLX	
029	34	0	2685		DLB	- 9999.44.0	PROCESS OPERATOR..
029	35	0	2686		CAD	- 0	
029	36	0	2687	WMG1	LDB	OP	
029	37	0	2688		LDR	- 0	
029	38	0	2689		BFR	A+.66.0	IF TOP OF OPERATOR STACK IS A LEFT
029	39	0	2690		STA	SAVOP	PARENTHESIS.
029	40	0	2691		CFA	- 0.22	OR HIERARCHY OF NEW OP IS HIGHER THAN
029	41	0	2692		BCH	A+	THAT OF THE TOP OF THE OP STACK.
029	42	0	2693		BCL	B+	MERELY PLACE NEW OP ONTO THE STACK.
029	43	0	2694		BSA	*+2.0	
029	44	0	2695		BUN	A+	ON EQUAL HIERARCHY DO THE SAME
029	45	0	2696		BFA	*+2.31.0	EXCEPT ON ORDINARY BINARY OPERATIONS
029	46	0	2697		BUN	A+	
029	47	0	2698		LDB	OPRND	FOR THESE. CHECK IF EITHER THE
029	48	0	2699		LDR	- 0	LAST OR THE SECOND-LAST OPERAND IS IN

029 49 0	2700	BFR	B+,11,0	THE ACCUMULATOR, AND IF SO
029 50 0	2701	LDB	- 0	PERFORM THE OPERATION IMMEDIATELY
029 51 0	2702	LDR	- 0	
029 52 0	2703	BFR	B+,11,0	
029 53 0	2704	*A STP	INSX,OP	
029 54 0	2705	BUN	INS	
029 55 0	2706	*C BUN	CMLPX	
029 56 0	2707	*R STP	REMX,OP	IN THE CASE OF LOWER HIERARCHY,
029 57 0	2708	BUN	REM,#+2	EXECUTE THE LAST OPERATOR
029 58 0	2709	NPCN NOP	0	
029 59 0	2710	STP	GENRX	GO TO ITS GENERATOR
029 60 0	2711	BUN	GENR	
029 61 0	2712	CAD	SAVOP	
029 62 0	2713	BUN	WMGI	AND RECYCLE
029 65 0	2714	ASMBL LDB	ASMBX	THE ASSEMBLER.
029 66 0	2715	DLB	- 9999,44,0	
029 67 0	2716	ASMBZ CAD	- 0	
029 68 0	2717	ASMBY CLL	INSTR	
029 69 0	2718	CLL	INSTP	
029 70 0	2719	STA	INSTR,00	
029 71 0	2720	STA	INSTP,00	
029 72 0	2721	STA	G	
029 73 0	2722	LDR	XI	
029 74 0	2723	BZR	A+	
029 75 0	2724	CLL	XI	OMIT SLT10 INSTRUCTION, IF STA OR SRT10
029 76 0	2725	BFA	B+,62,40	FOLLOWS
029 77 0	2726	CFA	SRT10,07	
029 78 0	2727	BCU	A+	
029 79 0	2728	DFL	LOCN,64,1	
029 80 0	2729	BUN	ASMPX	
029 81 0	2730	*B DFL	LOCN,64,1	
029 82 0	2731	IFL	INSTR,41,1	(CHANGE STA TO STR)
029 83 0	2732	IFL	INSTP,41,1	
029 84 0	2733	*A CFA	+9999999999	
029 85 0	2734	BCH	C+	
029 86 0	2735	LDB	INSTR	ASSEMBLE WITH V(I) IF THE
029 87 0	2736	LDR	- V	SIGN IS 0,1,2, OR 3
029 88 0	2737	BFR	D+,11,5	
029 89 0	2738	*E STP	LASMX	IN ORDINARY CASES, GO TO THE
029 90 0	2739	BUN	LASMB	LITTLE ASSEMBLER.
029 91 0	2740	BUN	ASMBX	
029 92 0	2741	*D DLB	- V,64,0	WHOOPS, ITS AN ARRAY NAME.
029 93 0	2742	LDR	- 0	WE PROBABLY HAVE TO GET ITS INDEX
029 94 0	2743	STA	GP	IN REGISTER B
029 95 0	2744	BFR	F+,11,7	IF THE ARRAY HAS ALREADY BEEN INDEXED,
029 96 0	2745	BFR	F-,11,5	SKIP THIS PHASE, IF THE SUBSCRIPT IS
029 97 0	2746	IFL	- 0,11,1	CONSTANT, GO TO LITTLE ASSEMBLER
029 98 0	2747	STB	TEMP	
029 99 0	2748	LDB	- 0	GET THE SUBSCRIPT VALUE
030 00 0	2749	CAD	- 0	IT CANT BE AN ACCUMULATOR SYMBOL
030 01 0	2750	DLB	- 0,64,0	
030 02 0	2751	LDR	- 0	
030 03 0	2752	BFA	Q+,11,3	IS IT A TEMP STORAGE

030	04	0		2753	BFR	Q+,11,6	IS IT ANOTHER ARRAY
030	05	0		2754	STP	ASSNX	OTHERWISE PREPARE A PLACE FOR IT IN
030	06	0		2755	BUN	ASSN	MEMORY
030	07	0		2756	CFA	DEX,67	IF IT HASNT YET BEEN ASSIGNED
030	08	0		2757	STA	DEX,67	
030	09	0		2758	RCU	G+	IS THE INDEX IN THE B REGISTER
030	10	0		2759	LDB	TEMP	
030	11	0		2760	STP	REMX	IF SO,REMOVE REFERENCE TO IT
030	12	0		2761	BUN	REM1,F+	
030	13	0		2762	G99	F424	9629,0,0
030	14	0		2763	*Q	CLL	DEX
030	15	0		2764	*G	LDB	TEMP
030	16	0		2765	STP	REMX	SET CONTENTS OF REGISTER B TO UNKNOWN
030	17	0		2766	BUN	REM1,*+2	HERES A TRICKY PART,
030	18	0		2767	BUN	H+	PUT THE SUBSCRIPT ONTO THE XVP STACK
030	19	0		2768	STP	INSX,XVP	IF IT IS ANOTHER ARRAY WHICH MUST BE
030	20	0		2769	BUN	INS	CALLED,KEEP THIS UP UNTIL WE GET
030	21	0		2770	DLR	- 0,64,0	TO A NON-ARRAY.
030	22	0		2771	BFA	H+,11,3	
030	23	0		2772	CAD	- 0	
030	24	0		2773	BFA	REM1,11,6	
030	25	0		2774	*H	CAD	LDRV9
030	26	0		2775	*H	STA	INSTR
030	27	0		2776	CLL	G	COMPILE A SERIES OF LDB S
030	28	0		2777	STP	REMX,XVP	UNTIL THE INDEX IS FINALLY IN REGISTER B
030	29	0		2778	BUN	REM,I+	
030	30	0		2779	*F	CAD	INSTP
030	31	0		2780	LSA	1	THE INSTRUCTION IS TO BE B-MODIFIED
030	32	0		2781	STA	INSTR	
030	33	0		2782	LDR	GP	
030	34	0		2783	STR	G	
030	35	0		2784	BUN	E-	GO TO THE LITTLE ASSEMBLER
030	36	0		2785	*I	STA	V9
030	37	0		2786	STP	LASM X	
030	38	0		2787	BUN	LASMB	
030	39	0		2788	CSU	LDRV9	
030	40	0		2789	BUN	H-	
030	41	0		2790	*C	BSA	G4P,4
030	42	0		2791	BSA	G6P,6	ABSOLUTE MACHINE ADDRESS
030	43	0		2792	BSA	G7P,7	ADDRESS RELATIVE TO THIS LOCATION
030	44	0		2793	BSA	G8P,8	ADDRESS TO BE BLANKED OUT
030	45	0		2794	IFL	INSTR,12,10	FORWARD REFERENCE ADDRESS
030	46	0		2795	BSA	G8P,9	(B-MODIFICATION ON SIGNS OF 5 OR 9)
030	47	0		2796	GEXIT	STP	B-MODIFIED FORWARD REFERENCE
030	48	0		2797	BUN	WRITX	
030	49	0		2798	ASMRX	BUN	*
030	50	0		2799	G4P	LDR	INSTR
030	51	0		2800	CFR	SLT10,07	SET FLAG IF THIS IS SLT10 INSTRUCTION
030	52	0		2801	RCU	GEXIT	
030	53	0		2802	IFL	XI,00,1	
030	54	0		2803	BUN	GEXIT	
030	55	0		2804	G6P	CAD	LOCN
030	56	0		2805	SRA	4	
030	57	0		2806	ADA	INSTR	
030	58	0		2807	STA	INSTR,04	
030	59	0		2808	BUN	GEXIT	

030 60 0	2809	G8P	CAD	LOCN	
030 61 0	2810		LSA	4	
030 62 0	2811		LDR	PSI	
030 63 0	2812		BZR	*+2	
030 64 0	2813		LSA	7	INCREMENTED FORWARD REFERENCE
030 65 0	2814		DLB	OP,44,0	
030 66 0	2815		LDR	PI	PUT FORWARD REFERENCE OPERATOR
030 67 0	2816		BZR	*+2	ONTO EITHER OPERATOR STACK, OR
030 68 0	2817		DLB	EXEC,44,0	(THE STP,BUN S OF FOR) ONTO EXEC-STACK
030 69 0	2818		STP	INSX	
030 70 0	2819		BUN	INS1	
030 71 0	2820	G7P	IFL	WRTSW,41,4	
030 72 0	2821		BUN	GEXIT	

030 75 0	2822	LASMB	LDR	INSTR	LITTLE ASSEMBLER.
030 76 0	2823		LDR	- V	
030 77 0	2824		DLB	- V,64,0	ASSEMBLE AN OPERAND FOR ME
030 78 0	2825		CAD	- 0	
030 79 0	2826		STA	VIMAG	WHAT KIND OF AN OPERAND
030 80 0	2827		BFR	T3,11,3	A TEMP STORAGE
030 81 0	2828		BFR	T1,11,1	A SIMPLE VARIABLE
030 82 0	2829		BFR	T2,11,2	A CONSTANT
030 83 0	2830		BFR	T4,11,4	A LIBRARY,EXTERNAL PROCEDURE
030 84 0	2831		BFR	T5,11,5	AN ARRAY
030 85 0	2832		BFR	T4,11,8	A PROCEDURE OR FUNCTION
030 86 0	2833	T9	LDR	- 1	
030 87 0	2834		BFR	*+2,11,0	
030 88 0	2835		STR	EXPLN	
030 89 0	2836		STP	INSX	A LABEL
030 90 0	2837		BFA	H+,64,0	IF IT HASNT BEEN DEFINED YET,
030 91 0	2838		BUN	T4	RECORD PLACE FOR FORWARD REFERENCE
030 92 0	2839	T1	BSA	T4+1,8	IS IT A DIMENSION PARAMETER
030 93 0	2840		LDR	- 1	
030 94 0	2841		BUN	*+2	
030 95 0	2842	T2	LDR	DICT+33	
030 96 0	2843		STR	EXPLN	
030 97 0	2844		STP	ASSNX	ASSIGN PLACE FOR VARIABLE OR CONSTANT
030 98 0	2845		BFA	ASSN1,64,0	IF NOT THERE ALREADY
030 99 0	2846		RUN	T4+1	
031 00 0	2847	T3	CLL	VIMAG	
031 01 0	2848		STR	VIMAG,00	FREE UP TEMP STORAGE CELL FOR
031 02 0	2849		CAD	G	FUTURE USE UNLESS G = 1 OR 3
031 03 0	2850		BSA	LASM,3	
031 04 0	2851		BSA	T4-2,1	
031 05 0	2852		SLT	10	
031 06 0	2853		STP	INSX,TEMPS	
031 07 0	2854		BUN	INS	
031 08 0	2855		CAD	TCONS	
031 09 0	2856		STA	EXPLN	
031 10 0	2857	T4	CAD	VIMAG	INSERT NEW ADDRESS INTO INSTRUCTION
031 11 0	2858		SRA	4	
031 12 0	2859		STA	INSTR,04	
031 13 0	2860		STP	INSX	
031 14 0	2861		BSA	H+,9	EXTERNAL THING,INSERT FORWARD REFERENCE

031 15 0	2862	*F	ADD	XZERO+1	
031 16 0	2863		BRA	B+1	
031 17 0	2864		CAD	G	
031 18 0	2865		BRA	LASM X -1,3	G=3 MEANS THIS IS ONLY AN INDEX PSEUDO-OP
031 19 0	2866	*G	STP	WRITX	
031 20 0	2867		BUN	WRIT2	
031 21 0	2868		CLL	EXPLN	
031 22 0	2869	LASM X	BUN	*	
031 23 0	2870	*B	EXT	EXO	CHECK IF THIS ADDRESS IS A
031 24 0	2871		SUB	FRSTP	NAME PARAMETER WHICH MUST BE FIXED
031 25 0	2872		SLA	8	UP AT RUNNING TIME
031 26 0	2873		LDB	PAREF	
031 27 0	2874	*E	CFA	- 0,22	
031 28 0	2875		BCE	H+	
031 29 0	2876		DLB	- 0,64,0	
031 30 0	2877		BUN	E-	
031 31 0	2878	T5	LDR	G	ARRAY - IF G NEQ 1 OR 3
031 32 0	2879		BFR	T4,12,10	RETURN THE INCREMENT WORD TO
031 33 0	2880		BFR	T4,12,30	AVAILABLE STORAGE, WE ARE DONE WITH IT
031 34 0	2881		CAD	AVAIL	
031 35 0	2882		STB	AVAIL	
031 36 0	2883		STA	- 0,04	
031 37 0	2884		LDB	VIMAG	
031 38 0	2885		CAD	- 1	
031 39 0	2886		BUN	T4-1	
031 40 0	2887	*H	CAA	BUF	
031 41 0	2888		SLA	4	
031 42 0	2889		EXT	GTARO+5	
031 43 0	2890		ADD	LOCN	
031 44 0	2891		RUN	INS1	
031 45 0	2892	TCONS	CNST	STEMP\$	

031 49 0	2893	WRIT2	CAD	LOCN	WRITE SUBROUTINE - PUTS INSTRUCTION
031 50 0	2894		SRA	4	INTO OUTPUT BUFFER.
031 51 0	2895		IFL	LOCN,64,1	WRIT2 ENTRY - PUT INSTRUCTION OUT FOR
031 52 0	2896		LDR	INSTR	LOCATION LOCN AND INCREMENT LOCN
031 53 0	2897	WRIT3	STA	WRTF,04	WRIT3 ENTRY - LOCATION IS IN RA(04)
031 54 0	2898		SUB	PREV	AND INSTRUCTION IS IN REGISTER R
031 55 0	2899		LDB	CNTRI	
031 56 0	2900		BFA	E+,04,0	
031 57 0	2901		SUB	XONE+1	DOES THIS LOCATION EQUAL THE PREVIOUS ONE
031 58 0	2902		BFA	F+,04,0	(IF SO WE WILL ERASE THE PREVIOUS ONE)
031 59 0	2903		STB	LRTF,04	OR IS IT ONE HIGHER
031 60 0	2904		CAL	WRTF	IF NOT, WE WILL PUT OUT A NEW RECORD TRANS
031 61 0	2905		STA	- BUF+1	
031 62 0	2906		IFL	CNTRI,00,1	
031 63 0	2907	*F	LDB	LRTF	
031 64 0	2908		IFL	- BUF+1,32,1	THE 32-FIELD CONTAINS THE NUMBER OF
031 65 0	2909	WRIT7	IFL	CNTRI,00,1	SEQUENTIAL WORDS TO LOAD
031 66 0	2910		LDB	CNTRI	
031 67 0	2911	*E	STR	- BUF	
031 68 0	2912		STR	DESCR	
031 69 0	2913		BCS	*+2,2	
031 70 0	2914		BUN	*+2	

031 71 0	2915	WRTSW	CWR	4	EXPLN,12	IF PCS(2) PUBLISH THIS ON 407
031 72 0	2916		STB		*-1,41	
031 73 0	2917		LDR		WRTF	
031 74 0	2918		STR		PREV,04	
031 75 0	2919	WRIT6	LDR		CNTRI	IS THE BUFFER FULL NOW
031 76 0	2920		CFR		CNTRF	
031 77 0	2921		BCL		WRITX	IF NOT,EXIT
031 78 0	2922	WRIT5	LBC		NN	IF SO, CALCULATE CHECK SUM
031 79 0	2923	*C	CLA		BUF+2	
031 80 0	2924		SUB	-	BUF+99	
031 81 0	2925		IBB		*-1,1	
031 82 0	2926		BOF		*+1	
031 83 0	2927		STA		BUF+99	
031 84 0	2928		MOW	4	BUF,0T,1	WRITE ONE BLOCK
031 85 0	2929		IFL		BUF,00,1	
031 86 0	2930		CLL		CNTRI	
031 87 0	2931		CLL		CNTRF	INITIALIZE FOR NEXT BLOCK
031 88 0	2932		IFL		CNTRF,00,96	
031 89 0	2933	WRIT4	CLL		BUF+1	
031 90 0	2934		LDB		C-	
031 91 0	2935		RTF		BUF+1,98	
031 92 0	2936	WRITX	BUN		*	

031 96 0	2937	GENXK	STB		V1,12	MARK V1 AS IN A-REGISTER
031 97 0	2938	GENXV	CAD		V1	V1 = RESULT
031 98 0	2939	GENXX	STP		INSX,OPRND	PUT RESULT OF SOME GENERATED QUANTITY
031 99 0	2940		BUN		INS	IN OPERAND STACK AND RECORD IN
032 00 0	2941		LDB		OPRND	SER THE POSITION WHERE STORED
032 01 0	2942		LDR	-	0	IF IT IS AN ACCUMULATOR SYMBOL.
032 02 0	2943		BFR		A+,11,0	
032 03 0	2944		BUN		GENRX	(HINT, SER IS USED TO CONTROL PLACEMENT
032 04 0	2945	*A	STB		SER	INTO TEMP STORAGE)
032 05 0	2946	GENRX	BUN		*	
032 06 0	2947		CAD		BUNZ	
032 07 0	2948	GENXY	STP		ASMBX	ASSEMBLE FINAL INSTRUCTION AND EXIT.
032 08 0	2949		BUN		ASMBY	
032 09 0	2950		BUN		GENRX	

032 12 0	2951	GENR	STA		OPRTN	GENERATORS BRANCH ACCORDING TO KIND OF OP
032 13 0	2952		BSA		GEN2,2	UNARY OP
032 14 0	2953		BSA		GEN3,3	NULLARY OP
032 15 0	2954		BSA		GFWR,4	FORWARD REFERENCE
032 16 0	2955		BSA		GBWR,5	BACKWARD REFERENCE
032 17 0	2956		BSA		GFWR,7	INCREMENTED FORWARD REFERENCE
032 18 0	2957		STP		ORTNX	BINARY OP
032 19 0	2958		BUN		ORTN1	GET V1 OPERAND
032 20 0	2959		STP		ORTNX	
032 21 0	2960		BUN		ORTN2	GET V2 OPERAND
032 22 0	2961		CAD		OPRTN	
032 23 0	2962		BSA		GEN3,1	SPECIAL BINARY OP
032 24 0	2963		BSA		GRELN,8	RELATIONAL OP
032 25 0	2964		BFA		A+,64,0	

032 26 0	2965	GENAG	STP	ARTHX	PLUS TIMES OR DIVIDE, ETC.
032 27 0	2966		BUN	ARTHG	
032 28 0	2967		CAD	ACCUM	
032 29 0	2968		BUN	GENXX	
032 30 0	2969	*A	LDB	MODE	GIVEN A PLUS OPERATION WHICH TAKES
032 31 0	2970		CAD	- 0	PLACE ON PARENTHESIS LEVEL ONE OF AN
032 32 0	2971		CFA	TEST,67	ARRAY SUBSCRIPT AND WHERE ONE OF THE
032 33 0	2972		BCU	GENAG	TWO OPERANDS IS A FIXED POINT CONSTANT
032 34 0	2973		CAD	V1	
032 35 0	2974		BFA	B+,22,21	IF ALL THIS IS TRUE WE DONT COMPILE
032 36 0	2975		LDR	V2	EXTRA INSTRUCTIONS, WE ADD IT TO THE
032 37 0	2976		BFR	*+2,22,21	BASE ADDRESS OF THE ARRAY.
032 38 0	2977		BUN	GENAG	
032 39 0	2978		STR	V1	
032 40 0	2979		STA	V2	
032 41 0	2980		SLT	10	
032 42 0	2981	*B	DLB	V1,64,0	UNLESS THE CONSTANT IS BIGGER THAN +1
032 43 0	2982		LDR	- 1	IN WHICH CASE WE COULD GET INTO TROUBLE
032 44 0	2983		SRT	0	LOADING B WITH A NEGATIVE QUANTITY.
032 45 0	2984		CFR	XONE+1	
032 46 0	2985		BCH	GENAG	
032 47 0	2986		LDB	ARAS	IF THE ARRAY IS A CALL-BY-NAME
032 48 0	2987		DLB	- 0,64,0	WITHIN A PROCEDURE WE CANT DO THIS
032 49 0	2988	GENDX	SRT	0	INCREMENTATION EITHER
032 50 0	2989		CLA		
032 51 0	2990		ADD	- 0	
032 52 0	2991		BSA	GENAG,1	
032 53 0	2992		SLT	10	ADD THIS TO THE INCREMENT WORD (MOD10000)
032 54 0	2993		SLA	4	
032 55 0	2994		ADA	- 0	
032 56 0	2995		STA	- 0,64	
032 57 0	2996	GENX2	CAD	V2	
032 58 0	2997		BUN	GENXX	PUT OPERAND FOR UNARY OP INTO V1
032 59 0	2998	GEN2	STP	OBTNX	
032 60 0	2999		BUN	OBTN1	OPRTN/64 IS THE NAME OF THE GENERATOR
032 61 0	3000	GEN3	DLB	OPRTN,64,0	FOR THIS OPERATOR
032 62 0	3001		BUN	- 0	
032 63 0	3002	TEST	F244	1,NDXCM,0	
032 67 0	3003	GREL2	STP	WEMX	
032 68 0	3004		BUN	WEM,*+2	
032 69 0	3005		CNST	30167200000	IMPROPER ASSIGNMENT OPERATION
032 70 0	3006		CLL	OPRTN	CHANGE OPERATION TO EQL
032 71 0	3007	GRELN	CSU	V1	RELATIONS EQL,GTR, ETC.
032 72 0	3008		STA	V1	
032 73 0	3009		CAD	OPRTN	
032 74 0	3010		STA	OPRTM	
032 75 0	3011		DFL	YETH,62,10	CHANGE TO FIXED POINT SUBTRACT OPERATION
032 76 0	3012		CLL	OPRTN	
032 77 0	3013		STB	BOF,61	
032 78 0	3014		STP	ARTHX	
032 79 0	3015		BUN	ARTHG	
032 80 0	3016		IFL	YETH,62,10	
032 81 0	3017		BSA	*+2,0	

032 82 0	3018		IFL	OPRTM,64,1	
032 83 0	3019		BFA	D+,11,0	IF RESULT IS NOT IN REGISTER A,GET IT
032 84 0	3020		LSA	0	
032 85 0	3021		STA	V1	
032 86 0	3022		STP	CADX	
032 87 0	3023		BUN	CAD1	ASSEMBLE BOF *+2 IF NECESSARY.
032 88 0	3024	*D	STP	ASMBX	
032 89 0	3025	BOF	BUN	ASMR,BOF2	
032 90 0	3026	*D	LDB	OP	CHECK HOW WE ARE USING THIS RELATION
032 91 0	3027		LDR	- 0	
032 92 0	3028		BFR	A+,67,00	IS IT IN A BOOLEAN EXPRESSTION
032 93 0	3029		IFL	OPRTM,64,2	
032 94 0	3030		CFR	OPIF,67	IS IT IN AN IF CLAUSE
032 95 0	3031		BCE	C+	
032 96 0	3032		IFL	OPRTM,64,2	IS IT IN AN UNTIL CLAUSE
032 97 0	3033		CFR	CRU,67	
032 98 0	3034		BCE	C+	
032 99 0	3035		STP	WEMX	IF NOT IT IS AN IMPROPER
033 00 0	3036		BUN	WEM,CMLX	RELATIONAL OPERATION
033 01 0	3037		CNST	30157200000	
033 02 0	3038	*A	STP	INTRX	
033 03 0	3039		BUN	B+	
033 04 0	3040		BUN	GENXX	
033 05 0	3041	*C	CAD	AVAIL	REMOVE IF OR UNTIL FROM OP STACK
033 06 0	3042		STB	AVAIL,04	
033 07 0	3043		STA	- 0	
033 08 0	3044		STR	OP,04	
033 09 0	3045		STP	INTRX	
033 10 0	3046		BUN	B+	
033 11 0	3047	GREL1	CLL	PSI	IF, UNTIL FINISHED.. MAKE A COMPOUND
033 12 0	3048		IFL	PHI,00,01	STATEMENT.
033 13 0	3049		BUN	CMLX	
033 14 0	3050	*B	DLB	OPRTM,64,0	
033 15 0	3051		CAD	- GTAB3	
033 16 0	3052		BUN	INTRP	
033 19 0	3053	GEXPN	CAD	V1	POWER GENERATOR. V2*V1
033 20 0	3054		CFA	V10,67	IF V1 IS 2
033 21 0	3055		BCE	Q+	
033 22 0	3056		LDR	V2	OR 2.0 WITH V2 FLOATING.
033 23 0	3057		CFA	V11,67	
033 24 0	3058		BCU	*+2	WE WILL MAKE THIS INTO A MULTIPLY
033 25 0	3059		BFR	Q+,21,0	OTHERWISE IF V1 IS NEGATED
033 26 0	3060		BSA	A+,0	
033 27 0	3061		STP	ACCX	EMPTY THE A-REGISTER
033 28 0	3062		BUN	ACC3	
033 29 0	3063		STP	CADX	AND CAD V1, SRT 10.
033 30 0	3064		BUN	CAD1	
033 31 0	3065	*B	CAD	SRT10	
033 32 0	3066		BUN	C+	ELSE, IF IT IS IN THE A REGISTER, SRT 10.,
033 33 0	3067	*A	BFA	B-,11,0	
033 34 0	3068		CAD	LDRV1	IN OTHER CASES, LDR V1
033 35 0	3069	*C	STP	ASMBX	
033 36 0	3070		RUN	ASMBY	THEN CAD V2.

033	37	0	3071	STP	CADX		
033	38	0	3072	BUN	CAD2	SEPARATE FOUR CASES	
033	39	0	3073	*D	CLB	FIX TO FIX = 0	
033	40	0	3074	CAD	V1	FIX TO FLT = 1	
033	41	0	3075	BFA	*+2,21,1	FLT TO FIX = 2	
033	42	0	3076	IBB	*+1,1	FLT TO FLT = 3	
033	43	0	3077	CAD	V2		
033	44	0	3078	BFA	*+2,21,1		
033	45	0	3079	IBB	*+1,2		
033	46	0	3080	STB	D-,04	GENERATE STP-RUN TO APPROPRIATE SUBROUTINE	
033	47	0	3081	LDR	- NUTBL	SET UP TO PRINT THE NAME	
033	48	0	3082	STP	LINKX		
033	49	0	3083	IBB	LINK-1,EXPF		
033	50	0	3084	LDB	D-	COMPUTE TYPE OF RESULT	
033	51	0	3085	CAD	- EXPA		
033	52	0	3086	EXPA	BUN	GFNXX,0100	
033	53	0	3087	*Q	CAA	V2	
033	54	0	3088	STA	V2	THE SQUARE CASE	
033	55	0	3089	STA	V1		
033	56	0	3090	BFA	T+,11,2		
033	57	0	3091	STP	ACCX	FREE A REGISTER	
033	58	0	3092	BUN	ACC3		
033	59	0	3093	CAD	V2	IF V2 WAS IN THE A REGISTER, IT WILL	
033	60	0	3094	BFA	T+,11,0	HAVE BEEN STORED OUT	
033	61	0	3095	CSA	CADV1	OTHERWISE WE WANT TO CADV1 AND PREVENT	
033	62	0	3096	STP	ASMRX	DOUBLE-INDEXING IF V1 IS AN ARRAY	
033	63	0	3097	BUN	ASMBY		
033	64	0	3098	STR	V1,J1		
033	65	0	3099	*T	CAD	DOT	MULTIPLY V2.V2
033	66	0	3100	STA	OPRTN		
033	67	0	3101	BUN	GENAG		
033	68	0	3102	NUTRL	CNST	\$FX*FX\$	
033	69	0	3103	CNST	\$FX*FL\$		
033	70	0	3104	CNST	\$FL*FX\$		
033	71	0	3105	CNST	\$FL*FL\$		
033	74	0	3106	GABSE	STP	TSTOX	ABSOLUTE VALUE.
033	75	0	3107	BUN	TSTOP	LOOK SEE IF ITS	-ABS
033	76	0	3108	LDB	*+3		
033	77	0	3109	LDR	V1		
033	78	0	3110	BFR	*+2,11,0	V1 IN MEMORY, ABS	CAA V1
033	79	0	3111	DBB	LSA0,LSA0-CAAV1	V1 IN MEMORY, -ABS	CSA V1
033	80	0	3112	BCU	*+2	V1 IN ACCUM, ABS	LSA 0
033	81	0	3113	DBB	0,9999	V1 IN ACCUM, -ABS	LSA 1
033	82	0	3114	STP	ASMRX		
033	83	0	3115	BUN	ASMRZ		
033	84	0	3116	BUN	GENXX		
033	89	0	3117	GHYPH	LDB	OPRND	MINUS OPERATOR
033	90	0	3118	EX42	CNST	10013110000	SIMPLY REVERSE SIGN DIGIT OF
033	91	0	3119	STA	- 0	NEXT ITEM IN OPERAND STACK	
033	92	0	3120	BUN	GENRX		

033 95 0	3121	GBNOT	LDR	V1	BOOLEAN NOT.
033 96 0	3122		CAD	G7	
033 97 0	3123		BFR	GEN4,22,01	
033 98 0	3124		STP	ACCX	IF V1 NOT IN A-REGISTER,
033 99 0	3125		BUN	ACC4	STORE A-REGISTER IF NECESSARY
034 00 0	3126		CAD	V1	
034 01 0	3127		BSA	E+,1	CHECK THAT V1 IS BOOLEAN.
034 02 0	3128		BFA	E+,21,0	
034 03 0	3129	*F	CAD	G11	CAD =1=, SUB V1.
034 04 0	3130	GEN4	STP	INTRX	
034 05 0	3131		BUN	INTRP	
034 06 0	3132		BUN	GENXK	IF V1 IS IN THE ACCUMULATOR,
034 07 0	3133	*E	STP	WEMX	SUB=1=, LSA 0
034 08 0	3134		BUN	WEM,F-	
034 09 0	3135		CNST	30159610000	IMPROPER BOOLEAN OPERAND
034 12 0	3136	GIF	LDR	BZAER	IF AND UNTIL
034 13 0	3137	GIF1	STR	T+	
034 14 0	3138		CAD	V1	
034 15 0	3139		BFA	F+,21,0	CHECK V1 BOOLEAN
034 16 0	3140		BSA	E+,1	
034 17 0	3141	*A	STP	CADX	BRING IT INTO A REGISTER
034 18 0	3142		BUN	CAD1	
034 19 0	3143		STP	ASMBX	ASSEMBLE BFA FORWARD,01,0 (IF)
034 20 0	3144		BUN	ASMBL,T+	OR BFA FORWARD,01,1 (UNTIL)
034 21 0	3145		BUN	GREL1	MAKE COMPOUND STATEMENT
034 22 0	3146	*E	STP	WEMX	
034 23 0	3147		BUN	WEM,A-	
034 24 0	3148		CNST	30159610000	IMPROPER BOOLEAN OPERAND
034 25 0	3149	*T	HLT	0	
034 28 0	3150	GPCS	STP	ACCX	PCS GENERATOR
034 29 0	3151		BUN	ACC4	FREE A REGISTER
034 30 0	3152		STP	FIXEX	BRING V1 FIXED POINT INTO A
034 31 0	3153		BUN	FIXER	UNLESS ITS A CONSTANT
034 32 0	3154		BFA	A+,11,2	THEN GENERATE SLA 0009
034 33 0	3155		CAD	+6034037172	STA *+2,11
034 34 0	3156		BUN	GEN4	CAD +1
034 35 0	3157	*A	DLP	V1,64,00	BCS *+2,0
034 36 0	3158		CAD	- 1	CLA
034 37 0	3159		SLA	9	OR IF IT WAS A CONSTANT GENERATE
034 38 0	3160		STA	BCSL2,11	MERELY THE LAST THREE OF THESE
034 39 0	3161		CAD	+0371720000	
034 40 0	3162	*B	BUN	GEN4	
034 43 0	3163	GSIGN	STP	TSTOX	SIGN(V1)
034 44 0	3164		BUN	TSTOP	
034 45 0	3165		STP	CADX	BRING V1 INTO A-REGISTER
034 46 0	3166		BUN	CAD1	
034 47 0	3167		SRT	10	GENERATE BZA *+4

034 48 0	3168		CAD	+4959045600	SRT 0
034 49 0	3169		BFR	R+,21,0	CAD =1,0= OR =1=
034 50 0	3170		CAD	+4959035600	SLT 0
034 51 0	3171	GEN5	DEFN	*	
034 52 0	3171	*B	STP	INTRX	
034 53 0	3172		BUN	INTRP	
034 54 0	3173		BUN	GENXV	
034 57 0	3174	GFWRP	STP	FXUPX	FIX UP FORWARD REFERENCE
034 58 0	3175		BUN	FXUP	
034 59 0	3176		BUN	GENRX	
034 62 0	3177	GBWPF	DLB	OPRTN,64,00	BUN TO BACKWARD REFERENCE
034 63 0	3178		STS	BUNI,04	
034 64 0	3179		CAD	BUNI	
034 65 0	3180		BUN	GENXY	
034 67 0	3181	GCRA	STP	REMX,OPRND	OBTAIN V1.
034 68 0	3182		BUN	REM,*+2	
034 69 0	3183		BUN	GENRX	
034 70 0	3184		STA	V1	
034 71 0	3185		CLL	SER	BRANCH TO GCRJ(INPUT)OR GCRK(OUTPUT)
034 72 0	3186		DLB	STSV,64,0	
034 73 0	3187		BUN	- 0	
034 75 0	3188	GCRB	DLB	DELTA,22,0	= OPERATOR
034 76 0	3189		DBB	GREL2,1	OR DID HE MEAN FOL
034 77 0	3190		LDB	OP	
034 78 0	3191		CAD	- 0	
034 79 0	3192		CFA	CRB,64	CHECK FOR MULTIPLE ASSIGNMENT
034 80 0	3193		BCE	A+	OR A FOR STATEMENT, WHERE WE
034 81 0	3194		LDB	MODE	CANT DO STR INSTEAD OF STA
034 82 0	3195		CAD	- 0	
034 83 0	3196		CFA	FORMD,64	
034 84 0	3197		PCU	*+3	
034 85 0	3198		IFL	OMEGA,00,1	
034 86 0	3199	*A	CLL	X1	
034 87 0	3200		CAD	V2	LEFTHAND OPERAND CANNOT BE
034 88 0	3201		BFA	Z+,11,0	ACCUMULATOR SYMBOL
034 89 0	3202		BSA	Z+,1	OR NEGATED
034 90 0	3203		BFA	Z+,11,2	OR A CONSTANT
034 91 0	3204		BFA	Z+,11,9	OR A LABEL
034 92 0	3205		BFA	Z+,11,3	OR A TEMP STORAGE
034 93 0	3206		CAD	V1	
034 94 0	3207		BFA	S+,21,3	(CLL IN MULTIPLE ASSIGNMENT)
034 95 0	3208		BFA	A+,11,2	IS RHS A CONSTANT.
034 96 0	3209	*V	STP	CADX	IF NOT, GET RHS INTO ACCUMULATOR
034 97 0	3210		BUN	CAD1	
034 98 0	3211		LDR	V2	
034 99 0	3212		CFR	V1,21	
035 00 0	3213		STR	V1,21	DO THE TYPES AGREE
035 01 0	3214		BCE	C+	IF NOT, LINK EITHER TO
035 02 0	3215		BFR	Y+,21,0	FIX OR FLOAT ROUTINE
035 03 0	3216		DLB	FIXCN,64,0	

035	04	0		BUN	X+	
035	05	0	*Y	DLB	TABSC+82,64,0	
035	06	0	*X	STP	LINKX	
035	07	0		BUN	LINK1	
035	08	0	*C	CAA	G13	
035	09	0	*B	LDR	V2	ASSEMBLE STA V2
035	10	0		BFR	W+,11,8	UNLESS FUNCTION DECLARATION OR PROCEDURE
035	11	0	*K	STP	INTRX	NAME
035	12	0		BUN	INTRP	
035	13	0		LDR	MU	IF WE ARE IN SCOPE OF A LABEL REQUESTED
035	14	0		BFR	W+,62,01	FOR MONITORING, OR THE VARIABLE
035	15	0	*M	DLB	V2,64,0	ASSIGNED IS SO REQUESTED,
035	16	0		STP	CONVX	ASSEMBLE LINK TO MONITOR SUBROUTINE
035	17	0		BUN	CONV	
035	18	0		BUN	E+	
035	19	0	*W	DLB	V2,64,00	
035	20	0		CAA	- 0	
035	21	0		BSA	M-,2	
035	22	0		BSA	M-,6	
035	23	0	*E	CLL	OMEGA	
035	24	0		BUN	GFNXV	
035	25	0	*A	CFA	V7,64	IF WE ARE SETTING SOMETHING TO A
035	26	0		RCE	S+	NONZERO CONSTANT,
035	27	0		CFA	V6,64	
035	28	0		RCE	S+	
035	29	0	*D	CFA	V2,21	MATCH THE TYPES
035	30	0		BCE	V-	
035	31	0		BFA	U+,21,0	
035	32	0		STP	FLTCX	
035	33	0		BUN	FLTCN	
035	34	0		BUN	T+	
035	35	0	*U	STP	FIXCX	
035	36	0		BUN	FIXCN	
035	37	0	*T	STA	V1,00	
035	38	0		BUN	A-	
035	39	0	*S	CAD	COMP+7	SOMETHING = 0
035	40	0		LDB	OMEGA	
035	41	0		LDR	V2	SEVERAL CASES TO CONSIDER
035	42	0		STB	V1,23	
035	43	0		IFL	V1,21,3	
035	44	0		DBR	K-,1	CLA, CLL V2 IN FOR STATEMENT
035	45	0		SLA	6	
035	46	0		BFR	K-,11,8	CLA IN PROCEDURE OR FUNCTION CASE
035	47	0		SLA	6	
035	48	0		BUN	K-	CLL V2 OTHERWISE
035	49	0	*Z	STB	V1,21	
035	50	0		STP	WFMX	
035	51	0		BUN	WFM,E-	
035	52	0		CNST	30167320000	IMPROPER ASSIGNMENT STATEMENT

035	57	0	GCRC	STP	PMTRX	
035	58	0		BUN	PMTR	ASSEMBLE THE PARAMETER-OBTAINING INSTRUC-

035 59 0	3268		LDB	OPRND	TION
035 60 0	3269		CAD	- 0	
035 61 0	3270		CFA	DFX,67	DOES REGISTER R CONTAIN THE FIRST
035 62 0	3271		BCE	A+	PARAMETER LOCATION
035 63 0	3272		STA	DFX	
035 64 0	3273		STA	V2	IF NOT, ASSEMBLE A DLB V2,44,0
035 65 0	3274		STP	ASMBX	
035 66 0	3275		BUN	ASMBL,DLBV?	
035 67 0	3276	*A	LDR	FUNS	
035 68 0	3277		CAD	- 0	
035 69 0	3278		BSA	*+2,3	TURN TAG ON-IF WE HAVE PASSED THE
035 70 0	3279		BUN	*+2	2ND SEMICOLON
035 71 0	3280		IFL	TAG,00,1	
035 72 0	3281		SRA	8	
035 73 0	3282		LSA	0	
035 74 0	3283		SUA	GTAB0	WHAT PARAMETER NUMBER IS THIS
035 75 0	3284		STA	STAAB,04	(FIRST 0000, THEN 9999, THEN 9998, ETC.)
035 76 0	3285		IFL	- 0,22,1	
035 77 0	3286		CAD	STAAB	
035 78 0	3287		BUN	GENXY	
035 81 0	3288	GCRD	STP	TSTOX	MOD OPERATION MOD(V2,V1)
035 82 0	3289		BUN	TSTOP	
035 83 0	3290		CSU	V2	IF -MOD CHANGE SIGN OF V2.
035 84 0	3291		RCU	*+2	
035 85 0	3292		STA	V2	
035 86 0	3293		EXT	V1	
035 87 0	3294		BFA	E+,21,0	CHECK THAT V1,V2 BOTH INTEGER
035 88 0	3295	*F	LDR	V1	
035 89 0	3296		CFR	V10,66	IF V1 IS THE CONSTANT 2 OR -2 WE HAVE
035 90 0	3297		BCE	Z+	A SPECIAL CASE
035 91 0	3298	*F	STP	ACCX	
035 92 0	3299		BFR	ACC1,11,0	PUT V1 IN MEMORY
035 93 0	3300	*C	STP	CADX	
035 94 0	3301		BUN	CAD2	BRING V2 INTO ACCUMULATOR
035 95 0	3302		DLB	V1,64,0	
035 96 0	3303		CSA	- 1	CHECK IF V1 IS A CONSTANT, POWER OF TEN
035 97 0	3304		CLL	SYMBL	
035 98 0	3305		BZA	E+	
035 99 0	3306		SRT	1	
036 00 0	3307		ADL	SYMBL	
036 01 0	3308		BFR	*-2,11,0	
036 02 0	3309		SLT	1	
036 03 0	3310		CFA	XONE+1,00	
036 04 0	3311		CAD	+5822570000	
036 05 0	3312		RCU	GEN4	IF NOT, GENERATE SRT10, DIV V1, SLT 30
036 06 0	3313		CLL	RR0	
036 07 0	3314		STP	FLTCX	OTHERWISE GENERATE EXTRACT
036 08 0	3315		BUN	FLTC1	WITH THE CONSTANT -1 OR -11 OR -111, ETC.
036 09 0	3316		STA	V1,64	
036 10 0	3317		CAD	*+1	
036 11 0	3318		BUN	GEN4,2800	
036 12 0	3319	*E	STP	WEMX	
036 13 0	3320		RUN	WEM,GENXX	
036 14 0	3321		CNST	30113376911	IMPROPER ARGUMENT OF MOD FUNCTION

036 15 0	3322	*Z	STP	ACCX	
036 16 0	3323		BUN	ACC3	IF IT IS MOD 2, GENERATE
036 17 0	3324		CAD	G99	CSU =1= EXT V2
036 18 0	3325		BUN	GEN4	
036 21 0	3326	GCRE	LDB	LAMDA	EITHER IF FINISHING.
036 22 0	3327		CLL	LAMDA	IF OTHERWISE APPEARED, DO NOTHING
036 23 0	3328		DBB	GENRX,1	IF NO OTHERWISE APPEARED,
036 24 0	3329		CAD	NOPZ	PUT OUT A NOP INSTRUCTION
036 25 0	3330		BUN	GENXY	
036 28 0	3331	GCRF	CLL	IOTA	FINISH DECLARING SOME ARRAY
036 29 0	3332		DLB	V1,64,0	V1 IS FIRST DIMENSION,V2 IS ARRAY NAME
036 30 0	3333		CSU	- 1	
036 31 0	3334		MUL	ARRI	
036 32 0	3335		SLT	10	
036 33 0	3336	*B	LDR	MULS	
036 34 0	3337		ADL	VARB	RESERVE SPACE FOR THIS ARRAY
036 35 0	3338		STA	TEMP	
036 36 0	3339	*A	CAD	VARB	
036 37 0	3340		ADD	XONE+1	
036 38 0	3341		STA	ABASE,04	PUT BEGINNING LOCATION IN ABASE
036 39 0	3342		SUR	ARRL	
036 40 0	3343		ADA	GTAB0	COMPUTE BASE ADDRESS (MOD 10000)
036 41 0	3344		SLA	4	
036 42 0	3345		DLB	V2,64,0	
036 43 0	3346		STA	- 0,64	MOVE LIST OF MULTIPLIERS
036 44 0	3347		STR	- 0,04	TO THIS ARRAY NAME
036 45 0	3348		CAA	TEMP	
036 46 0	3349		SLA	4	PUT TOTAL LENGTH OF ARRAY ON TOP
036 47 0	3350		CLL	MULS	OF MULTIPLIER LIST
036 48 0	3351		BUN	LNTH	
036 51 0	3352	GCRG	DLP	V1,64,0	MIDDLE OF ARRAY DECLARATION
036 52 0	3353		CAD	- 1	
036 53 0	3354		MUL	ARRL	IF GIVEN ARRAY A(I,J,K,L)
036 54 0	3355		STR	ARRL	
036 55 0	3356		IFL	ARRL,00,1	ARRL IS SET TO ((J+1)K+1)L+1
036 56 0	3357		CAD	- 1	
036 57 0	3358		MUL	ARRI	
036 58 0	3359		STR	ARRI	
036 59 0	3360		CAD	V1	ARRI IS SET TO JKL
036 60 0	3361		LDR	B-	
036 61 0	3362	LNTH	LDR	V1	ALL DIMENSIONS MUST BE
036 62 0	3363		BFR	A+,22,21	FIXED POINT CONSTANTS
036 63 0	3364		STP	WEMX	
036 64 0	3365		BUN	WEM,GENRX	
036 65 0	3366		CNST	30163640000	IMPROPER ARRAY DECLARATION
036 66 0	3367	*A	STP	INSX	
036 67 0	3368		BUN	INS1	J,K,L GO TO MULTIPLIER STACK
036 68 0	3369		BUN	GENRX	

036 71 0	3370	GCRH	STP	XSTX	MAKE V1 INTEGRAL, IN MEMORY
036 72 0	3371		RUN	XST	
036 73 0	3372		CAD	LBCV1	GENERATE LBC V1
036 74 0	3373		RUN	GENXY	
036 77 0	3374	GCRI	CAA	G3	GENERATE LSA 9, BUN IOPUS
036 78 0	3375		DFL	UPSLN, 62, 29	
036 79 0	3376		RUN	A+	
036 82 0	3377	GCRJ	CAD	V1	
036 83 0	3378		BFA	E+, 11, 0	
036 84 0	3379		BFA	E+, 11, 2	CHECK FOR VALID INPUT EXPRESSION
036 85 0	3380		BFA	E+, 1	
036 86 0	3381		CAA	COMMX	
036 87 0	3382		RUN	A+	
036 90 0	3383	GCRK	STP	CADX	BRING EXPRESSION INTO A-REGISTER
036 91 0	3384		RUN	CAD1	
036 92 0	3385	*R	CAD	G10	
036 93 0	3386	*A	LDR	IOPUS	GENERATE LDB * IBB IOPUS, 2
036 94 0	3387		CLL	DEX	
036 95 0	3388		STP	BUN1, 04	
036 96 0	3389		STR	IPB1, 04	
036 97 0	3390		LDR	V1	
036 98 0	3391		STR	LDBLQ, 21	
036 99 0	3392		STP	INTRX	
037 00 0	3393		RUN	INTRP	
037 01 0	3394		RUN	GENRX	
037 02 0	3395	*F	STP	WEMX	
037 03 0	3396		RUN	WEM, P-	IMPROPER INPUT DECLARATION
037 04 0	3397		CNST	30170640000	
037 07 0	3398	GCRM	DFL	MU, 62, 29	END OF SCOPE OF MONITORED LABEL
037 08 0	3399		RUN	GENRX	
037 11 0	3400	GCRN	STP	FIXFX	MAKE SURE V1 IS INTEGER
037 12 0	3401		RUN	FIXER	EITHER A CONSTANT OR IN A REGISTER
037 13 0	3402		BFA	A+, 11, 2	
037 14 0	3403		CAA	G8	IF NOT A CONSTANT, ADD *+1 NOP V2
037 15 0	3404		RUN	GEN5	
037 16 0	3405	*A	STB	V1, 11	IF A CONSTANT, ADD OR SUBTRACT ITS
037 17 0	3406		DLR	V1, 64, 0	VALUE FROM THE ASSIGNMENT OF V2, MOD 10000
037 18 0	3407		LDR	- 1	
037 19 0	3408		SRT	0	
037 20 0	3409		SLT	14	
037 21 0	3410		EXT	EX42	(-11110000)
037 22 0	3411		DLB	V2, 64, 00	
037 23 0	3412		ADA	- 0	
037 24 0	3413		STA	- 0, 64	
037 25 0	3414		CAA	G9	CAD *+1, NOP V2

037 26 0	3415	*B	BUN	GEN5	
037 29 0	3416	GCRO	STP	PMTRX	LAST PARAMETER TO FUNCTION IS VI
037 30 0	3417		BUN	PMTR	
037 31 0	3418		CLL	DEX	
037 32 0	3419		STP	REMX,FUNS	
037 33 0	3420		BUN	REM,**+2	
037 34 0	3421	G9	F424	0553,0,*	
037 35 0	3422		STA	BUNV2,22	
037 36 0	3423		DLB	V2,64,0	CHECK THAT PROPER
037 37 0	3424		LDR	- 1	NUMBER OF ARGUMENTS
037 38 0	3425		STR	EXPLN	HAS APPEARED
037 39 0	3426		LDR	- 0	
037 40 0	3427		BFR	B+,12,98	
037 41 0	3428		SLT	6	
037 42 0	3429		BFA	A+,51,4	
037 43 0	3430		CFR	BUNV2,22	
037 44 0	3431		BCE	B+	
037 45 0	3432		BFR	B+,22,0	
037 46 0	3433		STP	WEMX	
037 47 0	3434		BUN	WEM,**+2	
037 48 0	3435		CNST	30113370800	IMPROPER ARGUMENT OF PROCEDURE
037 49 0	3436	*B	CAD	G4	GENERATE STP V2, BUN V2
037 50 0	3437		STP	INTRX	
037 51 0	3438		BUN	INTRP	
037 52 0	3439		STR	V2,11	
037 53 0	3440		CLL	TAG	
037 54 0	3441		BUN	GENX2	
037 55 0	3442	*A	SLT	2	
037 56 0	3443		BFR	B-,21,3	
037 57 0	3444		CFR	V1,21	IF ARGUMENT TO LIBRARY FUNCTION
037 58 0	3445		BCE	B-	IS WRONG TYPE, CONVERT IT.
037 59 0	3446		DLB	TABSC+82,64,0	
037 60 0	3447		BFR	**+2,21,0	
037 61 0	3448		DLB	FIXGN,64,0	
037 62 0	3449		STP	LINKX	
037 63 0	3450		BUN	LINK1	
037 64 0	3451		BUN	B-	
037 67 0	3452	*E	BFA	GCRP,11,0	
037 68 0	3453		STP	WEMX	
037 69 0	3454		BUN	WEM,GCRP	
037 70 0	3455		CNST	34661000000	
037 71 0	3456	GCRP	STP	REMX,OPRND	END OF PROCEDURE OR FUNCTION DECLARATION
037 72 0	3457		BUN	REM,E-	CHECK FOR EXTRA OPERANDS
037 73 0	3458	*A	STP	REMX,FUNS	
037 74 0	3459		BUN	REM2,**+2	PULL NAME OF THIS OFF FUN-STACK
037 75 0	3460	G10	F424	6273,0,*	
037 76 0	3461		LDR	FNSW	
037 77 0	3462		BZR	A+	
037 78 0	3463		SRA	4	
037 79 0	3464		STA	LDBI,4	RETURN FROM FUNCTION

037 80 0	3465		STP	VSURX	
037 81 0	3466		BUN	VSUB1	
037 82 0	3467	*D	CLL	FNSW	BRING BACK OLD TEMP STORAGE CELLS
037 83 0	3468		BUN	OLDT	AND EXIT
037 84 0	3469	*A	STP	REMX,PR3	FORGET ALL PREFIXES DEFINED IN THIS
037 85 0	3470		BUN	REM,A-	PROCEDURE
037 86 0	3471		LDR	RR1	
037 87 0	3472		STR	RR3	BRING IN OTHERWISE TYPE OF MAIN PROGRAM
037 88 0	3473		LDR	PR1	
037 89 0	3474		STR	PR3	BRING IN PREFIXES OF MAIN PROGRAM
037 90 0	3475		LDR	CHI3	
037 91 0	3476		STR	CHI	BRING IN MONITOR STATUS OF MAIN PROGRAM
037 92 0	3477		LDR	PAREF	
037 93 0	3478		BFR	H+,04,00	
037 94 0	3479	*C	CAD	PLOC	IF PARAMETERS OF OUTPUT TYPE HAVE
037 95 0	3480		STP	FXUPX	OCCURRED, FIX UP THE INSTRUCTION
037 96 0	3481		BUN	FXUP	TO RUN TO THIS PART OF THE PROCEDURE
037 97 0	3482		CAD	FRSTP	
037 98 0	3483		SLA	4	
037 99 0	3484		STA	IRSTP	
038 00 0	3485	*E	LDB	PAREF	
038 01 0	3486		IRB	F+,9999	
038 02 0	3487		CAD	- 1	
038 03 0	3488		IRB	*+1,1	REMOVE LIST OF REFERENCES TO THIS
038 04 0	3489		STA	SETUP,04	PARAMETER, MAKE IT THE SETUP STACK
038 05 0	3490		SRA	4	
038 06 0	3491		LDR	AVAIL	
038 07 0	3492		STB	AVAIL	
038 08 0	3493		STR	- 0	
038 09 0	3494		STA	PAREF,04	
038 10 0	3495		RSA	G+,1	(THE FIRST PARAMETER MAY ALREADY BE
038 11 0	3496		EXT	BCUL2	IN REGISTER A)
038 12 0	3497		SUB	IRSTP	CAD PARAMETER
038 13 0	3498		STA	VEE,64	
038 14 0	3499		STP	ASMBX	
038 15 0	3500		BUN	ASMBL,X+	
038 16 0	3501	*G	STP	REMX,SETUP	GENERATE ALL STA ----,04
038 17 0	3502		BUN	REM,*+2	FOR THIS PARAMETER
038 18 0	3503		BUN	E-	
038 19 0	3504		SRA	4	
038 20 0	3505		STA	STAI,04	
038 21 0	3506		STP	ASMRX	
038 22 0	3507		BUN	ASMBL,STAI	
038 23 0	3508		BUN	G-	
038 24 0	3509	*F	CAD	PLOC	ASSEMBLE TO BUN TO THE
038 25 0	3510		SRA	4	BEGINNING OF THE PROCEDURE
038 26 0	3511		STA	BUNI,04	
038 27 0	3512		IFL	BUNI,04,01	
038 28 0	3513		STP	ASMRX	
038 29 0	3514		BUN	ASMBL,BUNI	
038 30 0	3515	*H	CLL	LEVEL	EXIT,WE ARE THROUGH WITH THE PROCEDURE
038 31 0	3516		BUN	D-	
038 32 0	3517	VEE	F2448	11,0,0	
038 33 0	3518	*W	F244	11,VEE,0	
038 34 0	3519	*X	F424	0,10,W--V	

038 37 0	3520	GCRO	IFL	PRFSW,62,25	PROCESS LAST PARAMETER. MARK IT
038 38 0	3521		STP	YSUBX	AS IN ACCUMULATOR IF ITS A CALL BY NAME
038 39 0	3522		BUN	YSUB1	
038 40 0	3523		DFL	PRFSW,62,25	WE HAVE JUST FINISHED COLLECTING
038 41 0	3524		CLL	TAG	FUNCTION OR PROCEDURE PARAMETERS
038 42 0	3525		STA	V3	
038 43 0	3526		IFL	V3,11,3	
038 44 0	3527		STP	ASMBX	STORE LAST PARAMETER
038 45 0	3528		BUN	ASMBL,STAT3	
038 46 0	3529	*C	CLL	PARSW	
038 47 0	3530		LDB	FNSW	
038 48 0	3531		DBB	GENRX,1	EXIT IF A FUNCTION DECLARATION
038 49 0	3532		LDR	PARREF	
038 50 0	3533		BFR	D+,04,00	IF CALL BY NAME, PARAMETERS HAVE
038 51 0	3534		CAD	LOCN	APPEARED, ASSEMBLE BUN INSTRUCTION
038 52 0	3535		STA	PLOC	WHICH WILL GO TO THE INITIALIZATION PART
038 53 0	3536		STP	ASMBX	
038 54 0	3537		BUN	ASMBL,BUNZ	
038 55 0	3538	*D	IFL	DELTA,04,4	
038 56 0	3539		BUN	GENRX	
038 59 0	3540	GCRR	STP	XSTX	V1 IS LAST ARRAY SUBSCRIPT
038 60 0	3541		BUN	XST	MAKE SURE IT IS FIXED POINT AND
038 61 0	3542		DLR	V1,64,0	NOT IN REGISTER A
038 62 0	3543		LDR	- 1	NOW COMES VERY TRICKY CODING.
038 63 0	3544		DLB	V2,64,00	IF THE SUBSCRIPT IS A CONSTANT,
038 64 0	3545		CAD	V1	SIMPLY CALCULATE THE ADDRESS
038 65 0	3546		RFA	GENDX,22,21	
038 66 0	3547		IFL	- 0,11,1	OTHERWISE SET INCREMENT WORD TO A 6
038 67 0	3548		STP	INSX	AND SET UP A LINK TO V1
038 68 0	3549		BUN	INS1	NOW INC WD/64=BASE ADDR. /04=AAAA
038 69 0	3550		BUN	GENX2	AAAA/67=V1 /04=ARRAY INFORMATION
038 72 0	3551	GCRS	STP	REMX,FUNS	FINISH SUBROUTINE DECLARATION. REMOVE
038 73 0	3552		BUN	REM,OLDT	LOCATION FROM FUNS, REMOVE TEMP STORAGES.
038 74 0	3553	G11	F424	0313,0,*	
038 77 0	3554	GCR ^T	CAD	BUNV1	GENERATE BUN V1
038 78 0	3555		BUN	GENXY	
038 81 0	3556	GCRU	LDR	RNZAF	
038 82 0	3557		BUN	GIF1	UNTIL SIMILAR TO IF
038 85 0	3558	GCRV	LDR	LOCN	END OF SEGMENT
038 86 0	3559		CFR	LCMAX,64	
038 87 0	3560		BCL	*+2	
038 88 0	3561		STR	LCMAX,64	SET LCMAX TO GREATEST LOCN
038 89 0	3562		STP	REMX,FUNS	USED IN SEGMENTS
038 90 0	3563		BUN	REM,*+2	

038 91 0	3564	G12	F424	8990,0,*	
038 92 0	3565		STA	LOCN,64	RESET LOCN TO BEGINNING OF SEGMENT
038 93 0	3566		LSA	8	
038 94 0	3567		SRA	4	OUTPUT CONTROL WORD FOR LOADER
038 95 0	3568		BUN	GFWRP	
038 99 0	3569	GCRW	IFL	LAMDA,00,1	RECORD THAT OTHERWISE HAS OCCURRED
039 00 0	3570		BUN	GENRX	
039 03 0	3571	GCRX	DEFN	GENXY-1	
039 06 0	3571	GCRY	CAD	V1	MAKE SURE A SUBSCRIPT IS FIXED POINT
039 07 0	3572		STP	FIXEX	
039 08 0	3573		BFA	FIXER,21,0	
039 09 0	3574		BUN	GENXV	
039 12 0	3575	GCRZ	STP	CADX	STOP
039 13 0	3576		BUN	CAD1	THERE WILL BE AN ACCUMULATOR
039 14 0	3577	*A	CAD	HLT	SYMBOL PRESENT, IF THE STATEMENT
039 15 0	3578		BUN	GENXY	WAS SIMPLY STOPS
					GENERATE CAD V1 HLT
039 19 0	3579	GCROY	DLB	*+2,44,0	TRACE
039 20 0	3580		STP	LTBRX	
039 21 0	3581		RUN	LIBRF,DMPER	
039 22 0	3582		IFL	TAG,00,1	
039 23 0	3583		STP	REMX,OPRND	
039 24 0	3584		BUN	REM,**+2	
039 25 0	3585		BUN	GENRX	IF LABEL ONLY,EXIT
039 26 0	3586		STA	TEMP	IF LABEL(N), PUT N ON STACK
039 27 0	3587		DLB	TEMP,64,0	
039 28 0	3588		CAD	- 1	
039 29 0	3589		SLA	6	
039 30 0	3590	JCROY	LDR	*	
039 31 0	3591		STA	- 0,44	
039 32 0	3592		RUN	GENRX	
039 35 0	3593	OPTN1	STP	REMX,OPRND	
039 36 0	3594		RUN	REM,**+2	GET TOP OF OPERAND STACK
039 37 0	3595		BUN	E+	AND PLACE IT IN V1
039 38 0	3596		STA	V1	
039 39 0	3597		BUN	A+	
039 42 0	3598	OPTN2	STP	REMX,OPRND	GET TOP OF OPERAND STACK AND PLACE IT IN
039 43 0	3599		BUN	REM,C+	V2
039 44 0	3600	*E	STP	WEMX	
039 45 0	3601		BUN	WEM,GENRX	
039 46 0	3602		CNST	3716100000	MISSING OPERAND

039 47 0	3603	*C	STA	V2	
039 48 0	3604	*A	BFA	B+,11,0	IF AN ACCUMULATOR SYMBOL WAS
039 49 0	3605		BUN	OPTNX	REMOVED, SET SER TO ZERO
039 50 0	3606	*R	CLL	SER	
039 51 0	3607	OBTNX	BUN	*	
039 54 0	3608	PMTR	LDR	KAPPA	SELECTIVELY BRING PARAMETER INTO A REG.
039 55 0	3609		BZR	A+	HAVE EMPTY SUBSCRIPTS APPEARED
039 56 0	3610		CLL	KAPPA	
039 57 0	3611	*B	STP	CADX	-----
039 58 0	3612		BUN	CAD1	IF SC, ASSEMBLE CAD V1 AND EXIT
039 59 0	3613		BUN	PMTRX	
039 60 0	3614	*A	LDR	FUNS	
039 61 0	3615		CAD	- 0	IF BEFORE THE FIRST SEMICOLON,
039 62 0	3616		BSA	B-,1	ASSEMBLE CAD V1 AND EXIT
039 63 0	3617		STP	ACCX	
039 64 0	3618		BUN	ACC4	
039 65 0	3619		CAD	V1	OTHERWISE WE HAVE A CALL BY NAME
039 66 0	3620		BFA	PMTRX,11,0	FREE THE A-REGISTER
039 67 0	3621		BSA	C+,0	
039 68 0	3622	*E	STP	WEMX	
039 69 0	3623		BUN	WEM,#+2	
039 70 0	3624		CNST	30111130000	IMPROPER FUNCTION ARGUMENT
039 71 0	3625		STA	V1	
039 72 0	3626	*C	CAA	G5	
039 73 0	3627		STP	INTRX	ASSEMBLE CAD #+1, NOP V1
039 74 0	3628		BUN	INTRP	
039 75 0	3629	PMTRX	BUN	*	
039 78 0	3630	ACC	DEFN	*-1	
039 79 0	3630	ACC1	BUN	C+	ACC1.. PLACE V1 IN TEMP STORAGE
039 80 0	3631	ACC2	STP	GETMX	ACC2.. PLACE V2 IN TEMP STORAGE
039 81 0	3632		BUN	GETMP	
039 82 0	3633		STA	V2,64	
039 83 0	3634		IFL	V2,11,3	
039 84 0	3635		CAD	STAT2	
039 85 0	3636		BUN	ASMBY	
039 86 0	3637	*C	STP	GETMX	
039 87 0	3638		BUN	GETMP	
039 88 0	3639		STA	V1,64	
039 89 0	3640		IFL	V1,11,3	
039 90 0	3641		CAD	STAT1	
039 91 0	3642		BUN	ASMBY	
039 92 0	3643	ACCX	DEFN	ASMRX	
039 93 0	3643	ACC3	LDR	V1	ACC3.. FREE THE A REGISTER
039 94 0	3644		BFR	C-,11,0	IF V1 IS IN A, DO ACC1
039 95 0	3645		LDR	V2	
039 96 0	3646		BFR	ACC2,11,0	IF V2 IS IN A, DO ACC2
039 97 0	3647	ACC4	LDR	SER	ELSE DO ACC4
039 98 0	3648		IRR	ACCX,9999	ACC4.. IF THE A-REGISTER IS IN USE
039 99 0	3649		STP	GETMX	WITH OTHER OPERANDS BESIDES THE CURRENT
040 00 0	3650		BUN	GETMP	ONE(S), STORE IT INTO TEMP
040 01 0	3651		LDR	SER	

040 02 0	3652		STA	- 0,64	AND MODIFY THE STACK ACCORDINGLY
040 03 0	3653		IFL	- 0,11,3	
040 04 0	3654		LDR	- 0	
040 05 0	3655		STR	V3	
040 06 0	3656		CAD	STAT3	
040 07 0	3657		CLL	SER	
040 08 0	3658		BUN	ASMBY	
040 11 0	3659	CAD2	LDR	XTWO+1	CAD V2
040 12 0	3660		BUN	CAD	
040 13 0	3661	CAD1	LDB	XONE+1	CAD V1
040 14 0	3662	CAD	CAD	- V	
040 15 0	3663		STR	ZHE,04	BRING V(RB) INTO A REGISTER
040 16 0	3664		BFA	CADX,11,0	
040 17 0	3665		STP	ACCX	IF ITS NOT THERE ALREADY, FREE
040 18 0	3666		BUN	ACC4	THE ACCUMULATOR
040 19 0	3667		LDR	ZHE	
040 20 0	3668		CAD	- V	COMPILE CAD OR CSU V1 OR V2
040 21 0	3669		BSA	B+,1	
040 22 0	3670		CAD	- CADV1-1	
040 23 0	3671	*D	STP	ASMBX	
040 24 0	3672		BUN	ASMBY	
040 25 0	3673	*C	LDB	ZHE	
040 26 0	3674		STR	- V,12	
040 27 0	3675		CAD	- V	
040 28 0	3676	CADX	BSA	*,0	
040 29 0	3677		STP	ACCX	TO REVERSE SIGN OF A-REGISTER, STORE
040 30 0	3678		BUN	- ACC	IT THEN COMPILE CSU INSTRUCTION
040 31 0	3679		LDR	ZHE	
040 32 0	3680	*R	CAD	- CSUV1-1	
040 33 0	3681		BUN	D-	
040 36 0	3682	XST	CAD	V1	
040 37 0	3683		STP	FIXEX	FIX V1 IF IT IS AN INTEGER
040 38 0	3684		BFA	FIXER,21,0	
040 39 0	3685		STP	ACCX	
040 40 0	3686		BFA	ACC1,11,0	STORE V1 IF IT IS IN REGISTER A
040 41 0	3687	XSTX	BUN	*	
040 44 0	3688	FIXER	CAD	V1	
040 45 0	3689		BFA	A+,11,2	
040 46 0	3690		STP	CADX	
040 47 0	3691		BUN	CAD1	CHANGE V1 TO INTEGER FORM
040 48 0	3692		BFA	FIXEX,21,1	
040 49 0	3693		DLR	FIXGN,64,00	
040 50 0	3694		STP	LINKX	LINK TO FIX ROUTINE
040 51 0	3695		BUN	LINK1	
040 52 0	3696		IFL	V1,21,1	
040 53 0	3697		CAD	V1	
040 54 0	3698	FIXEX	BUN	*	
040 55 0	3699	*A	BFA	FIXEX,21,1	IF V1 IS A CONSTANT,
040 56 0	3700		STP	FIXCX	CHANGE IT WITH FIXCN
040 57 0	3701		BUN	FIXCN	

040	58	0	3702	STA	V1,00	
040	59	0	3703	BUN	FIXEX-1	
040	62	0	3704	TSTOP	STP	ACCX
040	63	0	3705	BUN	ACC4	STORE A IF IT IS IN USE WITH
040	64	0	3706	LDB	OP	NON-CURRENT OPERAND(S)
040	65	0	3707	LDR	- 0	IF NEXT ITEM IN OPERATION STACK
040	66	0	3708	CFR	HYPH,67	IS A MINUS, REMOVE IT AND REVERSE
040	67	0	3709	RCU	TSTOX	THE SIGN OF V1
040	68	0	3710	STP	REMX,OP	
040	69	0	3711	BUN	REM,#+2	
040	70	0	3712	G13	F424	2100,0,0
040	71	0	3713	CSU	V1	
040	72	0	3714	STA	V1	
040	73	0	3715	TSTOX	BUN	*
040	76	0	3716	FLTCN	STA	TEMP
040	77	0	3717	DLB	TEMP,64,00	CONVERT CONSTANT FROM INTEGER
040	78	0	3718	CAD	- 1	TO FLOATING POINT FORM
040	79	0	3719	FLTCM	CLL	RR0
040	80	0	3720	CLL	SYMBL	
040	81	0	3721	BFA	B+,00,0	
040	82	0	3722	IFL	SYMBL,22,61	
040	83	0	3723	ZHE	CLR	
040	84	0	3724	SRT	3	
040	85	0	3725	*A	SLT	1
040	86	0	3726	DFL	SYMBL,22,1	NORMALIZE
040	87	0	3727	BFA	A-,31,00	
040	88	0	3728	STA	SYMBL,08	
040	89	0	3729	FLTC1	DEFN	*
040	90	0	3729	*B	STP	NMBRX
040	91	0	3730	BUN	NMBR	PUT INTO TABLE
040	92	0	3731	CAD	- 0	
040	93	0	3732	STA	L,23	
040	94	0	3733	CAD	L	
040	95	0	3734	FLTCX	BUN	*
040	98	0	3735	FIXCN	STA	TEMP
040	99	0	3736	DLB	TEMP,64,00	CONVERT FLOATING POINT CONSTANT
041	00	0	3737	CAD	- 1	INTO INTEGER FORM
041	01	0	3738	FIXCM	CLL	RR0
041	02	0	3739	IFL	RR0,21,1	
041	03	0	3740	CFA	+6099999999	
041	04	0	3741	RCH	E+	
041	05	0	3742	S3	CLR	
041	06	0	3743	SRT	3	
041	07	0	3744	STA	TEMP	
041	08	0	3745	CFA	*+1,02	
041	09	0	3746	CLA	51	
041	10	0	3747	RCL	C+	
041	11	0	3748	DLB	TEMP,04,50	UNNORMALIZE (CLEVERLY)
041	12	0	3749	SLT	- 0	

041	13	0	3750	*C	STA	SYMBL
041	14	0	3751		BUN	B-
041	15	0	3752	*E	STP	WEMX
041	16	0	3753		BUN	WEM, FIXCM
041	17	0	3754		CNST	33436373800
041	18	0	3755	FIXCX	DEFN	FLTCX

CONSTANT OUT OF RANGE

041	21	0	3755	ARTHG	CLB	MONTR	ARITHMETIC SEQUENCE GENERATOR
041	22	0	3756		LDR	V2	
041	23	0	3757		BFR	A+,11,0	CODE.. 0 ACCUMULATOR FLOATING
041	24	0	3758		DBB	0,9996	1 ACCUMULATOR FIXED
041	25	0	3759		BFR	A+,11,2	2 (OTHER) FLOATING
041	26	0	3760		IBB	0,9998	3 (OTHER) FIXED
041	27	0	3761	*A	BFR	B+,21,1	4 CONSTANT FLOATING
041	28	0	3762		DBB	0,9999	5 CONSTANT FIXED
041	29	0	3763	*B	LDR	V1	
041	30	0	3764		BFR	C+,11,0	
041	31	0	3765		DBB	0,9976	
041	32	0	3766		BFR	C+,11,2	CALCULATE 6 TIMES CODE(V1) PLUS CODE(V2)
041	33	0	3767		IBB	0,9988	
041	34	0	3768	*C	BFR	D+,21,1	
041	35	0	3769		DBB	0,9994	
041	36	0	3770	*D	LDR	COMP	INDEX WITH THIS VALUE TO GET FANCY
041	37	0	3771		STR	ARTHM	COMP TABLE ENTRY, WHICH CONSISTS OF
041	38	0	3772	ARTHA	LDR	ARTHM	IJ-PAIRS, LIKE AN INTERPRETIVE
041	39	0	3773	K3	CLA		SYSTEM PROGRAM
041	40	0	3774		SLT	2	
041	41	0	3775		STR	ARTHM	TAKE IJ-PAIRS FROM LEFT TO RIGHT
041	42	0	3776		STA	J,01	
041	43	0	3777		BFA	ARTHC,91,3	TO ARTHC IF THIS IS THE LAST ENTRY
041	44	0	3778		SRT	1	
041	45	0	3779		STA	I	
041	46	0	3780		LDB	I	
041	47	0	3781		BFR	J1,11,1	FLOAT OPERAND V(I)
041	48	0	3782		BFR	J2,11,2	STORE V(I) IN TEMP
041	49	0	3783		BFR	J3,11,3	FLOAT CONSTANT V(I)
041	50	0	3784		BFR	J4,11,4	BRING V(I) INTO A REGISTER
041	51	0	3785		BFR	J5,11,5	COMPUTE SUM, PRODUCT, ETC. OF CONSTANTS
041	52	0	3786		BUN	J6	CHECK FOR SPECIAL CASES IN CONSTANTS
041	53	0	3787	J1	DLB	TAPSC+82,64,0	
041	54	0	3788		STP	LINKX	CALL IN FLOAT SUBROUTINE
041	55	0	3789		BUN	LINK1	
041	56	0	3790		LDB	I	
041	57	0	3791		STB	- V,21	FLOAT V(I)
041	58	0	3792		BUN	ARTHA	
041	59	0	3793	J2	STP	ACCX	STORE V(I) IN TEMP
041	60	0	3794		BUN	- ACC	
041	61	0	3795		BUN	ARTHA	
041	62	0	3796	J3	CAD	- V	FLOAT THE CONSTANT V(I)
041	63	0	3797		STP	FLTCX	
041	64	0	3798		BUN	FLTCN	
041	65	0	3799		LDB	I	
041	66	0	3800		STA	- V,00	
041	67	0	3801		BUN	ARTHA	
041	68	0	3802	J4	STP	ACCX	FREE THE A REGISTER.

041	69	0	3803	BUN	ACC3	
041	70	0	3804	LDB	I	
041	71	0	3805	STP	CADX	BRING V(1) IN
041	72	0	3806	BUN	CAD	
041	73	0	3807	BUN	ARTHA	
041	74	0	3808	J5	DLR	V1,64,00
041	75	0	3809	LDR	V1	GET CONSTANTS V1,V2
041	76	0	3810	CAD	- 1	
041	77	0	3811	SLT	0	
041	78	0	3812	STA	TEMP2	
041	79	0	3813	DLB	V2,64,00	
041	80	0	3814	LDR	V2	
041	81	0	3815	CAD	- 1	
041	82	0	3816	SLT	0	
041	83	0	3817	STA	TEMP1	
041	84	0	3818	LDR	OPRTN	
041	85	0	3819	CAD	I	
041	86	0	3820	CLL	RRO	I SPECIFIES WHETHER FLOATING OR FIXED
041	87	0	3821	BFA	X+,01,1	
041	88	0	3822	CAD	TEMP1	
041	89	0	3823	CFR	PLUS,67	
041	90	0	3824	BCU	A+	COMPUTE V2 OP V1
041	91	0	3825	FAD	TEMP2	FAD
041	92	0	3826	BUN	ARTHB	
041	93	0	3827	*A	CFR	DOT,67
041	94	0	3828	BCU	B+	
041	95	0	3829	FMU	TEMP2	FMU
041	96	0	3830	BUN	ARTHB	
041	97	0	3831	*B	CFR	SOLD,67
041	98	0	3832	BCU	ARTHA	
041	99	0	3833	SCNXX	CLR	CLR,FDV
042	00	0	3834	FDV	TEMP2	
042	01	0	3835	BUN	ARTHB	
042	02	0	3836	*X	IFL	RRO,21,1
042	03	0	3837	CAD	TEMP1	
042	04	0	3838	CFR	PLUS,67	
042	05	0	3839	BCU	A+	
042	06	0	3840	ADD	TEMP2	ADD
042	07	0	3841	BUN	ARTHB	
042	08	0	3842	*A	CFR	DOT,67
042	09	0	3843	BCU	B+	
042	10	0	3844	MUL	TEMP2	MUL,SLT10
042	11	0	3845	SLT	10	
042	12	0	3846	BZR	ARTHB	
042	13	0	3847	RUN	V+	
042	14	0	3848	*B	CFR	SOLD,67
042	15	0	3849	BCU	ARTHA	
042	16	0	3850	SRT	10	
042	17	0	3851	DIV	TEMP2	SRT 10,DIV
042	18	0	3852	ARTHB	BOF	V+
042	19	0	3853	*A	STA	SYMBL,00
042	20	0	3854	STA	ACCUM	CHECK IF OUT OF RANGE
042	21	0	3855	STP	NMBRX	PUT COMPUTED CONSTANT INTO TABLE
042	22	0	3856	BUN	NMBR	
042	23	0	3857	CAA	- 0	

042 24 0	3858		STA	ACCUM,00	
042 25 0	3859		LDR	L	AND INTO ACCUM
042 26 0	3860		STR	ACCUM,64	
042 27 0	3861		CAD	ACCUM	
042 28 0	3862		BUN	ARTHX	AND EXIT
042 29 0	3863	*V	STP	WEMX	
042 30 0	3864		BUN	WEM,A-	
042 31 0	3865		CNST	33436373800	CONSTANT OUT OF RANGE. USE =1=
042 32 0	3866	J6	CAD	- V	
042 33 0	3867		DLP	- V,64,0	V(1) IS A CONSTANT.
042 34 0	3868		LDR	- 1	CHECK IF IT IS A SPECIAL ONE
042 35 0	3869		BZR	A+	IS IT ZERO
042 36 0	3870		CFR	FONE+1	
042 37 0	3871		BCE	D+	IS IT 1.0
042 38 0	3872	*Q	CAB		
042 39 0	3873		DBB	0,9999	IS IT 10,100,1000,.....,1000000000
042 40 0	3874		SLT	19	
042 41 0	3875		BFA	*-2,11,0	
042 42 0	3876		SLT	1	
042 43 0	3877		CFR	XONE+1,00	
042 44 0	3878		BCU	ARTHA	
042 45 0	3879		IBB	D+,9998	IS IT 1
042 46 0	3880		CAD	V1	
042 47 0	3881		EXT	V2	
042 48 0	3882		BFA	ARTHA,21,0	
042 49 0	3883		LDR	OPRTN	
042 50 0	3884		DBB	0,9999	
042 51 0	3885		STB	SHIFT,06	
042 52 0	3886		BFR	Q+,62,48	CHECK IF OP IS MUL OR DIV
042 53 0	3887		BFR	T+,62,24	
042 54 0	3888		BUN	ARTHA	
042 55 0	3889	*Q	IFL	SHIFT,62,1	IF SO, SLA
042 56 0	3890	*T	IFL	SHIFT,62,48	OR SRA
042 57 0	3891		LBC	I	
042 58 0	3892		STP	CADX	
042 59 0	3893		DBB	CAD,9997	
042 60 0	3894		STP	ASMBX	
042 61 0	3895		BUN	ASMBL,SHIFT	
042 62 0	3896		BUN	C+	
042 63 0	3897	*A	IFL	BOF,61,1	(SUPPRESS PCF *+2 IN RELATIONS)
042 64 0	3898	*A	LDR	OPRTN	IF ITS ZERO, AND WE ARE ADDING,
042 65 0	3899		BFR	C+,65,0	OR ONE AND WE ARE MULTIPLYING,
042 66 0	3900		BFR	M+,62,48	THE RESULT IS THE OTHER OPERAND
042 67 0	3901		BUN	ARTHA	IF ZERO AND MULTIPLYING, THE RESULT
042 68 0	3902	*D	LDR	OPRTN	IS ZERO.
042 69 0	3903		CFR	DOT,67	
042 70 0	3904		BCU	ARTHA	
042 71 0	3905	*C	LBC	I	
042 72 0	3906		CAD	- V3	
042 73 0	3907	*M	STA	ACCUM	
042 74 0	3908		BUN	ARTHX	
042 75 0	3909	ARITHC	STP	ACCX	FINISH OF ARITHMETICS.
042 76 0	3910		BUN	ACC4	FIRST FREE A REGISTER IF NECESSARY
042 77 0	3911		CAD	OPRTN	
042 78 0	3912		SRA	4	
042 79 0	3913		EXT	NN	

042 80 0	3914	STA	TEMP1	
042 81 0	3915	STA	TEMP2	
042 82 0	3916	CAD	V2	COMPUTE OPERATION CODE
042 83 0	3917	SRS	10	PLUS SIGN OF V2
042 84 0	3918	ADL	TEMP2	PLUS TWICE SIGN OF V1
042 85 0	3919	CAD	V1	
042 86 0	3920	SRS	10	
042 87 0	3921	ADL	TEMP2	
042 88 0	3922	ADL	TEMP2	
042 89 0	3923	CAD	OPRTN	
042 90 0	3924	BFA	A+,41,0	ADD,MULTIPLY, DIVIDE OPS
042 91 0	3925	BFA	B+,41,1	MAX, MIN OPS
042 92 0	3926	CAD	J	AND,OR,EOIV,IMPL OPS.
042 93 0	3927	ADL	TEMP2	
042 94 0	3928	CSU	V1	CHECK FOR VALID BOOLEAN OPERANDS
042 95 0	3929	BPA	E+	
042 96 0	3930	EXT	V2	
042 97 0	3931	BMA	E+	
042 98 0	3932	BFA	H+,21,1	
042 99 0	3933	*E	STP	WEMX
043 00 0	3934	BUN	WEM,#+2	
043 01 0	3935	CNST	30159610000	IMPROPER BOOLEAN OPERAND
043 02 0	3936	*H	LDB	TEMP2
043 03 0	3937	*K	CAD	- GTAB2
043 04 0	3938	BUN	I+	
043 05 0	3939	*A	CAD	J
043 06 0	3940	ADD	J	INDEX INTO APPROPRIATE GTAB TABLE
043 07 0	3941	ADL	TEMP2	
043 08 0	3942	ADL	TEMP2	
043 09 0	3943	LDB	TEMP2	
043 10 0	3944	CAD	- GTAB0	
043 11 0	3945	YETH	BUN	I+,9988 (IN RELATION CASE,CHANGE FLOATING
043 12 0	3946	IBB	I+-1,GTAB0-STAB1	TO FIXED)
043 13 0	3947	*B	CAD	J
043 14 0	3948	MUL	FUR	
043 15 0	3949	DIV	TWL	
043 16 0	3950	SLT	10	
043 17 0	3951	ADL	TEMP2	
043 18 0	3952	LDB	TEMP2	
043 19 0	3953	CAD	- GTAB1	THIS TABLE ENTRY CAUSES THE ASSEMBLER
043 20 0	3954	*I	STP	INTRX
043 21 0	3955	BUN	INTRP	TO PRODUCE ALL CODE NECESSARY FOR
043 22 0	3956	ARTHX	BUN	THE BINARY OPERATOR.
			*	
043 25 0	3957	LINK1	LDR	- 1
043 26 0	3958		STR	EXPLN
043 27 0	3959	LINK	CAD	- 0
043 28 0	3960		STP	LIBRX
043 29 0	3961		BUN	LIBRF
043 30 0	3962		STB	V3
043 31 0	3963		IFL	V3,51,4
043 32 0	3964		CAD	V3
043 33 0	3965		SLA	4
043 34 0	3966	LINK2	STA	V3
				MAKE SURE LIBRARY ROUTINE IS IN STORAGE

043 35 0	3967	CAA	G6	COMPILE STP, BUN INSTRUCTIONS
043 36 0	3968	STP	INTRX	
043 37 0	3969	BUN	INTRP	
043 38 0	3970	CLL	DEX	MARK B REGISTER UNKNOWN
043 39 0	3971	LINKX	BUN *	
043 42 0	3972	VSUB	LDB FUNS	
043 43 0	3973		DLB - 0,64,00	RETURN.. COMPILE LDB ()
043 44 0	3974		STB LDBI,04	BUN - 0
043 45 0	3975	VSUB1	CAD G1	
043 48 0	3976	INTRP	STP ASMRX	GENERATE SERIES OF INSTRUCTIONS
043 49 0	3977		STA A+	FROM VOCABULARY TABLE.
043 50 0	3978		LDR A+	
043 51 0	3979	*R	CLA *	
043 52 0	3980		SLT 2	
043 53 0	3981		STR A+	
043 54 0	3982		BFA C+,02,00	
043 55 0	3983		BFA ACC1,02,32	POSSIBLY GENERATE A STORE INTO
043 56 0	3984		BFA ACC2,02,33	TEMP STORAGE
043 57 0	3985		STA B-,04	
043 58 0	3986		LDB B-	
043 59 0	3987		CAD - VOCAB-1	
043 60 0	3988		BUN ASMBY	
043 61 0	3989	*A	HLT *	
043 62 0	3990	*C	BFA INTRX,0	AFTER THIS IS DONE, AND IF THE
043 63 0	3991		LDR V1	RESULT IS IN THE ACCUMULATOR,
043 64 0	3992		STR ACTBL+4,21	
043 65 0	3993		STR ACTBL+5,21	
043 66 0	3994		SRS 10	
043 67 0	3995	-	STA B-,04	SET ACCUM TO THE CURRENT RESULT
043 68 0	3996		LDB B-	
043 69 0	3997		CAD - ACTBL-1	
043 70 0	3998		STA ACCUM	
043 71 0	3999	INTRX	BUN *	
043 72 0	4000	ACTBL	CNST 00100000000	1 FIXED - TRUE SIGN
043 73 0	4001		CNST 00000000000	2 FLOATING - TRUE SIGN
043 74 0	4002		CNST 10100000000	3 FIXED - OPPOSITE SIGN
043 75 0	4003		CNST 10000000000	4 FLOATING - OPPOSITE SIGN
043 76 0	4004		CNST 00000000000	5 TYPE OF V1 - TRUE SIGN
043 77 0	4005		CNST 10000000000	6 TYPE OF V1 - REVERSED SIGN
043 78 0	4006	CONVX	DEFN INTRX	
043 79 0	4006	VSUBX	DEFN INTRX	
043 82 0	4006	LIRRF	CAD - 0	PUT LIBRARY SUBROUTINE INTO TARGET
043 83 0	4007	LIBRX	BFA LIBRX,11,4	PROGRAM IF IT HASNT BEEN PUT THERE
043 84 0	4008		SRA 4	ALREADY.
043 85 0	4009		EXT EXC	
043 86 0	4010		SUR VARS	
043 87 0	4011		STA VARS,04	
043 88 0	4012		SLT 4	
043 89 0	4013		STA - 0,64	
043 90 0	4014		IFL - 0,64,1	

043 91 0	4015	IFL	- 0,11,1	
043 92 0	4016	BUN	LIBRF	
043 95 0	4017	FXUP	LDB	LRTF
043 96 0	4018		LDR	LOCN
043 97 0	4019		STA	DESCR
043 98 0	4020		SRT	4
043 99 0	4021		STR	DESCR,04
044 00 0	4022		STA	WRTF,04
044 01 0	4023		BSA	*+2,7
044 02 0	4024		BUN	*+2
044 03 0	4025		IFL	DESCR,00,1
044 04 0	4026		LDR	DESCR
044 05 0	4027		BCS	*+2,2
044 06 0	4028		BUN	*+3
044 07 0	4029		BSA	*+2,8
044 08 0	4030		CWR 4	DESCR,52
044 09 0	4031		CFA	PREV,04
044 10 0	4032		BCH	A+
044 11 0	4033		CAD	- BUF+1
044 12 0	4034		BFA	A+,04,0
044 13 0	4035		CFA	WRTF,04
044 14 0	4036		BCH	A+
044 15 0	4037		SUB	WRTF
044 16 0	4038		SLA	6
044 17 0	4039		STA	*+1,44
044 18 0	4040		DRB	*+1,0
044 19 0	4041		STR	- BUF+2,04
044 20 0	4042		BUN	FXUPX
044 21 0	4043	*A	DFL	CNTRF,00,1
044 22 0	4044		LDB	CNTRF
044 23 0	4045		STR	- BUF+3
044 24 0	4046		BUN	WRIT6
044 25 0	4047	FXUPX	DEFN	WRITX
044 26 0	4047	PREV	DEFN	BUF+99
044 30 0	4047	XZERO	F244	21,0,XONE
044 31 0	4048		CNST	0000000000
044 32 0	4049	FZERO	F244	20,0,FONE
044 33 0	4050		CNST	0000000000
044 34 0	4051	XONE	F244	21,0,XTWO
044 35 0	4052		CNST	0000000001
044 36 0	4053	FONE	F244	20,0,FTWO
044 37 0	4054		CNST	5110000000
044 38 0	4055	XTWO	F244	21,0,0
044 39 0	4056		CNST	0000000002
044 40 0	4057	FTWO	F244	20,0,0
044 41 0	4058		CNST	5120000000
044 42 0	4059	LALF	F244	30,100,20
044 43 0	4060	FCTIN	F244	16,FUNGN,0

COMPILER TO SET A PREVIOUS FORWARD REFERENCE TO THE PRESENT LOCATION
 IF SIGN IS SEVEN, WE MEAN THE PRESENT LOCATION PLUS 1
 IF PCS(2)\$ PRINT THIS
 IF WE CAN FIX UP THE INSTRUCTION WHILE IT SITS IN THE OUTPUT BUFFER, WE WILL DO IT DIRECTLY
 OTHERWISE WE PUT OUT A FIX UP CODE FOR THE LOADING ROUTINE
 THE FIRST FEW CONSTANTS

LOC	DEFN	*
044 46 0	4061	LOCN
044 47 0	4061	*+7
044 48 0	4068	SCRTB F244 08,REAL,0
044 49 0	4069	HLT 0
044 50 0	4070	HLT 0
044 51 0	4071	HLT 0
044 52 0	4072	F244 04,G0GN,0
044 53 0	4073	HLT 0
044 54 0	4074	HLT 0
044 55 0	4075	F244 12,OUTGN,0
044 56 0	4076	HLT 0
044 57 0	4077	HLT 0
044 58 0	4078	HLT 0
044 59 0	4079	HLT 0
044 60 0	4080	HLT 0
044 61 0	4081	HLT 0
044 62 0	4082	HLT 0
044 63 0	4083	F244 08,IMPGN,TABSC+67
044 64 0	4084	F244 04,ORGN,0
044 65 0	4085	HLT 0
044 66 0	4086	HLT 0
044 67 0	4087	F244 08,FOIGN,0
044 68 0	4088	F244 04,TOGN,0
044 69 0	4089	F244 08,DUMPF,0
044 70 0	4090	HLT 0
044 71 0	4091	HLT 0
044 72 0	4092	HLT 0
044 73 0	4093	HLT 0
044 74 0	4094	HLT 0
044 75 0	4095	HLT 0
044 76 0	4096	HLT 0
044 77 0	4097	HLT 0
044 78 0	4098	HLT 0
044 79 0	4099	HLT 0
044 80 0	4100	HLT 0
044 81 0	4101	HLT 0
044 82 0	4102	HLT 0
044 83 0	4103	HLT 0
044 84 0	4104	HLT 0
044 85 0	4105	HLT 0
044 86 0	4106	HLT 0
044 87 0	4107	HLT 0
044 88 0	4108	F244 10,BEGGN,TABSC+92
044 89 0	4109	F244 06,ANDGN,0
044 90 0	4110	HLT 0
044 91 0	4111	HLT 0
044 92 0	4112	HLT 0
044 93 0	4113	F244 06,FNDGN,0
044 94 0	4114	F244 06,ABSGN,0
044 95 0	4115	HLT 0
044 96 0	4116	HLT 0
044 97 0	4117	HLT 0
044 98 0	4118	HLT 0
044 99 0	4119	F244 06,GFOGN,0
045 00 0	4120	F244 12,EITGN,0

SCRAMBLE TABLE FOR IDENTIFIERS

THIS TABLE IS INITIALIZED TO THE RESERVED WORDS

045 01 0	4121	F244	10, MEMRY, 0
045 02 0	4122	F244	14, BOOGN, TABSC+34
045 03 0	4123	F244	06, MODGN, GSEF
045 04 0	4124	HLT	0
045 05 0	4125	F244	06, EQLGN, TABSC+37
045 06 0	4126	F244	12, FORMG, 0
045 07 0	4127	F244	06, MINGN, TABSC+42
045 08 0	4128	HLT	0
045 09 0	4129	F244	16, FLOGN, TABSC+44
045 10 0	4130	F244	06, FORGN, TABSC+45
045 11 0	4131	F244	06, MAXGN, TABSC+46
045 12 0	4132	HLT	0
045 13 0	4133	HLT	0
045 14 0	4134	HLT	0
045 15 0	4135	HLT	0
045 16 0	4136	HLT	0
045 17 0	4137	F244	10, ENTGN, 0
045 18 0	4138	F244	06, GTRGN, GNARR
045 19 0	4139	HLT	0
045 20 0	4140	HLT	0
045 21 0	4141	F244	18, OTHGN, FCTIN
045 22 0	4142	HLT	0
045 23 0	4143	F244	06, NOTGN, 0
045 24 0	4144	F244	18, STAX, 0
045 25 0	4145	HLT	0
045 26 0	4146	F244	06, LSSGN, 0
045 27 0	4147	F244	14, MONGN, 0
045 28 0	4148	F244	14, OVEGN, 0
045 29 0	4149	F244	16, EXTGN, 0
045 30 0	4150	HLT	0
045 31 0	4151	HLT	0
045 32 0	4152	HLT	0
045 33 0	4153	F244	12, SWIGN, TABSC+54
045 34 0	4154	F244	10, UNTGN, 0
045 35 0	4155	HLT	0
045 36 0	4156	HLT	0
045 37 0	4157	HLT	0
045 38 0	4158	F244	10, INPGN, 0
045 39 0	4159	HLT	0
045 40 0	4160	F244	12, RETGN, 0
045 41 0	4161	HLT	0
045 42 0	4162	HLT	0
045 43 0	4163	F244	04, IFGN, 0
045 44 0	4164	HLT	0
045 45 0	4165	HLT	0
045 46 0	4166	HLT	0
045 47 0	4167	HLT	0

045 50 0	4168	SSC	HLT	SCNT
045 51 0	4169	LOCN	F244	0, 0200, 0
045 52 0	4170	SYS	DEFN	*
045 53 0	4170	EXPF	F244	31, 100, 20
045 54 0	4171		F244	30, 100, 30
045 55 0	4172		F244	30, 100, 40

SOME LIBRARY ROUTINES

THE 64-FIELDS OF THESE CODES

045 56 0	4173	F244	30,100,50	ARE FIXED UP TO THE NUMBER
045 57 0	4174	FIX F244	21,100,60	OF LOCATIONS USED BY THE ROUTINES,
045 58 0	4175	CNST	\$FIX\$	BY THE LIBRARY PROCESSOR.
045 59 0	4176	FLOAT F244	30,100,71	
045 60 0	4177	CNST	\$FLOAT\$	
045 61 0	4178	MONTR F244	30,100,80	
045 62 0	4179	MAMAX HLT	MSIZE	
045 63 0	4180	MNTRE F244	40,MONTR,0	
045 64 0	4181	ERROR F244	30,100,90	
045 65 0	4182	DMPER F244	30,100,100	
045 66 0	4183	DUMPR F244	40,DMPER,0	
045 67 0	4184	SCNT DEFN	*	THE BEGINNING OF ASSOCIATIVE MEMORY
045 69 0	4184	LOCN	4600	
045 70 0	4600	STACK CRF 4	FR1+28,21,RLO	INITIALIZATION OF THE PROGRAM
045 71 0	4601	MRW 4	OT	
045 72 0	4602	CLL	BUF	
045 73 0	4603	LDB	WRIT4	CLEAR OUTPUT BUFFER
045 74 0	4604	RTF	BUF,99	
045 75 0	4605	CRF 4	FR2+28,51	LOAD FORMAT BANDS
045 76 0	4606	CWF 4	FR6+28,32	FORWARD REFERENCES
045 77 0	4607	CWF 4	FR3+28,12	OUTPUT INSTRUCTIONS
045 78 0	4608	CWF 4	FR4+28,42	ERROR MESSAGES
045 79 0	4609	CWF 4	FR5+28,22	ALGOL STATEMENTS
045 80 0	4610	CWF 4	FR7+28,52	FIXUPS
045 81 0	4611	MOW 4	4200,OT,4	WRITE LOADING ROUTINE
045 82 0	4612	BCS	SCN2,4	
045 83 0	4613	CWR 4	IMAGE+15,22,3	UNLESS PCS(4),PRINT COMPILER TITLE
045 84 0	4614	BUN	SCN2	THE PROGRAM STARTS AT SCN2
045 87 0	4615	FR1 FBGR	INPUT,T2Z1B4A,15(T5A)	
045 88 0	4644	FR2 FBGR	INPUT,16(P5A)	
045 89 0	4673	FR3 FBGR	PRINT,49B,TZZZZZZNNNN,8BB,SBNNNNRNNBNNNN,BT5A,44B	
045 90 0	4702	FR6 FBGR	PRINT,49B,TZZZZZZNNNN,8BB,SBNNNNRNNBZZZZ,5BT5A,44B	
045 91 0	4731	FR7 FBGR	PRINT,49B,TZZZZZZNNNN,8BB,T6Z10BNNNN,50B	
045 92 0	4760	FR4 FBGR	PRINT,7(T5A),85B	
045 93 0	4789	FR5 FBGR	PRINT,16(T5A),40B	
045 99 0	4818	LOCN	LOC	
046 00 0	4061	FINI	1	
	4061		+0371720000	
	4062		+6099999999	
	4063		+5822570000	
	4064		+9999999999	
	4065		+6034037172	
	4066		+4959035600	
	4067		+4959045600	

00.0	0100	EXP	DEFN	100	
00.0	0200	ERROR	DEFN	200	
00.0	0000	SINH	CLR		
00.0	0001	CFA	6	EXP+71,00	
00.0	0002	BCH	8	C+	
00.0	0003	CFA	8	+5050000000,00	
00.0	0004	BCL	8	A+	
00.0	0005	STP	6	EXP	
00.0	0006	BUN	6	EXP+2	
00.0	0007	STA	6	ERROR+48	A
00.0	0008	CSU	6	ERROR+51	=1.0=
00.0	0009	FDV	6	ERROR+48	A
00.0	0010	FAD	6	ERROR+48	A
00.0	0011	FMU	8	+5050000000	
00.0	0012	*B	LDB	8	SINH
00.0	0013		RUN	- 0	
00.0	0014	*A	STA	6	ERROR+48
00.0	0015		FMU	6	ERROR+48
00.0	0016		STA	6	ERROR+49
00.0	0017		FMU	8	+4719841270
00.0	0018		FAD	8	+4883333333
00.0	0019		FMU	6	ERROR+49
00.0	0020		FAD	8	+5016666667
00.0	0021		FMU	6	ERROR+49
00.0	0022		FMU	6	ERROR+48
00.0	0023		FAD	6	ERROR+48
00.0	0024		BUN	8	B-
00.0	0025	*C	LDB	8	SINH
00.0	0026		LDR	8	\$\$SINH\$
00.0	0027		RUN	6	ERROR
00.0	0028		FINI	SINH	
	28			\$\$SINH	
	029			+4719841270	
	0030			+4883333333	
	0031			+5050000000	
	0032			+5016666667	

		THE MONITOR SUBROUTINE			
000.0	0100	ERROR	DEFN	100	
000.0	0000	MONTR	BCS	*+10	
000.0	0001		STB	6 ERROR+49	B
000.0	0002		LDB	8 E+	
000.0	0003		BOF	6 ERROR+21	
000.0	0004		STA	6 ERROR+48	A
000.0	0005		LDB	8 MONTR	
000.0	0006		BCS	8 D+*10	
000.0	0007		DLB	- 9999,44*0	
000.0	0008		LDR	- 0	
000.0	0009		STR	8 OUT	
000.0	0010		LDB	8 MONTR	
000.0	0011		CLL	8 OUT+3	
000.0	0012		CLL	8 OUT+4	
000.0	0013		STB	8 OUT+1*64	
000.0	0014		CAD	- 9997	
000.0	0015		BPA	8 *+2	
000.0	0016		SUB	6 ERROR+49	B
000.0	0017		STA	8 B+*04	
000.0	0018	*E	CLA	8 MONTR+4	
000.0	0019	*B	ADD	*	
000.0	0020		LDR	- 9998	
000.0	0021		BFR	8 A+*21*0	
000.0	0022		STA	8 OUT+2	
000.0	0023		BPA	8 C+	
000.0	0024		IFL	8 OUT+1*42*20	
000.0	0025	*C	CWR	8 OUT+4*32	
000.0	0026	*D	CAD	6 ERROR+48	A
000.0	0027		STB	8 *+2*04	
000.0	0028		LDB	6 ERROR+49	B
000.0	0029		BUN	*	
000.0	0030	*A	SRT	8	
000.0	0031		STR	8 OUT+2	
000.0	0032		BSA	8 *+2*0	
000.0	0033		IFL	8 OUT+1*42*20	
000.0	0034		LSA	0	
000.0	0035		BFR	8 *+2*88*0	
000.0	0036		SUB	8 +50	
000.0	0037		IFL	8 OUT+3*02*23	
000.0	0038		IFL	8 OUT+1*62*03	
000.0	0039		STA	8 OUT+4*01	
000.0	0040		SLA	1	
000.0	0041		STA	8 OUT+4*89	
000.0	0042		IFL	8 OUT+4*91*8	
000.0	0043		IFL	8 OUT+4*71*8	
000.0	0044		BUN	8 C-	
000.0	0045	OUT	CNST	0	
000.0	0046		CNST	\$= \$	
000.0	0047		CNST	0	
000.0	0048		CNST	0	
000.0	0049		CNST	0	
000.0	0050		FINI	MONTR	
000.0	0050			+0	50

00.0	0100	SINH	DEFN	100	
00.0	0200	COSH	DEFN	200	
00.0	0300	ERROR	DEFN	300	
00.0	0000	TANH	NOP		
00.0	0001		STA	8	X
00.0	0002		LDR	8	TANH2
00.0	0003		CFA	8	+5250000000.00
00.0	0004		BCH	8	B+
00.0	0005		STP	6	COSH
00.0	0006		BUN	6	COSH+2
00.0	0007		STA	8	COSHX
00.0	0008		RZA	8	A+
00.0	0009		CAD	8	X
00.0	0010		STP	6	SINH
00.0	0011		BUN	6	SINH
00.0	0012		FDV	8	COSHX
00.0	0013	*A	LDB	8	TANH
00.0	0014		BUN	-	0
00.0	0015	*B	CAD	6	ERROR+51 =1.0=
00.0	0016		LDR	8	X
00.0	0017		SLT		0
00.0	0018		BUN	8	A-
00.0	0019	X	CNST		0
00.0	0020	COSHX	CNST		0
00.0	0021	TANH2	HLT	8	TANH1
00.0	0022	TANH1	CNST		STANHS
00.0	0023		FINI		TANH
	0023				+5250000000

00.0	0100	EXP	DEFN	100		
00.0	0200	ERROR	DEFN	200		
00.0	0000	COSH	NOP			
00.0	0001		LDR	8	COSH2	
00.0	0002		LSA	0		
00.0	0003		STP	6	EXP	
00.0	0004		BUN	6	EXP+2	
00.0	0005		BZA	8	A+	
00.0	0006		STA	6	ERROR+48	A
00.0	0007		CAD	6	ERROR+51	=1.0=
00.0	0008		FDV	6	ERROR+48	A
00.0	0009		FAD	6	ERROR+48	
00.0	0010		FMU	8	+5050000000	
00.0	0011	*A	LDB	8	COSH	
00.0	0012		BUN	-	0	
00.0	0013	COSH2	HLT	8	COSH1	
00.0	0014	COSH1	CNST		\$COSH\$	
00.0	0015		FINI		COSH	
	015				+5050000000	

00.0	0100	ERROR	DEFN	100
00.0	0000	TRACE	BCS	*.9
00.0	0001		DLB	8 Y+.44.0
00.0	0002	HOLD	BOF	6 ERROR+21
00.0	0003	TR1	LDB	8 TRACE
00.0	0004		STA	8 HOLD0
00.0	0005		CAD	- 9999
00.0	0006		STA	8 HOLD.44
00.0	0007		BFA	8 Y+.44.0
00.0	0008	*A	CAD	- 1
00.0	0009		CFA	8 TR1.04
00.0	0010		BCU	8 *.2
00.0	0011		IBB	8 A-.2
00.0	0012		ADA	8 HOLD
00.0	0013		BOF	8 *.1
00.0	0014	*Y	F4247	3.44.0
00.0	0015		BFA	1.44.0
00.0	0016	*Z	LDB	8 TRACE
00.0	0017		CAD	8 HOLD0
00.0	0018		RUN	- 0
00.0	0019	HOLD0	CNST	0
00.0	0020		FINI	TRACE

.00.0	0100	ERROR	DEFN	100	
.00.0	0200	SQRT	DEFN	200	
.00.0	0000	ROMXX	F4247	3*1,0	
.00.0	0001		DLB	8 *-1,44,0	
.00.0	0002		BOF	6 ERROR+21	
.00.0	0003		LDR	8 ROM2	
.00.0	0004		STR	8 B+,04	
.00.0	0005		CFA	6 ERROR+51,00	=1,0=
.00.0	0006		BCH	8 B+	
.00.0	0007		BFA	8 E+,22,51	
.00.0	0008		BZA	8 F+	
.00.0	0009		STA	6 ERROR+48	A
.00.0	0010		FMU	6 ERROR+48	A
.00.0	0011		SLT	2	
.00.0	0012		STR	8 E+,02	
.00.0	0013		LBC	8 E+	
.00.0	0014		SRT	- 51	
.00.0	0015		SUB	8 +1000000000	
.00.0	0016		SLT	10	
.00.0	0017		SUB	6 ERROR+47	=5(11)=
.00.0	0018		SUB	6 ERROR+47	
.00.0	0019		SLT	10	
.00.0	0020		BOF	8 *+2	
.00.0	0021		F4248	51,12,+,1	
.00.0	0022		DLB	8 *-1,44,0	
.00.0	0023	*D	BFA	8 C+,11,0	
.00.0	0024		STB	8 E+,04	
.00.0	0025		LDR	8 E+	
.00.0	0026		SLT	18	
.00.0	0027	*G	LDB	8 ROMXX	
.00.0	0028		BUN	6 SQRT+2	
.00.0	0029	*C	SLT	1	
.00.0	0030		DBB	8 D-,1	
.00.0	0031	*F	LSA	1	
.00.0	0032	*F	FAD	6 ERROR+51	=1,0=
.00.0	0033		BUN	8 G-	
.00.0	0034	*B	LDR	8 ROM1	
.00.0	0035		LDB	8 ROMXX	
.00.0	0036		BUN	6 ERROR+7	
.00.0	0037	ROM1	CNST	SROMXXS	
.00.0	0038	ROM2	HLT	8 ROM1	
.00.0	0039	ROM3	CAD	8 +5115707963	
.00.0	0040		LDR	6 ERROR+48	A
.00.0	0041		BZR	- 0	
.00.0	0042		SLT	0	
.00.0	0043		BUN	- 0	
.00.0	0044		FINI	ROMXX	
	0044			+1000000000	
	0045			+00 01	
	0046			+5115707963	

```

.00.0      THE LABEL PROCESSING SUBROUTINE
.00.0      0100  ERROR DEFN 100
.00.0      0000  LABEL BCS  *8
.00.0      0001  LDB 8 NUMLB
.00.0      0002  BOF 6 ERROR+21
.00.0      0003  LDB 8 LABEL
.00.0      0004  DLB - 9998*44*1
.00.0      0005  STB 8 HOLD
.00.0      0006  LDB 8 LABEL
.00.0      0007  DLB - 9999*44*0
.00.0      0008  STA 8 HOLD1
.00.0      0009  CAD - 0
.00.0      0010  STA 6 ERROR+49      B
.00.0      0011  SRT 10
.00.0      0012  STP 8 NUMLX
.00.0      0013  BSA 8 NUMLB*1
.00.0      0014  STA 6 ERROR+43      OUT+7
.00.0      0015  STR 6 ERROR+44      OUT+8
.00.0      0016  CAA 8 HOLD
.00.0      0017  SUB 8 +10000
.00.0      0018  SRT 10
.00.0      0019  STP 8 NUMLX
.00.0      0020  BUN 8 NUMLB
.00.0      0021  STR 6 ERROR+45*08      OUT+9
.00.0      0022  *I  BUN 8 *+1
.00.0      0023  IFL 6 ERROR+45*22*24      OUT+9
.00.0      0024  IFL 6 ERROR+46*22*04      OUT+10
.00.0      0025  IFL 8 I-04*3
.00.0      0026  BCS 8 PRINT*7
.00.0      0027  EXIT LDB 8 LABEL
.00.0      0028  CAD 8 HOLD1
.00.0      0029  BUN - 0
.00.0
.00.0      0030  PRINT STB 6 ERROR+48      A
.00.0      0031  LDB 8 *+2
.00.0      0032  RTF 6 ERROR+24*1      ZERO
.00.0      0033  RTF 6 ERROR+36*5
.00.0      0034  CWR 6 ERROR+46*42      OUT+10
.00.0      0035  LDB 6 ERROR+48      A
.00.0      0036  BUN 8 EXIT
.00.0
.00.0      0037  NUMLB F4248 8001*45*LABEL+3
.00.0      0038  SLA 1
.00.0      0039  SLT 1
.00.0      0040  SUB 8 +80
.00.0      0041  IFL 8 NUMLB*11*8
.00.0      0042  BOF 8 NUMLB+1
.00.0      0043  IFL 8 *-1*11*5
.00.0      0044  BOF 8 A+
.00.0      0045  STA 6 ERROR+50      C
.00.0      0046  BUN 8 NUMLB
.00.0      0047  *A  SRT 10
.00.0      0048  CAD 6 ERROR+50      C
.00.0      0049  NUMLX BUN *

```

•00•0

0050

FINI LABEL

50

HOLD1

51

HOLD

0052

+0000010000

053

+000 80

000	0000	ENTIR	CRB	
000	0001		CFA	8 +5810000000+22
000	0002		BCH	8 A+
000	0003		SRT	0
000	0004		BPA	8 B+
000	0005		LSA	0
000	0006		FAD	8 +5099999999
000	0007	*B	FAD	8 +5810000000
000	0008		FSU	8 +5810000000
000	0009		SLT	0
000	0010	*A	LDB	8 ENTIR
000	0011		BUN	- 0
000	0012		FINI	ENTIR
	0012			+5099999999
	0013			+5810000000

00.0	0100	ERROR DEFN	100	
00.0	0000	ATAN	CRB	
00.0	0001	LDB	8 ATAN	
00.0	0002	CFA	6 ERROR+51.00	=1.0=
00.0	0003	STA	6 ERROR+48	A
00.0	0004	STB	8 C+.44	
00.0	0005	BCL	8 B+	
00.0	0006	DFL	8 C+.44.1	
00.0	0007	F4248	5010.10.+.5099999999	
00.0	0008	FDV	6 ERROR+48	A
00.0	0009	*R	CFA 8 *-2.00	
00.0	0010	BCL	8 A+	
00.0	0011	SLA	2	
00.0	0012	STA	6 ERROR+48	A
00.0	0013	MUL	6 ERROR+48	A
00.0	0014	STA	6 ERROR+49	B
00.0	0015	MUL	8 +0049017591	
00.0	0016	ADD	8 +0565030980	
00.0	0017	MUL	6 ERROR+49	B
00.0	0018	ADD	8 +1453567135	
00.0	0019	MUL	6 ERROR+49	B
00.0	0020	ADD	8 +1000000000	
00.0	0021	STA	6 ERROR+50	C
00.0	0022	CAD	8 +0008561189	
00.0	0023	MUL	6 ERROR+49	B
00.0	0024	ADD	8 +0280504541	
00.0	0025	MUL	6 ERROR+49	B
00.0	0026	ADD	8 +1120234014	
00.0	0027	MUL	6 ERROR+49	B
00.0	0028	ADD	8 +1000000000	
00.0	0029	MUL	6 ERROR+48	A
00.0	0030	SRT	2	
00.0	0031	DIV	6 ERROR+50	C
00.0	0032	STA	6 ERROR+50	C
00.0	0033	IFL	6 ERROR+50.11.5	
00.0	0034	CAD	6 ERROR+50	C
00.0	0035	*C	IBB - 0.0	
00.0	0036	CAD	8 +5115707963	
00.0	0037	LDR	6 ERROR+48	A
00.0	0038	SLT	0	
00.0	0039	FSU	6 ERROR+50	C
00.0	0040	BUN	- 1	
00.0	0041	*A	STA 6 ERROR+48	A
00.0	0042	FMU	6 ERROR+48	A
00.0	0043	STA	6 ERROR+49	B
00.0	0044	FMU	8 -5014281428	
00.0	0045	FAD	8 +5020000000	
00.0	0046	FMU	6 ERROR+49	B
00.0	0047	FSU	8 +5033333333	
00.0	0048	FMU	6 ERROR+49	B
00.0	0049	FMU	6 ERROR+48	A
00.0	0050	FAD	6 ERROR+48	A
00.0	0051	STA	6 ERROR+50	C
00.0	0052	BUN	8 C-	
00.0	0053	FINI	ATAN	

053	+1000000000
0054	+5099999999
0055	+5033333333
0056	+5020000000
0057	+0280504541
0058	-5014281428
0059	+1453567135
0060	+0049017591
0061	+0008561189
0062	+1120234014
-063	+0565030980
0064	+5115707963

00.0	0100	ATAN	DEFN	100
00.0	0200	ROMXX	DEFN	200
00.0	0300	ERROR	DEFN	300
00.0	0000	ACOS	NOP	
00.0	0001		STA	8 X
00.0	0002		LDB	8 ACOS
00.0	0003		BZA	6 ROMXX+39
00.0	0004		LDR	8 ACOS2
00.0	0005		STP	6 ROMXX
00.0	0006		BUN	6 ROMXX+4
00.0	0007		FDV	8 X
00.0	0008		STP	6 ATAN
00.0	0009		BUN	6 ATAN
00.0	0010		LDB	8 ACOS
00.0	0011		LDR	8 X
00.0	0012		SLT	0
00.0	0013		BPA	- 0
00.0	0014		FAD	8 +5131415927
00.0	0015		BUN	- 0
00.0	0016	ACOS2	HLT	8 ACOS1
00.0	0017	ACOS1	CNST	\$ACOS\$
00.0	0018	X	CNST	0
00.0	0019		FINI	ACOS
	0019			+5131415927

000	0100	ATAN	DEFN	100	
000	0200	ROMXX	DEFN	200	
000	0300	ERROR	DEFN	300	
000	0000	ASIN	NOP		
000	0001	STA	6	ERROR+48	A
000	0002	LDR	8	ASIN2	
000	0003	STP	6	ROMXX	
000	0004	BUN	6	ROMXX+4	
000	0005	LDB	8	ASIN	
000	0006	BZA	6	ROMXX+39	
000	0007	STA	6	ERROR+49	B
000	0008	CAD	6	ERROR+48	A
000	0009	FDV	6	ERROR+49	B
000	0010	BUN	6	ATAN+2	
000	0011	ASIN2	HLT	8	ASIN1
000	0012	ASIN1	CNST	\$ASINS	
000	0013	FINI	ASIN		

00.0	0100	SIN	DEFN	100
00.0	0200	COS	DEFN	200
00.0	0300	ERROR	DEFN	300
00.0	0000	TAN	CRB	
00.0	0001		STA	8 X
00.0	0002		LDR	8 TAN2
00.0	0003		STP	6 SIN
00.0	0004		BUN	6 COS+4
00.0	0005		BZA	8 A+
00.0	0006		STA	8 COSX
00.0	0007		CAD	8 X
00.0	0008		STP	6 SIN
00.0	0009		BUN	6 SIN
00.0	0010		FDV	8 COSX
00.0	0011		LDB	8 TAN
00.0	0012		BUN	- 0
00.0	0013	*A	LDR	8 X
00.0	0014		CFA	8 *+1.22
00.0	0015		F424-	5801.34.0
00.0	0016		LDB	8 TAN
00.0	0017		LDR	8 TAN1
00.0	0018		BUN	6 ERROR
00.0	0019	X	CNST	0
00.0	0020	COSX	CNST	0
00.0	0021	TAN1	CNST	\$TANS
00.0	0022	TAN2	HLT	8 TAN1
00.0	0023		FINI	TAN

00.0	0100	SIN	DEFN	100
00.0	0000	COS	CRB	
00.0	0001		LDR	8 COS
00.0	0002		STR	6 SIN,04
00.0	0003		LDR	8 COS2
00.0	0004		FAD	8 +5078539816
00.0	0005		FAD	8 +5078539816
00.0	0006		BUN	6 SIN+2
00.0	0007	COS2	HLT	8 COS1
00.0	0008	COS1	CNST	\$COS\$
00.0	0009		FINI	COS
	9			+5078539816

00.0	0100	ERROR DEFN	100	
00.0	0000	SIN	CRB	
00.0	0001	LDR	8 SIN2	
00.0	0002	STR	8 F+.04	
00.0	0003	CLL	6 ERROR+48	A
00.0	0004	FMU	8 +5031830989	
00.0	0005	SLT	2	
00.0	0006	STR	8 EXP+.02	
00.0	0007	LDB	8 EXP	
00.0	0008	IBB	8 A+.9949	
00.0	0009	DBB	8 B+.7	
00.0	0010	SLT	- 18	
00.0	0011	STA	6 ERROR+48	A
00.0	0012	CAD	8 *+1	
00.0	0013	SLT	50	
00.0	0014	*A	SLT 18	
00.0	0015	STA	6 ERROR+50	C
00.0	0016	FAD	6 ERROR+50	C
00.0	0017	CFA	6 ERROR+51.00	=1.0=
00.0	0018	BCL	8 D+	
00.0	0019	LSA	0	
00.0	0020	FSU	8 +5120000000	
00.0	0021	SLT	0	
00.0	0022	*D	STA 6 ERROR+50	C
00.0	0023	FMU	6 ERROR+50	C
00.0	0024	STA	6 ERROR+49	B
00.0	0025	FMU	8 +4715148419	
00.0	0026	FAD	8 -4846737656	
00.0	0027	FMU	6 ERROR+49	B
00.0	0028	FAD	8 +4979689679	
00.0	0029	FMU	6 ERROR+49	B
00.0	0030	FAD	8 -5064596371	
00.0	0031	FMU	6 ERROR+49	B
00.0	0032	FAD	8 +5057079632	
00.0	0033	FMU	6 ERROR+50	C
00.0	0034	FAD	6 ERROR+50	C
00.0	0035	STA	6 ERROR+50	C
00.0	0036	CAD	6 ERROR+47	=5(11)=
00.0	0037	MUL	6 ERROR+48	A
00.0	0038	CAD	6 ERROR+50	C
00.0	0039	LDB	8 SIN	
00.0	0040	BZR	- 0	
00.0	0041	CSU	6 ERROR+50	C
00.0	0042	BUN	- 0	
00.0	0043	*B	LDB 8 SIN	
00.0	0044	*F	LDR 8 SIN1	
00.0	0045	BUN	6 ERROR+14	
00.0	0046	SIN2	HLT 8 SIN1	
00.0	0047	SIN1	CNST \$SINS	
00.0	0048	EXP	0	
00.0	0049	FINI	SIN	
	0049		+5120000000	
	0050		-5064596371	
	0051		-4846737656	

0052
0053
0054
0055

+4979689679
+5031830989
+5057079632
+4715148419

.00.0	0100	FLOAT DEFN	100	
.00.0	0200	FLFL DEFN	200	
.00.0	0300	FRROR DEFN	300	
.00.0	0000	FXFL	CLB	
.00.0	0001	LDB	8 FXFL	
.00.0	0002	STR	6 FLFL+04	
.00.0	0003	STR	6 ERROR+50	C
.00.0	0004	STR	6 ERROR+49	B
.00.0	0005	STP	6 FLOAT	-
.00.0	0006	BUN	6 FLOAT	
.00.0	0007	BUN	6 FLFL+2	
.00.0	0008	FINI	1	

0000	0100	ERROR DEFN	100	
0000	0000	FXFX	CLB	
0000	0001	LDB	8 FXFX	
0000	0002	BZA	8 F+	
0000	0003	STR	6 ERROR+49	B
0000	0004	STA	6 ERROR+48	A
0000	0005	CLL	6 ERROR+50	C
0000	0006	IFL	6 ERROR+50,00.1	
0000	0007	*A	CAD 6 ERROR+47	=5(11)=
0000	0008		MUL 6 ERROR+49	B
0000	0009		STA 6 ERROR+49	B
0000	0010		BZR 8 B+	
0000	0011		CAD 6 ERROR+50	C
0000	0012		MUL 6 ERROR+48	A
0000	0013		STR 6 ERROR+50	C
0000	0014		BZA 8 B+	
0000	0015		BUN 8 A+	
0000	0016	*B	LDR 6 ERROR+49	B
0000	0017		BZR 8 C+	
0000	0018		CAD 6 ERROR+48	A
0000	0019		MUL 6 ERROR+48	A
0000	0020		STR 6 ERROR+48	A
0000	0021		BZA 8 A-	
0000	0022	*A	CAD 6 ERROR+49	B
0000	0023		BMA 8 E+	
0000	0024		LDR 8 \$FXFX\$	
0000	0025		BUN 6 ERROR	
0000	0026	*C	CAD 6 ERROR+50	C
0000	0027		BFR 8 D++12.10	
0000	0028		BUN - 0	
0000	0029	*D	LDR 8 +1	
0000	0030		CLA	
0000	0031		DIV 6 ERROR+50	C
0000	0032		BUN - 0	
0000	0033	*F	CFR 6 ERROR+24	ZERO
0000	0034		BCH - 0	
0000	0035		LDR 8 \$FXFX\$	
0000	0036		BUN 6 ERROR+7	
0000	0037	*E	CLA	
0000	0038		BUN - 0	
0000	0039		FINI FXFX	
	0039		+0	1
	40		\$FXFX	

0000	0100	ERROR	DEFN	100	
0000	0000	FLFX	F4247	3*01**	
0000	0001		DLB	8 *-1,44,0	
0000	0002		BCF	6 ERROR+21	
0000	0003		STR	6 ERROR+49	B
0000	0004		STA	6 ERROR+48	A
0000	0005		LDB	8 FLFX	
0000	0006		BZA	8 A+	
0000	0007		CAD	6 ERROR+51	=1*0=
0000	0008		BZR	- 0	
0000	0009		STA	6 ERROR+50	C
0000	0010	*B	CAD	6 ERROR+47	=5(11)=
0000	0011		MUL	6 ERROR+49	B
0000	0012		STA	6 ERROR+49	B
0000	0013		BZR	8 C+	
0000	0014		CAD	6 ERROR+50	C
0000	0015		FMU	6 ERROR+48	A
0000	0016		STA	6 ERROR+50	C
0000	0017	*C	LDR	6 ERROR+49	B
0000	0018		BZR	8 D+	
0000	0019		CAD	6 ERROR+48	A
0000	0020		FMU	6 ERROR+48	A
0000	0021		STA	6 ERROR+48	A
0000	0022		BUN	8 B-	
0000	0023	*D	BOF	8 F+	
0000	0024		BFR	8 E+,12,10	
0000	0025		BUN	- 0	
0000	0026	*E	CAD	6 ERROR+51	=1*0=
0000	0027		FDV	6 ERROR+50	C
0000	0028		BUN	- 0	
0000	0029	*A	CFR	6 ERROR+24	=0=
0000	0030		BCH	- 0	
0000	0031		LDR	8 \$FLFX\$	
0000	0032		BUN	6 ERROR+7	
0000	0033	*F	CLA		
0000	0034		BFR	- 0,12,10	
0000	0035		LDR	8 \$FLFX\$	
0000	0036		BUN	6 ERROR	
0000	0037		FINI	1	
	37			\$FLFX	

00.0	0100	ERROR	DEFN	100	
00.0	0200	LOG	DEFN	200	
00.0	0300	EXP	DEFN	300	
00.0	0400	FIX	DEFN	400	
00.0	0000	FLFL	F4247	6,1,0	
00.0	0001		STR	6	ERROR+50 C
00.0	0002		STB	8	A+,41
00.0	0003		STA	6	ERROR+48 A
00.0	0004		DLB	8	FLFL,44,0
00.0	0005		BOF	6	ERROR+21
00.0	0006	*C	LDB	8	FLFL
00.0	0007		BZA	8	D+
00.0	0008		BMA	8	E+
00.0	0009	*F	STP	6	LOG
00.0	0010		BUN	6	LOG
00.0	0011		FMU	6	ERROR+50 C
00.0	0012		BOF	8	G+
00.0	0013		CFA	8	+5311282666
00.0	0014		BCH	8	Y+
00.0	0015		STP	6	EXP
00.0	0016		BUN	6	EXP
00.0	0017	*A	LSA		0
00.0	0018	*Z	LDB	8	FLFL
00.0	0019		BUN		- 0
00.0	0020	*D	CFR	6	ERROR+24 =0=
00.0	0021		BCH		- 0
00.0	0022		BUN	8	X+
00.0	0023	*E	SOH		
00.0	0024		SLT		10
00.0	0025		STP	6	FIX
00.0	0026		BUN	6	FIX
00.0	0027		SOR		
00.0	0028		BZR	8	I+
00.0	0029	*X	LDB	8	FLFL
00.0	0030		LDR	8	\$FLFL\$
00.0	0031		BUN	6	ERROR+7
00.0	0032	*I	SLS		10
00.0	0033		RND		
00.0	0034		SRS		4
00.0	0035		STA	8	A-,41
00.0	0036		CAA	6	ERROR+48 A
00.0	0037		BUN	8	F-
00.0	0038	*Y	LDR	8	\$FLFL\$
00.0	0039		LDB	8	FLFL
00.0	0040		BUN	6	ERROR
00.0	0041	*G	CAD	6	ERROR+48 A
00.0	0042		MUL	6	ERROR+50 C
00.0	0043		BPA	8	Y-
00.0	0044		CLA		
00.0	0045		BUN	8	Z-
00.0	0046		FINI		1
	46				\$FLFL
	0047				+5311282666

00.0	0100	ERROR DEFN	100	
00.0	0000	LOG	CRB	
00.0	0001	BMA	8 F+	
00.0	0002	BZA	8 F+	
00.0	0003	SRT	2	
00.0	0004	STA	8 EXP+42	
00.0	0005	SLT	4	
00.0	0006	CFA	8 CP1+	
00.0	0007	BCL	8 SMALL	
00.0	0008	CFA	8 CP2+	
00.0	0009	BCH	8 SMALL	
00.0	0010	SRT	1	
00.0	0011	ADD	8 +316227766	
00.0	0012	STA	6 ERROR+48	A
00.0	0013	SUB	8 +632455532	
00.0	0014	*CP1	F4246 1014.15. ERROR+48	
00.0	0015	STA	6 ERROR+48	A
00.0	0016	MUL	6 ERROR+48	A
00.0	0017	STA	6 ERROR+49	B
00.0	0018	MUL	8 +0410597044	
00.0	0019	ADD	8 +0057228327	
00.0	0020	MUL	6 ERROR+49	B
00.0	0021	ADD	8 +0250341093	
00.0	0022	MUL	6 ERROR+49	B
00.0	0023	ADD	8 +0282433571	
00.0	0024	MUL	6 ERROR+49	B
00.0	0025	ADD	8 +0400193033	
00.0	0026	MUL	6 ERROR+49	B
00.0	0027	ADD	8 +0666661710	
00.0	0028	MUL	6 ERROR+49	B
00.0	0029	ADD	8 +2000000037	
00.0	0030	MUL	6 ERROR+48	A
00.0	0031	ADD	8 +1151292547	
00.0	0032	*A	BFA 8 D+.22.00	
00.0	0033	*CP2	F424 9858.48.1	
00.0	0034	IBB	8 A+.1	
00.0	0035	*D	STA 9 RGN+08	
00.0	0036	*B	CAD 8 EXP	
00.0	0037	FSU	8 +5251000000	
00.0	0038	BCL	8 *+2	
00.0	0039	FAD	6 ERROR+51	=1.0=
00.0	0040	FMU	8 +5123025851	
00.0	0041	FAD	9 RGN	
00.0	0042	LDB	8 LOG	
00.0	0043	BUN	- 0	
00.0	0044	SMALL	BFA 8 A+.11.1	
00.0	0045	SRT	1	
00.0	0046	SUB	8 +2000000000	
00.0	0047	*A	FAD 8 +1000000000	
00.0	0048	BZA	8 E+	
00.0	0049	STA	6 ERROR+48	A
00.0	0050	IFL	6 ERROR+48.22.39	
00.0	0051	CAD	6 ERROR+48	A
00.0	0052	FMU	8 =5025000000	
00.0	0053	FAD	8 +5033333333	

00.0	0054		FMU 6	ERROR+48	A
00.0	0055		FAD 8	-5050000000	
00.0	0056		FMU 6	ERROR+48	A
00.0	0057		FMU 6	ERROR+48	A
00.0	0058		FAD 6	ERROR+48	A
00.0	0059	*E	STA 8	RGN+3	
00.0	0060		IBB 8	B=+3	
00.0	0061	*F	LDR 8	\$LOGS	
00.0	0062		LDR 8	LOG	
00.0	0063		BUN 6	ERROR+7	
00.0	0064	RGN	CNST	4900000000	
00.0	0065			5000000000	
00.0	0066			5100000000	
00.0	0067			00 0	
00.0	0068	EXP		5200000000	
00.0	0069		FINI	LOG	
	069			+1000000000	
	-070			+2000000000	
	0071			+5033333333	
	0072			+5123025851	
	0073			+0316227766	
	0074			+0057228327	
	0075			+0632455532	
	0076			+0400193033	
	0077			-5025000000	
	78			\$LOG	
	0079			+0666661710	
	0080			+2000000037	
	0081			+0410597044	
	0082			-5050000000	
	0083			+5251000000	
	0084			+0250341093	
	0085			+0282433571	
	0086			+1151292547	

00.0	0100	ERROR DEFN	100	
00.0	0000	EXP CLR		
00.0	0001	LDR	8 EXP2	
00.0	0002	STR	8 E+,04	
00.0	0003	STA	8 EXP,12	
00.0	0004	CFA	8 +5311282665,00	
00.0	0005	BCH	8 B+	
00.0	0006	SLT	2	
00.0	0007	STR	8 *+1,02	
00.0	0008	CLR		
00.0	0009	LDB	8 *-1	
00.0	0010	MUL	8 +4342944819	
00.0	0011	IBB	8 *+3,9949	
00.0	0012	SLT	- 1	
00.0	0013	LBC	8 *-1	
00.0	0014	SLT	8	
00.0	0015	STR	8 TS,22	
00.0	0016	IFL	8 TS,22,51	
00.0	0017	SLT	12	
00.0	0018	CLR		
00.0	0019	IBB	8 *+2,10	
00.0	0020	SLT	- 1	
00.0	0021	SLT	10	
00.0	0022	STA	6 ERROR+50	C
00.0	0023	MUL	6 ERROR+50	C
00.0	0024	STA	6 ERROR+48	A
00.0	0025	MUL	8 -17159	
00.0	0026	ADD	8 -4893282	
00.0	0027	MUL	6 ERROR+48	A
00.0	0028	ADD	8 -169203872	
00.0	0029	MUL	6 ERROR+48	A
00.0	0030	ADD	8 -995711477	
00.0	0031	MUL	6 ERROR+50	C
00.0	0032	STA	6 ERROR+50	C
00.0	0033	STA	6 ERROR+49	B
00.0	0034	CAD	8 +417304	
00.0	0035	MUL	6 ERROR+48	A
00.0	0036	ADD	8 +35418755	
00.0	0037	MUL	6 ERROR+48	A
00.0	0038	ADD	8 +529087016	
00.0	0039	MUL	6 ERROR+48	A
00.0	0040	ADD	8 +864864000	
00.0	0041	ADL	6 ERROR+49	B
00.0	0042	SUB	6 ERROR+50	C
00.0	0043	SRT	3	
00.0	0044	DIV	6 ERROR+49	B
00.0	0045	ADA	8 TS	
00.0	0046	DFL	8 EXP,12,10	
00.0	0047	LDB	8 EXP	
00.0	0048	BRP	8 A+	
00.0	0049	BUN	- 0	
00.0	0050	*A STA	6 ERROR+50	C
00.0	0051	CAD	8 +5099999999	
00.0	0052	F424E	9999,41,*	

00.0	0053		FDV 6	ERROR+50	C
00.0	0054		BUN -	0	
00.0	0055	*B	LDB 8	EXP	
00.0	0056		BMA 8	C+	
00.0	0057	*E	LDR 8	EXP1	
00.0	0058		BUN 6	ERROR	
00.0	0059	*C	CLA		
00.0	0060		BUN -	0	
00.0	0061	TS	CNST	0	
00.0	0062	EXP2	HLT 8	EXP1	
00.0	0063	EXP1	CNST	\$EXPS	
00.0	0064		FINI	1	
	0064			+5099999999	
	0065			+0035418755	
	0066			+4342944819	
	0067			+0000417304	
	0068			+0864864000	
	0069			+0529087016	
	0070			-0169203872	
	0071			+5311282665	
	0072			-0000017159	
	0073			-0004893282	
	0074			-0995711477	

.00.0	0100	ERROR	DEFN	100	
.00.0	0000	SQRT	CLB		
.00.0	0001	LDB	8	SQRT	
.00.0	0002	BZA	-	0	
.00.0	0003	BMA	8	A+	
.00.0	0004	STA	8	A+08	
.00.0	0005	STA	8	EXP+23	
.00.0	0006	CAD	6	ERROR+47	=5(11)=
.00.0	0007	MUL	8	EXP	
.00.0	0008	SUB	8	+2550000000	
.00.0	0009	STA	8	EXP+23	
.00.0	0010	CFA	8	EXP+31	
.00.0	0011	BCE	8	*+3	
.00.0	0012	BMA	8	*+2	
.00.0	0013	IFL	8	EXP+22+1	
.00.0	0014	CAD	8	-4916450338	
.00.0	0015	FMU	8	A	
.00.0	0016	FAD	8	+5041117101	
.00.0	0017	FMU	8	A	
.00.0	0018	FAD	8	+5062697923	
.00.0	0019	STA	6	ERROR+49	B
.00.0	0020	CAD	8	A	
.00.0	0021	FDV	6	ERROR+49	B
.00.0	0022	FAD	6	ERROR+49	B
.00.0	0023	FMU	8	+5050000000	
.00.0	0024	STA	6	ERROR+49	B
.00.0	0025	CAD	8	A	
.00.0	0026	FDV	6	ERROR+49	B
.00.0	0027	FAD	6	ERROR+49	B
.00.0	0028	ADD	8	EXP	
.00.0	0029	BCE	8	B+	
.00.0	0030	FMU	8	+5015811388	
.00.0	0031	BUN	-	0	
.00.0	0032	*B	FMU	8	+5050000000
.00.0	0033	BUN	-	0	
.00.0	0034	*A	LDR	8	\$SQRT\$
.00.0	0035	BUN	6	ERROR+7	
.00.0	0036	A	CNST	5110000000	
.00.0	0037	EXP	CNST	0	
.00.0	0038	FINI	1		
	0038			-4916450338	
	0039			+5015811388	
	0040			+2550000000	
	0041			+5050000000	
	42			\$SQRT	
	0043			+5041117101	
	0044			+5062697923	

THE LIBRARY ERROR SUBROUTINE	
0000	ERROR DEFN *
0000	ERA STP 8 C+
0001	BUN 8 A+
0002	MSGA CNST \$RESULT OUT OF RANGE IN \$
0007	ERB STP 8 C+
0008	BUN 8 A+
0009	MSGB CNST \$RESULT UNDEFINED FOR \$
0014	ERC STP 8 C+
0015	BUN 8 A+
0016	MSGC CNST \$RESULT ILL-DEFINED FOR \$
0021	ERD CLL 8 OUT+5
0022	STP 8 C+
0023	BUN 8 A++2
0024	Z CNST 0
0025	MSGD CNST \$ ARITHMETIC OVERFLOWS
0029	*A STR 8 OUT+5
0030	CAR
0031	STB 8 B++04
0032	LDB 8 OUT1
0033	*C RTF *5
0034	CWR 8 OUT+10*42
0035	*B BUN *
0036	OUT CNST 0,0,0,0,0,0,0,0,0,0,0
0047	H CNST 5000000000
0048	A CNST 0
0049	B CNST 0
0050	C CNST 0
0051	ONE CNST 5110000000
0052	OUT1 HLT 8 OUT
0053	FINI ERROR

00.0	0000		REORD 0.0
00.0	0000	READ	F4247 SW.1.*
01.0	0001		STA 8 X.04
02.0	0002		STA 8 Y.04
03.0	0003		IFL 8 Y.04.1
04.0	0004		STP 8 U
05.0	0005		BUN 8 X
06.0	0006		LDB 8 SW
07.0	0007		CLL - 0
08.0	0008		CLL 8 S6
09.0	0009	A	CDR 0 M+16.1
10.0	0010		CLL 8 I
11.0	0011		IFL 8 I.05.2
12.0	0012		LDB 8 SW
13.0	0013		IBB 8 B.9999
14.0	0014		DLB 8 S6.64.0
15.0	0015		CAD M+1
16.0	0016		IBB 8 AC.9999
17.0	0017	B	DLB 8 I.94.0
18.0	0018		CAD - M+1
19.0	0019		LDB 8 I
20.0	0020		SLA - 0
21.0	0021		IFL 8 I.05.2
22.0	0022		LDR 8 S6
23.0	0023		BFR 8 AD.00.0
24.0	0024		DBB 8 A.160
25.0	0025		DLB 8 S6.44.0
26.0	0026		BFA 8 K.22.13
27.0	0027		SRA 8
28.0	0028		SLA - 0
29.0	0029		ADL 8 N
30.0	0030		DFL 8 S6.41.2
31.0	0031		BRP 8 B
32.0	0032		CAD 8 N
33.0	0033		STP 8 U
34.0	0034		BUN 8 X
35.0	0035	*B	DFL 8 S6.52.12
36.0	0036		BUN 8 B
37.0	0037	AD	DBB 8 A.162
38.0	0038		BFA 8 G.11.8
39.0	0039		BFA 8 P.22.03
40.0	0040		BFA 8 Q.22.20
41.0	0041		BFA 8 Q.22.34
42.0	0042		BFA 8 C.22.23
43.0	0043		BFA 8 B-.22.13
44.0	0044		BFA 8 A+.22.14
45.0	0045	O	LDB 8 S3
46.0	0046		IBB 8 B.9999
47.0	0047		STP 8 U
48.0	0048		BUN 8 W
49.0	0049		BUN 8 B
50.0	0050	*A	IFL 8 I.94.16
51.0	0051		BUN 8 O
52.0	0052	K	CLL 8 S6

.53.0	0053		CAD 8 N
.54.0	0054		STP 8 U
.55.0	0055		IBB 8 X,9992
.56.0	0056		BUN 8 B
.57.0	0057	C	IFL 8 S5,00,1
.58.0	0058		STP 8 U
.59.0	0059		BUN 8 W
.60.0	0060		IFL 8 S2,00,1
.61.0	0061		BUN 8 B
.62.0	0062	Q	IFL 8 S1,00,1
.63.0	0063		BUN 8 B
.64.0	0064	P	LDR 8 T
.65.0	0065		STR 8 D,22
.66.0	0066		IFL 8 S4,00,1
.67.0	0067		BUN 8 B
.68.0	0068	G	SLA 0 1
.69.0	0069		LDR 8 N
.70.0	0070		SLT 0 1
.71.0	0071		STR 8 N
.72.0	0072		DFL 8 D,22,1
.73.0	0073		IFL 8 S3,00,1
.74.0	0074		BUN 8 B
.75.0	0075	W	LDR 8 S2
.76.0	0076		BZR 8 E
.77.0	0077		CAD 8 N
.78.0	0078		SLA 0 8
.79.0	0079		ADD 8 R
.80.0	0080		STA 8 N
.81.0	0081		CAD 8 F
.82.0	0082		LDB 8 S1
.83.0	0083		DBB 8 H,1
.84.0	0084		FMU 8 N
.85.0	0085		BUN 8 J
.86.0	0086	H	FDV 8 N
.87.0	0087	J	LDB 8 S5
.88.0	0088		DBB 8 L,1
.89.0	0089	X	STP 0 *
.90.0	0090	Y	BUN 0 *
.91.0	0091		BSA 8 Z,9
.92.0	0092		STB 8 Y,04
.93.0	0093	V	LDB 8 S
.94.0	0094		CLL 8 D
.95.0	0095		RTF 8 D,7
.96.0	0096	U	BUN 0 *
.97.0	0097	L	STA 8 F
.98.0	0098		BUN 8 V
.99.0	0099	Z	LDB 8 READ
1.00.0	0100		CLL 8 SW
1.01.0	0101		BUN - 0
1.02.0	0102	E	CAD 8 N
1.03.0	0103		LDR 8 S4
1.04.0	0104		IBB 8 S,9999
1.05.0	0105		ADD 8 D
1.06.0	0106		FAD 8 D
1.07.0	0107	S	LDB 8 S1
1.08.0	0108		IBB 8 J,9999

1.09.0	0109		LSA 0 1
1.10.0	0110		BUN 8 J
1.11.0	0111	AC	CFA 8 ST1.08
1.12.0	0112		BCU 8 B
1.13.0	0113		LDR M+2
1.14.0	0114		CFR 8 ST2.00
1.15.0	0115		BCU 8 B
1.16.0	0116		LDB 8 SW
1.17.0	0117		IFL - 0.00.1
1.18.0	0118		BUN 8 Z
1.19.0	0119	T	CNST +5800000000
1.20.0	0120	ST1	CNST \$SENT\$
1.21.0	0121	ST2	CNST \$INEL \$
1.22.0	0122	R	CNST +5110000000
1.23.0	0123	SW	HLT 0 0
1.24.0	0124	D	HLT 0 0
1.25.0	0125	S1	HLT 0 0
1.26.0	0126	S2	HLT 0 0
1.27.0	0127	S3	HLT 0 0
1.28.0	0128	S4	HLT 0 0
1.29.0	0129	S5	HLT 0 0
1.30.0	0130	N	HLT 0 0
1.31.0	0131	S6	HLT 0 0
1.32.0	0132	F	MLT 0 0
1.33.0	0133	I	HLT 0 0
1.34.0	0100	M	DEFN 100
1.35.0	0134		FINI 1

THE WRITE PROCEDURE			
00.0	0000	REORD	
00.0	0100	ERROR DEFN	100
01.0	0000	LOCN	0
02.0	0125	ZOUT DEFN	125
03.0	0126	ALPHA DEFN	126
04.0	0127	BETA DEFN	127
05.0	0128	GAMMA DEFN	128
06.0	0129	WIDTH DEFN	129
07.0	0130	OP DEFN	130
08.0	0131	DEC DEFN	131
09.0	0132	NEXTN DEFN	132
10.0	0133	DELTA DEFN	133
11.0	0134	THISN DEFN	134
12.0	0000	WRITE CNST	0100010000
13.0	0001	STA 8	FORMT+04
14.0	0002	LDB 8	*+2
15.0	0003	RTF 8	SIGN2+1
16.0	0004	RTF	101+30
17.0	0005	LDB 8	WRITE
18.0	0006	STB 8	XIT+04
19.0	0007	LDR -	9999
20.0	0008	LSA	9+7557
21.0	0009	BFR 8	1+22+00
22.0	0010	LDB	100
23.0	0011	STP	= 0
24.0	0012	BFR -	1+22+01
25.0	0013	*7 STA	NEXTN
26.0	0014	STB 8	OUT+04
27.0	0015	LDR	OP
28.0	0016	BZR 8	OVTST
29.0	0017	CAD	THISN
30.0	0018	CLL	DELTA
31.0	0019	BFR 8	FF+52+46
32.0	0020	BFR 8	XX+52+67
33.0	0021	BFR 8	II+52+49
34.0	0022	BFR 8	SS+52+62
35.0	0023	BFR 8	AA+52+41
36.0	0024	BUN 8	ERR
37.0	0025	AA LDR 8	NNINE
38.0	0026	*A DFL	WIDTH+0+1
39.0	0027	STP 8	EXIT1
40.0	0028	BUN 8	SUBR2
41.0	0029	CAD	WIDTH
42.0	0030	BZA 8	CYCLE
43.0	0031	BFR 8	D+22+99
44.0	0032	SLT	10
45.0	0033	BUN 8	A-
46.0	0034	OVTST LDB 8	WRITE+1
47.0	0035	BOF 6	ERROR+21
48.0	0036	FORMT CAD	9999
49.0	0037	IFL 8	FORMT+04+1
50.0	0038	BPA 8	0+
51.0	0039	LDR 8	NNINE

.52.0	0040		BMA	8	R+
.53.0	0041	*C	BFA	8	FORMT,22,14
.54.0	0042		STP	8	EXIT1
.55.0	0043	NNINE	F4248	9900,30,SUBR2	
.56.0	0044		BFR	8	FORMT,22,99
.57.0	0045		SLT		10
.58.0	0046		BUN	8	C-
.59.0	0047	BB	CAD		WIDTH
.60.0	0048		ADL		ZOUT
.61.0	0049		ADL		ZOUT
.62.0	0050	CYCLE	CAD		OP
.63.0	0051		BFA	8	OVTST,33,00
.64.0	0052	*0	BFA	8	*+2,33,00
.65.0	0053		SUB	8	+0010000000
.66.0	0054		STA		OP
.67.0	0055		STA		DEC,02
.68.0	0056	I2	SRT		2
.69.0	0057		STA		WIDTH,03
.70.0	0058		BFA	8	BB,72,42
.71.0	0059		BFA	8	WW,72,66
.72.0	0060		BFA	8	PP,72,57
.73.0	0061		BFA	8	TT,72,63
.74.0	0062		BFA	8	CC,72,43
.75.0	0063		BFA	8	FORMT,03,00
.76.0	0064	*D	CAD		NEXTN
.77.0	0065		STA		THISN
.78.0	0066		BSA	8	BB,9
.79.0	0067	OUT	BUN		9999
.80.0	0068	*R	LDB	8	FORMT
.81.0	0069		BFA	8	Z+,66,00
.82.0	0070		SLT		3
.83.0	0071		BFR	8	S+,03,00
.84.0	0072	*B	SUB	8	+0010000000
.85.0	0073		BFA	8	19999,33,00
.86.0	0074		DFL	-	9999,63,1
.87.0	0075	*A	LDR	-	9999
.88.0	0076		STR	8	FORMT,04
.89.0	0077		BUN	8	FORMT
.90.0	0078	*S	STA	-	9999,33
.91.0	0079		BUN	8	B-
.92.0	0080	19999	CAD	-	9999
.93.0	0081	103	SRT		3
.94.0	0082		STA	-	9999,66
.95.0	0083		BUN	8	FORMT
.96.0	0084	*Z	CAD		NEXTN
.97.0	0085	XIT	BSA		9999,9
.98.0	0086		BUN	8	A=
.99.0	0087	CC	CWR		124,51
1.00.0	0088	WN	SRT		3
1.01.0	0089		STR	8	*+1,31
1.02.0	0090		CWR		124,52
1.03.0	0091	*C	LDB	8	*+2
1.04.0	0092		RTF	8	SIGN2,1
1.05.0	0093		RTF		101,24
1.06.0	0094		BUN	8	CYCLE
1.07.0	0095	PP	CWR		124,51

1.08.0	0096		BUN 8 C-
1.09.0	0097	TT	BFA 8 A+,03,0
1.10.0	0098		SPO 8 B+,1
1.11.0	0099		ADA 8 I9999
1.12.0	0100		BUN 8 TT
1.13.0	0101	*B	CNST 21602020202
1.14.0	0102	*A	CAD ZOUT
1.15.0	0103		BZA 8 CYCLE
1.16.0	0104		ADD 8 I8
1.17.0	0105		SRT 4
1.18.0	0106		STR 8 *+1,32
1.19.0	0107		SPO 101,99
1.20.0	0108		BUN 8 C-
1.21.0	0109	II	LDB 8 I10
1.22.0	0110		BZA 8 Q+
1.23.0	0111	*C	BFA 8 I51,11,0
1.24.0	0112	*S	STA THISN
1.25.0	0113	I80	CAR 80
1.26.0	0114	MAJOR	STB GAMMA
1.27.0	0115		CLL ALPHA
1.28.0	0116		STA ALPHA,04
1.29.0	0117		STR BETA
1.30.0	0118		CAD THISN
1.31.0	0119	I10	SRS 10
1.32.0	0120	I23	LSA I,23
1.33.0	0121		ADD WIDTH
1.34.0	0122		SUB GAMMA
1.35.0	0123		BMA 8 ERR
1.36.0	0124	H0	ADL ZOUT
1.37.0	0125	H50	F424 5000,19,ZOUT
1.38.0	0126		CAD THISN
1.39.0	0127		LDR 8 I20
1.40.0	0128		STP 8 EXIT1
1.41.0	0129		BMA 8 SUBR1
1.42.0	0130		DFL GAMMA,00,1
1.43.0	0131		BRP 8 F+
1.44.0	0132		LDR BETA
1.45.0	0133		BZR 8 CYCLE
1.46.0	0134		LDR 8 I23
1.47.0	0135		STP 8 EXIT1
1.48.0	0136		BUN 8 SUBR1
1.49.0	0137		CAD BETA
1.50.0	0138		SUB 8 H50
1.51.0	0139		LDB 8 I2
1.52.0	0140		CLL WIDTH
1.53.0	0141		IFL WIDTH,00,3
1.54.0	0142		SUN 8 S=
1.55.0	0143	*F	DFL ALPHA,00,1
1.56.0	0144		LDR ALPHA
1.57.0	0145		BZR 8 H+
1.58.0	0146		LDR DELTA
1.59.0	0147		BZR 8 I+
1.60.0	0148		DFL DELTA,00,1
1.61.0	0149		LDR 8 I80
1.62.0	0150		BUN 8 SUBR1

1.63.0	0151	*M	LDR	8	I03
1.64.0	0152		BUN	8	SUBR1
1.65.0	0153	*I	CAD		THISN
1.66.0	0154		LDR	8	I8
1.67.0	0155	I1	SLT		1
1.68.0	0156		STA		THISN
1.69.0	0157	SUBR1	SLT		18
1.70.0	0158	SUBR2	SRT		8
1.71.0	0159		LBC		ZOUT
1.72.0	0160		SLA	-	8
1.73.0	0161		DLB		ZOUT,94,0
1.74.0	0162		DBB	8	EXIT1,24
1.75.0	0163	I20	LSA		0,20
1.76.0	0164		ADD	-	125
1.77.0	0165		STA	-	125,00
1.78.0	0166		IFL		ZOUT,00,2
1.79.0	0167	EXIT1	BUN		9999
1.80.0	0168	*Q	DBB	8	180,9
1.81.0	0169	I51	SLA		51
1.82.0	0170		DBB	8	C-1
1.83.0	0171	XX	CLR		7557
1.84.0	0172	I8	SRT		8
1.85.0	0173		CFA	8	+50,04
1.86.0	0174		STR		THISN
1.87.0	0175		BCL	8	D+
1.88.0	0176	*E	STA	8	TEMP,04
1.89.0	0177		DFL	8	TEMP,04,49
1.90.0	0178		LDB	8	TEMP
1.91.0	0179		CAD		OP
1.92.0	0180		SRT		4
1.93.0	0181		STR	8	B+,42
1.94.0	0182		CAD	8	TEMP
1.95.0	0183	TEMP	CLR		9999
1.96.0	0184	*B	IBB	8	MAJOR,0000
1.97.0	0185	*D	LSA		0,7557
1.98.0	0186		SUB	8	+50
1.99.0	0187		STA		DELTA,02
2.00.0	0188		CFR		OP,02
2.01.0	0189		BCE	8	*+3
2.02.0	0190	*F	CAD	8	+50
2.03.0	0191		BUN	8	E-
2.04.0	0192		CAD	8	I51
2.05.0	0193		STA		THISN,11
2.06.0	0194		BUN	8	E-
2.07.0	0195	FF	DFL		WIDTH,03,4
2.08.0	0196		BRP	8	A+
2.09.0	0197		BUN	8	ERR1
2.10.0	0198		CAD	8	+5000000000
2.11.0	0199	*A	BZA	8	*-1
2.12.0	0200		CLR		7557
2.13.0	0201		STA	8	H0,22
2.14.0	0202		SRT		8
2.15.0	0203		STR		THISN
2.16.0	0204		SRS		10
2.17.0	0205		ADD		OP
2.18.0	0206		EXT	8	I51

2.19.0	0207		CFA	WIDTH.03
2.20.0	0208		BCL 8	C+
2.21.0	0209	ERR1	IFL	WIDTH.0.4
2.22.0	0210	ERR	CAD	WIDTH
2.23.0	0211		ADL	ZOUT
2.24.0	0212		ADL	ZOUT
2.25.0	0213		DFL	ZOUT.0.2
2.26.0	0214		LDR 8	I14
2.27.0	0215		STP 8	EXIT1
2.28.0	0216		BUN 8	SUBR1
2.29.0	0217		BUN 8	CYCLE
2.30.0	0218	*C	LDR 8	H0
2.31.0	0219	*E	CAD 8	I1
2.32.0	0220	*D	LDB	DEC
2.33.0	0221		IBB 8	MAJOR.1
2.34.0	0222	SS	CLR	7557
2.35.0	0223		SRT	8
2.36.0	0224		STR	THISN
2.37.0	0225	I14	LSA	0.14
2.38.0	0226		SUB 8	+50
2.39.0	0227		CLR	7557
2.40.0	0228		BMA 8	A+
2.41.0	0229	*C	CFA	OP.02
2.42.0	0230		BCH 8	ERR
2.43.0	0231		ADD 8	I1
2.44.0	0232		BUN 8	D-
2.45.0	0233	*A	STA	DELTA.00
2.46.0	0234		BUN 8	E-
2.47.0	0235	SIGN2	CNST	20000000000
2.48.0	0236		FINI	WRITE
	0236			+5000000000
	0237			+0010000000
	0238			+000 50

00.0	0100	ERROR	DEFN	100
00.0	0000	FIX	CRB	
00.0	0001		SRT	8
00.0	0002		STA	8 A+04
00.0	0003		LDB	8 A+
00.0	0004	*A	CLA	
00.0	0005		IBB	8 B+9949
00.0	0006		DBB	8 C+10
00.0	0007		SLT	- 11
00.0	0008	*B	LDB	8 FIX
00.0	0009		BUN	- 0
00.0	0010	*C	IOM	8 D+
00.0	0011		LDR	8 \$FIX\$
00.0	0012		LDB	8 FIX
00.0	0013		BUN	6 ERROR
00.0	0014	*D	CLR	
00.0	0015		BUN	8 B-
00.0	0016		FINI	FIX
	16			\$FIX

0000	0000	FLOAT CRB
0001	0001	*B BFA 8 A++22*00
0002	0002	SRA 1
0003	0003	IBB 8 B-+1
0004	0004	*A SRT 8
0005	0005	CAD 9 C+
0006	0006	SLT 8
0007	0007	FAD 8 D+
0008	0008	LDB 8 FLOAT
0009	0009	BUN -+0
0010	0010	*C CNST 58
0011	0011	+59
0012	0012	+60
0013	0013	*D +3800000000
0014	0014	FINI FLOAT