



Service Information

Copyright Canon (UK) Limited

COPIER

☐ HARDWARE

☒ SOFTWARE

Model : Canon PCL5e Printer Driver for Windows 95/98/NT4.0
v4.10

Number: 99-OIPQD0-B0060

Canon PCL5e FAX Driver for Windows 95/98/NT4.0 v1.10

Date : September 8, 1999

Approved by :

Shinya Kishimoto

Location : Printer / FAX Driver

Subject : Version 4.10/1.10 Release

Reason : PCL5e Printer Driver v4.10 and FAX Driver v1.10 were released.

NOTE: GP215 X2e Version 2 not released

[History of Release]

Service Info. No.	Ver. No.	Description	Date
99-OIPD0-B0060	PRN Drv V4.10 FAX Drv V1.10	- Network Multi PDL Printer Board-D1/E1 v2.0 Support - Network Printer Board-F1 v2.0 Support - Multi PDL Board-B1/Printer Board-P3 Support	September 8, 1999
99-OIPD0-B0026	PRN Drv V4.00/4.01 FAX Drv V1.00/1.01	New Release	March 30, 1999

Details :

(1) Here are the modifications in PCL Driver v4.10 as compared with v4.01

No.	Item	Descriptions
1.1	Network Printer Board-F1 Ver2.0, printer board for GP605/iR600, support	PCL5e is supported in Network Printer Board-F1 v2.0.
1.2	Network Multi PDL Board-D1/Network Printer Board-E1 Ver.2.0, printer board for GP2-225/iR210, support	Use this version of the driver when PCL printing in Network Multi PDL Printer Board-D1/Network Printer Board-E1 v2.0 Also, be sure to clear the previous version of the driver when this version is used.
1.3	Multi PDL Board-B1/Printer Board-P3 (Windows NT4.0 Only), printer board for GP200-215, support	
1.4	Uninstall Program release	uninstall program – P5uninst.exe is released in order to facilitate and ensure clearing the printer driver. Hence, when you clear the driver, it is recommended to use this uninstall Program. (This program is stored in the Setup folder of the Driver CD-ROM) The uninstall Program is effective in Canon PCL Driver v4.xx/FAX driver v1.xx or later.
1.5	Special Cassette support in GP300-405/iR330-400	Mark and icon for special cassette are displayed as "Form Tray assignment" and "Paper Source Tool chip" in the printer driver when special cassette is specified in GP300-405/iR330-400.
1.6	Combination of Plane Pedestal and Paper Deck [Win9x/NT4.0] support in GP300-405/iR330-400	
1.7	View Settings to show a list of setup confirmation [Win9x/NT4.0]	
1.8	Coverpage in Booklet Printing [Win9x]	Inserting a coverpage is enabled in Booklet printing. Only Win9x Driver support
1.9	Add and Register Profile from the document property [NT4.0]	"Add"and "Edit" of Profile are enabled in the Document Property.
1.10	Clearing Staple is enabled in "Finishing" preview screen [NT4.0]	
1.11	The defect was corrected that the cassette in which A4R/LTR-R paper is set is indicated as A4/LTR paper size when the cassette information is obtained by Auto Configuration. [Win9x]	
1.12	The default size for "Units" in "Custom Paper Size Setting" sheet is changed to Inch [Win9x for US_Eng]	
1.12	Margin settings was selectable as an option in Custom Paper Size [NT4.0]	

(2) Here are the modifications in FAX Driver v1.10 as compared with v1.00/1.01

No.	Item	Descriptions
2.1	Network Multi PDL Board-D1/Network Printer Board-E1 Ver.2.0, printer board for GP200-225/iR210, support	Use this versin of the driver in PCL printing of Network Multi PDL Printer Board-D1/Network Printer Board-E1 v2.0 Also, be sure to clear the previous version of the driver when this version is used.
2.2	Multi PDL Board-B1/Printer Board-P3, printer board for GP200-215, support (Windows NT4.0 Only	

(3) Maximum Permissible number of Recipients per Broadcast

	GP200-215 Multi PDL-B1/P3	GP200-225/iR210 Network Multi PDL-D1/E1	GP300-405/iR330-400 Network Multi PDL-H1/K1
Windows 9x	N/A	200	256
Windows NT4.0	200	200	50
Send a Different Sheet to Each Recipient (Installed memory size on Main Boady/FAX board)	16/40 (4/10MB)	16/40 (4/10MB)	8/25/40 (32/64/96MB) * Windows 9x Only

Restrictions

:

(1) Here are the restrictions in the PCL5e Printer Driver for Windows 95/98 and Windows NT4.0

No.	Item	Descriptions
1.2	Printing from manual feed tray	To print from manual feed tray, specify "Custom Common Setting"->"Stack Bypass Size Entry = ON" in the Copier operation panel and set the paper size in the manual feed tray correctly before printing.
1.3	Register the form file of multiple pages	Create an Overlay file with one-page data when creating the file by selecting [Page Setup]->[Page Options]->[Overlay].
1.4	Overlay Printing	When Overlay printing, use the overlay from whose size is the same as the paper size of the document you are going to print.
1.5	Creating a custom paper size	When creating a custom paper size in Print Server Properties dialog box of Windows NT 4.0, specify the margins as 1/4 inch
1.6	Cross-sort the data with different paper sizes	Cross-sort may not work correctly when cross-sorting the text with different paper sizes. (Selecting "Collate" & "Rotate" in the Finishing tab) Because the copier does not support cross-sorting of paper

		sizes other than A5, B5, A4 and Letter, the pages of unsupported paper size documents will not be cross-sorted.
1.7	Printing Custom Paper	To print the Custom Paper Size paper, set the paper in the manual feed tray in the direction of Short Edge Feed.
1.8	When printing complicated data in Draw Application such as Corel DRAW via the Centronics	Image loss may occur due to time-out, when complicated data is printed in Draw Application such as Corel DRAW via the Centronics. In case that this symptom occurs, change the spool settings of the driver to the followings. [In case of Windows 95/98] Specify "Start printing after last page is spooled" in Spool Settings of Properties. [In case of Windows NT4.0] Specify "Start printing after last page is spooled" in Scheduling of Properties.
1.9	PCL ERROR: Out of memory	The error "PCL ERROR: Out of Memory" may occur for some documents because of insufficient memory of downloading the fonts. In this case, increase the printer memory to 64MB, or select the Raster option for the Graphic Mode in the Graphic sheet, and then enabled the Print Text as Graphic check box in the Misc. sheet.
1.10	Dynamic Configuration for GP200-215 Multi PDL-B1/P3	There are following restrictions regarding Dynamic Configuration for GP200-215 Multi PDL Board-B1/P3 - NIB-E3e cannot operate with the "Dynamic Configuration" mode when it is using NDS mode. - NIB-E3e cannot operate with the "Dynamic Configuration" mode when it is using the IP for the network. - In order to use the "Dynamic Configuration" feature, the following five Netware Client files should be installed onto the client computers. NWIPXSPX.DLL (dated 01-09-96) NWPSRV.DLL (dated 10-06-94) NWLOCALE.DLL (dated 09-20-94) NWNET.DLL (dated 10-18-94) NWCALLS.DLL (dated 12-06-94)

(2) Here are the restrictions in FAX Driver for Windows 95/98 and Windows NT4.0.

No.	Item	Descriptions
2.1	Maximum Permissible Number of Individuals and Groups in the Address Book	3000 in total including individuals and groups can be registered
2.2	Maximum Permissible Number of Entries per Group	The number of individuals which can be registered in one group is 250
2.3	Exclusion of User-defined Paper	User-defined paper is not supported by the FAX driver
2.4	Inability of the FAX Driver to Specify Paper Size	Ordinary applications allow specification of a paper size on printing. However, such applications as Corel DRAW and PageMaker use the paper size set in the driver and this is the specification of these applications.

		The FAX driver does not allow specification of a paper and uses the A4(LTR) only. Therefore, the applications listed above cannot print on a paper of other sizes. However, both applications support scaling and hence allow output of a large-sized document on A4(LTR) -sized paper. -> To be supported in FAX Driver v1.20
2.5	Differences between Windows95/98 and Windows NT4.0 on Drawing a Cover Page	The method for drawing a cover page is different under Windows 95/98 and Windows NT4.0. Under Windows 95/98, the PageComposer draws a cover sheet while the driver creates on under Windows 95/98. Therefore, under Windows 95/98, the FAX Driver can always output on A4/LTR-sized paper, however, under Windows NT4.0, the size and the orientation of the first page specified by the application prevails. How documents are outputted (i.e. cover and other pages are both scaled or separated) is entirely dependent on a FAX machine that receives them. Note that under NT, if the user selects paper of a small size and faxes it from the application, the cover page will be reduced and may be hard to read.
2.6	Cancellation of Jobs under Windows 95/98	Unlike other printer drivers, the FAX driver displays a UI for specifying a recipient after the user has selected "Print" in the application. Under Windows 95/98, the application has already begun printing at that time. To cancel faxing after the UI has been started, the FAX driver issues a notification of failure in response to the print start instruction sent by the application. This process makes the application stop printing, however, some applications display a message notifying termination of printing.
2.7	Outlook Express 5.0 support	Import/Export supporting Outlook Express 5.0 will be supported in FAX Driver v1.20

Printable Area :

Here are the printable areas specified in this printer driver.

Portrait: GP300-405(iR330-400) with Network Multi PDL Printer Board-H1/K1 v1.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		297.0 x 420.0	284.5 x 409.1	116,388
	600 DPI	7,014 x 9,920	6,720 x 9,664	
B4		257.0 x 364.0	243.8 x 354.2	86,353
	600 DPI	6,072 x 8,598	5,760 x 8,368	
A4		210.0 x 297.0	197.8 x 285.8	56,531
	600 DPI	4,960 x 7,015	4,672 x 6,752	
B5		182.0 x 257.0	169.3 x 247.9	41,969
	600 DPI	4,299 x 6,070	4,000 x 5,856	
A5		148.5 x 210.0	135.8 x 197.1	26,766

	600 DPI	3,496 x 4,960	3,200 x 4,656	
11x17		279.4 x 431.8	266.2 x 420.6	111,964
	600 DPI	6,600 x 10,200	6,288 x 9,936	
Legal (LGL)		215.9 x 355.6	203.2 x 344.8	69,753
	600 DPI	5,100 x 8,400	4,800 x 8,144	
Letter (LTR)		215.9 x 279.4	203.2 x 268.2	54,498
	600 DPI	5,100 x 6,600	4,800 x 6,336	
Executive		184.1 x 266.7	171.4 x 256.0	43,878
	600 DPI	4,350 x 6,300	4,048 x 6,048	
Statement (STMT)		139.7 x 215.9	126.7 x 203.2	25,745
	600 DPI	3,300 x 5,100	2,992 x 4,800	

Portrait: GP200-225(iR210) with Network Multi PDL Printer Board-D1/E1 v2.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		297.0 x 420.0	284.5 x 409.1	116,388
	600 DPI	7,014 x 9,920	6,720 x 9,664	
B4		257.0 x 364.0	243.8 x 352.9	86,037
	600 DPI	6,072 x 8,598	5,776 x 8,384	
A4		210.0 x 297.0	197.8 x 285.8	56,531
	600 DPI	4,960 x 7,015	4,672 x 6,752	
B5		182.0 x 257.0	169.3 x 248.6	42,087
	600 DPI	4,299 x 6,070	4,000 x 5,872	
A5		148.5 x 210.0	135.8 x 197.1	26,766
	600 DPI	3,496 x 4,960	3,200 x 4,656	
11x17		279.4 x 431.8	266.2 x 423.3	112,682
	600 DPI	6,600 x 10,200	6,288 x 10,000	
Legal (LGL)		215.9 x 355.6	203.2 x 344.8	70,055
	600 DPI	5,100 x 8,400	4,800 x 8,144	
Letter (LTR)		215.9 x 279.4	203.2 x 268.2	54,498
	600 DPI	5,100 x 6,600	4,800 x 6,336	
Executive		184.1 x 266.7	171.4 x 256.0	43,878
	600 DPI	4,350 x 6,300	4,048 x 6,048	
Statement (STMT)		139.7 x 215.9	126.7 x 203.2	25,745
	600 DPI	3,300 x 5,100	2,992 x 4,800	
Monarch Envelope		98.425 x 190.5	85.3 x 179.5	15,311

	600 DPI	2,324 x 4500	2,016 x 4,240	
Comm10 Envelope		104,775 x 241.3	91.4 x 230.3	21,049
	600 DPI	2,474 x 5,700	2,160 x 5,440	
DL Envelope		110 x 220	97.5 x 209.3	20,406
	600 DPI	2,598 x 5,196	2,304 x 4,944	
C5 Envelope		162 x 229	149.7 x 218.1	32,649
	600 DPI	3,826 x 5,408	3,536 x 5,152	
B5 Envelope		176 x 250	163.9 x 237.1	38,860
	600 DPI	4,156 x 5,904	3,872 x 5,600	

Portrait: GP200-215 with Multi PDL Board-B1/Printer Board-P3

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		297.0 x 420.0	284.5 x 409.1	116,388
	600 DPI	7,014 x 9,920	6,720 x 9,664	
B4		257.0 x 364.0	244.5 x 354.9	86,773
	600 DPI	6,072 x 8,598	5,776 x 8,384	
A4		210.0 x 297.0	197.8 x 285.8	56,531
	600 DPI	4,960 x 7,015	4,672 x 6,752	
B5		182.0 x 257.0	169.3 x 248.6	42,087
	600 DPI	4,299 x 6,070	4,000 x 5,872	
A5		148.5 x 210.0	135.8 x 197.1	26,766
	600 DPI	3,496 x 4,960	3,200 x 4,656	
11x17		279.4 x 431.8	266.2 x 423.3	112,682
	600 DPI	6,600 x 10,200	6,288 x 10,000	
Legal (LGL)		215.9 x 355.6	203.2 x 344.8	70,063
	600 DPI	5,100 x 8,400	4,800 x 8,144	
Letter (LTR)		215.9 x 279.4	203.2 x 268.2	54,498
	600 DPI	5,100 x 6,600	4,800 x 6,336	
Executive		184.1 x 266.7	171.4 x 256.0	43,878
	600 DPI	4,350 x 6,300	4,048 x 6,048	
Statement (STMT)		139.7 x 215.9	126.7 x 203.2	25,614
	600 DPI	3,300 x 5,100	2,992 x 4,800	
Monarch Envelope		98.425 x 190.5	85.3 x 179.5	15,311
	600 DPI	2,324 x 4500	2,016 x 4,240	
Comm10 Envelope		104,775 x 241.3	91.4 x 230.3	21,049

	600 DPI	2,474 x 5,700	2,160 x 5,440	
DL Envelope		110 x 220	97.5 x 209.3	19,792
	600 DPI	2,598 x 5,196	2,304 x 4,944	
C5 Envelope		162 x 229	149.7 x 218.1	32,649
	600 DPI	3,826 x 5,408	3,536 x 5,152	

Portrait: GP605-605P(iR600-550-60) with Network Printer Board-F1 v2.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		297.0 x 420.0	284.5 x 409.1	116,388
	600 DPI	7,014 x 9,920	6,720 x 9,664	
B4		257.0 x 364.0	244.5 x 353.6	86,455
	600 DPI	6,072 x 8,598	5,776 x 8,352	
A4		210.0 x 297.0	197.8 x 285.8	56,531
	600 DPI	4,960 x 7,015	4,672 x 6,752	
B5		182.0 x 257.0	169.3 x 246.5	41,732
	600 DPI	4,299 x 6,070	4,000 x 5,824	
A5		148.5 x 210.0	135.5 x 198.4	26,883
	600 DPI	3,496 x 4,960	3,200 x 4,686	
11x17		279.4 x 431.8	266.2 x 421.3	112,150
	600 DPI	6,600 x 10,200	6,288 x 9,952	
Legal (LGL)		215.9 x 355.6	203.2 x 344.7	70,043
	600 DPI	5,100 x 8,400	4,800 x 8,144	
Letter (LTR)		215.9 x 279.4	203.2 x 268.2	54,498
	600 DPI	5,100 x 6,600	4,800 x 6,336	
Executive		184.1 x 266.7	171.4 x 256.0	43,878
	600 DPI	4,350 x 6,300	4,048 x 6,048	
Statement (STMT)		139.7 x 215.9	126.7 x 204.5	25,910
	600 DPI	3,300 x 5,100	2,992 x 4,830	

Landscape: GP305-400(iR330-400) with Network Multi PDL Printer Board-H1/K1 v1.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		420.0 x 297.0	409.8 x 287.9	117,981
	600 DPI	9,920 x 7,014	9,680 x 6,800	
B4		364.0 x 257.0	353.6 x 247.9	87,657
	600 DPI	8,598 x 6,072	8,352 x 5,856	
A4		297.0 x 210.0	286.5 x 201.2	57,643
	600 DPI	7,015 x 4,960	6,768 x 4,752	
B5		257.0 x 182.0	246.6 x 173.4	42,760
	600 DPI	6,070 x 4,299	5,824 x 4,096	
A5		210.0 x 148.5	199.8 x 139.5	27,872
	600 DPI	4,960 x 3,496	4,720 x 3,296	
11x17		431.8 x 279.4	421.3 x 270.3	113,877
	600 DPI	10,200 x 6,600	9,952 x 6,384	
Legal (LGL)		355.6 x 215.9	345.4 x 207.3	71,601
	600 DPI	8,400 x 5,100	8,160 x 4,896	
Letter (LTR)		279.4 x 215.9	268.9 x 207.3	55,742
	600 DPI	6,600 x 5,100	6,352 x 4,896	
Executive		266.7 x 184.1	256.0 x 175.4	44,902
	600 DPI	6,300 x 4,350	6,048 x 4,144	
Statement (STMT)		215.9 x 139.7	205.2 x 130.7	26,819
	600 DPI	5,100 x 3,300	4,848 x 3,088	

Landscape: GP200-225(iR210) with Network Multi PDL Printer Board-D1/E1 v2.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		420.0 x 297.0	409.8 x 287.9	117,981
	600 DPI	9,920 x 7,014	9,680 x 6,800	
B4		364.0 x 257.0	353.6 x 248.6	87,904
	600 DPI	8,598 x 6,072	8,352 x 5,872	
A4		297.0 x 210.0	286.5 x 201.2	57,643
	600 DPI	7,015 x 4,960	6,768 x 4,752	
B5		257.0 x 182.0	246.6 x 173.4	42,760
	600 DPI	6,070 x 4,299	5,824 x 4,096	
A5		210.0 x 148.5	199.8 x 139.5	27,872

	600 DPI	4,960 x 3,496	4,720 x 3,296	
11x17		431.8 x 279.4	421.3 x 270.9	114,130
	600 DPI	10,200 x 6,600	9,952 x 6,400	
Legal (LGL)		355.6 x 215.9	345.4 x 207.3	71,601
	600 DPI	8,400 x 5,100	8,160 x 4,896	
Letter (LTR)		279.4 x 215.9	268.9 x 207.3	55,742
	600 DPI	6,600 x 5,100	6,352 x 4,896	
Executive		266.7 x 184.1	256.0 x 175.4	44,902
	600 DPI	6,300 x 4,350	6,048 x 4,144	
Statement (STMT)		215.9 x 139.7	205.2 x 130.7	26,819
	600 DPI	5,100 x 3,300	4,848 x 3,088	
Monarch Envelop		98.425 x 190.5	180.8 x 89.4	16,163
	600 DPI	4,500 x 2,324	4,256 x 2,112	
Comm10 Envelope		104.775 x 241.3	231.0 x 96.2	22,222
	600 DPI	5,700 x 2,474	5,456 x 2,272	
DL Envelope		110 x 220	210.0 x 101.0	21,210
	600 DPI	5,196 x 2,598	4,960 x 2,384	
C5 Envelope		162 x 229	218.8 x 153.1	33,498
	600 DPI	5,408 x 3,826	5,168 x 3,616	
B5 Envelope		176 x 250	239.8 x 167.3	40,118
	600 DPI	5,904 x 4,156	5,664 x 3,952	

Landscape: GP200-215 with Multi PDL Board-B1/Printer Board-P3

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		420.0 x 297.0	409.8 x 287.9	117,981
	600 DPI	9,920 x 7,014	9,680 x 6,800	
B4		364.0 x 257.0	353.6 x 248.6	87,904
	600 DPI	8,598 x 6,072	8,352 x 5,872	
A4		297.0 x 210.0	286.5 x 201.2	57,643
	600 DPI	7,015 x 4,960	6,768 x 4,752	
B5		257.0 x 182.0	246.6 x 173.4	42,760
	600 DPI	6,070 x 4,299	5,824 x 4,096	
A5		210.0 x 148.5	199.8 x 138.9	27,752
	600 DPI	4,960 x 3,496	4,720 x 3,280	
11x17		431.8 x 279.4	421.3 x 270.9	114,130

	600 DPI	10,200 x 6,600	9,952 x 6,400	
Legal (LGL)		355.6 x 215.9	345.4 x 207.3	71,601
	600 DPI	8,400 x 5,100	8,160 x 4,896	
Letter (LTR)		279.4 x 215.9	268.9 x 207.3	55,742
	600 DPI	6,600 x 5,100	6,352 x 4,896	
Executive		266.7 x 184.1	256.0 x 175.4	44,902
	600 DPI	6,300 x 4,350	6,048 x 4,144	
Statement (STMT)		215.9 x 139.7	205.2 x 130.7	26,819
	600 DPI	5,100 x 3,300	4,848 x 3,088	
Monarch Envelop		98.425 x 190.5	180.8 x 89.4	16,163
	600 DPI	4,500 x 2,324	4,256 x 2,112	
Comm10 Envelope		104.775 x 241.3	231.0 x 96.2	22,222
	600 DPI	5,700 x 2,474	5,456 x 2,272	
DL Envelope		110 x 220	210.0 x 101.0	21,210
	600 DPI	5,196 x 2,598	4,960 x 2,384	
C5 Envelope		162 x 229	218.8 x 153.1	33,498
	600 DPI	5,408 x 3,826	5,168 x 3,616	

Landscape: GP605-605P(iR600-550-60) with Network Printer Board-F1 v2.0

Paper	Unit Upper Row: [mm] Lower Row: [dot]	Paper Size (width x height)	Printable Area (width x height)	Printable Area (area [mm ²])
A3		420.0 x 297.0	409.8 x 287.9	117,981
	600 DPI	9,920 x 7,014	9,680 x 6,800	
B4		364.0 x 257.0	353.6 x 248.6	87,904
	600 DPI	8,598 x 6,072	8,352 x 5,872	
A4		297.0 x 210.0	286.5 x 199.1	57,042
	600 DPI	7,015 x 4,960	6,768 x 4,704	
B5		257.0 x 182.0	246.6 x 171.4	42,267
	600 DPI	6,070 x 4,299	5,824 x 4,048	
A5		210.0 x 148.5	199.8 x 138.2	27,612
	600 DPI	4,960 x 3,496	4,720 x 3,264	
11×17		431.8 x 279.4	421.3 x 270.9	114,130
	600 DPI	10,200 x 6,600	9,952 x 6,400	
Legal (LGL)		355.6 x 215.9	345.4 x 207.3	71,601
	600 DPI	8,400 x 5,100	8,160 x 4,896	
Letter (LTR)		279.4 x 215.9	268.9 x 205.2	55,178

	600 DPI	6,600 x 5,100	6,352 x 4,848	
Executive		266.7 x 184.1	256.0 x 173.4	44,390
	600 DPI	6,300 x 4,350	6,048 x 4,096	
Statement (STMT)		215.9 x 139.7	205.2 x 129.4	26,552
	600 DPI	5,100 x 3,300	4,848 x 3,056	

NOTES:

1. Restrictions on custom paper change from device to device.
2. Paper sizes and margins may be slightly different than specified due to miscalculation by the system, application, driver, precision of paper transfer by the printer engine, temperature or humidity.

Printable Area :

Here are the margins specified in this printer driver.

Portrait: GP300-405(iR330-400) with Network Multi PDL Printer Board-H1/K1 v1.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row: [dot]				
A3		6.0	6.4	6.4	4.5
	600 DPI	142	150	150	106
B4		6.0	7.2	4.2	5.5
	600 DPI	142	170	100	130
A4		6.0	6.2	6.4	4.7
	600 DPI	142	146	150	112
B5		6.0	6.5	4.2	4.9
	600 DPI	142	154	100	116
A5		6.0	6.5	6.4	6.5
	600 DPI	142	154	150	154
11x17		6.4	6.9	6.4	4.8
	600 DPI	150	162	150	114
Legal (LGL)		6.4	6.4	6.4	4.5
	600 DPI	150	150	150	106
Letter (LTR)		6.4	6.4	6.4	4.8
	600 DPI	150	150	150	114
Executive		6.4	6.4	6.4	4.3
	600 DPI	150	152	150	102
Statement (STMT)		6.4	6.7	6.4	6.4
	600 DPI	150	158	150	150

Portrait: GP200-225(iR210) with Network Multi PDL Printer Board-D1/E1 v2.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row : [dot]				
A3		6.0	6.4	6.4	4.5
	600 DPI	142	152	150	106
B4		6.0	6.5	4.2	4.9
	600 DPI	142	154	100	114
A4		6.0	6.2	6.4	4.8
	600 DPI	142	146	150	112
B5		6.0	6.5	4.2	4.2
	600 DPI	142	154	100	100
A5		6.0	6.5	6.4	6.5
	600 DPI	142	154	150	154
11x17		6.4	6.9	4.2	4.2
	600 DPI	150	162	100	100
Legal (LGL)		6.4	6.4	6.4	4.5
	600 DPI	150	150	150	106
Letter (LTR)		6.4	6.4	6.4	4.8
	600 DPI	150	150	150	114
Executive		6.4	6.4	6.4	4.3
	600 DPI	150	152	150	102
Statement (STMT)		6.4	6.7	6.4	6.4
	600 DPI	150	158	150	150
Monarch Envelope		6.4	6.7	6.4	4.7
	600DPI	150	158	150	110
Comm10 Envelope		6.4	7.0	6.4	4.7
	600 DPI	150	164	150	110
DL Envelope		6.0	6.4	6.4	4.3
	600 DPI	142	152	150	102
C5 Envelope		6.0	6.3	6.4	4.5
	600 DPI	142	148	150	106
B5 Envelope		6.0	6.0	6.4	6.5
	600 DPI	142	142	150	154

Portrait: GP200-215 with Multi PDL Board-B1/Printer Board-P3

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm] Lower Row: [dot]				
A3		6.0	6.4	6.4	4.5
	600 DPI	142	152	150	106
B4		6.0	6.5	4.2	4.8
	600 DPI	142	154	100	114
A4		6.0	6.2	6.4	4.8
	600 DPI	142	146	150	112
B5		6.0	6.5	4.2	4.2
	600 DPI	142	154	100	100
A5		6.0	6.5	6.4	6.5
	600 DPI	142	154	150	154
11x17		6.4	6.9	4.2	4.2
	600 DPI	150	162	100	100
Legal (LGL)		6.4	6.4	6.4	4.5
	600 DPI	150	150	150	106
Letter (LTR)		6.4	6.4	6.4	4.8
	600 DPI	150	150	150	114
Executive		6.4	6.4	6.4	4.3
	600 DPI	150	152	150	102
Statement (STMT)		6.4	6.7	6.4	6.4
	600 DPI	150	158	150	150
Monarch Envelope		6.4	6.7	6.4	4.7
	600 DPI	150	158	150	110
Comm10 Envelope		6.4	7.0	6.4	4.7
	600 DPI	150	164	150	110
DL Envelope		6.0	6.4	6.4	4.3
	600 DPI	142	152	150	102
C5 Envelope		6.0	6.3	6.4	4.5
	600 DPI	142	148	150	106

Portrait: GP605-605P(iR600-550-60) with Network Printer Board-F1 v2.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm] Lower Row: [dot]				
A3		6.0	6.4	5.3	5.5

	600 DPI	142	152	125	131
B4		6.0	6.5	5.3	5.1
	600 DPI	142	154	125	121
A4		6.0	6.2	5.3	5.8
	600 DPI	142	146	125	137
B5		6.0	6.5	5.3	5.8
	600 DPI	142	154	125	137
A5		6.0	6.5	5.3	6.3
	600 DPI	142	154	125	149
11x17		6.4	6.9	5.3	5.2
	600 DPI	150	162	125	123
Legal (LGL)		6.4	6.4	5.3	5.5
	600 DPI	150	150	125	131
Letter (LTR)		6.4	6.4	5.3	5.9
	600 DPI	150	150	125	139
Executive		6.4	6.4	5.3	5.4
	600 DPI	150	152	125	127
Statement (STMT)		6.4	6.7	5.3	6.1
	600 DPI	150	158	125	145

Landscape: GP300-405(iR330-400) with Network Multi PDL Printer Board-H1/K1 v1.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row: [dot]				
A3		5.0	5.2	4.2	4.9
	600 DPI	118	122	100	114
B4		5.0	5.4	4.2	4.9
	600 DPI	118	128	100	116
A4		5.0	5.4	4.2	4.6

	600 DPI	118	128	100	108
B5		5.0	5.5	4.2	4.2
	600 DPI	118	130	100	100
A5		5.0	5.2	4.2	4.2
	600 DPI	118	122	100	100
11x17		5.1	5.4	4.2	4.9
	600 DPI	120	128	100	116
Legal (LGL)		5.1	5.1	4.2	4.4
	600 DPI	120	120	100	104
Letter (LTR)		5.1	5.4	4.2	4.4
	600 DPI	120	128	100	104
Executive		5.1	5.6	4.2	4.5
	600 DPI	120	132	100	106
Statement (STMT)		5.1	5.6	4.2	4.7
	600 DPI	120	132	100	112

Landscape: GP200-225(iR210) with Network Multi PDL Printer Board-D1/E1 v2.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row: [dot]				
A3		5.0	5.2	4.2	4.9
	600 DPI	118	122	100	114
B4		5.0	5.4	4.2	4.2
	600 DPI	118	128	100	100
A4		5.0	5.4	4.2	4.6
	600 DPI	118	128	100	108
B5		5.0	5.5	4.2	4.2
	600 DPI	118	130	100	100
A5		5.0	5.2	4.2	4.2
	600 DPI	118	122	100	100
11x17		5.1	5.4	4.2	4.2
	600 DPI	120	128	100	100
Legal (LGL)		5.1	5.1	4.2	4.4
	600 DPI	120	120	100	104
Letter (LTR)		5.1	5.4	4.2	4.4
	600 DPI	120	128	100	104
Executive		5.1	5.6	4.2	4.5

	600 DPI	120	132	100	106
Statement (STMT)		5.1	5.6	4.2	4.7
	600 DPI	120	132	100	112
Monarch Envelope		5.1	5.3	4.2	4.7
	600DPI	120	124	100	112
Comm10 Envelope		5.1	5.3	4.2	4.3
	600 DPI	120	124	100	102
DL Envelope		5.0	5.0	4.2	4.8
	600 DPI	118	118	100	114
C5 Envelope		5.0	5.2	4.2	4.7
	600 DPI	118	122	100	110
B5 Envelope		5.0	5.2	4.2	4.4
	600 DPI	118	122	100	104

Landscape : GP200-215 with Multi PDL Board-B1/Printer Board-P3

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row: [dot]				
A3		5.0	5.2	4.2	4.9
	600 DPI	118	122	100	114
B4		5.0	5.4	4.2	4.2
	600 DPI	118	128	100	100
A4		5.0	5.4	4.2	4.6
	600 DPI	118	128	100	108
B5		5.0	5.5	4.2	4.2
	600 DPI	118	130	100	100
A5		5.0	5.2	4.2	4.9
	600 DPI	118	122	100	116
11x17		5.1	5.4	4.2	4.2
	600 DPI	120	128	100	100
Legal (LGL)		5.1	5.1	4.2	4.4
	600 DPI	120	120	100	104
Letter (LTR)		5.1	5.4	4.2	4.4
	600 DPI	120	128	100	104
Executive		5.1	5.6	4.2	4.5
	600 DPI	120	132	100	106
Statement (STMT)		5.1	5.6	4.2	4.7

	600 DPI	120	132	100	112
Monarch Envelope		5.1	5.3	4.2	4.7
	600DPI	120	124	100	112
Comm10 Envelope		5.1	5.3	4.2	4.3
	600 DPI	120	124	100	102
DL Envelope		5.0	5.0	4.2	4.8
	600 DPI	118	118	100	114
C5 Envelope		5.0	5.2	4.2	4.7
	600 DPI	118	122	100	110

Landscape : GP605-605P(iR600-550-60) with Network Printer Board-F1 v2.0

Paper	Units	Left	Right	Top	Bottom
	Upper Row: [mm]				
	Lower Row: [dot]				
A3		5.0	5.2	4.2	4.8
	600 DPI	118	122	100	114
B4		5.0	5.4	4.2	4.2
	600 DPI	118	128	100	100
A4		5.0	5.4	5.3	5.5
	600 DPI	118	128	125	131
B5		5.0	5.5	5.3	5.2
	600 DPI	118	130	125	123
A5		5.0	5.2	5.3	4.5
	600 DPI	118	122	100	100
11x17		5.1	5.4	4.2	4.2
	600 DPI	120	128	100	100
Legal (LGL)		5.1	5.1	4.2	4.4
	600 DPI	120	120	100	104
Letter (LTR)		5.1	5.4	5.3	5.4
	600 DPI	120	128	125	127
Executive		5.1	5.6	5.3	5.5
	600 DPI	120	132	125	129
Statement (STMT)		5.1	5.6	5.3	5.0
	600 DPI	120	132	125	119

Combination of ROMs :

Network Multi PDL Printer Board-D1/E1 (GP200-225/iR210)

Ver.2.0

NetWork Printer Board-F1 (GP605-555-605P/iR60-600)	Ver.2.0
Network Multi PDL Printer Board-H1/K1 (GP300-405/iR330-400)	Ver.1.0
Multi PDL Board-B1 (GP200-215)	Ver.4.01 or later(v6.03 is recommended)
Printer Board-P3 (GP200-215)	Ver.4.01 or later (v6.03 is recommended)