

---

**Model:**

**iR 6800C  
iR 6800CN**

**Ref No.:**

F2-T01-0M3-10007-01

**Date:**

April 19, 2004

**Approved by:-**

---

**Location:**

iR 6800C/6800 N SystemSoftwareVer5.03

**Subject:**

Release of iR C6800/6800 N System Software(Ver.5.03) / Language(Ver.5.03) / Remote UI(Ver.1.33) / Dcon(Ver.6.01) / Rcon(Ver.7.01)/ BootROM ( Ver.21.01 )

**Reason :** To Release System Software along with the production approval of iR C6800/6800N

**【System CD-ROM ID No.】**

FY9-4194-000 : System Software v5.03

T-1

**【History of Updates】**

Service Info.No.	Ver.No.						Details of Changes
System CD-ROM ID No.	System	Language	RUI	Boot ROM	Dcon	Rcon	
FY9-4194-000	5.03	5.03	1.33	21.01	6.01	21.01	1 ) FirstRelease

**-Accessory Version**

Fin-R1:5.10 or later version

Fin-R2 Stacker:5.10 or later version

Saddle:4.07 or later version

Punch:3.04 or later version

**Contents :**

iR C6800/6800N provides features below:

- COPY feature
- BOX feature
- PRINT feature UFR/PS/PCL
- SEND feature

**Version Configurations:**The operating guarantee of the iR C6800 System v5.03 is undertaken for the following combinations:

T-2

【iRC6800(System Ver5.03)Software version】

System	Language	Boot ROM	RUI	Rcon	Dcon	ALL / ALL_HD F	Finisher R1/R2	Saddle	Punch
<b>5.03</b>		<b>21.01</b>	<b>1.33</b>	<b>7.01</b>	<b>6.01</b>	<b>5.03</b>	<b>5.10</b>	<b>4.07</b>	<b>4.03</b> <b>3.04</b>

**Remarks :**

1.Specification below are deferred:

T-3

【Specification Deferred】

No.	項目	内容
1	During copying/printing or standby,alignment behavior occurs	This is required to keep the quality of images.
2	Scan data cannot be sent after saved in BOX.	Scan data cannot be sent as color devices treat them as scan document.
3	SST's effect is not remarkable.	It cannot be more effective due to the potentiality because of being 600dpi.

2.Supported version of User Software are as below:

T-4

【User Software】

User Software	Version
UFR Driver	V1.21
PS Printer Driver for Windows	V2.22
PS Printer Driver for Macintosh(PPD)	V1.40
PCL Printer Driver for Windows	PCL5e/5c V6.31 PCL6 V4.30
NetSpot Console	V3.00

NetSpot Resource Downloader	V2.0
NetSpot Device Installer	V3.00(r3.03)
Address Book Coverion Utility	V1.01
Canon LPR	V2.11
Canon Device Status Extension	V1.20
Color Network ScanGear	V1.30
Canon NDPS gateway	V1.20

**Service Parts:**The service parts are not set.

**Future Release :** There is no schedule of release of System CD-ROM

**Special Note :**

1. There is no fear of infection about the computer virus that exploits the vulnerability of Windows been disclosed by the Microsoft company because Color imageRUNNER Series uses OS different from Windows.

2.SEND feature has function to acquire the device information(Address Book) using the encryption module(LDAP).This encryption module has an export restriction,and is forbidden to export countries below:

Iran,Iraq,NorthKorea,Cuba,Sudan,Syria and Libya

\*LDAP(Light weight Directory Access Protocol) operates the search and update from the client to the server.It enhances the security of the communication using the encryption process,SSL(Secure Socket Layer).SSL is a method to encryption the network path.