you can

Canon

iR1018 iR1022i iR1022F iR1022A iR1022iF

Multifunctional Printer

The desktop solution designed to work the way you do



Versatile network printers for every business task you can think of.



The Canon iR1018/1022 Series combine the skills of many devices into small space-saving multifunctional units.

Big thinking on a small scale.

Brilliant communication for home offices and small workgroups

Time to relax a little. Canon's new iR1018/1022 Series multifunctional communication solutions are here to make life easier for small businesses that think big. Sitting comfortably on your desk, they'll help you get through everything you need and more. Now you can have brilliant desktop communication that always delivers, meaning you can concentrate on business – not printing.

Communicate with ease

Present a professional image every time with the iR1018/1022 Series. Copy, print and fax business documents quickly at your desk in black-and-white, or even scan and send in glorious colour. Printing or



copying is crisp and impressive at up to 1200 dpi in enhanced mode. And you can

effortlessly produce double-sided documents to make a favourable impression and reduce wastage.

Communicate with incredible power

Take cost-effective business communication to a different level with the iR1018/1022 Series. Now you can scan and then send information directly from the device and to a variety of locations. Files are instantly converted into TIFF, PDF or JPEG format and then routed directly to your specified destination - email addresses, FTP sites, desktop folders, iFax, and even document management databases via iWDM Gateway (optional software). Plus, the iR1018/1022 Series compress PDFs to 90% of their original size - incredible power for such a compact performer!

Effortless network integration

You may want to keep it to yourself but you're not the only one who can benefit from the iR1018/1022 Series. Devices can be easily connected to your network so colleagues can take



advantage too. Network printing is enabled using Canon's advanced-performance

proprietary printer language UFR II Lite and PCL printing is also supported.

Space saving and scalable

A compact footprint doesn't equate



to limited capacity with the iR1018/1022 Series. Configured with 600 sheets as standard

you can enhance their capacity further to a sizeable 1,100 A4 sheets if required.

Get what you need

Handling the work of many in one compact solution, the iR1018/1022 Series feature a range of machines to reflect the specific needs of small businesses or workgroups needing compact, cost-effective power. See the table below to choose your device.

Care for the environment

Innovative on-demand fixing technology enables an energy saving sleep mode to be automatically initiated when the device is not in use. Once needed, the device is fully operational again in seconds - a great way to reduce energy consumption without affecting productivity.

Environmentally considerate production methods ensure that the machine complies with the European RoHS** directive, prohibiting lead and hazardous substances from the manufacturing process. In addition the machine conforms to the International Energy Star Program.





Model	Speed (ppm*)	Сору	Print	Automatic Document Feeder	Fax	Scan	Send
iR1018	18	Υ	Υ			Y	
iR1022A	22	Υ	Υ	Y		Y	
iR1022F	22	Y	Y	Y	Y	Y	
iR1022i	22	Υ	Υ	Y		Υ	Υ
iR1022iF	22	Υ	Υ	Y	Υ	Y	Υ

Why should you choose the iR1018/22 Series?

- Compact, desktop performance ideal for small workspaces
- Five models offering different combinations of functionality for the ultimate in choice
- · All-in-one multifunctional capabilities, save space and money
- Environmentally friendly technology, materials and features save energy, the environment and cost
- Toner technology maximises control and visibility of print costs
- Easy to use "plug & work" accessibility and intuitive control panels for maximum user productivity

Specifications iR1018 / iR1022 Series

Type Maximum Original Size Copy Sizes

Desktop

Stack Bypass: A5 - A4, Envelopes Copying: 600dpi x 600dpi, 1200dpi equivalent x 600dpi Printing: 1200dpi equivalent x 600dpi (PCL, UFRII LT)

Copy/Print Speed Magnification

A4: 18cpm (iR1018), 22cpm (iR1022A/22F/22i/22iF)

Fixed: 50%, 70%,100%, 141%, 200% 8.0 sec or less (iR1018), First copy time

Warm-Up Time Multiple Copies/Prints Duplexing Paper weight

Automatic stackless Cassette

Paper Capacity (80gsm) Standard

Optional 500 sheets x 1 cassette CPU Memory 128MB (iR1018/22A/22F), 256MB (iR1022i/22iF)

Interface 1.0kW max.

Power Consumption(W) Dimensions (WxDxH)

Weight

SEND FUNCTION (STANDARD FOR iR1022i/22iF ONLY) Scan Speed with DADF

Scan Resolution

Destinations Address book File Format

12.0 sec or less (iR1022A/22F/22i/22iF) Approx. 16.5 seconds 1 to 99 sheets

Cassette: 64 to 90gsm, Stack Bypass: 56 to 128gsm, Duplex, 64 to 80gsm

500 sheets x 1 cassette Stack Bypass: 100 sheets Max.Total paper capacity: 1,100 sheets Canon Custom Processor, 192MHz

iR1018/22A/22F Ethernet (100Base-TX/10Base-T) optional, USB2.0 iR1022i/iF Ethernet (100Base-TX/10Base-T), USB2.0 220V AC to 240V AC ±10% (50/60Hz)

520 x 457 x 378 mm (iR1018) 520 x 457 x 453 mm (iR1022A/22F/22i/22iF)

Approx. 22.0kg (iR1018) Approx. 24.1kg (iR1022A/22F/22i/22iF)

BW: 20ipm A4 300dpi Colour: 6ipm A4 300dpi BW: 200x100dpi, 200dpi, 200x400dpi,

300dpi, 400dpi, 600dpi Colour: 100dpi, 150dpi, 200dpi, 300dpi (JPEG),

300dpi (High compression PDF) E-Mail/Internet FAX (SMTP), PC (SMB,FTP), iWDM Gateway

Local (Max.200) Single: (BW) TIFF, PDF - (Colour) JPEG, High compression PDF Multi: (BW) TIFF, PDF - (Colour) High compression PDF

PRINTER FUNCTION

UFRII LT (Standard for iR1018/22A/22F/22i/22iF), PCL 5e/6 (Standard for iR1022i/22iF)

Resolution Memory PCI Fonts Supported OS

(standard for IR 1022/1/21F) 1200dpi equivalent x 600dpi (PCL, UFRII LT), 1200dpi x 1200dpi (UFRII LT with PCL option) 128MB (iR1018/22A/22F), 256MB (iR1022i/22iF) Canon Custom Processor, 192MHz (Uses Main Unit CPU) Roman113 (including Barcode Fonts) PCL: Windows 98/Me/2000/XP/2003 Server

UFRII LT: Windows 98/Me/2000/XP/2003Server,

Mac OS 10.2.8-10.4.3 iR1018/22A/22F Ethernet (100Base-TX/10Base-T) optional, USB2.0 iR1022i/iF Ethernet (100Base-TX/10Base-T), USB2.0 TCP/IP (LPD/RAW/ Port 9100)

Network Protocol FAX SPECIFICATION

Interface (Standard)

Super G3 Compatibility Compression System MH MR MMR IBIG Modem Speed 33.6 Kbps Transmission speed approx. 3 seconds 20 sheets/min. (A4) Max. 23 (shared with coded speed dialing) Fax scanning speed One-touch speed dialing Coded speed dialling Group dialling Max. 177 (shared with one-touch speed dialling)
Max. 199 No. of pages in memory

1,536 pages

DADF (STANDARD FOR iR1022A/22F/22i/22iF)

A4R, A5R, A5 Paper size Paper size Paper weight Max. Number of originals 50 gms to 105gms A5R to A4: 50 sheets (80 gms) Document Scanning speed (max.)

iR1022A/1022F/1022i/1022iF: 20ipm A4 BW: 18ipm A4 300dpi Colour: 8ipm A4 300dpi

OTHER ACCESSORIES

iR1018/22 Plain Pedestal Cassette Feeding Unit Cassette Card Reader-E1 Card Reader Attachment Network Kit (Standard for iR1022i/22iF) PCL Kit (Standard for iR1022i/22iF)

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Some images are similated in charging the product have been developed prior to the date of product launch. Final specifications are subject to change without notice. ™ and *. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon Recommends you use Canon Media for the best results. Please check media(paper) compatibility list to see which variety of paper/media is recommended. Environmentally considerate production methods ensure that Canon complies with the European WEEE** directives. Lead and hazardous substances are prohibited from the manufacturing process. In addition the machine conforms to the International Energy Star Program.











