LASER CLASS.5000 PLAIN PAPER FACSIMILE LASER CLASS.5500 PLAIN PAPER FACSIMILE

PARTS CATALOG

REVISION 1

 LASER CLASS 5000
 H11-2922
 120V

 LASER CLASS 5500
 H12-0042
 120V

 FXL-FEEDER 1
 H12-3012
 120V

 FXL-CASSETTE 1 LTR/500
 H12-3002
 120V

 HANDSET KIT 2
 H12-3042
 120V

Canon

APR. 1995

HY8-39A0-010

COPYRIGHT © 1995 CANON INC.

CANON LASER CLASS 5000/5500 APR. 1995 PRINTED IN JAPAN (IMPRIME AU JAPON)

Application

This manual has been issued by Canon Inc. for qualified person to learn technical theory, installation, maintenance, and repair of products. This manual covers all localities where the products are sold. For this reason, there may be information in this manual that does not apply to your locality.

Corrections

This manual could include technical inaccuracies or typographical errors due to improvements or changes in the products. When changes occur in applicable products or in the content of this manual, Canon will release technical information as the need arises. In the event of major changes in the contents of this manual over a long or short period. Canon will issue a new editions of this manual.

The following paragraph does not apply to any countries where such provisions are inconsistent with local low.

Trademarks

The product names and company names described in this manual are the registered trademarks of the individual companies,

Convright

This manual is copyrighted with all rights reserved. Under the copyright laws, this manual may not be copied, reproduced or translated into another language, in whole or in part, without the written consent of Canon Inc.

Copyright © 1995 by Canon Inc.
Consumer Imaging Products Quality Assurance Dept. 1
CANON INC.
5-1 Hakusan 7-Chome, Toride-city, Ibaraki 302-8501, Japan

DTP Systems

This manual was produced on Apple® Macintosh® II ci personal computer and Canon SUPER LASER SHOT B406 PS laser beam printer.

Parts layout illustrations were created using Aldus® FreeHand 3.1J.

Documents and page layouts were created using QuarkXpress® 3.1J.

Parts lists were created using Helix Technology® Helix Express® and converted to PICT format by Solutions, Inc.® Super GLUE Π^{TM} .

LASER CLASS. 5000 PLAIN PAPER FACSIMILE LASER CLASS. 5500 PLAIN PAPER FACSIMILE PARTS CATALOG

Canon

I. CONTENTS

- 1. ILLUSTRATION INDEX
- 2. PARTS LAYOUT & PARTS LIST
- 3. SCREWS & WASHERS LIST
- 4. TOOL
- 5. GUIDE TO REPLACEMENT
- 6. NUMERICAL INDEX

II. ABOUT THIS MANUAL

1. ILLUSTRATION INDEX

For illustration index, the parts layout illustrations in this parts catalog are listed in abbreviated form in order of illustration number to identify the pages they appear on. To find an illustration of a part, see the ILLUSTRATION INDEX.

2. PARTS LAYOUT & PARTS LIST

Parts layout illustration

a) Parts search

Find a part from the parts layout illustration and find its key number from the parts list to identify the part number and name. For screws, nuts, washers, lock washers, pins, spacers, see 3. SCREWS &WASHERS LIST.

Note: If parts have the same or similar shape but different specifications, their key number is assigned to several part numbers and names in the parts list.

b) Parts replacement procedure

The parts layout illustrations are arranged according to the disassembly procedure of the product.
The parts require carefuly work are marked "See page 5-x". So refer to the corresponded page "5" (GUIDE TO REPLACEMENT).

The letters (A, B) etc.) in the illustration indicate the connection locations of cables and screws.

Parts list

a) FIGURE & KEY No.

The FIGURE & KEY No. column corresponds to the key numbers assigned to the parts in the parts layout illustration.

It also corresponds to the part locations printed on the PC board.

b) PART NUMBER

The PART NUMBER column gives the part numbers corresponding to the key numbers. To order a part, indicate the part number clearly.

Note: Parts marked NPN are not service parts.

c) RANK

The service parts with N in the RANK column are order parts.

d) QTY

The QTY column gives the number of parts in the corresponding components layout illustration.

e) DESCRIPTION

The DESCRIPTION column gives the part names in English.
To order a part, indicate the part name, too.

3. SCREWS & WASHERS LIST

This is a list of screws, nuts, washers, lock washers, pins, and spacers.

4. TOOL

This is a list of tools used for servicing products.

5. GUIDE TO REPLACEMENT

Explaines the special cares and cautions for the parts replacement.


6. NUMERICAL INDEX


All the parts listed in this parts catalog are arranged in order of part number. You can identify part locations and names from the NUMERICAL INDEX..


III. REVISION HISTORY


REVISON	CONTENT
0	Original
1	Service Information bulletins, up to and including HS-A7E-0009-01, as issued by Canon Inc.


1. ILLUSTRATION INDEX




















FIGURE 29 PAPER EXIT COVER	See Page 2 - 57	FIGURE 30	PAPER EXIT ROLLER	See Page 2 - 59
See Page 5.7-1 (FROUNE 20-6) S7	557	57	\$7 \$7 \$7 \$7 \$7	5 5 5 7
FIGURE 31 FIXING ASS'Y	See Page 2 - 61	FIGURE 32	RIGHT COVER	See Page 2 - 63
521 20 14 26 0 12 20 14 21 0 5 5 28 22 0 5 5 28 24 28 521	10 -13 20 5-7 (5-7-4)	3.	1 See Prog 57 FRAURE St. 4)	3 -2

FIGURE 33 DRIVE GEARS	See Page 2 - 65	FIGURE 34	PAPER GUIDE ROLLER	See Page 2 - 67
Grand, Gio perto so semove fluen		2		
FIGURE 35 TRANSFER CHARGING ROLLER	See Page 2 - 69	FIGURE 36	LASER/SCANNER UNIT	See Page 2 - 71

FIGURE 37 SEPARATION PAD & LIFTING ARM	See Page 2 - 73	FIGURE 38 PAPER PICKUP ROLLER See Page 2 - 75
12 S S S S S S S S S S S S S S S S S S S	11	5 W3 W3 W3 W3
FIGURE 39 PAPER FEED ROLLER	See Page 2 - 77	FIGURE 40 PAPER FEED SOLENOID See Page 2 - 79
S13 W2 W2 W2 W2 See Plage 5-7 (PSSIRE 29-4)	2	W2 3 CC 5 ST










FIGURE 57 HANDSET KIT 2 & LASER CLASS 5500 HANDSET	See Page 2 - 113	
10 14 15 15 15 15 15 15 15 15 15 15 15 15 15	520 520 520 3 —12	

FIGURE 58 TOOLS	See Page 4 - 1	
TO T		
<i>✓</i> ************************************		
		*
		2

2. PARTS LAYOUT & PARTS LIST

FIGURE 1 LASER CLASS 5000 PACKAGE CONTENTS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
1- 1	HB1-0485-000		1	TRAY, EXIT	
2	HB1-0486-000		1	TRAY, DOCUMENT	
3	HB1-0491-000		2	LABEL, DESTINATION	
4	HG5-0129-000		1	SIDE CASSETTE ASS'Y	
5	HH2-2484-000		1	MODULAR LINE CORD, 2W	
6	HH2-2253-000		1	POWER CORD, 120V	
7	HT1-2021-000	-N	1	INSTRUCTION BOOK (ENGLISH)	
	HT1-3021-000	N	1	INSTRUCTION BOOK (FRENCH)	
				•	

FIGURE 2 LASER CLASS 5500 PACKAGE CONTENTS




FIGURE		R A N	Q		
& KEY No.	PART No.	Ñ	T Y	DESCRIPTION	REMARKS
2- 1	HB1-0485-000		1	TRAY, EXIT	
2	HB1-0486-000		1	TRAY, DOCUMENT	
3	HB1-0491-000		2	LABEL, DESTINATION	
4	HG5-0129-000		1	SIDE CASSETTE ASS'Y	
5	HH2-2484-000		1	MODULAR LINE CORD, 2W	
6	HH2-2253-000		1	POWER CORD, 120V	
7	HT1-2021-000	N	1	INSTRUCTION BOOK (ENGLISH)	
	HT1-3021-000	N	1	INSTRUCTION BOOK (FRENCH)	
8	HG1-2185-050		1	HANDSET ASS'Y (USA, AG)	
9	HG5-0156-000		1	HANDSET REST UNIT	
10	XA9-0689-000		2	SCREW, HANDSET HOLDER	
11	HG5-0113-080		1	FRONT CASSETTE ASS'Y (LTR)	
				2	
				,*.	
4044			1	**************************************	
	emicoognicoognes aironoo	Jan va		2	
		-			
	1				72.

FIGURE 3 LASER CLASS 5000 FRONT & REAR COVERS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
3- 1	HB1-0483-050		1	COVER, REAR	
2	HB1-0482-030		1	COVER, FRONT	
3	HB1-0484-020		1	COVER, BOTTOM	
4	HB1-0510-000		2	FOOT, RUBBER	_
5	HB1-0673-030	N	1	COVER, SHIELD	
6	WS9-5038-000	T	2	SPACER, MODULAR	
7	HB1-0512-000		1	PAD, RUBBER	
wantan an a					
				_	
		0. (4.1120)			

FIGURE 4 LASER CLASS 5500 FRONT & REAR COVERS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
4- 1	HB1-0483-050		1	COVER, REAR	
2	HB1-0677-030		1	COVER, FRONT	
3	HB1-0673-030	N	1	COVER, SHIELD	
4	WS9-5038-000		1	SPACER, MODULAR	_
5	HB1-0512-000		1	PAD, RUBBER	
			en file		

FIGURE 5 LASER CLASS 5000 DOCUMENT TABLE ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
5- 1	NPN		-1	DOCUMENT TABLE ASS'Y	
2	WT2-5078-000		1	RIVET	
*					
	200000			į	
Jacob Brigger of the State of the Control of the Co					
			•		4 = y

		*****	*****		
					-

FIGURE 6 LASER CLASS 5500 DOCUMENT TABLE ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
6- 1	NPN		1	DOCUMENT TABLE ASS'Y	
2	WT2-5078-000		1	RIVET	
		-			
		1		-	
				-	,
					5#
		1	1		
				-	

			100000	Control to the Control of Control	A10,000.00.000.000 (1)
				-	

FIGURE 7 LASER CLASS 5000 ADF & CONTROL PANEL SECTION




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
7- 1	HB1-0489-000		1	PLATE, GROUDING	
2	NPN		1	ADF AND CONTROL PANEL ASS'Y	
3	NPN		1	ADF ASSY, LOWER	
	-				
				=	
		ļ			***************************************
				•	•

FIGURE 8 LASER CLASS 5500 ADF & CONTROL PANEL SECTION




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
8- 1	HB1-0489-000		1	PLATE, GROUDING	
2	NPN		1	ADF AND CONTROL PANEL ASSY	
3	NPN		1	ADF ASS'Y, LOWER	

		ļ		MU-104-01-01-01-01-01-01-01-01-01-01-01-01-01-	*************************************
		ļ			
		-	lossen		
			ļ		
	*	<u> </u>	-		
	,				
			7		

FIGURE 9 LASER CLASS 5000 CIRCUIT BOARDS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
9- 1	HG1-4074-030	K	_	NCU BOARD ASS'Y	
2	HB1-0493-000		111	SUPPORT, NCU BOARD ASS'Y	
3	VT2-0001-012			SUPPORT, PCB	
4	HG1-4073-080		1	SCNT BOARD ASS'Y	
5	HH3-5268-000		1	POWER SUPPLY UNIT	
6	HH7-2023-000		1	FAN UNIT	
7	HB1-0488-000		1	DUCT, FAN	
8	HH2-2333-000		1	CABLE WITH CONNECTOR, 18P	
9	HB1-0669-000		1	SHEET, SHIELD	
10	HB1-0487-060	N	1	CASE, SHIELD	
11	HB1-0492-000		1	COVER, FAN	
12	HB1-0494-020		1	PLATE, GROUNDING	
13	VT2-5027-008		9	SPACER	
14	WT2-0434-000		1	CLIP	
\					

FIGURE 10 LASER CLASS 5500 CIRCUIT BOARDS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
10- 1	HG1-4074-030	Ë	_	NCU BOARD ASS'Y	
2	HB1-0493-000		1	SUPPORT, NCU BOARD ASS'Y	
3	VT2-0001-012		1	SUPPORT, PCB	
4	HG1-4100-080		1	SCNT BOARD ASS'Y	
5	HH3-5268-000		1	POWER SUPPLY UNIT	
6	HH7-2023-000		1	FAN UNIT	
7	HB1-0488-000		1	DUCT, FAN	
8	HB1-0669-000		1	SHEET, SHIELD	
9	HB1-0487-060	N	1	CASE, SHIELD	
10	HB1-0492-000	- Land III	1	COVER, FAN	
11	HB1-0494-020		1	PLATE, GROUNDING	
12	VT2-5027-008		9	SPACER	
13	WT2-0434-000		1	CLIP	
14	NPN		1	FRONT CASSETTE FEEDER ASS'Y	
				The state of the s	

FIGURE 11 FIXING & PAPER EXIT SECTION




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
11- 1	HG5-0131-040	П	1	EXIT PAPER COVER ASS'Y	
2	HB1-0490-000		4	PIN, TAPER	
3	HG5-0132-050		1	PAPER EJECT ROLLER ASS'Y	
4	RG9-0979-000		- 1	FIXING ASS'Y	
5	WC4-5052-000		1	MICRO SWITCH	
6	HB1-0500-020		1	SPRING, LEFT	
7	NPN		1	FEEDER RIGHT COVER ASS'Y	
8	WT2-0387-000		1	CLAMP	
			•		
Telephone Management	Lowers Committee Committee				
				,	
		1			
	W/18/16-04/95/13/05/13/05/13/05/13/05				
***************************************			1		
)*
		1	1		
	J	1	1		

FIGURE 12 PRINTER SECTION (1)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
12- 1	HG5-0130-020		1	DRIVE GEAR ASS'Y	
2	HB1-0499-000		1	PLATE, GROUNDING	
3	HB1-0504-000		1	COVER, BELT	
4	RG5-0765-000		1	MOTOR ASS'Y	
5	HB1-0498-000		1	RETAINER, COVER, TOP	
				τ	

FIGURE 13 PRINTER SECTION (2)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
13- 1	RB1-3681-000		1	CAP, SHUTTER	7.
2	RG5-0662-030		1	LASER/SCANNER ASS'Y	
3	HH2-2331-000		1	CABLE WITH CONNECTOR, 3P	1.5
4	RG5-0667-000		- 1	MIRROR ASS'Y	
5	NPN		1	TRANSFER ASS'Y	
6	RG5-0674-000		1	TRANSFER MOUNT ASS'Y, LEFT	
7	RG5-0675-000		1	TRANSFER MOUNT ASS'Y, RIGHT	
8	RB1-3003-000		1	SPRING, LEAF	
9	HG5-0123-000	Ы	1	ROLLER GUIDE UNIT	
10	HB1-0509-000		1	COVER, TONER SENSOR	
11	HB1-0496-000		1	PLATE, CARTRIDGE	
12	HB1-0666-000		1	COVER, DUST A	
13	HB1-0667-000		1	COVER, DUST B	
*	-				

FIGURE 14 PAPER PICKUP SECTION




FIGURE & KEY No.	PART No.	R A N K	Q T Y	Description	REMARKS
14- 1	HG5-0126-020		-	SEPARATION ASS'Y	
2	HG5-0124-000		1	PICKUP ROLLER ASSY	
3	XF9-0484-000		1	BELT, COGGED, RUBBER	
4	HG5-0120-000		1	FEED ROLLER ASS'Y	
5	HB1-0520-000		1	COVER, CONNECTORS	
6	HH7-2040-000		1	SOLENOID, PICKUP	*** ** * * * * * * * * * * * * * * * *
7	HG1-4059-000		1	TONER SENSOR BOARD ASS'Y	
8	HB1-0511-000		1	COVER, FEED ROLLER	
9	WT2-0507-000		3	HOLDER, CLIP	
10	NPN		1	FEED SOLENOID UNIT	
			241000		

FIGURE 15 PCNT ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
15- 1	HG5-0117-060		1	PCNT ASS'Y	
2	HB1-0503-000		1	GUIDE, CASSETTE, LEFT	
3	HB1-0502-000		1	GUIDE, CASSETTE, RIGHT	

				*	
	/				
					-
		ļ			
,					
					· ·
	·	ļ	ļ	**************************************	
			ļ		

FIGURE 16 FEEDER GUIDE ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
16- 1	HB1-0508-000		1	PLATE, GROUNDING	
2	RG5-0671-090		1	FEEDER GUIDE ASS'Y	
3	HB1-0501-020		1	SPRING, LEFT, GROUNDING	1
4	HB1-0505-000		1	ARM, PAPER PICKUP SENSOR	
5	HB1-0507-000		1	ARM, RIGHT COVER SENSOR	
6	HB1-0506-000	DI11-3-3-11	1	HOLDER, ARM	

FIGURE 17 PRINTER FRAME




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
17- 1	RG5-0766-000		1	SCANNER CONNECTOR ASS'Y	
2	RG5-0694-020		3	SWITCH LEVER ASS'Y	
3	HB1-0497-000		1	SPRING, LEAF, GROUNDING	
4	HB1-0675-040	N	-1	FRAME, PRINTER	
5	RB1-2998-020		্য	LEVER, SWITCH	
6	RB1-2999-000	2012/01/2011	1	HOLDER, SWITCH LEVER	
7	RS5-2234-000		1	SPRING, COMPRESSION	
8	RG5-0754-000		1	SCANNER CABLE ASS'Y	
9	RB1-2975-020	1	1	GUIDE, CABLE	
*					

			No. 24 Lillian	*	

FIGURE 18 TOP & CARTRIDGE COVER ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
18- 1	HB1-0593-000			HINGE, LEFT	
2	HB1-0594-000		1	HINGE, RIGHT	
3	X66-6615-000		2	BAND, WIRING	
4	NPN		1	TOP COVER ASS'Y	
5	NPN	ļ	1	CARTRIDGE COVER ASS'Y	
					9
	***************************************	ļ			
e la cere livació					
areasoning a "total a col					

FIGURE 19 CARTRIDGE COVER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
19- 1	HB1-0596-000		1	TRAY, DOCUMENT, EXTENSION	
2	RB1-3130-000		2	PIECE, CRG PRESSURE	
3	RS5-2227-000		2	SPRING, COMPRESSION	
4	HB1-0597-000		1	LEVER, RELEASE	
5	HB1-0598-000		1	COVER, LED	
6	HG1-4057-000		1	LED BOARD ASSY	
7	HB1-0595-000		1	COVER, CARTRIDGE	
8	XA9-0476-000		2	SCREW, TP M3X8	
				4	
-04111000114111111111111111111111111111					
		1			
		100000			
SCHOOL STATE		100000	12.00		

FIGURE 20 TOP COVER





FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
20 - 1	H\$1-0070-000		1	GEAR, 16T	
2	HB1-0588-000		1	GUIDE, DOCUMENT, LEFT	
3	HB1-0587-000		1	GUIDE, DOCUMENT, RIGHT	
4	HB1-0614-000		1	SPRING WASHER, SLIDER	
5	HB1-0591-000		1	PLATE, SUPPORTING, RIGHT	
6	HB1-0592-000		1	PLATE, SUPPORTING, LEFT	
7	HS5-2022-000		1	SPRING, LEVER	
8	HB1-0589-000		1	ARM, CARTRIDGE COVER SENSOR	
9	HB1-0590-000		1	COVER, LED	
10	HB1-0599-000		1	LABEL, UPPER LIMIT	
11	HB1-0586-000	1	1	COVER, DOCUMENT GUIDE	
12	XA9-0428-000		1	SCREW M2.6X8	
13	HB1-0600-000		1	LABEL, HANDLING CARTRIDGE	

FIGURE 21 CONTROL PANEL ASS'Y & ADF ASS'Y, UPPER



HB1-0648-000 HG5-0148-000 NPN	SHEET, PROTECT CONTROL PANEL ASS'Y ADF ASS'Y, UPPER	
NPN	ADF ASS'Y, UPPER	
		•

atirkus alaulist ya		^

FIGURE 22 ADF, UPPER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
22 - 1	HH2-2363-000		1	CABLE UNIT	
2	HB1-0643-020	N	1	STAY, PRESSURE	
3	HB1-0638-000		1	ARM, DETECTION (DS)	
4	HB1-0639-000		1	HOLDER (DS)	
5	WG8-5210-000		2	IC, TLP1240 PHOTOINTERRUPTER	
6	HB1-0642-000		2	PLATE, PRESSURE	
7	HH2-2369-000		1	WIRE, GROUNDING	
8	HB1-0647-000		1	SPRING, LEAF, GROUNDING	
9	HB1-0640-000		-1	HOLDER (DES)	
10	HA1-6639-000		1	ARM, DETECTION (DES)	
11	XD3-2200-122		1	PIN, PARALLEL, 2X12	
12	HA1-6852-000		1	ROLLER, EJECT, UPPER	
13	HB1-0641-000		2	SHAFT, DELIVERY ROLLER	
14	HA1-5327-000		2	ROLLER, BACK-UP	
15	HF5-0047-020		1	WHITE SHEET UNIT	
16	HB1-0635-000		1	SHAFT, PRESSURE	
17	HB1-0637-000		2	SHEET, FRICTION	
18	HB1-0634-000		1	COVER, BLANKING A	
19	HS5-2024-000		1	SPRING	
20	HB1-0632-000		1	ARM, PRESSURE	\$*
21	HG5-0143-000	1	1	SEPARATION GUIDE ASS'Y	
22	HS5-2025-000		1	SPRING	
23	HB1-0633-000		1	COVER, BLANKING B	
24	HB1-0636-000		1	BRUSH, STATIC DISCHARGE	
25	HB1-1090-000	N	1	FRAME, ADF, UPPER	

FIGURE 23 CONTROL PANEL (1)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
23 - 1	HG1-4075-000		1	OPCNT BOARD ASS'Y	
2	HB1-0662-000		1	COVER, SWITCH	
3	HB1-0661-000		1	COVER, DISPLAY	
4	HB1-0663-000		1	SHEET, FUNCTION	- 12 a
5	NPN		1	CONTROL PANEL COVER ASS'Y	i
1,					

3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				,	

FIGURE 24 CONTROL PANEL (2)




FIGURE &	PART No.	R A N K	Q T	DESCRIPTION	REMARKS
KEY No.		K	Υ		
24 - 1	HB1-0656-000			KEY TOP, "FUNCTION (MODE)"	
2	HB1-0654-000			KEY TOP, "ONE TOUCH DIAL"	
3	HB1-0655-000		1	KEY TOP, "TEL FUNCTION"	
4	HB1-0652-000		1	KEY TOP, "DIAL"	
5	HB1-0658-000		1	KEY TOP, "COPY"	
6	HB1-0657-000		1	KEY TOP, "STOP"	
7	HB1-0653-000		1	KEY TOP, "START"	
8	HB1-0664-030		1	PLATE, WITH GROUND WIRE	
9	HB1-0659-030		1	COVER, ONE TOUCH DIAL	
10	HB1-0651-030		1	COVER, CONTROL PANEL	
11	HB1-0660-000		1	SHEET, FUNCTION	
		1			
				1 5	
		1			
		-	+		
					I
		-	-		
					_

FIGURE 25 ADF, LOWER (1)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
25 - 1	HB1-0602-000		1	COVER, ADF, LOWER	
2	HG5-0140-000		1	SEPARATION ROLLER ASSY	
3	HB1-0612-000		1	PLATE, SPEAKER MOUNTING	
4	HH7-2046-000		1	SPEAKER	24
5	HB1-0611-000		1	HOLDER, SPEAKER	
6	HG1-4197-000	-	- 1	VR BOARD ASS'Y	1 2
7	HB1-0613-000		1	STOPPER, CONTROL PANEL	
8	WT2-5078-000		9	RIVET	_
9	HB1-0606-000		1	COVER, GEAR	
10	HG5-0142-000	.commis	1	CONTACT SENSOR UNIT	
11	HB1-0608-000		- 1	COVER, EJECT ROLLER	
				1400	Ti-
					*

					1
***************************************		1			
		*			
.,					
					19,0

FIGURE 26 ADF, LOWER (2)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
26 - 1	HS5-0057-020		1	GEAR, 44T/20T	
2	HS1-3066-000		2	PULLEY 26T	
3	HS5-0056-020		1	GEAR, 49T	
4	HS5-1013-020		2	BUSHING	ľ
5	HS5-0059-020		1	GEAR, 38T/33T	
6	HS5-0063-000		1	GEAR, 60T/20T	
7	HH7-2045-000		1	PULSE MOTOR, READER	
8	HB1-0604-040		1	ROLLER, DOCUMENT EJECT	
9	HS5-1014-000		2	BUSHING	
10	HB1-0603-020		1	ROLLER, DOCUMENT FEED	
11	HB1-0610-000	N	1	SHAFT, TRANSFER	
12	HB1-0607-000		1	COVER, CABLE	
13	HH2-2435-000		1	CABLE WITH CONNECTOR, 10P	
14	HB1-0609-030		1	SPRING, LEAF, GROUNDING	
15	HS5-2023-000		2	SPRING	50. 20000
16	HB1-0605-000	1	2	ARM, HOOK	
17	HB1-1089-000	N	1	FRAME, ADF	
18	HF5-0046-030		1	MOUNT, DOCUMENT FEED MOTOR	
19	XF9-0518-000		1	DRIVE BELT, COGGED	
20	HS5-6006-000		1	ROLLER, DRIVE	
21	HH2-2437-000		1	WIRE, GROUNDING	
_				-	

FIGURE 27 SEPARATION ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
27 - 1	HF5-0044-000		1	ROLLER, SEPARATION	
2	HF5-0045-000		1	ROLLER, LOADING	
3	HS5-0061-000		1	GEAR, 19T	
4	HS5-0060-000		1	GEAR, 20T	
5	HS5-2028-000		1	SPRING, CLUTCH	
6	HS5-6005-000		1	ROLLER, DRIVE	
7	HS5-0062-000		1	GEAR, 20T	
8	HA2-0325-000		1	GEAR, 17T	
9	HB1-0621-000		1	SPRING, LEAF	
10	HB1-0616-000		1	HOLDER, SEPARATION ROLLER	
THE ROLL TO LEADING			an ha ka berb		
	-				
		2010101			
				,	

FIGURE 28 SEPARATION GUIDE




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
28 - 1	HA1-6629-000		1	HOLDER, SEPARATION	
2	HA1-6633-000		- 1	SHEET, DOCUMENT SLIDE, FRONT	
3	HB1-0650-000		1	RUBBER, SEPARATION	
4	HB1-0649-000		1	HOLDER, SEPARATION GUIDE	
	(
				·	
Commence of the Commence of th					

FIGURE 29 PAPER EXIT COVER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
29 - 1	HB1-0575-040		1	ARM, LOCK (L)	
2	HB1-0576-020		1	ARM, LOCK (R)	
3	HB1-0577-020	N	1	STAY	_
4	HB1-0574-000		1	BRUSH, STATIC DISCHARGE	
5	HB1-0573-030		1	COVER, EXIT PAPER	
6	HB1-0583-000		1	LABEL, HANDLING PAPER JAM	
				•	
					×

FIGURE 30 PAPER EXIT ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
30 - 1	HB1-0578-040		1	GUIDE, PAPER EJECT	•
2	HS5-6004-000		2	ROLLER, PAPER EJECT (UPPER)	
3	HB1-0581-020		1	SHAFT, EJECT ROLLER	
4	HB1-0582-000		2	ROLLER, PAPER EJECT (LOWER)	
5	HS5-1012-000		1	BUSHING	
6	HS5-0055-000		1	GEAR, 18T	
7	HS5-1011-000		1	BUSHING	
8	HS5-0054-000		1	GEAR, 52T/38T	
9	HB1-0580-000		1	SPRING, LEAF, GROUNDING	
10	HB1-0579-000	N	1	FRAME, PAPER EJECT GUIDE	
11	XA9-0283-000		1	SCREW, TP, PH3X6	

FIGURE 31 FIXING ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
31 - 1	RB1-2981-000	÷	1	LEVER, RELEASE	***
2	RB1-2969-020		1	CLIP, CABLE	
3	RB1-3025-000		1	COVER	
4	RB1-3087-000		2	PIN	
5	RB1-3088-000	N	1	FRAME, FIXING	2000 processor - 2000 - 2000 - 200 processor - 2000 - 200 processor - 2000 - 2000 - 2000 processor - 2000 - 2
6	RB1-3089-000	N	1	PLATE, FIXING	
7	RB1-3090-000		1	BUSHING, PRESSURE ROLLER, LEFT	
8	RB1-3091-000		1	BUSHING, PRESSURE ROLLER, RIGHT	
9	RG5-0690-000		-1	GUIDE ASS'Y ENTRANCE	-
10	RF5-0586-000		1	GUIDE, DELIVERY, LOWER	
11	RS5-8170-000		1	LABEL, WARNING	
12	RB1-3096-000		3	LEVER, DELIVERY SENSOR	
13	RB1-3097-000		1	LINK, DELIVERY SENSOR	
14	RB1-3099-020		1	SPRING, TORSION	
15	RB1-3100-000		1	ROLLER, PRESSURE	
16	RB1-3103-000	ļ	1	ROLLER, PAPER DELIVERY, FU	
17	RB1-3104-030		1	BUSHING, DELIVERY ROLLER, LEFT	
18	RB1-3105-030	1	1	BUSHING, DELIVERY ROLLER, RIGHT	
19	RB1-3109-000		1	RUBBER, CONTINUITY	
20	RB1-3677-000		1	RETAINER, SENSOR	
21	RG5-0678-000	1	1	FIXING FILM ASS'Y	
22	RH2-5214-000		1	CONNECTOR, 2P	
23	RS5-0314-000		1	GEAR, 24T	
24	RS5-0315-000		1	GEAR, 22T	
25	RS5-0316-000		1	GEAR, 17T/17T	<u> </u>
26	RS5-2223-000	T	2	SPRING, COMPRESSION	
27	RS5-2224-000		2	SPRING, TENSION	
28	WT2-5058-000		2	CLIP, CABLE	
29	RG5-0681-020		1	DELIVERY ASSY	
30	RB1-3106-040		,	GUIDE, DELIVERY, UPPER	
31	RB1-3107-000	1	2	ROLLER	
32	RB1-3108-000		2	SPRING, TORSION	
33	RF5-0589-000		1	HOLDER, RESISTER	

FIGURE 32 RIGHT COVER





FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
32 - 1	HG5-0128-000		2	ROLLER GUIDE UNIT	
2	HS5-2020-000		2	SPRING	
3	HB1-0554-000		2	LEVER, LOCK	
4	HS1-1073-000		2	STOPPER, SHAFT	
5	HB1-0553-000		1	COVER, RIGHT	
			- CHI		

FIGURE 33 DRIVE GEARS



Break the parts to remove them.

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
33 - 1	RS5-0329-000		1	GEAR, 19T/19T	
2	RS5-0327-000		1	GEAR, 52T	
3	RS5-0326-000		1	GEAR, 19T/55T	
4	RS5-0325-000		-1	GEAR, 120T/32T	
5	RS5-0318-000	100000000000000000000000000000000000000	1	GEAR, 136T/18T	
6	RS5-0321-000	1	1	GEAR, 22T/36T	
7	RS5-0366-000		1	GEAR, 64T	
8	RS5-0367-000		1	GEAR, 60T/38T	
9	HS5-0053-000		1	GEAR, 18T/45T	
10	HS5-0052-000		1	GEAR, 33T	
-11	HS5-0051-000	T	1	GEAR, 18T/36T	
12	HS5-0050-000		1	GEAR, 32T/41T	
13	HS5-0049-000		1	GEAR, 58T	
Sub-Lagrandian Marketine					
				i k	

FIGURE 34 PAPER GUIDE ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
34 - 1	HS5-6002-000		2	ROLLER, PAPER GUIDE	
2	HS5-2018-000		2	SPRING, PRESSURE	
3	HB1-0539-000		2	SHEET, PAPER GUIDE	
4	HB1-0538-000		1	GUIDE, PAPER FEED	

			00110112		
	TO A LEGISTRA TO A STREET OF THE STREET OF T	Across 5	\$1100011		
			ā		

FIGURE 35 TRANSFER CHARGING ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
35 - 1	RF5-0596-000		1	ROLLER, TRANSFER	
2	RG5-0702-000		1	TRANSFER GUIDE ASS'Y	
3	RB1-3073-000		2	BUSHING	
4	RF5-0585-000		- 1	GUIDE, TRANSFER	
5	RB1-3076-000		1	BUSHING, LEFT	
6	RS5-2222-000		1	SPRING, COMPRESSION	
7	RB1-3075-000		1	MOUNT, TRANSFER, LEFT	
8	RB1-3078-000		1	BUSHING, RIGHT	
9	RS5-2221-000		2	SPRING, TORSION	
10	RB1-3077-000		1	MOUNT, TRANSFER, RIGHT	

FIGURE 36 LASER/SCANNER UNIT




FIGURE & KEY No.	PART No.	RANK	Q T Y	DESCRIPTION	REMARKS
36 - 1	RB1-3016-000		_	SHUTTER, LASER	
2	RS5-2238-000		1	SPRING, TORSION	
3	RB1-3020-000		-1	ARM, SHUTTER	
4	NPN		1	LASER/SCANNER UNIT	
					*
***************************************	• // / / / / / / / / / / / / / / / / /				

FIGURE 37 SEPARATION PAD & LIFTING ARM




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
37 - 1	HS5-2026-000		1	SPRING	
2	HB1-0547-000		- 1	LEVER, LIFTING	
3	HB1-0545-000		- 1	MOUNT, SHAFT	
4	FS1-1205-000		1	BUSHING	
5	HS1-1036-000		2	BUSHING	
6	HB1-0548-000	-	1	ARM, LIFTING	
7	HB1-0546-000		1	LEVER, SEPARATION	
8	HS5-1001-000		1	BUSHING	
9	HB1-0542-020		1	PAD, SEPARATION, RUBBER	
10	HS5-2019-020		1	SPRING, SEPARATION	
11	HB1-0543-000	1	1	PLATE, SEPARATION	
12	HB1-0544-000		1	SHAFT, LIFTING	
	1				

FIGURE 38 PAPER PICKUP ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
38 - 1	RA1-7574-000		2	BUSHING	
2	HB1-0540-000		1	ROLLER, PICKUP	
3	XD3-2200-122		-1	PIN, PARALLEL, 2X12	
4	HB1-0549-000		-1	CLUTCH, PICKUP ROLLER	
5	HB1-0541-000		1	SHAFT, PICKUP ROLLER	
2000				,	

FIGURE 39 PAPER FEED ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
39 - 1	XD3-2200-202		2	PIN, M2 X20	
2	HB1-0527-000		2	ROLLER, FEED	
3	HS5-1001-000		2	BUSHING	
4	XD3-2200-102		1	PIN, PARALLEL	
5	HG5-0121-000		1	CONTROL RING UNIT	
6	HB1-0528-030		1	SHAFT, FEED ROLLER	
					₹

FIGURE 40 PAPER FEED SOLENOID




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
40 - 1	HH7-2039-000			SOLENOID	
2	HB1-0534-000		1	CLAW, SOLENOID	
3	HA1-8060-000		1	SPACER, HINGE	
4	HS5-3010-000		1	PULLEY, 15T/17T	
5	HF5-0043-000	-00	1	MOUNT, SOLENOID	
		1000000			
				#1 21	
***************************************	4				
***************************************				,	

FIGURE 41 PCNT & PAPER SENSOR BOARD ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
41- 1	HG5-0118-000		1	HVT CONNECTOR ASS'Y	
2	HG1-4155-060		1	PCNT BOARD ASS'Y	
3	HB1-0524-000		1	LEVER, SENSOR	
4	HB1-0526-000		1	ARM, DETECT, PAPER SIZE (A)	
5	HB1-0525-000		1	ARM, DETECT, PAPER SIZE (B)	
6	HB1-0523-000		1	ARM, DETECT, PAPER	
7	HG9-0688-000		1	PAPER SENSOR BOARD ASS'Y	
8	HB1-0522-000		1	HOLDER, ARMS, SENSOR	
9	HG5-0119-000		1	PCNT COVER ASS'Y	
10	RB1-3163-000		3	PIN, CONTACT	
11	WT2-5311-000	ļ	1	SPACER	
					E-
					-
					×

FIGURE 42 PCNT COVER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
42 - 1	HB1-0517-000		1	GUIDE, CASSETTE (R)	
2	RB1-3151-000		1	SPRING, CASSETTE SIDE	
3	HB1-0518-000		1	GUIDE, CASSETTE (L)	
4	HB1-0516-020	N	1	COVER, SHIELD (PCNT)	ı
Season services and the services are the services and the services are the	3				
				?	

FIGURE 43 PAPER FEED GUIDE




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
43 - 1	RB1-3079-000		1	SHAFT, SWITCH CAM	
2	RF5-0584-000		1	ELIMINATOR, STATIC CHARGE	
3	RF5-0600-060	N	1	GUIDE, FEEDER	
4	RG5-0672-030		1	CAM ASS'Y SWITCH	
5	RG5-0710-000		1	SENSOR ASS'Y	
6	RB9-0108-000	1	1	SHEET, RIGHT PET(R)	
7	RB1-3063-020		1	CAM, SWITCH	
8	RB1-3064-000		1	SHUTTER, SWITCH	
9	RB1-3069-020		1	LEVER, CRG SWITCH	
10	RB1-3074-000		1	SPRING, LEAF	
11	RB1-3067-000		1	LEVER, SENSOR	
12	RB1-3068-000		1	HOLDER, SENSOR	
13	NPN		1	FRAME, GUIDE, FEEDER	
				*	

FIGURE 44 SCNT BOARD ASS'Y




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
44 - 1	HH4-2462-040		1	IC, MB83400B-15P-3PE	
2	WA3-6909-000		1	IC, MCM34800AZ80 D-RAM	
3	WK1-5047-000		-1	LITHIUM BATTERY, CR2450HC22NC	
4	WS1-0172-000		1	PLUG, SHORT	
					•
Julies III					
		ļ			
				ž.	
•				:+	
					Process (1994) 100 100 100 100 100 100 100 100 100 10
is					

FIGURE 45 FUSE, POWER SUPPLY




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
45 - 1	HY7-2597-000		1	FUSE, 5A, 125V	
2	HY7-2602-000		1	FUSE, 10A, 125V	
	*				
					_
			-	***************************************	
				7.0	
					J

				*	
		1000	6190901		
	-			TO THE STATE OF TH	AND STATE OF THE PROPERTY OF THE PROPERTY OF THE STATE OF
		<u></u>	ļ	***************************************	
				5	

FIGURE 46 SIDE CASSETTE




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
46 - 1	HB1-0558-000		1	PLATE, LIMIT	
2	HB1-0559-000		1	GUIDE, SIDE, CASSETTE	
3	HB1-0557-000		1	PLATE, PAPER LIFTING	
4	HB1-0556-000	N	1	BODY, CASSETTE	
. 	***************************************				
				1	1
-millioninininininini	************			***************************************	
					_
**************************************		ļ			
	w-				
				*	***************************************
		ļ	ļ		***************************************

FIGURE 47 FXL-FEEDER 1 PACKAGE CONTENTS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
47 - 1	NPN		1	FRONT CASSETTE FEEDER ASS'Y	
	4-3-1-3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	ļ			
				,	

		ļ			
			es.		
			107750		
					-

FIGURE 48 FXL-FEEDER 1 & LASER CLASS 5500 FEEDER (1)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
48 - 1	HB1-0426-000	N	1	COVER, BOTTOM COVER	
2	HB1-0412-030	N	1	COVER, BOTTOM, FEEDER	
3	HB1-0416-000		1	COVER, REAR, FEEDER	
			•		
					•
	1				

FIGURE 49 FXL-FEEDER 1 & LASER CLASS 5500 FEEDER (2)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
49 - 1	HB1-0413-000	K	•	COVER, RIGHT A	
2	HB1-0414-000		1	COVER, RIGHT B	
3	WC4-5052-000		1	MICRO SWITCH	*
4	HB1-0417-000	N	1	GUIDE, CASSETTE, RIGTHT	
5	HF5-0031-000		1	HOLDER, PICKUP ROLLER	
6	FS1-1205-000		2	BUSHING	
7	HS5-0043-000		1	GÉAR, 17T	_
8	XD3-2200-082		1	PIN, PARALLEL	
9	HB1-0419-000		1	ROLLER, PICKUP	-
10	HS5-0044-000		1	GEAR, 22T	
11	HB1-0429-000		2	SPRING, LEAF	
12	HB1-0430-000		2	COVER, SPRING	
13	NPN		1	PICKUP ASS'Y	
14	HH2-2337-000		1	CABLE WITH CONNECTOR, 2P	
15	RA1-8243-000		2	FOOT, RUBBER	
16	NPN		1	FEEDER RIGHT COVER ASS'Y	

FIGURE 50 FXL-FEEDER 1 FEEDER (3)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
50 - 1	HB1-0415-030		- 00	COVER, LEFT	
2	HB1-0418-040	N	1	GUIDE, CASSETTE, LEFT	
3	RA1-8243-000		2	FOOT, RUBBER	
4	HB1-0425-000		1	HOLDER, LED PCB	
5	HH7-2041-000		1	SOLENOID, PICKUP	
6	HB1-1092-000		1	SPRING, LEAF	
7	HB1-0422-000		1	RETAINER, DRIVER BOARD ASSY	
8	HB1-0423-000		1	SPRING, LEAF	
9	HB1-0421-000		1	HOLDER, ARM	
10	HB1-0420-000		1	ARM, DETECT, PAPER	
11	WG8-5210-000		1	IC, TLP1240 PHOTOINTERRUPTER	
12	HH2-2334-000		1	CABLE WITH CONNECTOR, 18P	
13	HG1-4060-000		1	DRIVER BOARD ASS'Y	
14	WT2-5065-000		3	CLAMP, CABLE	
15	HH2-2413-020		2	WIRE, GROUNDING	
16	HB1-0450-000		1	SHEET, SHIELD, DRIVER BOARD	
17	HB1-0431-000		1	COVER, DRIVER BOARD	
18	HB1-0685-000		1	SHEET, SHIELD, LED	
19	WT2-5302-000		1	BAND, WIRING	
20	NPN	3 14 (3.146)	1	FRAME, FEEDER	
21	HB1-1093-000		1	COVER, SPRING	5:

FIGURE 51 LASER CLASS 5500 FEEDER (3)




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
51 · 1	HB1-0415-030	I.	1	COVER, LEFT	
2	HB1-0418-040	N	1	GUIDE, CASSETTE, LEFT	
3	RA1-8243-000		2	FOOT, RUBBER	
4	HB1-0425-000		1	HOLDER, LED PCB	
5	HH7-2041-000		1	SOLENOID, PICKUP	
6	HB1-1092-000		1	SPRING, LEAF	
7	HB1-0422-000		1	RETAINER, DRIVER BOARD ASS'Y	
8	HB1-0423-000		1	SPRING, LEAF	
9	HB1-0421-000		1	HOLDER, ARM	
10	HB1-0420-000		1	ARM, DETECT, PAPER	
11	WG8-5210-000		1	IC, TLP1240 PHOTOINTERRUPTER	
12	HH2-2371-000		1	CABLE WITH CONNECTOR, 18P	
13	HG1-4060-000		1	DRIVER BOARD ASS'Y	
14	WT2-5065-000		3	CLAMP, CABLE	
15	HH2-2413-020		2	WIRE, GROUNDING	
16	HB1-0450-000		1	SHEET, SHIELD, DRIVER BOARD	
17	HB1-0431-000		1	COVER, DRIVER BOARD	
18	HB1-0685-000		1	SHEET, SHIELD, LED	
19	WT2-5302-000	2.	1	BAND, WIRING	
20	NPN		1	FRAME, FEEDER	
21	HB1-1093-000		1	COVER, SPRING	
				*	
***************************************	1	1			
29		\perp			

FIGURE 52 FXL-FEEDER 1 & LASER CLASS 5500 RIGHT COVER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
52 - 1	HF5-0034-000			PICKUP ROLLER UNIT	
2	HB1-0444-040		1	COVER, RIGHT, FEEDER	
	V = + = 1 V + = = = = = = = = = = = = = = = = = =				
				2	
	1,				
	ouvounamenten				
		ļ	ļ		**************************************
	-				
******	······				
					. *

FIGURE 53 FXL-FEEDER 1 & LASER CLASS 5500 PAPER PICKUP ROLLER




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
53 - 1	FS1-1341-000		-	BUSHING, OILLESS METAL	
2	HB1-0443-000		1	HOLDER, PICKUP ROLLER, A	
3	HB1-0441-000		4	ROLLER, PICKUP	
4	XD3-2200-122		4	PIN, PARALLEL, 2X12	
5	HS5-0047-000		1	GEAR, 17T	The state of the s
6	HB1-0442-000	İ	1	SHAFT, PICKUP ROLLER	
7	HF5-0035-000		1	HOLDER, PICKUP ROLLER, B	
8	HG5-0155-000		1	CLUTCH UNIT	1
9	HG5-0109-000		1	PICKUP ROLLER ASS'Y	

FIGURE 54 FXL-CASSETTE 1 LTR/500 PACKAGE CONTENTS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
54 - 1	NPN		1	FRONT CASSETTE ASS'Y	
	=				
			16.07		
		-			

FIGURE 55 FXL-CASSETTE 1 LTR/500 & LASER CLASS 5500 FRONT CASSETTE




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
55 - 1	HB1-0457-000		2	SHEET, FRICTION, A	
2	HB1-0458-000		1	SHEET, FRICTION, B	
3	HB1-0459-000		3	LABEL, STACKING LIMIT	
4	HF5-0038-000		1	PLATE, PAPER LIFTING (LTR)	
5	HB1-0452-000	1	1	COVER, DISPLAY (LTR)	
6	HB1-0454-000	1	1	PLATE, REFRECTING	
7	HS5-2016-030		2	SPRING	
8	RA2-0398-000		3	BLOCK, SIZE	
9	HB1-0461-000		1	ROD, CLAW	
10	HB1-0460-000		1	CLAW	
11	HB1-0462-020	T	1	PLATE, LIMIT	
12	HG5-0114-050		1	SIZE PLATE ASS'Y	1.6.1
13	HB1-0451-060		1	BODY, CASSETTE	
14	XD9-0101-000		1	RING, E	
	COMENTALAMINA			***************************************	i.
	8				

FIGURE 56 HANDSET KIT 2 PACKAGE CONTENTS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
56 - 1	HG1-2185-050		1	HANDSET ASS'Y (USA, AG)	
2	HG5-0156-000		1	HANDSET REST UNIT	
3	XA9-0689-000		2	SCREW, HANDSET HOLDER	
<i>Succession</i>	***************************************	-		entanis in the contract of the	***************************************
				<u>.</u>	

comment of the section of the sectio					

FIGURE 57 HANDSET KIT 2 & LASER CLASS 5500 HANDSET




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
57 - 1	HA1-6141-000		3	COVER, UPPER (AG)	
2	HA1-5412-000		-1	PLATE, NOISE SHIELD (CT-15)	
3	HA1-4279-000		1	HOLDER, SPEAKER	
4	HA1-3185-000		1	SEAL, RUBBER	
5	HA1-6142-000		1	COVER, LOWER (AG)	
, 6	HA1-6143-000	Ī	1	COVER, SCREW (AG)	
7	HA1-3002-000		-1	FILTER B, MECHANICAL	
8	HA1-3001-000		3	FILTER, MECHANICAL	
9	HA1-6144-000		1	KEY TOP F (AG)	
10	HG1-2196-000		1	TELCNT BOARD ASS'Y	
11	HH7-1299-000	T	1	RINGER PKM34EW-12	
12	WR1-0111-000		1	SPEAKER DH-70C	
13	HH2-1703-000		1	CORD, COILED (AG)	
14	*HH2-1277-000		1	MODULAR JACK	
15	WR1-0086-000		1	MICROPHONE	And a second by the control of the c

3. SCREWS & WASHERS LIST

LASER CLASS 5000 SCREWS

FIGURE & KEY No.	PART No.	RANK	Q T Y	DESCRIPTION	REMARKS
S- 1	XB1-2300-607		37	SCREW, BH3X6(S)	
2	XB4-7401-007		20	SCREW, PIN HEAD SELF-TAPPING	
3	XB1-2301-207		2	SCREW, M3X12	
4	XA9-0751-000		2	SCREW, SELF-TAPPING, M3X35	
5	XB4-7401-009		26	SCREW,BINDING HEAD SELFTAPPING	
6	XB6-7301-007		3	SCREW, PH, M3X10	the transfer of the transfer of the tray of
7	XB4-7300-809		16	SCREW, TAP, BINDING HEAD, M3X8	
8	XB4-7300-807		20	SCREW, TAP TIGHT, BINDING HEAD	
9	XB4-7260-609		23	SCREW, TAP, BH2.6X6	- 4
10	XB4-7301-407		2	SCREW, BH M3X14	
11	XB1-2300-407	T	1	SCREW, M3X4	
12	XB6-7300-609		2	SCREW, MACHINE M3X6	
13	XB6-2301-008	1	1	SCREW	
15	XB6-7300-607		6	SCREW, TP, M3x6	
21	XB2-8300-809	1	2	SCREW, W/WASHER, M3X8	
22	XB1-2300-809	1	1	SCREW, BH3X8	
23	XB4-7401-207	1	7	SCREW, SELF-TAPPING, M4X12	
24	XB4-7300-609	1		SCREW, TAP, BINDING HEAD, M3X6	
25	XB6-7300-807		1	SCREW, TP, M3X8	

-					
a i ga a i ki a i ga a i e a e e e e					

LASER CLASS 5000 WASHERS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
W - 1	XD2-1100-322		1	RETAINING RING (E-TYPE)	
2	XD2-1100-502		5	RETAINING RING (E-TYPE)	
3	XD2-1100-642		4	RETAINING RING (E-TYPE)	
					•
					-
·····		ļ.,			
					1705-per 2700 770 78800 898-004 (1770 17 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7

LASER CLASS 5500 SCREWS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
S- 1	XB1-2300-607		39	SCREW, BH3X6(S)	
2	XB4-7401-007		24	SCREW, PIN HEAD SELF-TAPPING	
3	XB1-2301-207		2	SCREW, M3X12	
4	XA9-0751-000		2	SCREW, SELF-TAPPING, M3X35	
5	XB4-7401-009		27	SCREW,BINDING HEAD SELFTAPPING	
6	XB6-7301-007	171577	3	SCREW, PH, M3X10	
7	XB4-7300-809		16	SCREW, TAP, BINDING HEAD, M3X8	
8	XB4-7300-807		23	SCREW, TAP TIGHT, BINDING HEAD	
9	XB4-7260-609		23	SCREW, TAP, BH2,6X6	
10	XB4-7301-407		2	SCREW, BH M3X14	
11	XB1-2300-407		23	SCREW, M3X4	
12	XB6-7300-609		2	SCREW, MACHINE M3X6	
13	XB6-2301-008		1	SCREW	
14	XB4-7200-407		2	SCREW, BH M2X4	
15	XB6-7300-607		10	SCREW, TP, M3x6	
16	XB1-2301-007	1	7	SCREW, BH3X10	
17	XB4-7400-607		1	SCREW, SELF-TAPPING, PANHEAD	
18	XB1-2301-406		1	SCREW, BH 3X14	
19	XB4-7200-609		2	SCREW, M2X6	
20	XB4-7260-809	1	5	SCREW, FT, BH 2.6X8	
21	XB2-8300-809	1	2	SCREW, W/WASHER, M3X8	The state of the s
22	XB1-2300-809		1	SCREW, BH3X8	
23	XB4-7401-207		6	SCREW, SELF-TAPPING, M4X12	
24	XB4-7300-609		1.0	SCREW, TAP, BINDING HEAD, M3X6	
25	XB6-7300-807			SCREW, TP, M3X8	
26	XB4-7400-807			SCREW, SELF-TAPPING, PIN HEAD	٠
***************************************			4 ta 14 ta		

LASER CLASS 5500 WASHERS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
W - 1	XD2-1100-322		1	RETAINING RING (E-TYPE)	
2	XD2-1100-502		7	RETAINING RING (E-TYPE)	
3	XD2-1100-642		11	RETAINING RING (E-TYPE)	
11.17007_00011107000000					

				•	
. - - 					
			5:		
		_	1		

FXL-FEEDER 1 SCREWS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
S- 5	XB4-7401-009		14		
8	XB4-7300-807		3	SCREW, TAP TIGHT, BINDING HEAD	
11	XB1-2300-407		22	SCREW, M3X4	
13	XB4-7200-407		2	SCREW, BH M2X4	
14	XB6-7300-607		4	SCREW, TP, M3x6	
1 5	XB1-2301-007		6	SCREW, BH3X10	
24	XB4-7300-609		1	SCREW, TAP, BINDING HEAD, M3X6	
and the second s					

FXL-FEEDER 1 WASHERS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
W - 2	XD2-1100-502		7	RETAINING RING (E-TYPE)	
3	XD2-1100-642		11	RETAINING RING (E-TYPE)	

FXL-CASSETTE 1 LTR/500 SCREWS

FIGURE & KEY No.	PART No.	RANK	Q T Y	DESCRIPTION	REMARKS
S- 17	XB4-7400-607		1	SCREW, SELF-TAPPING, PANHEAD	
23	XB4-7401-207		2	SCREW, SELF-TAPPING, M4X12	
26	XB4-7400-807		1	SCREW, SELF-TAPPING, PIN HEAD	

5 optopensencon	here a constitue on the surrounding				
gravitatis in market gravitatis.					

HANDSET KIT 2 SCREWS

FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
S- 18	XB1-2301-406		1	SCREW, BH 3X14	
19	XB4-7200-609		2	SCREW, M2X6	
20	XB4-7260-809		5	SCREW, FT, BH 2.6X8	
	0000 1410 MARIE (1900 1900 1900 1900 1900 1900 1900 190				
				i I	,
		ļ			
		 			
		ļ	ļ		
	1				

4. TOOL

FIGURE 58 TOOLS




FIGURE & KEY No.	PART No.	R A N K	Q T Y	DESCRIPTION	REMARKS
58 - T1	CK-0551-000		1	GREASE, PERMAĻUB G-2, (24G)	
T2	CK-0544-000		1	GREASE, FLOIL GE-676 (20G)	
Т3	RY9-0093-000		3	CHECK TERMINAL	
T4	HY9-0005-000		1	EXTENTION CABLE UNIT	
T5	HY9-0013-000		_1	GAUGE, GAP (1.8mm)	
				*0	

5. GUIDE TO REPLACEMENT




FIGURE 5-c (1)	See Page 2 - 9/11	FIGURE 5-c (2)	See Page 2 - 9/11
Screw		Rivet	
When removing the stopper, after removing 5-c(1), When attaching the stopper, after ins as shown in the figure 5-c(2).	the screw wit erting the scr	h a screwdriver, pull out the stopper as shown aw into the rivet, insert the screw and rivet int	n in the figure the stopper
			II.
*			


This page intentionally left blank

See Page(s) 2 - 13/15 FIGURE 9-a FIGURE 7-a Wire the cables as shown in the figure. Use needlenose pliers to remove the NCU board as shown in the figure. See Page(s) FIGURE 9-c FIGURE 9-b 2 - 17/19



Label

Cable



See Page(s)

2 - 17/19

See Page(s) 2 - 17/19

When attaching the fan cover, ensure that it protrudes appex. 0.079"(2mm) from the front surface of the fan.

FIGURE 11-a	See Page 2 - 21	FIGURE 13-a	See Page 2 - 25		
Wire the sensor shown in the figure.		Lay out the wires of the laser/scanner unit shown in the figure.			
FIGURE 13-b (1)	See Page 2 - 25	FIGURE 13-b (2)	See Page 2 - 25		
Do not touch the surface of the transfer cha	arging roller. As b (1) careful	After removing the tabs from the transfer charging the remove the roller in the order shown in figure	ng roller with a a 13-b (2).		

FIGURE 13-c	See Page 2 - 25	FIGURE 13-d	See Page 2 - 25	
Hole		Cable		
Remove carefully, so that the hole is not block	1	Attach the dust cover after attaching the cable. See Page		
FIGURE 14-a	See Page 2 - 27	FIGURE 14-b		
	*		Belt	




FIGURE 24-a	See Page 2 - 47	FIGURE 26-a	See Page 2 - 51
			The same of the sa
Remove the key tops very carefully with driver, taking care not to break them,	a precision	When removing the gears shown in the figur shaft by hand, and prise off the gears with screwdriver.	e, steady the
FIGURE 26-b	See Page 2 - 51	FIGURE 26-c	See Page 2 - 51
	Cable		0

When attaching the cable cover, be careful not to pinch

When attaching the document feed motor, make sure that the motor cable exits the lower right hand side, as shown the cable in the cover.

in the figure,

See Page See Page FIGURE 32-a FIGURE 31-a 2 - 63 2 -61 Base plate Cable retainer Cable cap When taking out the roller guide unit, remove the tab Be careful not to damage the cable. Wire the cable as shown in the figure. Provide a clearance of 0,039"(1mm) or more between the base plate and the cable. shown in the figure. See Page 2 - 77 See Page FIGURE 39-a FIGURE 37-a 2 -73

shown in the figure.

Use a precision screwdriver to prise off the separation

pad, as shown in the figure.

Use a hex wrench to prise off the control ring unit, as

FIGURE 29-a	See Page 2-57	
When removing the lock arm, pull out the clock arm by hand as shown in the figure.	over and the	
,		

This page intentionally left blank

FIGURE 41-a	See Page 2 - 81	FIGURE 44-a	See Page 2 - 87	
Position the recording paper sensor arm as figure.	shown in the	The SCNT board ass'y does not come with the short plug shown in the figure. When replacing the SCNT board		
		ass'y, take the short plug from the old board to the new one.	and attach it	
FIGURE 49-a	See Page 2 - 97	FIGURE 53-a	See Page 2 - 105	
		S. C.	3-0	
After having assembled the paper pickul before setting the front cassette,install the to switch the power on, and the pickup automatically to its initial position.	ner cartridge,	Ensure that the gear tooth which protrudes finto the pickup gear, as shown in the figure.	urthest fits	

6. NUMERICAL INDEX

PART NUMBER	FIGURE & KEY No.	DESCRIPTION	PART NUMBER	FIGURE & KEY No.	DESCRIPTION
CK-0544-000	58 - T2	GREASE, FLOIL GE-676 (20G)	HB1-0452-000	55 - 5	COVER, DISPLAY (LTR)
CK-0551-000	58 - T1	GREASE, PERMALUB G-2, (24G)	HB1-0454-000	55 - 6	PLATE, REFRECTING
S1-1205-000	37 - 4	BUSHING	HB1-0457-000	55 - 1	SHEET, FRICTION, A
	49 - 6		HB1-0458-000	55 - 2	SHEET, FRICTION, B
FS1-1341-000	53 - 1	BUSHING, OILLESS METAL	HB1-0459-000	55 - 3	LABEL, STACKING LIMIT
A1-3001-000	57 - 8	FILTER, MECHANICAL	HB1-0460-000	55 - 10	CLAW
IA1-3002-000	57 - 7	FILTER B, MECHANICAL	HB1-0461-000	55 - 9	ROD, CLAW
HA1-3185-000	57 - 4	SEAL, RUBBER	HB1-0462-020	55 - 11	PLATE, LIMIT
IA1-4279-000	57 - 3	HOLDER, SPEAKER	HB1-0482-030	3 - 2	COVER, FRONT
A1-5327-000	22 - 14	ROLLER, BACK-UP	HB1-0483-050	3 - 1	COVER, REAR
HA1-5412-000	57 - 2	PLATE, NOISE SHIELD (CT-15)		4 - 1	
HA1-6141-000	57 - 1	COVER, UPPER (AG)	HB1-0484-020	3 - 3	COVER, BOTTOM
HA1-6142-000	57 - 5	COVER, LOWER (AG)	HB1-0485-000	1- 1	TRAY, EXIT
HA1-6143-000	57 - 6	COVER, SCREW (AG)	0.000	2 - 1	
HA1-6144-000	57 - 9	KEY TOP F (AG)	HB1-0486-000	1- 2	TRAY, DOCUMENT
HA1-6629-000	28 - 1	HOLDER, SEPARATION		2 - 2	
HA1-6633-000	28 - 2	SHEET, DOCUMENT SLIDE, FRONT	HB1-0487-060	9 - 10	CASE, SHIELD
HA1-6639-000	22 - 10	ARM, DETECTION (DES)		10 - 9	1
HA1-6852-000	22 - 12	ROLLER, EJECT, UPPER	HB1-0488-000	9 - 7	DUCT, FAN
HA1-8060-000	40 - 3	SPACER, HINGE		10 - 7	1
HA2-0325-000	27 - 8	GEAR, 17T	HB1-0489-000	7 - 1	PLATE, GROUDING
HB1-0412-030	48 - 2	COVER, BOTTOM, FEEDER		8 - 1	
HB1-0413-000	49 - 1	COVER, RIGHT A	HB1-0490-000	11 - 2	PIN, TAPER
HB1-0414-000	49 - 2	COVER, RIGHT B	HB1-0491-000	1- 3	LABEL, DESTINATION
HB1-0415-030	50 - 1	COVER, LEFT		2 - 3	
	51 - 1	TO TO SAME AND ADD	HB1-0492-000	9 - 11	COVER, FAN
HB1-0416-000	48 - 3	COVER, REAR, FEEDER		10 - 10	
HB1-0417-000	49 - 4	GUIDE, CASSETTE, RIGTHT	HB1-0493-000	9 - 2	SUPPORT, NCU BOARD ASS'Y
HB1-0418-040	50 - 2	GUIDE, CASSETTE, LEFT		10 - 2	
	51 - 2	3 0	HB1-0494-020	9 - 12	PLATE, GROUNDING
HB1-0419-000	49 - 9	ROLLER, PICKUP	11	10 - 11	1
HB1-0420-000	50 - 10	ARM, DETECT, PAPER	HB1-0496-000	13 - 11	PLATE, CARTRIDGE
	51 - 10	The Court of the C	HB1-0497-000	17 - 3	SPRING, LEAF, GROUNDING
HB1-0421-000	50 - 9	HOLDER, ARM	HB1-0498-000	12 - 5	RETAINER, COVER, TOP
	51 - 9	1	HB1-0499-000	12 - 2	PLATE, GROUNDING
HB1-0422-000	50 - 7	RETAINER, DRIVER BOARD ASS'Y	HB1-0500-020	11 - 6	SPRING, LEFT
The State Control of the State	51 - 7	CONDITIONAL CONTRACTOR OF CONT	HB1-0501-020	16 - 3	SPRING, LEFT, GROUNDING
HB1-0423-000	50 - 8	SPRING, LEAF	HB1-0502-000	15 - 3	GUIDE, CASSETTE, RIGHT
	51 - 8		HB1-0503-000	15 - 2	GUIDE, CASSETTE, LEFT
HB1-0425-000	50 - 4	HOLDER, LED PCB	HB1-0504-000	12 - 3	COVER, BELT
	51 - 4	20	HB1-0505-000	16 - 4	ARM, PAPER PICKUP SENSOR
HB1-0426-000	48 - 1	COVER, BOTTOM COVER	HB1-0506-000	16 - 6	HOLDER, ARM
HB1-0429-000	49 - 11	SPRING, LEAF	HB1-0507-000	16 - 5	ARM, RIGHT COVER SENSOR
HB1-0430-000	49 - 12	COVER, SPRING	HB1-0508-000	16 - 1	PLATE, GROUNDING
HB1-0431-000	50 - 17	COVER, DRIVER BOARD	HB1-0509-000	13 - 10	COVER, TONER SENSOR
	51 - 17	, S.O.	HB1-0510-000	3 - 4	FOOT, RUBBER
HB1-0441-000		ROLLER, PICKUP	HB1-0511-000	14 - 8	COVER, FEED ROLLER
HB1-0442-000	8	SHAFT, PICKUP ROLLER	HB1-0512-000	3 - 7	PAD, RUBBER
HB1-0443-000		HOLDER, PICKUP ROLLER, A	11	4 - 5	
HB1-0444-040	1	COVER, RIGHT, FEEDER	HB1-0516-020	42 - 4	COVER, SHIELD (PCNT)
HB1-0450-000	1	SHEET, SHIELD, DRIVER BOARD	HB1-0517-000	42 - 1	GUIDE, CASSETTE (R)
1000	51 - 16		HB1-0518-000		GUIDE, CASSETTE (L)
HB1-0451-060		BODY, CASSETTE	H81-0520-000	14 - 5	COVER, CONNECTORS

PART NUMBER	FIGURE & KEY No.	DESCRIPTION	PART NUMBER	FIGURE & KEY No.	DESCRIPTION
HB1-0522-000	41 - 8	HOLDER, ARMS, SENSOR	HB1-0603-020	26 - 10	ROLLER, DOCUMENT FEED
HB1-0523-000	41 - 6	ARM, DETECT, PAPER	HB1-0604-040	26 - 8	ROLLER, DOCUMENT EJECT
HB1-0524-000	41 - 3	LEVER, SENSOR	HB1-0605-000	26 - 16	ARM, HOOK
HB1-0525-000	41 - 5	ARM, DETECT, PAPER SIZE (B)	HB1-0606-000	25 - 9	COVER, GEAR
HB1-0526-000	41 - 4	ARM, DETECT, PAPER SIZE (A)	HB1-0607-000	26 - 12	COVER, CABLE
HB1-0527-000	39 - 2	ROLLER, FEED	HB1-0608-000	25 - 11	COVER, EJECT ROLLER
HB1-0528-030	39 - 6	SHAFT, FEED ROLLER	HB1-0609-030	26 - 14	SPRING, LEAF, GROUNDING
HB1-0534-000	40 - 2	CLAW, SOLENOID	HB1-0610-000	26 - 11	SHAFT, TRANSFER
HB1-0538-000	34 - 4	GUIDE, PAPER FEED	HB1-0611-000	25 - 5	HOLDER, SPEAKER
HB1-0539-000	34 - 3	SHEET, PAPER GUIDE	HB1-0612-000	25 - 3	PLATE, SPEAKER MOUNTING
HB1-0540-000	38 - 2	ROLLER, PICKUP	HB1-0613-000	25 - 7	STOPPER, CONTROL PANEL
HB1-0541-000	38 - 5	SHAFT, PICKUP ROLLER	HB1-0614-000	20 - 4	SPRING WASHER, SLIDER
HB1-0542-020	37 - 9	PAD, SEPARATION, RUBBER	HB1-0616-000	27 - 10	HOLDER, SEPARATION ROLLER
HB1-0543-000	37 - 11	PLATE, SEPARATION	HB1-0621-000	27 - 9	SPRING, LEAF
HB1-0544-000	37 - 12	SHAFT, LIFTING	HB1-0632-000	22 - 20	ARM, PRESSURE
HB1-0545-000	37 - 3	MOUNT, SHAFT	HB1-0633-000	22 - 23	COVER, BLANKING B
HB1-0546-000	37 - 7	LEVER, SEPARATION	HB1-0634-000	22 - 18	COVER, BLANKING A
HB1-0547-000	37 - 2	LEVER, LIFTING	HB1-0635-000	22 - 16	SHAFT, PRESSURE
HB1-0548-000	37 - 6	ARM, LIFTING	HB1-0636-000	22 - 24	BRUSH, STATIC DISCHARGE
HB1-0549-000	38 - 4	CLUTCH, PICKUP ROLLER	HB1-0637-000	22 - 17	SHEET, FRICTION
HB1-0553-000	32 - 5	COVER, RIGHT	HB1-0638-000	22 - 3	ARM, DETECTION (DS)
HB1-0554-000	32 - 3	LEVER, LOCK	HB1-0639-000	22 - 4	HOLDER (DS)
HB1-0556-000	46 - 4	BODY, CASSETTE	HB1-0640-000	22 - 9	HOLDER (DES)
HB1-0557-000	46 - 3	PLATE, PAPER LIFTING	HB1-0641-000	22 - 13	SHAFT, DELIVERY ROLLER
HB1-0558-000	46 - 1	PLATE, LIMIT	HB1-0642-000	22 - 6	PLATE, PRESSURE
HB1-0559-000	46 - 2	GUIDE, SIDE, CASSETTE	HB1-0643-020	22 - 2	STAY, PRESSURE
HB1-0573-030	29 - 5	COVER, EXIT PAPER	HB1-0647-000	22 - 8	SPRING, LEAF, GROUNDING
HB1-0574-000	29 - 4	BRUSH, STATIC DISCHARGE	HB1-0648-000	21 - 1	SHEET, PROTECT
HB1-0575-040	29 - 1	ARM, LOCK (L)	HB1-0649-000	28 - 4	HOLDER, SEPARATION GUIDE RUBBER, SEPARATION
HB1-0576-020	29 - 2	ARM, LOCK (R)	HB1-0650-000	24 - 10	COVER, CONTROL PANEL
HB1-0577-020	29 - 3	STAY	HB1-0651-030	24 - 10	KEY TOP, "DIAL"
HB1-0578-040	30 - 1	GUIDE, PAPER EJECT	HB1-0652-000 HB1-0653-000	24 - 7	KEY TOP, "START"
HB1-0579-000	30 - 10	FRAME, PAPER EJECT GUIDE	HB1-0654-000	24 - 7	KEY TOP, "ONE TOUCH DIAL"
HB1-0580-000	30 - 9	SPRING, LEAF, GROUNDING	HB1-0655-000	24 - 2	KEY TOP, "TEL FUNCTION"
HB1-0581-020	l **	SHAFT, EJECT ROLLER	HB1-0656-000	24 - 3	KEY TOP, "FUNCTION (MODE)"
HB1-0582-000	30 - 4 29 - 6	ROLLER, PAPER EJECT (LOWER)	HB1-0657-000	24 - 6	KEY TOP, "STOP"
HB1-0583-000 HB1-0586-000	29 - 6	LABEL, HANDLING PAPER JAM COVER, DOCUMENT GUIDE	HB1-0658-000	24 - 5	KEY TOP, "COPY"
HB1-0587-000	20 - 3	GUIDE, DOCUMENT, RIGHT	HB1-0659-030	24 - 9	COVER, ONE TOUCH DIAL
HB1-0588-000	20 - 2	GUIDE, DOCUMENT, HIGHT	HB1-0660-000	24 - 11	SHEET, FUNCTION
HB1-0589-000	20 - 8	ARM, CARTRIDGE COVER SENSOR	HB1-0661-000	23 - 3	COVER, DISPLAY
HB1-0590-000	20 - 9	COVER. LED	HB1-0662-000	23 - 2	COVER, SWITCH
HB1-0591-000	20 - 5	PLATE, SUPPORTING, RIGHT	HB1-0663-000	23 - 4	SHEET, FUNCTION
HB1-0592-000	20 - 6	PLATE, SUPPORTING, LEFT	HB1-0664-030	24 - 8	PLATE, WITH GROUND WIRE
HB1-0593-000	18 - 1	HINGE, LEFT	HB1-0666-000	13 - 12	COVER, DUST A
HB1-0594-000	18 - 2	HINGE, RIGHT	HB1-0667-000	13 - 13	COVER, DUST B
HB1-0595-000	19 - 7	COVER, CARTRIDGE	HB1-0669-000	9. 9	SHEET, SHIELD
HB1-0596-000	19 - 1	TRAY, DOCUMENT, EXTENSION		10 - 8	
HB1-0597-000	19 - 4	LEVER, RELEASE	HB1-0673-030	3 - 5	COVER, SHIELD
HB1-0598-000	19 - 5	COVER, LED	1	4-3	1
HB1-0599-000	20 - 10	LABEL, UPPER LIMIT	HB1-0675-040	17 · 4	FRAME, PRINTER
HB1-0600-000	20 - 13	LABEL, HANDLING CARTRIDGE	HB1-0677-030	4- 2	COVER, FRONT
HB1-0602-000	25 - 1	COVER, ADF, LOWER	HB1-0685-000	50 - 18	SHEET, SHIELD, LED
1101 0002 000	1	COVERN NOT, CONTENT		1	1

PART NUMBER	FIGURE & KEY No.	DESCRIPTION	PART NUMBER	FIGURE & KEY No.	DESCRIPTION
	51 - 18			56 - 2	
HB1-1089-000	26 - 17	FRAME, ADF	HG9-0688-000	41 - 7	PAPER SENSOR BOARD ASS'Y
B1-1090-000	22 - 25	FRAME, ADF, UPPER	HH2-1277-000	57 - 14	MODULAR JACK
IB1-1092-000	50 - 6	SPRING, LEAF	HH2-1703-000	57 - 13	CORD, COILED (AG)
1002 000	51 - 6		HH2-2253-000	1 - 6	POWER CORD, 120V
HB1-1093-000	50 - 21	COVER, SPRING		2 - 6	
	51 - 21	30	HH2-2331-000	13 - 3	CABLE WITH CONNECTOR, 3P
HF5-0031-000	49 - 5	HOLDER, PICKUP ROLLER	HH2-2333-000	9 - 8	CABLE WITH CONNECTOR, 18P
HF5-0034-000	52 - 1	PICKUP ROLLER UNIT	HH2-2334-000	50 - 12	CABLE WITH CONNECTOR, 18P
HF5-0035-000	53 - 7	HOLDER, PICKUP ROLLER, B	HH2-2337-000	49 - 14	CABLE WITH CONNECTOR, 2P
HF5-0038-000	55 - 4	PLATE, PAPER LIFTING (LTR)	HH2-2363-000	22 - 1	CABLE UNIT
HF5-0043-000	40 - 5	MOUNT, SOLENOID	HH2-2369-000	22 - 7	WIRE, GROUNDING
HF5-0044-000	27 - 1	ROLLER, SEPARATION	HH2-2371-000	51 - 12	CABLE WITH CONNECTOR, 18P
HF5-0045-000	27 - 2	ROLLER, LOADING	HH2-2413-020	50 - 15	WIRE, GROUNDING
HF5-0046-030	26 - 18	MOUNT, DOCUMENT FEED MOTOR		51 - 15	
HF5-0047-020	22 - 15	WHITE SHEET UNIT	HH2-2435-000	26 - 13	CABLE WITH CONNECTOR, 10P
HG1-2185-050	2 - 8	HANDSET ASS'Y (USA, AG)	HH2-2437-000	26 - 21	WIRE, GROUNDING
	56 - 1		HH2-2484-000	1- 5	MODULAR LINE CORD, 2W
HG1-2196-000	57 - 10	TELCNT BOARD ASS'Y	18	2 - 5	THE CHARLE WITH
HG1-4057-000	19 - 6	LED BOARD ASS'Y	HH3-5268-000	9 - 5	POWER SUPPLY UNIT
HG1-4059-000	14 7	TONER SENSOR BOARD ASS'Y		10 - 5	
HG1-4060-000	50 - 13	DRIVER BOARD ASS'Y	HH4-2462-040	44 - 1	1C, MB83400B-15P-3PE
	51 - 13	log .	HH7-1299-000	57 - 11	RINGER PKM34EW-12
HG1-4073-080	9 - 4	SCNT BOARD ASS'Y	HH7-2023-000	9 - 6	FAN UNIT
HG1-4074-030	9 - 1	NCU BOARD ASS'Y		106	l
5.	10 - 1		HH7-2039-000	40 - 1	SOLENOID
HG1-4075-000	23 - 1	OPENT BOARD ASS'Y	HH7-2040-000	14 - 6	SOLENOID, PICKUP
HG1-4100-080	10 - 4	SCNT BOARD ASS'Y	HH7-2041-000	50 - 5	SOLENOID, PICKUP
HG1-4155-060	41 - 2	PCNT BOARD ASS'Y	11	51 · 5	BUILDE MOTOR DEADER
HG1-4197-000	25 - 6	VR BOARD ASS'Y	HH7-2045-000	26 - 7	PULSE MOTOR, READER
HG5-0109-000	53 - 9	PICKUP ROLLER ASS'Y	HH7-2046-000	25 - 4	SPEAKER
HG5-0113-080	2 - 11	FRONT CASSETTE ASS'Y (LTR)	HS1-0070-000	20 - 1	GEAR, 16T
HG5-0114-050	55 - 12	SIZE PLATE ASS'Y	HS1-1036-000	37 - 5	BUSHING
HG5-0117-060	15 - 1	PCNT ASS'Y	HS1-1073-000	32 - 4	STOPPER, SHAFT
HG5-0118-000	41 - 1	HVT CONNECTOR ASS'Y	HS1-3066-000	1	PULLEY 26T
HG5-0119-000	41 - 9	PCNT COVER ASS'Y	HS5-0043-000	1	GEAR, 17T
HG5-0120-000	14 - 4	FEED ROLLER ASS'Y	HS5-0044-000	1	GEAR, 22T
HG5-0121-000	39 - 5	CONTROL RING UNIT	HS5-0047-000	1	GEAR, 17T
HG5-0123-000	13 - 9	ROLLER GUIDE UNIT	HS5-0049-000	1	GEAR, 58T
HG5-0124-000	14 - 2	PICKUP ROLLER ASS'Y	HS5-0050-000		GEAR, 32T/41T
HG5-0126-020	14 - 1	SEPARATION ASS'Y	HS5-0051-000	1	GEAR, 18T/36T
HG5-0128-000	32 - 1	ROLLER GUIDE UNIT	HS5-0052-000		GEAR, 33T
HG5-0129-000	1- 4	SIDE CASSETTE ASS'Y	HS5-0053-000	1 - 2 2 1 1 1 1 2 1 1	GEAR, 18T/45T
	2 - 4		HS5-0054-000	1 Carrier 8500	GEAR, 52T/38T
HG5-0130-020	12 - 1	DRIVE GEAR ASS'Y	HS5-0055-000		GEAR, 18T
HG5-0131-040	11- 1	EXIT PAPER COVER ASS'Y	HS5-0056-020	1200	GEAR, 49T GEAR, 44T/20T
HG5-0132-050	11 - 3	PAPER EJECT ROLLER ASS'Y	HS5-0057-020		
HG5-0140-000	25 - 2	SEPARATION ROLLER ASS'Y	HS5-0059-020	1.00	GEAR, 38T/33T
HG5-0142-000	25 - 10	CONTACT SENSOR UNIT	HS5-0060-000	78	GEAR, 20T
HG5-0143-000	22 - 21	SEPARATION GUIDE ASS'Y	HS5-0061-000	1 2012 10 20	GEAR, 19T
HG5-0148-000	21 - 2	CONTROL PANEL ASS'Y	HS5-0062-000	100000000000000000000000000000000000000	GEAR, 20T
HG5-0155-006	53 - 8	CLUTCH UNIT	HS5-0063-000		GEAR, 60T/20T
HG5-0156-000	2 - 9	HANDSET REST UNIT	HS5-1001-000	37 - 8	BUSHING

PART NUMBER	FIGURE & KEY No.	DESCRIPTION		PART NUMBER	FIGURE & KEY No.	DESCRIPTION
	39 - 3			RB1-3079-000	43 - 1	SHAFT, SWITCH CAM
HS5-1011-000	30 - 7	BUSHING		RB1-3087-000	31 - 4	PiN
HS5-1012-000	30 - 5	BUSHING		RB1-3088-000	31 - 5	FRAME, FIXING
HS5-1013-020	26 - 4	BUSHING		RB1-3089-000	31 - 6	PLATE, FIXING
HS5-1014-000	26 - 9	BUSHING	П	RB1-3090-000	31 - 7	BUSHING, PRESSURE ROLLER, LEFT
HS5-2016-030	55 - 7	SPRING	П	RB1-3091-000	31 - 8	BUSHING, PRESSURE ROLLER, RIGHT
HS5-2018-000	34 - 2	SPRING, PRESSURÉ		RB1-3096-000	31 - 12	LEVER, DELIVERY SENSOR
HS5-2019-020	37 - 10	SPRING, SEPARATION	П	RB1-3097-000	31 - 13	LINK, DELIVERY SENSOR
HS5-2020-000	32 - 2	SPRING	П	RB1-3099-020	31 - 14	SPRING, TORSION
H\$5-2022-000	20 - 7	SPRING, LEVER	П	RB1-3100-000	31 - 15	ROLLER, PRESSURE
H\$5-2023-000	26 - 15	SPRING		RB1-3103-000	31 - 16	ROLLER, PAPER DELIVERY, FU
HS5-2024-000	22 - 19	SPRING	П	RB1-3104-030	31 - 17	BUSHING, DELIVERY ROLLER, LEFT
HS5-2025-000	22 - 22	SPRING	П	RB1-3105-030	31 - 18	BUSHING, DELIVERY ROLLER, RIGHT
HS5-2026-000	37 - 1	SPRING	П	RB1-3106-040	31 - 30	GUIDE, DELIVERY, UPPER
HS5-2028-000	27 - 5	SPRING, CLUTCH	П	RB1-3107-000	31 - 31	ROLLER
H\$5-3010-000	40 - 4	PULLEY, 15T/17T	Ш	RB1-3108-000	31 - 32	SPRING, TORSION
HS5-6002-000	34 - 1	ROLLER, PAPER GUIDE	Н	RB1-3109-000	31 - 19	RUBBER, CONTINUITY
HS5-6004-000	30 - 2	ROLLER, PAPER EJECT (UPPER)	Н	RB1-3130-000	19 - 2	PIECE, CRG PRESSURE
HS5-6005-000	27 - 6	ROLLER, DRIVE	П	RB1-3151-000	42 - 2	SPRING, CASSETTE SIDE
HS5-6006-000	26 - 20	ROLLER, DRIVE	П	RB1-3163-000	41 - 10	PIN, CONTACT
HT1-2021-000	1 - 7	INSTRUCTION BOOK (ENGLISH)	П	RB1-3677-000	31 - 20	RETAINER, SENSOR
	2 - 7		П	RB1-3681-000	13 - 1 43 - 6	CAP, SHUTTER
HT1-3021-000	1 - 7	INSTRUCTION BOOK (FRENCH)	П	RB9-0108-000		SHEET, RIGHT PET(R)
	2 - 7		П	RF5-0584-000	43 - 2 35 4	ELIMINATOR, STATIC CHARGE GUIDE, TRANSFER
HY7-2597-000	45 - 1 45 - 2	FUSE, 5A, 125V	П	RF5-0585-000 RF5-0586-000	31 - 10	GUIDE, DELIVERY, LOWER
HY7-2602-000 HY9-0005-000	45 - 2 58 - T4	FUSE, 10A, 125V		RF5-0589-000	31 - 33	HOLDER, RESISTER
HY9-0005-000	58 - T5	EXTENTION CABLE UNIT	П	RF5-0596-000	35 - 1	ROLLER, TRANSFER
	38 - 1	GAUGE, GAP (1,8mm) BUSHING	П	RF5-0600-060	43 - 3	GUIDE. FEEDER
RA1-7574-000 RA1-8243-000	49 - 15	FOOT, RUBBER	l	RG5-0662-030	13 - 2	LASER/SCANNER ASS'Y
NA 1-0243-000	50 - 3	FOOT, NOBBEN	П	RG5-0667-020	13 - 4	MIRROR ASS'Y
	51 - 3		ı	RG5-0671-090	16 - 2	FEEDER GUIDE ASS'Y
RA2-0398-000	55 - 8	BLOCK, SIZE	ı	RG5-0672-030	43 - 4	CAM ASS'Y SWITCH
RB1-2969-020	31 - 2	CLIP. CABLE	П	RG5-0674-000	13 - 6	TRANSFER MOUNT ASS'Y, LEFT
RB1-2975-020	17 - 9	GUIDE, CABLE	ı	RG5-0675-000	13 - 7	TRANSFER MOUNT ASS'Y, RIGHT
RB1-2981-000	31 - 1	LEVER, RELEASE	ı	RG5-0678-000	31 - 21	FIXING FILM ASS'Y
RB1-2998-020	17 - 5	LEVER, SWITCH	ı	RG5-0681-020	31 - 29	DELIVERY ASS'Y
RB1-2999-000	17 - 6	HOLDER, SWITCH LEVER		RG5-0690-000	31 - 9	GUIDE ASS'Y ENTRANCE
RB1-3003-000	13 - 8	SPRING. LEAF	l	RG5-0694-020	17 - 2	SWITCH LEVER ASS'Y
RB1-3016-000	36 - 1	SHUTTER, LASER	L	RG5-0702-000	35 - 2	TRANSFER GUIDE ASS'Y
RB1-3020-000	36 - 3	ARM, SHUTTER	ı	RG5-0710-000	43 - 5	SENSOR ASS'Y
RB1-3025-000	31 - 3	COVER	ı	RG5-0754-000	17 - 8	SCANNER CABLE ASS'Y
RB1-3063-020	43 - 7	CAM, SWITCH	L	RG5-0765-000	12 - 4	MOTOR ASS'Y
RB1-3064-000	43 - 8	SHUTTER, SWITCH		RG5-0766-000	17 - 1	SCANNER CONNECTOR ASS'Y
RB1-3067-000	43 - 11	LEVER, SENSOR		RG9-0979-000	11 - 4	FIXING ASS'Y
RB1-3068-000	43 - 12	HOLDER, SENSOR		RH2-5214-000	31 - 22	CONNECTOR, 2P
RB1-3069-020	43 - 9	LEVER, CRG SWITCH		RS5-0314-000	31 - 23	GEAR, 24T
RB1-3073-000	35 - 3	BUSHING		RS5-0315-000	31 - 24	GEAR, 22T
RB1-3074-000	43 - 10	SPRING, LEAF	ĺ	RS5-0316-000	31 - 25	GEAR, 17T/17T
RB1-3075-000	35 - 7	MOUNT, TRANSFER, LEFT	ĺ	R\$5-0318-000	33 - 5	GEAR, 136T/18T
RB1-3076-000	35 - 5	BUSHING, LEFT	l	RS5-0321-000	33 - 6	GEAR, 22T/36T
RB1-3077-000	35 - 10	MOUNT, TRANSFER, RIGHT	ı	RS5-0325-000	33 - 4	GEAR, 120T/32T
RB1-3078-000	35 - 8	BUSHING, RIGHT		RS5-0326-000	33 - 3	GEAR, 19T/55T

PART NUMBER	FIGURE & KEY No.	DESCRIPTION	PART NUMBER	FIGURE & KEY No.	DESCRIPTION
RS5-0327-000	33 - 2	GEAR, 52T		S - 16	
RS5-0329-000	33 - 1	GEAR, 19T/19T	XB1-2301-20	1	SCREW, M3X12
RS5-0366-000	33 - 7	GEAR, 64T	XB1-2301-40	1	SCREW, BH 3X14
RS5-0367-000	33 - 8	GEAR, 60T/38T	XB2-8300-80		SCREW, W/WASHER, M3X8
RS5-2221-000	35 - 9	SPRING, TORSION	XB4-7200-40		SCREW, BH M2X4
RS5-2222-000	35 - 6	SPRING, COMPRESSION		S - 14	
RS5-2223-000	31 - 26	SPRING, COMPRESSION	XB4-7200-60		SCREW, M2X6
RS5-2224-000	31 - 27	SPRING, TENSION	XB4-7260-60		SCREW, TAP, BH2,6X6
RS5-2227-000	19 - 3	SPRING, COMPRESSION	XB4-7260-80		SCREW, FT, BH 2.6X8
RS5-2234-000	17 - 7	SPRING, COMPRESSION	XB4-7300-60	1	SCREW, TAP, BINDING HEAD, M3X6
RS5-2238-000	36 - 2	SPRING, TORSION	XB4-7300-80		SCREW, TAP TIGHT, BINDING HEAD
RS5-8170-000	31 - 11	LABEL, WARNING	XB4-7300-80	1	SCREW, TAP, BINDING HEAD, M3X8
RY9-0093-000	58 - T3	CHECK TERMINAL	XB4-7301-40		SCREW, BH M3X14
VT2-0001-012	9 - 3	SUPPORT, PCB	XB4-7400-60	1	SCREW, SELF-TAPPING, PANHEAD
	10 - 3		XB4-7400-8		SCREW, SELF-TAPPING, PIN HEAD
VT2-5027-008	9 - 13	SPACER	XB4-7401-0	1.	SCREW, PIN HEAD SELF-TAPPING
	10 - 12		XB4-7401-0	1	SCREW,BINDING HEAD SELFTAPPING
WA3-6909-000	44 - 2	IC, MCM34800AZ80 D-RAM	XB4-7401-20		SCREW, SELF-TAPPING, M4X12
WC4-5052-000	11 - 5	MICRO SWITCH	XB6-2301-0	1	SCREW
1	49 - 3		XB6-7300-6		SCREW, TP, M3x6
WG8-5210-000	22 - 5	IC, TLP1240 PHOTOINTERRUPTER		S - 15	
	50 - 11		XB6-7300-6		SCREW, MACHINE M3X6
	51 - 11		XB6-7300-8	1	SCREW, TP, M3X8
WK1-5047-000	44 - 3	LITHIUM BATTERY, CR2450HC22NC	XB6-7301-0	1	SCREW, PH, M3X10
WR1-0086-000	57 - 15	MICROPHONE	XD2-1100-3		RETAINING RING (E-TYPE)
WR1-0111-000	57 - 12	SPEAKER DH-70C	XD2-1100-5	1	RETAINING RING (E-TYPE)
WS1-0172-000	44 - 4	PLUG, SHORT	XD2-1100-6		RETAINING RING (E-TYPE)
WS9-5038-000	3 - 6	SPACER, MODULAR	XD3-2200-0	1	PIN, PARALLEL
	4 - 4	N	XD3-2200-1	1	PIN, PARALLEL
WT2-0387-000	11 - 8	CLAMP	XD3-2200-1	1	PIN, PARALLEL, 2X12
WT2-0434-000	9 - 14	CLIP	11	38 - 3	
	10 - 13		11	53 - 4	
WT2-0507-000	14 - 9	HOLDER, CLIP	XD3-2200-2		PIN, M2 X20
WT2-5058-000	31 - 28	CLIP, CABLE	XD9-0101-0		RING, E
WT2-5065-000	50 - 14	CLAMP, CABLE	XF9-0484-0	1	BELT, COGGED, RUBBER
	51 - 14		XF9-0518-0	00 26 - 19	DRIVE BELT, COGGED
WT2-5078-000	5 - 2	RIVET	11		
	6 - 2		1.1		
1	25 - 8				
WT2-5302-000	50 - 19	BAND, WIRING			ľ
	51 - 19		11		
WT2-5311-000	41 - 11	SPACER		1	
X66-6615-000	18 - 3	BAND, WIRING		1	
XA9-0283-000	30 - 11	SCREW, TP, PH3X6	11		
XA9-0428-000	20 - 12	SCREWM2.6X8	11	1	
XA9-0476-000	1 1 1 1 1 1 1 1 1 1	SCREW, TP M3X8	11	1	
XA9-0689-000		SCREW, HANDSET HOLDER	11	1	
	56 - 3	Cert in age to the Heat Heats (MPF) (1909-1949)	11	- 1	
XA9-0751-000	S- 4	SCREW, SELF-TAPPING, M3X35	11	- 1	
XB1-2300-407	62 (2.77)	SCREW, M3X4	11		
XB1-2300-607	S- 1	SCREW, BH3X6(S)	H		
XB1-2300-809	S - 22	SCREW, BH3X8	11		l .
XB1-2301-007	S - 15	SCREW, BH3X10			



Canon