

## 3046 HF ANTENNA TUNER

### FEATURES AT A GLANCE



- Fast tuning
- High efficiency
- Waterproof
- MIL-STD-810G compliance
- 2 to 30 MHz
- 125 W RF power handling
- Suits antennas up to 9 m
- Flexible mounting
- ALE & Frequency Hopping compatibility
- Internal receive mode amplifier

The 3046 is a low profile, 125 W HF antenna tuning unit designed to deliver high performance and reliability in the world's harshest environments. It provides high speed and efficient tuning of short and long whip antennas across the full operational HF band.

### HIGH PERFORMANCE

With a 125 W RF power handling capability, the 3046 can be used for voice (including Frequency Hopping) and data operation over the full 2 to 30 MHz frequency band. The tuner has an unlimited tune from memory capacity, and using a state-of-the-art tuning algorithm, new frequencies are tuned in typically less than one second.


The 3046's innovative circuit design ensures power delivery to the antenna is maximised, and receive mode performance is optimised by the internal receive mode amplifier. These features combine to provide an easy-to-use, trouble-free, high performance mobile antenna solution.

### COMPLIANT TO MIL-STD-810G

The high strength and lightweight alloy housing of the 3046 ensures that it is capable of withstanding the severe environmental conditions encountered in mobile environments. The unit is designed to meet MIL-STD-810G for Dust and Vibration and is waterproof to 1 m as per IP68 Standard.

### TRANSCEIVER INTEGRATION

The control interface of the 3046 is fully integrated with Codan's HF transceivers so that tuning is transparent to the operator. If there is a tune problem, the transceiver issues an audible and visual warning, however an override capability exists for emergency situations. The 3046 is designed for full compatibility with all modes of operation, including receiver scanning, ALE (Automatic Link Establishment) and Frequency Hopping.



# 3046 HF ANTENNA TUNER

## ANTENNA & MOUNT OPTIONS

The 3046 is offered with a 3 m carbon fiber MIL spec whip antenna, MIL spec rubber spring and NATO hole pattern base. The 3 m whip can be configured for NVIS operation using the tie down kit included and can also be extended

to 7 m with the 3 section Extension & Guy Kit for semi-permanent stationary use. An additional antenna accessory is the 9 m tactical long wire kit designed to attach directly to the NATO base stud.

## SPECIFICATIONS

### GENERAL

Frequency range	2 to 30 MHz (using 3 m or 7 m MIL spec whip or 9 m long wire antenna)
Power rating	125 W PEP
Power consumption	Typically 400 mA, less than 0.8 A maximum
Input impedance	50 Ω
VSWR	Typical ≤1.5:1
Tuning speed	New frequency <1 second average, memory tune <150 ms
Memory channels	Unlimited (unique non-linear memory allocation)
DC operating range	Codan transceiver (12 V nominal)

### MECHANICAL

Temperature	-30 to +60°C (-22 to +140°F), 95% humidity
Protection	Open Circuit, Short Circuit, Over Temperature, High VSWR
Environmental	MIL-STD-810G (Dust, Vibration) Immersion to IP68
EMC	Designed to MIL-STD-461
Dimensions	340 mm L x 210 mm W x 95 mm H (13.4 in L x 8.3 in W x 3.7 in H)
Weight	2.4 kg (5.3 lbs)
Colour	White or olive drab green

### INTERFACE

RF connector	N-type socket
Control	6 pin bayonet (MIL spec)

## ACCESSORIES

Antennas	3 m MIL spec two section whip (includes NVIS tie down kit) MIL spec, 3 section antenna extension and guy kit (extends standard 3 m antenna to 7 m) 9 m long wire antenna kit
Antenna bases	MIL spec rubber spring NATO hole pattern antenna base
Mounting hardware	Vehicle shock mount Installation kit
Cables	2, 6 10 and 20 m (6.6, 19.7, 32.8 and 65.6 ft) RF coaxial cables 2, 6 10 and 20 m (6.6, 19.7, 32.8 and 65.6 ft) control cables



CODAN™ and NGT™ are trademarks of Codan Limited. Other brand, product and company names mentioned in this document are trademarks or registered trademarks of their respective holders.

Values noted are typical. Equipment descriptions and specifications subject to change without notice or obligation.

## RADIO COMMUNICATIONS

12-20258-EN Issue 2 9/2012

T: +61 8 8305 0311 ▪ F: +61 8 8305 0411 ▪ E: [sales@codanradio.com](mailto:sales@codanradio.com)  
Codan Limited ▪ 81 Graves Street ▪ Newton South Australia 5074 ▪ Australia



[www.codanradio.com](http://www.codanradio.com)