

0001
0002
0003
0004
0005
0006
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022
0023
0024
0025
0026
0027
0028

* NAME: (PAL-AP) DOC. 70180311000 REV. H
*
* PURPOSE
*
* TO PUNCH SELF-LOADING OBJECT TAPES OF ANY DESIRED
* SEGMENT OF MEMORY.

* REVISION HISTORY

REV	DATE	ECO NO.
H		
G	01-05-72	10124
F	06-08-71	9582
E	08-21-68	6098
D	02-15-68	5490
C	12-19-67	5228
B	10-25-67	4776
A	10-28-66	RELEASED

* COPYRIGHT 1972 BY HONEYWELL INFORMATION SYSTEMS INC.

EJCT

0029
0030
0031
0032
0033
0034
0035
0036
0037
0038
0039
0040
0041
0042
0043
0044
0045
0046
0047
0048
0049
0050
0051
0052
0053
0054
0055
0056
0057
0058
0059
0060
0061
0062
0063
0064
0065
0066
0067
0068
0069
0070
0071
0072
0073
0074
0075
0076
0077
0078
0079
0080
0081
0082
0083
0084

*
*
* STORAGE
*
* THIS PROGRAM OCCUPIES LESS THAN ONE SECTOR OF CORE.
*
*
* USE
*
* PAL-AP IS DISTRIBUTED IN PAL MODE AND IN RELOCATABLE OBJECT FORMAT
*
* PAL MODE:
* ALL PAL-FORMAT PROGRAMS MUST BE LOADED IN THE FOLLOWING
* MANNER:
* 1) THE KEY-IN LOADER (LOCATIONS 1-17) MUST BE MANUALLY
* SET AS FOLLOWS:

		ASR	DIGITRONICS
1	STA	157	010057
2	OCF	10001/4	030004
3	INA	11001/4	131004
4	JMP	*-1	002003
5	SNZ		101040
6	JMP	*-3	002003
7	STA	0	010000
10	INA	11001/4	131004
11	JMP	*-1	002010
12	LGL	8	041470
13	INA	10001/4	130004
14	JMP	*-1	002013
15	STA*	0	110000
16	IRS	0	024000
17	SZE		100040

2) PLACE THE LEADER PORTION OF THE PROGRAM IN THE PAPER TAPE READER. SET THE P-COUNTER TO 000001 AND PRESS START. (SEE NOTE FOR ASR USERS.)

NOTE: WHEN USING AN ASR-33, MOMENTARILY PRESS THE START SWITCH ON THE READER AFTER PRESSING THE COMPUTER START BUTTON. WHEN USING AN ASR-35, SET THE MODE SWITCH TO KT, PRESS THE CONTROL KEY (CTRL) AND THE Q KEY SIMULTANEOUSLY, PRESS THE COMPUTER START BUTTON, AND SET THE READER SWITCH TO RUN.
THE PROGRAM WILL SELF-LOAD FROM THIS POINT TO THE CORE AREA FROM WHICH IT WAS PUNCHED.

RELOCATABLE FORMAT
1) LOAD THE PROGRAM AS ANY OTHER RELOCATABLE PROGRAM
2) TO OUTPUT A PAL MODE TAPE, USE INSTRUCTIONS BELOW, USING LOAD POINT FOR FIRST ADDRESS, AND LOAD POINT PLUS 1577 AS LAST ADDRESS.

TO USE PROGRAM:
1) MASTER CLEAR
2) SET PROGRAM COUNTER TO XX000 WHERE XX IS THE SECTOR

0085
0086
0087
0088
0089
0090
0091
0092
0093
0094
0095
0096
0097
0098
0099
0100
0101
0102
0103
0104
0105
0106
0107
0108
0109
0110
0111
0112
0113
0114
0115
0116
0117
0118
0119
0120
0121
0122
0123
0124
0125
0126
0127
0128
0129
0130
0131
0132
0133
0134
0135
0136
0137
0138
0139
0140

* INTO WHICH PAL-AP HAS BEEN LOADED.
*
* 3) ENTER THE OUTPUT DEVICE CODE INTO THE A-REGISTER. IF
* THE ASR-33 IS TO BE USED, SET BIT 1 OF THE A-REGISTER
* AND TURN ON THE PUNCH. IF THE ASR-35 IS TO BE USED,
* SET BIT 2 OF THE A-REGISTER. IF THE HIGH SPEED
* PUNCH IS TO BE USED, LEAVE THE A-REGISTER CLEARED.
* 4) PRESS START AND THE PROGRAM WILL HALT.
* 5) ENTER INTO THE A-REGISTER THE FIRST ADDRESS OF THE PROGRAM
* BEING PUNCHED.
* 6) PRESS START AND THE PROGRAM WILL HALT.
* 7) ENTER INTO THE A-REGISTER THE LAST ADDRESS OF THE
* PROGRAM BEING PUNCHED.
* 8) PRESS START AND THE SELECTED OUTPUT DEVICE WILL BEGIN
* PUNCHING TAPE.
* 9) UPON COMPLETION OF THE PUNCH, IF ANOTHER TAPE IS TO BE
* PUNCHED ON THE SAME DEVICE, CONTINUE FROM STEP 5.

* TO GENERATE LOAD AND GO TAPES;

* SYSTEM BOOTSTRAP TAPES MAY BE PUNCHED BY CHANGING THREE
* LOCATIONS OF PAL-AP. ADDRESSING IS GIVEN IN OCTAL RELATIVE
* TO THE FIRST LOCATION OF PAL-AP (IT MUST BE THE FIRST
* LOCATION OF A SECTOR). LOCATIONS '613 AND '616 ARE BOTH
* "JMP '632" INSTRUCTIONS, AND SHOULD BE CHANGED TO
* "JMP* '632" INSTRUCTIONS - I.E. CHANGE FROM JUMP TO JUMP
* INDIRECT. LOCATION '632 SHOULD BE CHANGED FROM "OCT 12" TO
* "DAC PTR". WHERE PTR IS THE ABSOLUTE ADDRESS FOR
* EXECUTION AFTER LOADING THE PAPER TAPE BOOT.

* METHOD

* PAL-AP IS MADE UP OF TWO SECTIONS. THE PUNCH SECTION (INCLUDING
* THE BOOTSTRAP) OCCUPIES XX000-XX577. THE LOADER SECTION (READ IN
* BY THE BOOTSTRAP) OCCUPIES XX600-XX777. IN ADDITION TO THESE
* THE BOOTSTRAP SECTION WILL LOAD INTO LOCATIONS '20 THROUGH '57.
* AND WILL BE IN 8-8 FORMAT.

* ANY PAL MODE PROGRAM HAS THE FOLLOWING OVERALL STRUCTURE:

- * 1) PAL-AP FIRST PUNCHES ITS LOADER SECTION IN 8-8
* FORMAT FOLLOWED BY TWELVE INCHES OF LEADER.
- * 2) NEXT THE DESIRED PROGRAM IS PUNCHED IN PAL FORMAT WHICH
* IS "RECOGNIZED" BY THE LOADER.

* THE LOADER ON THE FRONT OF THE TAPE WILL LOAD ITSELF AND
* THEN WILL LOAD THE PAL-FORMAT PROGRAM.

* DATA IS PUNCHED IN BLOCKS OF 50 WORDS EACH. SALIENT
* CHARACTERISTICS OF THE BLOCK STRUCTURE AREA ARE AS FOLLOWS:

- * 1) A START OF MESSAGE CHARACTER (OCTAL 201) IS
* PUNCHED AT THE BEGINNING OF EACH BLOCK.
- * 2) FOLLOWING THIS, THE ADDRESS OF THE FIRST MEMORY
* LOCATION IS PUNCHED.
- * 3) EACH BLOCK IS ENDED BY:

* A) A CHECKSUM. THIS CONSISTS OF A WORD WHICH

0141
0142
0143
0144
0145
0146
0147
0148
0149
0150
0151
0152
0153
0154
0155
0156
0157
0158
0159
0160
0161
0162
0163
0164
0165
0166
0167
0168
0169
0170
0171
0172
0173
0174
0175
0176
0177
0178
0179
0180
0181
0182
0183
0184
0185
0186
0187
0188
0189 00000
0190 00001
0191 00002
0192 00003
0193 00004
0194 00005
0195 00006
0196 00007

* IS THE EXCLUSIVE OR OF ALL WORDS PUNCHED
* PLUS A WORD COUNT AND A BLOCK COUNT.
* (THE FIRST BLOCK IS ZERO AND EACH ONE THERE-
* AFTER IS INCREMENTED BY ONE.) THE
* CHECKSUM IS ROTATED RIGHT ONE BIT EACH
* TIME ANOTHER WORD IS ADDED TO IT.
* B) AN END OF MESSAGE CHARACTER (OCTAL 223).
* THE EDM IS FOLLOWED BY A RUBOUT CHARACTER (OCTAL 377)
* 4) SIX FRAMES OF LEADER ARE PUNCHED BETWEEN BLOCKS
* AND TWELVE INCHES OF LEADER ARE PUNCHED
* AT THE BEGINNING AND END OF THE PROGRAM.

THE FORMAT OF THE PUNCHED WORDS IS AS FOLLOWS:

- 1) NON-ZERO WORDS ARE PUNCHED IN "INVERTED CODE". EACH 16-BIT WORD IS WRITTEN AS A FOUR-BIT AND TWO SIX-BIT CHARACTERS ON TAPE. THE FOUR-BIT CHARACTER REPRESENTS THE HIGH-ORDER FOUR BITS OF THE WORD. EACH SIX-BIT CHARACTER HAS THE HIGH-ORDER BIT IN CHANNEL EIGHT AND THE FIVE LOW-ORDER BITS IN CHANNELS FIVE THROUGH ONE. ORDINARILY, NOTHING IS WRITTEN IN CHANNELS EIGHT THROUGH FIVE OF THE FOUR-BIT CHARACTER OR IN CHANNELS SIX AND SEVEN OF THE SIX-BIT CHARACTERS.
- 2) EIGHT CHARACTERS CAUSE SPECIAL ACTION BY THE ASR. THESE ARE 023 AND 223 (X-OFF), 021 AND 221 (X-ON), 012 AND 212 (LINE FEED), 005 AND 205 (WRU), THESE ARE TRANSLATED INTO 177 AND 377, 176 AND 376, 175 AND 375, 174 AND 374, RESPECTIVELY. IN THE CASE OF EACH OF THESE CHARACTERS, CHANNELS SIX AND SEVEN ARE PUNCHED.
- 3) WHEN ONE OR MORE CONSECUTIVE ZERO WORDS ARE ENCOUNTERED IN MEMORY, THEY ARE REPRESENTED BY ONE PUNCHED WORD. THIS CONSISTS OF THE TWO'S COMPLEMENT OF THE NUMBER OF CONSECUTIVE ZERO WORDS ENCOUNTERED. IN ORDER TO DISTINGUISH THESE 7-COUNT WORDS, CHANNEL EIGHT OF THE HIGH-ORDER (FOUR-BIT) CHARACTER IS PUNCHED

NOTE: THE WORD COUNT CONSISTS OF THE TOTAL NUMBER OF WORDS ENCOUNTERED WHILE PUNCHING A BLOCK, INCLUDING ALL ZERO WORDS.

REL				
EXD				ENTER EXTENDED MODE
*				LOAD A WITH DEVICE CODE
EXA				ENABLE EXTENDED ADDRESSING
STA	CODE			SAVE DEVICE CODE
BEGN	CRA			
HLT				ENTER FIRST ADDRESS
STA	FADD			SAVE IT
CRA				
HLT				ENTER LAST ADDRESS
STA	LADD			SAVE IT

```

0197 00010 0 02 00460 LDA CODE
0198 00011 101400 SMI
0199 00012 0 01 00033 JMP TF35
0200 00013 140040 CRA
0201 00014 0 04 00461 STA PON
0202 00015 0 04 00462 STA RUB
0203 00016 0 02 00427 SOCP LDA EASR
0204 00017 0 04 00056 STA EPNC
0205 00020 0 02 00430 LDA PASR
0206 00021 0 04 00412 SOTA STA TPON+2
0207 00022 0 04 00415 STA TPON+5
0208 00023 0 04 00131 STA BGBL+5
0209 00024 0 04 00271 STA XOF+2
0210 00025 0 04 00274 STA XOF+5
0211 00026 0 04 00071 STA LLOP+1
0212 00027 0 04 00363 STA OK+1
0213 00030 0 04 00375 STA P+2
0214 00031 0 04 00117 STA ORUB+1
0215 00032 0 01 00052 JMP CONT
0216 00033 0416 77 TF35 ALR 1
0217 00034 101400 SMI
0218 00035 0 01 00043 JMP HISP
0219 00036 0 02 00473 LDA #1222
0220 00037 0 04 00461 STA PON
0221 00040 0 02 00472 LDA #1377
0222 00041 0 04 00462 STA RUB
0223 00042 0 01 00016 JMP SOCP
0224 00043 140040 HISP CRA
0225 00044 0 04 00461 STA PON
0226 00045 0 04 00462 STA RUB
0227 00046 0 02 00431 LDA EBRP
0228 00047 0 04 00056 STA EPNC
0229 00050 0 02 00432 LDA PBRP
0230 00051 0 01 00021 JMP SOTA
0231 00052 140040 CONT CRA
0232 00053 0 04 00446 STA BLCT
0233 00054 0 04 00450 STA ZCNT
0234 00055 0 04 00443 STA Z
0235 00056 14 0002 EPNC OCP #2
0236 00057 0 10 00410 JST TPON
0237 00060 0 01 00077 JMP LDR
0238 00061 0 000000 LEAD DAC **
0239 00062 0 02 00436 LDA N120
0240 00063 0 04 00453 STA NDX
0241 00064 0 01 00070 JMP **4
0242 00065 0 000000 PNC DAC **
0243 00066 0 02 00065 LDA PNC
0244 00067 0 04 00061 STA LEAD
0245 00070 140040 LLOP CRA
0246 00071 74 0002 OTA #2
0247 00072 0 01 00071 JMP *-1
0248 00073 0 12 00453 IRS NDX
0249 00074 0 01 00070 JMP *-4
0250 00075 0 04 00447 STA WDCT
0251 00076 -0 01 00061 JMP* LEAD
0252 00077 0 10 00061 LDR JST LEAD
    
```

PICKUP DEVICE CODE
IS ASR-33 IN USE
NO.

REPLACE OTA #2 WITH OTA #4.
SET OTA'S
SET OTA'S
SET OTA'S
SET OTA'S
SET OTA'S
SET OTA'S
SET OTA'S

TEST FOR ASR-35
IS ASR-35 IN USE
NO.

INITIALIZE PUNCH
AND RUBOUT CODES

HIGH SPEED PUNCH IN USE

OCF #2

OTA #2
STORE IT AWAY

BLOCK COUNT
AND ZCOUNT

ENABLE PUNCH
TURN PUNCH ON
GO TO PUNCH LEADER
ROUTINE TO PUNCH 12 INCHES OF LEADER
SET INDEX FOR 120 FRAMES
AND GO TO
PUNCH

STORE RETURN ADDRESS
IN LEAD
LEADER LOOP
OUTPUT LEADER

RETURN
GO TO PUNCH 12 INCHES OF LEADER

0253	00100	0 02 00471	LDA	=152	GET FIRST RETURN FOR CHAR SUBROUTINE
0254	00101	0 04 00731	STA	CHAR	
0255	00102	0 04 00704	STA	SWCH	INITIALIZE TO PRISTINE CONDITION
0256	00103	0 04 00715	STA	WORD	INITIALIZE TO PRISTINE CONDITION
0257	00104	0 02 00434	LDA	NBL1	LENGTH OF FIRST LEVEL ROOT (NFG)
0258	00105	0 04 00453	STA	NDX	FIRST
0259	00106	0 02 00440	LDA	LOAD	BLOCK
0260	00107	0 04 00401	STA	PN88	OF
0261	00110	0 10 00400	JST	PN	PUNCH BI 1
0262	00111	0 12 00401	IRS	PN88	OMIT THE OCP OF BI 2
0263	00112	0 12 00401	IRS	PN88	OMIT THE INA OF BI 2
0264	00113	0 02 00437	LDA	NBL2	LENGTH OF SECOND LEVEL ROOT (NFG)
0265	00114	0 04 00453	STA	NDX	BLOCK
0266	00115	0 10 00400	JST	PN	PUNCH SECOND LEVEL ROOT
0267	00116	0 02 00472	ORUB LDA	=1377	
0268	00117	74 0002	OTA	'2	
0269	00120	0 01 00117	JMP	*-1	
0270	00121	0 10 00410	JST	TPON	
0271	00122	0 10 00061	JST	LEAD	TURN PUNCH ON, PUNCH LEADER
0272	00123	0 01 00125	JMP	BGBL+1	
0273			*		
0274			*		BEGIN PUNCHING BLOCK OF CHARACTERS
0275			*		
0276	00124	0 10 00410	BGBL JST	TPON	
0277	00125	0 02 00433	LDA	N6	BEGIN BLOCK. SET INDEX FOR
0278	00126	0 04 00453	STA	NDX	SIX FRAMES OF LEADER
0279	00127	0 10 00065	JST	PNC	AND PUNCH
0280	00130	0 02 00441	LDA	SOM	LOAD START-OF-MESSAGE
0281	00131	74 0002	OTA	'2	PUNCH
0282	00132	0 01 00131	JMP	*-1	(DELAY IF PUNCH NOT READY)
0283	00133	0 02 00435	LDA	N50	INITIALIZE
0284	00134	0 04 00451	STA	PNCT	PUNCH COUNT
0285	00135	0 02 00446	LDA	BLCT	INITIALIZE CHECKSUM
0286	00136	0 04 00452	STA	CKSM	WITH BLOCKCOUNT
0287	00137	0 12 00446	IRS	BLCT	AND INCREMENT BLOCKCOUNT
0288	00140	0 02 00444	LDA	FADD	LOAD FIRST ADDRESS OF BLOCK
0289	00141	0 07 00470	SUB	=1	
0290	00142	0 10 00277	JST	LOOP	AND PUNCH IT.
0291	00143	0 02 00443	LDA	Z	
0292	00144	0 04 00450	STA	ZCNT	
0293	00145	0 02 00455	LDA	SAVE	
0294	00146	0 01 00150	JMP	*+2	
0295	00147	0 12 00444	MOVE IRS	FADD	INCREMENT FIRST ADDRESS
0296	00150	0 12 00447	IRS	WDCT	AND WORD COUNT
0297	00151	0 05 00452	ERA	CKSM	UPDATE CHECKSUM WITH
0298	00152	0406 77	ARR	1	
0299	00153	0 04 00452	STA	CKSM	CHARACTER JUST PUNCHED
0300	00154	0 12 00451	IRS	PNCT	INCREMENT PUNCHCOUNT
0301	00155	0 01 00157	JMP	*+2	50 WORDS NOT YET PUNCHED
0302	00156	0 01 00226	JMP	ENBL	50 WORDS PUNCHED-END BLOCK
0303	00157	0 10 00207	JST	DECD	CHECK IF ZCOUNT ZERO
0304	00160	0 01 00221	JMP	GO	NO, PUNCH STORED WORD
0305	00161	-0 02 00444	LDA*	FADD	YES, LOAD NEXT WORD FROM MEMORY
0306	00162	100040	SZE		IS IT ZERO
0307	00163	0 01 00201	JMP	NZZZ	NO
0308	00164	0 12 00450	IRS	ZCNT	YES, INCREMENT ZCOUNT

0309	00165	0 12 00447	IRS	WDCT	AND WORDCOUNT
0310	00166	0 12 00444	IRS	FADD	AND FIRST ADDRESS
0311	00167	0 12 00451	IRS	PNCT	BUMP WORD COUNT
0312	00170	0 01 00213	JMP	CKLA	CHECK FOR LAST ADDRESS
0313	00171	0 02 00450	LDA	ZCNT	GO TERMINATE BLOCK
0314	00172	0 10 00277	JST	LOOP	PUNCH NO. OF ZERO WORDS
0315	00173	0 05 00452	ERA	CKSM	CALCULATE NEW CKSM
0316	00174	0406 77	ARR	1	*
0317	00175	0 04 00452	STA	CKSM	SAVE IT
0318	00176	140040	CRA		RESET ZCOUNT
0319	00177	0 04 00450	STA	ZCNT	DO IT
0320	00200	0 01 00226	JMP	ENBL	GO FINISH BLOCK
0321	00201	0 04 00454	NZZZ STA	WD	WORD NOT ZERO, STORE IT
0322	00202	0 02 00450	LDA	ZCNT	CHECK ZCOUNT
0323	00203	101040	SNZ		IS IT ZERO
0324	00204	0 01 00223	JMP	GO+2	
0325	00205	0 10 00277	JST	LOOP	NO, TAKE ZCOUNT. PUNCH.
0326	00206	0 01 00151	JMP	MOVE+2	RETURN
0327	00207	0 000000	DECD DAC	**	DECISION SUBROUTINE
0328	00210	0 02 00450	LDA	ZCNT	CHECK ZCOUNT
0329	00211	101040	SNZ		IS IT ZERO
0330	00212	0 12 00207	IRS	DECD	YES, INCREMENT RETURN ADDRESS
0331	00213	0 02 00444	CKLA LDA	FADD	NO, CHECK
0332	00214	0 07 00470	SUB	=1	
0333	00215	0 05 00445	ERA	LADD	
0334	00216	100040	SZE		LAST ADDRESS
0335	00217	-0 01 00207	JMP*	DECD	NOT REACHED, RETURN
0336	00220	0 01 00263	JMP	CHEK	LAST ADDRESS REACHED, CHECK ZCOUNT
0337	00221	140040	GO CRA		RESTORE
0338	00222	0 04 00450	STA	ZCNT	ZCOUNT TO ZERO
0339	00223	0 02 00454	LDA	WD	TAKE STORED WORD
0340	00224	0 10 00277	JST	LOOP	AND PUNCH IT
0341	00225	0 01 00147	JMP	MOVE	AND CONTINUE.
0342			*		
0343			*	END BLOCK	
0344			*		
0345	00226	0 02 00450	ENBL LDA	ZCNT	
0346	00227	0 04 00443	STA	Z	
0347	00230	140040	CRA		
0348	00231	0 04 00450	STA	ZCNT	
0349	00232	0 02 00447	LDA	WDCT	
0350	00233	0 05 00452	ERA	CKSM	WITH CHECKSUM
0351	00234	0 10 00277	JST	LOOP	AND PUNCH
0352	00235	0 10 00267	JST	XOF	PUNCH XOFF
0353	00236	0 01 00124	JMP	BGBL	BEGIN NEW BLOCK
0354	00237	0 10 00277	ZNZ JST	LOOP	ZCOUNT NOT ZERO, PUNCH IT.
0355	00240	0 05 00452	ERA	CKSM	UPDATE
0356	00241	0406 77	ARR	1	
0357	00242	0 04 00452	STA	CKSM	CHECKSUM
0358	00243	140040	CRA		
0359	00244	0 04 00450	STA	ZCNT	
0360	00245	0 02 00447	LDA	WDCT	LOAD WORD COUNT AND
0361	00246	0 05 00452	ERA	CKSM	ERA IT WITH CHECKSUM
0362	00247	0 10 00277	JST	LOOP	PUNCH CHECKSUM
0363	00250	0 10 00267	JST	XOF	PUNCH TWO XOFF'S
0364	00251	0 10 00410	JST	TPON	TURN PUNCH ON

0365	00252	0 10 00267	JST	XOF	SECOND XOF
0366	00253	0 10 00410	JST	TPON	
0367	00254	0 10 00061	JST	LEAD	TURN PUNCH ON, PUNCH LEADER
0368	00255	0 02 00460	LDA	CODE	PICKUP OUTPUT DEVICE
0369	00256	0416 77	ALR	1	CHECK IF ASR=35
0370	00257	101400	SMI		*
0371	00260	100000	SKP		EITHER 33 OR H/S
0372	00261	0 10 00267	JST	XOF	STOP PUNCH ON ASR=35
0373	00262	0 01 00371	JMP	DONE	GO WRAP UP
0374	00263	0 02 00450	CHEK LDA	ZCNT	IS ZCOUNT ZERO
0375	00264	100040	SZE		
0376	00265	0 01 00237	JMP	ZNZ	NO. PUNCH IT
0377	00266	0 01 00245	JMP	ZNZ+6	
0378	00267	0 000000	XOF DAC	**	PUNCH XOFF ROUTINE
0379	00270	0 02 00442	LDA	XORF	LOAD XOFF
0380	00271	74 0002	OTA	'2	PUNCH
0381	00272	0 01 00271	JMP	*-1	(DELAY IF PUNCH NOT READY)
0382	00273	0 02 00472	LDA	=1377	
0383	00274	74 0002	OTA	'2	
0384	00275	0 01 00274	JMP	*-1	
0385	00276	-0 01 00267	JMP*	XOF	RETURN
0386	00277	0 000000	LOOP DAC	**	MAIN PUNCH LOOP
0387	00300	0 10 00306	JST	TEST	IS WORD A ZCOUNT
0388	00301	0 05 00467	ERA	=100000	YES, PUT ONE IN HIGH ORDER BIT
0389	00302	0 10 00331	JST	PNCH	PUNCH
0390	00303	0 10 00331	JST	PNCH	THREE
0391	00304	0 10 00331	JST	PNCH	CHARACTERS
0392	00305	-0 01 00277	JMP*	LOOP	RETURN
0393	00306	0 000000	TEST DAC	**	
0394	00307	0 04 00455	STA	SAVE	SAVE WORD
0395	00310	0 02 00450	LDA	ZCNT	
0396	00311	101040	SNZ		
0397	00312	0 01 00317	JMP	**5	
0398	00313	0 05 00466	ERA	=-1	TAKE TWO'S
0399	00314	0 06 00470	ADD	=1	COMPLEMENT
0400	00315	0 04 00455	STA	SAVE	UPDATE SAVE
0401	00316	0 01 00321	JMP	*+3	CONTINUE
0402	00317	0 12 00306	IRS	TEST	ZCOUNT ZERO, CONTINUE
0403	00320	0 02 00455	LDA	SAVE	REGAIN SAVE
0404	00321	0406 76	ARR	2	POSITION CHARACTER
0405	00322	0 04 00455	STA	SAVE	
0406	00323	0 03 00465	ANA	=136000	CLEAR TO CHARACTER
0407	00324	-0 01 00306	JMP*	TEST	RETURN
0408	00325	0404 66	HOB LGR	10	CHANGE HIGH-ORDER
0409	00326	0 03 00464	ANA	=137	BIT FROM CHANNEL 6
0410	00327	0 05 00463	ERA	=1200	TO CHANNEL 8
0411	00330	0 01 00335	JMP	*+5	AND GO TO PUNCH
0412	00331	0 000000	PNCH DAC	**	PUNCH ROUTINE
0413	00332	100400	SPL		CHECK FOR
0414	00333	0 01 00325	JMP	HOB	HIGH ORDER BIT
0415	00334	0404 66	LGR	10	POSITION CHARACTER
0416	00335	0 04 00456	STA	SAVE	STORE IT
0417	00336	0 03 00464	ANA	=137	SET UP FOR TRANSLATION CHECK
0418	00337	0 04 00457	STA	SAVE	STORE
0419	00340	0 02 00420	LDA	ADC1	LOAD ADDRESS OF TABLE
0420	00341	0 04 00421	STA	ADC2	SETUP FOR CHECK

0421	00342	-0 02 00421	LDA*	ADC2	LOAD FROM TABLE
0422	00343	101040	SNZ		CHECK FOR END OF TABLE
0423	00344	0 01 00362	JMP	OK	DONE, NO TRANSLATION NEEDED
0424	00345	0 03 00472	ANA	=1377	CLEAR 9 HIGH-ORDER BITS
0425	00346	0 05 00457	ERA	SAVB	CHECK FOR
0426	00347	101040	SNZ		MATCH
0427	00350	0 01 00353	JMP	TRNS	YES, TRANSLATE
0428	00351	0 12 00421	IRS	ADC2	NO, INCREMENT ADDRESS
0429	00352	0 01 00342	JMP	*-8	AND RETURN.
0430	00353	0 02 00456	TRNS LDA	SAVA	PICK UP ORIGINAL CHARACTER
0431	00354	0 03 00463	ANA	=1200	CLEAR ALL BUT BIT 8
0432	00355	0 04 00456	STA	SAVA	SAVE BIT
0433	00356	-0 02 00421	LDA*	ADC2	PICK UP SUBROUTINE
0434	00357	0404 70	LGR	8	CHARACTER
0435	00360	0 05 00456	ERA	SAVA	OBTAIN CORRECT BIT 8
0436	00361	0 01 00363	JMP	*+2	PUNCH
0437	00362	0 02 00456	OK LDA	SAVA	NO TRANSLATION, GET CHARACTER
0438	00363	74 0002	OTA	'2	PUNCH
0439	00364	0 01 00363	JMP	*-1	(DELAY IF PUNCH NOT READY)
0440	00365	0 02 00455	LDA	SAVE	POSITION WORD
0441	00366	0416 72	ALR	6	FOR NEXT CHARACTER
0442	00367	0 04 00455	STA	SAVE	STORE CHARACTER
0443	00370	-0 01 00331	JMP*	PNCH	AND RETURN
0444	00371	14 0102	DONE OCP	'102	
0445	00372	0 01 00002	JMP	BEGN	RESTART IF DESIRED
0446	00373	0 000000	P DAC	**	
0447	00374	0406 70	ARR	8	
0448	00375	74 0002	OTA	'2	PUNCH
0449	00376	0 01 00375	JMP	*-1	
0450	00377	-0 01 00373	JMP*	P	
0451	00400	0 00 00000	PN PZE	**	
0452	00401	0 00 00000	PN88 PZE	**	
0453	00402	0 10 00373	JST	P	PUNCH LOAD PROGRAM
0454	00403	0 10 00373	JST	P	IN 8-8 FORMAT
0455	00404	0 12 00401	IRS	PN88	
0456	00405	0 12 00453	IRS	NDX	
0457	00406	0 01 00401	JMP	PN88	
0458	00407	-0 01 00400	JMP*	PN	
0459	00410	0 000000	TPON DAC	**	TURN PUNCH ON
0460	00411	0 02 00461	LDA	PON	OUTPUT '222
0461	00412	74 0002	OTA	'2	IF ASR-35 IN USE.
0462	00413	0 01 00412	JMP	*-1	
0463	00414	0 02 00462	LDA	RUB	OUTPUT '377
0464	00415	74 0002	OTA	'2	IF ASR-35 IN USE.
0465	00416	0 01 00415	JMP	*-1	
0466	00417	-0 01 00410	JMP*	TPON	
0467	00420	0 000422	ADC1 DAC	C1	ADDRESS OF C1
0468	00421		ADC2 BSS	1	
0469			*		
0470			*		* TRANSLATION TABLE. ILLEGAL CHARACTER (7 LOW ORDER BITS)
0471			*		* IN RIGHT-HAND HALF, AND SUBSTITUTION CHARACTER (7 LOW ORDER BITS)
0472			*		* IN LEFT-HAND HALF.
0473			*		
0474	00422	077423	C1	OCT	77423,77021,76412,76005,0
	00423	077021			
	00424	076412			

00425	076005					
00426	000000					
0475		*				
0476	00427	14	0104	EASR	OCPC	'104
0477	00430	74	0004	PASR	OTAC	'14
0478	00431	14	0002	EBRP	OCPC	'12
0479	00432	74	0002	PBRP	OTAC	'12
0480	00433		177772	N6	DEC	-6
0481	00434	0	177740	NBL1	DAC	ST-BL2
0482	00435		177716	N50	DEC	-50
0483	00436		177610	N120	DEC	-120
0484	00437	0	177604	NBL2	DAC	WAIT-STPC-1
0485	00440	0	02 00540	LOAD	LDA	ST
0486	00441		000201	SOM	OCT	201
0487	00442		000223	XOFF	OCT	223
0488	00443			Z	BSS	1
0489	00444			FADD	BSS	1
0490	00445			LADD	BSS	1
0491	00446			BLCT	BSS	1
0492	00447			WDCT	BSS	1
0493	00450			ZCNT	BSS	1
0494	00451			PNCT	BSS	1
0495	00452			CKSM	BSS	1
0496	00453			NDX	BSS	1
0497	00454			WD	BSS	1
0498	00455			SAVE	BSS	1
0499	00456			SAVA	BSS	1
0500	00457			SAVB	BSS	1
0501	00460			CODE	BSS	1
0502	00461	000000		PON	BSZ	1
0503	00462	000000		RUB	BSZ	1
0504	00463	000200			FIN	
	00464	000037				
	00465	036000				
	00466	177777				
	00467	100000				
	00470	000001				
	00471	000052				
	00472	000377				
	00473	000222				
0505	00474	000000		BSZ		'140
0506				*		
0507				*		SYSTEM BOOTSTRAP
0508				*		
0509				ORG		'540
0510	00540	0 000020		ST	DAC	'20
0511				*		STARTING ADDRESS
0512				*		1 STA '57 010057
0513				*		2 OCP '000X 03000X
0514				*		3 INA '100X 13100X
0515				*		4 JMP *-1 002003
0516				*		5 SN7 101040
0517				*		6 JMP *-3 002003
0518				*		7 STA 0 010000
0519				*		10 INA '100X 13100X
				*		11 JMP *-1 002010

0520			*			12 LGL	8	041470
0521			*			13 INA	'000X	13000X
0522			*			14 JMP	*-1	002013
0523			*			15 STA*	0	110000
0524			*			16 IRS	0	024000
0525			*			17 SZE		100040
0526	00541	0 01 00010		JMP	'10	00020		TO FILL OUT ROOTSTRAP
0527	00542	0 02 00041		LDA	'41	00021		SFT NEXT REENTRY
0528	00543	0 04 00021		STA	'21	00022	*	
0529	00544	0 02 00057		LDA	'57	00023		SFT STARTING ADDRESS
0530	00545	100040		SZE		00024	*	
0531	00546	0 04 00054		STA	'54	00025		
0532	00547	0 02 00054		LDA	'54	00026		
0533	00550	0 04 00000		STA	0	00027	*	
0534	00551	0 06 00055		ADD	'55	00030		
0535	00552	0 04 00055		STA	'55	00031		
0536	00553	000013		EXA		00032		
0537	00554	0 02 00013		LDA	'13	00033		SFT TO ORDERS
0538	00555	0 03 00044		ANA	'44	00034		
0539	00556	-0 04 00000		STA*	0	00035	*	
0540	00557	0 12 00000		IRS	0	00036	*	
0541	00560	0 02 00010		LDA	'10	00037	*	
0542	00561	0 01 00015		JMP	'15	00040	*	
0543	00562	0 01 00042		JMP	'42	00041		SECOND REENTRY
0544	00563	0 04 00025		STA	'25	00042		CLEAR WORDCOUNT
0545	00564	100000		SKP		00043		
0546	00565	077777		OCT	77777	00044		
0547	00566	101000		NOP		00045		
0548	00567	0 02 00051		LDA	'51	00046		END. SET UP FINAL REENTRY
0549	00570	0 04 00020		STA	'20	00047	*	
0550	00571	0 01 00010		JMP	'10	00050	*	
0551	00572	-0 01 00054		JMP*	'54	00051		
0552	00573	140040		CRA		00052		
0553	00574	-0 01 00055		JMP*	'55	00053		AUTOMATIC LOAD
0554	00575	0 000600		DAC	BL2	00054		DEFAULT START
0555	00576	000033		OCT	33	00055		
0556	00577	000000		OCT	0	00056		TERMINATE FIRST SECTION
0557			*					
0558			*		LOADER			
0559	00600	14 0001	BL2	OCP	1			
0560	00601	54 0001		INA	1			
0561			*					
0562	00602	0 01 00601	WAIT	JMP	*-1			
0563	00603	14 0101		OCP	'101			READER OFF IF ON
0564	00604	0 04 00022		STA	'22			
0565	00605	0 05 00775		ERA	STPC			STOP CODE TEST
0566	00606	100040		SZE				
0567	00607	-0 01 00731		JMP*	CHAR			
0568	00610	-0 02 00731		LDA*	CHAR			
0569	00611	0 05 00655		ERA	SCAN			TEST FOR SCAN MODE
0570	00612	101040		SNZ				
0571	00613	0 01 00632		JMP	ENDT			
0572	00614	0 02 00025		LDA	'25			
0573	00615	101040		SNZ				
0574	00616	0 01 00632		JMP	ENDT			END FILE EXIT
0575	00617	0 05 00020		ERA	'20			

0576	00620	0416 77	ALR	1	
0577	00621	0 05 00021	ERA	'21	
0578	00622	100040	SZE		
0579	00623	0 01 00630	JMP	EROR	
0580	00624	0 04 00025	STA	'25	RESET WORD COUNT
0581	00625	0 10 00731	JST	CHAR	
0582	00626	0 12 00024	BUMP IRS	'24	INCREMENT BLOCK COUNT
0583	00627	0 01 00634	JMP	STRT+1	
0584	00630	000012	EROR OCT	12	ERROR HALT
0585	00631	0 01 00630	JMP	*-1	HALT AGAIN IF STARTED
0586	00632	000012	ENDT OCT	12	HALT, TAPE LOADED NORMALLY
0587	00633	0 04 00024	STRT STA	'24	RESET BLOCK COUNT
0588	00634	140040	CRA		
0589	00635	0 04 00022	STA	'22	RESET CHARACTER BUFFER
0590	00636	0 02 00010	LDA	'10	TEST FOR HIGH SPED READER
0591	00637	0406 77	ARR	1	
0592	00640	100400	SPL		
0593	00641	0 01 00652	JMP	SCAN-3	
0594	00642	34 0104	SKS	'104	
0595	00643	0 01 00642	JMP	*+1	
0596	00644	14 0104	OCP	'104	
0597	00645	0 02 00766	LDA	'221	
0598	00646	74 0004	OTA	4	
0599	00647	34 0104	SKS	'104	
0600	00650	0 01 00647	JMP	*-1	
0601	00651	14 0004	OCP	4	
0602	00652	0 02 00022	LDA	'22	
0603	00653	0 01 00655	JMP	*+2	TURN ON TELEPRINTER
0604	00654	0 10 00731	JST	CHAR	LEADER SCAN
0605	00655	0 05 00767	SCAN ERA	'22	START OF MESSAGE
0606	00656	100040	SZE		
0607	00657	0 01 00654	JMP	*-3	*
0608	00660	0 04 00000	STA	0	*
0609	00661	0 04 00025	STA	'25	RESET WORD COUNT
0610	00662	0 02 00024	LDA	'24	
0611	00663	0 04 00020	STA	'20	INITIALIZE BLOCK
0612	00664	0 10 00731	JST	CHAR	
0613	00665	0 10 00704	DATA JST	SWCH	
0614	00666	0 01 00665	JMP	*-1	DO DATA LOAD
0615	00667	0 10 00715	JST	WORD	DO ZERO LOAD
0616	00670	0 05 00765	ERA	'2	
0617	00671	0 04 00021	STA	'21	
0618	00672	0 05 00020	ERA	'20	
0619	00673	0406 77	ARR	1	
0620	00674	0 04 00020	STA	'20	
0621	00675	140040	CRA		
0622	00676	-0 04 00000	STA*	0	
0623	00677	0 12 00025	IRS	'25	ADD TO WORD COUNT
0624	00700	0 12 00000	IRS	0	
0625	00701	0 12 00021	IRS	'21	
0626	00702	0 01 00676	JMP	*-4	ADD TO WORD COUNT
0627	00703	0 01 00665	JMP	DATA	
0628	00704	0 00 00052	SWCH PZE	'52	INITIALIZED NONZERO CONSTANT
0629	00705	0 10 00715	JST	WORD	
0630	00706	-0 04 00000	STA*	0	
0631	00707	0 12 00000	IRS	0	

```

0632 00710 0 12 00025 IRS '25
0633 00711 0 05 00020 ERA '20
0634 00712 0406 77 ARR 1
0635 00713 0 04 00020 STA '20
0636 00714 -0 01 00704 JMP* SWCH
0637 00715 0 00 00052 WORD PZE '52
0638 00716 140040 CRA
0639 00717 0 04 00021 STA '21
0640 00720 0 10 00731 JST CHAR
0641 00721 0 10 00731 JST CHAR
0642 00722 0 10 00731 JST CHAR
0643 00723 0414 70 LGL 8
0644 00724 101400 SMI
0645 00725 0 12 00704 IRS SWCH
0646 00726 0 02 00021 LDA '21
0647 00727 0406 77 ARR 1
0648 00730 -0 01 00715 JMP* WORD
0649 00731 0 000052 CHAR DAC '52
0650 00732 0 02 00022 LDA '22
0651 00733 0414 70 LGL 8
0652 00734 100400 SPL
0653 00735 0 12 00021 IRS '21
0654 00736 0414 77 LGL 1
0655 00737 0 05 00764 ERA ='174000
0656 00740 101040 SNZ
0657 00741 0 02 00763 LDA ='171000
0658 00742 0 05 00762 ERA ='1000
0659 00743 101040 SNZ
0660 00744 0 02 00761 LDA ='167000
0661 00745 0 05 00770 ERA L1
0662 00746 101040 SNZ
0663 00747 0 02 00771 LDA L2
0664 00750 0 05 00762 ERA ='1000
0665 00751 101040 SNZ
0666 00752 0 02 00772 LDA L3
0667 00753 0 05 00773 ERA L4
0668 00754 0414 76 LGL 2
0669 00755 0 05 00021 ERA '21
0670 00756 0416 72 ALR 6
0671 00757 0 04 00021 STA '21
0672 00760 0 01 00600 JMP WAIT-2
0673 00761 167000 FIN
      00762 001000
      00763 171000
      00764 174000
      00765 000002
      00766 000221
      00767 000022

0674 00770 002000 L1 OCT 2000
0675 00771 154000 L2 OCT 154000
0676 00772 157000 L3 OCT 157000
0677 00773 176000 L4 OCT 176000
0678 00774 000000 OCT 0
0679 00775 000223 STPC OCT 223
0680 * LOCATION FUNCTION

```

ADD TO WORD COUNT

INITIALIZED NONZFRO C

TEST FOR ZFRO-COUNT WORD

FIRST TIME IN-RETURN VIA '52

IN ACC. READ NEXT.
EXIT ON STOP CODF.
OTHERWISE TRANSLATE

FUNCTION

0681	*			
0682	*	20	CHECKSUM	
0683	*	21	ACCUMULATOR	
0684	*	22	CHARACTER BUFFER	
0685	*	24	BLOCK COUNT	
0686	*	25	WORD COUNT	
0687		END		

ADC1	000420	ADC2	000421	BEGN	000002	BGBL	000124
EL2	000600	BLCT	000446	BUMP	000626	C1	000422
CHAR	000731	CHEK	000263	CKLA	000213	CKSM	000452
CODE	000460	CONT	000052	DATA	000665	DECD	000207
DONE	000371	EASR	000427	EBRP	000431	ENBL	000226
ENDT	000632	EPNC	000056	EROR	000630	FADD	000444
GO	000221	HISP	000043	HOB	000325	L1	000770
L2	000771	L3	000772	L4	000773	LADD	000445
LDR	000077	LEAD	000061	LLOP	000070	LOAD	000440
LOOP	000277	MOVE	000147	N120	000436	N50	000435
N6	000433	NBL1	000434	NBL2	000437	NDX	000453
NZ7Z	000201	OK	000362	ORUB	000116	P	000373
PASR	000430	PBRP	000432	PN	000400	PN88	000401
PNC	000065	PNCH	000331	PNCT	000451	PON	000461
RUR	000462	SAVA	000456	SAVB	000457	SAVE	000455
SCAN	000655	SOCP	000016	SOM	000441	SOTA	000021
ST	000540	STPC	000775	STRT	000633	SWCH	000704
TEST	000306	TF35	000033	TPON	000410	TRNS	000353
WAIT	000602	WD	000454	WDCT	000447	WORD	000715
XOF	000267	XOFF	000442	Z	000443	ZCNT	000450
ZN7	000237						

0000 WARNING OR ERROR FLAGS
DAP-16 MOD 2 REV. D 06-28-71

* NAME: (PAL-AP)

DOC. 70180311000

REV. H ORDER M-1051

PAGE 18

* NAME: (PAL-AP)

DOC. 70180311000

REV. H

	467	ADC1	419					
	468	ADC2	420C	421	428C	433		
	191	BEGN	445J					
	276	BGBL	208C	272J	353J			
	559	BL2	481	554				
	491	BLCT	232C	285	287C			
N	582	BUMP						
	474	C1	467					
	649	CHAR	254C	567J	568	581J	604J	612J
			640J	641J	642J			
	374	CHEK	336J					
	331	CKLA	312J					
	495	CKSM	286C	297	299C	315	317C	350
			355	357C	361			
	501	CODE	190C	197	368			
	231	CONT	215J					
	613	DATA	627J					
	327	DECD	303J	330C	335J			
	444	DONE	373J					
	476	EASR	203					
	478	EBRP	227					
	345	ENBL	302J	320J				
	586	ENDT	571J	574J				
	235	EPNC	204C	228C				
	584	EROR	579J					
	489	FADD	193C	288	295C	305	310C	331
	337	GO	304J	324J				
	224	HISP	218J					
	408	HOB	414J					
	674	L1	661					
	675	L2	663					
	676	L3	666					
	677	L4	667					
	490	LADD	196C	333				
	252	LDR	237J					
	238	LEAD	244C	251J	252J	271J	367J	
	245	LLOP	211C					
	485	LOAD	259					
	386	LOOP	290J	314J	325J	340J	351J	354J
			362J	392J				
	295	MOVE	326J	341J				
	483	N120	239					
	482	N50	283					
	480	N6	277					
	481	NBL1	257					
	484	NBL2	264					
	496	NDX	240C	248C	258C	265C	278C	456C
	321	NZZZ	307J					
	437	OK	212C	423J				
	267	ORUB	214C					
	446	P	213C	450J	453J	454J		
	477	PASR	205					
	479	PBRP	229					
	451	PN	261J	266J	458J			
	452	PN88	260C	262C	263C	455C	457J	

242	PNC	243	279J					
412	PNCH	389J	390J	391J	443J			
494	PNCT	284C	300C	311C				
502	PNON	201C	220C	225C	460			
503	RUB	202C	222C	226C	463			
499	SAVA	416C	430	432C	435	497		
500	SAVB	418C	425					
498	SAVE	293	394C	400C	403	405C	440	
		442C						
605	SCAN	569	593J					
203	SOCP	223J						
486	SOM	280						
206	SOTA	230J						
510	ST	481	485					
679	STPC	484	565					
587	STRT	583J						
628	SWCH	255C	613J	636J	645C			
393	TEST	387J	402C	407J				
216	TF35	199J						
459	TPON	206C	207C	236J	270J	276J	864J	
		366J	466J					
430	TRNS	427J						
562	WAI	484	672J					
497	WD	321C	339					
492	WDCT	250C	296C	309C	349	360		
637	WORD	256C	615J	629J	648J			
378	XOF	209C	210C	352J	363J	365J	372J	
		385J						
487	XOFF	379						
480	Z	234C	291	346C				
493	ZCNT	233C	292C	308C	313	319C	327	
		328	338C	345	348C	359C	374	
		395						
354	ZNZ	376J	377J					
	=*1000	658	664					
	=*100000	388						
	=*167000	660						
	=*171000	657						
	=*174000	655						
	=*200	410	431					
	=*22	605						
	=*221	597						
	=*222	219						
	=*36000	406						
	=*37	409	417					
	=*377	221	267	382	424			
	=*52	253						
	=-1	398						
	=1	289	332	399				
	=2	616						

97 SYMBOLS
 237 REFERS
 687 RECORDS
 1 N FLAGS