

RC25

RC25 FR END TEST
CZRCFAO

AH-T271A-MC
FICHE 1 OF 2

OCT 1983
COPYRIGHT © 1983
MADE IN USA



A large grid of 10 columns and 20 rows of data. Each cell contains a small, dense table of information, likely representing a sequence of test results or data points. The text within the cells is too small to be legible, but the overall structure is a regular grid of data points.

RC25

RC25 FR END TEST
CZRCFAO

AH-T271A-MC
FICHE 2 OF 2

OCT 1983
COPYRIGHT © 1983
MADE IN USA



```
MODULE AZTECO ( %TITLE'CZRCFAO RC25 FR END TEST'  
              IDENT = 'V01.0',  
              ADDRESSING_MODE (RELATIVE))=
```

```
BEGIN  
LIBRARY 'Library';  
REQUIRE 'BLSMAC.REQ';  
%SBTTL 'USER DOCUMENTATION'  
%(
```

IDENTIFICATION

PRODUCT CODE: AC-T270A-MC
PRODUCT NAME: CZRCFAO RC25 FR END TEST
PRODUCT DATE: JULY 13, 1983
MAINTAINER: DISK ENGINEERING
AUTHOR: SING LAKSHMANAN

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS DOCUMENT.

NO RESPONSIBILITY IS ASSUMED FOR THE USE OR RELIABILITY OF SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL OR ITS AFFILIATED COMPANIES.

COPYRIGHT (C) 1983 BY DIGITAL EQUIPMENT CORPORATION

THE FOLLOWING ARE TRADEMARKS OF DIGITAL EQUIPMENT CORPORATION:

DIGITAL	PDP	UNIBUS	MASSBUS
DEC	DECUS	DECTAPE	

TABLE OF CONTENTS

1.0	GENERAL INFORMATION
1.1	PROGRAM ABSTRACT
1.2	SYSTEM REQUIREMENTS
1.3	RELATED DOCUMENTS AND STANDARDS
1.4	DIAGNOSTIC HIERARCHY PREREQUISITES
1.5	ASSUMPTIONS
2.0	OPERATING INSTRUCTIONS
2.1	COMMANDS
2.2	SWITCHES
2.3	FLAGS
2.4	HARDWARE QUESTIONS
2.5	SOFTWARE QUESTIONS
2.6	EXTENDED P-TABLE DIALOGUE
2.7	QUICK STARTUP PROCEDURE
3.0	ERROR INFORMATION
4.0	PERFORMANCE AND PROGRESS REPORTS
5.0	DEVICE INFORMATION TABLES
6.0	TEST SUMMARIES
7.0	MAINTENANCE HISTORY

1.0 GENERAL INFORMATION

1.1 PROGRAM ABSTRACT

The aztec front-end host diagnostic is a diagnostic program to test the aztec disk drive subsystem. Tests are performed to verify that:

- a. The processor can properly communicate with the aztec through the adapter card.
- b. The aztec can seek and head select properly.
- c. The aztec conforms to the specified seek and rotational times.
- d. The aztec can perform certain basic functions in response to mscp commands.

The aztec front-end/host diagnostic consists of one program that runs in the host processor and programs that run in the aztec controller's buffer memory through an interpreter called the "diagnostic machine" which resides in the aztec. The host processor program will be responsible for testing the aztec adapter, testing some of the drive functions, downline loading the "diagnostic machine" programs into the aztec and starting their execution. When the "diagnostic machine" programs are running, they will control the testing by requesting the host processor to supply information and print error messages. The "diagnostic machine" programs will inform the processor when a test is complete.

Up to four (4) aztec controllers with one or two spindles each may be selected for test by this diagnostic.

One aztec "unit" is defined as a single platter. There are two platters on one spindle in an aztec drive. an aztec controller may have either one or two drives (two or four platters). the unit numbers for the aztec platters come in pairs. the removable media has an even number and the fixed media has the sequentially following odd number.

Software parameter questions include number of retries in case of an error, whether to continue execution after failures, select seek area in the disk, select manual intervention test and set trace mode.

This diagnostic is divided into 6 modules:

module 0 - documentation

module 1 - literals, format statements, ascii text,
global data, hardware configuration questions
and default tables, software parameter questions
and default table, initialization code, cleanup
code, summary report code

module 2 - global routines

module 3 - tests 1 - 12 **base level**

module 4 - tests 9 _ 12 (dm code)

module 5 - last address and setup section

AZTECO.R16 is a file containing literals and field delarations used throughout the program.

This diagnostic has been written for use with the diagnostic runtime services software (supervisor). These services provide the interface to the operator and to the software environment. This program can be used with XXDP+, ACT, APT, slide and paper tape. For a complete description of the runtime services, refer to the XXDP+ user's manual. There is a brief description of the runtime services in section 2 of this document.

1.2 SYSTEM REQUIREMENTS

PDP-11 Processor
28K Words of memory (minimum)
XXDP+ Load media
One or more aztec disk drive subsystems
Line clock - either type L or P
Console terminal

1.3 RELATED DOCUMENTS AND STANDARDS

AZTEC - RC25 Functional specification Rev 5, 3/9/82
Mass storage control protocol (MSCP) (version 1.0)
Unibus/Q-bus storage systems port (version 1.3)
Diagnostics and utilities protocol (R. Lary, May 1981)
Aztec diagnostic project plan
Diagnostic engineering functional specification for aztec
Resident diagnostics
XXDP+ User's manual

1.4 DIAGNOSTIC HIERARCY PREREQUISITES

The bus, host processor, memory, system clocks and console terminal are all assumed to be functioning properly when this diagnostic is run. If they are not, the result of running this program is unpredictable.

1.5 ASSUMPTIONS

An aztec that meets the specifications for diagnostic machine timing will meet the specifications for MSCP timing.

2.0 OPERATING INSTRUCTIONS

This section contains a brief description of the runtime services. for detailed information, refer to the XXDP+ user's manual (CHQUS).

2.1 COMMANDS

There are eleven legal commands for the diagnostic runtime services (supervisor). This section lists the commands and gives a very brief description of them. The XXDP+ user's manual has more details.

COMMAND	EFFECT
START	Start the diagnostic from an initial state
RESTART	Start the diagnostic without initializing
CONTINUE	Continue at test that was interrupted (after ^C)
PROCEED	Continue from an error halt
EXIT	Return to XXDP+ monitor (XXDP+ operation only!)
ADD	Activate a unit for testing (all units are considered to be active at start time)
DROP	Deactivate a unit
PRINT	Print statistical information (if implemented by the diagnostic - section 4.0)
DISPLAY	Type a list of all device information
FLAGS	Type the state of all flags (see section 2.3)
ZFLAGS	Clear all flags (see section 2.3)

A command can be recognized by the first three characters. So you may, for example, type "STA" instead of "START".

2.2 SWITCHES

There are several switches which are used to modify supervisor operation. These switches are appended to the legal commands. All of the legal switches are tabulated below with a brief description of each. In the descriptions below, a decimal number is designated by "DDDD".

SWITCH	EFFECT
/TESTS:LIST	Execute only those tests specified in the list. List is a string of test numbers, for example - /TESTS:1:5:7-10. This list will cause tests 1,5,7,8,9,10 to be run. All other tests will not be run.
/PASS:DDDD	Execute DDDDD passes (DDDD = 1 to 64000)
/FLAGS:FLGS	Set specified flags. flags are described in section 2.3.
/EOP:DDDD	Report end of pass message after every DDDDD passes only. (DDDD = 1 to 64000)
/UNITS:LIST	TEST/ADD/DROP only those units specified in the list. List example - /UNITS:0:5:10-12 use units 0,5,10,11,12 (unit numbers = 0-63)

Example of switch usage:

START/TESTS:1-5/PASS:1000/EOP:100

The effect of this command will be:

1. Tests 1 through 5 will be executed.
2. All units will tested 1000 times.
3. The end of pass messages will be printed after each 100 passes only.

A Switch can be recognized by the first three characters. You may, for example, type "/TES:1-5" instead of "/TESTS:1-5".

Below is a table that specifies which switches can be used by each command.

	TESTS	PASS	FLAGS	EOP	UNITS
START	X	X	X	X	X
RESTART	X	X	X	X	X
CONTINUE		X	X	X	
PROCEED			X		
DROP					X
ADD					X
PRINT					
DISPLAY					X
FLAGS					
ZFLAGS					
EXIT					

2.3 FLAGS

Flags are used to set up certain operational parameters such as looping on error. All flags are cleared at startup and remain cleared until explicitly set using the flags switch. Flags are also cleared after a start command unless set using the flag switch. The ZFLAGS command may also be used to clear all flags. with the exception of the START and ZFLAGS commands. No commands affect the state of the flags; they remain set or cleared as specified by the last flag switch.

FLAG	EFFECT
HOE	Halt on error - control is returned to runtime services command mode
LOE	Loop on error
IER*	Inhibit all error reports
IBR*	Inhibit all error reports except first level (first level contains error type, number, PC, test and unit)
IXR*	Inhibit extended error reports (those called by PRINTX macro's)
PRI	Direct messages to line printer
PNT	Print test number as test executes
BOE	'BELL' on error
UAM	Unattended mode (no manual intervention)
ISR	Inhibit statistical reports (does not apply to diagnostics which do not support statistical reporting)
IDR	Inhibit program dropping of units
ADR	Execute autodrop code
LOT	Loop on test
EVL	Execute evaluation (on diagnostics which have evaluation support)

*error messages are described in section 3.1

See the XXDP+ user's manual for more details on flags. You may specify more than one flag with the flag switch. For example, to cause the program to loop on error, inhibit error reports and type a 'BELL' on error, you may use the following string:

```
/FLAGS:LOE:IER:BOE
```

2.4 HARDWARE QUESTIONS

When a diagnostic is started, the runtime services will prompt the user for hardware information by typing "CHANGE HW (L) ?" you must answer 'Y' after a start command unless the hardware information has been 'preloaded' using the setup utility (see chapter 6 of the XXDP+ user's manual). When you answer this question with a 'Y', the runtime services will ask for the number of units (IN DECIMAL). You will then be asked the following questions for each unit.

UNITS (D) ?

Answer with the number of units to be tested (no default). This answer will determine how many times the following questions are asked. A unit is a logical disk (single platter) on an aztec. One to sixteen units may be specified (maximum configuration of four controllers with four platters per controller).

IP ADDRESS (O) 172150 ?

Answer with the address of the IP register of one aztec controller as addressed by the processor with memory management turned off (i.e., an even 16-bit address in the range of 160000 to 177774.)

VECTOR (O) 154 ?

Answer with the interrupt vector address of the aztec controller. A vector address in the range of 4 to 774 may be specified.

BR LEVEL (D) 5?

Answer with the interrupt priority used by the aztec. Levels 4 to 7 are accepted.

UNIT NUMBER(S) (D) 0 ?

answer with the physical platter number(s) for the platter(s) you wish to test (NO DEFAULT). The removable platter is an even number and the fixed platter is the sequentially following odd number.

2.5 SOFTWARE QUESTIONS

After you have answered the hardware questions or after a restart or continue command, the runtime services will ask for software parameters. These parameters will govern some diagnostic specific operation modes. You will be prompted by "CHANGE SW (L) ?" if you wish to change any parameters, answer by typing 'Y'. The software questions and the default values are described in the next paragraph(s).

Use top surface for all single surface tests (L) Y ?
 Answer yes to use top surface for all single surface testing.
 answer no to use bottom surface for all single surface testing.

Do you wish to limit the area tested in tests #13 through #15 (L) N ?
 Answer yes if you wish to specify a starting and ending track for the
 test area. this limitation applies only to seek verification testing,
 tests #13 through #15. The following two questions will be asked only
 if this one is answered yes.

Starting track (D) 0 ?

Answer with the beginning track number of the area you wish to select
 for testing. This applies to tests #13 through #15 only.

Ending track (d) 799 ?

Answer with the last track number in the area you wish to select for
 testing. This applies to tests #13 through #15 only.

Do you want to do the manual intervention test (L) Y ?

Answer yes to do the test of the write protect switches. Answer no
 to omit this test.

Do you need trace mode (L) Y ?

Answer no if you do not like the test names to be printed out.
 Default is yes.

2.6 EXTENDED P-TABLE DIALOGUE

When you answer the hardware questions, you are building entries
 in a table that describes the devices under test. The simplest
 way to build this table is to answer all questions for each
 unit to be tested. If you have a multiplexed device such as
 a mass storage controller with several drives or a communication
 device with several lines, this becomes tedious since most of the
 answers are repetitious.

To illustrate a more efficient method, suppose you are testing
 a fictional device, the XY11. Suppose this device consists of
 a control module with eight units (sub-devices) attached to it.
 These units are described by the octal numbers 0 through 7. There
 is one hardware parameter that can vary among units called the
 Q-FACTOR. This Q-FACTOR may be 0 or 1. Below is a simple way
 to build a table for one xy11 with eight units.

```
# UNITS (D) ? 8<CR>
```

```
UNIT 1
CSR ADDRESS (O) ? 160000<CR>
SUB-DEVICE # (O) ? 0<CR>
Q-FACTOR (O) 0 ? 1<CR>
```

```
UNIT 2
CSR ADDRESS (O) ? 160000<CR>
SUB-DEVICE # (O) ? 1<CR>
Q-FACTOR (O) 1 ? 0<CR>
```

```

UNIT 3
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 2<CR>
Q-FACTOR (0) 0 ? <CR>

```

```

UNIT 4
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 3<CR>
Q-FACTOR (0) 0 ? <CR>

```

```

UNIT 5
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 4<CR>
Q-FACTOR (0) 0 ? <CR>

```

```

UNIT 6
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 5<CR>
Q-FACTOR (0) 0 ? <CR>

```

```

UNIT 7
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 6<CR>
Q-FACTOR (0) 0 ? 1<CR>

```

```

UNIT 8
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 7<CR>
Q-FACTOR (0) 1 ? <CR>

```

Notice that the default value for the Q-FACTOR changes when a non-default response is given. Be careful when specifying multiple units!

As you can see from the above example, the hardware parameters do not vary significantly from unit to unit. The procedure shown is not very efficient.

The runtime services can take multiple unit specifications however. Let's build the same table using the multiple specification feature.

```
# UNITS (0) ? 8<CR>
```

```

UNIT 1
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 0,1<CR>
Q-FACTOR (0) 0 ? 1,0<CR>

```

```

UNIT 3
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 2-5<CR>
Q-FACTOR (0) 0 ? 0<CR>

```

```

UNIT 7
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 6,7<CR>
Q-FACTOR (0) 0 ? 1<CR>

```

As you can see in the above dialogue, the runtime services will build as many entries as it can with the information given in any one pass through the questions. In the first pass, two entries are built since two sub-devices and Q-FACTORS were specified. The services assume that the CSR address is 160000 for both since it was specified only once. In the second pass, four entries were built. This is because four sub-devices were specified. The "-" construct tells the runtime services to increment the data from the first number to the second. In this case, sub-devices 2, 3, 4 and 5 were specified. (If the sub-device were specified by addresses, the increment would be by 2 since addresses must be on an even boundary.) The CSR addresses and Q-FACTORS for the four entries are assumed to be 160000 and 0 respectively since they were only specified once. The last two units are specified in the third pass.

The whole process could have been accomplished in one pass as shown below.

```
# UNITS (D) ? 8<CR>

UNIT 1
CSR ADDRESS (0) ? 160000<CR>
SUB-DEVICE # (0) ? 0-7<CR>
Q-FACTOR (0) 0 ? 0,1,0,,,,1,1<CR>
```

As you can see from this example, null replies (commas enclosing a null field) tell the runtime services to repeat the last reply.

2.7 QUICK START-UP PROCEDURE (XXDP+)

To start-up this program:

1. Boot XXDP+
2. Give the date
3. Type 'R Name', where name is the name of the bin or bic file for this program
4. Type "START"
5. Answer the "CHANGE HW" question with "Y"
6. Answer all the hardware questions
7. Answer the "CHANGE SW" question with "N"

When you follow this procedure you will be using only the defaults for flags and software parameters. These defaults are described in sections 2.3 and 2.5.

3.0 ERROR INFORMATION

3.1 TYPES OF ERROR MESSAGES

There are three levels of error messages that may be issued by a diagnostic: general, basic and extended. General error messages are always printed unless the "IER" flag is set (section 2.3). The general error message is of the form:

Name type number on unit number tst number PC:XXXXXX
error message

where; NAME = Diagnostic name
TYPE = Error type (SYS FATAL, DEV FATAL, HARD or SOFT)
NUMBER = Error number
UNIT NUMBER = 0 - N (N is last unit in ptable)
TST NUMBER = Test and subtest where error occurred
PC:XXXXXX = Address of error message call

Basic error messages are messages that contain some additional information about the error. These are always printed unless the 'IER' or 'IBR' flags are set (section 2.3). These messages are printed after the associated general message.

Extended error messages contain supplementary error information such as register contents or good/bad data. These are always printed unless the 'IER', 'IBR' or 'IXR' flags are set (section 2.3). These messages are printed after the associated general error message and any associated basic error messages.

3.2 SPECIFIC ERROR MESSAGES

The following are device fatal error messages:

- 1) RCSA FAILED TO RESPOND
- 2) RCIP FAILED TO RESPOND
- 3) INIT STEP READ ERROR

STEP MASK = XX	FAILING REGISTER =	DATA =
XX = 1	- STEP 1 READ FAILURE	
XX = 2	- STEP 2 READ FAILURE	
XX = 4	- STEP 3 READ FAILURE	
XX = 10	- STEP 4 READ FAILURE	
- 4) STEP READ DATA DOES NOT MATCH

ADDRESS:	EXPECTED:	READ:
----------	-----------	-------
- 5) VECTOR AND BP LEVEL TEST FAILURE
- 6) INTERRUPT AT VEC= BR LEVEL=
- 7) NO INTERRUPT FROM PORT / CONTROLLER
- 8) BR LEVEL RECEIVED/TYPED IS INCORRECT !
- 9) HOST DETECTED TIME OUT ERROR
- 10) RING BUFFERS NOT CLEARED BY THE PORT
- 11) DATA ECHOED FROM RCSA DOES NOT MATCH
- 12) MEMORY BUFFER DOES NOT CONTAIN EXPECTED DATA
- 13) DM CODE RETURNED FAILURE CODE
- 14) RC25 UNIT DOES NOT COME ONLINE
- 15) EX SUP PROG DUP COMMAND FAILURE
- 16) SEND DATA DUP COMMAND FAILURE
- 17) REC_DATA DUP COMMAND FAILURE

The following are self-detected fatal port/controller errors. These will be reported as extended error messages when RCSA data contains fatal error codes:

```

$FTLERR- UNRECOGNIZABLE ERROR CODE
$FTLERR- ENVELOPE/PACKET READ (PARITY OR TIMEOUT)
$FTLERR- ENVELOPE/PACKET WRITE (PARITY OR TIMEOUT)
$FTLERR- CONTROLLER ROM AND RAM PARITY
$FTLERR- CONTROLLER RAM PARITY
$FTLERR- CONTROLLER ROM PARITY
$FTLERR- RING READ (PARITY OR TIMEOUT)
$FTLERR- RING WRITE (PARITY OR TIMEOUT)
$FTLERR- INTERRUPT MASTER
$FTLERR- HOST ACCESS TIMEJUT
$FTLERR- CREDIT LIMIT EXCEEDED
$FTLERR- BUS MASTER ERROR
$FTLERR- DIAGNOSTIC CONTROLLER FATAL ERROR
$FTLERR- INSTRUCTION LOOP TIMEOUT
$FTLERR- INVALID CONNECTION IDENTIFIER
$FTLERR- INTERRUPT WRITE
$FTLERR- MAINTENANCE READ/WRITE INVALID REGION IDENTIFIER
$FTLERR- MAINTENANCE WRITE LOAD TO NON-LOADABLE CONTROLLER
$FTLERR- CONTROLLER RAM ERROR (NON-PARITY)
$FTLERR- INIT SEQUENCE ERROR
$FTLERR- HIGH LEVEL PROTOCOL INCOMPATIBILITY ERROR
$FTLERR- PURGE/POLL HARDWARE FAILURE
$FTLERR- MAPPING REGISTER READ ERROR (PARITY OR TIMEOUT)

```

Self-detected fatal port/controller errors

\$FTLERR- VAX READ/WRITE ERROR ON INTERRUPT
\$FTLERR- INCONSISTENCY AT U.BFIL
\$FTLERR- INCONSISTENCY AT U.BMTY
\$FTLERR- INCONSISTENCY AT U.ALOC
\$FTLERR- INCONSISTENCY AT SERVO ENTRY (PIP SET)
\$FTLERR- INCONSISTENCY AT SERVO ENTRY (ERR SET)
\$FTLERR- INCONSISTENCY AT U.SEND
\$FTLERR- INCONSISTENCY AT U.RECV
\$FTLERR- INCONSISTENCY AT U.ATTN
\$FTLERR- INCONSISTENCY AT U.ONLN
\$FTLERR- ILLEGAL D REQUEST (U.QDRQ)
\$FTLERR- FENCE-POST ERROR AT PROTAB
\$FTLERR- BAD PACKET DEQUEUED AT U.DONE
\$FTLERR- UNEXPLAINED D-PROC SUSPENSION (U..TDS)
\$FTLERR- DUP PACKET D-Q FAILED (XFC 34/35)
\$FTLERR- INCONSISTENCY AT U.HTST
\$FTLERR- INCONSISTENCY AT U.SEKO
\$FTLERR- INCONSISTENCY AT U.CKSV
\$FTLERR- D.OPCD FOUND ILLEGAL OPCODE
\$FTLERR- D.CSF FOUND ILLEGAL OPCODE
\$FTLERR- UNKNOWN BAD DRIVE STATUS AT D.DSTS
\$FTLERR- ILLEGAL XFC EXECUTED BY DM
\$FTLERR- D PICKED UP A ZERO SCB.DB
\$FTLERR- INCONSISTENCY AT D IDLE LOOP
\$FTLERR- DM WORD COUNT ERROR ON HOST DMA/SEND/RECV
\$FTLERR- UNKNOWN DISPLAY FAULT CODE AT D.DFLT
\$FTLERR- DRIVE NOT FAULTING IN P.OFLN STATE
\$FTLERR- U POWER UP DIAGNOSTICS FAILED
\$FTLERR- D POWER UP DIAGNOSTICS FAILED
\$FTLERR- ADAPTER CARD FAILURE
\$FTLERR- EC.TMR TIMED OUT
\$FTLERR- U.SEND/U.RECV RING READ INCONSISTENCY
\$FTLERR- UNKNOWN WAITRV REASON AT D.RVCT
\$FTLERR- D.ARCS DID NOT FIND CLOSEST UNDONE ZONE
\$FTLERR- U.SEEK FOUND SEEK TO ILLEGAL TRACK
\$FTLERR- U.HTST INIT DIAG DMA WRITE FAILED
\$FTLERR- U.HTST INIT DIAG DMA COMPARE FAILED
\$FTLERR- U.SYDR FOUND SS.DER SET AND SS.SPN NOT SET
\$FTLERR- MASTER DRIVES ALLO ASSERTED

The following are return status messages. If response status error, then one of DUP return status codes or MSCP codes will be printed out.

\$FTLERR- RESPONSE STATUS ERROR:
\$FTLERR- SUPERVISOR SERVICE CALL FAILED
\$FTLERR- PORT/CONTROLLER TIMEOUT ERROR
\$FTLERR- UNKNOWN RETURN STATUS CODE

.....
Dup return status codes

SUCCESSFUL
INVALID COMMAND
NO REGION AVAILABLE
NO REGION SUITABLE
PROGRAM NOT KNOWN
ALOAD FAILURE
STANDALONE

.....
MSCP return status codes

SUCCESS
INVALID COMMAND
COMMAND ABORTED
UNIT-OFFLINE
UNIT-AVAILABLE
MEDIA FORMAT ERROR
WRITE PROTECTED
COMPARE ERROR
DATA ERROR
HOST BUFFER ACCESS ERROR
CONTROLLER ERROR
DRIVE ERROR
MESSAGE FROM AN INTERNAL DIAGNOSTIC

4.0 PERFORMANCE AND PROGRESS REPORTS

At the end of each pass, the pass count is given along with the total number of errors reported since the diagnostic was started. The 'EOP' switch can be used to control how often the end of pass message is printed. Section 2.2 describes switches.

5.0 DEVICE INFORMATION TABLES

The Supervisor builds one Hardware P_Table for every logical unit tested while answering Hardware P_table questions. This diagnostic gets one table at a time in sequence and runs diagnostic tests as selected. The P_table looks like this:

HWP_TABLE:

```

0      :-----:
      :HWP_IP_ADDRESS :
      :-----:
2      :HWP_VECTOR    :
      :-----:
4      :HWP_BR_LEVEL  :
      :-----:
6      :HWP_UNIT_NUMBER:
      :-----:

```

6.0 TEST SUMMARIES

A brief description of the tests done are described below:

TEST #1 REGISTER EXISTENCE TEST

This test will first check for the existence of the address of the IP and SA registers for the device under test. If these memory addresses are non-existent, the error will be reported. If the operator has specified loop on error, looping will be from the beginning of each sub test.

TEST #2 INITIALIZATION TEST (POWER UP DIAGNOSTICS)

This test init's the aztec and runs the power up diagnostics by writing with step 1 data. Then it will check for errors and report if aztec does not come upto step 2 read.

TEST #3 DIAGNOSTIC WRAP TEST

The aztec will be initialized in diagnostic wrap mode and a one bit and also zero bit floated through the SA register to see that it echoes properly.

A failure to echo what was written will result in a callout to the adapter card fru.

If the operator has specified loop on error, the program will loop on the failing write and read.

TEST #4 - VECTOR AND BR LEVEL TEST

The init sequence will be started with the interrupt enable bit set to verify the aztec's vector and BR level.

This test assumes the vector given by the operator is correct.

The priority level of the interrupt request will be verified.

Failure of the aztec to vector properly will necessitate that this program be restarted. A completed interrupt at the wrong BR level will be reported.

Loop on error will restart this test if the error is recoverable.

TEST #5 STEP 1 -3 INITIALZATION TEST

This test will check for information echoed from the port at each step read coming upto that step from scratch. If there was an error reported or echoed information was incorrect the error will be reported. Loop on error will be from the beginning of sub test.

Port gives some information about the Port at every step read in RCSA Register. This information will be printed out to the operator as follows:

1) At step 1 read the following will be given:
PORT SPECIFIC INFO: /NV/QB/DI/OD/MP/ = xx (0)

NV = 1 means that the port does not support a host settable interrupt vector address
 QB = 1 means that the Port supports a 22-bit host bus. This bit will be a 0 for unibus.
 DI = 1 means that the Port implements enhanced diagnostics, i.e. wraparound, purge and poll tests.
 OD = 1 means that the Port allows odd host address to be specified in the buffer descriptor.
 MP = 1 means that the Port supports address mapping. The host supplies a virtual data address in the buffer descriptor which is mapped to a resultant address using mapping registers maintained in host memory.
 xx Two digit octal value of the above right justified.

2) At step 2 read the following will be given:
PORT TYPE NUMBER = xx (0)

xx 0 means UNIBUS/QBUS storage systems port.

3) At step 4 read the following will be given:
MICRO CODE: MODEL = xx (0) VERSION = yy (0)

xx = 0 UDA50
 1 RC25 Integrated Controller
 5 TU81 Integrated Controller
 6 UDA50A
 7 QDRX01
 yy = Mod 16 value of the actual controller microcode version.

TEST #6 PURGE AND POLL TEST

This test will perform the first three steps of the init sequence. When the host responds to the step 3 transition it will write a one bit to bit 15 of the SA register, thereby requesting the execution of purge and poll testing. The host then waits for the SA register to transition to a zero value. The host then writes zeroes to the SA register simulating a "purge completed" host action. The host then reads the IP register to simulate a "start polling" command from the host to the port. The test is complete when the controller announces the transition to step 4 in the SA register.

Failure to properly complete this test will be reported.

Loop on error will restart the test.

TEST #7 - SMALL RING BUFFER INIT TEST

The aztec will be initialized without interrupts and using the smallest ring buffer. This will be the first time that the initialization sequence is carried out to completion. Initializing with the smallest ring buffer minimizes the host memory area with which the aztec controller must be able to communicate.

Failure to properly initialize the aztec and com_area will be reported.

If the operator has specified loop on error, looping will be from the start of this test.

TEST #8 - LARGE RING BUFFER INIT TEST

The init sequence is executed without interrupts with a ring buffer large enough to cover the normal host communications area packet and buffer space (a 5 in message length and a 5 in command length).

A failure to complete the initialization sequence without error will be reported.

If the operator has specified loop on error, looping will be from the beginning of this test.

TEST #9 - 'DIAGNOSTIC MACHINE' CODE DOWN LINE LOAD TEST

This 'Diagnostic Machine' program will attempt to transfer a block of data from host memory to an area in the controller and then examine the transferred data.

If the transferred data does not compare correctly, then an error will be reported. This test also reports errors if any of the routines used returned failure code.

If the operator has specified loop on error, looping will be from the start of this test.

TEST #10 - NONEXISTENT MEMORY TEST

This 'Diagnostic Machine' program will attempt to read the first address of the I/O page of the host CPU. This location is reserved for diagnostics and a nxm should occur.

If the controller does not see the nxm, there will be a fru callout of the adapter card.

If the operator has specified loop on error, looping will be from the start of this test.

TEST #11 - BUS ADDRESSING/DATA TEST A

This 'Diagnostic Machine' program asks the PDP-11 program to fill free memory (that memory available to the PDP-11 program that is not being used by the program or the PDP-11 supervisor) with an addressing pattern (write address with address) and report the location and size of the free memory. Every location of free memory will be read and the data checked.

If the data does not compare correctly, the address, data expected and data received are reported.

TEST #12 - BUS ADDRESSING/DATA TEST B

This test first brings aztec drive Ready and Online and then loads DM_12 program vector to port controller memory, then does the following:

- a. Give free memory address and buffer size to DM code and ask DM code write a pattern of one's complement of address at the address and expects to receive success or failure code from DM program. Then checks memory buffer for the expected pattern and reports error if encountered.
- b. If success, asks DM code to write to memory a pattern of all ones and checks for the pattern in memory.
- c. If success, asks DM code to write to memory a pattern of all zeroes and checks for the pattern in memory.
- d. If failure, retries will be done as controlled by a software question. Loop on error flag will loop from beginning of test to the point of failure.

7.0 MAINTENANCE HISTORY

Modified By: Date: Version:

This is a base level release with tests 1 thru 12. A complete
diagnostic with all 29 tests will be released in the following
release cycle.

)%
ELUDOM

ZRCFA1

CZRCFAO RC25 FR END TEST

I 2

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

SEQ 21
Page 1

```

0001 MODULE ZRCFA1 (%TITLE 'CZRCFAO RC25 FR END TEST'
0002             IDENT = 'V01.0',
0003             ADDRESSING_MODE (RELATIVE)
0004             ) =
0005 BEGIN
0006 !
0007 !<BLF/LOWERCASE_KEY>
0008 !
0009
0010 library 'AZTECO';           ! AZTEC LIBRARY
0011
0012 require 'BLSMAC.REQ';      ! DIAGNOSTIC SUPERVISOR LIBRARY
0013
1501 %sbttl 'PROGRAM HEADER AND TABLES'
1502 !
1503 !
1504 ! DEFINE THE NUMBER OF TESTS IN THIS DIAGNOSTIC
1505 !
1506 psect
1507     code = AA$CODE;
1508
1509 literal
1510     DSS$NBR_OF_TESTS = 12;
1511
1512 POINTER (ALL);
1513
1514 !++
1515 ! THE PROGRAM HEADER IS THE INTERFACE BETWEEN
1516 ! THE DIAGNOSTIC PROGRAM AND THE SUPERVISOR.
1517 !--
1518
1519 HEADER (%ascii'CZRCF ', %ascii'A', %ascii'0', 120, 0, PRI00);
1520 !: ARGUMENTS ARE: NAME,REV,PATCH,LONGEST TEST TIME,TYPE
1521 !: WHERE "TYPE" = 0 FOR SEQUENTIAL DIAGNOSTIC AND =1
1522 !: FOR EXERCISER. THERE IS ALSO AN OPTIONAL SIXTH ARGUMENT
1523 !: WHICH SPECIFIES THE PROCESSOR PRIORITY TO BE SET WHEN
1524 !: STARTING THE DIAGNOSTIC (DEFAULT IS 0).

```

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
DISPATCH TABLE

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (2)

```

:      1525 %sbttl 'DISPATCH TABLE'
:      1526
:      1527 !++
:      1528 ! THE DISPATCH TABLE CONTAINS THE STARTING ADDRESS OF EACH TEST.
:      1529 ! IT IS USED BY THE SUPERVISOR TO DISPATCH TO EACH TEST.
:      1530 !--
:      1531
:      1532 DISPATCH (DS$NBR_OF_TESTS);
:      1533 ERR_TBL;

```


ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
DEFAULT HARDWARE P-TABLE

K 2

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 5:iss-16 V3-555
SPIDEP%USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

SEQ 23

Page 3

```
:
: 1534 %sbttl 'DEFAULT HARDWARE P-TABLE'
: 1535
: 1536 !++
: 1537 ! THE DEFAULT HARDWARE P-TABLE CONTAINS DEFAULT VALUES OF
: 1538 ! THE TEST-DEVICE PARAMETERS. THE STRUCTURE OF THIS TABLE
: 1539 ! IS IDENTICAL TO THE STRUCTURE OF THE HARDWARE P-TABLES,
: 1540 ! AND IS USED AS A 'TEMPLATE' FOR BUILDING THE P-TABLES.
: 1541 !--
: 1542
: 1543 BGNHW (DFPTBL);
: 1544
: 1545 global
: 1546     P_IP_ADDRESS : word initial (%'172150'),
: 1547     P_VECTOR : word initial (%'154'),
: 1548     P_BR_LEVEL : word initial (5),
: 1549     P_UNIT_NUMBER : word initial (0);
: 1550
: 1551 ENDDHW;
```

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
SOFTWARE P-TABLE

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

```

:
: 1552 %sbttl 'SOFTWARE P-TABLE'
: 1553
: 1554 !++
: 1555 ! THE SOFTWARE TABLE CONTAINS VARIOUS DATA USED BY THE
: 1556 ! PROGRAM AS OPERATIONAL PARAMETERS. THESE PARAMETERS ARE
: 1557 ! SET UP AT ASSEMBLY TIME AND MAY BE VARIED BY THE OPERATOR
: 1558 ! AT RUN TIME.
: 1559 !--
: 1560
: 1561 BGNSW (SFPTBL);
: 1562
: 1563 global
: 1564     SWP_TOP : word initial (YES),           !USE TOP SURFACE FOR SINGLE SURFACE TESTS
: 1565     SWP_LIMIT : word initial (NO),        !LIMIT AREA TESTED
: 1566     SWP_START : word initial (1),        !STARTING TRACK
: 1567     SWP_END : word initial (796),        !ENDING TRACK
: 1568     SWP_RETRIES : word initial (0),     !NUMBER OF RETRIES BEFORE DROPPING UNIT
: 1569     SWP_CONTINUE : word initial (NO),    !DO YOU NEED TO CONTINUE TESTING?
: 1570     SWP_MANUAL : word initial (NO),     !DO MANUAL INTERVENTION TEST
: 1571     SWP_TRACE : word initial (YES);     !DO YOU NEED TRACE MODE?
: 1572
: 1573 ENDSW;
:

```

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
PROTECTION TABLE

M 2

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

SEQ 25

Page 5

```
: 1574 %sbttl 'PROTECTION TABLE'
: 1575
: 1576 !++
: 1577 ! THIS TABLE IS USED BY THE RUNTIME SERVICES
: 1578 ! TO PROTECT THE LOAD MEDIA.
: 1579 !--
: 1580
: 1581 BGNPROT (-1, -1, -1);
: 1582 !1ST ARG = OFFSET INTO P-TABLE FOR CSR ADDRESS
: 1583 !2ND ARG = OFFSET INTO P-TABLE FOR MASSBUS ADDRESS
: 1584 !3RD ARG = OFFSET INTO P-TABLE FOR DRIVE NUMBER
: 1585 ENDPROT;
```

```
1586 %sbttl 'GLOBAL DATA SECTION'
1587
1588 !++
1589 ! THE GLOBAL DATA SECTION CONTAINS DATA THAT ARE USED
1590 ! IN MORE THAN ONE TEST.
1591 !--
1592
1593 psect
1594     plit = $plit$( global),
1595     global = $GLOB$(nowrite, noexecute, global, concatenate),
1596     own = $own$;
1597
1598 structure                                ! DEFINE ACCESS ALGORITHM
1599     RC25 [O, P, S, E] =                  ! TO ALLOW FIELD REFERANCES
1600     begin                                ! TO THE AZTEC
1601
1602         local
1603             RC_REG;
1604
1605         RC_REG = .(RC25 + %upval*0)<0, %bpval, 0>;
1606         RC_REG
1607     end
1608     <P, S, E>;
1609
1610 global
1611     RT : vector [WORD1_IN_RT_TAB, word], !RUNTIME TABLE STORAGE
1612     RT_TABLE : ref block [WORD1_IN_RT_TAB, word] field (RT_FIELDS), !RUNTIME TABLE POINTER
1613     HWP_TABLE : ref block [WORD2_IN_HWP_TAB, word] field (HWP_FIELDS),
1614     XMT_DATA_BUF : vector [256, word], ! TRANSMITTING DATA BUFFER 1
1615     RCV_DATA_BUF : vector [256, word], ! RECEIVING DATA BUFFER 2
1616     CLK_ADR : word, ! LOC. TO RETURN CLOCK ADDR.
1617     CLK_TYPE : word, ! TYPE OF CLOCK ON SYSTEM
1618     CLK_CSR : word, ! STORE CSR ADDRESS FOR CLOCK HERE
1619     CLK_HERTZ : word, ! STORE CLOCK HERTZ RATE
1620     CLK_START : word, ! STORE CLOCK START VALUE
1621     UNIT : word, ! UNIT UNDER TEST THIS PASS
1622     LOG_UNIT : word,
1623     VEC_AD : byte volatile, ! VECTOR ADDRESS OF AZTEC
1624     RC25_ADDR : ref RC25 field (RC_REG), ! DEFINE REFERANCE TO AZTEC FIELDS
1625     RC25_DATA : block [2, word] field (RC_REG),
1626     COM_AREA : blockvector [REC_ALLOCATE + SND_ALLOCATE + HDR_SIZ, 2, word],
1627     HEAD_AREA : ref block [4, word] field (HDR_FIELD),
1628     RECEIVE_RING : ref blockvector [REC_ALLOCATE, 2, word] field (DSC_FIELD),
1629     SEND_RING : ref blockvector [SND_ALLOCATE, 2, word] field (DSC_FIELD),
1630     REC_ENVELOPE : blockvector [REC_ALLOCATE, RB_SIZE + 2, word] field (ENV_FIELD),
1631     SND_ENVELOPE : blockvector [SND_ALLOCATE, SB_SIZE + 2, word] field (ENV_FIELD),
1632     BUF_DESCRPTR : word volatile, ! BUFFER DESCRIPTOR AREA
1633     CMD_REF : word volatile, ! COMMAND REFERENCE BUFFER
1634     BYTE_COUNT : word volatile, ! BYTE COUNT BUFFER
1635     TICKS : word initial (1) volatile, ! STORE THE NUMBERS OF CLOCK INTERRUPTED
1636     SECONDS : word initial (0) volatile, ! STORE SECONDS
1637     MINUTES : word initial (0) volatile, ! STORE MINUTES
1638     TIP : word, ! STORAGE FOR NUMBER OF TEST IN PROGRESS
1639     DATA1 : word volatile, ! AZTEC STEP 1 WRITE DATA
1640     DATA2 : word volatile, ! AZTEC STEP 2 WRITE DATA
1641     DATA3 : word volatile, ! AZTEC STEP 3 WRITE DATA
1642     DATA4 : word volatile, ! AZTEC STEP 4 WRITE DATA
```

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL DATA SECTION

B 3

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 27

Page 7

1643 I AM NEX : word initial (0) volatile,
1644 MSGADR : word volatile,
1645 END_LBN : word initial (1593) volatile,
1646 P_MASK : byte volatile,
1647 B_MASK : byte volatile,
1648 MANU_SW : word volatile,
1649 SWITCH2 : word volatile,
1650 RET_UNIT_FLAG : word volatile,
1651 P1 : word volatile,
1652 P2 : word volatile,
1653 P3 : word volatile,
1654 P4 : word volatile,
1655 P5 : word volatile,
1656 P6 : word volatile,
1657 RET_STATUS : word volatile,
1658 CANCEL_TIMER : word volatile,
1659 CMD_SLOT : word volatile,
1660 RES_SLOT : word volatile,
1661 LBN : word volatile,
1662 LBN_ST : word volatile,
1663 LBN_ED : word volatile,
1664 LBN_SZ : word volatile,
1665 FREE_MEM_ADDR,
1666 MEM_SIZE : word volatile,
1667 H_SADD : word volatile,
1668 H_EADD : word volatile,
1669 BUF_LENGTH : word volatile,
1670 NUM_RETRIES : word volatile,
1671 RETRIES : word initial (FALSE),
1672 FAL_CODE : word initial (1),
1673 DMC_TEST : word,
1674 BYT_CNT : word,
1675 DM_REC : word,
1676 DM_XMT : word,
1677 TEMP : word volatile;
1678

! INTERRUPT FLAG
! ENDING LBN TRACK

! SAVES VARIOUS RETURN STATUS
! INIT SEQUENCE INTERRUPT
! COMMAND DESCRIPTOR SLOT
! RECEIVE DESCRIPTOR SLOT

! STARTING LOGICAL BLOCK #
! ENDING LOGICAL BLOCK #
! INCREMENTING LBN SIZE
! STARTING FREE MEMORY ADDR.
! FREE MEMORY SIZE
! LOW-BYTE FREE MEMORY ADDR.
! HIGH-BYTE FREE MEMORY ADDR.
! BUFFER LENGTH

! FAIL STATUS

ZRCFA1
V01.0CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION8-Jul-1983 15:21:53
8-Jul-1983 14:13:00VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

Page 8

```

1679 %sbttl 'GLOBAL TEXT SECTION'
1680
1681 !++
1682 ! THE GLOBAL TEXT SECTION CONTAINS FORMAT STATEMENTS,
1683 ! MESSAGES, AND ASCII INFORMATION THAT ARE USED IN
1684 ! MORE THAN ONE TEST.
1685 !--
1686
1687 global bind
1688 RINGBASE = COM_AREA [REC_BASE],
1689 TIME = plit (P4, P5),
1690
1691 ! FAILING FRU'S
1692
1693 FRU = uplit (%asciz'%AFAILING FRU = %T%D3%N'),
1694 ADAPTO = uplit (%asciz%'ADAPTOR BOARD FOR UNIT #:'),
1695 CONTRO = uplit (%asciz%'CONTROLLER BOARD FOR UNIT #:'),
1696 DRIVE = uplit (%asciz%'DRIVE BOARD FOR UNIT #:'),
1697 MECHAN = uplit (%asciz%'MECHANIC SET FOR UNIT #:'),
1698
1699 ! HARDWARE AND SOFTWARE QUESTIONS
1700
1701 QST1 = uplit (%asciz%'IP ADDRESS'),
1702 QST2 = uplit (%asciz%'VECTOR'),
1703 QST3 = uplit (%asciz%'BR LEVEL'),
1704 QST4 = uplit (%asciz%'PLATTER ADDRESS(ES)'),
1705 QST6 = uplit (%asciz%'USE TOP SURFACE FOR SINGLE SURFACE TESTS'),
1706 QST7 = uplit (%asciz%'DO YOU WISH TO LIMIT AREA TESTED IN TESTS #13 THRU #15'),
1707 QST8 = uplit (%asciz%'STARTING TRACK'),
1708 QST9 = uplit (%asciz%'ENDING TRACK'),
1709 QST10 = uplit (%asciz%'DO YOU WANT TO DO THE MANUAL INTERVENTION TEST?'),
1710 QST10_1 = uplit (%asciz%'DO YOU NEED TRACE MODE?'),
1711 QST10_2 = uplit (%asciz%'DO YOU WISH TO CONTINUE TESTING AFTER RETRIES?'),
1712 QST11 = uplit (%asciz%'NUMBER OF RETRIES FOR TEST IF ERROR OCCURED'),
1713 QST12 = uplit (%asciz%'UNIT STARTING TRACK #'),
1714 QST13 = uplit (%asciz%'UNIT ENDING TRACK #'),
1715 QST14 = uplit (%asciz%'TURN OFF WRITE PROTECT SWITCH AND DO <CR>'),
1716 QST15 = uplit (%asciz%'TURN ON WRITE PROTECT SWITCH AND DO <CR>'),
1717
1718 !++
1719 ! THE FOLLOWING MESSAGES INCLUDE THE NAMES OF EACH ROUTINE, PLUS
1720 ! FORMAT STATEMENTS FOR PRINTING OUT OTHER INFORMATION.
1721 !--
1722
1723 DBM1 = uplit (%asciz%'%N%N%N%N%N%TESTING UNIT#:%D3%A IP_REGISTER:%O6%A PLATTER#:%D3%N'),
1724 DBM2 = uplit (%asciz%'%N%AREPORT'),
1725 DBM3 = uplit (%asciz%'%N%AAUTO'),
1726 DBM4 = uplit (%asciz%'%N%ACLEANUP'),
1727 DBM5 = uplit (%asciz%'%N%ADROPPED'),
1728 DBM6 = uplit (%asciz%'%N%AADED'),
1729 DBM7 = uplit (%asciz%'%N%ATEST 1 REGISTER EXISTENCE TEST'),
1730 DBM8 = uplit (%asciz%'%N%ATEST 2 STEP 1 READ/WRITE POWERUP DIAGNOSTICS'),
1731 DBM9 = uplit (%asciz%'%N%ATEST 5 STEP 1 THROUGH STEP 3 READ/WRITE TEST'),
1732 DBM10 = uplit (%asciz%'%N%ATEST 3 DIAGNOSTIC WRAP TEST'),
1733 DBM11 = uplit (%asciz%'%N%ATEST 4 VECTOR AND BR LEVEL TEST'),
1734 DBM12 = uplit (%asciz%'%N%ATEST 6 PURGE AND POLL TEST'),
1735 DBM13 = uplit (%asciz%'%N%ATEST 7 SMALL RING TEST'),

```

```

1736 DBM14 = uplit (%asciz'XNZATEST 8 LARGE RING TEST'),
1737 DBM15 = uplit (%asciz'XNZATEST 9 DM CODE OVERLAY TEST'),
1738 DBM16 = uplit (%asciz'XNZATEST 10 NONEXISTENT MEMORY TEST'),
1739 DBM17 = uplit (%asciz'XNZATEST 11 BUS ADDRESSING/DATA TEST A'),
1740 DBM18 = uplit (%asciz'XNZATEST 12 BUS ADDRESSING/DATA TEST B'),
1741 DBM19 = uplit (%asciz'XNZATEST 13 BLOCK TRANSFER TEST'),
1742 DBM20 = uplit (%asciz'XNZATEST 14 SPIN UP HEAD LOAD SEQUENCE'),
1743 DBM21 = uplit (%asciz'XNZATEST 15 SEQUENTIAL SEEK AND VERIFY'),
1744 DBM22 = uplit (%asciz'XNZATEST 16 SAWTOOTH SEEK AND VERIFY'),
1745 DBM23 = uplit (%asciz'XNZATEST 17 CONVERGING/DIVERGING SEEK AND VERIFY'),
1746 DBM24 = uplit (%asciz'XNZATEST 18 TOGGLE SEEK AND VERIFY'),
1747 DBM25 = uplit (%asciz'XNZATEST 19 HEAD SWITCH TEST'),
1748 DBM26 = uplit (%asciz'XNZATEST 20 RANDOM SEEK AND VERIFY'),
1749 DBM27 = uplit (%asciz'XNZATEST 21 SECTOR ACCESS TEST'),
1750 DBM28 = uplit (%asciz'XNZATEST 22 CONTROLLER PROCESSING TIME'),
1751 DBM29 = uplit (%asciz'XNZATEST 23 ONE TRACK SEEK TIME'),
1752 DBM30 = uplit (%asciz'XNZATEST 24 AVERAGE SEEK TIME'),
1753 DBM31 = uplit (%asciz'XNZATEST 25 FULL STROKE SEEK TIME'),
1754 DBM32 = uplit (%asciz'XNZATEST 26 WRITE DATA TEST'),
1755 DBM33 = uplit (%asciz'XNZAEVENT START'),
1756 DBM34 = uplit (%asciz'XNZAEVENT RESTART'),
1757 DBM35 = uplit (%asciz'XNZAEVENT CONTINUE'),
1758 DBM36 = uplit (%asciz'XNZATEST 27 OFFSET TOLERANCE TEST'),
1759 DBM37 = uplit (%asciz'XNZATEST 28 AVERAGE ROTATIONAL TIME'),
1760 DBM38 = uplit (%asciz'XNZATEST 29 WRITE PROTECT TEST'),
1761 DBM39 = uplit (%asciz'XNZAEVENT MANUAL INTERVENTION TEST NOT PERFORMED'),

```

SYSTEM ERROR MESSAGES

```

1763 MSG_01 = uplit (%asciz'XNZAEVENT POWER DELAY - WAITING'),
1764 ERR_01 = uplit (%asciz'XNZAEVENT TOO MANY UNITS'),
1765 ERR_02 = uplit (%asciz'XNZAEVENT NO CLOCK WAS FOUND ON THE SYSTEM'),

```

FORMATTED ASCII STRINGS

```

1769 FMTSC = uplit (%asciz'XNZAEVENT'),
1770 FMT1 = uplit (%asciz'XNZAEVENT REGISTER FAILED TO RESPOND AT ADDRESS: %06X'),
1771 FMT2 = uplit (%asciz'XNZAEVENT ADDRESS: %06X EXPECTED: %06X READ: %06X'),
1772 FMT3 = uplit (%asciz'XNZAEVENT STEP MASK = %02X FAILING REGISTER = %06X DATA = %06X'),
1773 FMT4 = uplit (%asciz'XNZAEVENT PORT TYPE NUMBER = %02'),
1774 FMT5 = uplit (%asciz'XNZAEVENT PORT SPECIFIC INFO:/NV/QB/DI/OD/MP/ = %02'),
1775 FMT6 = uplit (%asciz'XNZAEVENT MICRO CODE: MODEL = %02X VERSION = %02'),
1776 FMTSA = uplit (%asciz'XNZAEVENT NUMBER OF RETRIES = %D4'),

```

INIT ERROR MESSAGES

```

1779 MSG_PWR = uplit (%asciz'XNZAEVENT WAIT POWER FAIL RECOVERY'),
1780 MSG_1 = uplit (%asciz'XNZAEVENT RC SA FAILED TO RESPOND'),
1781 MSG_2 = uplit (%asciz'XNZAEVENT RC IP FAILED TO RESPOND'),
1782 MSG_7 = uplit (%asciz'XNZAEVENT TEST PATTERN ECHOED IN RC SA IS INCORRECT'),
1783 MSG_8 = uplit (%asciz'XNZAEVENT VECTOR AND BR LEVEL TEST FAILURE'),
1784 MSG_9 = uplit (%asciz'XNZAEVENT HOST DETECTED TIME OUT ERROR'),
1785 MSG_10 = uplit (%asciz'XNZAEVENT RING BUFFERS NOT CLEARED BY THE PORT'),
1786 MSG_11 = uplit (%asciz'XNZAEVENT STEP READ DATA DOES NOT MATCH'),
1787 MSG_13 = uplit (%asciz'XNZAEVENT PORT FATAL ERROR'),
1788 MSG_14 = uplit (%asciz'XNZAEVENT INIT STEP READ ERROR'),
1789 BUFF_ERR = uplit (%asciz'XNZAEVENT MEMORY BUFFER DOES NOT CONTAIN EXPECTED DATA'),
1790
1791
1792

```

1793 DMC_ERR = uplit (%asciz'DM CODE RETURNED FAILURE CODE'),
1794 INI_MSG = uplit (%asciz'%N%A INTERRUPT AT VEC= %03%A BR LEVEL= %01'),
1795 END_MSG = uplit (%asciz'%N%A NO INTERRUPT FROM PORT / CONTROLLER'),
1796 BRERR = UPLIT (%ASCIZ'%N%A BR LEVEL RECEIVED/TYPED IS INCORRECT !'),
1797 MSG_17 = uplit (%asciz'PURGE AND POLE TEST SET ERROR BIT 15'),
1798 MSG_18 = uplit (%asciz'PURGE AND POLE TEST DID NOT SET STEP 4 BIT 14'),
1799 MSG_19 = uplit (%asciz'INIT DID NO CLEAR RING BUFFER'),
1800 MSG_20 = uplit (%asciz'FAILED POLLING ERROR IN RESPONCE RING'),
1801 MSG_21 = uplit (%asciz'AVAILABLE COMMAND SPIN-DOWN FAILURE'),
1802 MSG_28 = uplit (%asciz'SPIN UP TEST FAILURE'),
1803 MSG_29 = uplit (%asciz'SEQUENTIAL FORWARD SEEK FAILURE'),
1804 MSG_30 = uplit (%asciz'SEQUENTIAL REVERSE SEEK FAILURE'),
1805 CTO_ERR = uplit (%asciz'%N%A TIME EXPIRED'),
1806 PFE_ERR = uplit (%asciz'%N%A FATAL ERROR'),
1807 AHEAD_MSG = uplit (%asciz'AHEAD A OFFSET VALUE = %03'),
1808 BHEAD_MSG = uplit (%asciz'AHEAD B OFFSET VALUE = %03'),
1809 CHEAD_MSG = uplit (%asciz'AHEAD C OFFSET VALUE = %03'),
1810 DHEAD_MSG = uplit (%asciz'AHEAD D OFFSET VALUE = %03'),
1811 MSG_TR_DSP = uplit (%asciz'%N%A CURRENT TRACK = %04%A NUMBER OF SEEKS = %05'),
1812 MSG_LBN_DSP = uplit (%asciz'%N%A STARTING TRACK = %04%A CURRENT TRACK = %04%A ENDING TRACK = %04'),
1813 MSG_STATUS_ERR = uplit (%asciz'%N%A END PACKET STATUS ERROR = %06%A REF # = %02'),
1814 MSG_BUSA_ERR = uplit (%asciz'%N%A BUS ADDRESSING DATA TEST ERROR'),
1815 MSG_ADDR_ERR = uplit (%asciz'%N%A FAILING ADDR = %06%A DATA = %06%N'),
1816 MSG_DATA_ERR = uplit (%asciz'%N%A BLOCK DATA TRANSFER FAILED'),
1817 MSG_SEEK_ERR = uplit (%asciz'RC25 SEEK FAILURE'),
1818 MSG_ERR_CONT = uplit (%asciz'%N%A BLOCK LENGTH = %06%N'),
1819 MSG_HSWICH_ERR = uplit (%asciz'%N%A HEAD SWITCH FAILED'),
1820 MSG_SURFACE_ERR = uplit (%asciz'FAILING SURFACE = %03%A TRACK # = %06%N'),
1821 MSG_READ_ERR = uplit (%asciz'READ SECTOR FAILED'),
1822 MSG_SAC_ERR = uplit (%asciz'FAILING TRACK # = %06%A SECTOR # = %06%N'),
1823 MSG_COM_WPT = uplit (%asciz'WRITE PROTECT TEST FAILED'),
1824 MSG_PT_ERR1 = uplit (%asciz'EXPECTED SW = OFF ACTUAL SW = ON UNIT # = %03%N'),
1825 MSG_WRP_ERR2 = uplit (%asciz'EXPECTED SW = ON ACTUAL SW = OFF UNIT # = %03%N'),
1826 MSG_AVE_TIME = uplit (%asciz'%N%A AVERAGE SEEK TIME (ms) = %02%A.%02'),
1827 AZT_READY_ERR = uplit (%asciz'RC25 UNIT DOES NOT COME ONLINE'),
1828 EXE_SUP_ERR = uplit (%asciz'EX SUP PROG DUP COMMAND FAILURE'),
1829 SND_DATA_ERR = uplit (%asciz'SEND DATA DUP COMMAND FAILURE'),
1830 RE_DATA_ERR = uplit (%asciz'REC_DATA DUP COMMAND FAILURE'),
1831 <BLF/PAGE>


```
1832  
1833  
1834      | Self-detected fatal port/controller errors  
1835      |  
1836 PFE_STRUCT = uplit (  
1837     uplit (%asciz'%N%$FTLERR- UNRECOGNIZABLE ERROR CODE'),  
1838     uplit (%asciz'%N%$FTLERR- ENVELOPE/PACKET READ (PARITY OR TIMEOUT)'),  
1839     uplit (%asciz'%N%$FTLERR- ENVELOPE/PACKET WRITE (PARITY OR TIMEOUT)'),  
1840     uplit (%asciz'%N%$FTLERR- CONTROLLER ROM AND RAM PARITY'),  
1841     uplit (%asciz'%N%$FTLERR- CONTROLLER RAM PARITY'),  
1842     uplit (%asciz'%N%$FTLERR- CONTROLLER ROM PARITY'),  
1843     uplit (%asciz'%N%$FTLERR- RING READ (PARITY OR TIMEOUT)'),  
1844     uplit (%asciz'%N%$FTLERR- RING WRITE (PARITY OR TIMEOUT)'),  
1845     uplit (%asciz'%N%$FTLERR- INTERRUPT MASTER'),  
1846     uplit (%asciz'%N%$FTLERR- HOST ACCESS TIMEOUT'),  
1847     uplit (%asciz'%N%$FTLERR- CREDIT LIMIT EXCEEDED'),  
1848     uplit (%asciz'%N%$FTLERR- BUS MASTER ERROR'),  
1849     uplit (%asciz'%N%$FTLERR- DIAGNOSTIC CONTROLLER FATAL ERROR'),  
1850     uplit (%asciz'%N%$FTLERR- INSTRUCTION LOOP TIMEOUT'),  
1851     uplit (%asciz'%N%$FTLERR- INVALID CONNECTION IDENTIFIER'),  
1852     uplit (%asciz'%N%$FTLERR- INTERRUPT WRITE'),  
1853     uplit (%asciz'%N%$FTLERR- MAINTENANCE READ/WRITE INVALID REGION IDENTIFIER'),  
1854     uplit (%asciz'%N%$FTLERR- MAINTENANCE WRITE LOAD TO NON-LOADABLE CONTROLLER'),  
1855     uplit (%asciz'%N%$FTLERR- CONTROLLER RAM ERROR (NON-PARITY)'),  
1856     uplit (%asciz'%N%$FTLERR- INIT SEQUENCE ERROR'),  
1857     uplit (%asciz'%N%$FTLERR- HIGH LEVEL PROTOCOL INCOMPATIBILITY ERROR'),  
1858     uplit (%asciz'%N%$FTLERR- PURGE/POLL HARDWARE FAILURE '),  
1859     uplit (%asciz'%N%$FTLERR- MAPPING REGISTER READ ERROR (PARITY OR TIMEOUT)'),  
1860     ) : vector [23],  
1861 !<BLF/PAGE>
```

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

```
1862      |
1863      | : Error message structure
1864      | :
1865      | EMSG_STRUCT = uplit (
1866      | uplit (%asciz'%N%A$FTLERR- RESPONSE STATUS ERROR:%S'),
1867      | uplit (%asciz'%N%A$FTLERR- SUPERVISOR SERVICE CALL FAILED'),
1868      | uplit (%asciz'%N%A$FTLERR- PORT/CONTROLLER TIMEOUT ERROR'),
1869      | uplit (%asciz'%N%A$FTLERR- UNKNOWN RETURN STATUS CODE')) : vector [4],
1870      | !<blf/page>
```

```

1871      |
1872      | Self-detected fatal port/controller errors
1873      |
1874      | RC STRUCTURE = uplit (
1875      | uplit (%asciz'%ZN%$FTLERR- VAX READ/WRITE ERROR ON INTERRUPT'),
1876      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.BFIL'),
1877      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.BMTY'),
1878      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.ALOC'),
1879      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT SERVO ENTRY (PIP SET)'),
1880      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT SERVO ENTRY (ERR SET)'),
1881      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.SEND'),
1882      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.RECV'),
1883      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.ATTN'),
1884      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.ONLN'),
1885      | uplit (%asciz'%ZN%$FTLERR- ILLEGAL D REQUEST (U.QDRQ)'),
1886      | uplit (%asciz'%ZN%$FTLERR- FENCE-POST ERROR AT PROTAB'),
1887      | uplit (%asciz'%ZN%$FTLERR- BAD PACKET DEQUEUED AT U.DONE'),
1888      | uplit (%asciz'%ZN%$FTLERR- UNEXPLAINED D-PROC SUSPENSION (U..TDS)'),
1889      | uplit (%asciz'%ZN%$FTLERR- DUP PACKET D-0 FAILED (XFC 34/35)'),
1890      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.HTST'),
1891      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.SEKO'),
1892      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT U.CKSV'),
1893      | uplit (%asciz'%ZN%$FTLERR- D.OPCD FOUND ILLEGAL OPCODE'),
1894      | uplit (%asciz'%ZN%$FTLERR- D.CSF FOUND ILLEGAL OPCODE'),
1895      | uplit (%asciz'%ZN%$FTLERR- UNKNOWN BAD DRIVE STATUS AT D.DSTS'),
1896      | uplit (%asciz'%ZN%$FTLERR- ILLEGAL XFC EXECUTED BY DM'),
1897      | uplit (%asciz'%ZN%$FTLERR- D PICKED UP A ZERO SCB.DB'),
1898      | uplit (%asciz'%ZN%$FTLERR- INCONSISTENCY AT D IDLE LOOP'),
1899      | uplit (%asciz'%ZN%$FTLERR- DM WORD COUNT ERROR ON HOST DMA/SEND/RECV'),
1900      | uplit (%asciz'%ZN%$FTLERR- UNKNOWN DISPLAY FAULT CODE AT D.DFLT'),
1901      | uplit (%asciz'%ZN%$FTLERR- DRIVE NOT FAULTING IN P.OFLN STATE'),
1902      | uplit (%asciz'%ZN%$FTLERR- U POWER UP DIAGNOSTICS FAILED'),
1903      | uplit (%asciz'%ZN%$FTLERR- D POWER UP DIAGNOSTICS FAILED'),
1904      | uplit (%asciz'%ZN%$FTLERR- ADAPTER CARD FAILURE'),
1905      | uplit (%asciz'%ZN%$FTLERR- EC.TMR TIMED OUT'),
1906      | uplit (%asciz'%ZN%$FTLERR- U.SEND/U.RECV RING READ INCONSISTENCY'),
1907      | uplit (%asciz'%ZN%$FTLERR- UNKNOWN WAITRV REASON AT D.RVCT'),
1908      | uplit (%asciz'%ZN%$FTLERR- D.ARCS DID NOT FIND CLOSEST UNDONE ZONE'),
1909      | uplit (%asciz'%ZN%$FTLERR- U.SEEK FOUND SEEK TO ILLEGAL TRACK'),
1910      | uplit (%asciz'%ZN%$FTLERR- U.HTST INIT DIAG DMA WRITE FAILED'),
1911      | uplit (%asciz'%ZN%$FTLERR- U.HTST INIT DIAG DMA COMPARE FAILED'),
1912      | uplit (%asciz'%ZN%$FTLERR- U.SYDR FOUND SS.DER SET AND SS.SPN NOT SET'),
1913      | uplit (%asciz'%ZN%$FTLERR- MASTER DRIVES ACLO ASSERTED')
1914      | ) : vector [39],
1915      | !<blf/page>

```

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

1 3

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

SEQ 34
Page 14

```
1916      |
1917      | Dup return status codes
1918      |
1919      | SDUP_STRUCT = uplit (
1920      | uplit (%asciz'%A SUCCESSFUL%N'),
1921      | uplit (%asciz'%INVALID COMMAND%N'),
1922      | uplit (%asciz'%AND REGION AVAILABLE%N'),
1923      | uplit (%asciz'%AND REGION SUITABLE%N'),
1924      | uplit (%asciz'%PROGRAM NOT KNOWN%N'),
1925      | uplit (%asciz'%LOAD FAILURE%N'),
1926      | uplit (%asciz'%ASTANDALONE%N')
1927      | ) : vector [7],
1928      | !<blf/page>
```

ZRCFA1
V01.0

(ZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

J 3
8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

SEQ 35
Page 15

```

1929      |
1930      | MSCP return status codes
1931      |
1932      | SMSCP_STRUCT = uplit (
1933      | uplit (%asciz '%ASUCCESS%N'),
1934      | uplit (%asciz '%AINVALID COMMAND%N'),
1935      | uplit (%asciz '%ACOMMAND ABORTED%N'),
1936      | uplit (%asciz '%AUNIT-OFFLINE%N'),
1937      | uplit (%asciz '%AUNIT-AVAILABLE%N'),
1938      | uplit (%asciz '%AMEDIA FORMAT ERROR%N'),
1939      | uplit (%asciz '%AWRITE PROTECTED%N'),
1940      | uplit (%asciz '%ACOMPARE ERROR%N'),
1941      | uplit (%asciz '%ADATA ERROR%N'),
1942      | uplit (%asciz '%AHOST BUFFER ACCESS ERROR%N'),
1943      | uplit (%asciz '%ACONTROLLER ERROR%N'),
1944      | uplit (%asciz '%ADRIVE ERROR%N'),
1945      | uplit (%asciz '%AMESSAGE FROM AN INTERNAL DIAGNOSTIC%N')
1946      | ) : vector [13];
1947
1948      | end
1949
1950      | eludom

```

```

.TITLE ZRCFA1 CZRCFA0 RC25 FR END TEST
.IDENT /V01.0/

```

```

000000      |
000000      | 103      132      122      |
000003      | 103      106      040      |
000006      | 000      |
000007      | 000      |
000010      |
000010      | 101      |
000011      | 060      |
000012      | 000000G  |
000014      | 000170   |
000016      | 000000G  |
000020      | 000000G  |
000022      | 000166'  |
000024      | 000202'  |
000026      | 000000G  |
000030      | 000000   |
000032      | 000000   |
000034      | 000000   |
000036      | 000000   |
000040      | 000124'  |
000042      | 000000   |
000044      | 000000   |
000046      | 000000   |
000050      |
000050      | 003      |
000051      | 003      |
000052      | 000000   |
000054      | 000000   |
000056      | 000000   |

```

```

.PSECT AASCODE, RO
LSNAME::.ASCII /CZR/
.ASII /CF /
.BYTE 0
.BYTE 0
LSREV::
.ASII /A/
.ASII /O/
LSUNIT::.WORD TSPTHV
LSTIML::.WORD 170
LSHPCP::.WORD LSHARD
LSSPCP::.WORD LSSOFT
LSHPTP::.WORD LSHW
LSSPTP::.WORD LSSW
LSLADP::.WORD LSLAST
LSTA::.WORD 0
LSCO::.WORD 0
LSDTYP::.WORD 0
LSAPT::.WORD 0
LSDTP::.WORD LSDISPATCH
LSPRIO::.WORD 0
LSEVI::.WORD 0
LSEXP1::.WORD 0
LSMREV::
.BYTE 3
.BYTE 3
LSEF::.WORD 0
.WORD 0
LSSPC::.WORD 0

```

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

000060	000000G	LSDEVP::	.WORD	LSDV TYP
000062	000000G	LSREPP::	.WORD	LSRPT
000064	000000	L\$EXP4::	.WORD	0
000066	000000	L\$EXP5::	.WORD	0
000070	000000G	LSAUT::	.WORD	LSAU
000072	000000G	LSDUT::	.WORD	LSDU
000074	000000	LSLUN::	.WORD	0
000076	000000G	LSDESP::	.WORD	LSDESC
000100	104035	LSLOAD::	.WORD	-73743
000102	000154'	L\$ETP::	.WORD	LSERRTBL
000104	000000G	LSICP::	.WORD	LSINIT
000106	000000G	L\$CCP::	.WORD	L\$CLEAN
000110	000000G	LSACP::	.WORD	LSAUTO
000112	000224'	L\$PRT::	.WORD	L\$PROT
000114	000000	L\$TEST::	.WORD	0
000116	000000	LSDLY::	.WORD	0
000120	000000	L\$HIME::	.WORD	0
000122	000014	D\$PCNT::	.WORD	14
000124	000000G	L\$DISPATCH::		
			.WORD	T1
000126	000000G		.WORD	T2
000130	000000G		.WORD	T3
000132	000000G		.WORD	T4
000134	000000G		.WORD	T5
000136	000000G		.WORD	T6
000140	000000G		.WORD	T7
000142	000000G		.WORD	T8
000144	000000G		.WORD	T9
000146	000000G		.WORD	T10
000150	000000G		.WORD	T11
000152	000000G		.WORD	T12
000154		ERRTYP::	.BLKW	1
000156		ERRNBR::	.BLKW	1
000160		ERRMSG::	.BLKW	1
000162		ERRBLK::	.BLKW	1
000164	000000C	L\$HWLEN::		
			.WORD	<<L\$NDHW-L\$HWLEN>/2>
000166	172150	P.IP.ADDRESS::		
			.WORD	-5630
000170	000154	P.VECTOR::		
			.WORD	154
000172	000005	P.BR.LEVEL::		
			.WORD	5
000174	000000	P.UNIT.NUMBER::		
			.WORD	0
000176		L\$NDHW::	.BLKW	1
000200	000000C	L\$SWLEN::		
			.WORD	<<L\$NDSW-L\$SWLEN>/2>
000202	000001	SWP.TOP::		
			.WORD	1
000204	000000	SWP.LIMIT::		
			.WORD	0
000206	000001	SWP.START::		
			.WORD	1
000210	001434	SWP.END::		
			.WORD	1434
000212	000000	SWP.RETRIES::		

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 B:iss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

000214	000000	SWP.CONTINUE::	.WORD	0
000216	000000	SWP.MANUAL::	.WORD	0
000220	000001	SWP.TRACE::	.WORD	0
000222		L\$NDSW::	.BLKW	1
000224	177777	L\$PROT::	.WORD	-1
000226	177777		.WORD	-1
000230	177777		.WORD	-1

000000				.PSECT	SPLITS, RO, D, GBL	
000000	000002			.WORD	2	
000002	005634'			P.AAA: .WORD	P4	; Plit count word
000004	005636'			.WORD	P5	
000006	045	101	106	P.AAB: .ASCII	/XAF/	
000011	101	111	114	.ASCII	/AIL/	
000014	111	116	107	.ASCII	/ING/	
000017	040	106	122	.ASCII	/FR/	
000022	125	040	075	.ASCII	/U =/	
000025	040	045	124	.ASCII	/ %I/	
000030	045	104	063	.ASCII	/XD3/	
000033	045	116	000	.ASCII	/XN/<00>	
000036	101	104	101	P.AAC: .ASCII	/ADA/	
000041	120	124	117	.ASCII	/PTO/	
000044	122	040	102	.ASCII	/R B/	
000047	117	101	122	.ASCII	/OAR/	
000052	104	040	106	.ASCII	/D F/	
000055	117	122	040	.ASCII	/OR /	
000060	125	116	111	.ASCII	/UNI/	
000063	124	040	043	.ASCII	/T #/	
000066	072	000		.ASCII	/:/<00>	
000070	103	117	116	P.AAD: .ASCII	/CON/	
000073	124	122	117	.ASCII	/TRO/	
000076	114	105	122	.ASCII	/LER/	
000101	040	102	117	.ASCII	/BO/	
000104	101	122	104	.ASCII	/ARD/	
000107	040	106	117	.ASCII	/FO/	
000112	122	040	125	.ASCII	/R U/	
000115	116	111	124	.ASCII	/NIT/	
000120	040	043	072	.ASCII	/ #:/	
000123	000			.ASCII	<00>	
000124	104	122	111	P.AAE: .ASCII	/DRI/	
000127	126	105	040	.ASCII	/VE /	
000132	102	117	101	.ASCII	/BOA/	
000135	122	104	040	.ASCII	/RD /	
000140	106	117	12^	.ASCII	/FOR/	
000143	040	125	116	.ASCII	/ UN/	
000146	111	124	040	.ASCII	/IT /	
000151	043	072	000	.ASCII	/#:/<00>	
000154	115	105	103	P.AAF: .ASCII	/MEC/	
000157	110	101	116	.ASCII	/HAN/	
000162	111	103	040	.ASCII	/IC /	
000165	123	105	124	.ASCII	/SET/	

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

000170	040	106	117	.ASCII	/ FO/
000173	122	040	125	.ASCII	/R U/
000176	116	111	124	.ASCII	/NIT/
000201	040	043	072	.ASCII	/ #:/
000204	000	000		.ASCII	<00><00>
000206	111	120	040	P.AAG:	.ASCII /IP /
000211	101	104	104	.ASCII	/ADD/
000214	122	105	123	.ASCII	/RES/
000217	123	000	000	.ASCII	/S/<00><00>
000222	126	105	103	P.AAH:	.ASCII /VEC/
000225	124	117	122	.ASCII	/TOR/
000230	000	000		.ASCII	<00><00>
000232	102	122	040	P.AAI:	.ASCII /BR /
000235	114	105	126	.ASCII	/LEV/
000240	105	114	000	.ASCII	/EL/<00>
000243	000			.ASCII	<00>
000244	120	114	101	P.AAJ:	.ASCII /PLA/
000247	124	124	105	.ASCII	/TTE/
000252	122	040	101	.ASCII	/R A/
000255	104	104	122	.ASCII	/DDR/
000260	105	123	123	.ASCII	/ESS/
000263	050	105	123	.ASCII	/ES/
000266	051	000		.ASCII	/)/<00>
000270	125	123	105	P.AAK:	.ASCII /USE/
000273	040	124	117	.ASCII	/ TO/
000276	120	040	123	.ASCII	/P S/
000301	125	122	106	.ASCII	/URF/
000304	101	103	105	.ASCII	/ACE/
000307	040	106	117	.ASCII	/ FO/
000312	122	040	123	.ASCII	/R S/
000315	111	116	107	.ASCII	/ING/
000320	114	105	040	.ASCII	/LE /
000323	123	125	122	.ASCII	/SUR/
000326	106	101	103	.ASCII	/FAC/
000331	105	040	124	.ASCII	/E T/
000334	105	123	124	.ASCII	/EST/
000337	123	000	000	.ASCII	/S/<00><00>
000342	104	117	040	P.AAL:	.ASCII /DO /
000345	131	117	125	.ASCII	/YOU/
000350	040	127	111	.ASCII	/ WI/
000353	123	110	040	.ASCII	/SH /
000356	124	117	040	.ASCII	/TO /
000361	114	111	115	.ASCII	/LIM/
000364	111	124	040	.ASCII	/IT /
000367	101	122	105	.ASCII	/ARE/
000372	101	040	124	.ASCII	/A T/
000375	105	123	124	.ASCII	/EST/
000400	105	104	040	.ASCII	/ED /
000403	111	116	040	.ASCII	/IN /
000406	124	105	123	.ASCII	/TES/
000411	124	123	040	.ASCII	/TS /
000414	043	061	063	.ASCII	/#13/
000417	040	124	110	.ASCII	/ TH/
000422	122	125	040	.ASCII	/RU /
000425	043	061	065	.ASCII	/#15/
000430	000	000		.ASCII	<00><00>
000432	123	124	101	P.AAM:	.ASCII /STA/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

000435	122	124	111	.ASCII	/RTI/
000440	116	107	040	.ASCII	/NG /
000443	124	122	101	.ASCII	/TRA/
000446	103	113	000	.ASCII	/CK/<00>
000451	000			.ASCII	<00>
000452	105	116	104	P.AAN:	.ASCII /END/
000455	111	116	107		.ASCII /ING/
000460	040	124	122		.ASCII / TR/
000463	101	103	113		.ASCII /ACK/
000466	000	000		P.AAO:	.ASCII <00><00>
000470	104	117	040		.ASCII /DO /
000473	131	117	125		.ASCII /YOU/
000476	040	127	101		.ASCII / WA/
000501	116	124	040		.ASCII /NT /
000504	124	117	040		.ASCII /TO /
000507	104	117	040		.ASCII /DO /
000512	124	110	105		.ASCII /THE/
000515	040	115	101		.ASCII / MA/
000520	116	125	101		.ASCII /NUA/
000523	114	040	111		.ASCII /L I/
000526	116	124	105		.ASCII /NTE/
000531	122	126	105		.ASCII /RVE/
000534	116	124	111		.ASCII /NTI/
000537	117	116	040		.ASCII /ON /
000542	124	105	123		.ASCII /TES/
000545	124	077	000	P.AAP:	.ASCII /T?/<00>
000550	104	117	040		.ASCII /DO /
000553	131	117	125		.ASCII /YOU/
000556	040	116	105		.ASCII / NE/
000561	105	104	040		.ASCII /ED /
000564	124	122	101		.ASCII /TRA/
000567	103	105	040		.ASCII /CE /
000572	115	117	104		.ASCII /MOD/
000575	105	077	000	P.AAQ:	.ASCII /E?/<00>
000600	104	117	040		.ASCII /DO /
000603	131	117	125		.ASCII /YOU/
000606	040	127	111		.ASCII / WI/
000611	123	110	040		.ASCII /SH /
000614	124	117	040		.ASCII /TO /
000617	103	117	116		.ASCII /CON/
000622	124	111	116		.ASCII /TIN/
000625	125	105	040		.ASCII /UE /
000630	124	105	123		.ASCII /TES/
000633	124	111	116		.ASCII /TIN/
000636	107	040	101		.ASCII /G A/
000641	106	124	105		.ASCII /FTE/
000644	122	040	122		.ASCII /R R/
000647	105	124	122		.ASCII /ETR/
000652	111	105	123		.ASCII /IES/
000655	077	000	000	P.AAR:	.ASCII /?/<00><00>
000660	116	125	115		.ASCII /NUM/
000663	102	105	122		.ASCII /BER/
000666	040	117	106		.ASCII / OF/
000671	040	122	105		.ASCII / RE/
000674	124	122	111		.ASCII /TRI/
000677	105	123	040		.ASCII /ES /
000702	106	117	122		.ASCII /FOR/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

000705	040	124	105	.ASCII	/ TE/
000710	123	124	040	.ASCII	/ST /
000713	111	106	040	.ASCII	/IF /
000716	105	122	122	.ASCII	/ERR/
000721	117	122	040	.ASCII	/OR /
000724	117	103	103	.ASCII	/OCC/
000727	125	122	105	.ASCII	/URE/
000732	104	000		.ASCII	/D/<00>
000734	125	116	111	P.AAS:	.ASCII /UNI/
000737	124	040	123		.ASCII /T S/
000742	124	101	122		.ASCII /TAR/
000745	124	111	116		.ASCII /TIN/
000750	107	040	124		.ASCII /G T/
000753	122	101	103		.ASCII /RAC/
000756	113	040	043		.ASCII /K #/
000761	000				.ASCII <00>
000762	125	116	111	P.AAT:	.ASCII /UNI/
000765	124	040	105		.ASCII /T E/
000770	116	104	111		.ASCII /NDI/
000773	116	107	040		.ASCII /NG /
000776	124	122	101		.ASCII /TRA/
001001	103	113	040		.ASCII /CK /
001004	043	000			.ASCII /#/<00>
001006	124	125	122	P.AAU:	.ASCII /TUR/
001011	116	040	117		.ASCII /N O/
001014	106	106	040		.ASCII /FF /
001017	127	122	111		.ASCII /WRI/
001022	124	105	040		.ASCII /TE /
001025	120	122	117		.ASCII /PRO/
001030	124	105	103		.ASCII /TEC/
001033	124	040	123		.ASCII /T S/
001036	127	111	124		.ASCII /WIT/
001041	103	110	040		.ASCII /CH /
001044	101	116	104		.ASCII /AND/
001047	040	104	117		.ASCII / DO/
001052	040	074	103		.ASCII / <C/
001055	122	076	000		.ASCII /R>/<00>
001060	124	125	122	P.AAV:	.ASCII /TUR/
001063	116	040	117		.ASCII /N O/
001066	116	040	127		.ASCII /N W/
001071	122	111	124		.ASCII /RIT/
001074	105	040	120		.ASCII /E P/
001077	122	117	124		.ASCII /ROT/
001102	105	103	124		.ASCII /ECT/
001105	040	123	127		.ASCII / SW/
001110	111	124	103		.ASCII /ITC/
001113	110	040	101		.ASCII /H A/
001116	116	104	040		.ASCII /ND /
001121	104	117	040		.ASCII /DO /
001124	074	103	122		.ASCII /<CR/
001127	076	000	000		.ASCII />/<00><00>
001132	045	116	045	P.AAW:	.ASCII /%N%/
001135	116	045	116		.ASCII /%N/
001140	045	101	124		.ASCII /%AT/
001143	105	123	124		.ASCII /EST/
001146	111	116	107		.ASCII /ING/
001151	040	125	116		.ASCII / UN/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

001154	111	124	043	.ASCII	/IT#/
001157	072	045	104	.ASCII	/:XD/
001162	063	045	101	.ASCII	/3XA/
001165	040	040	111	.ASCII	/ I/
001170	120	137	122	.ASCII	/P R/
001173	105	107	111	.ASCII	/EGI/
001176	123	124	105	.ASCII	/STE/
001201	122	072	045	.ASCII	/R:Z/
001204	117	066	045	.ASCII	/06Z/
001207	101	040	040	.ASCII	/A /
001212	120	114	101	.ASCII	/PLA/
001215	124	124	105	.ASCII	/TTE/
001220	122	043	072	.ASCII	/R#: /
001223	045	104	063	.ASCII	/XD3/
001226	045	116	000	.ASCII	/XN/<00>
001231	000			.ASCII	<00>
001232	045	116	045	P.AAX: .ASCII	/XN%/
001235	101	122	105	.ASCII	/ARE/
001240	120	117	122	.ASCII	/POR/
001243	124	000	000	.ASCII	/T/<00><00>
001246	045	116	045	P.AAY: .ASCII	/XN%/
001251	101	101	125	.ASCII	/AAU/
001254	124	117	000	.ASCII	/TO/<00>
001257	000			.ASCII	<00>
001260	045	116	045	P.AAZ: .ASCII	/XN%/
001263	101	103	114	.ASCII	/ACL/
001266	105	101	116	.ASCII	/EAN/
001271	125	120	000	.ASCII	/UP/<00>
001274	045	116	045	P.ABA: .ASCII	/XN%/
001277	101	104	122	.ASCII	/ADR/
001302	117	120	120	.ASCII	/OPP/
001305	105	104	000	.ASCII	/ED/<00>
001310	045	116	045	P.ABB: .ASCII	/XN%/
001313	101	101	104	.ASCII	/AAD/
001316	104	105	104	.ASCII	/DED/
001321	000			.ASCII	<00>
001322	045	116	045	P.ABC: .ASCII	/XN%/
001325	101	124	105	.ASCII	/ATE/
001330	123	124	040	.ASCII	/ST /
001333	040	061	040	.ASCII	/ 1 /
001336	122	105	107	.ASCII	/REG/
001341	111	123	124	.ASCII	/IST/
001344	105	122	040	.ASCII	/ER /
001347	105	130	111	.ASCII	/EXI/
001352	123	124	105	.ASCII	/STE/
001355	116	103	105	.ASCII	/NCE/
001360	040	124	105	.ASCII	/ TE/
001363	123	124	000	.ASCII	/ST/<00>
001366	045	116	045	P.ABD: .ASCII	/XN%/
001371	101	124	105	.ASCII	/ATE/
001374	123	124	040	.ASCII	/ST /
001377	040	062	040	.ASCII	/ 2 /
001402	123	124	105	.ASCII	/STE/
001405	120	040	061	.ASCII	/P 1/
001410	040	122	105	.ASCII	/ RE/
001413	101	104	057	.ASCII	/AD/<57>
001416	127	122	111	.ASCII	/WRI/

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

001421	124	105	040	.ASCII	/TE /
001424	120	117	127	.ASCII	/POW/
001427	105	122	125	.ASCII	/ERU/
001432	120	040	104	.ASCII	/P D/
001435	111	101	107	.ASCII	/IAG/
001440	116	117	123	.ASCII	/NOS/
001443	124	111	103	.ASCII	/TIC/
001446	123	000		.ASCII	/S/<00>
001450	045	116	045	P.ABE: .ASCII	/XN%/
001453	101	124	105	.ASCII	/ATE/
001456	123	124	040	.ASCII	/ST /
001461	040	065	040	.ASCII	/ 5 /
001464	123	124	105	.ASCII	/STE/
001467	120	040	061	.ASCII	/P 1/
001472	040	124	110	.ASCII	/ TH/
001475	122	117	125	.ASCII	/ROU/
001500	107	110	040	.ASCII	/GH /
001503	123	124	105	.ASCII	/STE/
001506	120	040	063	.ASCII	/P 3/
001511	040	122	105	.ASCII	/ RE/
001514	101	104	057	.ASCII	/AD/<57>
001517	127	122	111	.ASCII	/WRI/
001522	124	105	040	.ASCII	/TE /
001525	124	105	123	.ASCII	/TES/
001530	124	000		.ASCII	/T/<00>
001532	045	116	045	P.ABF: .ASCII	/XN%/
001535	101	124	105	.ASCII	/ATE/
001540	123	124	040	.ASCII	/ST /
001543	040	063	040	.ASCII	/ 3 /
001546	104	111	101	.ASCII	/DIA/
001551	107	116	117	.ASCII	/GNO/
001554	123	124	111	.ASCII	/STI/
001557	103	040	127	.ASCII	/C W/
001562	122	101	120	.ASCII	/RAP/
001565	040	124	105	.ASCII	/ TE/
001570	123	124	000	.ASCII	/ST/<00>
001573	000			.ASCII	<00>
001574	045	116	045	P.ABG: .ASCII	/XN%/
001577	101	124	105	.ASCII	/ATE/
001602	123	124	040	.ASCII	/ST /
001605	040	064	040	.ASCII	/ 4 /
001610	126	105	103	.ASCII	/VEC/
001613	124	117	122	.ASCII	/TOR/
001616	040	101	116	.ASCII	/ AN/
001621	104	040	102	.ASCII	/D B/
001624	122	040	114	.ASCII	/R L/
001627	105	126	105	.ASCII	/EVE/
001632	114	040	124	.ASCII	/L T/
001635	105	123	124	.ASCII	/EST/
001640	000	000		.ASCII	<00><00>
001642	045	116	045	P.ABH: .ASCII	/XN%/
001645	101	124	105	.ASCII	/ATE/
001650	123	124	040	.ASCII	/ST /
001653	040	066	040	.ASCII	/ 6 /
001656	120	125	122	.ASCII	/PUR/
001661	107	105	040	.ASCII	/GE /
001664	101	116	104	.ASCII	/AND/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

001667	040	120	117	.ASCII	/ PO/
001672	114	114	040	.ASCII	/LL /
001675	124	105	123	.ASCII	/TES/
001700	124	000		.ASCII	/T/<00>
001702	045	116	045	P.ABI:	.ASCII /XN%/
001705	101	124	105		.ASCII /ATE/
001710	123	124	040		.ASCII /ST /
001713	040	067	040		.ASCII / 7 /
001716	123	115	101		.ASCII /SMA/
001721	114	114	040		.ASCII /LL /
001724	122	111	116		.ASCII /RIN/
001727	107	040	124		.ASCII /G T/
001732	105	123	124		.ASCII /EST/
001735	000				.ASCII <00>
001736	045	116	045	P.ABJ:	.ASCII /XN%/
001741	101	124	105		.ASCII /ATE/
001744	123	124	040		.ASCII /ST /
001747	040	070	040		.ASCII / 8 /
001752	114	101	122		.ASCII /LAR/
001755	107	105	040		.ASCII /GE /
001760	122	111	116		.ASCII /RIN/
001763	107	040	124		.ASCII /G T/
001766	105	123	124		.ASCII /EST/
001771	000				.ASCII <00>
001772	045	116	045	P.ABK:	.ASCII /XN%/
001775	101	124	105		.ASCII /ATE/
002000	123	124	040		.ASCII /ST /
002003	040	071	040		.ASCII / 9 /
002006	104	115	040		.ASCII /DM /
002011	103	117	104		.ASCII /COD/
002014	105	040	117		.ASCII /E O/
002017	126	105	122		.ASCII /VER/
002022	114	101	131		.ASCII /LAY/
002025	040	124	105		.ASCII / TE/
002030	123	124	000		.ASCII /ST/<00>
002033	000				.ASCII <00>
002034	045	116	045	P.ABL:	.ASCII /XN%/
002037	101	124	105		.ASCII /ATE/
002042	123	124	040		.ASCII /ST /
002045	061	060	040		.ASCII /10 /
002050	116	117	116		.ASCII /NON/
002053	105	130	111		.ASCII /EXI/
002056	123	124	105		.ASCII /STE/
002061	116	124	040		.ASCII /NT /
002064	115	105	115		.ASCII /MEM/
002067	117	122	131		.ASCII /ORY/
002072	040	124	105		.ASCII / TE/
002075	123	124	000		.ASCII /ST/<00>
002100	045	116	045	P.ABM:	.ASCII /XN%/
002103	101	124	105		.ASCII /ATE/
002106	123	124	040		.ASCII /ST /
002111	061	061	040		.ASCII /11 /
002114	102	125	123		.ASCII /BUS/
002117	040	101	104		.ASCII / AD/
002122	104	122	105		.ASCII /DRE/
002125	123	123	111		.ASCII /SSI/
002130	116	107	057		.ASCII /NG/<57>

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

002133	104	101	124	.ASCII	/DAT/	
002136	101	040	124	.ASCII	/A T/	
002141	105	123	124	.ASCII	/EST/	
002144	040	101	000	.ASCII	/ A/<00>	
002147	000			.ASCII	<00>	
002150	045	116	045	P.ABN:	.ASCII	/XN%/
002153	101	124	105	.ASCII	/ATE/	
002156	123	124	040	.ASCII	/ST /	
002161	061	062	040	.ASCII	/12 /	
002164	102	125	123	.ASCII	/BUS/	
002167	040	101	104	.ASCII	/ AD/	
002172	104	122	105	.ASCII	/DRE/	
002175	123	123	111	.ASCII	/SSI/	
002200	116	107	057	.ASCII	/NG/<57>	
002203	104	101	124	.ASCII	/DAT/	
002206	101	040	124	.ASCII	/A T/	
002211	105	123	124	.ASCII	/EST/	
002214	040	102	000	.ASCII	/ B/<00>	
002217	000			.ASCII	<00>	
002220	045	116	045	P.ABO:	.ASCII	/XN%/
002223	101	124	105	.ASCII	/ATE/	
002226	123	124	040	.ASCII	/ST /	
002231	061	063	040	.ASCII	/13 /	
002234	102	114	117	.ASCII	/BLO/	
002237	103	113	040	.ASCII	/CK /	
002242	124	122	101	.ASCII	/TRA/	
002245	116	123	106	.ASCII	/NSF/	
002250	105	122	040	.ASCII	/ER /	
002253	124	105	123	.ASCII	/TES/	
002256	124	000		.ASCII	/T/<00>	
002260	045	116	045	P.ABP:	.ASCII	/XN%/
002263	101	124	105	.ASCII	/ATE/	
002266	123	124	040	.ASCII	/ST /	
002271	061	064	040	.ASCII	/14 /	
002274	123	120	111	.ASCII	/SPI/	
002277	116	040	125	.ASCII	/N U/	
002302	120	040	110	.ASCII	/P H/	
002305	105	101	104	.ASCII	/EAD/	
002310	040	114	117	.ASCII	/ LO/	
002313	101	104	040	.ASCII	/AD /	
002316	123	105	121	.ASCII	/SEQ/	
002321	125	105	116	.ASCII	/UEN/	
002324	103	105	000	.ASCII	/CE/<00>	
002327	000			.ASCII	<00>	
002330	045	116	045	P.ABQ:	.ASCII	/XN%/
002333	101	124	105	.ASCII	/ATE/	
002336	123	124	040	.ASCII	/ST /	
002341	061	065	040	.ASCII	/15 /	
002344	123	105	121	.ASCII	/SEQ/	
002347	125	105	116	.ASCII	/UEN/	
002352	124	111	101	.ASCII	/TIA/	
002355	114	040	123	.ASCII	/L S/	
002360	105	105	113	.ASCII	/EEK/	
002363	040	101	116	.ASCII	/ AN/	
002366	104	040	126	.ASCII	/D V/	
002371	105	122	111	.ASCII	/ERI/	
002374	106	131	000	.ASCII	/FY/<00>	

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

002377	000				.ASCII	<00>
002400	045	116	045	P.ABR:	.ASCII	/XN%/
002403	101	124	105		.ASCII	/ATE/
002406	123	124	040		.ASCII	/ST /
002411	061	066	040		.ASCII	/16 /
002414	123	101	127		.ASCII	/SAW/
002417	124	117	117		.ASCII	/TOO/
002422	124	110	040		.ASCII	/TH /
002425	123	105	105		.ASCII	/SEE/
002430	113	040	101		.ASCII	/K A/
002433	116	104	040		.ASCII	/ND /
002436	126	105	122		.ASCII	/VER/
002441	111	106	131		.ASCII	/IFY/
002444	000	000			.ASCII	<00><00>
002446	045	116	045	P.ABS:	.ASCII	/XN%/
002451	101	124	105		.ASCII	/ATE/
002454	123	124	040		.ASCII	/ST /
002457	061	067	040		.ASCII	/17 /
002462	103	117	116		.ASCII	/CON/
002465	126	105	122		.ASCII	/VER/
002470	107	111	116		.ASCII	/GIN/
002473	107	057	104		.ASCII	/G/<57>/D/
002476	111	126	105		.ASCII	/IVE/
002501	122	107	111		.ASCII	/RGI/
002504	116	107	040		.ASCII	/NG /
002507	123	105	105		.ASCII	/SEE/
002512	113	040	101		.ASCII	/K A/
002515	116	104	040		.ASCII	/ND /
002520	126	105	122		.ASCII	/VER/
002523	111	106	131		.ASCII	/IFY/
002526	000	000			.ASCII	<00><00>
002530	045	116	045	P.ABT:	.ASCII	/XN%/
002533	101	124	105		.ASCII	/ATE/
002536	123	124	040		.ASCII	/ST /
002541	061	070	040		.ASCII	/18 /
002544	124	117	107		.ASCII	/TOG/
002547	107	114	105		.ASCII	/GLE/
002552	040	123	105		.ASCII	/ SE/
002555	105	113	040		.ASCII	/EK /
002560	101	116	104		.ASCII	/AND/
002563	040	126	105		.ASCII	/ VE/
002566	122	111	106		.ASCII	/RIF/
002571	131	000	000		.ASCII	/Y/<00><00>
002574	045	116	045	P.ABU:	.ASCII	/XN%/
002577	101	124	105		.ASCII	/ATE/
002602	123	124	040		.ASCII	/ST /
002605	061	071	040		.ASCII	/19 /
002610	110	105	101		.ASCII	/HEA/
002613	104	040	123		.ASCII	/D S/
002616	127	111	124		.ASCII	/WIT/
002621	103	110	040		.ASCII	/CH /
002624	124	105	123		.ASCII	/TES/
002627	124	000	000		.ASCII	/T/<00><00>
002632	045	116	045	P.ABV:	.ASCII	/XN%/
002635	101	124	105		.ASCII	/ATE/
002640	123	124	040		.ASCII	/ST /
002643	062	060	040		.ASCII	/20 /

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

002646	122	101	116	.ASCII	/RAN/
002651	104	117	115	.ASCII	/DOM/
002654	040	123	105	.ASCII	/ SE/
002657	105	113	040	.ASCII	/EK /
002662	101	116	104	.ASCII	/AND/
002665	040	126	105	.ASCII	/ VE/
002670	122	111	106	.ASCII	/RIF/
002673	131	000	000	.ASCII	/Y/<00><00>
002676	045	116	045	P.ABW:	.ASCII /%N%/
002701	101	124	105	.ASCII	/ATE/
002704	123	124	040	.ASCII	/ST /
002707	062	061	040	.ASCII	/21 /
002712	123	105	103	.ASCII	/SEC/
002715	124	117	122	.ASCII	/TOR/
002720	040	101	103	.ASCII	/ AC/
002723	103	105	123	.ASCII	/CES/
002726	123	040	124	.ASCII	/S T/
002731	105	123	124	.ASCII	/EST/
002734	000	000		.ASCII	<00><00>
002736	045	116	045	P.ABX:	.ASCII /%N%/
002741	101	124	105	.ASCII	/ATE/
002744	123	124	040	.ASCII	/ST /
002747	062	062	040	.ASCII	/22 /
002752	103	117	116	.ASCII	/CO:/
002755	124	122	117	.ASCII	/TRO/
002760	114	114	105	.ASCII	/LLE/
002763	122	040	120	.ASCII	/R P/
002766	122	117	103	.ASCII	/ROC/
002771	105	123	123	.ASCII	/ESS/
002774	111	116	107	.ASCII	/ING/
002777	040	124	111	.ASCII	/ TI/
003002	115	105	000	.ASCII	/ME/<00>
003005	000			.ASCII	<00>
003006	045	116	045	P.ABY:	.ASCII /%N%/
003011	101	124	105	.ASCII	/ATE/
003014	123	124	040	.ASCII	/ST /
003017	062	063	040	.ASCII	/23 /
003022	117	116	105	.ASCII	/ONE/
003025	040	124	122	.ASCII	/ TR/
003030	101	103	113	.ASCII	/ACK/
003033	040	123	105	.ASCII	/ SE/
003036	105	113	040	.ASCII	/EK /
003041	124	111	115	.ASCII	/TIM/
003044	105	000		.ASCII	/E/<00>
003046	045	116	045	P.ABZ:	.ASCII /%N%/
003051	101	124	105	.ASCII	/ATE/
003054	123	124	040	.ASCII	/ST /
003057	062	064	040	.ASCII	/24 /
003062	101	126	105	.ASCII	/AVE/
003065	122	101	107	.ASCII	/RAG/
003070	105	040	123	.ASCII	/E S/
003073	105	105	113	.ASCII	/EEK/
003076	040	124	111	.ASCII	/ TI/
003101	115	105	000	.ASCII	/ME/<00>
003104	045	116	045	P.ACA:	.ASCII /%N%/
003107	101	124	105	.ASCII	/ATE/
003112	123	124	040	.ASCII	/ST /

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

003115	062	065	040	.ASCII	/25 /
003120	106	125	114	.ASCII	/FUL/
003123	114	040	123	.ASCII	/L S/
003126	124	122	117	.ASCII	/TRO/
003131	113	105	040	.ASCII	/KE /
003134	123	105	105	.ASCII	/SEE/
003137	113	040	124	.ASCII	/K T/
003142	111	115	105	.ASCII	/IME/
003145	090			.ASCII	<00>
003146	045	116	045	P.ACB:	.ASCII /XN%/
003151	101	124	105		.ASCII /ATE/
003154	123	124	040		.ASCII /ST /
003157	062	066	040		.ASCII /26 /
003162	127	122	111		.ASCII /WRI/
003165	124	105	040		.ASCII /TE /
003170	104	101	124		.ASCII /DAT/
003173	101	040	124		.ASCII /A T/
003176	105	123	124		.ASCII /EST/
003201	000				.ASCII <00>
003202	045	116	045	P.ACC:	.ASCII /XN%/
003205	101	105	126		.ASCII /AEV/
003210	105	116	124		.ASCII /ENT/
003213	040	123	124		.ASCII / ST/
003216	101	122	124		.ASCII /ART/
003221	000				.ASCII <00>
003222	045	116	045	P.ACD:	.ASCII /XN%/
003225	101	105	126		.ASCII /AEV/
003230	105	116	124		.ASCII /ENT/
003233	040	122	105		.ASCII / RE/
003236	123	124	101		.ASCII /STA/
003241	122	124	000		.ASCII /RT/<00>
003244	045	116	045	P.ACE:	.ASCII /XN%/
003247	101	105	126		.ASCII /AEV/
003252	105	116	124		.ASCII /ENT/
003255	040	103	117		.ASCII / CO/
003260	116	124	111		.ASCII /NTI/
003263	116	125	105		.ASCII /NUE/
003266	000	000			.ASCII <00><00>
003270	045	116	045	P.ACF:	.ASCII /XN%/
003273	101	124	105		.ASCII /ATE/
003276	123	124	040		.ASCII /ST /
003301	062	067	040		.ASCII /27 /
003304	117	106	106		.ASCII /OFF/
003307	123	105	124		.ASCII /SET/
003312	040	124	117		.ASCII / TO/
003315	114	105	122		.ASCII /LER/
003320	101	116	103		.ASCII /ANC/
003323	105	040	124		.ASCII /E T/
003326	105	123	124		.ASCII /EST/
003331	000				.ASCII <00>
003332	045	116	045	P.ACG:	.ASCII /XN%/
003335	101	124	105		.ASCII /ATE/
003340	123	124	040		.ASCII /ST /
003343	062	070	040		.ASCII /28 /
003346	101	126	105		.ASCII /AVE/
003351	122	101	107		.ASCII /RAG/
003354	105	040	122		.ASCII /E R/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

003357	117	124	101	.ASCII	/OTA/
003362	124	111	117	.ASCII	/TIO/
003365	116	101	114	.ASCII	/NAL/
003370	040	124	111	.ASCII	/ TI/
003373	115	105	000	.ASCII	/ME/<00>
003376	045	116	045	P.ACH: .ASCII	/XN%/
003401	101	124	105	.ASCII	/ATE/
003404	123	124	040	.ASCII	/ST /
003407	062	071	040	.ASCII	/29 /
003412	127	122	111	.ASCII	/WRI/
003415	124	105	040	.ASCII	/TE /
003420	120	122	117	.ASCII	/PRO/
003423	124	105	103	.ASCII	/TEC/
003426	124	040	124	.ASCII	/T T/
003431	105	123	124	.ASCII	/ECT/
003434	000	000		.ASCII	<00><00>
003436	045	116	045	P.ACI: .ASCII	/XN%/
003441	101	011	011	.ASCII	/A/<11><11>
003444	115	101	116	.ASCII	/MAN/
003447	125	101	114	.ASCII	/UAL/
003452	040	111	116	.ASCII	/ IN/
003455	124	105	122	.ASCII	/TER/
003460	126	105	116	.ASCII	/VEN/
003463	124	111	117	.ASCII	/TIO/
003466	116	040	124	.ASCII	/N T/
003471	105	123	124	.ASCII	/EST/
003474	040	116	117	.ASCII	/ NO/
003477	124	040	120	.ASCII	/T P/
003502	105	122	106	.ASCII	/ERF/
003505	117	122	115	.ASCII	/ORM/
003510	105	104	000	.ASCII	/ED/<00>
003513	000			.ASCII	<00>
003514	045	116	045	P.ACJ: .ASCII	/XN%/
003517	101	120	117	.ASCII	/APO/
003522	127	105	122	.ASCII	/WER/
003525	040	104	105	.ASCII	/ DE/
003530	114	101	131	.ASCII	/LAY/
003533	040	055	040	.ASCII	/ - /
003536	127	101	111	.ASCII	/WAI/
003541	124	111	116	.ASCII	/TIN/
003544	107	000		.ASCII	/G/<00>
003546	045	116	045	P.ACK: .ASCII	/XN%/
003551	101	124	117	.ASCII	/ATO/
003554	117	040	115	.ASCII	/O M/
003557	101	116	131	.ASCII	/ANY/
003562	040	125	116	.ASCII	/ UN/
003565	111	124	123	.ASCII	/ITS/
003570	000	000		.ASCII	<00><00>
003572	045	116	045	P.ACL: .ASCII	/XN%/
003575	101	116	117	.ASCII	/ANO/
003600	040	103	114	.ASCII	/ CL/
003603	117	103	113	.ASCII	/OCK/
003606	040	127	101	.ASCII	/ WA/
003611	123	040	106	.ASCII	/S F/
003614	117	125	116	.ASCII	/OUN/
003617	104	040	117	.ASCII	/D O/
003622	116	040	124	.ASCII	/N T/

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REALD] 400

SEP

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

003625	110	105	040	.ASCII	/HE /
003630	123	131	123	.ASCII	/SYS/
003633	124	105	115	.ASCII	/TEM/
003636	000	000		.ASCII	<00><00>
003640	045	116	045	P.ACM:	.ASCII /%N%/
003643	116	000	000		.ASCII /N/<00><00>
003646	045	116	045	P.ACN:	.ASCII /%N%/
003651	101	011	040		.ASCII /A/<11>/ /
003654	122	105	107		.ASCII /REG/
003657	111	123	124		.ASCII /IST/
003662	105	122	040		.ASCII /ER /
003665	106	101	111		.ASCII /FAI/
003670	114	105	104		.ASCII /LED/
003673	040	124	117		.ASCII / TO/
003676	040	122	105		.ASCII / RE/
003701	123	120	117		.ASCII /SPO/
003704	116	104	040		.ASCII /ND /
003707	101	124	040		.ASCII /AT /
003712	101	104	104		.ASCII /ADD/
003715	122	105	123		.ASCII /RES/
003720	123	072	040		.ASCII /S: /
003723	040	045	117		.ASCII / %O/
003726	066	045	116		.ASCII /6%N/
003731	000				.ASCII <00>
003732	045	116	045	P.ACO:	.ASCII /%N%/
003735	101	101	104		.ASCII /AAD/
003740	104	122	105		.ASCII /DRE/
003743	123	123	072		.ASCII /SS:/
003746	040	045	117		.ASCII / %O/
003751	066	045	101		.ASCII /6%A/
003754	011	105	130		.ASCII <11>/EX/
003757	120	105	103		.ASCII /PEC/
003762	124	105	104		.ASCII /TED/
003765	072	040	045		.ASCII /: %/
003770	117	066	045		.ASCII /06%/
003773	101	011	122		.ASCII /A/<11>/R/
003776	105	101	104		.ASCII /EAD/
004001	072	040	045		.ASCII /: %/
004004	117	066	045		.ASCII /06%/
004007	116	000	000		.ASCII /N/<00><00>
004012	045	116	045	P.ACP:	.ASCII /%N%/
004015	101	123	124		.ASCII /AST/
004020	105	120	040		.ASCII /EP /
004023	115	101	123		.ASCII /MAS/
004026	113	040	075		.ASCII /K =/
004031	040	045	117		.ASCII / %O/
004034	062	045	101		.ASCII /2%A/
004037	011	106	101		.ASCII <11>/FA/
004042	111	114	111		.ASCII /ILI/
004045	116	107	040		.ASCII /NG /
004050	122	105	107		.ASCII /REG/
004053	111	123	124		.ASCII /IST/
004056	105	122	040		.ASCII /ER /
004061	075	040	045		.ASCII /= %/
004064	117	066	045		.ASCII /06%/
004067	101	040	104		.ASCII /A D/
004072	101	124	101		.ASCII /ATA/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

004075	040	075	040	.ASCII	/ = /
004100	045	117	066	.ASCII	/X06/
004103	045	116	000	.ASCII	/XN/<00>
004106	045	116	045	P.ACO: .ASCII	/XN%/
004111	101	011	040	.ASCII	/A/<11>/ /
004114	120	117	122	.ASCII	/POR/
004117	124	040	124	.ASCII	/T T/
004122	131	120	105	.ASCII	/YPE/
004125	040	116	125	.ASCII	/ NU/
004130	115	102	105	.ASCII	/MBE/
004133	122	040	075	.ASCII	/R =/
004136	040	045	117	.ASCII	/ X0/
004141	062	000	000	.ASCII	/2/<00><00>
004144	045	116	045	P.ACR: .ASCII	/XN%/
004147	101	011	040	.ASCII	/A/<11>/ /
004152	120	117	122	.ASCII	/POR/
004155	124	040	123	.ASCII	/T S/
004160	120	105	103	.ASCII	/PEC/
004163	111	106	111	.ASCII	/IFI/
004166	103	040	111	.ASCII	/C I/
004171	116	106	117	.ASCII	/NFO/
004174	072	057	116	.ASCII	/:/<57>/N/
004177	126	057	121	.ASCII	/V/<57>/Q/
004202	102	057	104	.ASCII	/B/<57>/D/
004205	111	057	117	.ASCII	/I/<57>/O/
004210	104	057	115	.ASCII	/D/<57>/M/
004213	120	057	040	.ASCII	/P/<57>/ /
004216	075	040	045	.ASCII	/= %/
004221	117	062	000	.ASCII	/02/<00>
004224	045	116	045	P.ACS: .ASCII	/XN%/
004227	101	011	040	.ASCII	/A/<11>/ /
004232	115	111	103	.ASCII	/MIC/
004235	122	117	040	.ASCII	/RO /
004240	103	117	104	.ASCII	/COD/
004243	105	072	040	.ASCII	/E: /
004246	115	117	104	.ASCII	/MOD/
004251	105	114	040	.ASCII	/EL /
004254	075	040	045	.ASCII	/= %/
004257	117	062	045	.ASCII	/02%/
004262	101	040	040	.ASCII	/A /
004265	040	126	105	.ASCII	/ VE/
004270	122	123	111	.ASCII	/RSI/
004273	117	116	040	.ASCII	/ON /
004276	075	040	045	.ASCII	/= %/
004301	117	062	000	.ASCII	/02/<00>
004304	045	116	045	P.ACT: .ASCII	/XN%/
004307	101	011	040	.ASCII	/A/<11>/ /
004312	116	125	115	.ASCII	/NUM/
004315	102	105	122	.ASCII	/BER/
004320	040	117	106	.ASCII	/ OF/
004323	040	122	105	.ASCII	/ RE/
004326	124	122	111	.ASCII	/TRI/
004331	105	123	040	.ASCII	/ES /
004334	075	045	104	.ASCII	/=%D/
004337	064	000	000	.ASCII	/4/<00><00>
004342	011	127	101	P.ACU: .ASCII	<11>/WA/
004345	111	124	040	.ASCII	/IT /

ZRCFA1
V01.0CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION8-Jul-1983 15:21:53
8-Jul-1983 14:13:00VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

SEQ 51

Page 31

004350	137	040	120	.ASCII	/ P/
004353	117	127	105	.ASCII	/OWE/
004356	122	040	106	.ASCII	/R F/
004361	101	111	114	.ASCII	/AIL/
004364	040	122	105	.ASCII	/ RE/
004367	103	117	126	.ASCII	/COV/
004372	105	122	131	.ASCII	/ERY/
004375	000			.ASCII	<00>
004376	122	103	123	P.ACX:	.ASCII /RCS/
004401	101	040	106	.ASCII	/A F/
004404	101	111	114	.ASCII	/AIL/
004407	105	104	040	.ASCII	/ED /
004412	124	117	040	.ASCII	/TO /
004415	122	105	123	.ASCII	/RES/
004420	120	117	116	.ASCII	/PON/
004423	104	000	000	.ASCII	/D/<00><00>
004426	122	103	111	P.ACW:	.ASCII /RCI/
004431	120	040	106	.ASCII	/P F/
004434	101	111	114	.ASCII	/AIL/
004437	105	104	040	.ASCII	/ED /
004442	124	117	040	.ASCII	/TO /
004445	122	105	123	.ASCII	/RES/
004450	120	117	116	.ASCII	/PON/
004453	104	000	000	.ASCII	/D/<00><00>
004456	124	105	123	P.ACX:	.ASCII /TES/
004461	124	040	120	.ASCII	/T P/
004464	101	124	124	.ASCII	/ATT/
004467	105	122	116	.ASCII	/ERN/
004472	040	105	103	.ASCII	/ EC/
004475	110	117	105	.ASCII	/HOE/
004500	104	040	111	.ASCII	/D I/
004503	116	040	122	.ASCII	/N R/
004506	103	123	101	.ASCII	/CSA/
004511	040	111	123	.ASCII	/ IS/
004514	040	111	116	.ASCII	/ IN/
004517	103	117	122	.ASCII	/COR/
004522	122	105	103	.ASCII	/REC/
004525	124	000	000	.ASCII	/T/<00><00>
004530	126	105	103	P.ACY:	.ASCII /VEC/
004533	124	117	122	.ASCII	/TOR/
004536	040	101	116	.ASCII	/ AN/
004541	104	040	102	.ASCII	/D B/
004544	122	040	114	.ASCII	/R L/
004547	105	126	105	.ASCII	/EVE/
004552	114	040	124	.ASCII	/L T/
004555	105	123	124	.ASCII	/EST/
004560	040	106	101	.ASCII	/ FA/
004563	111	114	125	.ASCII	/ILU/
004566	122	105	000	.ASCII	/RE/<00>
004571	000			.ASCII	<U0>
004572	110	117	123	P.ACZ:	.ASCII /HOS/
004575	124	040	104	.ASCII	/T D/
004600	105	124	105	.ASCII	/ETE/
004603	103	124	105	.ASCII	/CTE/
004606	104	040	124	.ASCII	/D T/
004611	111	115	105	.ASCII	/IME/
004614	040	117	125	.ASCII	/ OU/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

004617	124	040	105	.ASCII	/T E/
004622	122	122	117	.ASCII	/RRO/
004625	122	000	000	.ASCII	/R/<00><00>
004630	122	111	116	P.ADA:	.ASCII /RIN/
004633	107	040	102	.ASCII	/G B/
004636	125	106	106	.ASCII	/UFF/
004641	105	122	123	.ASCII	/ERS/
004644	040	116	117	.ASCII	/ NO/
004647	124	040	103	.ASCII	/T C/
004652	114	105	101	.ASCII	/LEA/
004655	122	105	104	.ASCII	/RED/
004660	040	102	131	.ASCII	/ BY/
004663	040	124	110	.ASCII	/ TH/
004666	105	040	120	.ASCII	/E P/
004671	117	122	124	.ASCII	/ORT/
004674	000	000		.ASCII	<00><00>
004676	123	124	105	P.ADB:	.ASCII /STE/
004701	120	040	122	.ASCII	/P R/
004704	105	101	104	.ASCII	/EAD/
004707	040	104	101	.ASCII	/ DA/
004712	124	101	040	.ASCII	/TA /
004715	104	117	105	.ASCII	/DOE/
004720	123	040	116	.ASCII	/S N/
004723	117	124	040	.ASCII	/OT /
004726	115	101	124	.ASCII	/MAT/
004731	103	110	000	.ASCII	/CH/<00>
004734	120	117	122	P.ADC:	.ASCII /POR/
004737	124	040	106	.ASCII	/T F/
004742	101	124	101	.ASCII	/ATA/
004745	114	040	105	.ASCII	/L E/
004750	122	122	117	.ASCII	/RRO/
004753	122	000	000	.ASCII	/R/<00><00>
004756	111	116	111	P.ADD:	.ASCII /INI/
004761	124	040	123	.ASCII	/T S/
004764	124	105	120	.ASCII	/TEP/
004767	040	122	105	.ASCII	/ RE/
004772	101	104	040	.ASCII	/AD /
004775	105	122	122	.ASCII	/ERR/
005000	117	122	000	.ASCII	/OR/<00>
005003	000			.ASCII	<00>
005004	115	105	115	P.ADE:	.ASCII /MEM/
005007	117	122	131	.ASCII	/ORY/
005012	040	102	125	.ASCII	/ BU/
005015	106	106	105	.ASCII	/FFE/
005020	122	040	104	.ASCII	/R D/
005023	117	105	123	.ASCII	/OES/
005026	040	116	117	.ASCII	/ NO/
005031	124	040	103	.ASCII	/T C/
005034	117	116	124	.ASCII	/ONT/
005037	101	111	116	.ASCII	/AIN/
005042	040	105	130	.ASCII	/ EX/
005045	120	105	103	.ASCII	/PEC/
005050	124	105	104	.ASCII	/TED/
005053	040	104	101	.ASCII	/ DA/
005056	124	101	000	.ASCII	/TA/<00>
005061	000			.ASCII	<00>
005062	104	115	040	P.ADF:	.ASCII /DM /

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

005065	103	117	104	.ASCII	/COD/
005070	105	040	122	.ASCII	/E R/
005073	105	124	125	.ASCII	/ETU/
005076	122	116	105	.ASCII	/RNE/
005101	104	040	106	.ASCII	/D F/
005104	101	111	114	.ASCII	/AIL/
005107	125	122	105	.ASCII	/URE/
005112	040	103	117	.ASCII	/ CO/
005115	104	105	000	.ASCII	/DE/<00>
005120	045	116	045	P.ADG: .ASCII	/XN%/
005123	101	040	040	.ASCII	/A /
005126	040	040	040	.ASCII	/ /
005131	040	040	040	.ASCII	/ /
005134	111	116	124	.ASCII	/INT/
005137	105	122	122	.ASCII	/ERR/
005142	125	120	124	.ASCII	/UPT/
005145	040	101	124	.ASCII	/ AT/
005150	040	126	105	.ASCII	/ VE/
005153	103	075	040	.ASCII	/C= /
005156	045	117	063	.ASCII	/%03/
005161	045	101	040	.ASCII	/ZA /
005164	102	122	040	.ASCII	/BR /
005167	114	105	126	.ASCII	/LEV/
005172	105	114	075	.ASCII	/EL=/
005175	040	045	117	.ASCII	/ %0/
005200	061	000		.ASCII	/1/<00>
005202	045	116	045	P.ADH: .ASCII	/XN%/
005205	101	011	116	.ASCII	/A/<11>/N/
005210	117	040	111	.ASCII	/O I/
005213	116	124	105	.ASCII	/NTE/
005216	122	122	125	.ASCII	/RRU/
005221	120	124	040	.ASCII	/PT /
005224	106	122	117	.ASCII	/FRO/
005227	115	040	120	.ASCII	/M P/
005232	117	122	124	.ASCII	/ORT/
005235	040	057	040	.ASCII	/ /<57>/ /
005240	103	117	116	.ASCII	/CON/
005243	124	122	117	.ASCII	/TRO/
005246	114	114	105	.ASCII	/LLE/
005251	122	000	000	.ASCII	/R/<00><00>
005254	045	116	045	P.ADI: .ASCII	/XN%/
005257	101	011	011	.ASCII	/A/<11><11>
005262	102	122	040	.ASCII	/BR /
005265	114	105	126	.ASCII	/LEV/
005270	105	114	040	.ASCII	/EL /
005273	122	105	103	.ASCII	/REC/
005276	105	111	126	.ASCII	/EIV/
005301	105	104	057	.ASCII	/ED/<57>
005304	124	131	120	.ASCII	/TYP/
005307	105	104	040	.ASCII	/ED /
005312	111	123	040	.ASCII	/IS /
005315	111	116	103	.ASCII	/INC/
005320	117	122	122	.ASCII	/ORR/
005323	105	103	124	.ASCII	/ECT/
005326	040	041	000	.ASCII	/ !/<00>
005331	000			.ASCII	<00>
005332	120	125	122	P.ADJ: .ASCII	/PUR/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

005335	107	105	040	.ASCII	/GE /
005340	101	116	104	.ASCII	/AND/
005343	040	120	117	.ASCII	/ PO/
005346	114	105	040	.ASCII	/LE /
005351	124	105	123	.ASCII	/TES/
005354	124	040	123	.ASCII	/T S/
005357	105	124	040	.ASCII	/ET /
005362	105	122	122	.ASCII	/ERR/
005365	117	122	040	.ASCII	/OR /
005370	102	111	124	.ASCII	/BIT/
005373	040	061	065	.ASCII	/ 15/
005376	000	000		.ASCII	<00><00>
005400	120	125	122	P.ADK:	.ASCII /PUR/
005403	107	105	040	.ASCII	/GE /
005406	101	116	104	.ASCII	/AND/
005411	040	120	117	.ASCII	/ PO/
005414	114	105	040	.ASCII	/LE /
005417	124	105	123	.ASCII	/TES/
005422	124	040	104	.ASCII	/T D/
005425	111	104	040	.ASCII	/ID /
005430	116	117	124	.ASCII	/NOT/
005433	040	123	105	.ASCII	/ SE/
005436	124	040	123	.ASCII	/T S/
005441	124	105	120	.ASCII	/TEP/
005444	040	064	040	.ASCII	/ 4 /
005447	102	111	124	.ASCII	/BIT/
005452	040	061	064	.ASCII	/ 14/
005455	000			.ASCII	<00>
005456	111	116	111	P.ADL:	.ASCII /INI/
005461	124	040	104	.ASCII	/T D/
005464	111	104	040	.ASCII	/ID /
005467	116	117	040	.ASCII	/NO /
005472	103	114	105	.ASCII	/CLE/
005475	101	122	040	.ASCII	/AR /
005500	122	111	116	.ASCII	/RIN/
005503	107	040	102	.ASCII	/G B/
005506	125	106	106	.ASCII	/UFF/
005511	105	122	000	P.ADM:	.ASCII /ER/<00>
005514	106	101	111	.ASCII	/FAI/
005517	114	105	104	.ASCII	/LED/
005522	040	120	117	.ASCII	/ PO/
005525	114	114	111	.ASCII	/LLI/
005530	116	107	040	.ASCII	/NG /
005533	105	122	122	.ASCII	/ERR/
005536	117	122	040	.ASCII	/OR /
005541	111	116	040	.ASCII	/IN /
005544	122	105	123	.ASCII	/RES/
005547	120	117	116	.ASCII	/PON/
005552	103	105	040	.ASCII	/CE /
005555	122	111	116	.ASCII	/RIN/
005560	107	000		P.ADN:	.ASCII /G/<00>
005562	101	126	101	.ASCII	/AVA/
005565	111	114	101	.ASCII	/ILA/
005570	102	114	105	.ASCII	/BLE/
005573	040	103	117	.ASCII	/ CO/
005576	115	115	101	.ASCII	/MMA/
005601	116	104	040	.ASCII	/ND /

ZRCFA1
V01.0
CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

005604	125	120	111	.ASCII	/SPI/	
005607	116	055	104	.ASCII	/N-D/	
005612	117	127	116	.ASCII	/OWN/	
005615	040	106	101	.ASCII	/FA/	
005620	111	114	125	.ASCII	/ILU/	
005623	122	105	000	.ASCII	/RE/<00>	
005626	123	120	111	P.ADO:	.ASCII	/SPI/
005631	116	040	125	.ASCII	/N U/	
005634	120	040	124	.ASCII	/P T/	
005637	105	123	124	.ASCII	/EST/	
005642	040	106	101	.ASCII	/FA/	
005645	111	114	125	.ASCII	/ILU/	
005650	122	105	000	.ASCII	/RE/<00>	
005653	000			.ASCII	<00>	
005654	123	105	121	P.ADP:	.ASCII	/SEQ/
005657	125	105	116	.ASCII	/UEN/	
005662	124	111	101	.ASCII	/TIA/	
005665	114	040	106	.ASCII	/L F/	
005670	117	122	127	.ASCII	/ORW/	
005673	101	122	104	.ASCII	/ARD/	
005676	040	123	105	.ASCII	/SE/	
005701	105	113	040	.ASCII	/EK /	
005704	106	101	111	.ASCII	/FAI/	
005707	114	125	122	.ASCII	/LUR/	
005712	105	000		.ASCII	/E/<00>	
005714	123	105	121	P.ADQ:	.ASCII	/SEQ/
005717	125	105	116	.ASCII	/UEN/	
005722	124	111	101	.ASCII	/TIA/	
005725	114	040	122	.ASCII	/L R/	
005730	105	126	105	.ASCII	/EVE/	
005733	122	123	105	.ASCII	/RSE/	
005736	040	123	105	.ASCII	/SE/	
005741	105	113	040	.ASCII	/EK /	
005744	106	101	111	.ASCII	/FAI/	
005747	114	125	122	.ASCII	/LUR/	
005752	105	000		.ASCII	/E/<00>	
005754	045	116	045	P.ADR:	.ASCII	/XN%/
005757	101	124	111	.ASCII	/ATI/	
005762	115	105	040	.ASCII	/ME /	
005765	105	130	120	.ASCII	/EXP/	
005770	111	122	105	.ASCII	/IRE/	
005773	104	000	000	.ASCII	/D/<00><00>	
005776	045	116	045	P.ADS:	.ASCII	/XN%/
006001	101	106	101	.ASCII	/AFA/	
006004	124	101	114	.ASCII	/TAL/	
006007	040	105	122	.ASCII	/ER/	
006012	122	117	122	.ASCII	/ROR/	
006015	000			.ASCII	<00>	
006016	101	110	105	P.ADT:	.ASCII	/AHE/
006021	101	104	040	.ASCII	/AD /	
006024	101	040	117	.ASCII	/A O/	
006027	106	106	123	.ASCII	/FFS/	
006032	105	124	040	.ASCII	/ET /	
006035	126	101	114	.ASCII	/VAL/	
006040	125	105	040	.ASCII	/UE /	
006043	075	040	045	.ASCII	/= %/	
006046	117	063	000	.ASCII	/03/<00>	

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

006051	000				.ASCII	<00>
006052	101	110	105	P.ACU:	.ASCII	/AHE/
006055	101	104	040		.ASCII	/AD /
006060	102	040	117		.ASCII	/B O/
006063	106	106	123		.ASCII	/FFS/
006066	105	124	040		.ASCII	/ET /
006071	126	101	114		.ASCII	/VAL/
006074	125	105	040		.ASCII	/UE /
006077	075	040	045		.ASCII	/= %/
006102	117	063	000		.ASCII	/03/<00>
006105	000				.ASCII	<00>
006106	101	110	105	P.ADV:	.ASCII	/AHE/
006111	101	104	040		.ASCII	/AD /
006114	103	040	117		.ASCII	/C O/
006117	106	106	123		.ASCII	/FFS/
006122	105	124	040		.ASCII	/ET /
006125	126	101	114		.ASCII	/VAL/
006130	125	105	040		.ASCII	/UE /
006133	075	040	045		.ASCII	/= %/
006136	117	063	000		.ASCII	/03/<00>
006141	000				.ASCII	<00>
006142	101	110	105	P.ADW:	.ASCII	/AHE/
006145	101	104	040		.ASCII	/AD /
006150	104	040	117		.ASCII	/D O/
006153	106	106	123		.ASCII	/FFS/
006156	105	124	040		.ASCII	/ET /
006161	126	101	114		.ASCII	/VAL/
006164	125	105	040		.ASCII	/UE /
006167	075	040	045		.ASCII	/= %/
006172	117	063	000		.ASCII	/03/<00>
006175	000				.ASCII	<00>
006176	116	045	101	P.ADX:	.ASCII	/NZA/
006201	103	125	122		.ASCII	/CUR/
006204	122	105	116		.ASCII	/REN/
006207	124	040	124		.ASCII	/T T/
006212	122	101	103		.ASCII	/RAC/
006215	113	040	075		.ASCII	/K =/
006220	040	045	117		.ASCII	/ %O/
006223	064	045	101		.ASCII	/4XA/
006226	040	116	125		.ASCII	/ NU/
006231	115	102	105		.ASCII	/MBE/
006234	122	040	117		.ASCII	/R O/
006237	106	040	123		.ASCII	/F S/
006242	105	105	113		.ASCII	/EEK/
006245	123	040	075		.ASCII	/S =/
006250	040	045	117		.ASCII	/ %O/
006253	065	000	000		.ASCII	/5/<00><00>
006256	045	116	045	P.ADY:	.ASCII	/XN%/
006261	101	123	124		.ASCII	/AST/
006264	101	122	124		.ASCII	/ART/
006267	111	116	107		.ASCII	/ING/
006272	040	124	122		.ASCII	/ TR/
006275	101	103	113		.ASCII	/ACK/
006300	040	075	040		.ASCII	/ = /
006303	045	117	064		.ASCII	/X04/
006306	045	101	040		.ASCII	/XA /
006311	103	125	122		.ASCII	/CUR/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

006314	122	105	116
006317	124	040	124
006322	122	101	103
006325	113	040	075
006330	040	045	117
006333	064	045	101
006336	040	105	116
006341	104	111	116
006344	107	040	124
006347	122	101	103
006352	113	040	075
006355	040	045	117
006360	064	000	
006362	045	116	045
006365	101	105	116
006370	104	040	120
006373	101	103	113
006376	105	124	040
006401	123	124	101
006404	124	125	123
006407	040	105	122
006412	122	117	122
006415	040	075	040
006420	045	117	066
006423	045	101	040
006426	122	105	106
006431	040	043	040
006434	075	040	045
006437	117	062	000
006442	045	116	045
006445	101	102	125
006450	123	040	101
006453	104	104	122
006456	105	123	123
006461	111	116	107
006464	040	104	101
006467	124	101	040
006472	124	105	123
006475	124	040	105
006500	122	122	117
006503	122	000	000
006506	045	116	045
006511	101	106	101
006514	111	114	111
006517	116	107	040
006522	101	104	104
006525	122	040	075
006530	040	045	117
006533	066	045	101
006536	040	104	101
006541	124	101	040
006544	075	040	045
006547	117	066	045
006552	116	000	
006554	045	116	045
006557	101	102	114
006562	117	103	113

	.ASCII	/REN/
	.ASCII	/T T/
	.ASCII	/RAC/
	.ASCII	/K =/
	.ASCII	/ %0/
	.ASCII	/4%A/
	.ASCII	/ EN/
	.ASCII	/DIN/
	.ASCII	/G T/
	.ASCII	/RAC/
	.ASCII	/K =/
	.ASCII	/ %0/
	.ASCII	/4/<00>
P.ADZ:	.ASCII	/XN%/
	.ASCII	/AEN/
	.ASCII	/D P/
	.ASCII	/ACK/
	.ASCII	/ET /
	.ASCII	/STA/
	.ASCII	/TUS/
	.ASCII	/ ER/
	.ASCII	/ROR/
	.ASCII	/ = /
	.ASCII	/X06/
	.ASCII	/XA /
	.ASCII	/REF/
	.ASCII	/ # /
	.ASCII	/= %/
	.ASCII	/02/<00>
P.AEA:	.ASCII	/XN%/
	.ASCII	/ABU/
	.ASCII	/S A/
	.ASCII	/DDR/
	.ASCII	/ESS/
	.ASCII	/ING/
	.ASCII	/ DA/
	.ASCII	/TA /
	.ASCII	/TES/
	.ASCII	/T E/
	.ASCII	/RRO/
	.ASCII	/R/<00><00>
P.AEB:	.ASCII	/XN%/
	.ASCII	/AFA/
	.ASCII	/ILI/
	.ASCII	/NG /
	.ASCII	/ADD/
	.ASCII	/R =/
	.ASCII	/ %0/
	.ASCII	/6%A/
	.ASCII	/ DA/
	.ASCII	/TA /
	.ASCII	/= %/
	.ASCII	/06%/
	.ASCII	/N/<00>
P.AEC:	.ASCII	/XN%/
	.ASCII	/ABL/
	.ASCII	/OCK/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

006565	040	104	101	.ASCII	/ DA/
006570	124	101	040	.ASCII	/TA /
006573	124	122	101	.ASCII	/TRA/
006576	116	123	106	.ASCII	/NSF/
006601	105	122	040	.ASCII	/ER /
006604	106	101	111	.ASCII	/FAI/
006607	114	105	104	.ASCII	/LED/
006612	000	C00		.ASCII	<00><00>
006614	122	103	062	P.AED:	.ASCII /RC2/
006617	065	040	123		.ASCII /S S/
006622	105	105	113		.ASCII /EEK/
006625	040	106	101		.ASCII / FA/
006630	111	114	125		.ASCII /ILU/
006633	122	105	000		.ASCII /RE/<00>
006636	045	116	045	P.AEE:	.ASCII /%N%/
006641	101	102	114		.ASCII /ABL/
006644	117	103	113		.ASCII /OCK/
006647	040	114	105		.ASCII / LE/
006652	116	107	124		.ASCII /NGT/
006655	110	040	075		.ASCII /H =/
006660	040	045	117		.ASCII / %0/
006663	066	045	116		.ASCII /6%N/
006666	000	000			.ASCII <00><00>
006670	045	116	045	P.AEF:	.ASCII /%N%/
006673	101	110	105		.ASCII /AHE/
006676	101	104	040		.ASCII /AD /
006701	123	127	111		.ASCII /SWI/
006704	124	103	110		.ASCII /TCH/
006707	040	106	101		.ASCII / FA/
006712	111	114	105		.ASCII /ILE/
006715	104	000	000		.ASCII /D/<00><00>
006720	106	101	111	P.AEG:	.ASCII /FAI/
006723	114	111	116		.ASCII /LIN/
006726	107	040	123		.ASCII /G S/
006731	125	122	106		.ASCII /URF/
006734	101	103	105		.ASCII /ACE/
006737	040	075	040		.ASCII / = /
006742	045	117	063		.ASCII /%03/
006745	045	101	040		.ASCII /%A /
006750	124	122	101		.ASCII /TRA/
006753	103	113	040		.ASCII /CK /
006756	043	040	075		.ASCII /# =/
006761	040	045	117		.ASCII / %0/
006764	066	045	116		.ASCII /6%N/
006767	000				.ASCII <00>
006770	122	105	101	P.AEH:	.ASCII /REA/
006773	104	040	123		.ASCII /D S/
006776	105	103	124		.ASCII /ECT/
007001	117	122	040		.ASCII /OR /
007004	106	101	111		.ASCII /FAI/
007007	114	105	104		.ASCII /LED/
007012	000	000			.ASCII <00><00>
007014	101	106	101	P.AEI:	.ASCII /AFA/
007017	111	114	111		.ASCII /ILI/
007022	116	107	040		.ASCII /NG /
007025	040	124	122		.ASCII / TR/
007030	101	103	113		.ASCII /ACK/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

007033	040	043	040	.ASCII	/ # /	
007036	075	040	045	.ASCII	/= %/	
007041	117	066	045	.ASCII	/06%/	
007044	101	040	123	.ASCII	/A S/	
007047	105	103	124	.ASCII	/ECT/	
007052	117	122	040	.ASCII	/OR /	
007055	043	040	075	.ASCII	/# =/	
007060	040	045	117	.ASCII	/ %0/	
007063	066	045	116	.ASCII	/6%N/	
007066	000	000		.ASCII	<00><00>	
007070	127	122	111	P.AEJ:	.ASCII	/WRI/
007073	124	105	040	.ASCII	/TE /	
007076	120	122	117	.ASCII	/PRO/	
007101	124	105	103	.ASCII	/TEC/	
007104	124	040	124	.ASCII	/T T/	
007107	105	123	124	.ASCII	/EST/	
007112	040	106	101	.ASCII	/ FA/	
007115	111	114	105	.ASCII	/ILE/	
007120	104	000		.ASCII	/D/<00>	
007122	105	130	120	P.AEK:	.ASCII	/EXP/
007125	105	103	124	.ASCII	/ECT/	
007130	105	104	040	.ASCII	/ED /	
007133	123	127	040	.ASCII	/SW /	
007136	075	040	117	.ASCII	/= 0/	
007141	106	106	040	.ASCII	/FF /	
007144	040	101	103	.ASCII	/ AC/	
007147	124	125	101	.ASCII	/TUA/	
007152	114	040	123	.ASCII	/L S/	
007155	127	040	075	.ASCII	/W =/	
007160	040	117	116	.ASCII	/ ON/	
007163	040	040	125	.ASCII	/ U/	
007166	116	111	124	.ASCII	/NIT/	
007171	040	043	040	.ASCII	/ # /	
007174	075	040	045	.ASCII	/= %/	
007177	104	063	045	.ASCII	/D3%/	
007202	116	000		.ASCII	/N/<00>	
007204	101	105	130	P.AEL:	.ASCII	/AEX/
007207	120	105	103	.ASCII	/PEC/	
007212	124	105	104	.ASCII	/TED/	
007215	040	123	127	.ASCII	/ SW/	
007220	040	075	040	.ASCII	/ = /	
007223	117	116	040	.ASCII	/ON /	
007226	040	101	103	.ASCII	/ AC/	
007231	124	125	101	.ASCII	/TUA/	
007234	114	040	123	.ASCII	/L S/	
007237	127	040	075	.ASCII	/W =/	
007242	040	117	106	.ASCII	/ OF/	
007245	106	040	040	.ASCII	/F /	
007250	125	116	111	.ASCII	/UNI/	
007253	124	040	043	.ASCII	/T #/	
007256	040	075	040	.ASCII	/ = /	
007261	045	104	063	.ASCII	/XD3/	
007264	045	116	000	.ASCII	/N/<00>	
007267	000			.ASCII	<00>	
007270	045	116	045	P.AEM:	.ASCII	/N%/
007273	101	101	126	.ASCII	/AAV/	
007276	105	122	101	.ASCII	/ERA/	

ZRCFA1
V01.0
CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

007301	107	105	040	.ASCII	/GE /
007304	123	105	105	.ASCII	/SEE/
007307	113	040	124	.ASCII	/K T/
007312	111	115	105	.ASCII	/IME/
007315	040	050	155	.ASCII	/ (m/
007320	163	051	040	.ASCII	/s) /
007323	075	040	045	.ASCII	/= %/
007326	117	062	045	.ASCII	/02%/
007331	101	056	045	.ASCII	/A. %/
007334	117	062	000	.ASCII	/02/<00>
007337	000			.ASCII	<00>
007340	122	103	062	P.AEN:	.ASCII /RC2/
007343	065	040	125		.ASCII /5 U/
007346	116	111	124		.ASCII /NIT/
007351	040	104	117		.ASCII / DO/
007354	105	123	040		.ASCII /ES /
007357	116	117	124		.ASCII /NOT/
007362	040	103	117		.ASCII / CO/
007365	115	105	040		.ASCII /ME /
007370	117	116	114		.ASCII /ONL/
007373	111	116	105		.ASCII /INE/
007376	000	000			.ASCII <00><00>
007400	105	130	137	P.AEO:	.ASCII /EX /
007403	123	125	120		.ASCII /SUB/
007406	137	120	122		.ASCII / PR/
007411	117	107	040		.ASCII /DG /
007414	104	125	120		.ASCII /DUP/
007417	040	103	117		.ASCII / CO/
007422	115	115	101		.ASCII /MMA/
007425	116	104	040		.ASCII /ND /
007430	106	101	111		.ASCII /FAI/
007433	114	125	122		.ASCII /LUR/
007436	105	000			.ASCII /E/<00>
007440	123	105	116	P.AEP:	.ASCII /SEN/
007443	104	137	104		.ASCII /D D/
007446	101	124	101		.ASCII /ATA/
007451	040	104	125		.ASCII / DU/
007454	120	040	103		.ASCII /P C/
007457	117	115	115		.ASCII /OMM/
007462	101	116	104		.ASCII /AND/
007465	040	106	101		.ASCII / FA/
007470	111	114	125		.ASCII /ILU/
007473	122	105	000		.ASCII /RE/<00>
007476	122	105	103	P.AEQ:	.ASCII /REC/
007501	137	104	101		.ASCII / DA/
007504	124	101	040		.ASCII /TA /
007507	104	125	120		.ASCII /DUP/
007512	040	103	117		.ASCII / CO/
007515	115	115	101		.ASCII /MMA/
007520	116	104	040		.ASCII /ND /
007523	106	101	111		.ASCII /FAI/
007526	114	125	122		.ASCII /LUR/
007531	105	000	000		.ASCII /E/<00><00>
007534	045	116	045	P.AES:	.ASCII /%N%/
007537	101	044	106		.ASCII /ASF/
007542	124	114	105		.ASCII /TLE/
007545	122	122	055		.ASCII /RR-/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

007550	040	125	116
007553	122	105	103
007556	117	107	116
007561	111	132	101
007564	102	114	105
007567	040	105	122
007572	122	117	122
007575	040	103	117
007600	104	105	000
007603	000		
007604	045	116	045
007607	101	044	106
007612	124	114	105
007615	122	122	055
007620	040	105	116
007623	126	105	114
007626	117	120	105
007631	057	120	101
007634	103	113	105
007637	124	040	122
007642	105	101	104
007645	040	050	120
007650	101	122	111
007653	124	131	040
007656	117	122	040
007661	124	111	115
007664	105	117	125
007667	124	051	000
007672	045	116	045
007675	101	044	106
007700	124	114	105
007703	122	122	055
007706	040	105	116
007711	126	105	114
007714	117	120	105
007717	057	120	101
007722	103	113	105
007725	124	040	127
007730	122	111	124
007733	105	040	050
007736	120	101	122
007741	111	124	131
007744	040	117	122
007747	040	124	111
007752	115	105	117
007755	125	124	051
007760	000	000	
007762	045	116	045
007765	101	044	106
007770	124	114	105
007773	122	122	055
007776	040	103	117
010001	116	124	122
010004	117	114	114
010007	105	122	040
010012	122	117	115
010015	040	101	116

P.AET:

P.AEU:

P.AEV:

.ASCII	/ UN/
.ASCII	/REC/
.ASCII	/OGN/
.ASCII	/IZA/
.ASCII	/BLE/
.ASCII	/ ER/
.ASCII	/ROR/
.ASCII	/ CO/
.ASCII	/DE/<00>
.ASCII	<00>
.ASCII	/XN%/
.ASCII	/ASF/
.ASCII	/TLE/
.ASCII	/RR-/
.ASCII	/ EN/
.ASCII	/VEL/
.ASCII	/OPE/
.ASCII	<57>/PA/
.ASCII	/CKE/
.ASCII	/T R/
.ASCII	/EAD/
.ASCII	/ (P/
.ASCII	/ARI/
.ASCII	/TY /
.ASCII	/OR /
.ASCII	/TIM/
.ASCII	/EQU/
.ASCII	/T)/<00>
.ASCII	/XN%/
.ASCII	/ASF/
.ASCII	/TLE/
.ASCII	/RR-/
.ASCII	/ EN/
.ASCII	/VEL/
.ASCII	/OPE/
.ASCII	<57>/PA/
.ASCII	/CKE/
.ASCII	/T W/
.ASCII	/RIT/
.ASCII	/E (/
.ASCII	/PAR/
.ASCII	/ITY/
.ASCII	/ OR/
.ASCII	/ TI/
.ASCII	/MEO/
.ASCII	/UT)/
.ASCII	<00><00>
.ASCII	/XN%/
.ASCII	/ASF/
.ASCII	/TLE/
.ASCII	/RR-/
.ASCII	/ CO/
.ASCII	/NTR/
.ASCII	/OLL/
.ASCII	/ER /
.ASCII	/ROM/
.ASCII	/ AN/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

010020	104	040	122	.ASCII	/D R/
010023	101	115	040	.ASCII	/AM /
010026	120	101	122	.ASCII	/PAR/
010031	111	124	131	.ASCII	/ITY/
010034	000	000		.ASCII	<00><00>
010036	045	116	045	P.AEW:	.ASCII /XN%/
010041	101	044	106	.ASCII	/ASF/
010044	124	114	105	.ASCII	/TLE/
010047	122	122	055	.ASCII	/RR-/
010052	040	103	117	.ASCII	/ CO/
010055	116	124	122	.ASCII	/NTR/
010060	117	114	114	.ASCII	/OLL/
010063	105	122	040	.ASCII	/ER /
010066	122	101	115	.ASCII	/RAM/
010071	040	120	101	.ASCII	/ PA/
010074	122	111	124	.ASCII	/RIT/
010077	131	000	000	.ASCII	/Y/<00><00>
010102	045	116	045	P.AEX:	.ASCII /XN%/
010105	101	044	106	.ASCII	/ASF/
010110	124	114	105	.ASCII	/TLE/
010113	122	122	055	.ASCII	/RR-/
010116	040	103	117	.ASCII	/ CO/
010121	116	124	122	.ASCII	/NTR/
010124	117	114	114	.ASCII	/OLL/
010127	105	122	040	.ASCII	/ER /
010132	122	117	115	.ASCII	/ROM/
010135	040	120	101	.ASCII	/ PA/
010140	122	111	124	.ASCII	/RIT/
010143	131	000	000	.ASCII	/Y/<00><00>
010146	045	116	045	P.AEY:	.ASCII /XN%/
010151	101	044	106	.ASCII	/ASF/
010154	124	114	105	.ASCII	/TLE/
010157	122	122	055	.ASCII	/RR-/
010162	040	122	111	.ASCII	/ RI/
010165	116	107	040	.ASCII	/NG /
010170	122	105	101	.ASCII	/REA/
010173	104	040	050	.ASCII	/D (/
010176	120	101	122	.ASCII	/PAR/
010201	111	124	131	.ASCII	/ITY/
010204	040	117	122	.ASCII	/ OR/
010207	040	124	111	.ASCII	/ TI/
010212	115	105	117	.ASCII	/MEO/
010215	125	124	051	.ASCII	/UT)/
010220	000	000		.ASCII	<00><00>
010222	045	116	045	P.AEZ:	.ASCII /XN%/
010225	101	044	106	.ASCII	/ASF/
010230	124	114	105	.ASCII	/TLE/
010233	122	122	055	.ASCII	/RR-/
010236	040	122	111	.ASCII	/ RI/
010241	116	107	040	.ASCII	/NG /
010244	127	122	111	.ASCII	/WRI/
010247	124	105	040	.ASCII	/TE /
010252	050	120	101	.ASCII	/(PA/
010255	122	111	124	.ASCII	/RIT/
010260	131	040	117	.ASCII	/Y O/
010263	122	040	124	.ASCII	/R T/
010266	111	115	105	.ASCII	/IME/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

010271	117	125	124	.ASCII	/OUT/	
010274	051	000		.ASCII	/)/<00>	
010276	045	116	045	P.AFA:	.ASCII	/XN%/
010301	101	044	106	.ASCII	/ASF/	
010304	124	114	105	.ASCII	/TLE/	
010307	122	122	055	.ASCII	/RR-/	
010312	040	111	116	.ASCII	/ IN/	
010315	124	105	122	.ASCII	/TER/	
010320	122	125	120	.ASCII	/RUP/	
010323	124	040	115	.ASCII	/T M/	
010326	101	123	124	.ASCII	/AST/	
010331	105	122	000	.ASCII	/ER/<00>	
010334	045	116	045	P.AFB:	.ASCII	/XN%/
010337	101	044	106	.ASCII	/ASF/	
010342	124	114	105	.ASCII	/TLE/	
010345	122	122	055	.ASCII	/RR-/	
010350	040	110	117	.ASCII	/ HO/	
010353	123	124	040	.ASCII	/ST /	
010356	101	103	103	.ASCII	/ACC/	
010361	105	123	123	.ASCII	/ESS/	
010364	040	124	111	.ASCII	/ TI/	
010367	115	105	117	.ASCII	/MEO/	
010372	125	124	000	.ASCII	/UT/<00>	
010375	000			.ASCII	<00>	
010376	045	116	045	P.AFC:	.ASCII	/XN%/
010401	101	044	106	.ASCII	/ASF/	
010404	124	114	105	.ASCII	/TLE/	
010407	122	122	055	.ASCII	/RR-/	
010412	040	103	122	.ASCII	/ CR/	
010415	105	104	111	.ASCII	/EDI/	
010420	124	040	114	.ASCII	/T L/	
010423	111	115	111	.ASCII	/IMI/	
010426	124	040	105	.ASCII	/T E/	
010431	130	103	105	.ASCII	/XCE/	
010434	105	104	105	.ASCII	/EDE/	
010437	104	000	000	.ASCII	/D/<00><00>	
010442	045	116	045	P.AFD:	.ASCII	/XN%/
010445	101	044	106	.ASCII	/ASF/	
010450	124	114	105	.ASCII	/TLE/	
010453	122	122	055	.ASCII	/RR-/	
010456	040	102	125	.ASCII	/ BU/	
010461	123	040	115	.ASCII	/S M/	
010464	101	123	124	.ASCII	/AST/	
010467	105	122	040	.ASCII	/ER /	
010472	105	122	122	.ASCII	/ERR/	
010475	117	122	000	.ASCII	/OR/<00>	
010500	045	116	045	P.AFE:	.ASCII	/XN%/
010503	101	044	106	.ASCII	/ASF/	
010506	124	114	105	.ASCII	/TLE/	
010511	122	122	055	.ASCII	/RR-/	
010514	040	104	111	.ASCII	/ DI/	
010517	101	107	116	.ASCII	/AGN/	
010522	117	123	124	.ASCII	/OST/	
010525	111	103	040	.ASCII	/IC /	
010530	103	117	116	.ASCII	/CON/	
010533	124	122	117	.ASCII	/TRO/	
010536	114	114	105	.ASCII	/LLE/	

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

010541	122	040	106	.ASCII	/R F/	
010544	101	124	101	.ASCII	/ATA/	
010547	114	040	105	.ASCII	/L E/	
010552	122	122	117	.ASCII	/RRO/	
010555	122	000	000	.ASCII	/R/<00><00>	
010560	045	116	045	P.AFF:	.ASCII	/XN%/
010563	101	044	106	.ASCII	/ASF/	
010566	124	114	105	.ASCII	/TLE/	
010571	122	122	055	.ASCII	/RR-/	
010574	040	111	116	.ASCII	/ IN/	
010577	123	124	122	.ASCII	/STR/	
010602	125	103	124	.ASCII	/UCT/	
010605	111	117	116	.ASCII	/ION/	
010610	040	114	117	.ASCII	/ LO/	
010613	117	120	040	.ASCII	/OP /	
010616	124	111	115	.ASCII	/TIM/	
010621	105	117	125	.ASCII	/EQU/	
010624	124	000		.ASCII	/T/<00>	
010626	045	116	045	P.AFG:	.ASCII	/XN%/
010631	101	044	106	.ASCII	/ASF/	
010634	124	114	105	.ASCII	/TLE/	
010637	122	122	055	.ASCII	/RR-/	
010642	040	111	116	.ASCII	/ IN/	
010645	126	101	114	.ASCII	/VAL/	
010650	111	104	040	.ASCII	/ID /	
010653	103	117	116	.ASCII	/CON/	
010656	116	105	103	.ASCII	/NEC/	
010661	124	111	117	.ASCII	/TIO/	
010664	116	040	111	.ASCII	/N I/	
010667	104	105	116	.ASCII	/DEN/	
010672	124	111	106	.ASCII	/TIF/	
010675	111	105	122	.ASCII	/IER/	
010700	000	000		.ASCII	<00><00>	
010702	045	116	045	P.AFH:	.ASCII	/XN%/
010705	101	044	106	.ASCII	/ASF/	
010710	124	114	105	.ASCII	/TLE/	
010713	122	122	055	.ASCII	/RR-/	
010716	040	111	116	.ASCII	/ IN/	
010721	124	105	122	.ASCII	/TER/	
010724	122	125	120	.ASCII	/RUP/	
010727	124	040	127	.ASCII	/T W/	
010732	122	111	124	.ASCII	/RIT/	
010735	105	000	000	.ASCII	/E/<00><00>	
010740	045	116	045	P.AFI:	.ASCII	/XN%/
010743	101	044	106	.ASCII	/ASF/	
010746	124	114	105	.ASCII	/TLE/	
010751	122	122	055	.ASCII	/RR-/	
010754	040	115	101	.ASCII	/ MA/	
010757	111	116	124	.ASCII	/INT/	
010762	105	116	101	.ASCII	/ENA/	
010765	116	103	105	.ASCII	/NCE/	
010770	040	122	105	.ASCII	/ RE/	
010773	101	104	057	.ASCII	/AD/<57>	
010776	127	122	111	.ASCII	/WRI/	
011001	124	105	040	.ASCII	/TE /	
011004	111	116	126	.ASCII	/INV/	
011007	101	114	111	.ASCII	/ALI/	

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

011012	104	040	122	.ASCII	/D R/
011015	105	107	111	.ASCII	/EGI/
011020	117	116	040	.ASCII	/ON /
011023	111	104	105	.ASCII	/IDE/
011026	116	124	111	.ASCII	/NTI/
011031	106	111	105	.ASCII	/FIE/
011034	122	000		.ASCII	/R/<00>
011036	045	116	045	P.AFJ: .ASCII	/XN%/
011041	101	044	106	.ASCII	/ASF/
011044	124	114	105	.ASCII	/TLE/
011047	122	122	055	.ASCII	/RR-/
011052	040	115	101	.ASCII	/ MA/
011055	111	116	124	.ASCII	/INT/
011060	105	116	101	.ASCII	/ENA/
011063	116	103	105	.ASCII	/NCE/
011066	040	127	122	.ASCII	/ WR/
011071	111	124	105	.ASCII	/ITE/
011074	040	114	117	.ASCII	/ LO/
011077	101	104	040	.ASCII	/AD /
011102	124	117	040	.ASCII	/TO /
011105	116	117	116	.ASCII	/NON/
011110	055	114	117	.ASCII	/-LO/
011113	101	104	101	.ASCII	/ADA/
011116	102	114	105	.ASCII	/BLE/
011121	040	103	117	.ASCII	/ CO/
011124	116	124	122	.ASCII	/NTR/
011127	117	114	114	.ASCII	/OLL/
011132	105	122	000	.ASCII	/ER/<00>
011135	000			.ASCII	<00>
011136	045	116	045	P.AFK: .ASCII	/XN%/
011141	101	044	106	.ASCII	/ASF/
011144	124	114	105	.ASCII	/TLE/
011147	122	122	055	.ASCII	/RR-/
011152	040	103	117	.ASCII	/ CO/
011155	116	124	122	.ASCII	/NTR/
011160	117	114	114	.ASCII	/OLL/
011163	105	122	040	.ASCII	/ER /
011166	122	101	115	.ASCII	/RAM/
011171	040	105	122	.ASCII	/ ER/
011174	122	117	122	.ASCII	/ROR/
011177	040	050	116	.ASCII	/ (N/
011202	117	116	055	.ASCII	/ON-/
011205	120	101	122	.ASCII	/PAR/
011210	111	124	131	.ASCII	/ITY/
011213	051	000	000	.ASCII	/)/<00><00>
011216	045	116	045	P.AFL: .ASCII	/XN%/
011221	101	044	106	.ASCII	/ASF/
011224	124	114	105	.ASCII	/TLE/
011227	122	122	055	.ASCII	/RR-/
011232	040	111	116	.ASCII	/ IN/
011235	111	124	040	.ASCII	/IT /
011240	123	105	121	.ASCII	/SEQ/
011243	125	105	116	.ASCII	/UEN/
011246	103	105	040	.ASCII	/CE /
011251	105	122	122	.ASCII	/ERR/
011254	117	122	000	.ASCII	/OR/<00>
011257	000			.ASCII	<00>

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

011260	045	116	045	P.AFM:	.ASCII	/XN%/
011263	101	044	106		.ASCII	/ASF/
011266	124	114	105		.ASCII	/TLE/
011271	122	122	055		.ASCII	/RR-/
011274	040	110	111		.ASCII	/HI/
011277	107	110	040		.ASCII	/GH /
011302	114	105	126		.ASCII	/LEV/
011305	105	114	040		.ASCII	/EL /
011310	120	122	117		.ASCII	/PRO/
011313	124	117	103		.ASCII	/TOC/
011316	117	114	040		.ASCII	/OL /
011321	111	116	103		.ASCII	/INC/
011324	117	115	120		.ASCII	/OMP/
011327	101	124	111		.ASCII	/ATI/
011332	102	111	114		.ASCII	/BIL/
011335	111	124	131		.ASCII	/ITY/
011340	040	105	122		.ASCII	/ER/
011343	122	117	122		.ASCII	/ROR/
011346	000	000			.ASCII	<00><00>
011350	045	116	045	P.AFN:	.ASCII	/XN%/
011353	101	044	106		.ASCII	/ASF/
011356	124	114	105		.ASCII	/TLE/
011361	122	122	055		.ASCII	/RR-/
011364	040	120	125		.ASCII	/PU/
011367	122	107	105		.ASCII	/RGE/
011372	057	120	117		.ASCII	<57>/PO/
011375	114	114	040		.ASCII	/LL /
011400	110	101	122		.ASCII	/HAR/
011403	104	127	101		.ASCII	/DWA/
011406	122	105	040		.ASCII	/RE /
011411	106	101	111		.ASCII	/FAI/
011414	114	125	122		.ASCII	/LUR/
011417	105	040	000	P.AFO:	.ASCII	/E /<00>
011422	045	116	045		.ASCII	/XN%/
011425	101	044	106		.ASCII	/ASF/
011430	124	114	105		.ASCII	/TLE/
011433	122	122	055		.ASCII	/RR-/
011436	040	115	101		.ASCII	/MA/
011441	120	120	111		.ASCII	/PPI/
011444	116	107	040		.ASCII	/NG /
011447	122	105	107		.ASCII	/REG/
011452	111	123	124		.ASCII	/IST/
011455	105	122	040		.ASCII	/ER /
011460	122	105	101		.ASCII	/REA/
011463	104	040	105		.ASCII	/D E/
011466	122	122	117		.ASCII	/RRO/
011471	122	040	050		.ASCII	/R (/
011474	120	101	122		.ASCII	/PAR/
011477	111	124	131		.ASCII	/ITY/
011502	040	117	122		.ASCII	/OR/
011505	040	124	111		.ASCII	/TI/
011510	115	105	117		.ASCII	/MEO/
011513	125	124	051		.ASCII	/UT)/
011516	000	000			.ASCII	<00><00>
011520	007534'			P.AER:	.WORD	P.AES
011522	007604'				.WORD	P.AET
011524	007672'				.WORD	P.AEU

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

011526	007762'				.WORD	P.AEV
011530	010036'				.WORD	P.AEW
011532	010102'				.WORD	P.AEX
011534	010146'				.WORD	P.AEY
011536	010222'				.WORD	P.AEZ
011540	010276'				.WORD	P.AFA
011542	010334'				.WORD	P.AFB
011544	010376'				.WORD	P.AFC
011546	010442'				.WORD	P.AFD
011550	010500'				.WORD	P.AFE
011552	010560'				.WORD	P.AFF
011554	010626'				.WORD	P.AFG
011556	010702'				.WORD	P.AFH
011560	010740'				.WORD	P.AFI
011562	011036'				.WORD	P.AFJ
011564	011136'				.WORD	P.AFK
011566	011216'				.WORD	P.AFL
011570	011260'				.WORD	P.AFM
011572	011350'				.WORD	P.AFN
011574	011422'				.WORD	P.AFO
011576	045	116	045	P.AFQ:	.ASCII	/XN%/
011601	101	044	106		.ASCII	/ASF/
011604	124	114	105		.ASCII	/TLE/
011607	122	122	055		.ASCII	/RR-/
011612	040	122	105		.ASCII	/RE/
011615	123	120	117		.ASCII	/SPO/
011620	116	123	105		.ASCII	/NSE/
011623	040	123	124		.ASCII	/ST/
011626	101	124	125		.ASCII	/ATU/
011631	123	040	105		.ASCII	/S E/
011634	122	122	117		.ASCII	/RRO/
011637	122	072	045		.ASCII	/R:%/
011642	123	000			.ASCII	/S/<00>
011644	045	116	045	P.AFR:	.ASCII	/XN%/
011647	101	044	106		.ASCII	/ASF/
011652	124	114	105		.ASCII	/TLE/
011655	122	122	055		.ASCII	/RR-/
011660	040	123	125		.ASCII	/SU/
011663	120	105	122		.ASCII	/PER/
011666	126	111	123		.ASCII	/VIS/
011671	117	122	040		.ASCII	/OR /
011674	123	105	122		.ASCII	/SER/
011677	126	111	103		.ASCII	/VIC/
011702	105	040	103		.ASCII	/E C/
011705	101	114	114		.ASCII	/ALL/
011710	040	106	101		.ASCII	/FA/
011713	111	114	105		.ASCII	/ILE/
011716	104	000			.ASCII	/D/<00>
011720	045	116	045	P.AFS:	.ASCII	/XN%/
011723	101	044	106		.ASCII	/ASF/
011726	124	114	105		.ASCII	/TLE/
011731	122	122	055		.ASCII	/RR-/
011734	040	120	117		.ASCII	/PO/
011737	122	124	057		.ASCII	/RT/<57>
011742	103	117	116		.ASCII	/CON/
011745	124	122	117		.ASCII	/TRO/
011750	114	114	105		.ASCII	/LLE/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

011753	122	040	124	.ASCII	/R T/
011756	111	115	105	.ASCII	/IME/
011761	117	125	124	.ASCII	/OUT/
011764	040	105	122	.ASCII	/ ER/
011767	122	117	122	.ASCII	/ROR/
011772	000	000		.ASCII	<00><00>
011774	045	116	045	P.AFT: .ASCII	/XN%/
011777	101	044	106	.ASCII	/ASF/
012002	124	114	105	.ASCII	/TLE/
012005	122	122	055	.ASCII	/RR-/
012010	040	125	116	.ASCII	/ UN/
012013	113	116	117	.ASCII	/KNO/
012016	127	116	040	.ASCII	/WN /
012021	122	105	124	.ASCII	/RET/
012024	125	122	116	.ASCII	/URN/
012027	040	123	124	.ASCII	/ ST/
012032	101	124	125	.ASCII	/ATU/
012035	123	040	103	.ASCII	/S C/
012040	117	104	105	.ASCII	/ODE/
012043	000			.ASCII	<00>
012044	011576'			P.AFP: .WORD	P.AFQ
012046	011644'			.WORD	P.AFR
012050	011720'			.WORD	P.AFS
012052	011774'			.WORD	P.AFT
012054	045	116	045	P.AFV: .ASCII	/XN%/
012057	101	044	106	.ASCII	/ASF/
012062	124	114	105	.ASCII	/TLE/
012065	122	122	055	.ASCII	/RR-/
012070	040	126	101	.ASCII	/ VA/
012073	130	040	122	.ASCII	/X R/
012076	105	101	104	.ASCII	/EAD/
012101	057	127	122	.ASCII	<57>/WR/
012104	111	124	105	.ASCII	/ITE/
012107	040	105	122	.ASCII	/ ER/
012112	122	117	122	.ASCII	/ROR/
012115	040	117	116	.ASCII	/ ON/
012120	040	111	116	.ASCII	/ IN/
012123	124	105	122	.ASCII	/TER/
012126	122	125	120	.ASCII	/RUP/
012131	124	000	000	.ASCII	/T/<00><00>
012134	045	116	045	P.AFW: .ASCII	/XN%/
012137	101	044	106	.ASCII	/ASF/
012142	124	114	105	.ASCII	/TLE/
012145	122	122	055	.ASCII	/RR-/
012150	040	111	116	.ASCII	/ IN/
012153	103	117	116	.ASCII	/CON/
012156	123	111	123	.ASCII	/SIS/
012161	124	105	116	.ASCII	/TEN/
012164	103	131	040	.ASCII	/CY /
012167	101	124	040	.ASCII	/AT /
012172	125	056	102	.ASCII	/U.B/
012175	106	111	114	.ASCII	/FIL/
012200	000	000		.ASCII	<00><00>
012202	045	116	045	P.AFX: .ASCII	/XN%/
012205	101	044	106	.ASCII	/ASF/
012210	124	114	105	.ASCII	/TLE/
012213	122	122	055	.ASCII	/RR-/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

012216	040	111	116	.ASCII	/ IN/
012221	103	117	116	.ASCII	/CON/
012224	123	111	123	.ASCII	/SIS/
012227	124	105	116	.ASCII	/TEN/
012232	103	131	040	.ASCII	/CY /
012235	101	124	040	.ASCII	/AT /
012240	125	056	102	.ASCII	/U.B/
012243	115	124	131	.ASCII	/MTY/
012246	000	000		.ASCII	<00><00>
012250	045	116	045	P.AFY: .ASCII	/XN%/
012253	101	044	106	.ASCII	/ASF/
012256	124	114	105	.ASCII	/TLE/
012261	122	122	055	.ASCII	/RR-/
012264	040	111	116	.ASCII	/ IN/
012267	103	117	116	.ASCII	/CON/
012272	123	111	123	.ASCII	/SIS/
012275	124	105	116	.ASCII	/TEN/
012300	103	131	040	.ASCII	/CY /
012303	101	124	040	.ASCII	/AT /
012306	125	056	101	.ASCII	/U.A/
012311	114	117	103	.ASCII	/LOC/
012314	000	000		.ASCII	<00><00>
012316	045	116	045	P.AFZ: .ASCII	/XN%/
012321	101	044	106	.ASCII	/ASF/
012324	124	114	105	.ASCII	/TLE/
012327	122	122	055	.ASCII	/RR-/
012332	040	111	116	.ASCII	/ IN/
012335	103	117	116	.ASCII	/CON/
012340	123	111	123	.ASCII	/SIS/
012343	124	105	116	.ASCII	/TEN/
012346	103	131	040	.ASCII	/CY /
012351	101	124	040	.ASCII	/AT /
012354	123	105	122	.ASCII	/SER/
012357	126	117	040	.ASCII	/VO /
012362	105	116	124	.ASCII	/ENT/
012365	122	131	040	.ASCII	/RY /
012370	050	120	111	.ASCII	/(PI/
012373	120	040	123	.ASCII	/P S/
012376	105	124	051	.ASCII	/ET)/
012401	000			.ASCII	<00>
012402	045	116	045	P.AGA: .ASCII	/XN%/
012405	101	044	106	.ASCII	/ASF/
012410	124	114	105	.ASCII	/TLE/
012413	122	122	055	.ASCII	/RR-/
012416	040	111	116	.ASCII	/ IN/
012421	103	117	116	.ASCII	/CON/
012424	123	111	123	.ASCII	/SIS/
012427	124	105	116	.ASCII	/TEN/
012432	103	131	040	.ASCII	/CY /
012435	101	124	040	.ASCII	/AT /
012440	123	105	122	.ASCII	/SER/
012443	126	117	040	.ASCII	/VO /
012446	105	116	124	.ASCII	/ENT/
012451	122	131	040	.ASCII	/RY /
012454	050	105	122	.ASCII	/(ER/
012457	122	040	123	.ASCII	/R S/
012462	105	124	051	.ASCII	/ET)/

ZRCFA1
V01.0 CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

012465	000				.ASCII	<00>
012466	045	116	045	P.AGB:	.ASCII	/XNZ/
012471	101	044	106		.ASCII	/ASF/
012474	124	114	105		.ASCII	/TLE/
012477	122	122	055		.ASCII	/RR-/
012502	040	111	116		.ASCII	/ IN/
012505	103	117	116		.ASCII	/CON/
012510	123	111	123		.ASCII	/SIS/
012513	124	105	116		.ASCII	/TEN/
012516	103	131	040		.ASCII	/CY /
012521	101	124	040		.ASCII	/AT /
012524	125	056	123		.ASCII	/U.S/
012527	105	116	104		.ASCII	/END/
012532	000	000			.ASCII	<00><00>
012534	045	116	045	P.AGC:	.ASCII	/XNZ/
012537	101	044	106		.ASCII	/ASF/
012542	124	114	105		.ASCII	/TLE/
012545	122	122	055		.ASCII	/RR-/
012550	040	111	116		.ASCII	/ IN/
012553	103	117	116		.ASCII	/CON/
012556	123	111	123		.ASCII	/SIS/
012561	124	105	116		.ASCII	/TEN/
012564	103	131	040		.ASCII	/CY /
012567	101	124	040		.ASCII	/AT /
012572	125	056	122		.ASCII	/U.R/
012575	105	103	126		.ASCII	/ECV/
012600	000	000			.ASCII	<00><00>
012602	045	116	045	P.AGD:	.ASCII	/XNZ/
012605	101	044	106		.ASCII	/ASF/
012610	124	114	105		.ASCII	/TLE/
012613	122	122	055		.ASCII	/RR-/
012616	040	111	116		.ASCII	/ IN/
012621	103	117	116		.ASCII	/CON/
012624	123	111	123		.ASCII	/SIS/
012627	124	105	116		.ASCII	/TEN/
012632	103	131	040		.ASCII	/CY /
012635	101	124	040		.ASCII	/AT /
012640	125	056	101		.ASCII	/U.A/
012643	124	124	116		.ASCII	/TTN/
012646	000	000			.ASCII	<00><00>
012650	045	116	045	P.AGE:	.ASCII	/XNZ/
012653	101	044	106		.ASCII	/ASF/
012656	124	114	105		.ASCII	/TLE/
012661	122	122	055		.ASCII	/RR-/
012664	040	111	116		.ASCII	/ IN/
012667	103	117	116		.ASCII	/CON/
012672	123	111	123		.ASCII	/SIS/
012675	124	105	116		.ASCII	/TEN/
012700	103	131	040		.ASCII	/CY /
012703	101	124	040		.ASCII	/AT /
012706	125	056	117		.ASCII	/U.O/
012711	116	114	116		.ASCII	/NLN/
012714	000	000			.ASCII	<00><00>
012716	045	116	045	P.AGF:	.ASCII	/XNZ/
012721	101	044	106		.ASCII	/ASF/
012724	124	114	105		.ASCII	/TLE/
012727	122	122	055		.ASCII	/RR-/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

012732	040	111	114	.ASCII	/ IL/
012735	114	105	107	.ASCII	/LEG/
012740	101	114	040	.ASCII	/AL /
012743	104	040	122	.ASCII	/D R/
012746	105	121	125	.ASCII	/EQU/
012751	105	123	124	.ASCII	/EST/
012754	040	050	125	.ASCII	/ (U/
012757	056	121	104	.ASCII	/.QD/
012762	122	121	051	.ASCII	/RQ)/
012765	000			.ASCII	<00>
012766	045	116	045	P.AGG:	.ASCII /%N%/
012771	101	044	106	.ASCII	/ASF/
012774	124	114	105	.ASCII	/TLE/
012777	122	122	055	.ASCII	/RR-/
013002	040	106	105	.ASCII	/ FE/
013005	116	103	105	.ASCII	/NCE/
013010	055	120	117	.ASCII	/-PO/
013013	123	124	040	.ASCII	/ST /
013016	105	122	122	.ASCII	/ERR/
013021	117	122	040	.ASCII	/OR /
013024	101	124	040	.ASCII	/AT /
013027	120	122	117	.ASCII	/PRO/
013032	124	101	102	.ASCII	/TAB/
013035	000			.ASCII	<00>
013036	045	116	045	P.AGH:	.ASCII /%N%/
013041	101	044	106	.ASCII	/ASF/
013044	124	114	105	.ASCII	/TLE/
013047	122	122	055	.ASCII	/RR-/
013052	040	102	101	.ASCII	/ BA/
013055	104	040	120	.ASCII	/D P/
013060	101	103	113	.ASCII	/ACK/
013063	105	124	040	.ASCII	/ET /
013066	104	105	121	.ASCII	/DEQ/
013071	125	105	125	.ASCII	/UEU/
013074	105	104	040	.ASCII	/ED /
013077	101	124	040	.ASCII	/AT /
013102	125	056	104	.ASCII	/U.D/
013105	117	116	105	.ASCII	/ONE/
013110	000	000		.ASCII	<00><00>
013112	045	116	045	P.AGI:	.ASCII /%N%/
013115	101	044	106	.ASCII	/ASF/
013120	124	114	105	.ASCII	/TLE/
013123	122	122	055	.ASCII	/RR-/
013126	040	125	116	.ASCII	/ UN/
013131	105	130	120	.ASCII	/EXP/
013134	114	101	111	.ASCII	/LAI/
013137	116	105	104	.ASCII	/NED/
013142	040	104	055	.ASCII	/ D-/
013145	120	122	117	.ASCII	/PRO/
013150	103	040	123	.ASCII	/C S/
013153	125	123	120	.ASCII	/USP/
013156	105	116	123	.ASCII	/ENS/
013161	111	117	116	.ASCII	/ION/
013164	040	050	125	.ASCII	/ (U/
013167	056	056	124	.ASCII	/.T/
013172	104	123	051	.ASCII	/DS)/
013175	000			.ASCII	<00>

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

013176	045	116	045
013201	101	044	106
013204	124	114	105
013207	122	122	055
013212	040	104	125
013215	120	040	120
013220	101	103	113
013223	105	124	040
013226	104	055	121
013231	040	106	101
013234	111	114	105
013237	104	040	050
013242	130	106	103
013245	040	063	064
013250	057	063	065
013253	051	000	000
013256	045	116	045
013261	101	044	106
013264	124	114	105
013267	122	122	055
013272	040	111	116
013275	103	117	116
013300	123	111	123
013303	124	105	116
013306	103	131	040
013311	101	124	040
013314	125	056	110
013317	124	123	124
013322	000	000	
013324	045	116	045
013327	101	044	106
013332	124	114	105
013335	122	122	055
013340	040	111	116
013343	103	117	116
013346	123	111	123
013351	124	105	116
013354	103	131	040
013357	101	124	040
013362	125	056	123
013365	105	113	117
013370	000	000	
013372	045	116	045
013375	101	044	106
013400	124	114	105
013403	122	122	055
013406	040	111	116
013411	103	117	116
013414	123	111	123
013417	124	105	116
013422	103	131	040
013425	101	124	040
013430	125	056	103
013433	113	123	126
013436	000	000	
013440	045	116	045
013443	101	044	106

P.AGJ:	.ASCII	/XNZ/
	.ASCII	/ASF/
	.ASCII	/TLE/
	.ASCII	/RR-/
	.ASCII	/ DU/
	.ASCII	/P P/
	.ASCII	/ACK/
	.ASCII	/ET /
	.ASCII	/D-Q/
	.ASCII	/ FA/
	.ASCII	/ILE/
	.ASCII	/D (/
	.ASCII	/XFC/
	.ASCII	/ 34/
	.ASCII	<57>/35/
	.ASCII	/)/<00><00>
P.AGK:	.ASCII	/XNZ/
	.ASCII	/ASF/
	.ASCII	/TLE/
	.ASCII	/RR-/
	.ASCII	/ IN/
	.ASCII	/CON/
	.ASCII	/SIS/
	.ASCII	/TEN/
	.ASCII	/CY /
	.ASCII	/AT /
	.ASCII	/U.H/
	.ASCII	/TST/
	.ASCII	<00><00>
P.AGL:	.ASCII	/XNZ/
	.ASCII	/ASF/
	.ASCII	/TLE/
	.ASCII	/RR-/
	.ASCII	/ IN/
	.ASCII	/CON/
	.ASCII	/SIS/
	.ASCII	/TEN/
	.ASCII	/CY /
	.ASCII	/AT /
	.ASCII	/U.S/
	.ASCII	/EKO/
	.ASCII	<00><00>
P.AGM:	.ASCII	/XNZ/
	.ASCII	/ASF/
	.ASCII	/TLE/
	.ASCII	/RR-/
	.ASCII	/ IN/
	.ASCII	/CON/
	.ASCII	/SIS/
	.ASCII	/TEN/
	.ASCII	/CY /
	.ASCII	/AT /
	.ASCII	/U.C/
	.ASCII	/KSV/
	.ASCII	<00><00>
P.AGN:	.ASCII	/XNZ/
	.ASCII	/ASF/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

013446	124	114	105	.ASCII	/TLE/
013451	122	122	055	.ASCII	/RR-/
013454	040	104	056	.ASCII	/ D./
013457	117	120	103	.ASCII	/OPC/
013462	104	040	106	.ASCII	/D F/
013465	117	125	116	.ASCII	/OUN/
013470	104	040	111	.ASCII	/D I/
013473	114	114	105	.ASCII	/LLE/
013476	107	101	114	.ASCII	/GAL/
013501	040	117	120	.ASCII	/ OP/
013504	103	117	104	.ASCII	/COD/
013507	105	000	000	.ASCII	/E/<00><00>
013512	045	116	045	P.AGO: .ASCII	/XN%/
013515	101	044	106	.ASCII	/ASF/
013520	124	114	105	.ASCII	/TLE/
013523	122	122	055	.ASCII	/RR-/
013526	040	104	056	.ASCII	/ D./
013531	103	123	106	.ASCII	/CSF/
013534	040	106	117	.ASCII	/ FO/
013537	125	116	104	.ASCII	/UND/
013542	040	111	114	.ASCII	/ IL/
013545	114	105	107	.ASCII	/LEG/
013550	101	114	040	.ASCII	/AL /
013553	117	120	103	.ASCII	/OPC/
013556	117	104	105	.ASCII	/ODE/
013561	000			.ASCII	<00>
013562	045	116	045	P.AGP: .ASCII	/XN%/
013565	101	044	106	.ASCII	/ASF/
013570	124	114	105	.ASCII	/TLE/
013573	122	122	055	.ASCII	/RR-/
013576	040	125	116	.ASCII	/ UN/
013601	113	116	117	.ASCII	/KNO/
013604	127	116	040	.ASCII	/WN /
013607	102	101	104	.ASCII	/BAD/
013612	040	104	122	.ASCII	/ DR/
013615	111	126	105	.ASCII	/IVE/
013620	040	123	124	.ASCII	/ ST/
013623	101	124	125	.ASCII	/ATU/
013626	123	040	101	.ASCII	/S A/
013631	124	040	104	.ASCII	/T D/
013634	056	104	123	.ASCII	/.DS/
013637	124	123	000	.ASCII	/TS/<00>
013642	045	116	045	P.AGQ: .ASCII	/XN%/
013645	101	044	106	.ASCII	/ASF/
013650	124	114	105	.ASCII	/TLE/
013653	122	122	055	.ASCII	/RR-/
013656	040	111	114	.ASCII	/ IL/
013661	114	105	107	.ASCII	/LEG/
013664	101	114	040	.ASCII	/AL /
013667	130	106	103	.ASCII	/XFC/
013672	040	105	130	.ASCII	/ EX/
013675	105	103	125	.ASCII	/ECU/
013700	124	105	104	.ASCII	/TED/
013703	040	102	131	.ASCII	/ BY/
013706	040	104	115	.ASCII	/ DM/
013711	000			.ASCII	<00>
013712	045	116	045	P.AGR: .ASCII	/XN%/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

013715	101	044	106	.ASCII	/ASF/
013720	124	114	105	.ASCII	/TLE/
013723	122	122	055	.ASCII	/RR-/
013726	040	104	040	.ASCII	/ D /
013731	120	111	103	.ASCII	/PIC/
013734	113	105	104	.ASCII	/KED/
013737	040	125	120	.ASCII	/ UP/
013742	040	101	040	.ASCII	/ A /
013745	132	105	122	.ASCII	/ZER/
013750	117	040	123	.ASCII	/O S/
013753	103	102	056	.ASCII	/CB./
013756	104	102	000	.ASCII	/DB/<00>
013761	000			.ASCII	<00>
013762	045	116	045	P.AGS: .ASCII	/XN%/
013765	101	044	106	.ASCII	/ASF/
013770	124	114	105	.ASCII	/TLE/
013773	122	122	055	.ASCII	/RR-/
013776	040	111	116	.ASCII	/ IN/
014001	103	117	116	.ASCII	/CON/
014004	123	111	123	.ASCII	/SIS/
014007	124	105	116	.ASCII	/TEN/
014012	103	131	040	.ASCII	/CY /
014015	101	124	040	.ASCII	/AT /
014020	104	040	111	.ASCII	/D I/
014023	104	114	105	.ASCII	/DLE/
014026	040	114	117	.ASCII	/ LO/
014031	117	120	000	.ASCII	/OP/<00>
014034	045	116	045	P.AGT: .ASCII	/XN%/
014037	101	044	106	.ASCII	/ASF/
014042	124	114	105	.ASCII	/TLE/
014045	122	122	055	.ASCII	/RR-/
014050	040	104	115	.ASCII	/ DM/
014053	040	127	117	.ASCII	/ WO/
014056	122	104	040	.ASCII	/RD /
014061	103	117	125	.ASCII	/COU/
014064	116	124	040	.ASCII	/NT /
014067	105	122	122	.ASCII	/ERR/
014072	117	122	040	.ASCII	/OR /
014075	117	116	040	.ASCII	/ON /
014100	110	117	123	.ASCII	/HOS/
014103	124	040	104	.ASCII	/T D/
014106	115	101	057	.ASCII	/MA/<57>
014111	123	105	116	.ASCII	/SEN/
014114	104	057	122	.ASCII	/D/<57>/R/
014117	105	103	126	.ASCII	/ECV/
014122	000	000		.ASCII	<00><00>
014124	045	116	045	P.AGU: .ASCII	/XN%/
014127	101	044	106	.ASCII	/ASF/
014132	124	114	105	.ASCII	/TLE/
014135	122	122	055	.ASCII	/RR-/
014140	040	125	116	.ASCII	/ UN/
014143	113	116	117	.ASCII	/KNO/
014146	127	116	040	.ASCII	/WN /
014151	104	111	123	.ASCII	/DIS/
014154	120	114	101	.ASCII	/PLA/
014157	131	040	106	.ASCII	/Y F/
014162	101	125	114	.ASCII	/AUL/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

014165	124	040	103	.ASCII	/T C/	
014170	117	104	105	.ASCII	/ODE/	
014173	040	101	124	.ASCII	/ AT/	
014176	040	104	056	.ASCII	/ D./	
014201	104	106	114	.ASCII	/DFL/	
014204	124	000		.ASCII	/T/<00>	
014206	045	116	045	P.AGV:	.ASCII	/XNZ/
014211	101	044	106	.ASCII	/ASF/	
014214	124	114	105	.ASCII	/TLE/	
014217	122	122	055	.ASCII	/RR-/	
014222	040	104	122	.ASCII	/ DR/	
014225	111	126	105	.ASCII	/IVF/	
014230	040	116	117	.ASCII	/ NU '	
014233	124	040	106	.ASCII	/T F/	
014236	101	125	114	.ASCII	/AUL/	
014241	124	111	116	.ASCII	/TIN/	
014244	107	040	111	.ASCII	/G I/	
014247	116	040	120	.ASCII	/N P/	
014252	056	117	106	.ASCII	/.OF/	
014255	114	116	040	.ASCII	/LN /	
014260	123	124	101	.ASCII	/STA/	
014263	124	105	000	P.AGW:	.ASCII	/TE/<00>
014266	045	116	045	.ASCII	/XNZ/	
014271	101	044	106	.ASCII	/ASF/	
014274	124	114	105	.ASCII	/TLE/	
014277	122	122	055	.ASCII	/RR-/	
014302	040	125	040	.ASCII	/ U /	
014305	120	117	127	.ASCII	/POW/	
014310	105	122	040	.ASCII	/ER /	
014313	125	120	040	.ASCII	/UP /	
014316	104	111	101	.ASCII	/DIA/	
014321	107	116	117	.ASCII	/GNO/	
014324	123	124	111	.ASCII	/STI/	
014327	103	123	040	.ASCII	/CS /	
014332	106	101	111	.ASCII	/FAI/	
014335	114	105	104	.ASCII	/LED/	
014340	000	000		P.AGX:	.ASCII	<00><00>
014342	045	116	045	.ASCII	/XNZ/	
014345	101	044	106	.ASCII	/ASF/	
014350	124	114	105	.ASCII	/TLE/	
014353	122	122	055	.ASCII	/RR-/	
014356	040	104	040	.ASCII	/ D /	
014361	120	117	127	.ASCII	/POW/	
014364	105	122	040	.ASCII	/ER /	
014367	125	120	040	.ASCII	/UP /	
014372	104	111	101	.ASCII	/DIA/	
014375	107	116	117	.ASCII	/GNO/	
014400	123	124	111	.ASCII	/STI/	
014403	103	123	040	.ASCII	/CS /	
014406	106	101	111	.ASCII	/FAI/	
014411	114	105	104	.ASCII	/LED/	
014414	000	000		P.AGY:	.ASCII	<00><00>
014416	045	116	045	.ASCII	/XNZ/	
014421	101	044	106	.ASCII	/ASF/	
014424	124	114	105	.ASCII	/TLE/	
014427	122	122	055	.ASCII	/RR-/	
014432	040	101	104	.ASCII	/ AD/	

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

014435	101	120	124	.ASCII	/APT/
014440	105	122	040	.ASCII	/ER /
014443	103	101	122	.ASCII	/CAR/
014446	104	040	106	.ASCII	/D F/
014451	101	111	114	.ASCII	/AIL/
014454	125	122	105	.ASCII	/URE/
014457	000			.ASCII	<00>
014460	045	116	045	P.AGZ: .ASCII	/XNZ/
014463	101	044	106	.ASCII	/ASF/
014466	124	114	105	.ASCII	/TLE/
014471	122	122	055	.ASCII	/RR-/
014474	040	105	103	.ASCII	/ EC/
014477	056	124	115	.ASCII	/.TM/
014502	122	040	124	.ASCII	/R T/
014505	111	115	105	.ASCII	/IME/
014510	104	040	117	.ASCII	/D O/
014513	125	124	000	.ASCII	/UT/<00>
014516	045	116	045	P.AHA: .ASCII	/XNZ/
014521	101	044	106	.ASCII	/ASF/
014524	124	114	105	.ASCII	/TLE/
014527	122	122	055	.ASCII	/RR-/
014532	040	125	056	.ASCII	/ U./
014535	123	105	116	.ASCII	/SEN/
014540	104	057	125	.ASCII	/D/<57>/U/
014543	056	122	105	.ASCII	/.RE/
014546	103	126	040	.ASCII	/CV /
014551	122	111	116	.ASCII	/RIN/
014554	107	040	122	.ASCII	/G R/
014557	105	101	104	.ASCII	/EAD/
014562	040	111	116	.ASCII	/ IN/
014565	103	117	116	.ASCII	/CON/
014570	123	111	123	.ASCII	/SIS/
014573	124	105	116	.ASCII	/TEN/
014576	103	131	000	.ASCII	/CY/<00>
014601	000			.ASCII	<00>
014602	045	116	045	P.AHB: .ASCII	/XNZ/
014605	101	044	106	.ASCII	/ASF/
014610	124	114	105	.ASCII	/TLE/
014613	122	122	055	.ASCII	/RR-/
014616	040	125	116	.ASCII	/ UN/
014621	113	116	117	.ASCII	/KNO/
014624	127	116	040	.ASCII	/WN /
014627	127	101	111	.ASCII	/WAI/
014632	124	122	126	.ASCII	/TRV/
014635	040	122	105	.ASCII	/ RE/
014640	101	123	117	.ASCII	/ASO/
014643	116	040	101	.ASCII	/N A/
014646	124	040	104	.ASCII	/T D/
014651	056	122	126	.ASCII	/.RV/
014654	103	124	000	.ASCII	/CT/<00>
014657	000			.ASCII	<00>
014660	045	116	045	P.AHC: .ASCII	/XNZ/
014663	101	044	106	.ASCII	/ASF/
014666	124	114	105	.ASCII	/TLE/
014671	122	122	055	.ASCII	/RR-/
014674	040	104	056	.ASCII	/ D./
014677	101	122	103	.ASCII	/ARC/

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

014702	123	040	104	.ASCII	/S D/	
014705	111	104	040	.ASCII	/ID /	
014710	116	117	124	.ASCII	/NOT/	
014713	040	106	111	.ASCII	/ FI/	
014716	116	104	040	.ASCII	/ND /	
014721	103	114	117	.ASCII	/CLO/	
014724	123	105	123	.ASCII	/SES/	
014727	124	040	125	.ASCII	/T U/	
014732	116	104	117	.ASCII	/NDO/	
014735	116	105	040	.ASCII	/NE /	
014740	132	117	116	.ASCII	/ZON/	
014743	105	000	000	.ASCII	/E/<00><00>	
014746	045	116	045	P.AHD:	.ASCII	/XN%/
014751	101	044	106	.ASCII	/ASF/	
014754	124	114	105	.ASCII	/TLE/	
014757	122	122	055	.ASCII	/RR-/	
014762	040	125	056	.ASCII	/ U./	
014765	123	105	105	.ASCII	/SEE/	
014770	113	040	106	.ASCII	/K F/	
014773	117	125	116	.ASCII	/OUN/	
014776	104	040	123	.ASCII	/D S/	
015001	105	105	113	.ASCII	/EEK/	
015004	040	124	117	.ASCII	/ TO/	
015007	040	111	114	.ASCII	/ IL/	
015012	114	105	107	.ASCII	/LEG/	
015015	101	114	040	.ASCII	/AL /	
015020	124	122	101	.ASCII	/TRA/	
015023	103	113	000	.ASCII	/CK/<00>	
015026	045	116	045	P.AHE:	.ASCII	/XN%/
015031	101	044	106	.ASCII	/ASF/	
015034	124	114	105	.ASCII	/TLE/	
015037	122	122	055	.ASCII	/RR-/	
015042	040	125	056	.ASCII	/ U./	
015045	110	124	123	.ASCII	/HTS/	
015050	124	040	111	.ASCII	/T I/	
015053	116	111	124	.ASCII	/NIT/	
015056	040	104	111	.ASCII	/ DI/	
015061	101	107	040	.ASCII	/AG /	
015064	104	115	101	.ASCII	/DMA/	
015067	040	127	122	.ASCII	/ WR/	
015072	111	124	105	.ASCII	/ITE/	
015075	040	106	101	.ASCII	/ FA/	
015100	111	114	105	.ASCII	/ILE/	
015103	104	000	000	.ASCII	/D/<00><00>	
015106	045	116	045	P.AHF:	.ASCII	/XN%/
015111	101	044	106	.ASCII	/ASF/	
015114	124	114	105	.ASCII	/TLE/	
015117	122	122	055	.ASCII	/RR-/	
015122	040	125	056	.ASCII	/ U./	
015125	110	124	123	.ASCII	/HTS/	
015130	124	040	111	.ASCII	/T I/	
015133	116	111	124	.ASCII	/NIT/	
015136	040	104	111	.ASCII	/ DI/	
015141	101	107	040	.ASCII	/AG /	
015144	104	115	101	.ASCII	/DMA/	
015147	040	103	117	.ASCII	/ CO/	
015152	115	120	101	.ASCII	/MPA/	

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

015155	122	105	040	.ASCII	/RE /
015160	106	101	111	.ASCII	/FAI/
015163	114	105	104	.ASCII	/LED/
015166	000	000		.ASCII	<00><00>
015170	045	116	045	P.AHG: .ASCII	/XN%/
015173	101	044	106	.ASCII	/ASF/
015176	124	114	105	.ASCII	/TLE/
015201	122	122	055	.ASCII	/RR-/
015204	040	125	056	.ASCII	/ U./
015207	123	131	104	.ASCII	/SYD/
015212	122	040	106	.ASCII	/R F/
015215	117	125	116	.ASCII	/OUN/
015220	104	040	123	.ASCII	/D S/
015223	123	056	104	.ASCII	/S.D/
015226	105	122	040	.ASCII	/ER /
015231	123	105	124	.ASCII	/SET/
015234	040	101	116	.ASCII	/ AN/
015237	104	040	123	.ASCII	/D S/
015242	123	056	123	.ASCII	/S.S/
015245	120	116	040	.ASCII	/PN /
015250	116	117	124	.ASCII	/NOT/
015253	040	123	105	.ASCII	/ SE/
015256	124	000		.ASCII	/T/<00>
015260	045	116	045	P.AHH: .ASCII	/XN%/
015263	101	044	106	.ASCII	/ASF/
015266	124	114	105	.ASCII	/TLE/
015271	122	122	055	.ASCII	/RR-/
015274	040	115	101	.ASCII	/ MA/
015277	123	124	105	.ASCII	/STE/
015302	122	040	104	.ASCII	/R D/
015305	122	111	126	.ASCII	/RIV/
015310	105	123	040	.ASCII	/ES /
015313	101	103	114	.ASCII	/ACL/
015316	117	040	101	.ASCII	/O A/
015321	123	123	105	.ASCII	/SSE/
015324	122	124	105	.ASCII	/RTE/
015327	104	000	000	.ASCII	/D/<00><00>
015332	012054'			P.AFU: .WORD	P.AFV
015334	012134'			.WORD	P.AFW
015336	012202'			.WORD	P.AFX
015340	012250'			.WORD	P.AFY
015342	012316'			.WORD	P.AFZ
015344	012402'			.WORD	P.AGA
015346	012466'			.WORD	P.AGB
015350	012534'			.WORD	P.AGC
015352	012602'			.WORD	P.AGD
015354	012650'			.WORD	P.AGE
015356	012716'			.WORD	P.AGF
015360	012766'			.WORD	P.AGG
015362	013036'			.WORD	P.AGH
015364	013112'			.WORD	P.AGI
015366	013176'			.WORD	P.AGJ
015370	013256'			.WORD	P.AGK
015372	013324'			.WORD	P.AGL
015374	013372'			.WORD	P.AGM
015376	013440'			.WORD	P.AGN
015400	013512'			.WORD	P.AGO

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

015402	013562*				.WORD	P.AGP
015404	013642*				.WORD	P.AGQ
015406	013712*				.WORD	P.AGR
015410	013762*				.WORD	P.AGS
015412	014034*				.WORD	P.AGT
015414	014124*				.WORD	P.AGU
015416	014206*				.WORD	P.AGV
015420	014266*				.WORD	P.AGW
015422	014342*				.WORD	P.AGX
015424	014416*				.WORD	P.AGY
015426	014460*				.WORD	P.AGZ
015430	014516*				.WORD	P.AHA
015432	014602*				.WORD	P.AHB
015434	014660*				.WORD	P.AHC
015436	014746*				.WORD	P.AHD
015440	015026*				.WORD	P.AHE
015442	015106*				.WORD	P.AHF
015444	015170*				.WORD	P.AHG
015446	015260*				.WORD	P.AHH
015450	045	101	040	P.AHJ:	.ASCII	/XA /
015453	123	125	103		.ASCII	/SUC/
015456	103	105	123		.ASCII	/CES/
015461	123	106	125		.ASCII	/SFU/
015464	114	045	116		.ASCII	/L%N/
015467	000				.ASCII	<00>
015470	045	101	111	P.AHK:	.ASCII	/XAI/
015473	116	126	101		.ASCII	/NVA/
015476	114	111	104		.ASCII	/LID/
015501	040	103	117		.ASCII	/ CO/
015504	115	115	101		.ASCII	/MMA/
015507	116	104	045		.ASCII	/ND%/
015512	116	000			.ASCII	/N/<00>
015514	045	101	116	P.AHL:	.ASCII	/XAN/
015517	117	040	122		.ASCII	/O R/
015522	105	107	111		.ASCII	/EGI/
015525	117	116	040		.ASCII	/ON /
015530	101	126	101		.ASCII	/AVA/
015533	111	114	101		.ASCII	/ILA/
015536	102	114	105		.ASCII	/BLE/
015541	045	116	000		.ASCII	/XN/<00>
015544	045	101	116	P.AHM:	.ASCII	/XAN/
015547	117	040	122		.ASCII	/O R/
015552	105	107	111		.ASCII	/EGI/
015555	117	116	040		.ASCII	/ON /
015560	123	125	111		.ASCII	/SUI/
015563	124	101	102		.ASCII	/TAB/
015566	114	105	045		.ASCII	/LE%/
015571	116	000	000		.ASCII	/N/<00><00>
015574	045	101	120	P.AHN:	.ASCII	/XAP/
015577	122	117	107		.ASCII	/ROG/
015602	122	101	115		.ASCII	/RAM/
015605	040	116	117		.ASCII	/ NO/
015610	124	040	113		.ASCII	/T K/
015613	116	117	127		.ASCII	/NOW/
015616	116	045	116		.ASCII	/N%N/
015621	000				.ASCII	<00>
015622	045	101	114	P.AHO:	.ASCII	/XAL/

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

015625	117	101	104	.ASCII	/OAD/
015630	040	106	101	.ASCII	/ FA/
015633	111	114	125	.ASCII	/ILU/
015636	122	105	045	.ASCII	/RE%/
015641	116	000	000	.ASCII	/N/<00><00>
015644	045	101	123	P.AHP:	.ASCII /%AS/
015647	124	101	116		.ASCII /TAN/
015652	104	101	114		.ASCII /DAL/
015655	117	116	105		.ASCII /ONE/
015660	045	116	000		.ASCII /%N/<00>
015663	000				.ASCII <00>
015664	015450'			P.AHI:	.WORD P.AHJ
015666	015470'				.WORD P.AHK
015670	015514'				.WORD P.AHL
015672	015544'				.WORD P.AHM
015674	015574'				.WORD P.AHN
015676	015622'				.WORD P.AHO
015700	015644'				.WORD P.AHP
015702	045	101	123	P.AHR:	.ASCII /%AS/
015705	125	103	103		.ASCII /UCC/
015710	105	123	123		.ASCII /ESS/
015713	045	116	000		.ASCII /%N/<00>
015716	045	101	111	P.AHS:	.ASCII /%AI/
015721	116	126	101		.ASCII /NVA/
015724	114	111	104		.ASCII /LID/
015727	040	103	117		.ASCII / CO/
015732	115	115	101		.ASCII /MMA/
015735	116	104	045		.ASCII /ND%/
015740	116	000			.ASCII /N/<00>
015742	045	101	103	P.AHT:	.ASCII /%AC/
015745	117	115	115		.ASCII /OMM/
015750	101	116	104		.ASCII /AND/
015753	040	101	102		.ASCII / AB/
015756	117	122	124		.ASCII /ORT/
015761	105	104	045		.ASCII /ED%/
015764	116	000			.ASCII /N/<00>
015766	045	101	125	P.AHU:	.ASCII /%AU/
015771	116	111	124		.ASCII /NIT/
015774	055	117	106		.ASCII /-OF/
015777	106	114	111		.ASCII /FLI/
016002	116	105	045		.ASCII /NE%/
016005	116	000	000		.ASCII /N/<00><00>
016010	045	101	125	P.AHV:	.ASCII /%AU/
016013	116	111	124		.ASCII /NIT/
016016	055	101	126		.ASCII /-AV/
016021	101	111	114		.ASCII /AIL/
016024	101	102	114		.ASCII /ABL/
016027	105	045	116		.ASCII /E%N/
016032	000	000			.ASCII <00><00>
016034	045	101	115	P.AHW:	.ASCII /%AM/
016037	105	104	111		.ASCII /EDI/
016042	101	040	106		.ASCII /A F/
016045	117	122	115		.ASCII /ORM/
016050	101	124	040		.ASCII /AT /
016053	105	122	122		.ASCII /ERR/
016056	117	122	045		.ASCII /OR%/
016061	116	000	000		.ASCII /N/<00><00>

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

016064	045	101	127	P.AHX:	.ASCII	/XAW/
016067	122	111	124		.ASCII	/RIT/
016072	105	040	120		.ASCII	/E P/
016075	122	117	124		.ASCII	/ROT/
016100	105	103	124		.ASCII	/ECT/
016103	105	104	045		.ASCII	/ED%/
016106	116	000			.ASCII	/N/<00>
016110	045	101	103	P.AHY:	.ASCII	/XAC/
016113	117	115	120		.ASCII	/OMP/
016116	101	122	105		.ASCII	/ARE/
016121	040	105	122		.ASCII	/ ER/
016124	122	117	122		.ASCII	/ROR/
016127	045	116	000		.ASCII	/XN/<00>
016132	045	101	104	P.AHZ:	.ASCII	/XAD/
016135	101	124	101		.ASCII	/ATA/
016140	040	105	122		.ASCII	/ ER/
016143	122	117	122		.ASCII	/ROR/
016146	045	116	000		.ASCII	/XN/<00>
016151	000				.ASCII	<00>
016152	045	101	110	P.AIA:	.ASCII	/XAH/
016155	117	123	124		.ASCII	/OST/
016160	040	102	125		.ASCII	/ BU/
016163	106	106	105		.ASCII	/FFE/
016166	122	040	101		.ASCII	/R A/
016171	103	103	105		.ASCII	/CCE/
016174	123	123	040		.ASCII	/SS /
016177	105	122	122		.ASCII	/ERR/
016202	117	122	045		.ASCII	/OR%/
016205	116	000	000		.ASCII	/N/<00><00>
016210	045	101	103	P.AIB:	.ASCII	/XAC/
016213	117	116	124		.ASCII	/ONT/
016216	122	117	114		.ASCII	/ROL/
016221	114	105	122		.ASCII	/LER/
016224	040	105	122		.ASCII	/ ER/
016227	122	117	122		.ASCII	/ROR/
016232	045	116	000		.ASCII	/XN/<00>
016235	000				.ASCII	<00>
016236	045	101	104	P.AIC:	.ASCII	/XAD/
016241	122	111	126		.ASCII	/RIV/
016244	105	040	105		.ASCII	/E E/
016247	122	122	117		.ASCII	/RRO/
016252	122	045	116		.ASCII	/RXN/
016255	000				.ASCII	<00>
016256	045	101	115	P.AID:	.ASCII	/XAM/
016261	105	123	123		.ASCII	/ESS/
016264	101	107	105		.ASCII	/AGE/
016267	040	106	122		.ASCII	/ FR/
016272	117	115	040		.ASCII	/OM /
016275	101	116	040		.ASCII	/AN /
016300	111	116	124		.ASCII	/INT/
016303	105	122	116		.ASCII	/ERN/
016306	101	114	040		.ASCII	/AL /
016311	104	111	101		.ASCII	/DIA/
016314	107	116	117		.ASCII	/GNO/
016317	123	124	111		.ASCII	/STI/
016322	103	045	116		.ASCII	/CXN/
016325	000				.ASCII	<00>

ZRCFA1
V01.0

CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

016326 015702'
016330 015716'
016332 015742'
016334 015766'
016336 016010'
016340 016034'
016342 016064'
016344 016110'
016346 016132'
016350 016152'
016352 016210'
016354 016236'
016356 016256'

P.AHQ: .WORD P.AHR
.WORD P.AHS
.WORD P.AHT
.WORD P.AHU
.WORD P.AHV
.WORD P.AHW
.WORD P.AHX
.WORD P.AHY
.WORD P.AHZ
.WORD P.AIA
.WORD P.AIB
.WORD P.AIC
.WORD P.AID

000000
000000
000012

000014

000016

001016

002016

002020

002022

002024

002026

002030
002032

002034

002036

002040

002044

002254

002256

002260

002262

004262

.PSECT \$GLOB\$, RO , D , GBL
RT:: .BLKW 5
RT.TABLE:: .BLKW 1
HWP.TABLE:: .BLKW 1
XMT.DATA.BUF:: .BLKW 400
RCV.DATA.BUF:: .BLKW 400
CLK.ADR:: .BLKW 1
CLK.TYPE:: .BLKW 1
CLK.CSR:: .BLKW 1
CLK.HERTZ:: .BLKW 1
CLK.START:: .BLKW 1
UNIT:: .BLKW 1
LOG.UNIT:: .BLKW 1
VEC.AD:: .BLKB 1
.EVEN
RC25.ADDR:: .BLKW 1
RC25.DATA:: .BLKW 2
COM.AREA:: .BLKW 104
HEAD.AREA:: .BLKW 1
RECEIVE.RING:: .BLKW 1
SEND.RING:: .BLKW 1
REC.ENVELOPE:: .BLKW 1000
SND.ENVELOPE:: .BLKW 540

ZRCFA1
V01.0 CZRCFA0 RC25 FR END TEST
GLOBAL TEXT SECTION

005562		BUF.DESCRPTR::	
		.BLKW	1
005564		CMD.REF::	
		.BLKW	1
005566		BYTE.COUNT::	
		.BLKW	1
005570	000001	TICKS::	.WORD 1
005572	000000	SECONDS::	
		.WORD	0
005574	000000	MINUTES::	
		.WORD	0
005576		TIP::	.BLKW 1
005600		DATA1::	.BLKW 1
005602		DATA2::	.BLKW 1
005604		DATA3::	.BLKW 1
005606		DATA4::	.BLKW 1
005610	000000	I.AM.NEX::	
		.WORD	0
005612		MSGADR::	.BLKW 1
005614	003071	END.LBN::	
		.WORD	3071
005616		P.MASK::	.BLKB 1
005617		B.MASK::	.BLKB 1
005620		MANU.SW::	
		.BLKW	1
005622		SWITCH2::	
		.BLKW	1
005624		RET.UNIT.FLAG::	
		.BLKW	1
005626		P1::	.BLKW 1
005630		P2::	.BLKW 1
005632		P3::	.BLKW 1
005634		P4::	.BLKW 1
005636		P5::	.BLKW 1
005640		P6::	.BLKW 1
005642		RET.STATUS::	
		.BLKW	1
005644		CANCEL.TIMER::	
		.BLKW	1
005646		CMD.SLOT::	
		.BLKW	1
005650		RES.SLOT::	
		.BLKW	1
005652		LBN::	.BLKW 1
005654		LBN.ST::	.BLKW 1
005656		LBN.ED::	.BLKW 1
005660		LBN.SZ::	.BLKW 1
005662		FREE.MEM.ADDR::	
		.BLKW	1
005664		MEM.SIZE::	
		.BLKW	1
005666		H.SADD::	.BLKW 1
005670		H.EADD::	.BLKW 1
005672		BUF.LENGTH::	
		.BLKW	1
005674		NUM.RETRIES::	
		.BLKW	1

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

005676	000000	RETRIES::	
		.WORD	0
005700	000001	FAL.CODE::	
		.WORD	1
005702		DMC.TEST::	
		.BLKW	1
005704		BYT.CNT::	
		.BLKW	1
005706		DM.REC::	.BLKW 1
005710		DM.XMT::	.BLKW 1
005712		TEMP::	.BLKW 1

```
.GLOBL LSSOFT, T$PTHV, LSRPT, LSINIT
.GLOBL LSCLEAN, L$LAST, L$HARD, LSDVTYP
.GLOBL L$DESC, L$DU, L$AU, L$AUTO, T1
.GLOBL T2, T3, T4, T5, T6, T7, T8, T9
.GLOBL T10, T11, T12
```

000154'	LSERRTBL==	ERRTYP
000202'	LSSW==	LSSWLEN+2
000166'	LSHW==	LSHWLEN+2
000011'	L\$DEPO==	L\$REV+1
000166'	DFPTBL==	LSHWLEN+2
000202'	SFPTBL==	LSSWLEN+2
002054'	RINGBASE==	COM.AREA+10
000002'	TIME==	P.AAA
000006'	FRU==	P.AAB
000036'	ADAPTO==	P.AAC
000070'	CONTRO==	P.AAD
000124'	DRIVE.==	P.AAE
000154'	MECHAN==	P.AAF
000206'	QST1==	P.AAG
000222'	QST2==	P.AAH
000232'	QST3==	P.AAI
000244'	QST4==	P.AAJ
000270'	QST6==	P.AAK
000342'	QST7==	P.AAL
000432'	QST8==	P.AAM
000452'	QST9==	P.AAN
000470'	QST10==	P.AAO
000550'	QS10.1==	P.AAP
000600'	QS10.2==	P.AAQ
000660'	QST11==	P.AAR
000734'	QST12==	P.AAS
000762'	QST13==	P.AAT
001006'	QST14==	P.AAU
001060'	QST15==	P.AAV
001132'	DBM1==	P.AAW
001232'	DBM2==	P.AAX
001246'	DBM3==	P.AAY
001260'	DBM4==	P.AAZ
001274'	DBM5==	P.ABA
001310'	DBM6==	P.ABB
001322'	DBM7==	P.ABC
001366'	DBM8==	P.ABD

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

H 7

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

SEQ 85
Page 65

001450'	DBM9==	P.ABE
001532'	DBM10==	P.ABF
001574'	DBM11==	P.ABG
001642'	DBM12==	P.ABH
001702'	DBM13==	P.ABI
001736'	DBM14==	P.ABJ
001772'	DBM15==	P.ABK
002034'	DBM16==	P.ABL
002100'	DBM17==	P.ABM
002150'	DBM18==	P.ABN
002220'	DBM19==	P.ABO
002260'	DBM20==	P.ABP
002330'	DBM21==	P.ABQ
002400'	DBM22==	P.ABR
002446'	DBM23==	P.ABS
002530'	DBM24==	P.ABT
002574'	DBM25==	P.ABU
002632'	DBM26==	P.ABV
002676'	DBM27==	P.ABW
002736'	DBM28==	P.ABX
003006'	DBM29==	P.ABY
003046'	DBM30==	P.ABZ
003104'	DBM31==	P.ACA
003146'	DBM32==	P.ACB
003202'	DBM33==	P.ACC
003222'	DBM34==	P.ACD
003244'	DBM35==	P.ACE
003270'	DBM36==	P.ACF
003332'	DBM37==	P.ACG
003376'	DBM38==	P.ACH
003436'	DBM39==	P.ACI
003514'	MSG.01==	P.ACJ
003546'	ERR.01==	P.ACK
003572'	ERR.02==	P.ACL
003640'	FMT\$C==	P.ACM
003646'	FMT1==	P.ACN
003732'	FMT2==	P.ACO
004012'	FMT3==	P.ACP
004106'	FMT4==	P.ACQ
004144'	FMT5==	P.ACR
004224'	FMT6==	P.ACS
004304'	FMT\$A==	P.ACT
004342'	MSG.PWR==	P.ACU
004376'	MSG.1==	P.ACV
004426'	MSG.2==	P.ACW
004456'	MSG.7==	P.ACX
004530'	MSG.8==	P.ACY
004572'	MSG.9==	P.ACZ
004630'	MSG.10==	P.ADA
004676'	MSG.11==	P.ADB
004734'	MSG.13==	P.ADC
004756'	MSG.14==	P.ADD
005004'	BUFF.F\$R==	P.ADE
005062'	DMC.ERR==	P.ADF
005120'	INI.MSG==	P.ADG
005202'	END.MSG==	P.ADH
005254'	BREIR==	P.ADI

005332'	MSG.17==	P.ADJ
005400'	MSG.18==	P.ADK
005456'	MSG.19==	P.ADL
005514'	MSG.20==	P.ADM
005562'	MSG.21==	P.ADN
005626'	MSG.28==	P.ADO
005654'	MSG.29==	P.ADP
005714'	MSG.30==	P.ADQ
005754'	CTO.ERR==	P.ADR
005776'	PFE.ERR==	P.ADS
006016'	AHEAD.MSG==	P.ADT
006052'	BHEAD.MSG==	P.ADU
006106'	CHEAD.MSG==	P.ADV
006142'	DHEAD.MSG==	P.ADW
006176'	MSG.TK.DSP==	P.ADX
006256'	MSG.LBN.DSP==	P.ADY
006362'	MSG.STATUS.ERR==	P.ADZ
006442'	MSG.BUSA.ERR==	P.AEA
006506'	MSG.ADDR.ERR==	P.AEB
006554'	MSG.DATA.ERR==	P.AEC
006614'	MSG.SEEK.ERR==	P.AED
006636'	MSG.ERR.CONT==	P.AEE
006670'	MSG.HSWICH.ERR==	P.AEF
006720'	MSG.SURFACE.ERR==	P.AEG
006770'	MSG.READ.ERR==	P.AEH
007014'	MSG.SAC.ERR==	P.AEI
007070'	MSG.COM.WPT==	P.AEJ
007122'	MSG.PT.ERR1==	P.AEK
007204'	MSG.WRP.ERR2==	P.AEL
007270'	MSG.AVE.TIME==	P.AEM
007340'	AZT.READY.ERR==	P.AEN
007400'	EXE.SUP.ERR==	P.AEO
007440'	SND.DATA.ERR==	P.AEP
007476'	RE.DATA.ERR==	P.AEQ
011520'	PFE.STRUCT==	P.AER
012044'	EMSG.STRUCT==	P.AFP
015332'	RC.STRUCTURE==	P.AFU
015664'	SDUP.STRUCT==	P.AHI
016326'	SMSCP.STRUCT==	P.AHQ

PSECT SUMMARY

Psect Name	Words	Attributes
AA\$CODE	77	RO , I , LCL, REL, CON
\$GLOB\$	1510	RO , D , GBL, REL, CON
\$SPLITS	3704	RO , D , GBL, REL, CON

LIBRARY STATISTICS

File	----- Symbols -----		Blocks Read
	Total	Loaded Percent	

ZRCFA1
V01.0

CZRCFAO RC25 FR END TEST
GLOBAL TEXT SECTION

8-Jul-1983 15:21:53
8-Jul-1983 14:13:00

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

: SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]AZTECO.L16:1
: 523 154 29 47
:

COMMAND QUALIFIERS

: BLISS /PDP11/LIST ZRCFA1.B16/EN:NOEIS

: Size: 0 code + 5291 data words
: Run Time: 00:29.7
: Elapsed Time: 01:29.0
: Memory Used: 274 pages
: Compilation Complete

```

0001 MODULE ZRCFA2 (%TITLE 'CZRCFA0 RC25 FR END TEST'
0002             IDENT = 'V01.0',
0003             OPTLEVEL = 0,
0004             ADDRESSING_MODE (RELATIVE)
0005             ) =
0006 BEGIN
0007 !
0008 ! <BLF/LOWERCASE_KEY>
0009 !
0010
0011 Library 'AZTECO';
0012
0013 require 'BLSMAC.REQ';
1502
1503 !
1504 !
1505 structure
1506     RC25 [O, P, S, E] =           ! DEFINE ACCESS ALGORITHM
1507     begin                         ! TO ALLOW FIELD REFERENCE
1508
1509     local                          ! TO THE AZTEC
1510         RC_REG;
1511
1512         RC_REG = .(RC25 + %upval*0)<0, %bpval, 0>;
1513         RC_REG
1514     end
1515     <P, S, E>;
1516
1517 psect
1518     code = AASCODE;
1519
1520 forward routine
1521     FIND_CLOCK : novalue,
1522     CLOCK_INIT : novalue,
1523     RC25$ERR_RPT : novalue,
1524     AZT_INIT,
1525     AZP_INIT,
1526     PRT$FRU CALLOUT : novalue,
1527     INIT_COM AREA,
1528     NXMI : L$ISR novalue,
1529     CLK_INT_SERV : L$ISR novalue,
1530     SET_INT_VECTOR : novalue,
1531     REC_STATUS,
1532     SET_CNTL_CHAR,
1533     AVAILABLE,
1534     ON LINE,
1535     READ_CMD,
1536     READ_FILL_RING : novalue,
1537     GET_UNIT_STATUS,
1538     RANDOM_NUM : novalue,
1539     GET_CMD_SLOT : novalue,
1540     GET_RES_SLOT : novalue,
1541     EXAM DATA,
1542     DM_ADDR SETUP : novalue,
1543     DATA_XMT_REC,
1544     WRT_PROTECT_TST : novalue,
1545     AZTEC_READY,

```

```

1546 DO_RETRIES : novalue,
1547 decode : novalue;
1548
1549 external
1550 ADAPTO,
1551 CONTRO,
1552 COM_AREA : blockvector [REC_ALLOCATE + SND_ALLOCATE + HDR_SIZ, 2, word],
1553 HEAD_AREA : ref block [4, word] field (HDR_FIELD),
1554 RECEIVE_RING : ref blockvector [REC_ALLOCATE, 2, word] field (DSC_FIELD),
1555 SEND_RING : ref blockvector [SND_ALLOCATE, 2, word] field (DSC_FIELD),
1556 REC_ENVELOPE : blockvector [REC_ALLOCATE, RB_SIZE + 2, word] field (ENV_FIELD),
1557 SND_ENVELOPE : blockvector [SND_ALLOCATE, SB_SIZE + 2, word] field (ENV_FIELD),
1558 BUF_DESCRPTR : word volatile,
1559 BYTE_COUNT : word volatile,
1560 CLK_ADR : word,
1561 CLK_TYPE : word,
1562
1563 CLK_CSR : word,
1564 CLK_HERTZ : word,
1565 CLK_START : word,
1566 TICKS : word volatile,
1567 SECONDS : word volatile,
1568 MINUTES : word volatile,
1569 MSGADR : word volatile,
1570 DATA1 : word,
1571 DATA2 : word volatile,
1572 DATA3 : word volatile,
1573 DATA4 : word volatile,
1574 B_MASK : byte volatile,
1575
1576 LBN : word volatile,
1577 LBN_ST : word volatile,
1578 LBN_ED : word volatile,
1579 CMD_REF : word volatile,
1580 RES_SLOT : word volatile,
1581 CMD_SLOT : word volatile,
1582 VEC_AD : byte,
1583 !P_VECTOR : word volatile,
1584 !P_UNIT_NUMBER : word volatile,
1585 RET_STATUS : word volatile,
1586 TEMP : word volatile,
1587 FREE_MEM_ADDR,
1588 MEM_SIZE,
1589 RINGBASE,
1590 DRIVE_,
1591 DBM1,
1592 DBM2,
1593 DBM3,
1594 DBM4,
1595 DBM5,
1596 DBM6,
1597 DBM33,
1598 DBM34,
1599 DBM35,
1600 ERR_01,
1601 ERR_02,
1602 FMT$C,

```

```

! BUFFER DESCRIPTOR AREA
! BYTE COUNT BUFFER
! LOCATION TO RETURN CLOCK ADDRESS
! TYPE OF CLOCK ON SYSTEM
! (0=NO CLOCK, -1= L-CLOCK, 1=P-CLOCK)
! STORE CSR ADDRESS FOR CLOCK HERE
! CLOCK RATE
! STORE CLOCK START VALUE
! STORE NUMBERS OF CLOCK INT. OCCURED
! STORE SECONDS
! STORE MINUTES
! STORE MESSAGE ADDRESS
! STEP 1 WRITE DATA TO AZTEC_INIT
! STEP 2 WRITE DATA TO AZTEC_INIT
! STEP 3 WRITE DATA TO AZTEC_INIT
! STEP 4 WRITE DATA TO AZTEC_INIT
! MASK FOR WITCH STEP TO DO
! IN AZTEC INIT.
! LOGICAL BLOCK NUMBER BUFFER
! START LOGICAL BLOCK NUMBER
! ENDING LOGICAL BLOCK NUMBER
! COMMAND REFERENCE
! RECEIVING RING SLOT
! SENDING RING SLOT
! INIT INTERRUPT VECTOR
! INTERRUPT VECTOR
! UNIT NUMBER
! RETURN STATUS

! STARING FREE MEMORY ADDRESS
! FREE MEMORY SIZE

```

ZRCFA2
V01.0

CZRCFAO RC25 FR END TEST

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

SEQ 90

Page 3

```

:
: 1603 FRU,
: 1604 FMT2,
: 1605 FMT3,
: 1606 DMC_TEST,
: 1607 BYT_CNT,
: 1608 DM_XMT,
: 1609 DM_REC,
: 1610 H_SADD,
: 1611 H_EADD,
: 1612 BOF_LENGTH,
: 1613 MAND_SW,
: 1614 SWITCH2,
: 1615 TIP,
: 1616 SWP_CONTINUE,
: 1617 FMT5A,
: 1618 QST15,
: 1619 QST14,
: 1620 ! RUN TIME TABLE STORAGE
: 1621 HWP_TABLE : ref block [WORD2 IN HWP_TAB, word] field (HWP_FIELDS),
: 1622 RT_TABLE : ref block [WORD1 IN RT_TAB, word] field (RT_FIELDS),
: 1623 RT : vector [WORD1 IN RT_TAB, word],
: 1624 I_AM_NEX : word volatile,
: 1625 CANCEL_TIMER : word volatile,
: 1626 RETRIES,
: 1627 SWP_RETRIES,
: 1628 NUM_RETRIES,
: 1629 SWP_TRACE,
: 1630 L$UNIT,
: 1631 MECHAN,
: 1632 MSG_PWR,
: 1633 MSG_14,
: 1634 CTO_ERR,
: 1635 PFE_ERR,
: 1636 FAL_CODE,
: 1637 MSG_STATUS_ERR,
: 1638 END_LBN : word volatile,
: 1639 P_MASK : byte volatile,
: 1640 RET_UNIT_FLAG : word,
: 1641 P1 : word volatile,
: 1642 P2 : word volatile,
: 1643 P3 : word volatile,
: 1644 P4 : word volatile,
: 1645 P5 : word volatile,
: 1646 P6 : word volatile,
: 1647 QST1,
: 1648 QST2,
: 1649 QST3,
: 1650 QST4,
: 1651 QST6,
: 1652 QST7,
: 1653 QST8,
: 1654 QST9,
: 1655 QST10,
: 1656 QST10_1,
: 1657 QST10_2,
: 1658 QST11,
: 1659 RC25_ADDR : ref RC25 field (RC_REG),

```

ZRCFA2
V01.0

CZRCFA0 RC25 FR END TEST

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

```
: 1660 RC25_DATA : block [2, word] field (RC_REG),  
: 1661 EMSG_STRUCT : vector [4],  
: 1662 PFE_STRUCT : vector [23],  
: 1663 RC_STRUCTURE : vector [39],  
: 1664 SDUP_STRUCT : vector [7],  
: 1665 SMSCP_STRUCT : vector [13],  
: 1666 XMT_DATA_BUF : vector [256, word],  
: 1667 RCV_DATA_BUF : vector [256, word],  
: 1668 UNIT : word,  
: 1669 LOG_UNIT : word;  
: 1670
```

```
:
: 1671 %title 'MISCELLANEOUS SECTIONS'
: 1672 %sbttl 'TYPE AND DESCRIPTION'
: 1673 !: NAMES OF DEVICES SUPPORTED BY PROGRAM
: 1674 DEVTYP (%asciz'AZTEC RC25 PLATTER');
: 1675 !: TEST DESCRIPTION
C 1676 DESCRIPT (%asciz'RC25 FRONT END/HOST DIAGNOSTIC');%(
C 1677 :++
C 1678 !: THE HARDWARE PARAMETER CODING SECTION CONTAINS MACROS
C 1679 !: THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES. THE
C 1680 !: MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
C 1681 !: INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES. THE
C 1682 !: MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
C 1683 !: WITH THE OPERATOR.
C 1684 :--
: 1685 )%
: 1686 BGNHRD:
: 1687 GPRMA (QST1, %o'0', 0, %o'00000', %o'177777', YES, 1); !IP ADDRESS?
: 1688 GPRMA (QST2, %o'2', 0, %o'4', %o'774', YES, 1); !VECTOR?
: 1689 GPRMD (QST3, %o'4', 0, %o'177777', %o'4', %o'7', YES, 1); !BR LEVEL
: 1690 GPRMD (QST4, %o'6', D, %o'377', %o'0', %decimal'253', NO, 1); !UNIT NUMBER(S)
: 1691 ENDHRD;
:
```

```

: 1692 %sbttl 'SOFTWARE PARAMETER CODING SECTION'
C 1693 %(
C 1694 :++
C 1695 : THE SOFTWARE PARAMETER CODING SECTION CONTAINS MACROS
C 1696 : THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES. THE
C 1697 : MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
C 1698 : INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES. THE
C 1699 : MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
C 1700 : WITH THE OPERATOR.
C 1701 :--
C 1702 )%
1703 BGNSFT;
1704 !GPRML (QST6, %o'0', %o'177777', YES, 1); !USE TOP SURFACE FOR SINGLE SURFACE TESTS?
1705 !GPRML (QST7, %o'2', %o'177777', YES, 1); !DO YOU WISH TO LIMIT THE AREA TESTED
1706 !XFERF (MANINT); !IN TESTS #13 - #15?
1707 !GPRMD (QST8, %o'4', D, %o'1777', %o'0', %decimal'800', YES, 1); !IF NO, SKIP NEXT TWO QUESTIONS
1708 !GPRMD (QST9, %o'6', D, %o'1777', %o'0', %decimal'800', YES, 1); !STARTING TRACK?
1709 !GPRMD (QST9, %o'6', D, %o'1777', %o'0', %decimal'800', YES, 1); !ENDING TRACK?
1710 !SL (MANINT); !LABEL THIS QUESTION
1711 GPRMD (QST11, %o'10', D, %o'1777', %o'0', %o'1777', YES, 1); !NUMBER OF RETRIES FOR TEST
1712 GPRML (QS10_2, %o'12', 1, YES, 1); !DO YOU WISH TO CONTINUE TESTING?
1713 !GPRML (QST10, %o'14', 1, YES, 1); !DO YOU WANT TO DO THE MANUAL
1714 !INTERVISION TEST?
1715 GPRML (QS10_1, %o'16', 1, YES, 1); !DO YOU NEED TRACE MODE?
1716 ENDSFT;

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
REPORT CODING SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

```

:      1717 %sbttl 'REPORT CODING SECTION'
:      1718 !+
:      1719 ! THE REPORT CODING SECTION CONTAINS THE
:      1720 ! 'PRINTS' CALLS THAT GENERATE STATISTICAL REPORTS.
:      1721 !-
:      1722 BGNRPT;
:      1723 PRINTF (DBM2);          !'REPORT'
:      1724 return;
:      1725 ENDRPT;

```

.TITLE ZRCFA2 MISCELLANEOUS SECTIONS
.IDENT /V01.0/

000000	000000	101	132	124	.PSECT	AASCODE, RO
000000	000000	101	132	124	L\$DVTYP::	.ASCII /AZT/
000003	000006	105	103	040		.ASCII /EC /
000011	000014	065	040	120		.ASCII /RC2/
000017	000022	114	101	124		.ASCII /5 P/
000027	000032	124	105	122		.ASCII /LAT/
000035	000040	124	040	105		.ASCII /TER/
000043	000046	110	117	123	L\$DESC::	.ASCII <00><00>
000051	000054	111	101	107		.ASCII /RC2/
000057	000062	124	111	103		.ASCII /5 F/
000064	000066	000	000			.ASCII /RON/
000070	000072	000000G	000000			.ASCII /T E/
000074	000076	177777	001031			.ASCII /ND/<57>
000080	000082	000000G	000004			.ASCII /HOS/
000086	000088	000000G	000774			.ASCII /T D/
000092	000094	000000G	002032			.ASCII /IAG/
000098	000100	000000G	000007			.ASCII /NOS/
000104	000106	000000G	003042			.ASCII /TIC/
000110	000112	000000G	000377			.ASCII <00><00>
000116	000118	000000G	000000		L\$SHRDLN::	.WORD <<<L\$NDHRD-L\$SHRDLN>/2>-1>
000122	000124	000000G	000000		GP\$1::	.WORD 31
000128	000130	000375	000375			.WORD QST1
000132						.WORD 0
					GP\$2::	.WORD -1
						.WORD 1031
						.WORD QST2
						.WORD 4
					GP\$3::	.WORD 774
						.WORD 2032
						.WORD QST3
						.WORD -1
						.WORD 4
						.WORD 7
					GP\$4::	.WORD 3042
						.WORD QST4
						.WORD 377
						.WORD 0
					L\$NDHRD::	.WORD 375
						.BLKW 1

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
REPORT CODING SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

000134 000000C
000136 004052
000140 000000G
000142 001777
000144 000000
000146 001777
000150 005130
000152 000000G
000154 000001
000156 007130
000160 000000G
000162 000001
000164

L\$SFTLN::
GP\$5::
GP\$6::
GP\$7::
L\$NDSFT::
L\$HARD==
L\$SOFT==
LRPT:
L\$SHRDLN+2
L\$SFTLN+2
L\$SBTTL
LRPT REPORT CODING SECTION
#DBM2,-(SP)
#1,-(SP)
SP,R0
17

000066'
000136'

000000 012746 000000G
000004 012746 000001
000010 010600
000012 104417

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
REPORT CODING SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

000014 022626
000016 000207

CMP (SP)+,(SP)+
RTS PC

:

1716

: Routine Size: 8 words, Routine Base: AA\$CODE + 0166
: Maximum stack depth per invocation: 4 words

000000 004767 177754
000004 104425
000006 000207

.SBTTL LSRPT REPORT CODING SECTION
LSRPT:: JSR PC,LRPT
TRAP 25
RTS PC

:

1724

: Routine Size: 4 words, Routine Base: AA\$CODE + 0206
: Maximum stack depth per invocation: 2 words

```
1726 %sbttl 'INITIALIZE SECTION'
1727 !+
1728 ! THE INITIALIZE SECTION CONTAINS THE CODING THAT IS PERFORMED
1729 ! AT THE BEGINNING OF EACH PASS.
1730 !-
1731 BGNINIT;
1732
1733 local
1734     DELAY_MULT;           !CONTAINS DELAY FACTOR
1735
1736 SETPRI (PRI00);         !PRIORITY 0
1737
1738 if READEF (EF_PWR)      !ARE WE HERE BECAUSE OF POWER FAIL?
1739 then
1740     begin
1741         PRINTF (MSG_PWR); !'POWER DELAY - WAITING'
1742
1743         incru COUNT from 0 to 60 do
1744             begin
1745                 DELAY_MULT = 10000;
1746                 DELAY (.DELAY_MULT);
1747                 BREAK;      ! BREAK FOR ACT
1748             end;
1749
1750         DOCLN;
1751     end;
1752
1753 ! +
1754 ! MAKE SURE NOT MORE THAN 16 UNITS (PLATTERS) HAVE BEEN SPECIFIED.
1755 ! IF THERE ARE TOO MANY, NOTIFY USER AND RETURN TO SUPERVISOR.
1756 ! -
1757
1758 if .LSUNIT gequ 16
1759 then
1760     begin
1761         PRINTF (ERR_01);
1762         DOCLN;
1763     end;
1764
1765 if READEF (EF_CONTINUE) then return; !IF CONTINUE GETS YOU HERE SKIP INIT.
1766
1767 if READEF (EF_START) or READEF (EF_RESTART) or READEF (EF_NEW)
1768 then
1769     begin
1770         LOG_UNIT = -1;
1771         NUM_RETRIES = ZERO;
1772         RETRIES = FALSE;
1773         FIND_CLOCK ();
1774
1775         if CLK_TYPE eqlu NO_CLOCK
1776             then
1777                 begin
1778                     PRINTF (ERR_02);
1779                     DOCLN;
1780                 end
1781             else
1782                 .CLK_CSR = ZERO; ! STOP THE CLOCK
```

```

1783
1784 !+
1785 !- DETERMINE THE FREE MEMORY STARTING ADDRESS AND IT SIZE
1786 !-
1787 MEMORY (FREE_MEM_ADDR); !FIND THE STARTING ADDR
1788 MEM_SIZE = ..FREE_MEM_ADDR; !DETERMINE THE SIZE
1789 !+
1790 !-
1791 end;
1792
1793 do !OTHERWISE, INCREMENT LOGICAL UNIT
1794 begin !AND CHECK FOR HIGH LIMIT.
1795 LOG_UNIT = .LOG_UNIT + 1;
1796
1797 if .LOG_UNIT gequ .L$UNIT then DOCLN; !IF SO QUIT INIT AND DO CLEANUP.
1798
1799 end
1800 until (GPHARD (.LOG_UNIT, HWP_TABLE)) neqa 0; !GET HARDWARE P_TABLE POINTER
1801
1802 RT_TABLE = RT [0]; !AND LOAD RT TABLE WITH THE
1803 RT_TABLE [RT_IP ADDRESS] = .HWP TABLE [HWP_IP ADDRESS]; !HARDWARE P_TABLE INFO.
1804 RT_TABLE [RT_VECTOR] = .HWP TABLE [HWP_VECTOR];
1805 RT_TABLE [RT_BR_LEVEL] = .HWP TABLE [HWP_BR_LEVEL];
1806 RT_TABLE [RT_UNIT 1] = .HWP TABLE [HWP_UNIT_NUMBER]; !PLATTER #
1807 RC25_ADDR = .RT_TABLE [RT_IP ADDRESS]; !IP ADDRESS FOR THE CONTROLLER
1808 UNIT = .RT_TABLE [RT_UNIT-1]; !AND PLATTER # UNDER TEST
1809 SETVEC (.RT_TABLE [RT_VECTOR], NXMI, PRI07); !SET UP INTERRUPT ROUTINE
1810 PRINTF (DBMT, .LOG_UNIT, .RC25_ADDR, .UNIT); !GIVE THIS INFO TO OPERATOR.
1811 !-
1812 ENDINIT;

```

.GLOBL L\$DLY

```

000000 004167 000000G LINIT: .SBTTL LINIT INITIALIZE SECTION ; 1725
000004 005746 JSR R1,$SAVE3 ;
000006 005000 TST -(SP) ; 1736
000010 104441 CLR R0 ;
000012 012700 000034 TRAP 41 ; 1738
000016 104447 TRAP 47
000020 103033 BHIS 6$
000022 012746 000000G MOV #MSG.PWR,-(SP) ; 1741
000026 012746 000001 MOV #1,-(SP)
000032 010600 MOV SP,R0 ; SP,*
000034 104417 TRAP 17
000036 005002 CLR R2 ; COUNT 1743
000040 012703 023420 1$: MOV #23420,R3 ; *,DELAY.MULT 1745
000044 010301 MOV R3,R1 ; DELAY.MULT,$$TMP2 1746
000046 001411 2$: BEQ 5$
000050 016700 000000G MOV L$DLY,R0 ; *,$$TMP1
000054 001404 BEQ 4$
000056 005066 000004 3$: CLR 4(SP) ; $$TMP
000062 005300 DEC R0 ; $$TMP1
000064 001374 BNE 3$
000066 005301 4$: DEC R1 ; $$TMP2

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
INITIALIZE SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

000070	000766				BR	2\$			
000072	104422			5\$:	TRAP	22			
000074	005202				INC	R2	:	COUNT	1743
000076	020227	000074			CMP	R2,#74	:	COUNT,*	
000102	101756				BLOS	1\$			
000104	104444				TRAP	44	:		1748
000106	022626				CMP	(SP)+,(SP)+	:		1740
000110	026727	000000G	000020	6\$:	CMP	L\$UNIT,#20	:		1758
000116	103410				BLO	7\$			
000120	012746	000000G			MOV	#ERR.01,-(SP)	:		1761
000124	012746	000001			MOV	#1,-(SP)			
000130	010600				MOV	SP,R0	:	SP,*	
000132	104417				TRAP	17			
000134	104444				TRAP	44			
000136	022626				CMP	(SP)+,(SP)+	:		1760
000140	012700	000036		7\$:	MOV	#36,R0	:		1765
000144	104447				TRAP	47			
000146	103542				BLO	13\$			
000150	012700	000040			MOV	#40,R0	:		1767
000154	104447				TRAP	47			
000156	103410				BCS	8\$			
000160	012700	000037			MOV	#37,R0			
000164	104447				TRAP	47			
000166	103404				BCS	8\$			
000170	012700	000035			MOV	#35,R0			
000174	104447				TRAP	47			
000176	103034				BHIS	11\$			
000200	012767	177777	000000G	8\$:	MOV	#-1,LOG.UNIT	:		1770
000206	005067	000000G			CLR	NUM.RETRIES	:		1771
000212	005067	000000G			CLR	RETRIES	:		1772
000216	004767	000000V			JSR	PC,FIND.CLOCK	:		1773
000222	005727	000000G			TST	#CLK.TYPE	:		1775
000226	001011				BNE	9\$			
000230	012746	000000G			MOV	#ERR.02,-(SP)	:		1778
000234	012746	000001			MOV	#1,-(SP)			
000240	010600				MOV	SP,R0	:	SP,*	
000242	104417				TRAP	17			
000244	104444				TRAP	44			
000246	022626				CMP	(SP)+,(SP)+	:		1777
000250	000402				BR	10\$:		1775
000252	005077	000000G		9\$:	CLR	@CLK.CSR	:		1782
000256	104431			10\$:	TRAP	31	:		1787
000260	010067	000000G			MOV	R0, FREE.MEM.ADDR			
000264	011067	000000G			MOV	(R0),MEM.SIZE	:	FREE.MEM.ADDR,*	1788
000270	005267	000000G		11\$:	INC	LOG.UNIT	:		1795
000274	026767	000000G	000000G		CMP	LOG.UNIT,L\$UNIT	:		1797
000302	103401				BLO	12\$			
000304	104444				TRAP	44			
000306	016700	000000G		12\$:	MOV	LOG.UNIT,R0	:		1800
000312	104442				TRAP	42			
000314	010067	000000G			MOV	R0,HWP.TABLE			
000320	001763				BEQ	11\$			
000322	012767	000000G	000000G		MOV	#RT,RT.TABLE	:		1802
000330	011067	000000G			MOV	(R0),RT	:	HWP.TABLE,*	1803
000334	012701	000000G			MOV	#RT,R1	:		1804
000340	016061	000002	000002		MOV	2(R0),2(R1)			
000346	016061	000004	000004		MOV	4(R0),4(R1)	:		1805

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
INITIALIZE SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

```

000354 016061 000006 000006      MOV      6(R0),6(R1)      ;
000362 011067 000000G           MOV      (R0),RC25.ADDR ; RT,*
000366 010100                   MOV      R1,R0          ; RT,*
000370 016067 000006 000000G     MOV      6(R0),UNIT     ;
000376 012746 000340           MOV      #340,-(SP)    ;
000402 012746 000000V         MOV      #NXMI,-(SP)   ;
000406 016046 000002         MOV      2(R0),-(SP)   ;
000412 012746 000003         MOV      #3,-(SP)     ;
000416 104437                   TRAP     37             ;
000420 016716 000000G         MOV      UNIT,(SP)     ;
000424 016746 000000G         MOV      RC25.ADDR,-(SP) ;
000430 016746 000000G         MOV      LOG.UNIT,-(SP) ;
000434 012746 000000G         MOV      #DBM1,-(SP)  ;
000440 012746 000004         MOV      #4,-(SP)     ;
000444 010600                   MOV      SP,R0         ; SP,*
000446 104417                   TRAP     17             ;
000450 062706 000020           ADD      #20,SP        ;
000454 005726                   TST      (SP)+         ;
000456 000207                   RTS      PC             ;

```

; Routine Size: 152 words, Routine Base: AASCODE + 0216
; Maximum stack depth per invocation: 15 words

```

000000 004767 177314           .SBTTL  LSINIT INITIALIZE SECTION ;
000004 104411                   LSINIT::JSR PC,LIMIT  ;
000006 000207                   TRAP    11             ;
                                RTS      PC

```

; Routine Size: 4 words, Routine Base: AASCODE + 0676
; Maximum stack depth per invocation: 2 words

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AUTODROP SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

```

:      1813 %sbttl 'AUTODROP SECTION'
:      1814 !+
:      1815 ! THIS CODE IS EXECUTED IMMEDIATELY AFTER THE INITIALIZE CODE IF
:      1816 ! THE 'ADR' FLAG WAS SET. THE UNIT(S) UNDER TEST ARE CHECKED TO
:      1817 ! SEE IF THEY WILL RESPOND. THOSE THAT DON'T ARE IMMEDIATELY
:      1818 ! DROPPED FROM TESTING.
:      1819 !-
:      1820 BGNAUTO;
:      1821 !if .SWP_TRACE then PRINTF (DBM3);
:      1822 return;
:      1823 ENDAUTO;

```

```

000000 000207          LAUTO:  .SBTTL  LAUTO AUTODROP SECTION          ;          1812
                        RTS      PC
; Routine Size: 1 word,      Routine Base: AASCODE + 0706
; Maximum stack depth per invocation: 0 words

```

```

000000 004767 177772    LSAUTO:  .SBTTL  LSAUTO AUTODROP SECTION          ;          1822
000004 104461          JSR      PC,LAUTO
000006 000207          TRAP    61
                        RTS      PC
; Routine Size: 4 words,      Routine Base: AASCODE + 0710
; Maximum stack depth per invocation: 2 words

```

```

:      1824 %sbttl 'CLEANUP CODING SECTION'
:      1825 !+
:      1826 ! THE CLEANUP CODING SECTION CONTAINS THE CODING THAT IS PERFORMED
:      1827 ! AFTER THE HARDWARE TESTS HAVE BEEN PERFORMED.
:      1828 !-
:      1829 BGNCLN;
:      1830 !if .SWP_TRACE then PRINTF (DBM4);
:      1831 .CLK_CSR = ZERO;           ! TURN OFF THE CLOCK
:      1832 P1 = ZERO;              ! CLEAR ERROR ROUTINE
:      1833 P2 = ZERO;              ! PARAMETERS P1 - P6
:      1834 P3 = ZERO;
:      1835 P4 = ZERO;
:      1836 P5 = ZERO;
:      1837 P6 = ZERO;
:      1838 RET_STATUS = ZERO;      ! CLEAR STATUS AND
:      1839 NUM_RETRIES = ZERO;    ! FLAGS
:      1840 RETRIES = FALSE;
:      1841 return;
:      1842 ENDCLN;

```

000000	005077	000000G	LCLEAN: .SBTTL	LCLEAN CLEANUP CODING SECTION	:	1831
000004	005067	000000G	CLR	@CLK_CSR	:	1832
000010	005067	000000G	CLR	P1	:	1833
000014	005067	000000G	CLR	P2	:	1834
000020	005067	000000G	CLR	P3	:	1835
000024	005067	000000G	CLR	P4	:	1836
000030	005067	000000G	CLR	P5	:	1837
000034	005067	000000G	CLR	P6	:	1838
000040	005067	000000G	CLR	RET.STATUS	:	1839
000044	005067	000000G	CLR	NUM.RETRIES	:	1840
000050	000207	000000G	CLR	RETRIES	:	1841
			RTS	PC	:	1823

```

; Routine Size: 21 words,      Routine Base: AASCODE + 0720
; Maximum stack depth per invocation: 0 words

```

000000	004767	177722	L\$CLEAN: .SBTTL	L\$CLEAN CLEANUP CODING SECTION	:	1841
000004	104412		JSR	PC,L\$CLEAN	:	
000006	000207		TRAP	12	:	
			RTS	PC	:	

```

; Routine Size: 4 words,      Routine Base: AASCODE + 0772
; Maximum stack depth per invocation: 2 words

```


ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
DROP UNIT SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (8)

```

:      1843 %sbttl 'DROP UNIT SECTION'
:      1844 !+
:      1845 ! THE DROP-UNIT SECTION CONTAINS THE CODING THAT CAUSES A DEVICE
:      1846 ! TO NO LONGER BE TESTED.
:      1847 !-
:      1848 BGNDU;
:      1849 !if .SWP_TRACE then PRINTF (DBMS);
:      1850 return;
:      1851 ENDDU;

```

```

000000 000207          LDU:      .SBTTL  LDU DROP UNIT SECTION          ;          1842
                                RTS      PC
; Routine Size: 1 word,      Routine Base: AA$CODE + 1002
; Maximum stack depth per invocation: 0 words

```

```

000000 004767 177772    L$DU::   .SBTTL  L$DU DROP UNIT SECTION          ;          1850
000004 104453          JSR      PC,LDU
000006 000207          TRAP    53
                                RTS      PC
; Routine Size: 4 words,      Routine Base: AA$CODE + 1004
; Maximum stack depth per invocation: 2 words

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
ADD UNIT SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (9)

```

:      1852 %sbttl 'ADD UNIT SECTION'
:      1853 !+
:      1854 ! THE ADD-UNIT SECTION CONTAINS ANY CODE THE PROGRAMMER WISHES
:      1855 ! TO BE EXECUTED IN CONJUNCTION WITH THE ADDING OF A UNIT BACK
:      1856 ! TO THE TEST CYCLE.
:      1857 !-
:      1858 BGNAU;
:      1859 !if .SWP_TRACE then PRINTF (DBM6);
:      1860 return;
:      1861 ENDAU;

```

```

000000 000207          LAU:  .SBTTL LAU ADD UNIT SECTION          ;          1851
                        RTS    PC

```

```

: Routine Size: 1 word,      Routine Base: AASCODE + 1014
: Maximum stack depth per invocation: 0 words

```

```

000000 004767 177772    L$AU:: .SBTTL L$AU ADD UNIT SECTION    ;          1860
000004 104452          JSR    PC,LAU
000006 000207          TRAP  52
                        RTS    PC

```

```

: Routine Size: 4 words,      Routine Base: AASCODE + 1016
: Maximum stack depth per invocation: 2 words

```

```

:      1862 !<BLF/PAGE>

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
ADD UNIT SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (10

```

:      1863 psect
:      1864     code = AB$CODE;
:      1865
:      1866 !++
:      1867 ! GLOBAL LOCATION 'I_AM_NEX' IS SET TO TRUE WHICH INDICATES
:      1868 ! THE INITIALIZATION SEQUENCE INTERRUPT OCCURED.
:      1869 !--
:      1870
:      1871 BGNSRV (NXMI);
:      1872 I_AM_NEX = %0'177777';
:      1873 CANCEL_TIMER = %0'177777';
:      1874 ENDSRV;

```

```

000000          .SBTTL  NXMI ADD UNIT SECTION
:              .PSECT  AB$CODE,  RO
000000 012767 177777 00000G      NXMI::  MOV      #-1,I_AM_NEX      :
000006 012767 177777 00000G      MOV      #-1,CANCEL_TIMER  :
000014 000002          RTI                          :

```

1872
1873
1871

; Routine Size: 7 words, Routine Base: AB\$CODE + 0000
; Maximum stack depth per invocation: 0 words

```

:      1875
:      1876 !++
:      1877 ! THE CLOCK INTERRUPT SERVICE ROUTINE IS ENTERED AT THE CLOCK RATE
:      1878 !--
:      1879
:      1880 BGNSRV (CLK_INT_SERV);
:      1881 TICKS = .TICKS + 1;          ! INCREMENT THE NUMBER OF TICK
:      1882
:      1883 if .TICKS eqlu .CLK_HERTZ    ! IF TOTAL NUMBER OF TICK = 60
:      1884 then                          ! THEN
:      1885     begin
:      1886     TICKS = 0;                ! RESET TICK TO ZERO
:      1887     SECONDS = .SECONDS + 1; ! INCREMENT THEN SECOND
:      1888
:      1889     if .SECONDS eqlu 60      ! IF SECOND = 60
:      1890     then                          ! THEN
:      1891     begin
:      1892     SECONDS = 0;                ! RESET SECOND TO ZERO
:      1893     MINUTES = .MINUTES + 1;   ! INCREMENT THE MINUTES
:      1894     end;
:      1895     end;
:      1896 end;
:      1897
:      1898 ENDSRV;

```

```

000000 005267 00000G      CLK.INT.SERV::  .SBTTL  CLK.INT.SERV ADD UNIT SECTION
:      000004 026767 00000G 00000G      INC      TICKS          :
:      000012 001014          CMP      TICKS,CLK_HERTZ  :
:      000014 005067 00000G      BNE      1$              :
:                                      CLR      TICKS          :

```

1881
1883
1886

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
ADD UNIT SECTION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (10

000020	005267	000000G	INC	SECONDS	:	1887
000024	026727	000000G 000074	CMP	SECONDS,#74	:	1889
000032	001004		BNE	1\$:	
000034	005067	000000G	CLR	SECONDS	:	1892
000040	005267	000000G	INC	MINUTES	:	1893
000044	000002	1\$:	RTI		:	1880

: Routine Size: 19 words, Routine Base: ABS CODE + 0016
: Maximum stack depth per invocation: 0 words

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
FIND CLOCK ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

```

1899 %sbttl 'FIND CLOCK ROUTINE'
1900
1901 global routine FIND_CLOCK : novalue =
1902 !+
1903 !CHECK TO MAKE SURE THERE IS A CLOCK ON THE SYSTEM. IF NO_CLOCK, ABORT TO
1904 !SUPERVISOR.
1905 !OTHERWISE, DETERMINE WHETHER CLOCK IS AN L OR P CLOCK, GET ITS PARAMETERS.
1906 !-
1907     begin
1908     CLK_TYPE = NO_CLOCK;           !SET FLAG FOR NO CLOCK
1909
1910     if CLOCK (P, CLK_ADR)         !IS THERE A P_CLOCK?
1911     then
1912         begin
1913         CLK_TYPE = P_CLOCK;       !SET THE FLAGE FOR P CLOCK
1914         CLK_CSR = ..CLK_ADR;     !SAVE THE CSR ADDRESS
1915         CLK_HERTZ = .(CLK_ADR + 6); !GET THE CLOCK RATE
1916         CLK_START = %0'105;     !SAVE THE STARTING CLOCK VALUE
1917         end
1918     else
1919         begin
1920
1921         if CLOCK (L, CLK_ADR)     !IS THERE AN L_CLOCK?
1922         then
1923             begin
1924             CLK_TYPE = L_CLOCK;   !SET THE FLAG FOR L CLOCK
1925             CLK_CSR = ..CLK_ADR; !SAVE THE CSR ADDRESS
1926             CLK_HERTZ = .(CLK_ADR + 6); !GET THE CLOCK RATE
1927             CLK_START = %0'100;   !SAVE THE STARTING CLOCK VALUE
1928             end;
1929
1930         end;
1931
1932         if .CLK_TYPE nequ NO_CLOCK !IF CLOCK WAS FOUND THEN
1933         then
1934             begin
1935             VEC_AD = .(CLK_ADR + 4); !GET CLOCK VECTOR ADDRESS
1936             SETVEC (.VEC_AD, CLK_INT_SERV, PRI05); !SET VECTOR & SERVICE ADDR.
1937             end;
1938
1939     end;

```

000000	005067	000000G		.SBTTL	FIND.CLOCK	FIND CLOCK ROUTINE		
				FIND.CLOCK::	CLR	CLK.TYPE	:	1908
000004	012700	000120			MOV	#120,R0	:	1910
000010	104462				TRAP	62	:	
000012	103016				BHJS	1\$:	
000014	010067	000000G			MOV	R0,CLK.ADR	: R0,*	
000020	012767	000001	000000G		MOV	#1,CLK.TYPE	:	1913
000026	011067	000000G			MOV	(R0),CLK.CSR	: CLK.ADR,*	1914
000032	016067	000006	000000G		MOV	6(R0),CLK.HERTZ	:	1915
000040	012767	000105	000000G		MOV	#105,CLK.START	:	1916
000046	000421				BR	2\$:	1910
000050	012700	C00114		1\$:	MOV	#114,R0	:	1921
000054	104462				TRAP	62	:	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
FIND CLOCK ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

000056	103015		BHIS	2\$			
000060	010067	000000G	MOV	RO,CLK.ADR	:	RO,*	
000064	012767	177777 000000G	MOV	#-1,CLK.TYPE	:		1924
000072	011067	000000G	MOV	(RO),CLK.CSR	:	CLK.ADR,*	1925
000076	016067	000006 000000G	MOV	6(RO),CLK.HERTZ	:		1926
000104	012767	000100 000000G	MOV	#100,CLK.START	:		1927
000112	005767	000000G	TST	CLK.TYPE	:		1932
000116	001421		BEQ	3\$			
000120	016700	000000G	MOV	CLK.ADR,RO	:		1935
000124	116067	000004 000000G	MOVB	4(RO),VEC.AD			
000132	012746	000240	MOV	#240,-(SP)	:		1936
000136	012746	000016'	MOV	#CLK.INT.SERV,-(SP)			
000142	005046		CLR	-(SP)			
000144	116716	000000G	MOVB	VEC.AD,(SP)			
000150	012746	000003	MOV	#3,-(SP)			
000154	104437		TRAP	37			
000156	062706	000010	ADD	#10,SP	:		1934
000162	000207		RTS	PC	:		1901

: Routine Size: 58 words, Routine Base: AB\$CODE + 0064
: Maximum stack depth per invocation: 6 words

: 1940

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
CLOCK INIT ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

```

:      1941 %sbttl 'CLOCK INIT ROUTINE'
:      1942
:      1943 global routine CLOCK_INIT : novalue =
:      1944 !++
:      1945 !INIT CLOCK
:      1946 !
:      1947 !
:      1948     begin
:      1949     TICKS = 0;
:      1950     SECONDS = 0;
:      1951     MINUTES = 0;
:      1952 !START THE CLOCK
:      1953     .CLK_CSR = .CLK_START;
:      1954     end;

```

000000	005067	000000G	.SBTTL	CLOCK.INIT	CLOCK INIT ROUTINE		
			CLOCK.INIT::			:	1949
			CLR	TICKS		:	1950
000004	005067	000000G	CLR	SECONDS		:	1951
000010	005067	000000G	CLR	MINUTES		:	1953
000014	016777	000000G 000000G	MOV	CLK.START,@CLK_CSR		:	1943
000022	000207		RTS	PC		:	

```

; Routine Size: 10 words, Routine Base: AB$CODE + 0250
; Maximum stack depth per invocation: 0 words

```

; 1955

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
RC25 CONTROLLER ERROR REPORTING

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (13)

```

:      1956 %sbttl 'RC25 CONTROLLER ERROR REPORTING'
:      1957 BGNMSG (RC25$ERR_RPT);
    
```

```

000000 004767 000000V          .SBTTL RC25$ERR.RPT RC25 CONTROLLER ERROR REPORTING
                                RC25$ERR.RPT::
                                JSR   PC,M$RC25$ERR.RPT      ;
000004 104423          TRAP   23
000006 000207          RTS    PC
    
```

1957

```

: Routine Size: 4 words,      Routine Base: AB$CODE + 0274
: Maximum stack depth per invocation: 2 words
    
```

```

:      1958 : ++
:      1959 : FUNCTIONAL DESCRIPTION:
:      1960 :
:      1961 :     THIS ROUTINE IS CALLED BY THE DIAGNOSTIC SUPERVISOR VIA
:      1962 :     THE 'PRLINK' ARGUMENT SPECIFIED IN THE $DS_ERRXXX MACRO
:      1963 :     TO REPORT DETAILED RC 25 CONTROLLER ERRORS.
:      1964 :
:      1965 : FORMAL PARAMETERS:
:      1966 :
:      1967 :     P1          - POINTER TO FORMATED ERROR MESSAGE.
:      1968 :     P2          - FIELD REPLACEABLE UNIT CALL-OUT MASK.
:      1969 :     P3          - RC 25 CONTROLLER REGISTER PRINT-OUT MASK.
:      1970 :     P4          - DATA.
:      1971 :     P5          - DATA.
:      1972 :     P6          - DATA.
:      1973 :
:      1974 : IMPLICIT INPUTS:
:      1975 :
:      1976 :     RET_STATUS
:      1977 :
:      1978 : IMPLICIT OUTPUTS:
:      1979 :
:      1980 :     - NONE -
:      1981 :
:      1982 : COMPLETION CODES:
:      1983 :
:      1984 :     - NONE -
:      1985 :
:      1986 : SIDE EFFECTS:
:      1987 :
:      1988 :     - NONE -
:      1989 : --
:      1990 :
:      1991 : PRINT SUPPLEMENTAL ERROR INFO
:      1992 :
:      1993 :
:      1994 : if .P1 neqa 0          ! IF ERROR MESSAGE POINTER
:      1995 : then                  ! ISN'T 0, THEN PRINT-OUT
:      1996 :     begin
:      1997 :
:      1998 :         if .P_MASK eqlu 3 then PRINTB (.P1, .P4, .P5, .P6); ! SUPPLEMENTAL ERROR INFO.
:      1999 :
:      2000 :         if .P_MASK eqlu 2 then PRINTB (.P1, .P6, .P4, .P5);
    
```



```

2001
2002     if .P_MASK eqv 1 then PRINTB (.P1, .P4);
2003
2004     end;
2005
2006     if .P3 nequ 0
2007     then
2008         PRINTB (FMT3, .P6, .P3);
2009
2010
2011     !
2012     ! PERFORM FIELD REPLACEABLE UNIT CALL-OUT
2013     !
2014     !if .P2 nequ 0
2015     !then
2016     PRT$FRU_CALLOUT (.P2);
2017     ! CLEAR ALL PARAMETERS
2018     P1 = ZERO;
2019     P2 = ZERO;
2020     P3 = ZERO;
2021     P4 = ZERO;
2022     P5 = ZERO;
2023     P6 = ZERO;
2024     ENDMSG;

! IF ELIGIBLE REGISTER(S)
! PRESENT, THEN PRINT-OUT
! SELECTED CONTROLLER
! REGISTER(S).

! IF ELIGIBLE FRU CALL-OUT(S)
! PRESENT, THEN PRINT-OUT
! FEILD REPLACEABLE UNITS.

! END OF ROUTINE:

```

```

000000 005767 000000G      .SBTTL  M$RC25$ERR.RPT RC25 CONTROLLER ERROR REPORTING
                                M$RC25$ERR.RPT:
000004 001462              TST     P1
000006 126727 000000G 000003 BEQ     3$
                                ;
000014 001016              CMPB   P.MASK,#3
                                ;
000016 016746 000000G      BNE     1$
000022 016746 000000G      MOV     P6,-(SP)
000026 016746 000000G      MOV     P5,-(SP)
000032 016746 000000G      MOV     P4,-(SP)
000036 012746 000004      MOV     P1,-(SP)
000042 010600              MOV     #4,-(SP)
                                ; SP,*
000044 104414              TRAP   14
000046 062706 000012      ADD     #12,SP
000052 126727 000000G 000002 1$:  CMPB   P.MASK,#2
                                ;
000060 001016              BNE     2$
000062 016746 000000G      MOV     P5,-(SP)
000066 016746 000000G      MOV     P4,-(SP)
000072 016746 000000G      MOV     P6,-(SP)
000076 016746 000000G      MOV     P1,-(SP)
000102 012746 000004      MOV     #4,-(SP)
                                ; SP,*
000106 010600              MOV     SP,R0
000110 104414              TRAP   14
000112 062706 000012      ADD     #12,SP
000116 126727 000000G 000001 2$:  CMPB   P.MASK,#1
                                ;
000124 001012              BNE     3$
000126 016746 000000G      MOV     P4,-(SP)
000132 016746 000000G      MOV     P1,-(SP)
000136 012746 000002      MOV     #2,-(SP)
                                ; SP,*
000142 010600              MOV     SP,R0
000144 104414              TRAP   14

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
RC25 CONTROLLER ERROR REPORTING

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (13

000146	062706	000006		ADD	#6,SP		
000152	005767	000000G	3\$:	TST	P3	:	2006
000156	001414			BEQ	4\$		
000160	016746	000000G		MOV	P3,-(SP)	:	2008
000164	016746	000000G		MOV	P6,-(SP)		
000170	012746	000000G		MOV	#FMT3,-(SP)		
000174	012746	000003		MOV	#3,-(SP)		
000200	010600			MOV	SP,R0	: SP,*	
000202	104414			TRAP	14		
000204	062706	000010		ADD	#10,SP		
000210	016746	000000G	4\$:	MOV	P2,-(SP)	:	2016
000214	004767	000000V		JSR	PC,PRT\$FRU.CALLOUT		
000220	005067	000000G		CLR	P1	:	2018
000224	005067	000000G		CLR	P2	:	2019
000230	005067	000000G		CLR	P3	:	2020
000234	005067	000000G		CLR	P4	:	2021
000240	005067	000000G		CLR	P5	:	2022
000244	005067	000000G		CLR	P6	:	2023
000250	005726			TST	(SP)+	:	1957
000252	000207			RTS	PC	:	

: Routine Size: 86 words, Routine Base: AB\$CODE + 0304
: Maximum stack depth per invocation: 7 words

```

2025 %sbttl 'FIELD REPLACEABLE UNIT REPORTING'
2026
2027 global routine PRT$FRU_CALLOUT (FRU$MASK) : novalue =
2028 ++
2029 FUNCTIONAL DESCRIPTION:
2030
2031     THIS ROUTINE REPORTS FIELD REPLACEABLE UNITS WHICH ARE
2032     DEEMED ELIGIBLE FOR PRINT-OUT BY THE FAILING TEST.
2033
2034 FORMAL PARAMETERS:
2035
2036     FRU$MASK      -   FIELD REPLACEABLE UNIT CALL-OUT MASK.
2037
2038 IMPLICIT INPUTS:
2039
2040     - NONE -
2041
2042 IMPLICIT OUTPUTS:
2043
2044     - NONE -
2045
2046 COMPLETION CODES:
2047
2048     - NONE -
2049
2050 SIDE EFFECTS:
2051
2052     - NONE -
2053
2054 --
2055     begin
2056     local
2057     FRU$MSG;           ! ALLOCATE STORAGE FOR
2058                       ! POINTER TO FRU MESSAGE.
2059
2060     !
2061     ! PERFORM FIELD REPLACEABLE UNIT CALL-OUT
2062     !
2063
2064     incru FRU_SELECT from 0 to 3 do           ! CHECK EACH FRU FOR
2065                                           ! POSSIBLE CALL-OUT.
2066
2067         if BIT_TST (.FRU$MASK, 1^.FRU_SELECT) ! IF CURRENT FRU ELIGIBLE
2068         then                                     ! FOR PRINT-OUT THEN GET
2069             begin                               ! POINTER TO FRU MESSAGE.
2070
2071                 selectu 1^.FRU_SELECT of       ! SELECT FRU FROM ONE OF
2072                 set                             ! THE FOLLOWING:
2073
2074                     [ADAPT] :                   ! GET ASYNC FRU MESSAGE.
2075                     FRU$MSG = ADAPTO;
2076
2077                     [CONTR] :
2078                     FRU$MSG = CCNTRO;         ! GET SYNC FRU MESSAGE
2079
2080                     [DRIVE] :
2081                     FRU$MSG = DRIVE_;         ! GET ARR_DAT FRU MESSAGE

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
FIELD REPLACEABLE UNIT REPORTING

K 9

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 BLISS-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (14

SEQ 114
Page 27

```

: 2082
: 2083      [MECH] :
: 2084      FRU$MSG = MECHAN;
: 2085      tes;
: 2086
: 2087      PRINTX (FRU, .FRU$MSG, .UNIT);
: 2088      end;
: 2089
: 2090      end;

```

```

: GET MEM ARR FRU MESSAGE
: PRINT FRU CALL-OUT.

: END OF ROUTINE:

: 'PRT$FRU_CALLOUT'.

```

```

000000 004167 000000G      .SBTTL PRT$FRU_CALLOUT FIELD REPLACEABLE UNIT REPORTING
PRT$FRU_CALLOUT::
JSR R1,$SAVE3           ;
CLR R3                   ; FRU.SELECT
1$: MOV #1,-(SP)         ;
MOV R3,-(SP)             ; FRU.SELECT,*
JSR PC,BL$SHF
MOV R0,R1
TST (SP)+
MOV 14(SP),R0           ; FRU$MASK,*
COM R0
BIC R0,R1
MOV #1,(SP)
MOV R3,-(SP)             ; FRU.SELECT,*
JSR PC,BL$SHF
CMP (SP)+,(SP)+
CMP R1,R0
BNE 6$
MOV #1,-(SP)             ;
MOV R3,-(SP)             ; FRU.SELECT,*
JSR PC,BL$SHF
CMP R0,#1
BNE 2$
MOV #ADAPTO,R2          ; *,FRU$MSG
CMP R0,#2                ;
BNE 3$
MOV #CONTR0,R2          ; *,FRU$MSG
CMP R0,#4                 ;
BNE 4$
MOV #DRIVE.,R2          ; *,FRU$MSG
CMP R0,#10                ;
BNE 5$
MOV #MECHAN,R2          ; *,FRU$MSG
MOV UNIT,(SP)            ;
MOV R2,-(SP)             ; FRU$MSG,*
MOV #FRU,-(SP)
MOV #3,-(SP)
MOV SP,R0                ; SP,*
TRAP 15
ADD #12,SP
6$: INC R3                ;
CMP R3,#3                 ; FRU.SELECT
BLOS 1$                   ; FRU.SELECT,*
RTS PC                    ;

```

: Routine Size: 63 words, Routine Base: AB\$CODE + 0560

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
FIELD REPLACEABLE UNIT REPORTING

L 9

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (14

SEQ 115
Page 28

: Maximum stack depth per invocation: 11 words

: 2091

```

2092 %sbttl 'AZTEC INITIALIZATION'
2093
2094 global routine AZT_INIT =
2095 ++
2096 FUNCTIONAL DESCRIPTION:
2097
2098     THIS ROUTINE WILL DO STEP 1 THROUGH STEP 3 CHECK FOR ANY ERRORS
2099     IN EACH STEP AND RETURN TRUE OR FALSE.
2100
2101 FORMAL PARAMETERS:
2102
2103     - NONE -
2104
2105 IMPLICIT INPUTS:
2106
2107     DATA1 = STEP 1 WRITE DATA
2108     DATA2 = STEP 2 WRITE DATA
2109     DATA3 = STEP 3 WRITE DATA
2110     DATA4 = STEP 4 WRITE DATA
2111
2112     B_MASK = WITCH STEPS WILL BE DONE
2113             %0 1 = STEP 1
2114             %0 3 = STEP 1,2
2115             %0 7 = STEP 1,2,3
2116             %017 = STEP 1,2,3,4
2117
2118 IMPLICIT OUTPUTS:
2119
2120     IF ERROR OR NO STEP IT WILL RETURN
2121     P1-P5,P MASK
2122     RET STATUS
2123 COMPLETION CODES:
2124
2125     TRUE OR FALSE
2126
2127 SIDE EFFECTS:
2128
2129     - NONE -
2130
2131 --
2131 begin
2132
2133 local
2134     N,                !STEP NUMBER
2135     MASK,             !STEP MASK
2136     COUNT,           !TIME OUT COUNT
2137     DATA;           !WRITE DATA FOR THE STEP
2138
2139
2140     ! INIT THE AZTEC
2141
2142     !_AM_NEX = ALL_ONES;           ! INIT INTERRUPT FLAG
2143
2144
2145     ! THE FOLLOWING LOOP WILL DO STEP 1 THRU 4 AS GIVEN BY B_MASK
2146     ! INPUT SELECTING APPROPRIATE DATA INPUT FOR STEP WRITES. IF
2147     ! ERROR IN SA REGISTER P1 - P4 AND P_MASK WILL BE SUPPLIED FOR
2148     ! ERROR REPORT. ONLY SA DATA FOR THE FINAL WRITE STEP IS PRESERVED.

```

```
2149 MASK = %b'0001';
2150 WRT_RC25 (RCIP, ALL_ONES);
2151 DELAY (2);
2152
2153 incru N from 0 to 4 do
2154 begin
2155
2156 if (.N eqlu 0 or BIT_TST (.B_MASK, .MASK)) ! TEST FOR STEP NUMBER
2157 then
2158 begin
2159 !
2160
2161 selectoneu .N of ! SELECT CORRECT WRITE
2162 set !
2163
2164 [0] : DATA = ALL_ONES; !
2165
2166 [1] : DATA = .DATA1; ! DATA FOR STEP WRITES
2167
2168 [2] : DATA = .DATA2;
2169
2170 [3] : DATA = .DATA3;
2171
2172 [4] : DATA = .DATA4;
2173
2174 tes;
2175
2176 !
2177
2178 if .N gequ 1 then WRT_RC25 (RCSA, .DATA); ! STEP N WRITE DATA TO SA
2179
2180 incru COUNT from 0 to 20 do ! TIME OUT WAIT LOOP
2181 begin
2182 DELAY (333); ! DELAY 1 SEC. APPROX.
2183
2184 if .I_AM_NEX eqlu ALL_ONES then exitloop;
2185
2186 end;
2187
2188 if .I_AM_NEX eqlu ALL_ONES
2189 then
2190 begin
2191 DELAY (2);
2192 RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL]; ! STEP N READ
2193
2194 if .N nequ 0 then MASK = .MASK^1; ! INCREMENT STEP
2195
2196 I_AM_NEX = ZERO;
2197
2198 if (.RC25_DATA [RCSA, RCSA_ER] nequ ZERO) ! IF SA REGISTER CONTAINS
2199 then
2200 begin
2201 RET_STATUS = PFE_CODE;
2202
2203
2204
2205
```

```

2206         exitloop;
2207         end
2208     else
2209     begin
2210
2211         if (.RC25_DATA [RCSA, RCSA_STEP] nequ .MASK)           ! ERROR OR INCORRECT STEP
2212         then
2213             begin
2214                 P MASK = 2;                                     ! SUPPLY P1 THRU P5 AND
2215                 PT = FMT3;
2216                 P2 = ADAPT;
2217                 P4 = (.RC25_ADDR) + 2;
2218                 P5 = .RC25_DATA [RCSA, RC_ALL];
2219                 P6 = .MASK;
2220                 MSGADR = MSG_14;
2221                 RET_STATUS = TRUE;
2222                 return .RET_STATUS;           ! TRUE STATUS.
2223             end;
2224
2225         end;
2226
2227     end
2228 else
2229     begin
2230     RET_STATUS = CTO_CODE;
2231     exitloop;
2232     end;
2233
2234     end;
2235
2236     end;
2237
2238     if .RET_STATUS
2239     then
2240     begin
2241     P MASK = 2;
2242     PT = FMT3;
2243     P2 = ADAPT;
2244     P4 = (.RC25_ADDR) + 2;
2245     P5 = .RC25_DATA [RCSA, RC_ALL];
2246     P6 = .MASK;
2247     MSGADR = MSG_14;
2248     return .RET_STATUS;
2249     end
2250 else
2251     return RET_STATUS = PAS_CODE;
2252     end;

```

006700	004167	000000G		.SBTTL	AZT.INIT AZTEC INITIALIZATION		
			AZT.INIT::	JSR	R1,\$SAVE5	:	2094
000004	024646			CMP	-(SP),-(SP)	:	
000006	012767	177777	000000G	MOV	#-1,I.AM.NEX	:	2142
000014	012704	000001		MOV	#1,R4	:	2149
000020	012700	177777		MOV	#-1,R0	:	2150
000024	010077	000000G		MOV	R0,@RC25.ADDR	:	RCM.REG,*

ZRCFA2 V01.0	MISCELLANEOUS SECTIONS AZTEC INITIALIZATION		8-Jul-1983 15:23:25 8-Jul-1983 14:44:20	VAX-11 Bliss-16 V3-555 SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (15	2151 2153 2156 2161 2165 2161 2168 2161 2171 2161 2174 2161 2177 2182 2184 2186 2188 2184
000030	012701	000002		: *,SSTMP2	2151
000034	001411		1\$:	: *,SSTMP1	
000036	016700	000000G			
000042	001404				
000044	005066	000002	2\$:	: SSTMP	
000050	005300			: SSTMP1	
000052	001374				
000054	005301		3\$:	: SSTMP2	
000056	000766				
000060	005005		4\$:	: N	2153
000062	005705		5\$:	: N	2156
000064	001412				
000066	010401			: MASK,*	
000070	005000				
000072	156700	000000G			
000076	005101				
000100	040100				
000102	020004			: *,MASK	
000104	001402				
000106	000167	000416			
000112	010500		6\$:	: N,*	2161
000114	001003				
000116	012702	177777		: *,DATA	2165
000122	000427			:	2161
000124	020027	000001	7\$:		
000130	001003				
000132	016702	000000G		: *,DATA	2168
000136	000421			:	2161
000140	020027	000002	8\$:		
000144	001003				
000146	016702	000000G		: *,DATA	2171
000152	000413			:	2161
000154	020027	000003	9\$:		
000160	001003				
000162	016702	000000G		: *,DATA	2174
000166	000405			:	2161
000170	020027	000004	10\$:		
000174	001002				
000176	016702	000000G		: *,DATA	2177
000202	005705		11\$:	: N	2182
000204	001405				
000206	010201			: DATA,RCM.REG	
000210	016700	000000G			
000214	010160	000002		: RCM.REG,*	
000220	005003		12\$:	: COUNT	2184
000222	012701	000515	13\$:	: *,SSTMP2	2186
000226	001411		14\$:		
000230	016700	000000G		: *,SSTMP1	
000234	001404				
000236	005066	000002	15\$:	: SSTMP	
000242	005300			: SSTMP1	
000244	001374				
000246	005301		16\$:	: SSTMP2	
000250	000766				
000252	026727	000000G 177777	17\$:	:	2188
000260	001404				
000262	005203			: COUNT	2184

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC INITIALIZATION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (15

000264	020327	000024			CMP	R3,#24	=: COUNT,*	
000270	101754				BLOS	13\$		
000272	026727	000000G 177777	18\$:		CMP	I.AM.NEX,#-1	:	2192
000300	001107				BNE	25\$		
000302	012703	000002			MOV	#2,R3	: *,\$\$TMP2	2195
000306	001411		19\$:		BEQ	22\$		
000310	016700	000000G			MOV	L\$DLY,R0	: *,\$\$TMP1	
000314	001404				BEQ	21\$		
000316	005066	000002	20\$:		CLR	2(SP)	: \$\$TMP	
000322	005300				DEC	R0	: \$\$TMP1	
000324	001374				BNE	20\$		
000326	005303		21\$:		DEC	R3	: \$\$TMP2	
000330	000766				BR	19\$		
000332	016700	000000G	22\$:		MOV	RC25.ADDR,R0	:	2196
000336	016016	000002			MOV	2(R0),(SP)	: *,RC.REG	
000342	011667	000002G			MOV	(SP),RC25.DATA+2	: RC.REG,*	
000346	005705				TST	R5	: N	2198
000350	001401				BEQ	23\$		
000352	006304				ASL	R4	: MASK	
000354	005067	000000G	23\$:		CLR	I.AM.NEX	:	2200
000360	032767	100000 000002G			BIT	#100000,RC25.DATA+2	:	2202
000366	001404				BEQ	24\$		
000370	012767	000021 000000G			MOV	#21,RET.STATUS	:	2205
000376	000462				BR	27\$:	2204
000400	010401		24\$:		MOV	R4,R1	: MASK,*	2211
000402	016700	000002G			MOV	RC25.DATA+2,R0		
000406	006200				ASR	R0		
000410	006200				ASR	R0		
000412	006200				ASR	R0		
000414	000300				SWAB	R0		
000416	042700	177760			BIC	#177760,R0		
000422	020001				CMP	R0,R1		
000424	001441				BEQ	26\$		
000426	112767	000002 000000G			MOVB	#2,P.MASK	:	2214
000434	012767	000000G 000000G			MOV	#FMT3,P1	:	2215
000442	012767	000001 000000G			MOV	#1,P2	:	2216
000450	016700	000000G			MOV	RC25.ADDR,R0	:	2217
000454	062700	000002			ADD	#2,R0		
000460	010067	000000G			MOV	R0,P4		
000464	016767	000002G 000000G			MOV	RC25.DATA+2,P5	:	2218
000472	010467	000000G			MOV	R4,P6	: MASK,*	2219
000476	012767	000000G 000000G			MOV	#MSG.14,MSGADR	:	2220
000504	012767	000001 000000G			MOV	#1,RET.STATUS	:	2221
000512	016700	000000G			MOV	RET.STATUS,R0	:	2213
000516	000453				BR	29\$		
000520	012767	000011 000000G	25\$:		MOV	#11,RET.STATUS	:	2230
000526	000406				BR	27\$:	2229
000530	005205		26\$:		INC	R5	: N	2153
000532	020527	000004			CMP	R5,#4	: N,*	
000536	101002				BHI	27\$		
000540	000167	177316			JMP	5\$		
000544	032767	000001 000000G	27\$:		BIT	#1,RET.STATUS	:	2238
000552	001432				BEQ	28\$		
000554	112767	000002 000000G			MOVB	#2,P.MASK	:	2241
000562	012767	000000G 000000G			MOV	#FMT3,P1	:	2242
000570	012767	000001 000000G			MOV	#1,P2	:	2243
000576	016700	000000G			MOV	RC25.ADDR,R0	:	2244

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC INITIALIZATION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (15

000602	062700	000002		ADD	#2,R0		
000606	010067	000000G		MOV	R0,P4		
000612	016767	000002G	000000G	MOV	RC25.DATA+2,P5	:	2245
000620	010467	000000G		MOV	R4,P6	:	2246
000624	012767	000000G	000000G	MOV	#MSG.14,MSGADR	:	2247
000632	016700	000000G		MOV	RET.STATUS,R0	:	2131
000636	000403			BR	29\$		
000640	005067	000000G	28\$:	CLR	RET.STATUS	:	2251
000644	005000			CLR	R0	:	2131
000646	022626		29\$:	CMP	(SP)+,(SP)+	:	2094
000650	000207			RTS	PC	:	

: Routine Size: 213 words, Routine Base: ABS\$CODE + 0756
: Maximum stack depth per invocation: 9 words

ZRCFA2
V01.0MISCELLANEOUS SECTIONS
AZTEC INITIALIZATION BY POLING8-Jul-1983 15:23:25
8-Jul-1983 14:44:20VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REALJZRCFA (16

```

2253 %sbttl 'AZTEC INITIALIZATION BY POLING'
2254
2255 global routine AZP_INIT =
2256 ++
2257 FUNCTIONAL DESCRIPTION:
2258
2259     THIS ROUTINE WILL DO STEP 1 THROUGH STEP 4 CHECK FOR ANY ERRORS
2260     IN EACH STEP AND RETURN TRUE OR FALSE.
2261
2262 FORMAL PARAMETERS:
2263
2264     - NONE -
2265
2266 IMPLICIT INPUTS:
2267
2268     DATA1 = STEP 1 WRITE DATA
2269     DATA2 = STEP 2 WRITE DATA
2270     DATA3 = STEP 3 WRITE DATA
2271     DATA4 = STEP 4 WRITE DATA
2272
2273     B_MASK = WHICH STEPS WILL BE DONE
2274             %0 1 = STEP 1
2275             %0 3 = STEP 1,2
2276             %0 7 = STEP 1,2,3
2277             %017 = STEP 1,2,3,4
2278
2279 IMPLICIT OUTPUTS:
2280
2281     IF ERROR OR NO STEP IT WILL RETURN
2282     P1-P5, P MASK
2283     RET STATUS
2284 COMPLETION CODES:
2285
2286     TRUE OR FALSE
2287
2288 SIDE EFFECTS:
2289
2290     - NONE -
2291
2292 --
2292     begin
2293
2294     local
2295         N,                !STEP NUMBER
2296         MASK,             !STEP MASK
2297         COUNT,           !TIME OUT COUNT
2298         DATA;           !WRITE DATA FOR THE STEP
2299
2300     |
2301     | INIT THE AZTEC
2302     |
2303     |
2304     | THE FOLLOWING LOOP WILL DO STEP 1 THRU 4 AS GIVEN BY B_MASK
2305     | INPUT SELECTING APPROPRIATE DATA INPUT FOR STEP WRITES. IF
2306     | ERROR IN SA REGISTER P1 - P4 AND P_MASK WILL BE SUPPLIED FOR
2307     | ERROR REPORT. ONLY SA DATA FOR THE FINAL WRITE STEP IS PRESERVED.
2308     | MASK = %b'0001';           ! STEP MASK
2309     | WRT_RC25 (RCIP, ALL_ONES); ! START INIT

```

```
2310      DELAY (2);                                ! WAIT FOR COMPLETION
2311
2312      incru N from 0 to 4 do
2313      begin
2314
2315          if (.N eqlu 0 or BIT_TST (.B_MASK, .MASK)) ! TEST FOR STEP NUMBER
2316          then
2317          begin
2318          !
2319
2320          selectoneu .N of                          ! SELECT CORRECT WRITE
2321          set                                       !
2322
2323          [0] : DATA = ALL_ONES;                  !
2324
2325          [1] : DATA = .DATA1;                    ! DATA FOR STEP WRITES
2326
2327          [2] : DATA = .DATA2;
2328
2329          [3] : DATA = .DATA3;
2330
2331          [4] : DATA = .DATA4;
2332
2333          tes;
2334
2335          !
2336
2337          !
2338
2339          !
2340
2341          incru COUNT from 0 to 20 do             ! TIME OUT WAIT LOOP
2342          begin
2343          DELAY (333);                             ! DELAY 1 SEC. APPROX.
2344          RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL];
2345
2346          if .RC25_DATA [RCSA, RCSA_STEP] eqlu .MASK then exitloop;
2347
2348          RET_STATUS = CTO_CODE;
2349          end;
2350
2351          if (.RC25_DATA [RCSA, RCSA_ER] nequ ZERO)
2352          then
2353          begin
2354          RET_STATUS = PFE_CODE;
2355          exitloop;
2356          end
2357          else
2358          begin
2359
2360          if (.RC25_DATA [RCSA, RCSA_STEP] nequ .MASK)
2361          then
2362          begin
2363          P MASK = 2;
2364          P1 = FMT3;
2365          P2 = ADAPT;
2366          P4 = (.RC25_ADDR) + 2;
```

```

: 2367      P5 = .RC25_DATA [RCSA, RC_ALL];
: 2368      P6 = .MASK;
: 2369      MSGADR = MSG 14;
: 2370      return .RET_STATUS;      ! TRUE STATUS.
: 2371      end
: 2372      else
: 2373      begin
: 2374      RET_STATUS = PAS_CODE;
: 2375      end;
: 2376
: 2377      end;
: 2378
: 2379      if .N nequ ZERO
: 2380      then
: 2381      begin
: 2382      MASK = .MASK^1;
: 2383      WRT_RC25 (RCSA, .DATA);      ! STEP N WRITE DATA TO SA
: 2384      end;
: 2385
: 2386      end;
: 2387
: 2388      end;
: 2389
: 2390      if .RET_STATUS
: 2391      then
: 2392      begin
: 2393      P MASK = 2;
: 2394      P1 = FMT3;
: 2395      P2 = ADAPT;
: 2396      P4 = (.RC25_ADDR) + 2;
: 2397      P5 = .RC25_DATA [RCSA, RC_ALL];
: 2398      P6 = .MASK;
: 2399      MSGADR = MSG 14;
: 2400      return .RET_STATUS;
: 2401      end
: 2402      else
: 2403      return .RET_STATUS;
: 2404
: 2405      end;

```

000000	004167	000000G	.SBTTL	AZP.INIT AZTEC INITIALIZATION BY POLING	
			AZP.INIT::		
			JSR	R1,\$SAVE5	2255
000004	024646		CMP	-(SP),-(SP)	
000006	012705	000001	MOV	#1,R5	: *,MASK 2308
000012	012700	177777	MOV	#-1,R0	: *,RCM.REG 2309
000016	010077	000000G	MOV	R0,@PC25.ADDR	: RCM.REG,*
000022	012701	000002	MOV	#2,R1	: *,SSTMP2 2310
000026	001411		1\$: BEQ	4\$	
000030	016700	000000G	MOV	L\$DLY,R0	: *,SSTMP1
000034	001404		BEQ	3\$	
000036	005066	000002	2\$: CLR	2(SP)	: \$SSTMP
000042	005300		DEC	R0	: \$SSTMP1
000044	001374		BNE	2\$	
000046	005301		3\$: DEC	R1	: \$SSTMP2
000050	000766		BR	1\$	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC INITIALIZATION BY POLING

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (16

000052	005003		4\$: CLR	R3	: N	2312
000054	005703		5\$: TST	R3	: N	2315
000056	001410		BEQ	6\$		
000060	010501		MOV	R5,R1	: MASK,*	
000062	005000		CLR	R0		
000064	156700	000000G	BISB	B.MASK,R0		
000070	005101		COM	R1		
000072	040100		BIC	R1,R0		
000074	020005		CMP	R0,R5	: *,MASK	
000076	001167		BNE	20\$		
000100	010300		6\$: MOV	R3,R0	: N,*	2320
000102	001003		BNE	7\$		
000104	012702	177777	MOV	#-1,R2	: *,DATA	2324
000110	000427		BR	11\$:	2320
000112	020027	000001	7\$: CMP	R0,#1		
000116	001003		BNE	8\$		
000120	016702	000000G	MOV	DATA1,R2	: *,DATA	2327
000124	000421		BR	11\$:	2320
000126	020027	000002	8\$: CMP	R0,#2		
000132	001003		BNE	9\$		
000134	016702	000000G	MOV	DATA2,R2	: *,DATA	2330
000140	000413		BR	11\$:	2320
000142	020027	000003	9\$: CMP	R0,#3		
000146	001003		BNE	10\$		
000150	016702	000000G	MOV	DATA3,R2	: *,DATA	2333
000154	000405		BR	11\$:	2320
000156	020027	000004	10\$: CMP	R0,#4		
000162	001002		BNE	11\$		
000164	016702	000000G	MOV	DATA4,R2	: *,DATA	2336
000170	005004		11\$: CLR	R4	: COUNT	2341
000172	012701	000515	12\$: MOV	#515,R1	: *,SSTMP2	2343
000176	001411		13\$: BEQ	16\$		
000200	016700	000000G	MOV	LSDLY,R0	: *,SSTMP1	
000204	001404		BEQ	15\$		
000206	005066	000002	14\$: CLR	2(SP)	: SSTMP	
000212	005300		DEC	R0	: SSTMP1	
000214	001374		BNE	14\$		
000216	005301		15\$: DEC	R1	: SSTMP2	
000220	000766		BR	13\$		
000222	016700	000000G	16\$: MOV	RC25.ADDR,R0	:	2344
000226	016016	000002	MOV	2(R0),(SP)	: *,RC.REG	
000232	011667	000002G	MOV	(SP),RC25.DATA+2	: RC.REG,*	
000236	010501		MOV	R5,R1	: MASK,*	2346
000240	011600		MOV	(SP),R0	: RC25.DATA+2,*	
000242	006200		ASR	R0		
000244	006200		ASR	R0		
000246	006200		ASR	R0		
000250	000300		SWAB	R0		
000252	042700	177760	BIC	#177760,R0		
000256	020001		CMP	R0,R1		
000260	001407		BEQ	17\$		
000262	012767	000011 000000G	MOV	#11,RET.STATUS	:	2348
000270	005204		INC	R4	: COUNT	2341
000272	020427	000024	CMP	R4,#24	: COUNT,*	
000276	101735		BLOS	12\$		
000300	032767	100000 000002G	17\$: BIT	#100000,RC25.DATA+2	:	2351
000306	001404		BEQ	18\$		

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC INITIALIZATION BY POLING

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (16

000310	012767	000021	000000G		MOV	#21,RET.STATUS	:	2354
000316	000465				BR	21\$:	2353
000320	010501			18\$:	MOV	R5,R1	: MASK,*	2360
000322	016700	000002G			MOV	RC25.DATA+2,R0	:	
000326	006200				ASR	R0	:	
000330	006200				ASR	R0	:	
000332	006200				ASR	R0	:	
000334	000300				SWAB	R0	:	
000336	042700	177760			BIC	#177760,R0	:	
000342	020001				CMP	R0,R1	:	
000344	001432				BEQ	19\$:	
000346	112767	000002	000000G		MOVB	#2,P.MASK	:	2363
000354	012767	000000G	000000G		MOV	#FMT3,P1	:	2364
000362	012767	000001	000000G		MOV	#1,P2	:	2365
000370	016700	000000G			MOV	RC25.ADDR,R0	:	2366
000374	062700	000002			ADD	#2,R0	:	
000400	010067	000000G			MOV	R0,P4	:	
000404	016767	000002G	000000G		MOV	RC25.DATA+2,P5	:	2367
000412	010567	000000G			MOV	R5,P6	: MASK,*	2368
000416	012767	000000G	000000G		MOV	#MSG.14,MSGADR	:	2369
000424	016700	000000G			MOV	RET.STATUS,R0	:	2362
000430	000460				BR	23\$:	
000432	005067	000000G		19\$:	CLR	RET.STATUS	:	2374
000436	005703				TST	R3	: N	2379
000440	001406				BEQ	20\$:	
000442	006305				ASL	R5	: MASK	2382
000444	010200				MOV	R2,R0	: DATA,RCM.REG	2383
000446	016704	000000G			MOV	RC25.ADDR,R4	:	
000452	010064	000002			MOV	R0,2(R4)	: RCM.REG,*	
000456	005203			20\$:	INC	R3	: N	2312
000460	020327	000004			CMP	R3,#4	: N,*	
000464	101002				BHI	21\$:	
000466	000167	177362			JMP	5\$:	
000472	032767	000001	000000G	21\$:	BIT	#1,RET.STATUS	:	2390
000500	001432				BEQ	22\$:	
000502	112767	000002	000000G		MOVB	#2,P.MASK	:	2393
000510	012767	000000G	000000G		MOV	#FMT3,P1	:	2394
000516	012767	000001	000000G		MOV	#1,P2	:	2395
000524	016700	000000G			MOV	RC25.ADDR,R0	:	2396
000530	062700	000002			ADD	#2,R0	:	
000534	010067	000000G			MOV	R0,P4	:	
000540	016767	000002G	000000G		MOV	RC25.DATA+2,P5	:	2397
000546	010567	000000G			MOV	R5,P6	: MASK,*	2398
000552	012767	000000G	000000G		MOV	#MSG.14,MSGADR	:	2399
000560	016700	000000G			MOV	RET.STATUS,R0	:	2292
000564	000402				BR	23\$:	
000566	016700	000000G		22\$:	MOV	RET.STATUS,R0	:	
000572	022626			23\$:	CMP	(SP)+,(SP)+	:	2255
000574	000207				RTS	PC	:	

: Routine Size: 191 words, Routine Base: ABS\$CODE + 1630
: Maximum stack depth per invocation: 9 words

: 2406


```
2407 %sbttl 'COMMUNICATION RING INITIALIZATION'
2408 !
2409
2410     global routine INIT_COM_AREA =
2411
2412 !++
2413 FUNCTIONAL DESCRIPTIONS:
2414     THIS ROUTINE FIRST MAKES SURE THAT THE COMMUNICATION AREA'S
2415     RING BUFFERS ARE CLEARED, THEN THE COMMUNICATIONS AREA IS
2416     INITIALIZED AS FOLLOWS:
2417
2418     1. DEFINES FROM THE CONTIGIOUS DATA STORAGE STRUCTURE 'COM_AREA'
2419     THE HEADER AREA ADDRESS, RECEIVE RING ADDRESS AND THE SENDING
2420     RING ADDRESS.
2421
2422     2. CLEARS THE INTERRUPT INDICATORS (RING BASE -1, -2, -3, -4)
2423     DEFINED AS HEAD_AREA.
2424
2425     3. LOADS THE RECEIVE AND SEND DESCRIPTORS WITH THE VALUES:
2426
2427         A. ENVELOPE LOW, HIGH AND Q BUS ADDRESS
2428         B. RESERVED FIELD
2429         C. FLAG BIT
2430         D. OWNERSHIP BIT
2431
2432     4. LOAD THE RECEIVE ENVELOPE MESSAGE LENGTH WITH THE BUFFER SIZE
2433     IN BYTES.
2434
2435 FORMAL PARAMETERS:
2436     -NONE -
2437
2438 IMPLICIT INPUTS:
2439     HEAD_AREA, RECEIVE_RING, SENDING_RING, COM_AREA
2440
2441 IMPLICIT OUTPUTS:
2442     AS A RESULT OF THIS ROUTINE THE COMMUNICATION AREA WILL
2443     BE INITIALIZED.
2444
2445 COMPLETION CODES:
2446     FAL_CODE : INDICATE AN ERROR HAS OCCURED
2447     PAS_CODE : INDICATE NO ERROR
2448
2449 SIDE EFFECTS:
2450     - NONE -
2451 !--
2452
2453     begin
2454
2455     incru I from 0 to RING_SIZE - 1 do           ! TEST RING AREA FOR ZEROS
2456
2457         incru J from 0 to 1 do                   !
2458
2459             if .COM_AREA [I, J, WORD_REF] nequ 0 ! IF RING AREA IS NOT CLEAR
2460             then                                  ! THEN
2461                 begin
2462                     RET_STATUS = FAL_CODE;
2463                     return .RET_STATUS;           ! RETURN WITH ERROR CODE SET
```

```
2464         end;
2465
2466
2467     ! DEFINE THE ADDRESS LOCATIONS OF THE HEAD_AREA, RECEIVE_RING
2468     ! AND SEND_RING.
2469
2470     HEAD_AREA = COM_AREA;           ! DEFINE THE HEADER AREA
2471     RECEIVE_RING = COM_AREA [REC_BASE]; ! DEFINE THE RESPONSE RING AREA
2472     SEND_RING = COM_AREA [SND_BASE];  ! DEFINE THE COMMAND RING AREA
2473
2474     incru I from WORD0 to WORD3 do    ! CLEAR THE HEADER AREA
2475     HEAD_AREA [I, WORD_REF] = ZERO;  !
2476
2477
2478     !+ LOAD UP THE COMMAND RING DESCRIPTORS WITH AN ENVELOPE ADDRESS,
2479     ! DEFINE THE 'FLAG BIT' TO = 1 (INTERRUPT REQUESTED), DEFINE THE
2480     ! 'OWNERSHIP BIT' TO ZERO (OWNED BY HOST) AND LOAD THE RESERVED
2481     ! FIELD WITH ZERO.
2482     !-
2483
2484     incru I from 0 to SND_ALLOCATE - 1 do !
2485     begin
2486     SEND_RING [I, LO_EN$AD] = SND ENVELOPE [I, CMD LREF]; ! LO-ORDER SEND ENVELOPE ADDR
2487     SEND_RING [I, HI_EN$AD] = ZERO; ! HI-ORDER SEND ENVELOPE ADDR
2488     SEND_RING [I, QB_EXT] = ZERO; ! HI-ORDER PORTION OF UNIBUS
2489     SEND_RING [I, D_RSVD] = ZERO; ! OR Q-BUS ADDRESS
2490     SEND_RING [I, FLAG_BIT] = ZERO; ! FLAG BIT, 1=INT. REQUESTED
2491     SEND_RING [I, OWN_BIT] = ZERO; ! OWNERSHIP BIT, 0=OWNED BY HO
2492     end;
2493
2494     !+
2495     ! LOAD UP THE RESPONSE RING DESCRIPTORS WITH AN ENVELOPE ADDRESS,
2496     ! DEFINE THE 'OWNERSHIP BIT' = 1 (OWNED BY PORT) DEFINE THE 'FLAG
2497     ! BIT' TO = 1 (INTERRUPT REQUESTED) AND THE RESERVED FIELD SET TO
2498     ! ZEROS.
2499     !-
2500
2501     incru I from 0 to REC_ALLOCATE - 1 do
2502     begin
2503     RECEIVE_RING [I, LO_EN$AD] = REC ENVELOPE [I, CMD LREF]; ! LO-ORDER SEC ENVELOPE ADDR
2504     RECEIVE_RING [I, HI_EN$AD] = ZERO; ! HI-ORDER COMMAND ENV. ADDR
2505     RECEIVE_RING [I, QB_EXT] = ZERO; ! HI-ORDER PORTION OF UQ ADDR
2506     RECEIVE_RING [I, D_RSVD] = ZERO; ! RESERVED
2507     RECEIVE_RING [I, FLAG_BIT] = ZERO; !
2508     RECEIVE_RING [I, OWN_BIT] = ONE; ! OWENER BIT, 1=OWNED BY PORT
2509     end;
2510
2511     !
2512     ! SET THE RESPONSE ENVELOPE MESSAGE LENGTH
2513     !
2514
2515     incru I from 0 to REC_ALLOCATE - 1 do
2516     REC_ENVELOPE [I, MSG_LENGTH] = RB_SIZE*2; ! CONVERT TO BYTES BEFORE
2517
2518     RET_STATUS = PAS CODE; ! LOADING
2519     return .RET_STATUS;
2520     end;
```

				.SBTTL INIT.COM.AREA COMMUNICATION RING INITIALIZATION		
000000	004167	000000G		INIT.COM.AREA::	R1,\$SAVE2	2410
000004	005002			JSR	R2	2455
000006	005001			1\$: CLR	R1	2457
000010	010200			2\$: MOV	R2,R0	2459
000012	006300			ASL	R0	
000014	060100			ADD	R1,R0	
000016	006300			ASL	R0	
000020	005760	000000G		TST	COM.AREA(R0)	
000024	001406			BEQ	3\$	
000026	012767	000000G	000000G	MOV	#FAL.CODE,RET.STATUS	2462
000034	016700	000000G		MOV	RET.STATUS,R0	2461
000040	000207			RTS	PC	
000042	005201			3\$: INC	R1	2457
000044	020127	000001		CMP	R1,#1	
000050	101757			BLOS	2\$	
000052	005202			INC	R2	2455
000054	020227	000037		CMP	R2,#37	
000060	101752			BLOS	1\$	
000062	012767	000000G	000000G	MOV	#COM.AREA,HEAD.AREA	2470
000070	012767	000010G	000000G	MOV	#COM.AREA+10,RECEIVE.RING	2471
000076	012767	000110G	000000G	MOV	#COM.AREA+110,SEND.RING	2472
000104	005000			4\$: CLR	R0	2474
000106	010001			MOV	R0,R1	2475
000110	006301			ASL	R1	
000112	066701	000000G		ADD	HEAD.AREA,R1	
000116	005011			CLR	(R1)	
000120	005200			INC	R0	2474
000122	020027	00C003		CMP	R0,#3	
000126	101767			BLOS	4\$	
000130	005002			5\$: CLR	R2	2484
000132	010201			MOV	R2,R1	2486
000134	006301			ASL	R1	
000136	006301			ASL	R1	
000140	066701	000000G		ADD	SEND.RING,R1	
000144	010246			MOV	R2,-(SP)	
000146	012746	000054		MOV	#54,-(SP)	
000152	004767	000000G		JSR	PC,BL\$MUL	
000156	062700	000004G		ADD	#SND.ENVELOPE+4,R0	
000162	010011			MOV	R0,(R1)	
000164	010200			MOV	R2,R0	2487
000166	006300			ASL	R0	
000170	006300			ASL	R0	
000172	066700	000000G		ADD	SEND.RING,R0	
000176	142760	000003	000002	BICB	#3,2(R0)	
000204	010200			MOV	R2,R0	2488
000206	006300			ASL	R0	
000210	006300			ASL	R0	
000212	066700	000000G		ADD	SEND.RING,R0	
000216	142760	000074	000002	BICB	#74,2(R0)	
000224	010200			MOV	R2,R0	2489
000226	006300			ASL	R0	
000230	006300			ASL	R0	
000232	066700	000000G		ADD	SEND.RING,R0	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
COMMUNICATION RING INITIALIZATION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (17

000236	042760	037700	000002	BIC	#37700,2(R0)			
000244	010200			MOV	R2,R0	:	1,*	2490
000246	006300			ASL	R0			
000250	006300			ASL	R0			
000252	066700	000000G		ADD	SEND.RING,R0			
000256	042760	040000	000002	BIC	#40000,2(R0)			
000264	010200			MOV	R2,R0	:	1,*	2491
000266	006300			ASL	R0			
000270	006300			ASL	R0			
000272	066700	000000G		ADD	SEND.RING,R0			
000276	042760	100000	000002	BIC	#100000,2(R0)			
000304	022626			CMP	(SP)+,(SP)+	:		2485
000306	005202			INC	R2	:	1	2484
000310	020227	000017		CMP	R2,#17	:	1,*	
000314	101706			BLOS	6\$			
000316	005002			CLR	R2	:	1	2501
000320	010201			MOV	R2,R1	:	1,*	2503
000322	006301			ASL	R1			
000324	006301			ASL	R1			
000326	066701	000000G		ADD	RECEIVE.RING,R1			
000332	010200			MOV	R2,R0	:	1,*	
000334	000300			SWAB	R0			
000336	106000			RORB	R0			
000340	006000			ROR	R0			
000342	006000			ROR	R0			
000344	142700	000077		BICB	#77,R0			
000350	062700	000004G		ADD	#REC.ENVELOPE+4,R0			
000354	010011			MOV	R0,(R1)			
000356	010200			MOV	R2,R0	:	1,*	2504
000360	006300			ASL	R0			
000362	006300			ASL	R0			
000364	066700	000000G		ADD	RECEIVE.RING,R0			
000370	142760	000003	000002	BICB	#3,2(R0)			
000376	010200			MOV	R2,R0	:	1,*	2505
000400	006300			ASL	R0			
000402	006300			ASL	R0			
000404	066700	000000G		ADD	RECEIVE.RING,R0			
000410	142760	000074	000002	BICB	#74,2(R0)			
000416	010200			MOV	R2,R0	:	1,*	2506
000420	006300			ASL	R0			
000422	006300			ASL	R0			
000424	066700	000000G		ADD	RECEIVE.RING,R0			
000430	042760	037700	000002	BIC	#37700,2(R0)			
000436	010200			MOV	R2,R0	:	1,*	2507
000440	006300			ASL	R0			
000442	006300			ASL	R0			
000444	066700	000000G		ADD	RECEIVE.RING,R0			
000450	042760	040000	000002	BIC	#40000,2(R0)			
000456	010200			MOV	R2,R0	:	1,*	2508
000460	006300			ASL	R0			
000462	006300			ASL	R0			
000464	066700	000000G		ADD	RECEIVE.RING,R0			
000470	052760	100000	000002	BIS	#100000,2(R0)			
000476	005202			INC	R2	:	1	2501
000500	020227	000017		CMP	R2,#17	:	1,*	
000504	101705			BLOS	6\$			
000506	005001			CLR	R1	:	1	2515

6\$:

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
COMMUNICATION RING INITIALIZATION

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (17

000510	010100		7\$:	MOV	R1,R0				
000512	000300			SWAB	R0				
000514	106000			RORB	R0				
000516	006000			ROR	R0				
000520	006000			ROR	R0				
000522	142700	000077		BICB	#77,R0				
000526	012760	000074	000000G	MOV	#74,REC.ENVELOPE(R0)				
000534	005201			INC	R1	:	I		2515
000536	020127	000017		CMP	R1,#17	:	I,*		
000542	101762			BLOS	7\$:			
000544	005067	000000G		CLR	RET.STATUS	:			2518
000550	016700	000000G		MOV	RET.STATUS,R0	:			2453
000554	000207			RTS	PC	:			2410

: Routine Size: 183 words, Routine Base: AB\$CODE + 2426
: Maximum stack depth per invocation: 6 words

: 2521

```
2522 %sbttl 'AZTEC GLOBAL ROUTINE'
2523 !
2524
2525     global routine EX_SUP_PRG =
2526
2527 !++
2528 ! FUNCTIONAL DESCRIPTION :
2529 !
2530 !     THIS CAMMAD CAUSES THE SERVER TO TRANSFER THE PROGRAM FROM HOST
2531 !     MEMORY TO AN AREA IN THE CONTROLLER AND START IT EXECUTION.
2532 !
2533 ! FORMAL PARAMETERS :
2534 !
2535 ! IMPLICIT INPUTS :   BUF_DESCRPTR
2536 !
2537 ! IMPLICIT OUTPUTS : RET_STATUS
2538 ! SIDE EFFECTS :
2539 !
2540 !--
2541
2542     begin
2543
2544     local
2545         TEMP;
2546
2547     !
2548     ! THE INTERRUPT ROUTINE WILL SET THE FLAG CANCEL_TIMER WHEN CALLED.
2549     ! CLEAR THE FLAG HERE TO INSURE THE DETECTION OF THE INTERRUPT.
2550     !
2551     !_AM_NEX = ZERO;
2552     !
2553     !
2554     ! UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2555     !
2556     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_ESP;
2557     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;
2558     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;
2559     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 2;
2560     !
2561     ! DUP COMMAND ENVELOPE FIELD DEFINITION
2562     !
2563     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;
2564     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;
2565     SND_ENVELOPE [.CMD_SLOT, UN_USED] = ZERO;
2566     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;
2567     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_ESP;
2568     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;
2569     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO;
2570     SND_ENVELOPE [.CMD_SLOT, BLO_CNT] = .BYTE_COUNT;           ! BYTE COUNT LOW WORD
2571     SND_ENVELOPE [.CMD_SLOT, BHI_CNT] = ZERO;                 ! BYTE COUNT HIGH WORD
2572     SND_ENVELOPE [.CMD_SLOT, BD_0] = .BUF_DESCRPTR;          ! BUFFER DESCRIPTOR WORD 0
2573     SND_ENVELOPE [.CMD_SLOT, BD_1] = ZERO;                   ! BUFFER DESCRIPTOR WORD 1
2574     SND_ENVELOPE [.CMD_SLOT, BD_2] = ZERO;                   ! BUFFER DESCRIPTOR WORD 2
2575     SND_ENVELOPE [.CMD_SLOT, BD_3] = ZERO;                   ! BUFFER DESCRIPTOR WORD 3
2576     SND_ENVELOPE [.CMD_SLOT, BD_4] = ZERO;                   ! BUFFER DESCRIPTOR WORD 4
2577     SND_ENVELOPE [.CMD_SLOT, BD_5] = ZERO;                   ! BUFFER DESCRIPTOR WORD 5
2578     SND_ENVELOPE [.CMD_SLOT, OBD_0] = ZERO;                   ! BUFFER DESCRIPTOR WORD 0
```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (18)

```

: 2579 SND_ENVELOPE [.CMD_SLOT, OBD_1] = ZERO; ! BUFFER DESCRIPTOR WORD 1
: 2580 SND_ENVELOPE [.CMD_SLOT, OBD_2] = ZERO; ! BUFFER DESCRIPTOR WORD 2
: 2581 SND_ENVELOPE [.CMD_SLOT, OBD_3] = ZERO; ! BUFFER DESCRIPTOR WORD 3
: 2582 SND_ENVELOPE [.CMD_SLOT, OBD_4] = ZERO; ! BUFFER DESCRIPTOR WORD 4
: 2583 SND_ENVELOPE [.CMD_SLOT, OBD_5] = ZERO; ! BUFFER DESCRIPTOR WORD 5
: 2584
: 2585 SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
: 2586
: 2587 SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
: 2588
: 2589 READ THE IP REGISTER TO STIMULATE PORT POLLING.
: 2590
: 2591 TEMP = .RC25_ADDR [RCIP, RC_ALL];
: 2592
: 2593 GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
: 2594
: 2595 GET_CMD_SLOT ();
: 2596
: 2597
: 2598 DELAY (1);
: 2599
: 2600 CHECK THE END PACKET FOR GOOD STATUS
: 2601
: 2602 return REC_STATUS (); !RETURN THE STATUS
: 2603 end;

```

```

000000 010146 .SBTTL EX.SUP.PRG AZTEC GLOBAL ROUTINE
EX.SUP.PRG::
MOV R1, -(SP) ; 2525
CMP -(SP), -(SP) ;
CLR I.AM.NEX ; 2551
MOV CMD_SLOT, -(SP) ; 2556
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
MOV #50, SND.ENVELOPE(R0) ;
MOV CMD_SLOT, (SP) ; 2557
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
BICB #17, SND.ENVELOPE+2(R0) ;
BISB #1, SND.ENVELOPE+2(R0) ;
MOV CMD_SLOT, (SP) ; 2558
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
BICB #360, SND.ENVELOPE+2(R0) ;
MOV CMD_SLOT, (SP) ; 2559
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
MOVB #2, SND.ENVELOPE+3(R0) ;
MOV CMD_SLOT, (SP) ; 2563
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
MOV CMD_REF, SND.ENVELOPE+4(R0) ; 2564
MOV CMD_SLOT, (SP) ;
MOV #54, -(SP) ;
JSR PC, BL$MUL ;
CLR SND.ENVELOPE+6(R0) ;

```

ZRCFA2	MISCELLANEOUS SECTIONS		8-Jul-1983 15:23:25	VAX-11 Bliss-16 V3-555	SEQ 134
V01.0	AZTEC GLOBAL ROUTINE		8-Jul-1983 14:44:20	SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (18	Page 47
000170	016716	000000G	MOV	CMD.SLOT,(SP)	2565
000174	012746	000054	MOV	#54,-(SP)	
000200	004767	000000G	JSR	PC,BLSMUL	
000204	005060	000010G	CLR	SND.ENVELOPE+10(R0)	
000210	016716	000000G	MOV	CMD.SLOT,(SP)	2566
000214	012746	000054	MOV	#54,-(SP)	
000220	004767	000000G	JSR	PC,BLSMUL	
000224	005060	000012G	CLR	SND.ENVELOPE+12(R0)	
000230	016716	000000G	MOV	CMD.SLOT,(SP)	2567
000234	012746	000054	MOV	#54,-(SP)	
000240	004767	000000G	JSR	PC,BLSMUL	
000244	112760	000002	MOVB	#2,SND.ENVELOPE+14(R0)	
000252	016716	000000G	MOV	CMD.SLOT,(SP)	2568
000256	012746	000054	MOV	#54,-(SP)	
000262	004767	000000G	JSR	PC,BLSMUL	
000266	105060	000015G	CLRB	SND.ENVELOPE+15(R0)	
000272	016716	000000G	MOV	CMD.SLOT,(SP)	2569
000276	012746	000054	MOV	#54,-(SP)	
000302	004767	000000G	JSR	PC,BLSMUL	
000306	005060	000016G	CLR	SND.ENVELOPE+16(R0)	
000312	016716	000000G	MOV	CMD.SLOT,(SP)	2570
000316	012746	000054	MOV	#54,-(SP)	
000322	004767	000000G	JSR	PC,BLSMUL	
000326	016760	000000G	MOV	BYTE.COUNT,SND.ENVELOPE+20(R0)	
000334	016716	000000G	MOV	CMD.SLOT,(SP)	2571
000340	012746	000054	MOV	#54,-(SP)	
000344	004767	000000G	JSR	PC,BLSMUL	
000350	005060	000022G	CLR	SND.ENVELOPE+22(R0)	
000354	016716	000000G	MOV	CMD.SLOT,(SP)	2572
000360	012746	000054	MOV	#54,-(SP)	
000364	004767	000000G	JSR	PC,BLSMUL	
000370	016760	000000G	MOV	BUF.DESCRPTR,SND.ENVELOPE+24(R0)	
000376	016716	000000G	MOV	CMD.SLOT,(SP)	2573
000402	012746	000054	MOV	#54,-(SP)	
000406	004767	000000G	JSR	PC,BLSMUL	
000412	005060	000026G	CLR	SND.ENVELOPE+26(R0)	
000416	016716	000000G	MOV	CMD.SLOT,(SP)	2574
000422	012746	000054	MOV	#54,-(SP)	
000426	004767	000000G	JSR	PC,BLSMUL	
000432	005060	000030G	CLR	SND.ENVELOPE+30(R0)	
000436	016716	000000G	MOV	CMD.SLOT,(SP)	2575
000442	012746	000054	MOV	#54,-(SP)	
000446	004767	000000G	JSR	PC,BLSMUL	
000452	005060	000032G	CLR	SND.ENVELOPE+32(R0)	
000456	016716	000000G	MOV	CMD.SLOT,(SP)	2576
000462	012746	000054	MOV	#54,-(SP)	
000466	004767	000000G	JSR	PC,BLSMUL	
000472	005060	000034G	CLR	SND.ENVELOPE+34(R0)	
000476	016716	000000G	MOV	CMD.SLOT,(SP)	2577
000502	012746	000054	MOV	#54,-(SP)	
000506	004767	000000G	JSR	PC,BLSMUL	
000512	005060	000036G	CLR	SND.ENVELOPE+36(R0)	
000516	016716	000000G	MOV	CMD.SLOT,(SP)	2578
000522	012746	000054	MOV	#54,-(SP)	
000526	004767	000000G	JSR	PC,BLSMUL	
000532	005060	000040G	CLR	SND.ENVELOPE+40(R0)	
000536	016716	000000G	MOV	CMD.SLOT,(SP)	2579

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (18

000542	012746	000054		MOV	#54,-(SP)		
000546	004767	000000G		JSR	PC,BLSMUL		
000552	005060	000042G		CLR	SND.ENVELOPE+42(R0)		
000556	016716	000000G		MOV	CMD.SLOT,(SP)	:	2580
000562	012746	000054		MOV	#54,-(SP)		
000566	004767	000000G		JSR	PC,BLSMUL		
000572	005060	000044G		CLR	SND.ENVELOPE+44(R0)		
000576	016716	000000G		MOV	CMD.SLOT,(SP)	:	2581
000602	012746	000054		MOV	#54,-(SP)		
000606	004767	000000G		JSR	PC,BLSMUL		
000612	005060	000046G		CLR	SND.ENVELOPE+46(R0)		
000616	016716	000000G		MOV	CMD.SLOT,(SP)	:	2582
000622	012746	000054		MOV	#54,-(SP)		
000626	004767	000000G		JSR	PC,BLSMUL		
000632	005060	000050G		CLR	SND.ENVELOPE+50(R0)		
000636	016716	000000G		MOV	CMD.SLOT,(SP)	:	2583
000642	012746	000054		MOV	#54,-(SP)		
000646	004767	000000G		JSR	PC,BLSMUL		
000652	005060	000052G		CLR	SND.ENVELOPE+52(R0)		
000656	016700	000000G		MOV	CMD.SLOT,R0	:	2587
000662	006300			ASL	R0		
000664	006300			ASL	R0		
000666	066700	000000G		ADD	SEND.RING,R0		
000672	052760	100000	000002	BIS	#100000,2(R0)		
000700	017766	000000G	000064	MOV	@RC25.ADDR,64(SP)	:	2591
000706	016600	000064		MOV	64(SP),R0	:	
000712	004767	000000V		JSR	PC,GET.CMD.SLOT	:	2595
000716	012701	000001		MOV	#1,R1	:	2598
000722	001411		1\$:	BEQ	4\$:	
000724	016700	000000G		MOV	L\$DLY,R0	:	
000730	001404			BEQ	3\$:	
000732	005066	000066	2\$:	CLR	66(SP)	:	
000736	005300			DEC	R0	:	
000740	001374			BNE	2\$:	
000742	005301		3\$:	DEC	R1	:	
000744	000766			BR	1\$:	
000746	004767	000000V	4\$:	JSR	PC,REC.STATUS	:	2602
000752	062706	000070		ADD	#70,SP	:	2525
000756	012601			MOV	(SP)+,R1	:	
000760	000207			RTS	PC		

: Routine Size: 249 words, Routine Base: ABS\$CODE + 3204
: Maximum stack depth per invocation: 30 words

: 2604
: 2605 !
: 2606

```

2607
2608     global routine SEND_DATA =
2609
2610     !++
2611     FUNCTIONAL DESCRIPTION:
2612
2613     SEND DATA PROVIDES BUF ADDRESS AND SIZE TO THE DM CODE
2614     PROGRAM FOR POSSIBLE READ, WRITE TO MEMORY. PARAMETERS
2615     NEEDED ARE BUF_LENGTH, H_SADD, E_SADD
2616
2617     FORMAL PARAMETERS :
2618
2619     IMPLICIT INPUTS : H_SADD, E_SADD, BUF_LENGTH
2620
2621     IMPLICIT OUTPUTS : RET_STATUS
2622
2623     SIDE EFFECTS :
2624
2625     !--
2626
2627     begin
2628
2629     local
2630         TEMP;
2631
2632     !
2633     ! THE INTERRUPT ROUTINE WILL SET THE FLAG CANCEL_TIMER WHEN CALLED.
2634     ! CLEAR THE FLAG HERE TO INSURE THE DETECTION OF THE INTERRUPT.
2635
2636     I_AM_NEX = ZERO;
2637
2638     !
2639     ! UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2640
2641     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_SED;
2642     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;
2643     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;
2644     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 2;
2645
2646     !
2647     ! DUP COMMAND ENVELOPE FIELD DEFINITION
2648
2649     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;
2650     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;
2651     SND_ENVELOPE [.CMD_SLOT, UN_USED] = ZERO;
2652     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;
2653     SND_ENVELOPE [.CMD_SLOT, OPCODE] = OP_SED;
2654     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;
2655     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO;
2656     SND_ENVELOPE [.CMD_SLOT, BLO_CNT] = .BYTE_COUNT;           ! BYTE COUNT LOW WORD
2657     SND_ENVELOPE [.CMD_SLOT, BHI_CNT] = ZERO;                 ! BYTE COUNT HIGH WORD
2658     SND_ENVELOPE [.CMD_SLOT, BD_0] = .BUF_DESCRPTR;          ! BUFFER DESCRIPTOR WORD 0
2659     SND_ENVELOPE [.CMD_SLOT, BD_1] = ZERO;                    ! BUFFER DESCRIPTOR WORD 1
2660     SND_ENVELOPE [.CMD_SLOT, BD_2] = ZERO;                    ! BUFFER DESCRIPTOR WORD 2
2661     SND_ENVELOPE [.CMD_SLOT, BD_3] = ZERO;                    ! BUFFER DESCRIPTOR WORD 3
2662     SND_ENVELOPE [.CMD_SLOT, BD_4] = ZERO;                    ! BUFFER DESCRIPTOR WORD 4
2663     SND_ENVELOPE [.CMD_SLOT, BD_5] = ZERO;                    ! BUFFER DESCRIPTOR WORD 5
2664
2665     !

```

```

:      2664      : SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
:      2665
:      2666      : SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
:      2667
:      2668      : READ THE IP REGISTER TO STIMULATE PORT POLLING.
:      2669
:      2670      : TEMP = .RC25_ADDR [RCIP, RC_ALL];
:      2671
:      2672      : GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
:      2673
:      2674      : GET_CMD_SLOT ();
:      2675
:      2676      : DELAY (1);
:      2677
:      2678      : CHECK THE END PACKET FOR GOOD STATUS
:      2679
:      2680      : return REC_STATUS ();          ! RETURN THE STATUS
:      2681      : end;

```

			.SBTTL SEND.DATA AZTEC GLOBAL ROUTINE	
000000	010146		SEND.DATA::	
			MOV R1,-(SP)	2608
			CMP -(SP),-(SP)	
000002	024646		CLR I.AM.NEX	2636
000004	005067	000000G	MOV CMD_SLOT,-(SP)	2641
000010	016746	000000G	MOV #54,-(SP)	
000014	012746	000054	JSR PC,BLSMUL	
000020	004767	000000G	MOV #34,SND.ENVELOPE(R0)	
000024	012760	000034 000000G	MOV CMD_SLOT,(SP)	2642
000032	016716	000000G	MOV #54,-(SP)	
000036	012746	000054	JSR PC,BLSMUL	
000042	004767	000000G	BICB #17,SND.ENVELOPE+2(R0)	
000046	142760	000017 000002G	BISB #1,SND.ENVELOPE+2(R0)	
000054	152760	000001 000002G	MOV CMD_SLOT,(SP)	2643
000062	016716	000000G	MOV #54,-(SP)	
000066	012746	000054	JSR PC,BLSMUL	
000072	004767	000000G	BICB #360,SND.ENVELOPE+2(R0)	
000076	142760	000360 000002G	MOV CMD_SLOT,(SP)	2644
000104	016716	000000G	MOV #54,-(SP)	
000110	012746	000054	JSR PC,BLSMUL	
000114	004767	000000G	MOVB #2,SND.ENVELOPE+3(R0)	
000120	112760	000002 000003G	MOV CMD_SLOT,(SP)	2648
000126	016716	000000G	MOV #54,-(SP)	
000132	012746	000054	JSR PC,BLSMUL	
000136	004767	000000G	MOV CMD_REF,SND.ENVELOPE+4(R0)	
000142	016760	000000G 000004G	MOV CMD_SLOT,(SP)	2649
000150	016716	000000G	MOV #54,-(SP)	
000154	012746	000054	JSR PC,BLSMUL	
000160	004767	000000G	CLR SND.ENVELOPE+6(R0)	
000164	005060	000006G	MOV CMD_SLOT,(SP)	2650
000170	016716	000000G	MOV #54,-(SP)	
000174	012746	000054	JSR PC,BLSMUL	
000200	004767	000000G	CLR SND.ENVELOPE+10(R0)	
000204	005060	000010G	MOV CMD_SLOT,(SP)	2651
000210	016716	000000G	MOV #54,-(SP)	
000214	012746	000054	JSR PC,BLSMUL	
000220	004767	000000G		

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (19

000224	005060	000012G	CLR	SND.ENVELOPE+12(R0)		
000230	016716	000000G	MOV	CMD.SLOT,(SP)	:	2652
000234	012746	000054	MOV	#54,-(SP)		
000240	004767	000000G	JSR	PC,BL\$MUL		
000244	112760	000004	MOVB	#4,SND.ENVELOPE+14(R0)		
000252	016716	000000G	MOV	CMD.SLOT,(SP)	:	2653
000256	012746	000054	MOV	#54,-(SP)		
000262	004767	000000G	JSR	PC,BL\$MUL		
000266	105060	000015G	CLRB	SND.ENVELOPE+15(R0)		
000272	016716	000000G	MOV	CMD.SLOT,(SP)	:	2654
000276	012746	000054	MOV	#54,-(SP)		
000302	004767	000000G	JSR	PC,BL\$MUL		
000306	005060	000016G	CLR	SND.ENVELOPE+16(R0)		
000312	016716	000000G	MOV	CMD.SLOT,(SP)	:	2655
000316	012746	000054	MOV	#54,-(SP)		
000322	004767	000000G	JSR	PC,BL\$MUL		
000326	016760	000000G	MOV	BYTE.COUNT,SND.ENVELOPE+20(R0)		
000334	016716	000000G	MOV	CMD.SLOT,(SP)	:	2656
000340	012746	000054	MOV	#54,-(SP)		
000344	004767	000000G	JSR	PC,BL\$MUL		
000350	005060	000022G	CLR	SND.ENVELOPE+22(R0)		
000354	016716	000000G	MOV	CMD.SLOT,(SP)	:	2657
000360	012746	000054	MOV	#54,-(SP)		
000364	004767	000000G	JSR	PC,BL\$MUL		
000370	016760	000000G	MOV	BUF.DESCRPTR,SND.ENVELOPE+24(R0)		
000376	016716	000000G	MOV	CMD.SLOT,(SP)	:	2658
000402	012746	000054	MOV	#54,-(SP)		
000406	004767	000000G	JSR	PC,BL\$MUL		
000412	005060	000026G	CLR	SND.ENVELOPE+26(R0)		
000416	016716	000000G	MOV	CMD.SLOT,(SP)	:	2659
000422	012746	000054	MOV	#54,-(SP)		
000426	004767	000000G	JSR	PC,BL\$MUL		
000432	005060	000030G	CLR	SND.ENVELOPE+30(R0)		
000436	016716	000000G	MOV	CMD.SLOT,(SP)	:	2660
000442	012746	000054	MOV	#54,-(SP)		
000446	004767	000000G	JSR	PC,BL\$MUL		
000452	005060	000032G	CLR	SND.ENVELOPE+32(R0)		
000456	016716	000000G	MOV	CMD.SLOT,(SP)	:	2661
000462	012746	000054	MOV	#54,-(SP)		
000466	004767	000000G	JSR	PC,BL\$MUL		
000472	005060	000034G	CLR	SND.ENVELOPE+34(R0)		
000476	016716	000000G	MOV	CMD.SLOT,(SP)	:	2662
000502	012746	000054	MOV	#54,-(SP)		
000506	004767	000000G	JSR	PC,BL\$MUL		
000512	005060	000036G	CLR	SND.ENVELOPE+36(R0)		
000516	016700	000000G	MOV	CMD.SLOT,R0	:	2666
000522	006300		ASL	R0		
000524	006300		ASL	R0		
000526	066700	000000G	ADD	SEND.RING,R0		
000532	052760	100000	BIS	#100000,2(R0)		
000540	017766	000000G	MOV	@RC25.ADDR,50(SP)	:	*.RC.REG
000546	016600	000050	MOV	50(SP),R0	:	RC.REG,TEMP
000552	004767	000000V	JSR	PC,GET.CMD.SLOT	:	
000556	012701	000001	MOV	#1,R1	:	*.SSTMP2
000562	001411		BEQ	4\$		
000564	016700	000000G	MOV	L\$DLY,R0	:	*.SSTMP1
000570	001404		BEQ	3\$		

1\$:

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (19

000572	005066	000052	2\$:	CLR	52(SP)	:	\$STMP	
000576	005300			DEC	R0	:	\$STMP1	
000600	001374			BNE	2\$			
000602	005301		3\$:	DEC	R1	:	\$STMP2	
000604	000766			BR	1\$			
000606	004767	000000V	4\$:	JSR	PC,REC.STATUS	:		2680
000612	062706	000054		ADD	#54,SP	:		2608
000616	012601			MOV	(SP)+,R1			
000620	000207			RTS	PC			

: Routine Size: 201 words, Routine Base: ABS\$CODE + 4166
: Maximum stack depth per invocation: 24 words

: 2682
: 2683 :

```

2684     global routine REC_DATA =
2685
2686     !++
2687     FUNCTION DESCRIPTION :
2688
2689     THE REMOTE PROGRAM WRITES DATA INTO THE BUFFER UP TO THE AMOUNT
2690     SPECIFIED BY THE BYTE COUNT AND RETURNS STATUS. THE STATUS IS
2691     RECEIVED BY THE USE OF THIS COMMAND. BUF_DESCRPTR POINTS TO
2692     THE WORD RECEIVED DM CODE.
2693
2694     FORMAL PARAMETERS :
2695
2696     IMPLICIT INPUTS :  BUF_DESCRPTR
2697
2698     IMPLICIT OUTPUTS : RET_STATUS
2699
2700     SIDE EFFECTS :
2701
2702     !--
2703
2704     begin
2705
2706     local
2707         TEMP;
2708
2709     !
2710     ! THE INTERRUPT ROUTINE WILL SET THE FLAG CANCEL_TIMER WHEN CALLED.
2711     ! CLEAR THE FLAG HERE TO INSURE THE DETECTION OF THE INTERRUPT.
2712
2713     !_AM_NEX = ZERO;
2714
2715     !
2716     ! UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2717
2718     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_RED;
2719     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;
2720     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;
2721     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 2;
2722
2723     ! DUP COMMAND ENVELOPE FIELD DEFINITION
2724
2725     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;
2726     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;
2727     SND_ENVELOPE [.CMD_SLOT, UN_USED] = ZERO;
2728     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;
2729     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_RED;
2730     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;
2731     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO;
2732     SND_ENVELOPE [.CMD_SLOT, BLO_CNT] = .BYTE_COUNT;           ! BYTE COUNT LOW WORD
2733     SND_ENVELOPE [.CMD_SLOT, BHI_CNT] = ZERO;                 ! BYTE COUNT HIGH WORD
2734     SND_ENVELOPE [.CMD_SLOT, BD_0] = .BUF_DESCRPTR;          ! BUFFER DESCRIPTOR WORD 0
2735     SND_ENVELOPE [.CMD_SLOT, BD_1] = ZERO;                   ! BUFFER DESCRIPTOR WORD 1
2736     SND_ENVELOPE [.CMD_SLOT, BD_2] = ZERO;                   ! BUFFER DESCRIPTOR WORD 2
2737     SND_ENVELOPE [.CMD_SLOT, BD_3] = ZERO;                   ! BUFFER DESCRIPTOR WORD 3
2738     SND_ENVELOPE [.CMD_SLOT, BD_4] = ZERO;                   ! BUFFER DESCRIPTOR WORD 4
2739     SND_ENVELOPE [.CMD_SLOT, BD_5] = ZERO;                   ! BUFFER DESCRIPTOR WORD 5
2740
2741     !

```

```

: 2741 : SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
: 2742 :
: 2743 SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
: 2744 :
: 2745 : READ THE IP REGISTER TO STIMULATE PORT POLLING.
: 2746 :
: 2747 TEMP = .RC25_ADDR [RCIP, RC_ALL];
: 2748 :
: 2749 : GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
: 2750 :
: 2751 GET_CMD_SLOT ();
: 2752 :
: 2753 DELAY (1);
: 2754 :
: 2755 : CHECK THE END PACKET FOR GOOD STATUS
: 2756 :
: 2757 return REC_STATUS (); ! RETURN THE STATUS
: 2758 end;

```

000000	010146		.SBTTL	REC.DATA	AZTEC GLOBAL ROUTINE	
			REC.DATA::			
			MOV	R1,-(SP)		2684
000002	024646		CMP	-(SP),-(SP)		
000004	005067	000000G	CLR	I.AM.NEX		2713
000010	016746	000000G	MOV	CMD_SLOT,-(SP)		2718
000014	012746	000054	MOV	#54,-(SP)		
000020	004767	000000G	JSR	PC,BLSMUL		
000024	012760	0C0034 000000G	MOV	#34,SND.ENVELOPE(R0)		
000032	016716	000000G	MOV	CMD_SLOT,(SP)		2719
000036	012746	000054	MOV	#54,-(SP)		
000042	004767	000000G	JSR	PC,BLSMUL		
000046	142760	000017 000002G	BICB	#17,SND.ENVELOPE+2(R0)		
000054	152760	000001 000002G	BISB	#1,SND.ENVELOPE+2(R0)		
000062	016716	000000G	MOV	CMD_SLOT,(SP)		2720
000066	012746	000054	MOV	#54,-(SP)		
000072	004767	000000G	JSR	PC,BLSMUL		
000076	142760	000360 000002G	BICB	#360,SND.ENVELOPE+2(R0)		
000104	016716	000000G	MOV	CMD_SLOT,(SP)		2721
000110	012746	000054	MOV	#54,-(SP)		
000114	004767	000000G	JSR	PC,BLSMUL		
000120	112760	000002 000003G	MOV	#2,SND.ENVELOPE+3(R0)		
000126	016716	000000G	MOV	CMD_SLOT,(SP)		2725
000132	012746	000054	MOV	#54,-(SP)		
000136	004767	000000G	JSR	PC,BLSMUL		
000142	016760	000000G 000004G	MOV	CMD.REF,SND.ENVELOPE+4(R0)		
000150	016716	000000G	MOV	CMD_SLOT,(SP)		2726
000154	012746	000054	MOV	#54,-(SP)		
000160	004767	000000G	JSR	PC,BLSMUL		
000164	005060	000006G	CLR	SND.ENVELOPE+6(R0)		
000170	016716	000000G	MOV	CMD_SLOT,(SP)		2727
000174	012746	000054	MOV	#54,-(SP)		
000200	004767	000000G	JSR	PC,BLSMUL		
000204	005060	000010G	CLR	SND.ENVELOPE+10(R0)		
000210	016716	000000G	MOV	CMD_SLOT,(SP)		2728
000214	012746	000054	MOV	#54,-(SP)		
000220	004767	000000G	JSR	PC,BLSMUL		

ZRCFA2	MISCELLANEOUS SECTIONS					
V01.0	AZTEC GLOBAL ROUTINE					
000224	005060	000012G	CLR	SND.ENVELOPE+12(R0)		
000230	016716	000000G	MOV	CMD.SLOT,(SP)	:	2729
000234	012746	000054	MOV	#54,-(SP)		
000240	004767	000000G	JSR	PC,BLSMUL		
000244	112760	000005 000014G	MOVB	#5,SND.ENVELOPE+14(R0)		
000252	016716	000000G	MOV	CMD.SLOT,(SP)	:	2730
000256	012746	000054	MOV	#54,-(SP)		
000262	004767	000000G	JSR	PC,BLSMUL		
000266	105060	000015G	CLRB	SND.ENVELOPE+15(R0)		
000272	016716	000000G	MOV	CMD.SLOT,(SP)	:	2731
000276	012746	000054	MOV	#54,-(SP)		
000302	004767	000000G	JSR	PC,BLSMUL		
000306	005060	000016G	CLR	SND.ENVELOPE+16(R0)		
000312	016716	000000G	MOV	CMD.SLOT,(SP)	:	2732
000316	012746	000054	MOV	#54,-(SP)		
000322	004767	000000G	JSR	PC,BLSMUL		
000326	016760	000000G 000020G	MOV	BYTE.COUNT,SND.ENVELOPE+20(R0)		
000334	016716	000000G	MOV	CMD.SLOT,(SP)	:	2733
000340	012746	000054	MOV	#54,-(SP)		
000344	004767	000000G	JSR	PC,BLSMUL		
000350	005060	000022G	CLR	SND.ENVELOPE+22(R0)		
000354	016716	000000G	MOV	CMD.SLOT,(SP)	:	2734
000360	012746	000054	MOV	#54,-(SP)		
000364	004767	000000G	JSR	PC,BLSMUL		
000370	016760	000000G 000024G	MOV	BUF.DESCRPTR,SND.ENVELOPE+24(R0)		
000376	016716	000000G	MOV	CMD.SLOT,(SP)	:	2735
000402	012746	000054	MOV	#54,-(SP)		
000406	004767	000000G	JSR	PC,BLSMUL		
000412	005060	000026G	CLR	SND.ENVELOPE+26(R0)		
000416	016716	000000G	MOV	CMD.SLOT,(SP)	:	2736
000422	012746	000054	MOV	#54,-(SP)		
000426	004767	000000G	JSR	PC,BLSMUL		
000432	005060	000030G	CLR	SND.ENVELOPE+30(R0)		
000436	016716	000000G	MOV	CMD.SLOT,(SP)	:	2737
000442	012746	000054	MOV	#54,-(SP)		
000446	004767	000000G	JSR	PC,BLSMUL		
000452	005060	000032G	CLR	SND.ENVELOPE+32(R0)		
000456	016716	000000G	MOV	CMD.SLOT,(SP)	:	2738
000462	012746	000054	MOV	#54,-(SP)		
000466	004767	000000G	JSR	PC,BLSMUL		
000472	005060	000034G	CLR	SND.ENVELOPE+34(R0)		
000476	016716	000000G	MOV	CMD.SLOT,(SP)	:	2739
000502	012746	000054	MOV	#54,-(SP)		
000506	004767	000000G	JSR	PC,BLSMUL		
000512	005060	000036G	CLR	SND.ENVELOPE+36(R0)		
000516	016700	000000G	MOV	CMD.SLOT,R0	:	2743
000522	006300		ASL	R0		
000524	006300		ASL	R0		
000526	066700	000000G	ADD	SEND.RING,R0		
000532	052760	100000 000002	BIS	#100000,2(R0)		
000540	017766	000000G 000050	MOV	@RC25.ADDR,50(SP)	:	2747
000546	016600	000050	MOV	50(SP),R0	:	
000552	004767	000000V	JSR	PC,GET.CMD.SLOT	:	2751
000556	012701	000001	MOV	#1,R1	:	2753
000562	001411		BEQ	4\$		
000564	016700	000000G	MOV	L\$DLY,R0	:	
000570	001404		BEQ	3\$		

1\$:

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (20

000572	005066	000052	2\$:	CLR	52(SP)	:	\$STMP	
000576	005300			DEC	R0	:	\$STMP1	
000600	001374			BNE	2\$			
000602	005301		3\$:	DEC	R1	:	\$STMP2	
000604	000766			BR	1\$			
000606	004767	000000V	4\$:	JSR	PC,REC.STATUS	:		2757
000612	062706	000054		ADD	#54,SP	:		2684
000616	012601			MOV	(SP)+,R1	:		
000620	000207			RTS	PC			

: Routine Size: 201 words, Routine Base: AB\$CODE + 5010
 : Maximum stack depth per invocation: 24 words

: 2759
 : 2760 !

```

2761     global routine SET_CNTLCHAR =
2762
2763     ++
2764     FUNCTION DESCRIPTION :
2765     THE SET CONTROLLER CHARACTER COMMAND IS USED TO SET HOST SETTABLE
2766     UNIT CHARACTERISTICS AND OBTAIN THOSE UNIT CHARACTERISTICS THAT
2767     ARE ESSENTIAL FOR PROPER CLASS DRIVER OPERATION. THIS COMMAND
2768     NEVER ALTERS THE UNIT'S STATE ('UNIT-ONLINE', 'UNIT-AVAILABLE',
2769     'UNIT-OFFLINE').
2770
2771     FORMAL PARAMETERS :
2772     - NONE -
2773
2774     IMPLICIT INPUTS :
2775
2776     INPLICIT OUTPUTS :
2777     - NONE -
2778
2779     COMPLETION CODES :
2780     RET_STATUS : RETURN STATUS PASSES BACK TO THE CALLING ROUTINE
2781
2782
2783     SIDE EFFECTS :
2784     ANY PREVIOUSLY DEFINED CONTROLLER CHARACTERISTICS WILL POSSIBLY
2785     BE ALTERED AFTER EXECUTION OF THIS COMMAND.
2786     --
2787
2788     begin
2789
2790     local
2791         TEMP;
2792
2793     :
2794     UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2795
2796     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_SCC; ! LOAD MESSAGE LENGTH
2797     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE; ! LOAD CREDIT SIZE
2798     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0; ! MESSAGE TYPE 'SEQUENTIAL'
2799     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0; ! DEFINE CONNECTION ID 'DUP'
2800
2801     :
2802     MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
2803
2804     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF; ! LOAD COMMAND REFERENCE #
2805     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO; ! ZERO HI ORDER CMD REF #
2806     SND_ENVELOPE [.CMD_SLOT, UN_USED] = ZERO; ! NOT USED IN DUP IMPLIMENT.
2807     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO; ! NOT USED IN DUP IMPLIMENT.
2808     SND_ENVELOPE [.CMD_SLOT, OPCODE] = OP_SCC; ! DEFINE COMMAND OPCODE
2809     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO; ! NOT USED
2810     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO; ! DEFINE CMD MODIFIERS
2811
2812     :
2813     COMMAND SPECIFIC COMMAND ENVELOPE FIELD DEFINITION
2814
2815     SND_ENVELOPE [.CMD_SLOT, MSCP_VER] = ZERO; ! MSCP VERSION
2816     SND_ENVELOPE [.CMD_SLOT, CTL_FLAGS] = ZERO; ! CONTROLLER GLAGS
2817     SND_ENVELOPE [.CMD_SLOT, HOST_TOU] = ZERO; ! HOST TIMEOUT VALUE
2818     SND_ENVELOPE [.CMD_SLOT, RSSVD] = ZERO; ! RESERVED
2819     SND_ENVELOPE [.CMD_SLOT, TSD_0] = ZERO; ! TIME AND DATE WORD 0

```

```

:      2818      SND_ENVELOPE [.CMD_SLOT, TSD_1] = ZERO; ! TIME AND DATE WORD 1
:      2819      SND_ENVELOPE [.CMD_SLOT, TSD_2] = ZERO; ! TIME AND DATE WORD 2
:      2820      SND_ENVELOPE [.CMD_SLOT, TSD_3] = ZERO; ! TIME AND DATE WORD 3
:      2821      SND_ENVELOPE [.CMD_SLOT, CDP_LO] = ZERO; ! CNTL DEP PARAMETER LO WORD
:      2822      SND_ENVELOPE [.CMD_SLOT, CDP_HI] = ZERO; ! CNTL DEP PARAMETER HI WORD
:      2823
:      2824      SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
:      2825
:      2826      SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
:      2827
:      2828      READ THE IP REGISTER TO STIMULATE PORT POLLING.
:      2829
:      2830      TEMP = .RC25_ADDR [RCIP, RC_ALL];
:      2831
:      2832      GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
:      2833
:      2834      GET_CMD_SLOT ();
:      2835
:      2836      DELAY (1);
:      2837
:      2838      CHECK THE END PACKET FOR GOOD STATUS
:      2839
:      2840      return REC_STATUS (); ! RETURN THE STATUS
:      2841      end;

```

```

000000 010146      .SBTTL SET.CNTRL.CHAR AZTEC GLOBAL ROUTINE
:      SET.CNTRL.CHAR::
:      MOV      R1, -(SP) ; 2761
:      CMP      -(SP), -(SP) ;
:      000002 024646      MOV      CMD_SLOT, -(SP) ; 2796
:      000004 016746      000000G      MOV      #54, -(SP) ;
:      000010 012746      000054      JSR      PC, BL$MUL
:      000014 004767      000000G      MOV      #40, SND.ENVELOPE(R0) ;
:      000020 012760      000040 000000G      MOV      CMD_SLOT, (SP) ; 2797
:      000026 016716      000000G      MOV      #54, -(SP) ;
:      000032 012746      000054      JSR      PC, BL$MUL
:      000036 004767      000000G      BICB    #17, SND.ENVELOPE+2(R0) ;
:      000042 142760      000017 000002G      BISB    #1, SND.ENVELOPE+2(R0) ;
:      000050 152760      000001 000002G      MOV      CMD_SLOT, (SP) ; 2798
:      000056 016716      000000G      MOV      #54, -(SP) ;
:      000062 012746      000054      JSR      PC, BL$MUL
:      000066 004767      000000G      BICB    #360, SND.ENVELOPE+2(R0) ;
:      000072 142760      000360 000002G      MOV      CMD_SLOT, (SP) ; 2799
:      000100 016716      000000G      MOV      #54, -(SP) ;
:      000104 012746      000054      JSR      PC, BL$MUL
:      000110 004767      000000G      CLRB    SND.ENVELOPE+3(R0) ;
:      000114 105060      000003G      MOV      CMD_SLOT, (SP) ; 2803
:      000120 016716      000000G      MOV      #54, -(SP) ;
:      000124 012746      000054      JSR      PC, BL$MUL
:      000130 004767      000000G      MOV      CMD_REF, SND.ENVELOPE+4(R0) ;
:      000134 016760      000000G 000004G      MOV      CMD_SLOT, (SP) ; 2804
:      000142 016716      000000G      MOV      #54, -(SP) ;
:      000146 012746      000054      JSR      PC, BL$MUL
:      000152 004767      000000G      CLR     SND.ENVELOPE+6(R0) ;
:      000156 005060      000006G      MOV      CMD_SLOT, (SP) ; 2805
:      000162 016716      000000G      MOV      #54, -(SP) ;
:      000166 012746      000054

```

000172	004767	J0000G	JSR	PC,BLSMUL		
000176	005060	000010G	CLR	SND.ENVELOPE+10(R0)		
000202	016716	000000G	MOV	CMD.SLOT,(SP)	:	2806
000206	012746	000054	MOV	#54,-(SP)		
000212	004767	000000G	JSR	PC,BLSMUL		
000216	005060	000012G	CLR	SND.ENVELOPE+12(R0)		
000222	016716	000000G	MOV	CMD.SLOT,(SP)	:	2807
000226	012746	000054	MOV	#54,-(SP)		
000232	004767	000000G	JSR	PC,BLSMUL		
000236	112760	000004	MOVB	#4,SND.ENVELOPE+14(R0)		
000244	016716	000000G	MOV	CMD.SLOT,(SP)	:	2808
000250	012746	000054	MOV	#54,-(SP)		
000254	004767	000000G	JSR	PC,BLSMUL		
000260	105060	000015G	CLRB	SND.ENVELOPE+15(R0)		
000264	016716	000000G	MOV	CMD.SLOT,(SP)	:	2809
000270	012746	000054	MOV	#54,-(SP)		
000274	004767	000000G	JSR	PC,BLSMUL		
000300	005060	000016G	CLR	SND.ENVELOPE+16(R0)		
000304	016716	000000G	MOV	CMD.SLOT,(SP)	:	2813
000310	012746	000054	MOV	#54,-(SP)		
000314	004767	000000G	JSR	PC,BLSMUL		
000320	005060	000020G	CLR	SND.ENVELOPE+20(R0)		
000324	016716	000000G	MOV	CMD.SLOT,(SP)	:	2814
000330	012746	000054	MOV	#54,-(SP)		
000334	004767	000000G	JSR	PC,BLSMUL		
000340	005060	000022G	CLR	SND.ENVELOPE+22(R0)		
000344	016716	000000G	MOV	CMD.SLOT,(SP)	:	2815
000350	012746	000054	MOV	#54,-(SP)		
000354	004767	000000G	JSR	PC,BLSMUL		
000360	005060	000024G	CLR	SND.ENVELOPE+24(R0)		
000364	016716	000000G	MOV	CMD.SLOT,(SP)	:	2816
000370	012746	000054	MOV	#54,-(SP)		
000374	004767	000000G	JSR	PC,BLSMUL		
000400	005060	000026G	CLR	SND.ENVELOPE+26(R0)		
000404	016716	000000G	MOV	CMD.SLOT,(SP)	:	2817
000410	012746	000054	MOV	#54,-(SP)		
000414	004767	000000G	JSR	PC,BLSMUL		
000420	005060	000030G	CLR	SND.ENVELOPE+30(R0)		
000424	016716	000000G	MOV	CMD.SLOT,(SP)	:	2818
000430	012746	000054	MOV	#54,-(SP)		
000434	004767	000000G	JSR	PC,BLSMUL		
000440	005060	000032G	CLR	SND.ENVELOPE+32(R0)		
000444	016716	000000G	MOV	CMD.SLOT,(SP)	:	2819
000450	012746	000054	MOV	#54,-(SP)		
000454	004767	000000G	JSR	PC,BLSMUL		
000460	005060	000034G	CLR	SND.ENVELOPE+34(R0)		
000464	016716	000000G	MOV	CMD.SLOT,(SP)	:	2820
000470	012746	000054	MOV	#54,-(SP)		
000474	004767	000000G	JSR	PC,BLSMUL		
000500	005060	000036G	CLR	SND.ENVELOPE+36(R0)		
000504	016716	000000G	MOV	CMD.SLOT,(SP)	:	2821
000510	012746	000054	MOV	#54,-(SP)		
000514	004767	000000G	JSR	PC,BLSMUL		
000520	005060	000040G	CLR	SND.ENVELOPE+40(R0)		
000524	016716	000000G	MOV	CMD.SLOT,(SP)	:	2822
000530	012746	000054	MOV	#54,-(SP)		
000534	004767	000000G	JSR	PC,BLSMUL		

000014G

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (21

000540	005060	000042G		CLR	SND.ENVELOPE+42(R0)		
000544	016700	000000G		MOV	CMD.SLOT,R0	:	2826
000550	006300			ASL	R0		
000552	006300			ASL	R0		
000554	066700	000000G		ADD	SEND.RING,R0		
000560	052760	100000	000002	BIS	#100000,2(R0)		
000566	017766	000000G	000054	MOV	@RC25.ADDR,54(SP)	: *,RC.REG	2830
000574	016600	000054		MOV	54(SP),R0	: RC.REG,TEMP	
000600	004767	000000V		JSR	PC,GET.CMD.SLOT	:	2834
000604	012701	000001		MOV	#1,R1	: *,\$\$TMP2	2836
000610	00:411		1\$:	BEQ	4\$		
000612	016700	000000G		MOV	L\$DLY,R0	: *,\$\$TMP1	
000616	001404			BEQ	3\$		
000620	005066	000056	2\$:	CLR	56(SP)	: \$\$TMP	
000624	005300			DEC	R0	: \$\$TMP1	
000626	001374			BNE	2\$		
000630	005301		3\$:	DEC	R1	: \$\$TMP2	
000632	000766			BR	1\$		
000634	004767	000000V	4\$:	JSR	PC,REC.STATUS	:	2840
000640	062706	000060		ADD	#60,SP	:	2761
000644	012601			MOV	(SP)+,R1	:	
000646	000207			RTS	PC		

: Routine Size: 212 words, Routine Base: ABS\$CODE + 5632
: Maximum stack depth per invocation: 26 words

: 2842
: 2843 !

```

2844     global routine AVAILABLE =
2845
2846     !++
2847     FUNCTIONAL DESCRIPTION :
2848     THE AVAILABLE COMMAND IS USED TO SET THE UNIT-ABAILABLE WHEN
2849     ALL OUTSTANDING COMMANDS FOR THE SPECIFIED UNIT ARE COMPLETED.
2850     IF THE 'SPIN-DOWN' MODIFIER IS SPECIFIED, THE DISK SPINS DOWN
2851     AND ITS HEADS ARE UNLOADED.
2852
2853     FORMAL PARAMETERS :
2854     IMPLICIT INPUTS :
2855     IMPLICIT OUTPUTS :
2856     SIDE EFFECTS :
2857
2858     --
2859
2860     begin
2861
2862     local
2863     TEMP;
2864
2865     !
2866     UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2867
2868     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_AVL;    ! LOAD MESSAGE LENGTH
2869     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;        ! LOAD CREDIT SIZE
2870     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;        ! MESSAGE TYPE 'SEQUENTIAL'
2871     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0;        ! DEFINE CONNECTION ID 'DUP'
2872
2873     !
2874     MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
2875
2876     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;  ! LOAD COMMAND REFERENCE #
2877     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;    ! ZERO HI ORDER CMD REF #
2878     SND_ENVELOPE [.CMD_SLOT, UN_USED] = .UNIT;    ! SELECTED UNIT
2879     SNC_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;    ! NOT USED IN DUP IMPLIMENT.
2880     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_AVL;  ! DEFINE COMMAND OP CODE
2881     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;    ! NOT USED
2882     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = MD_SPD;  ! DEFINE CMD MODIFIERS
2883
2884     !
2885     SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
2886
2887     SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
2888
2889     !
2890     READ THE IP REGISTER TO STIMULATE PORT POLLING.
2891
2892     TEMP = .RC25_ADDR [RCIP, RC_ALL];
2893
2894     !
2895     GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
2896
2897     GET_CMD_SLOT ();
2898
2899     !
2900     DELAY (1);
2901
2902     !
2903     CHECK THE END PACKET FOR GOOD STATUS
2904
2905     return REC_STATUS ();                                ! RETURN THE STATUS

```

; 2901 end;

				.SBTTL AVAILABLE AZTEC GLOBAL ROUTINE	
000000	010146			AVAILABLE::	
				MOV R1,-(SP)	; 2844
000002	024646			CMP -(SP),-(SP)	
000004	016746	000000G		MOV CMD.SLOT,-(SP)	; 2868
000010	012746	000054		MOV #54,-(SP)	
000014	004767	000000G		JSR PC,BLSMUL	
000020	012760	000014	000000G	MOV #14,SND.ENVELOPE(R0)	
000026	016716	000000G		MOV CMD.SLOT,(SP)	; 2869
000032	012746	000054		MOV #54,-(SP)	
000036	004767	000000G		JSR PC,BLSMUL	
000042	142760	000017	000002G	BICB #17,SND.ENVELOPE+2(R0)	
000050	152760	000001	000002G	BISB #1,SND.ENVELOPE+2(R0)	
000056	016716	000000G		MOV CMD.SLOT,(SP)	; 2870
000062	012746	000054		MOV #54,-(SP)	
000066	004767	000000G		JSR PC,BLSMUL	
000072	142760	000360	000002G	BICB #360,SND.ENVELOPE+2(R0)	
000100	016716	000000G		MOV CMD.SLOT,(SP)	; 2871
000104	012746	000054		MOV #54,-(SP)	
000110	004767	000000G		JSR PC,BLSMUL	
000114	105060	000003G		CLRB SND.ENVELOPE+3(R0)	
000120	016716	000000G		MOV CMD.SLOT,(SP)	; 2875
000124	012746	000054		MOV #54,-(SP)	
000130	004767	000000G		JSR PC,BLSMUL	
000134	016760	000000G	000004G	MOV CMD.REF,SND.ENVELOPE+4(R0)	
000142	016716	000000G		MOV CMD.SLOT,(SP)	; 2876
000146	012746	000054		MOV #54,-(SP)	
000152	004767	000000G		JSR PC,BLSMUL	
000156	005060	000006G		CLR SND.ENVELOPE+6(R0)	
000162	016716	000000G		MOV CMD.SLOT,(SP)	; 2877
000166	012746	000054		MOV #54,-(SP)	
000172	004767	000000G		JSR PC,BLSMUL	
000176	016760	000000G	000010G	MOV UNIT,SND.ENVELOPE+10(R0)	
000204	016716	000000G		MOV CMD.SLOT,(SP)	; 2878
000210	012746	000054		MOV #54,-(SP)	
000214	004767	000000G		JSR PC,BLSMUL	
000220	005060	000012G		CLR SND.ENVELOPE+12(R0)	
000224	016716	000000G		MOV CMD.SLOT,(SP)	; 2879
000230	012746	000054		MOV #54,-(SP)	
000234	004767	000000G		JSR PC,BLSMUL	
000240	112760	000010	000014G	MOV #10,SND.ENVELOPE+14(R0)	
000246	016716	000000G		MOV CMD.SLOT,(SP)	; 2880
000252	012746	000054		MOV #54,-(SP)	
000256	004767	000000G		JSR PC,BLSMUL	
000262	105060	000015G		CLRB SND.ENVELOPE+15(R0)	
000266	016716	000000G		MOV CMD.SLOT,(SP)	; 2881
000272	012746	000054		MOV #54,-(SP)	
000276	004767	000000G		JSR PC,BLSMUL	
000302	012760	000001	000016G	MOV #1,SND.ENVELOPE+16(R0)	
000310	016700	000000G		MOV CMD.SLOT,R0	; 2885
000314	006300			ASL R0	
000316	006300			ASL R0	
000320	066700	000000G		ADD SEND.RING,R0	
000324	052760	100000	000002	BIS #100000,2(R0)	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (22

000332	017766	000000G	000030	MOV	@RC25.ADDR,30(SP)	:	*.RC.REG	2889
000340	016600	000030		MOV	30(SP),R0	:	RC.REG,TEMP	
000344	004767	000000V		JSR	PC,GET.CMD.SLOT	:		2893
000350	012701	000001		MOV	#1,R1	:	*.SSTMP2	2896
000354	001411		1\$:	BEQ	4\$:		
000356	016700	000000G		MOV	L\$DLY,R0	:	*.SSTMP1	
000362	001404			BEQ	3\$:		
000364	005066	000032	2\$:	CLR	32(SP)	:	SSTMP	
000370	005300			DEC	R0	:	SSTMP1	
000372	001374			BNE	2\$:		
000374	005301		3\$:	DEC	R1	:	SSTMP2	
000376	000766			BR	1\$:		
000400	004767	000000V	4\$:	JSR	PC,REC.STATUS	:		2900
000404	062706	000034		ADD	#34,SP	:		2844
000410	012601			MOV	(SP)+,R1	:		
000412	000207			RTS	PC	:		

: Routine Size: 134 words, Routine Base: ABS\$CODE + 6502
: Maximum stack depth per invocation: 16 words

: 2902
: 2903 !


```

2904     global routine ON_LINE =
2905
2906     ++
2907     FUNCTIONAL DESCRIPTION :
2908     THE ONLINE COMMAND IS USED TO BRING A UNIT 'UNIT-ONLINE, SET
2909     HOST SETTABLE UNIT CHARACTERISTICS AND OBTAIN THOSE UNIT
2910     CHARACTERISTICS THAT ARE ESSENTIAL FOR PROPER CLASS DRIVER
2911     OPERATION. THE UNIT IS SPUN-UP, IF NECESSARY, AND IS HEADS
2912     ARE LOADED PRIOR TO RETURNING THE ONLINE COMMAND'S END MESSAGE.
2913     HOST SETTABLE CHARACTERISTICS COMMAND WERE ISSUED. HOST
2914     SETTABLE CHARACTERISTICS ARE SET AFTER THE UNIT HAS BEEN
2915     SUCCESSFULLY SPUN-UP AND ANY OTHER VALIDITY CHECKS HAVE SUCCEEDED.
2916
2917     FORMAL PARAMETERS :
2918     - NONE -
2919
2920     IMPLICIT INPUTS :
2921
2922     INPLICIT OUTPUTS :
2923     - NONE -
2924
2925     COMPLETION CODES :
2926     RET_STATUS : RETURN STATUS PASSES BACK TO THE CALLING ROUTINE
2927
2928
2929     SIDE EFFECTS :
2930     ANY PREVIOUSLY DEFINED CONTROLLER CHARACTERISTICS WILL POSSIBLY
2931     BE ALTERED AFTERE EXECUTION OF THEIS COMMAND.
2932     --
2933
2934     begin
2935
2936     local
2937     TEMP;
2938
2939     :
2940     UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
2941     :
2942     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_ONL; ! LOAD MESSAGE LENGTH
2943     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE; ! LOAD CREDIT SIZE
2944     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0; ! MESSAGE TYPE 'SEQUENTIAL'
2945     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0; ! DEFINE CONNECTION ID 'DUP'
2946     :
2947     MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
2948     :
2949     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF; !LOAD COMMAND REFERENCE #
2950     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO; ! ZERO HI ORDER CMD REF #
2951     SND_ENVELOPE [.CMD_SLOT, UN_USED] = .UNIT; ! SELECTED UNIT
2952     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO; ! NOT USED IN DUP IMPLIMENT.
2953     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_ONL; ! DEFINE COMMAND OPCODE
2954     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO; ! NOT USED
2955     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO; ! DEFINE CMD MODIFIERS
2956     :
2957     COMMAND SPECIFIC COMMAND ENVELOPE FIELD DEFINITION
2958     :
2959     SND_ENVELOPE [.CMD_SLOT, RSV$D] = ZERO; ! RESERVED
2960     SND_ENVELOPE [.CMD_SLOT, UNT_FLAGS] = ZERO; ! UNIT FLAG FIELD

```

```

: 2961 SND_ENVELOPE [.CMD_SLOT, RSVDS$0] = ZERO; ! RESERVED FIELD
: 2962 SND_ENVELOPE [.CMD_SLOT, RSVDS$1] = ZERO; ! RESERVED FIELD
: 2963 SND_ENVELOPE [.CMD_SLOT, RSVDS$2] = ZERO; ! RESERVED FIELD
: 2964 SND_ENVELOPE [.CMD_SLOT, RSVDS$3] = ZERO; ! RESERVED FIELD
: 2965 SND_ENVELOPE [.CMD_SLOT, RSVDS$4] = ZERO; ! RESERVED FIELD
: 2966 SND_ENVELOPE [.CMD_SLOT, RSVDS$5] = ZERO; ! RESERVED FIELD
: 2967 SND_ENVELOPE [.CMD_SLOT, DDP_LO] = ZERO; ! DEVICE DEPENDENT PARAMETER
: 2968 SND_ENVELOPE [.CMD_SLOT, DDP_HI] = ZERO; ! DEVICE DEPENDENT PARAMETER
: 2969 SND_ENVELOPE [.CMD_SLOT, SHADOW_UNIT] = ZERO; ! SHADOW UNIT
: 2970 SND_ENVELOPE [.CMD_SLOT, COPY_SPEED] = ZERO; ! COPY SPEED
: 2971
: 2972 SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
: 2973
: 2974 SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
: 2975
: 2976 READ THE IP REGISTER TO STIMULATE PORT POLLING.
: 2977
: 2978 TEMP = .RC25_ADDR [RCIP, RC_ALL];
: 2979
: 2980 GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
: 2981
: 2982 GET_CMD_SLOT ();
: 2983
: 2984
: 2985 DELAY (1);
: 2986
: 2987 CHECK THE END PACKET FOR GOOD STATUS
: 2988
: 2989 return REC_STATUS (); ! RETURN THE STATUS
: 2990 end;

```

```

000000 010146 .SBTTL ON.LINE AZTEC GLOBAL ROUTINE
000002 024646 ON.LINE::
000004 016746 000000G MOV R1, -(SP) ; 2904
000010 012746 000054 CMP -(SP), -(SP) ;
000014 004767 000000G MOV CMD_SLOT, -(SP) ; 2942
000020 012760 000044 000000G MOV #54, -(SP)
000026 016716 000000G JSR PC, BL$MUL
000032 012746 000054 MOV #44, SND.ENVELOPE(R0) ; 2943
000036 004767 000000G JSR PC, BL$MUL
000042 142760 000017 000002G MOV CMD_SLOT, (SP) ;
000050 152760 000001 000002G MOV #54, -(SP) ; 2944
000056 016716 000000G JSR PC, BL$MUL
000062 012746 000054 MOV #360, SND.ENVELOPE+2(R0) ;
000066 004767 000000G JSR PC, BL$MUL
000072 142760 000360 000002G BICB #17, SND.ENVELOPE+2(R0) ; 2945
000100 016716 000000G BISB #1, SND.ENVELOPE+2(R0) ;
000104 012746 000054 MOV CMD_SLOT, (SP) ; 2949
000110 004767 000000G MOV #54, -(SP)
000114 105060 000003G JSR PC, BL$MUL
000120 016716 000000G CLR8 SND.ENVELOPE+3(R0) ;
000124 012746 000054 MOV CMD_SLOT, (SP) ;
000130 004767 000000G JSR PC, BL$MUL
000134 016760 000000G 000004G MOV CMD_REF, SND.ENVELOPE+4(R0)

```

ZRCFA2	MISCELLANEOUS SECTIONS				
V01.0	AZTEC GLOBAL ROUTINE				
000142	016716	000000G	MOV	CMD.SLOT,(SP)	2950
000146	012746	000054	MOV	#54,-(SP)	
000152	004767	000000G	JSR	PC,BLSMUL	
000156	005060	000006G	CLR	SND.ENVELOPE+6(R0)	
000162	016716	000000G	MOV	CMD.SLOT,(SP)	2951
000166	012746	000054	MOV	#54,-(SP)	
000172	004767	000000G	JSR	PC,BLSMUL	
000176	016760	000000G	MOV	UNIT,SND.ENVELOPE+10(R0)	
000204	016716	000000G	MOV	CMD.SLOT,(SP)	2952
000210	012746	000054	MOV	#54,-(SP)	
000214	004767	000000G	JSR	PC,BLSMUL	
000220	005060	000012G	CLR	SND.ENVELOPE+12(R0)	
000224	016716	000000G	MOV	CMD.SLOT,(SP)	2953
000230	012746	000054	MOV	#54,-(SP)	
000234	004767	000000G	JSR	PC,BLSMUL	
000240	112760	000011	MOV	#11,SND.ENVELOPE+14(R0)	
000246	016716	000000G	MOV	CMD.SLOT,(SP)	2954
000252	012746	000054	MOV	#54,-(SP)	
000256	004767	000000G	JSR	PC,BLSMUL	
000262	105060	000015G	CLRB	SND.ENVELOPE+15(R0)	
000266	016716	000000G	MOV	CMD.SLOT,(SP)	2955
000272	012746	000054	MOV	#54,-(SP)	
000276	004767	000000G	JSR	PC,BLSMUL	
000302	005060	000016G	CLR	SND.ENVELOPE+16(R0)	
000306	016716	000000G	MOV	CMD.SLOT,(SP)	2959
000312	012746	000054	MOV	#54,-(SP)	
000316	004767	000000G	JSR	PC,BLSMUL	
000322	005060	000020G	CLR	SND.ENVELOPE+20(R0)	
000326	016716	000000G	MOV	CMD.SLOT,(SP)	2960
000332	012746	000054	MOV	#54,-(SP)	
000336	004767	000000G	JSR	PC,BLSMUL	
000342	005060	000022G	CLR	SND.ENVELOPE+22(R0)	
000346	016716	000000G	MOV	CMD.SLOT,(SP)	2961
000352	012746	000054	MOV	#54,-(SP)	
000356	004767	000000G	JSR	PC,BLSMUL	
000362	005060	000024G	CLR	SND.ENVELOPE+24(R0)	
000366	016716	000000G	MOV	CMD.SLOT,(SP)	2962
000372	012746	000054	MOV	#54,-(SP)	
000376	004767	000000G	JSR	PC,BLSMUL	
000402	005060	000026G	CLR	SND.ENVELOPE+26(R0)	
000406	016716	000000G	MOV	CMD.SLOT,(SP)	2963
000412	012746	000054	MOV	#54,-(SP)	
000416	004767	000000G	JSR	PC,BLSMUL	
000422	005060	000030G	CLR	SND.ENVELOPE+30(R0)	
000426	016716	000000G	MOV	CMD.SLOT,(SP)	2964
000432	012746	000054	MOV	#54,-(SP)	
000436	004767	000000G	JSR	PC,BLSMUL	
000442	005060	000032G	CLR	SND.ENVELOPE+32(R0)	
000446	016716	000000G	MOV	CMD.SLOT,(SP)	2965
000452	012746	000054	MOV	#54,-(SP)	
000456	004767	000000G	JSR	PC,BLSMUL	
000462	005060	000034G	CLR	SND.ENVELOPE+34(R0)	
000466	016716	000000G	MOV	CMD.SLOT,(SP)	2966
000472	012746	000054	MOV	#54,-(SP)	
000476	004767	000000G	JSR	PC,BLSMUL	
000502	005060	000036G	CLR	SND.ENVELOPE+36(R0)	
000506	016716	000000G	MOV	CMD.SLOT,(SP)	2967

ZRCFA2 V01.0		MISCELLANEOUS SECTIONS AZTEC GLOBAL ROUTINE				
000512	012746	000054		MOV	#54,-(SP)	
000516	004767	000000G		JSR	PC,BL\$MUL	
000522	005060	000040G		CLR	SND.ENVELOPE+40(R0)	
000526	016716	000000G		MOV	CMD.SLOT,(SP)	:
000532	012746	000054		MOV	#54,-(SP)	
000536	004767	000000G		JSR	PC,BL\$MUL	
000542	005060	000042G		CLR	SND.ENVELOPE+42(R0)	
000546	016716	000000G		MOV	CMD.SLOT,(SP)	:
000552	012746	000054		MOV	#54,-(SP)	
000556	004767	000000G		JSR	PC,BL\$MUL	
000562	005060	000044G		CLR	SND.ENVELOPE+44(R0)	
000566	016716	000000G		MOV	CMD.SLOT,(SP)	:
000572	012746	000054		MOV	#54,-(SP)	
000576	004767	000000G		JSR	PC,BL\$MUL	
000602	005060	000046G		CLR	SND.ENVELOPE+46(R0)	
000606	016700	000000G		MOV	CMD.SLOT,R0	:
000612	006300			ASL	R0	
000614	006300			ASL	R0	
000616	066700	000000G		ADD	SEND.RING,R0	
000622	052760	100000	000002	BIS	#100000,2(R0)	
000630	017766	000000G	000060	MOV	@RC25.ADDR,60(SP)	: *,RC.REG
000636	016600	000060		MOV	60(SP),R0	: RC.REG,TEMP
000642	004767	000000V		JSR	PC,GET.CMD.SLOT	:
000646	012701	000001		MOV	#1,R1	: *,\$STMP2
000652	001411			BEQ	4\$	
000654	016700	000000G		MOV	L\$DLY,R0	: *,\$STMP1
000660	001404			BEQ	3\$	
000662	005066	000062		CLR	62(SP)	: \$STMP
000666	005300			DEC	R0	: \$STMP1
000670	001374			BNE	2\$	
000672	005301			DEC	R1	: \$STMP2
000674	000766			BR	1\$	
000676	004767	000000V		JSR	PC,REC.STATUS	:
000702	062706	000064		ADD	#64,SP	:
000706	012601			MOV	(SP)+,R1	
000710	000207			RTS	PC	

: Routine Size: 229 words, Routine Base: AB\$CODE + 7116
: Maximum stack depth per invocation: 28 words

: 2991
: 2992 !

```

2993     global routine READ_CMD =
2994     ++
2995     FUNCTIONAL DESCRIPTION :
2996     THE READ COMMAND IS USED TO READ FROM THE UNIT AND TRANSFERRED
2997     TO THE HOST BUFFER.
2998
2999     FORMAL PARAMETERS :
3000     - NONE -
3001
3002     IMPLICIT INPUTS :
3003
3004     INPLICIT OUTPUTS :
3005     - NONE -
3006
3007     COMPLETION CODES :
3008     RET_STATUS : RETURN STATUS PASSES BACK TO THE CALLING ROUTINE
3009
3010
3011     SIDE EFFECTS :
3012     - NONE -
3013
3014     --
3015
3016     begin
3017
3018     local
3019     TEMP;
3020
3021     UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
3022
3023     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_RD;    ! LOAD MESSAGE LENGTH
3024     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;        ! LOAD CREDIT SIZE
3025     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;        ! MESSAGE TYPE
3026     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0;        ! DEFINE CONNECTION ID
3027
3028     MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
3029
3030     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;  ! LOAD COMMAND REFERENCE #
3031     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;    ! ZERO HI ORDER CMD REF #
3032     SND_ENVELOPE [.CMD_SLOT, UN_USED] = .UNIT;    ! SELECTED UNIT
3033     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;    ! NOT USED IN DUP IMPLIMENT.
3034     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_RD;    ! DEFINE COMMAND OP CODE
3035     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;     ! NOT USED
3036     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO;    ! DEFINE CMD MODIFIERS
3037
3038     COMMAND SPECIFIC COMMAND ENVELOPE FIELD DEFINITION
3039
3040     SND_ENVELOPE [.CMD_SLOT, BLO_CNT] = .BYTE_COUNT; ! BYTE COUNT LOW WORD
3041     SND_ENVELOPE [.CMD_SLOT, BHI_CNT] = ZERO;      ! BYTE COUNT HIGH WORD
3042     SND_ENVELOPE [.CMD_SLOT, BD_0] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3043     SND_ENVELOPE [.CMD_SLOT, BD_1] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3044     SND_ENVELOPE [.CMD_SLOT, BD_2] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3045     SND_ENVELOPE [.CMD_SLOT, BD_3] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3046     SND_ENVELOPE [.CMD_SLOT, BD_4] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3047     SND_ENVELOPE [.CMD_SLOT, BD_5] = ZERO;        ! BUFFER DESCRIPTOR FIELD
3048     SND_ENVELOPE [.CMD_SLOT, LBN_LO] = .LBN_ST;   ! LOGICAL BLOCK NUMBER
3049     SND_ENVELOPE [.CMD_SLOT, LBN_HI] = ZERO;      ! LOGICAL BLOCK NUMBER

```

```

: 3050      SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
: 3051
: 3052      SEND_RING [CMD_SLOT, OWN_BIT] = PORT_OWNED;
: 3053
: 3054      READ THE IP REGISTER TO STIMULATE PORT POLLING.
: 3055
: 3056      TEMP = .RC25_ADDR [RCIP, RC_ALL];
: 3057
: 3058      GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
: 3059
: 3060      GET_CMD_SLOT ();
: 3061
: 3062      DELAY (1);
: 3063
: 3064      CHECK THE END PACKET FOR GOOD STATUS
: 3065
: 3066      return REC_STATUS ();          ! RETURN THE STATUS
: 3067
: 3068      end;

```

```

000000 010146      .SBTTL READ.CMD AZTEC GLOBAL ROUTINE
READ.CMD::
000002 024646      MOV R1, -(SP) ; 2993
000004 016746 000000G CMP -(SP), -(SP) ;
000010 012746 000054G MOV CMD_SLOT, -(SP) ; 3023
000014 004767 000000G JSR PC, BL$MUL
000020 012760 000040 000000G MOV #40, SND.ENVELOPE(R0)
000026 016716 000000G MOV CMD_SLOT, (SP) ; 3024
000032 012746 000054G MOV #54, -(SP)
000036 004767 000000G JSR PC, BL$MUL
000042 142760 000017 000002G BICB #17, SND.ENVELOPE+2(R0)
000050 152760 000001 000002G BISB #1, SND.ENVELOPE+2(R0)
000056 016716 000000G MOV CMD_SLOT, (SP) ; 3025
000062 012746 000054G MOV #54, -(SP)
000066 004767 000000G JSR PC, BL$MUL
000072 142760 000360 000002G BICB #360, SND.ENVELOPE+2(R0)
000100 016716 000000G MOV CMD_SLOT, (SP) ; 3026
000104 012746 000054G MOV #54, -(SP)
000110 004767 000000G JSR PC, BL$MUL
000114 105060 000003G CLRB SND.ENVELOPE+3(R0)
000120 016716 000000G MOV CMD_SLOT, (SP) ; 3030
000124 012746 000054G MOV #54, -(SP)
000130 004767 000000G JSR PC, BL$MUL
000134 016760 000000G 000004G MOV CMD_REF, SND.ENVELOPE+4(R0)
000142 016716 000000G MOV CMD_SLOT, (SP) ; 3031
000146 012746 000054G MOV #54, -(SP)
000152 004767 000000G JSR PC, BL$MUL
000156 005060 000006G CLR SND.ENVELOPE+6(R0)
000162 016716 000000G MOV CMD_SLOT, (SP) ; 3032
000166 012746 000054G MOV #54, -(SP)
000172 004767 000000G JSR PC, BL$MUL
000176 016760 000000G 000010G MOV UNIT, SND.ENVELOPE+10(R0)
000204 016716 000000G MOV CMD_SLOT, (SP) ; 3033
000210 012746 000054G MOV #54, -(SP)
000214 004767 000000G JSR PC, BL$MUL

```

ZRCFA2	MISCELLANEOUS SECTIONS					
V01.0	AZTEC GLOBAL ROUTINE					
000220	005060	000012G		CLR	SND.ENVELOPE+12(R0)	
000224	016716	000000G		MOV	CMD.SLOT,(SP)	3034
000230	012746	000054		MOV	#54,-(SP)	
000234	004767	000000G		JSR	PC,BLSMUL	
000240	112760	000041	000014G	MOV	#41,SND.ENVELOPE+14(R0)	
000246	016716	000000G		MOV	CMD.SLOT,(SP)	3035
000252	012746	000054		MOV	#54,-(SP)	
000256	004767	000000G		JSR	PC,BLSMUL	
000262	105060	000015G		CLRB	SND.ENVELOPE+15(R0)	
000266	016716	000000G		MOV	CMD.SLOT,(SP)	3036
000272	012746	000054		MOV	#54,-(SP)	
000276	004767	000000G		JSR	PC,BLSMUL	
000302	005060	000016G		CLR	SND.ENVELOPE+16(R0)	
000306	016716	000000G		MOV	CMD.SLOT,(SP)	3040
000312	012746	000054		MOV	#54,-(SP)	
000316	004767	000000G		JSR	PC,BLSMUL	
000322	016760	000000G	000020G	MOV	BYTE.COUNT,SND.ENVELOPE+20(R0)	
000330	016716	000000G		MOV	CMD.SLOT,(SP)	3041
000334	012746	000054		MOV	#54,-(SP)	
000340	004767	000000G		JSR	PC,BLSMUL	
000344	005060	000022G		CLR	SND.ENVELOPE+22(R0)	
000350	016716	000000G		MOV	CMD.SLOT,(SP)	3042
000354	012746	000054		MOV	#54,-(SP)	
000360	004767	000000G		JSR	PC,BLSMUL	
000364	005060	000024G		CLR	SND.ENVELOPE+24(R0)	
000370	016716	000000G		MOV	CMD.SLOT,(SP)	3043
000374	012746	000054		MOV	#54,-(SP)	
000400	004767	000000G		JSR	PC,BLSMUL	
000404	005060	000026G		CLR	SND.ENVELOPE+26(R0)	
000410	016716	000000G		MOV	CMD.SLOT,(SP)	3044
000414	012746	000054		MOV	#54,-(SP)	
000420	004767	000000G		JSR	PC,BLSMUL	
000424	005060	000030G		CLR	SND.ENVELOPE+30(R0)	
000430	016716	000000G		MOV	CMD.SLOT,(SP)	3045
000434	012746	000054		MOV	#54,-(SP)	
000440	004767	000000G		JSR	PC,BLSMUL	
000444	005060	000032G		CLR	SND.ENVELOPE+32(R0)	
000450	016716	000000G		MOV	CMD.SLOT,(SP)	3046
000454	012746	000054		MOV	#54,-(SP)	
000460	004767	000000G		JSR	PC,BLSMUL	
000464	005060	000034G		CLR	SND.ENVELOPE+34(R0)	
000470	016716	000000G		MOV	CMD.SLOT,(SP)	3047
000474	012746	000054		MOV	#54,-(SP)	
000500	004767	000000G		JSR	PC,BLSMUL	
000504	005060	000036G		CLR	SND.ENVELOPE+36(R0)	
000510	016716	000000G		MOV	CMD.SLOT,(SP)	3048
000514	012746	000054		MOV	#54,-(SP)	
000520	004767	000000G		JSR	PC,BLSMUL	
000524	016760	000000G	000040G	MOV	LBN.ST,SND.ENVELOPE+40(R0)	
000532	016716	000000G		MOV	CMD.SLOT,(SP)	3049
000536	012746	000054		MOV	#54,-(SP)	
000542	004767	000000G		JSR	PC,BLSMUL	
000546	005060	000042G		CLR	SND.ENVELOPE+42(R0)	
000552	016700	000000G		MOV	CMD.SLOT,R0	3053
000556	006300			ASL	R0	
000560	006300			ASL	R0	
000562	066700	000000G		ADD	SEND.RING,R0	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (24

000566	052760	100000	000002		BIS	#100000,2(R0)			
000574	017766	000000G	000054		MOV	@RC25.ADDR,54(SP)	:	*.RC.REG	3057
000602	016600	000054			MOV	54(SP),R0	:	RC.REG,TEMP	
000606	004767	000000V			JSR	PC,GET.CMD.SLOT	:		3061
000612	012701	000001			MOV	#1,R1	:	*,\$\$TMP2	3063
000616	001411			1\$:	BEQ	4\$			
000620	016700	000000G			MOV	L\$DLY,R0	:	*,\$\$TMP1	
000624	001404				BEQ	3\$			
000626	005066	000056		2\$:	CLR	56(SP)	:	\$\$TMP	
000632	005300				DEC	R0	:	\$\$TMP1	
000634	001374				BNE	2\$			
000636	005301			3\$:	DEC	R1	:	\$\$TMP2	
000640	000766				BR	1\$			
000642	004767	000000V		4\$:	JSR	PC,REC.STATUS	:		3067
000646	062706	000060			ADD	#60,SP	:		2993
000652	012601				MOV	(SP)+,R1	:		
000654	000207				RTS	PC	:		

: Routine Size: 215 words, Routine Base: AB\$CODE + 10030
 : Maximum stack depth per invocation: 26 words

: 3069
 : 3070 !


```

3071   global routine READ_FILL_RING : novalue =
3072   +
3073   FUNCTIONAL DESCRIPTION :
3074   THE READ COMMAND IS USED TO READ THE DATA FROM THE UNIT AND
3075   TRANSFERED TO THE HOST BUFFER.
3076
3077   FORMAL PARAMETERS :
3078   - NONE -
3079
3080   IMPLICIT INPUTS :
3081
3082   INPLICIT OUTPUTS :
3083   - NONE -
3084
3085   COMPLETION CODES :
3086   RET_STATUS : RETURN STATUS PASSES BACK TO THE CALLING ROUTINE
3087
3088   SIDE EFFECTS :
3089   - NONE -
3090
3091   --
3092
3093   begin
3094
3095   local
3096     TEMP;
3097
3098   :
3099   MSCP PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
3100
3101   SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_RD;    ! LOAD MESSAGE LENGTH
3102   SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE;        ! LOAD CREDIT SIZE
3103   SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0;        ! MESSAGE TYPE
3104   SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0;         ! DEFINE CONNECTION ID
3105
3106   MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
3107
3108   SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF;  ! LOAD COMMAND REFERENCE #
3109   SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO;     ! ZERO HI ORDER CMD REF #
3110   SND_ENVELOPE [.CMD_SLOT, UN_USED] = .UNIT;     ! SELECTED UNIT
3111   SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO;     ! NOT USED IN DUP IMPLIMENT.
3112   SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_RD;     ! DEFINE COMMAND OP CODE
3113   SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO;       ! NOT USED
3114   SND_ENVELOPE [.CMD_SLOT, MODIFIER] = MD_EXP;   ! DEFINE CMD MODIFIERS
3115
3116   COMMAND SPECIFIC COMMAND ENVELOPE FIELD DEFINITION
3117
3118   SND_ENVELOPE [.CMD_SLOT, BLO_CNT] = .BYTE_COUNT; ! BYTE COUNT LOW WORD
3119   SND_ENVELOPE [.CMD_SLOT, BHI_CNT] = ZERO;       ! BYTE COUNT HIGH WORD
3120   SND_ENVELOPE [.CMD_SLOT, BD_0] = .BUF_DESCRTR; ! BUFFER DESCRIBTOR FIELD
3121   SND_ENVELOPE [.CMD_SLOT, BD_1] = ZERO;         ! BUFFER DESCRIBTOR FIELD
3122   SND_ENVELOPE [.CMD_SLOT, BD_2] = ZERO;         ! BUFFER DESCRIBTOR FIELD
3123   SND_ENVELOPE [.CMD_SLOT, BD_3] = ZERO;         ! BUFFER DESCRIBTOR FIELD
3124   SND_ENVELOPE [.CMD_SLOT, BD_4] = ZERO;         ! BUFFER DESCRIBTOR FIELD
3125   SND_ENVELOPE [.CMD_SLOT, BD_5] = ZERO;         ! BUFFER DESCRIBTOR FIELD
3126   SND_ENVELOPE [.CMD_SLOT, LBN_LO] = .LBN_ST;    ! LOGICAL BLOCK NUMBER
3127   SND_ENVELOPE [.CMD_SLOT, LBN_HI] = ZERO;       ! LOGICAL BLOCK NUMBER

```

```

:      3128      |
:      3129      | | SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
:      3130      | |
:      3131      | SEND_RING [CMD_SLOT, OWN_BIT] = PORT_OWNED;
:      3132      | |
:      3133      | end;

```

```

                                .SBTTL READ.FILL.RING AZTEC GLOBAL ROUTINE
000000 016746 000000G          READ.FILL.RING::
                                MOV      CMD_SLOT, -(SP)                ;
000004 012746 000054          MOV      #54, -(SP)                ;
000010 004767 000000G          JSR      PC, BL$MUL
000014 012760 000040 000000G  MOV      #40, SND.ENVELOPE(R0)
000022 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000026 012746 000054          MOV      #54, -(SP)                ;
000032 004767 000000G          JSR      PC, BL$MUL
000036 142760 000017 000002G  BICB    #17, SND.ENVELOPE+2(R0)
000044 152760 000001 000002G  BISB    #1, SND.ENVELOPE+2(R0)
000052 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000056 012746 000054          MOV      #54, -(SP)                ;
000062 004767 000000G          JSR      PC, BL$MUL
000066 142760 000360 000002G  BICB    #360, SND.ENVELOPE+2(R0)
000074 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000100 012746 000054          MOV      #54, -(SP)                ;
000104 004767 000000G          JSR      PC, BL$MUL
000110 105060 000003G          CLRB    SND.ENVELOPE+3(R0)
000114 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000120 012746 000054          MOV      #54, -(SP)                ;
000124 004767 000000G          JSR      PC, BL$MUL
000130 016760 000000G 000004G  MOV      CMD_REF, SND.ENVELOPE+4(R0)
000136 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000142 012746 000054          MOV      #54, -(SP)                ;
000146 004767 000000G          JSR      PC, BL$MUL
000152 005060 000006G          CLR     SND.ENVELOPE+6(R0)
000156 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000162 012746 000054          MOV      #54, -(SP)                ;
000166 004767 000000G          JSR      PC, BL$MUL
000172 016760 000000G 000010G  MOV      UNIT, SND.ENVELOPE+10(R0)
000200 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000204 012746 000054          MOV      #54, -(SP)                ;
000210 004767 000000G          JSR      PC, BL$MUL
000214 005060 000012G          CLR     SND.ENVELOPE+12(R0)
000220 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000224 012746 000054          MOV      #54, -(SP)                ;
000230 004767 000000G          JSR      PC, BL$MUL
000234 112760 000041 000014G  MOV     #41, SND.ENVELOPE+14(R0)
000242 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000246 012746 000054          MOV      #54, -(SP)                ;
000252 004767 000000G          JSR      PC, BL$MUL
000256 105060 000015G          CLRB    SND.ENVELOPE+15(R0)
000262 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000266 012746 000054          MOV      #54, -(SP)                ;
000272 004767 000000G          JSR      PC, BL$MUL
000276 012760 100000 000016G  MOV     #-100000, SND.ENVELOPE+16(R0)
000304 016716 000000G          MOV      CMD_SLOT, (SP)          ;
000310 012746 000054          MOV      #54, -(SP)

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (25)

000314	004767	000000G		JSR	PC,BLSMUL		
000320	016760	000000G	000020G	MOV	B) IE.COUNT,SND.ENVELOPE+20(R0)		
000326	016716	000000G		MOV	CMD.SLOT,(SP)	:	3119
000332	012746	000054		MOV	#54,-(SP)		
000336	004767	000000G		JSR	PC,BLSMUL		
000342	005060	000022G		CLR	SND.ENVELOPE+22(R0)		
000346	016716	000000G		MOV	CMD.SLOT,(SP)	:	3120
000352	012746	000054		MOV	#54,-(SP)		
000356	004767	000000G		JSR	PC,BLSMUL		
000362	016760	000000G	000024G	MOV	BUF.DESCRPTR,SND.ENVELOPE+24(R0)		
000370	016716	000000G		MOV	CMD.SLOT,(SP)	:	3121
000374	012746	000054		MOV	#54,-(SP)		
000400	004767	000000G		JSR	PC,BLSMUL		
000404	005060	000026G		CLR	SND.ENVELOPE+26(R0)		
000410	016716	000000G		MOV	CMD.SLOT,(SP)	:	3122
000414	012746	000054		MOV	#54,-(SP)		
000420	004767	000000G		JSR	PC,BLSMUL		
000424	005060	000030G		CLR	SND.ENVELOPE+30(R0)		
000430	016716	000000G		MOV	CMD.SLOT,(SP)	:	3123
000434	012746	000054		MOV	#54,-(SP)		
000440	004767	000000G		JSR	PC,BLSMUL		
000444	005060	000032G		CLR	SND.ENVELOPE+32(R0)		
000450	016716	000000G		MOV	CMD.SLOT,(SP)	:	3124
000454	012746	000054		MOV	#54,-(SP)		
000460	004767	000000G		JSR	PC,BLSMUL		
000464	005060	000034G		CLR	SND.ENVELOPE+34(R0)		
000470	016716	000000G		MOV	CMD.SLOT,(SP)	:	3125
000474	012746	000054		MOV	#54,-(SP)		
000500	004767	000000G		JSR	PC,BLSMUL		
000504	005060	000036G		CLR	SND.ENVELOPE+36(R0)		
000510	016716	000000G		MOV	CMD.SLOT,(SP)	:	3126
000514	012746	000054		MOV	#54,-(SP)		
000520	004767	000000G		JSR	PC,BLSMUL		
000524	016760	000000G	000040G	MOV	LBN.ST,SND.ENVELOPE+40(R0)		
000532	016716	000000G		MOV	CMD.SLOT,(SP)	:	3127
000536	012746	000054		MOV	#54,-(SP)		
000542	004767	000000G		JSR	PC,BLSMUL		
000546	005060	000042G		CLR	SND.ENVELOPE+42(R0)		
000552	016700	000000G		MOV	CMD.SLOT,R0	:	3131
000556	006300			ASL	R0		
000560	006300			ASL	R0		
000562	066700	000000G		ADD	SEND.RING,R0		
000566	052760	100000	000002	BIS	#100000,2(R0)		
000574	062706	000054		ADD	#54,SP	:	3093
000600	000207			RTS	PC	:	3071

: Routine Size: 193 words, Routine Base: ABS\$CODE + 10706
: Maximum stack depth per invocation: 23 words

: 3134
: 3135 !

```
3136     global routine GET_UNIT_STATUS =
3137     ++
3138     FUNCTIONAL DESCRIPTION :
3139     THE GET UNIT STATUS COMMAND IS USED TO READ THE CURRENT
3140     STATE OF THE UNIT, PLUS CERTAIN UNIT CHARACTERISTICS.
3141
3142     FORMAL PARAMETERS :
3143     - NONE -
3144
3145     IMPLICIT INPUTS :
3146
3147     IMPLICIT OUTPUTS :
3148     - NONE -
3149
3150     COMPLETION CODES :
3151     RET_STATUS : RETURN STATUS PASSES BACK TO THE CALLING ROUTINE
3152
3153
3154     SIDE EFFECTS :
3155     - NONE -
3156     --
3157
3158     begin
3159
3160     local
3161     TEMP;
3162
3163     :
3164     : UQ PORT COMMAND ENVELOPE HEADER FIELD DEFINITION
3165     :
3166     SND_ENVELOPE [.CMD_SLOT, MSG_LENGTH] = SZ_GUS; ! LOAD MESSAGE LENGTH
3167     SND_ENVELOPE [.CMD_SLOT, CREDITS] = ONE; ! LOAD CREDIT SIZE
3168     SND_ENVELOPE [.CMD_SLOT, MSG_TYPE] = 0; ! MESSAGE TYPE
3169     SND_ENVELOPE [.CMD_SLOT, CONN_ID] = 0; ! DEFINE CONNECTION ID
3170
3171     :
3172     : MSCP GENERIC COMMAND ENVELOPE FIELD DEFINITION
3173     :
3174     SND_ENVELOPE [.CMD_SLOT, CMD_LREF] = .CMD_REF; ! LOAD COMMAND REFERENCE #
3175     SND_ENVELOPE [.CMD_SLOT, CMD_HREF] = ZERO; ! ZERO HI ORDER CMD REF #
3176     SND_ENVELOPE [.CMD_SLOT, UN_USED] = .UNIT; ! SELECTED UNIT
3177     SND_ENVELOPE [.CMD_SLOT, UN_HUSED] = ZERO; ! NOT USED IN DUP IMPLIMENT.
3178     SND_ENVELOPE [.CMD_SLOT, OP_CODE] = OP_GUS; ! DEFINE COMMAND OPCODE
3179     SND_ENVELOPE [.CMD_SLOT, UQRSVD] = ZERO; ! NOT USED
3180     SND_ENVELOPE [.CMD_SLOT, MODIFIER] = ZERO; ! DEFINE CMD MODIFIERS
3181
3182     : SET THE OWNERSHIP BIT TO 1 WHICH GIVE THIS SLOT TO THE PORT.
3183     SEND_RING [.CMD_SLOT, OWN_BIT] = PORT_OWNED;
3184
3185     : READ THE IP REGISTER TO STIMULATE PORT POLLING.
3186
3187     TEMP = .RC25_ADDR [RCIP, RC_ALL];
3188
3189     : GET THE COMMAND SLOT NUMBER FOR NEXT COMMAND
3190
3191     GET_CMD_SLOT ();
3192
```


ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (26

000230	012746	000054		MOV	#54,-(SP)		
000234	004767	000000G		JSR	PC,BLSMUL		
000240	112760	000003	000014G	MOV	#3,SND.ENVELOPE+14(R0)		
000246	016716	000000G		MOV	CMD.SLOT,(SP)	:	3178
000252	012746	000054		MOV	#54,-(SP)		
000256	004767	000000G		JSR	PC,BLSMUL		
000262	105060	000015G		CLRB	SND.ENVELOPE+15(R0)		
000266	016716	000000G		MOV	CMD.SLOT,(SP)	:	3179
000272	012746	000054		MOV	#54,-(SP)		
000276	004767	000000G		JSR	PC,BLSMUL		
000302	005060	000016G		CLR	SND.ENVELOPE+16(R0)		
000306	016700	000000G		MOV	CMD.SLOT,R0	:	3183
000312	006300			ASL	R0		
000314	006300			ASL	R0		
000316	066700	000000G		ADD	SEND.RING,R0		
000322	052760	100000	000002	BIS	#100000,2(R0)		
000330	017766	000000G	000030	MOV	@RC25.ADDR,30(SP)	: *,RC.REG	3187
000336	016600	000030		MOV	30(SP),R0	: RC.REG,TEMP	3191
000342	004767	000000V		JSR	PC,GET.CMD.SLOT	:	3193
000346	012701	000001		MOV	#1,R1	: *,\$TMP2	
000352	001411		1\$:	BEQ	4\$		
000354	016700	000000G		MOV	LSDLY,R0	: *,\$TMP1	
000360	001404			BEQ	3\$		
000362	005066	000032	2\$:	CLR	32(SP)	: \$TMP	
000366	005300			DEC	R0	: \$TMP1	
000370	001374			BNE	2\$		
000372	005301		3\$:	DEC	R1	: \$TMP2	
000374	000766			BR	1\$		
000376	004767	000000V	4\$:	JSR	PC,REC.STATUS	:	3198
000402	006000			ROR	R0		
000404	103005			BCC	5\$		
000406	062706	000030		ADD	#30,SP		
000412	016700	000000G		MOV	RET.STATUS,R0	:	3200
000416	000423			BR	6\$		
000420	005367	000000G	5\$:	DEC	RES.SLOT	:	3204
000424	016700	000000G		MOV	RES.SLOT,R0	:	3206
000430	000300			SWAB	R0		
000432	106000			RORB	R0		
000434	006000			ROR	R0		
000436	006000			ROR	R0		
000440	142700	000077		BICB	#77,R0		
000444	016067	000022G	000000G	MOV	REC.ENVELOPE+22(R0),RET.UNIT.FLAG	:	
000452	004767	000000V		JSR	PC,GET.RES.SLOT	:	3207
000456	062706	000030		ADD	#30,SP	:	3136
000462	016700	000000G		MOV	RET.STATUS,R0	:	3158
000466	022626		6\$:	CMP	(SP)+,(SP)+	:	3136
000470	012601			MOV	(SP)+,R1		
000472	000207			RTS	PC		

: Routine Size: 158 words, Routine Base: ABS\$CODE + 11510
: Maximum stack depth per invocation: 16 words

: 3210
: 3211 !
: 3212

```

: 3213      global routine GET_CMD_SLOT : novalue =
: 3214      | ++
: 3215      | FUNCTIONAL DESCRIPTION:
: 3216      |
: 3217      | THIS ROUTINE ASSIGNS A COMMAND SLOT NUMBER FOR THE COMMUNICATION
: 3218      | RING, IT WILL WRAP AROUND, AS THE SLOT NUMBER REACHED TO THE BOTTOM.
: 3219      | --
: 3220      | begin
: 3221      | begin
: 3222      |
: 3223      | if .CMD_SLOT eqlu SND_ALLOCATE - 1      | IS SLOT # REACHED TO THE END
: 3224      | then                                  | YES
: 3225      |     CMD_SLOT = ZERO                      | WRAP AROUND THE COMMAND RING
: 3226      | else                                  | ELSE
: 3227      |     CMD_SLOT = .CMD_SLOT + 1;            | INCREMENT THE CMD SLOT NUMBER
: 3228      |
: 3229      | end;
: 3230      | SEND_RING [.CMD_SLOT, FLAG_BIT] = ZERO; ! CLEAR CMD_RING FLAG BIT
: 3231      | return;
: 3232      | end;

```

000000	026727	000000G	000017	GET.CMD.SLOT::	GET.CMD.SLOT AZTEC GLOBAL ROUTINE	
				CMP	CMD.SLOT,#17	3223
000006	001003			BNE	1\$	
000010	005067	000000G		CLR	CMD.SLOT	3225
000014	000402			BR	2\$	3223
000016	005267	000000G		1\$: INC	CMD.SLOT	3227
000022	016700	000000G		2\$: MOV	CMD.SLOT,R0	3230
000026	006300			ASL	R0	
000030	006300			ASL	R0	
000032	066700	000000G		ADD	SEND.RING,R0	
000036	042760	040000	000002	BIC	#40000,2(R0)	
000044	000207			RTS	PC	3213

```

: Routine Size: 19 words,      Routine Base: ABSCODE + 12204
: Maximum stack depth per invocation: 0 words

```

```

: 3233
: 3234 !

```

```

: 3235      global routine GET_RES_SLOT : novalue =
: 3236      | ++
: 3237      | FUNCTIONAL DESCRIPTION:
: 3238      |
: 3239      | THIS ROUTINE ASSIGNS A RESPONSE SLOT NUMBER FOR THE COMMUNICATION
: 3240      | RING, IT WILL WRAP AROUND, AS THE SLOT NUMBER REACHED TO THE BOTTOM.
: 3241      | --
: 3242      | begin
: 3243      | begin
: 3244      |
: 3245      | if .RES_SLOT eqlu REC_ALLOCATE - 1      | IS SLOT # REACHED TO THE END?
: 3246      | then                                     | YES. THEN
: 3247      |     RES_SLOT = ZERO                         | WRAP AROUND THE RESPONSE RING
: 3248      | else                                     | ELSE
: 3249      |     RES_SLOT = .RES_SLOT + 1;                 | INCREMENT THE RES SLOT NUMBER
: 3250      |
: 3251      | end;
: 3252      | RECEIVE_RING [.RES_SLOT, FLAG_BIT] = ZERO;      ! CLEAR RECEIVE RING FLAG BIT
: 3253      | return;
: 3254      | end;

```

000000	026727	000000G	000017	GET.RES.SLOT::	RES.SLOT,#17	:	3245
000006	001003			CMP	1\$:	
000010	005067	000000G		BNE	RES.SLOT	:	3247
000014	000402			CLR	2\$:	3245
000016	005267	000000G		BR	RES.SLOT	:	3249
000022	016700	000000G	1\$:	INC	RES.SLOT,RO	:	3252
000026	006300		2\$:	MOV	RO	:	
000030	006300			ASL	RECEIVE_RING,RO	:	
000032	066700	000000G		ASL	#4000,2(RO)	:	
000036	042760	040000	000002	ADD	PC	:	3235
000044	000207			BIC			
				RTS			

: Routine Size: 19 words, Routine Base: AB\$CODE + 12252
: Maximum stack depth per invocation: 0 words

```

: 3255
: 3256
:

```



```

3257     global routine DUP_MSCP_INTS : INT_LNK$TYP =
3258
3259     !++
3260     FUNCTIONAL DESCRIPTION :
3261
3262     THIS ROUTINE SERVICE THE DUP AND MSCP INTERRUPT
3263
3264     FORMAL PARAMETERS :
3265     IMPLICIT INPUTS :
3266     IMPLICIT OUTPUTS :
3267     COMPLETION CODES :
3268     SIDE EFFECTS :
3269     --
3270
3271     begin
3272     RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL];    ! GET RCSA DATA
3273
3274     if .RC25_DATA [RCSA, RCSA_ER]                          ! CHECK SA REG.ERROR BIT
3275     then
3276     begin
3277     I_AM_NEX = ALL_ONES;                                     ! INDICATE THE INT. HAPPENED
3278     RET_STATUS = PFE_CODE;                                  ! SAVE THE PORT/CTLER FAILURE
3279     return .RET_STATUS;
3280     end
3281     else
3282     begin
3283     HEAD_AREA [RSP_INT] = ZERO;                             ! CLEAR INT. FLAG IN THE HEADER WORD
3284     HEAD_AREA [CMD_INT] = ZERO;
3285     RET_STATUS = PAS_CODE;                                  ! RETURN A NON-ERROR CODE
3286     I_AM_NEX = ALL_ONES;                                  ! INDICATE THE INTERRUPT OCCURED
3287     end;
3288
3289     end;

```

000000	010046		.SBTTL DUP.MSCP.INTS AZTEC GLOBAL ROUTINE	
			DUP.MSCP.INTS::	
			MOV R0, -(SP)	3257
000002	016700	000000G	MOV RC25_ADDR, R0	3272
000006	016046	000002	MOV 2(R0), -(SP)	
000012	011667	000002G	MOV (SP), RC25_DATA+2	
000016	100007		BPL 1\$	3274
000020	012767	177777 000000G	MOV #-1, I_AM_NEX	3277
000026	012767	000021 000000G	MOV #21, RET_STATUS	3278
000034	000413		BR 2\$	3276
000036	016700	000000G	1\$: MOV HEAD_AREA, R0	3283
000042	005060	000006	CLR 6(R0)	
000046	005060	000004	CLR 4(R0)	3284
000052	005067	000000G	CLR RET_STATUS	3285
000056	012767	177777 000000G	MOV #-1, I_AM_NEX	3286
000064	005726		2\$: TST (SP)+	3257
000066	012600		MOV (SP)+, R0	
000070	000002		RTI	

```

: Routine Size: 29 words, Routine Base: AB$CODE + 12320
: Maximum stack depth per invocation: 3 words
: 3290

```

M 13

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (29

SEQ 168
Page 81

: 3291 !

```

: 3292    global routine SET_INT_VECTOR : novalue =
: 3293
: 3294    !++
: 3295    FUNCTIONAL DESCRIPTION :
: 3296    THIS ROUTINE SET UP THE INTERRUPT VECTOR
: 3297
: 3298    FORMAL PARAMETERS :
: 3299    IMPLICIT INPUTS :
: 3300    IMPLICIT OUTPUTS :
: 3301    COMPLETION CODES :
: 3302    SIDE EFFECTS :
: 3303
: 3304    --
: 3305
: 3306    begin
: 3307    CLRVEC (.RT_TABLE [RT_VECTOR]);           ! CLEAR VECTOR ADDRESS
: 3308    SETVEC (.RT_TABLE [RT_VECTOR], DUP_MSCP_INTS, .RT_TABLE [RT_BR_LEVEL]); ! SET VECTOR ADDR. SERVICE
: 3309    ! RPUTINE-ADDR. & PRIORITY
: 3310    ! WRT_RC25 (RCSA, TRUE);                   ! LET CONTROLLER GO
: 3311    return;
: 3312    end;

```

```

000000 010146          .SBTTL SET.INT.VECTOR AZTEC GLOBAL ROUTINE
                                SET.INT.VECTOR::
000002 016701 000000G      MOV      R1,-(SP)                ; 3292
                                MOV      RT.TABLE,R1                ; 3307
000006 016100 000002      MOV      2(R1),R0
000012 104436            TRAP      36
000014 016700 000000G      MOV      RT.TABLE,R0                ; 3308
000020 016046 000004      MOV      4(R0),-(SP)
000024 012746 012320      MOV      #DUP.MSCP.INTS,-(SP)
000030 016046 000002      MOV      2(R0),-(SP)
000034 012746 000003      MOV      #3,-(SP)
000040 104437            TRAP      37
000042 062706 000010      ADD      #10,SP                ; 3292
000046 012601            MOV      (SP)+,R1
000050 000207            RTS      PC

```

: Routine Size: 21 words, Routine Base: ABS\$CODE + 12412
: Maximum stack depth per invocation: 7 words

```

: 3313
: 3314 !

```

```
3315 global routine REC_STATUS =
3316
3317 !++
3318 FUNCTIONAL DESCRIPTION :
3319
3320 THIS ROUTINE READ THE END MESSAGE PACKET AND RETURN THE PORT
3321 TO THE CONTROLLER, AND A STATUS FLAG IS SEND TO THE CALLER.
3322
3323 IF STATUS BIT INDICATES UNSUCCESS, THEN A ERROR MESSAGE WILL
3324 BE REPORTED.
3325
3326 FORMAL PARAMETERS :
3327 IMPLICIT INPUTS :
3328 IMPLICIT OUTPUTS :
3329 ERROR : TRUE
3330 NO ERROR : FALSE
3331
3332 COMPLETION CODES :
3333 SIDE EFFECTS :
3334 --
3335
3336 begin
3337
3338 WAITING FOR THE CONTROLLER TO FILLED THE DESCRIPTOR AND RELEASING
3339 IT TO THE HOST, IF WAITING TIME EXPIRED THEN AN ERROR WILL BE REPORTED.
3340
3341 incru COUNT from 0 to 30000 do ! SET TIME OUT RANGE
3342 begin
3343 DELAY (5); ! DELAY
3344
3345 if .RECEIVE_RING [.RES_SLOT, OWN_BIT] eqlu 0 ! IF HOST OWN THE SLOT
3346 then ! THEN
3347 begin
3348 DELAY (25); ! DELAY
3349
3350 if (.REC_ENVELOPE [.RES_SLOT, STATUS] ! READ THE STATUS BITS
3351 nequ ZERO)
3352 then ! IF ERROR
3353 begin ! THEN FLAG THE ERROR
3354 RECEIVE_RING [.RES_SLOT, OWN_BIT] = ONE; ! PORT OWN THE RING
3355 RET_STATUS = RSE_CODE; ! REPORT THE ERROR & SET STATUS
3356 return .RET_STATUS; ! SET ERROR FLAG
3357 end
3358 else
3359 begin
3360 RECEIVE_RING [.RES_SLOT, OWN_BIT] = ONE; ! PORT OWN THE RING
3361 GET_RES_SLOT (); ! GET NEXT RESPONSE SLOT #
3362 RET_STATUS = PAS_CODE; ! CLEAR STATUS
3363 return .RET_STATUS; ! RETURN WITH PASS FLAG
3364 end;
3365
3366 end;
3367
3368 end;
3369
3370 RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL]; ! GET RCSA DATA
3371
```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (31

```

:      3372
:      3373      if .RC25_DATA [RCSA, RCSA_ER]      ! CHECK SA REG.ERROR BIT
:      3374      then
:      3375          begin
:      3376              RET_STATUS = PFE_CODE;      ! SAVE THE PORT/CTLER FAILURE
:      3377              return .RET_STATUS;
:      3378          end
:      3379      else
:      3380          begin
:      3381              RET_STATUS = CTO_CODE;      ! SET TIME EXPIRED IN STATUS BUF
:      3382              return .RET_STATUS;      ! RETURN WITH A TIME EXPIRED FLAG
:      3383          end;
:      3384
:      3385      end;

```

		.SBTTL	REC.STATUS	AZTEC GLOBAL ROUTINE	
000000	004167	000000G	REC.STATUS::		
			JSR	R1,\$SAVE2	3315
000004	024646		CMP	-(SP),-(SP)	
000006	005002		CLR	R2	3342
000010	012701	000005	1\$: MOV	#5,R1	3344
000014	001411		2\$: BEQ	5\$	
000016	016700	000000G	MOV	L\$DLY,R0	
000022	001404		BEQ	4\$	
000024	005066	000002	3\$: CLR	2(SP)	
000030	005300		DEC	R0	
000032	001374		BNE	3\$	
000034	005301		4\$: DEC	R1	
000036	000766		BR	2\$	
000040	016700	000000G	5\$: MOV	RES.SLOT,R0	3346
000044	006300		ASL	R0	
000046	006300		ASL	R0	
000050	066700	000000G	ADD	RECEIVE.RING,R0	
000054	032760	100000 000002	BIT	#100000,2(R0)	
000062	001066		BNE	11\$	
000064	012701	000031	MOV	#31,R1	3349
000070	001411		6\$: BEQ	9\$	
000072	016700	000000G	MOV	L\$DLY,R0	
000076	001404		BEQ	8\$	
000100	005066	000002	7\$: CLR	2(SP)	
000104	005300		DEC	R0	
000106	001374		BNE	7\$	
000110	005301		8\$: DEC	R1	
000112	000766		BR	6\$	
000114	016700	000000G	9\$: MOV	RES.SLOT,R0	3351
000120	000300		SWAB	R0	
000122	106000		RORB	R0	
000124	006000		ROR	R0	
000126	006000		ROR	R0	
000130	142700	000077	BICB	#77,R0	
000134	005760	000016G	TST	REC.ENVELOPE+16(R0)	
000140	001417		BEQ	10\$	
000142	016700	000000G	MOV	RES.SLOT,R0	3355
000146	006300		ASL	R0	
000150	006300		ASL	R0	
000152	066700	000000G	ADD	RECEIVE.RING,R0	

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (31

000156	052760	100000	000002	BIS	#100000,2(R0)		
000164	012767	000031	000000G	MOV	#31,RET.STATUS	:	3356
000172	016700	000000G		MOV	RET.STATUS,R0	:	3348
000176	000446			BR	13\$		
000200	016700	000000G		10\$: MOV	RES.SLOT,R0	:	3361
000204	006300			ASL	R0		
000206	006300			ASL	R0		
000210	066700	000000G		ADD	RECEIVE.RING,R0		
000214	052760	100000	000002	BIS	#100000,2(R0)		
000222	004767	177340		JSR	PC,GET.RES.SLOT	:	3362
000226	005067	000000G		CLR	RET.STATUS	:	3363
000232	016700	000000G		MOV	RET.STATUS,R0	:	3348
000236	000426			BR	13\$		
000240	005202			11\$: INC	R2	: COUNT	3342
000242	020227	072460		CMP	R2,#72460	: COUNT,*	
000246	101660			BLOS	1\$		
000250	016700	000000G		MOV	RC25.ADDR,R0	:	3371
000254	016016	000002		MOV	2(R0),(SP)	: *,RC.REG	
000260	011667	000002G		MOV	(SP),RC25.DATA+2	: RC.REG,*	
000264	100006			BPL	12\$:	3373
000266	012767	000021	000000G	MOV	#21,RET.STATUS	:	3376
000274	016700	000000G		MOV	RET.STATUS,R0	:	3336
000300	000405			BR	13\$		
000302	012767	000011	000000G	12\$: MOV	#11,RET.STATUS	:	3381
000310	016700	000000G		MOV	RET.STATUS,R0	:	3336
000314	022626			13\$: CMP	(SP)+,(SP)+	:	3315
000316	000207			RTS	PC		

; Routine Size: 104 words, Routine Base: AB\$CODE + 12464
; Maximum stack depth per invocation: 6 words

: 3386
: 3387 !

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (32

```

: 3388      global routine RANDOM_NUM : novalue =
: 3389      ++
: 3390      | FUNCTIONAL DESCRIPTION:
: 3391      |
: 3392      |     THIS ROUTINE RECEIVED A SEEK FROM CALLER AND GENERAT A RANDOM
: 3393      |     NUMBER
: 3394      | --
: 3395      |     begin
: 3396      |     P3 = 14657;           | CONSTANT NUMBER
: 3397      |     P6 = 34176;           | CONSTANT NUMBER
: 3398      |     P2 = .P3*(.P2 + .P6) mod .END_LBN; | RANDOM LBN NUMBER
: 3399      |     P1 = .TICKS mod 2;   | UNIT NUMBER
: 3400      |     return;
: 3401      |     end;

```

```

                                .SBTTL  RANDOM.NUM AZTEC GLOBAL ROUTINE
000000 012767 034501 000000G      RANDOM.NUM::
                                MOV      #34501,P3           : 3396
000006 012767 102600 000000G      MOV      #-75200,P6           : 3397
000014 016746 000000G      MOV      P3,-(SP)           : 3398
000020 016746 000000G      MOV      P2,-(SP)
000024 066716 000000G      ADD      P6,(SP)
000030 004767 000000G      JSR     PC,BLSMUL
000034 010016 000000G      MOV     R0,(SP)
000036 016746 000000G      MOV     END_LBN,-(SP)
000042 004767 000000G      JSR     PC,BLSMOD
000046 010067 000000G      MOV     R0,P2
000052 062706 000000G      ADD     #6,SP           : 3388
000056 000207 000000G      RTS     PC

```

```

: Routine Size: 24 words,      Routine Base: ABS$CODE + 13004
: Maximum stack depth per invocation: 4 words

```

```

: 3402      |
: 3403      |
: 3404      |
: 3405      |     global routine AVERAGE_TIME : novalue =
: 3406      |     ++
: 3407      |     | FUNCTIONAL DESCRIPTION:
: 3408      |     |
: 3409      |     |     THIS ROUTINE CACULATE THE AVERAGE SEEK TIME FOR
: 3410      |     |     AZTEC MACHINE.
: 3411      |     | --
: 3412      |     |     begin
: 3413      |     |     P4 = .TICKS + .SECONDS*60 + .MINUTES*60*60; | CONVERTED IT TO TOTAL TICKS
: 3414      |     |     DATA4 = (.P4*16)/.P6; | GET THE AVERAGE TIME
: 3415      |     |     DATA2 = .P4 mod .P6; | GET THE AVERAGE TIME FRACTION
: 3416      |     |     DATA3 = .P4/2; | TIME .5
: 3417      |     |     DATA3 = .DATA3 + .DATA2; | GET THE TOTAL FRACTION
: 3418      |     |     return;
: 3419      |     |     end;

```

```

                                .SBTTL  AVERAGE.TIME AZTEC GLOBAL ROUTINE
000000 010146      AVERAGE.TIME::

```

ZRCFA2
VC1.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (32

000002	016746	000000G	MOV	R1,-(SP)	:	3405
000006	012746	000074	MOV	SECONDS,-(SP)	:	3413
000012	004767	000000G	MOV	#74,-(SP)		
000016	010001		JSR	PC,BL\$MUL		
000020	066701	000000G	MOV	R0,R1		
000024	016716	000000G	ADD	TICKS,R1		
000030	012746	007020	MOV	MINUTES,(SP)		
000034	004767	000000G	MOV	#7020,-(SP)		
000040	060001		JSR	PC,BL\$MUL		
000042	010167	000000G	ADD	R0,R1		
000046	016700	000000G	MOV	R1,P4		
000052	006300		MOV	P4,R0	:	3414
000054	006300		ASL	R0		
000056	006300		ASL	R0		
000060	006300		ASL	R0		
000062	010016		MOV	R0,(SP)		
000064	016746	000000G	MOV	P6,-(SP)		
000070	004767	000000G	JSR	PC,BL\$DIV		
000074	010067	000000G	MOV	R0,DATA4		
000100	016716	000000G	MOV	P4,(SP)	:	3415
000104	016746	000000G	MOV	P6,-(SP)		
000110	004767	000000G	JSR	PC,BL\$MOD		
000114	010067	000000G	MOV	R0,DATA2		
000120	016716	000000G	MOV	P4,(SP)	:	3416
000124	012746	000002	MOV	#2,-(SP)		
000130	004767	000000G	JSR	PC,BL\$DIV		
000134	010067	000000G	MOV	R0,DATA3		
000140	066767	000000G 000000G	ADD	DATA2,DATA3	:	3417
000146	062706	000014	ADD	#14,SP	:	3405
000152	012601		MOV	(SP)+,R1		
000154	000207		RTS	PC		

; Routine Size: 55 words, Routine Base: ABSCODE + 13064
; Maximum stack depth per invocation: 8 words


```
3420 global routine EXAM_DATA : =
3421 ++
3422 FUNCTIONAL DESCRIPTION:
3423
3424 THE FUNCTION OF THIS ROUTINE IS TO EXAMINE THE
3425 FREE MEMORY FOR EXPECTED DATA.
3426
3427 IMPLICIT INPUTS:
3428 H_SADD
3429 BUF_LENGTH
3430 TIP
3431 IMPLICIT OUTPUTS:
3432 RETURN STATUS
3433
3434 SIDE EFFECTS:
3435 - NONE -
3436 --
3437 begin
3438
3439 local
3440 PATTERN,
3441 FLAG;
3442
3443 FLAG = ZERO; ! INIT ERROR FLAG
3444 TEMP = .H_SADD; ! SAVE ADDR. IN TEMP. BUFFER
3445 H_EADD = .H_SADD - 2 + (.BUF_LENGTH*2); ! END OF FREE HOST MEMORY
3446 PATTERN = .TIP; ! PUT PATTERN FOR COMPARE
3447
3448 incru COUNT from .H_SADD to .H_EADD by 2 do ! EXAMINE CONTENTS OF MEMORY
3449 begin
3450
3451 if .TIP eqlu 1 then PATTERN = ( not .TEMP);
3452
3453 if .TIP eqlu 2 then PATTERN = .TEMP;
3454
3455 if ..TEMP nequ .PATTERN
3456 then
3457 begin
3458 FLAG = TRUE;
3459 TIP = .PATTERN;
3460 exitloop;
3461 end;
3462
3463 TEMP = .TEMP + 2;
3464 end;
3465
3466 if .FLAG
3467 then
3468 begin ! GET ERROR DATA
3469 P_MASK = 2; ! FOR TEST MODULE
3470 PT = FMT2;
3471 P2 = ZERO;
3472 P3 = ZERO;
3473 P4 = .TIP;
3474 P5 = ..TEMP;
3475 P6 = .TEMP;
3476 return RET_STATUS = TRUE;
```

```

:      3477      end
:      3478      else
:      3479      return RET_STATUS = FALSE;
:      3480
:      3481      end;

```

```

000000 004167 000000G      .SBTTL EXAM.DATA AZTEC GLOBAL ROUTINE
                                EXAM.DATA::
000004 005003      JSR      R1,$SAVE3      :      3420
                                CLR      R3      :      3443
000006 016767 000000G 000000G      MOV      H.SADD,TEMP      :      3444
000014 016700 000000G      MOV      BUF.LENGTH,R0      :      3445
000020 006300      ASL      R0
000022 066700 000000G      ADD      H.SADD,R0
000026 010067 000000G      MOV      R0,H.EADD
000032 162767 000002 000000G      SUB      #2,H.EADD
000040 016700 000000G      MOV      TIP,R0      :      3446
000044 016702 000000G      MOV      H.EADD,R2      :      3448
000050 016701 000000G      MOV      H.SADD,R1      :      * ,COUNT
000054 000432      BR      5$
000056 026727 000000G 000001 1$:      CMP      TIP,#1      :      3451
000064 001003      BNE      2$
000066 016700 000000G      MOV      TEMP,R0      :      * ,PATTERN
000072 005100      COM      R0      :      PATTERN
000074 026727 000000G 000002 2$:      CMP      TIP,#2      :      3453
000102 001002      BNE      3$
000104 016700 000000G      MOV      TEMP,R0      :      * ,PATTERN
000110 027700 000000G      CMP      @TEMP,R0      :      * ,PATTERN
000114 001405      BEQ      4$
000116 012703 000001      MOV      #1,R3      :      * ,FLAG
000122 010067 000000G      MOV      R0,TIP      :      PATTERN,*
000126 000407      BR      6$
000130 062767 000002 000000G 4$:      ADD      #2,TEMP
000136 062701 000002      ADD      #2,R1      :      * ,COUNT
000142 020102 5$:      CMP      R1,R2      :      COUNT,*
000144 101744      BLOS      1$
000146 006003 6$:      ROR      R3      :      FLAG
000150 103030      BCC      7$
000152 112767 000002 000000G      MOV      #2,P.MASK
000160 012767 000000G 000000G      MOV      #FMT2,P1
000166 005067 000000G      CLR      P2
000172 005067 000000G      CLR      P3
000176 016767 000000G 000000G      MOV      TIP,P4
000204 017767 000000G 000000G      MOV      @TEMP,P5
000212 016767 000000G 000000G      MOV      TEMP,P6
000220 012700 000001      MOV      #1,R0
000224 010067 000000G      MOV      R0,RET.STATUS
000230 000207      RTS      PC
000232 005067 000000G 7$:      CLR      RET.STATUS
000236 005000      CLR      R0
000240 000207      RTS      PC

```

```

: Routine Size: 81 words, Routine Base: ABS$CODE + 13242
: Maximum stack depth per invocation: 5 words

```

```

: 3482

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (33

: 3483 !<BLF/PAGE>

```
3484
3485   global routine DATA_XMT_REC =
3486   ++
3487   THIS ROUTINE DOES THE FOLLOWING :
3488
3489   A. INITIALIZE COMMUNICATION AREA
3490   B. SEND EXECUTE AND SUPPLY COMMAND
3491   C. EXAMINE END RESPONSE PACKET. IF TIME EXPIRED,
3492     THEN SEND DUST STATUS COMMAND.
3493   D. COMPARE TRANSMITTING DATA WITH RECEIVING DATA
3494   E. REPORT ERROR, IF THERE IS ONE
3495
3496   IMPLICIT INPUTS:
3497   DMC_TEST
3498   BYT_CNT
3499   --
3500   begin
3501
3502   local
3503     FLAG;
3504
3505   FLAG = ZERO;                ! INIT ERROR FLAG
3506
3507   if AZTEC_READY () then return .RET_STATUS;    ! GET AZTEC READY FOR OPERATION
3508
3509   CMD_REF = 3;                ! COMMAND REFERENCE NUMBER
3510   BUF_DESCRPTR = .DMC_TEST;   ! DMCODE STARTING ADDRESS
3511   BYTE_COUNT = .BYT_CNT;     ! BYTE COUNTS
3512
3513   if EX_SUP_PRG () then return .RET_STATUS;    ! ISSUE AN EXECUTE SUPPLIED -
3514
3515   CMD_REF = 4;                ! COMMAND REFERENCE #
3516   BUF_DESCRPTR = TIP;        ! CLEAN THE BUFFER
3517   BYTE_COUNT = 02;          ! SET BYTE COUNTS = 2
3518
3519   if REC_DATA () then return .RET_STATUS; ! SEND A RECEIVE DATA COMMAND
3520
3521   ++
3522   COMPARE TRANSMITTING DATAS AND RECEIVING DATAS
3523   IF ERROR, REPORT BLOCK LENGTH, BAD DATA AND GOOD DATA.
3524   --
3525
3526   incru J from 0 to 256 do
3527     begin
3528
3529     if .XMT_DATA_BUF [.J] nequ .RCV_DATA_BUF [.J]
3530     then
3531       begin
3532         FLAG = TRUE;
3533         exitloop;
3534       end;
3535
3536     end;
3537
3538   if .FLAG
3539   then
3540     begin
```

```

:      3541      P MASK = 2;
:      3542      PT = FMT2;
:      3543      P2 = ZERO;
:      3544      P3 = ZERO;
:      3545      P4 = .TIP;
:      3546      P5 = .TEMP;
:      3547      P6 = .TEMP;
:      3548      return RET_STATUS = TRUE;
:      3549      end
:      3550      else
:      3551      return RET_STATUS = FALSE;
:      3552
:      3553      end;

```

! GET ERROR INFO
! FOR TESTMODULE

```

000000 004167 000000G      .SBTTL DATA.XMT.REC AZTEC GLOBAL ROUTINE
                                DATA.XMT.REC::
000004 005003      JSR      R1,$SAVE3      :      3485
000006 004767 000000V      CLR      R3      :      3505
                                :      FLAG
000012 006000      JSR      PC,AZTEC.READY      :      3507
000014 103003      ROR      R0
000016 016700 000000G      BCC      1$
                                MOV      RET.STATUS,R0
000022 000207      RTS      PC
000024 012767 000003 000000G      1$: MOV      #3,CMD.REF      :      3509
000032 016767 000000G 000000G      MOV      DMC.TEST,BUF.DESCRPTR      :      3510
000040 016767 000000G 000000G      MOV      BYT.CNT,BYTE.COUNT      :      3511
000046 004767 167426      JSR      PC,EX.SUP.PRG      :      3513
000052 006000      ROR      R0
000054 103003      BCC      2$
000056 016700 000000G      MOV      RET.STATUS,R0
000062 000207      RTS      PC
000064 012767 000004 000000G      2$: MOV      #4,CMD.REF      :      3515
000072 012767 000000G 000000G      MOV      #TIP,BUF.DESCRPTR      :      3516
000100 012767 000002 000000G      MOV      #2,BYTE.COUNT      :      3517
000106 004767 171172      JSR      PC,REC.DATA      :      3519
000112 006000      ROR      R0
000114 103003      BCC      3$
000116 016700 000000G      MOV      RET.STATUS,R0
000122 000207      RTS      PC
000124 005002      3$: CLR      R2      : J
000126 010201      4$: MOV      R2,R1      : J,*
000130 006301      ASL      R1
000132 010200      MOV      R2,R0      : J,*
000134 006300      ASL      R0
000136 026160 000000G 000000G      CMP      XMT.DATA.BUF(R1),RCV.DATA.BUF(R0) :
000144 001403      BEQ      5$
000146 012703 000001      MOV      #1,R3      : *,FLAG
000152 000404      BR      6$
000154 005202      5$: INC      R2      : J
000156 020227 000400      CMP      R2,#400      : J,*
000162 101761      BLOS     4$
000164 006003      6$: ROR      R3      : FLAG
000166 103030      BCC      7$
000170 112767 000002 000000G      MOV      #2,P.MASK      :
000176 012767 000000G 000000G      MOV      #FMT2,P1      :
000204 005067 000000G      CLR      P2      :

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (34

000210	005067	000000G		CLR	P3	:	3544
000214	016767	000000G	000000G	MOV	TIP,P4	:	3545
000222	017767	000000G	000000G	MOV	@TEMP,P5	:	3546
000230	016767	000000G	000000G	MOV	TEMP,P6	:	3547
000236	012700	000001		MOV	#1,R0	:	3548
000242	01C067	000000G		MOV	R0,RET.STATUS	:	
000246	000207			RTS	PC	:	3500
000250	005067	000000G	7\$:	CLR	RET.STATUS	:	3551
000254	005000			CLR	R0	:	3500
000256	000207			RTS	PC	:	3455

: Routine Size: 88 words, Routine Base: ABS\$CODE + 13504
: Maximum stack depth per invocation: 5 words

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (35

```

: 3554      global routine DM_ADDR_SETUP : novalue =
: 3555      : ++
: 3556      : THIS ROUTINE PASS TRANSMITTING AND RECEIVING BUFFERS STARTING
: 3557      : ADDRESS TO DM CODE
: 3558      :
: 3559      : IMPLICIT INPUTS
: 3560      : DM_XMT
: 3561      : DM_REC
: 3562      :
: 3563      :
: 3564      : --
: 3565      :
: 3566      : begin
: 3567      :   DM_XMT = XMT_DATA_BUF [0];           ! XMT BUFFER 1 STARTING ADDR.
: 3568      :   DM_REC = RCV_DATA_BUF [0];         ! REC BUFFER 1 STARTING ADDR.
: 3569      :   return RET_STATUS = FALSE;
: 3570      : end;

```

000000	012767	000000G	000000G	.SBTTL	DM.ADDR.SETUP AZTEC GLOBAL ROUTINE	
				DM.ADDR.SETUP::		
				MOV	#XMT.DATA.BUF,DM.XMT	3567
000006	012767	000000G	000000G	MOV	#RCV.DATA.BUF,DM.REC	3568
000014	005067	000000G		CLR	RET.STATUS	3569
000020	000207			RTS	PC	3554

```

: Routine Size: 9 words,      Routine Base: ABS$CODE + 13764
: Maximum stack depth per invocation: 0 words

```

```

: 3571
: 3572 !<BLF/PAGE>

```

```

3573
3574     global routine WRT_PROTECT_TST : novalue =
3575
3576     ++
3577     FUNCTIONAL DESCRIPTIONS:
3578
3579     THIS ROUTINE WILL ASK THE OPERATOR TO MAKE SURE THE WRITE
3580     PROTECT SWITCH FOR THE UNIT IS IN THE OFF POSITION.  IT
3581     WILL GET UNIT STATUS TO VERIFY THAT THE CONTROLLER KNOW IT
3582     IS NOT WRITE PROTECTED.  THEN THE OPERATOR WILL BE ASKED TO
3583     PUT THE WRITE PROTECT SWITCH IN THE ON POSITION AND A GUS
3584     WILL BE DONE TO MAKE SURE THE CONTROLLER RECOGNIZES THA THE
3585     THE UNIT IS WRITE PROTECTED.
3586
3587     begin
3588
3589     DISPLAY MESSAGE "TURN OFF WRITE PROTECT SWITCH" THEN ISSUE
3590     A GET UNIT STATUS COMMAND AND EXAMINE THE UNIT FLAG.
3591
3592     MANU_SW = ONE;
3593     GMANIL (QST14, MANU_SW, 1, YES, 0);
3594
3595     ! MANUAL SWITCH IS SET TO 'YES'
3596     ! DISPLAY MESSAGE TURN OFF WRT
3597     ! PROTECT SWITCH
3598
3599     PROGRAM WAITING FOR GO (CR) SIGNAL
3600
3601     if (.MANU_SW eqlu YES)
3602     then
3603         ! WAITING FOR CR SIGNAL
3604         begin
3605             ! COMMAND REFERENCE NUMBER
3606             CMD_REF = 3;
3607
3608             if GET_UNIT_STATUS ()
3609             then
3610                 ! ISSUE A GET UNIT STATUS COMMAND
3611                 ! IF RESPONSE STATUS BIT ERROR, THEN
3612                 begin
3613                     RET_UNIT_FLAG = .RET_UNIT_FLAG and %o'020000'; ! MASKED OUT OTHER BITS
3614
3615                     if .RET_UNIT_FLAG eqlu UF_WPH ! IF WRT PROT. FLAG SET
3616                     then
3617                         ! ERROR
3618                         begin
3619                             RETRIES = TRUE;
3620                             end;
3621                         end;
3622                     end
3623                 else
3624                     RETRIES = TRUE;
3625
3626     DISPLAY MESSAGE "TURN ON THE WRITE PROTECT SWITCH" THEN
3627     ISSUE A GET UNIT SATUS COMMAND AND EXAMINE THE RESPONSE
3628     UNIT FLAGS.
3629
3630     SWITCH2 = ONE;
3631     GMANIL (QST15, SWITCH2, 1, YES, 0);
3632
3633     ! SET MANUAL SWITCH
3634     ! DISPLAY MESSAGE TURN OFF WRT
3635     ! PROTECT SWITCH

```


ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (36

```

: 3630 ! PROGRAM WAITING FOR GO (CR) SIGNAL
: 3631 !
: 3632
: 3633     if (.SWITCH2 eqlu YES)
: 3634     then                                ! WAITING FOR CR SIGNAL
: 3635         begin
: 3636         CMD_REF = 4;                      ! COMMAND REFERENCE NUMBER
: 3637
: 3638         if GET_UNIT_STATUS ()           ! ISSUE A GET UNIT STATUS COMMAND
: 3639         then                             ! IF RESPONSE STATUS BIT ERROR, THEN
: 3640             begin
: 3641             RET_UNIT_FLAG = .RET_UNIT_FLAG and %0'020000'; ! MASKED OUT OTHER BITS
: 3642
: 3643             if .RET_UNIT_FLAG nequ UF_WPH ! IF WRT PROT. FLAG CLEAR
: 3644             then                          ! ERROR
: 3645                 begin
: 3646                 PRINTF (MSG_WRP_ERR2, .LOG_UNIT); !
: 3647                 ERDF (73, MSG_COM_WPT, 0); ! REPORT ERROR
: 3648                 RETRIES = TRUE;
: 3649                 end;
: 3650
: 3651             end
: 3652         else
: 3653         RETRIES = TRUE;
: 3654
: 3655     end;
: 3656
: 3657     return;
: 3658     end;

```

Address	Offset	Label	Operation	Operand	Comment	Line No.
000000	012767	000001	000000G	.SBTTL WRT.PROTECT.TST AZTEC GLOBAL ROUTINE		
			WRT.PROTECT.TST:			
			MOV	#1,MANU.SW	:	3592
			TRAP	43	:	3593
000006	104443		.WORD	404		
000010	000404		.WORD	MANU.SW		
000012	000000G		.WORD	130		
000014	000130		.WORD	QST14		
000016	000000G		.WORD	1		
000020	000001		.WORD	1		
000022	026727	000000G	000001	CMP MANU.SW,#1	:	3599
000030	001022			BNE 1\$		
000032	012767	000003	000000G	MOV #3,CMD.REF	:	3602
000040	004767	175436		JSR PC,GET.UNIT.STATUS	:	3604
000044	006000			ROR R0		
000046	103016			BCC 2\$		
000050	042767	157777	000000G	BIC #157777,RET.UNIT.FLAG	:	3607
000056	026727	000000G	020000	CMP RET.UNIT.FLAG,#20000	:	3609
000064	001007			BNE 2\$		
000066	012767	000001	000000G	MOV #1,RETRIES	:	3612
000074	000403			BR 2\$:	3599
000076	012767	000001	000000G	1\$: MOV #1,RETRIES	:	3619
000104	012767	000001	000000G	2\$: MOV #1,SWITCH2	:	3626
000112	104443			TRAP 43	:	3627
000114	000404			.WORD 404		
000116	000000G			.WORD SWITCH2		
000120	000130			.WORD 130		

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (36

000122	000000G			.WORD	QST15		
000124	000001			.WORD	1		
000126	026727	000000G	000001	CMP	SWITCH2,#1	:	3633
000134	001025			BNE	4\$		
000136	012767	000004	000000G	MOV	#4,CMD.REF	:	3636
000144	004767	175332		JSR	PC,GET.UNIT.STATUS	:	3638
000150	006000			ROR	R0		
000152	103013			BCC	3\$		
000154	042767	157777	000000G	BIC	#157777,RET.UNIT.FLAG	:	3641
000162	026727	000000G	020000	CMP	RET.UNIT.FLAG,#20000	:	3643
000170	001407			BEQ	4\$		
000172	012767	000001	000000G	MOV	#1,RETRIES	:	3648
000200	000207			RTS	PC	:	3638
000202	012767	000001	000000G	MOV	#1,RETRIES	:	3653
000210	000207			RTS	PC	:	3574

: Routine Size: 69 words, Routine Base: ABSCODE + 14006
: Maximum stack depth per invocation: 2 words

ZRCFA2
V01.0MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE8-Jul-1983 15:23:25
8-Jul-1983 14:44:20VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (37)

Page 98

```

3659     global routine AZTEC_READY =
3660
3661     ++
3662     FUNCTIONAL DESCRIPTIONS:
3663     THIS ROUTINE CALL OTHER ROUTINES TO GET THE AZTEC READY
3664     TO DO THE DM OR READ/WRITE OPERATION.
3665
3666     PERFORM OPERATIONS AS FOLLOWING ORDER:
3667
3668     1. DEFINED INITIALIZATION CONSTANTS.
3669
3670     2. DO STEP 1 THROUGH STEP 3 CHECK FOR ANY ERRORS
3671     IN EACH STEP.
3672
3673     3. SET UP COMMUNICATION AREA'S.
3674
3675     4. SET HOST SETTABLE UNIT CHARACTERISTICS AND OBTAIN THOSE
3676     UNIT CHARACTERISTICS THAT ARE ESSENTIAL FOR PROPER CLASS
3677     DRIVER OPERATION.
3678
3679     5. BRING A UNIT 'UNIT-ONLINE. THE UNIT IS SPUN-UP, IF NECESSARY,
3680     AND ITS HEADS ARE LOADED PRIOR TO RETURNING THE ONLINE COMMANDS'S
3681     END MESSAGE.
3682
3683     FORMAL PARAMETERS:
3684     -NONE -
3685
3686     IMPLICIT INPUTS:
3687
3688     IMPLICIT OUTPUTS:
3689     AS A RESULT OF THIS ROUTINE THE COMMUNICATION AREA WILL
3690     BE INITIALIZED AND UNIT IS SPUN-UP.
3691
3692     COMPLETION CODES:
3693
3694     SIDE EFFECTS:
3695     - NONE -
3696     begin
3697     B_MASK = %0'17';
3698     DATA1<15, 1> = TRUE;
3699     DATA1<14, 1> = 0;
3700     DATA1<11, 3> = SND_SIZ;
3701     DATA1<8, 3> = REC_SIZ;
3702     DATA1<7, 1> = 0;
3703     DATA1<0, 7> = 0;
3704     DATA2 = RINGBASE;
3705     DATA3 = ZERO;
3706     DATA4 = %0'177403';
3707     CMD_SLOT = 0;
3708     RES_SLOT = 0;
3709     TICKS = 0;
3710     SECONDS = 0;
3711     MINUTES = 0;
3712
3713     if AZP_INIT ()
3714     then
3715         return .RET_STATUS;

```

```

! SET MASK BIT FOR COMPLETE INIT.
! SET BIT 15 FOR STEP-1 WRITE
! NO DIAGNOSTIC WRAP MODE
! SET UP COMMAND RINGS LENGTH
! SET RESPONSE RING LENGTH
! DISABLE INTERRUPT
! LOAD NO VECTOR ADDRESS
! LOAD COMMUNICATIONS AREA ADDRESS
! HI-ORDER ADDR = ZERO
! 'LAST FAIL' PACKET RESPONSE BIT SET
! CLEAR COMMAND RING SLOT POINTER
! CLEAR RESPONSE RING SLOT POINTER
! CLEAR TICK AREA
! CLEAR SECOND AREA
! CLEAR MINUTES AREA

! DO STEP INIT AND CHECK FOR ERROR

```

ZRCFA2
V01.0MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE8-Jul-1983 15:23:25
8-Jul-1983 14:44:20VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (37

Page 99

```

:      3716
:      3717       if INIT_COM_AREA (       ! INIT THE COMMUNICATION AREA
:      3718       then                       ! ERROR ?
:      3719       return .RET_STATUS;
:      3720
:      3721       CMD_REF = 01;              ! SET COMMAND REFERENCE TO 1
:      3722
:      3723       if SET_CNTRLR_CHAR (         ! ISSUE SET CONTROLLER CHAR CMD
:      3724       then
:      3725       return .RET_STATUS;       ! IF COMMAND FAILED
:      3726
:      3727       CMD_REF = 2;              ! SET COMMAND REFERENCE TO 2
:      3728
:      3729       if ON_LINE (                 ! ISSUE ON LINE CMOOAND
:      3730       then
:      3731       return .RET_STATUS;       ! IF COMMAND FAILED
:      3732
:      3733       return RET_STATUS = FALSE;
:      3734       end;

```

```

                .SBTTL  AZTEC.READY AZTEC GLOBAL ROUTINE
000000 112767 000017 000000G  AZTEC.READY::
                                MOV     #17,B.MASK
000006 012767 122000 000000G  MOV     #122000,DATA1
000014 012767 000000G 000000G  MOV     #RINGBASE,DATA2
000022 005067 000000G  CLR     DATA3
000026 012767 177403 000000G  MOV     #-375,DATA4
000034 005067 000000G  CLR     CMD.SLOT
000040 005067 000000G  CLR     RES.SLOT
000044 005067 000000G  CLR     TICKS
000050 005067 000000G  CLR     SECONDS
000054 005067 000000G  CLR     MINUTES
000060 004767 165324  JSR     PC,AZP.INIT
000064 006000  ROR     RO
000066 103003  BCC     1$
000070 016700 000000G  MOV     RET.STATUS,RO
000074 000207  RTS     PC
000076 004767 166104  1$:  JSR     PC,INIT.COM.AREA
000102 006000  ROR     RO
000104 103003  BCC     2$
000106 016700 000000G  MOV     RET.STATUS,RO
000112 000207  RTS     PC
000114 012767 000001 000000G  2$:  MOV     #1,CMD.REF
000122 004767 171264  JSR     PC,SET.CNTRLR.CHAR
000126 006000  ROR     RO
000130 103003  BCC     3$
000132 016700 000000G  MOV     RET.STATUS,RO
000136 000207  RTS     PC
000140 012767 000002 000000G  3$:  MOV     #2,CMD.REF
000146 004767 172524  JSR     PC,ON.LINE
000152 006000  ROR     RO
000154 103003  BCC     4$
000156 016700 000000G  MOV     RET.STATUS,RO
000162 000207  RTS     PC
000164 005067 000000G  4$:  CLR     RET.STATUS
000170 005000  CLR     RO

```

```

:      3697
:      3703
:      3704
:      3705
:      3706
:      3707
:      3708
:      3709
:      3710
:      3711
:      3713
:
:      3715
:
:      3717
:
:      3719
:
:      3721
:      3723
:
:      3725
:
:      3727
:      3729
:
:      3731
:
:      3733
:      3696

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (37

000172 000207

RTS PC

:

3659

: Routine Size: 62 words, Routine Base: AB\$CODE + 14220
: Maximum stack depth per invocation: 1 word

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (38)

```

: 3735 global routine DO_RETRIES : novalue =
: 3736 !+
: 3737 ! COME HERE ON AN ERROR AND KEEP TRACK OF RETRIES.
: 3738 ! IF NECESSARY DROP UNIT UNDER TEST.
: 3739 !
: 3740 begin
: 3741 NUM_RETRIES = .NUM_RETRIES + 1;
: 3742
: 3743 if (.NUM_RETRIES lequ .SWP_RETRIES)
: 3744 then
: 3745 begin
: 3746 PRINTB (FMT$A, .NUM_RETRIES);
: 3747 end
: 3748 else
: 3749 begin
: 3750 RETRIES = FALSE;
: 3751
: 3752 if not .SWP_CONTINUE
: 3753 then
: 3754 begin
: 3755 DODU (.LOG_UNIT);
: 3756 DOCLN;
: 3757 end;
: 3758
: 3759 end;
: 3760
: 3761 end;

```

Address	Hex	OpCode	SBTTL	Assembly	Label	Line No
000000	005267	000000G	DO.RETRIES::	INC	NUM.RETRIES	3741
000004	026767	000000G 000000G		CMP	NUM.RETRIES,SWP.RETRIES	3743
000012	101013			BHI	1\$	
000014	016746	000000G		MOV	NUM.RETRIES, -(SP)	3746
000020	012746	000000G		MOV	#FMT\$A, -(SP)	
000024	012746	000002		MOV	#2, -(SP)	
000030	010600			MOV	SP, R0	; SP, *
000032	104414			TRAP	14	
000034	062706	000006		ADD	#6, SP	3745
000040	000207			RTS	PC	3743
000042	005067	000000G	1\$:	CLR	RETRIES	3750
000046	032767	000001 000000G		BIT	#1, SWP.CONTINUE	3752
000054	001004			BNE	2\$	
000056	016700	000000G		MOV	LOG.UNIT, R0	3755
000062	104451			TRAP	51	
000064	104444			TRAP	44	
000066	000207		2\$:	RTS	PC	3735

; Routine Size: 28 words, Routine Base: AB\$CODE + 14414
; Maximum stack depth per invocation: 5 words

```

3762     global routine DECODE : novalue =           !Decodes failing SA reg data
3763
3764     !++
3765     Functional Description :
3766     Due to the implimentation of the DUP and UQ Port protocol there
3767     are two levels at which an issued command to a port/controller
3768     can fail and they are:
3769
3770     1. The issued command can time out.
3771
3772     2. An error can be posted in SA register bit 15 by the port to
3773     report an error.
3774
3775     3. The issued command to the port/controller can be executed
3776     correctly without any errors but the response packet status
3777     field could have an error or status other than success posted.
3778
3779     This routine will then be called when the return from a queued
3780     command comes back with an error code or non successfull status
3781     code. This is by definition when bit 0 in the returned status
3782     is equal to 1.
3783
3784
3785     Formal Parameters :
3786     none
3787
3788     Implicit Inputs :
3789     RET_STATUS:      Stored in this global storage is the returned error
3790     code or non-successful status code from a queued
3791     command.
3792
3793     Implicit Outputs :
3794     none
3795
3796     Completion Codes :
3797     none
3798
3799     Side Effects :
3800     after execution of this routine the RC25 controller
3801     is initialized aborting any DM code running in the controller.
3802     --
3803
3804     begin
3805
3806     !+
3807     ! Use the contents of 'RET_STATUS' to select what
3808     ! type error or non-successful status code is to
3809     ! be processed.
3810     !-
3811
3812     if .RET_STATUS eqlu ONE then return RET_STATUS = ZERO; ! NO ACTION IF RET_STATUS IS ONE
3813
3814     selectoneu .RET_STATUS of
3815     set
3816     !
3817     ! 'Port/Controller time out' error code
3818

```

```

3819      | Port/Controller timed out after the specified
3820      | time out interval.
3821      |
3822
3823      [CTO_CODE] :                               !Code equals %o'11'
3824      begin
3825      PRINTF (.EMSG_STRUCT [MSG3]);
3826      end;
3827
3828      | 'Port fatal error' code
3829
3830      | The error bit in the SA Register was set when
3831      | examined. This error indicates a Port fatal error code.
3832      |
3833
3834      [PFE_CODE] :                               !Code equals %o'21'
3835      begin
3836      TEMP = .RC25_DATA [RCSA, RCSA_ERC];
3837
3838      if .TEMP gequ 200
3839      then
3840      begin
3841      PRINTF (.RC_STRUCTURE [.TEMP - 200]);      !print RCSA error code
3842      end
3843      else
3844      begin
3845      PRINTF (.PFE_STRUCT [.TEMP]);
3846      end;
3847
3848      end;
3849
3850      | 'Return status error' code
3851
3852      | This indicates that a non-successful return status
3853      | code was returned from an issued command.
3854      |
3855
3856      [RSE_CODE] :                               !Code equals %o'31'
3857      begin
3858      PRINTF (.EMSG_STRUCT [MSG0]);
3859
3860      | Look at UQPORT connection ID field to determine the type
3861      | of response
3862      |
3863
3864      if .REC_ENVELOPE [.RES_SLOT, CONN_ID] eqlu 2 ! CONN_ID = DUP
3865      then
3866      begin
3867      PRINTF (.SDUP_STRUCT [.REC_ENVELOPE [.RES_SLOT, STATUS]]);
3868      end
3869      else
3870      begin
3871      PRINTF (.SMSCP_STRUCT [.REC_ENVELOPE [.RES_SLOT, STA_CODE]]);
3872      end;
3873
3874      end;
3875
3876      |

```


ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (39

```

: 3876      : 'SERIOUS EXCEPTION' error code
: 3877      :
: 3878      :
: 3879      [SEX_CODE] :          !Code equals %o'601'
: 3880      begin
: 3881      PRINTF (.EMSG_STRUCT [MSG2]);
: 3882      end;
: 3883      :
: 3884      : This is here to trap any unknown return status codes
: 3885      : sent to this routine.
: 3886      :
: 3887      :
: 3888      [otherwise] :          !Code equals non of the above
: 3889      begin
: 3890      PRINTF (.EMSG_STRUCT [MSG3]);
: 3891      end;
: 3892      tes;
: 3893      :
: 3894      :
: 3895      : All errors are fatal so init the RC25
: 3896      :
: 3897      WRT_RC25 (RCIP, ALL_ONES);          !Init the controller
: 3898      RET_STATUS = ZERO;
: 3899      return;
: 3900      end;

```

```

000000 010146          .SBTTL  DECODE AZTEC GLOBAL ROUTINE          3762
000002 026727 000000G 000001  DECODE: :MOV      R1, -(SP)          :          3812
000010 001004          :      CMP      RET_STATUS, #1          :
000012 005067 000000G          :      BNE     1$          :
000016 000167 000400          :      CLR     RET_STATUS          :
000022 016701 000000G          1$:      MOV     RET_STATUS, R1          :          3814
000026 020127 000011          :      CMP     R1, #11          :
000032 001007          :      BNE     2$          :
000034 016746 000006G          :      MOV     EMSG_STRUCT+6, -(SP)    :          3825
000040 012746 000001          :      MOV     #1, -(SP)          :
000044 010600          :      MOV     SP, R0          : SP,*
000046 104417          :      TRAP   17          :
000050 000555          :      BR     9$          :          3814
000052 020127 000021          2$:      CMP     R1, #21          :
000056 001036          :      BNE     4$          :
000060 016767 000002G 000000G  :      MOV     RC25.DATA+2, TEMP      :          3836
000066 042767 174000 000000G  :      BIC     #174000, TEMP          :
000074 026727 000000G 000310  :      CMP     TEMP, #310          :          3838
000102 103412          :      BLO     3$          :
000104 016700 000000G          :      MOV     TEMP, R0          :          3841
000110 006300          :      ASL    R0          :
000112 016046 177160G          :      MOV     RC.STRUCTURE-620(R0), -(SP) :
000116 012746 000001          :      MOV     #1, -(SP)          :
000122 010600          :      MOV     SP, R0          : SP,*
000124 104417          :      TRAP   17          :
000126 000526          :      BR     9$          :          3838
000130 016700 000000G          3$:      MOV     TEMP, R0          :          3845
000134 006300          :      ASL    R0          :
000136 016046 000000G          :      MOV     PFE.STRUCT(R0), -(SP)

```

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (39)

000142	012746	000001		MOV	#1,-(SP)			
000146	010600			MOV	SP,R0	:	SP,*	
000150	104417			TRAP	17			
000152	000514			BR	9\$:		3814
000154	020127	000031	4\$:	CMP	R1,#31			
000160	001071			BNE	7\$			
000162	016746	000000G		MOV	EMSG.STRUCT,-(SP)	:		3858
000166	012746	000001		MOV	#1,-(SP)			
000172	010600			MOV	SP,R0	:	SP,*	
000174	104417			TRAP	17			
000176	016700	000000G		MOV	RES.SLOT,R0	:		3864
000202	000300			SWAB	R0			
000204	106000			RORB	R0			
000206	006000			ROR	R0			
000210	006000			ROR	R0			
000212	142700	000077		BICB	#77,R0			
000216	126027	000003G 000002		CMPB	REC.ENVELOPE+3(R0),#2			
000224	001022			BNE	5\$			
000226	016700	000000G		MOV	RES.SLOT,R0	:		3867
000232	000300			SWAB	R0			
000234	106000			RORB	R0			
000236	006000			ROR	R0			
000240	006000			ROR	R0			
000242	142700	000077		BICB	#77,R0			
000246	016000	000016G		MOV	REC.ENVELOPE+16(R0),R0			
000252	006300			ASL	R0			
000254	016016	000000G		MOV	SDUP.STRUCT(R0),(SP)			
000260	012746	000001		MOV	#1,-(SP)			
000264	010600			MOV	SP,R0	:	SP,*	
000266	104417			TRAP	17			
000270	000423			BR	6\$:		3864
000272	016700	000000G	5\$:	MOV	RES.SLOT,R0	:		3871
000276	000300			SWAB	R0			
000300	106000			RORB	R0			
000302	006000			ROR	R0			
000304	006000			ROR	R0			
000306	142700	000077		BICB	#77,R0			
000312	116000	000016G		MOV	REC.ENVELOPE+16(R0),R0			
000316	042700	177740		BIC	#177740,R0			
000322	006300			ASL	R0			
000324	016016	000000G		MOV	SMSCP.STRUCT(R0),(SP)			
000330	012746	000001		MOV	#1,-(SP)			
000334	010600			MOV	SP,R0	:	SP,*	
000336	104417			TRAP	17			
000340	005726		6\$:	TST	(SP)+	:		3857
000342	000420			BR	9\$:		3814
000344	020127	000601	7\$:	CMP	R1,#601			
000350	001007			BNE	8\$			
000352	016746	000004G		MOV	EMSG.STRUCT+4,-(SP)	:		3881
000356	012746	000001		MOV	#1,-(SP)			
000362	010600			MOV	SP,R0	:	SP,*	
000364	104417			TRAP	17			
000366	000406			BR	9\$:		3814
000370	016746	000006G	8\$:	MOV	EMSG.STRUCT+6,-(SP)	:		3890
000374	012746	000001		MOV	#1,-(SP)			
000400	010600			MOV	SP,R0	:	SP,*	
000402	104417			TRAP	17			

ZRCFA2
V01.0

MISCELLANEOUS SECTIONS
AZTEC GLOBAL ROUTINE

8-Jul-1983 15:23:25
8-Jul-1983 14:44:20

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (39

000404	012700	177777	9\$:	MOV	#-1,R0	:	*,RCM.REG	3897
000410	010077	000000G		MOV	R0,@RC25.ADDR	:	RCM.REG,*	
000414	005067	000000G		CLR	RET.STATUS	:		3898
000420	022626			CMP	(SP)+,(SP)+	:		3762
000422	012601		10\$:	MOV	(SP)+,R1	:		
000424	000207			RTS	PC	:		

: Routine Size: 139 words, Routine Base: AB\$CODE + 14504
: Maximum stack depth per invocation: 6 words

: 3901
: 3902
: 3903 end
: 3904
: 3905 eludom

:
: OTS external references
: .GLOBL \$SAVE5, \$SAVE3, \$SAVE2, BL\$SHF
: .GLOBL BL\$DIV, BL\$MOD, BL\$MUL

PSECT SUMMARY

Psect Name	Words	Attributes			
AA\$CODE	267	RO ; I ;	LCL,	REL,	CON
AB\$CODE	3373	RO ; I ;	LCL,	REL,	CON

LIBRARY STATISTICS

File	----- Total	Symbols Loaded	----- Percent	Blocks Read
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]AZTECO.L16:1	523	212	40	77

COMMAND QUALIFIERS

: BLISS /PDP11/LIST ZRCFA2.B16/EN:NOEIS

: Size: 3581 code + 59 data words
: Run Time: 01:28.7
: Elapsed Time: 07:29.4
: Memory Used: 253 pages
: Compilation Complete

ZRCFA3

CZRCFAO RC25 FR END TEST

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

Page 1

```

0001 MODULE ZRCFA3 (%TITLE 'CZRCFAO RC25 FR END TEST'
0002             IDENT = 'V01.0',
0003             OPTLEVEL = 0,
0004             ADDRESSING_MODE (RELATIVE)
0005             ) =
0006 BEGIN
0007 !<BLF/LOWERCASE_KEY>
0008 !
0009 %sbttl 'TEST SECTION'
0010
0011 library 'AZTECO';           ! AZTEC LIBRARY
0012
0013 require 'BLSMAC.REQ';      ! DIAGNOSTIC SUPERVISOR LIBRARY
1502
1503 structure                  ! DEFINE ACCESS ALGORITHM TO
1504     RC25 [O, P, S, E] =    ! ALLOW FIELD REFERANCES TO
1505     begin                   ! THE RC25
1506
1507
1508         local
1509             RC_REG;
1510
1511             RC_REG = .(RC25 + %upval*0)<0, %bpval, 0>;
1512             RC_REG
1513         end
1514         <P, S, E>;
1515
1516 !<BLF/PAGE>

```

```

1517 psect
1518     plit = $plit$( global),
1519     global = $GLOB$(nowrite, noexecute, global, concatenate),
1520     code = AC$CODE;
1521
1522 own
1523     CMDBF1 : block [16, word] field (PACKET_FIELDS),      ! COMMAND BUFFER 1
1524     ENDBF1 : block [16, word] field (PACKET_FIELDS),      ! END MESSAGE BUFFER 1
1525     RING_B : vector [32, word],                          ! COMMAND BUFFER=16 WORDS
1526                                                     ! WITH 16 WORDS BELOW FOR
1527                                                     ! END MESSAGES.
1528     DATA_PAT1 : vector [3, word] preset (
1529         [0]= %o'111111',                                ! DATA PATTERN 1
1530         [1]= %o'044444',                                ! DATA PATTERN 1
1531         [2]= %o'022222'),                                ! DATA PATTERN 1
1532     DATA_PAT2 : vector [3, word] preset (
1533         [0]= %o'177400',                                ! DATA PATTERN 2
1534         [1]= %o'007760',                                ! DATA PATTERN 2
1535         [2]= %o'000377'),                                ! DATA PATTERN 2
1536     DATA_PAT3 : vector [3, word] preset (
1537         [0]= %o'155555',                                ! DATA PATTERN 3
1538         [1]= %o'133333',                                ! DATA PATTERN 3
1539         [2]= %o'066666'),                                ! DATA PATTERN 3
1540     DATA_PAT4 : vector [3, word] preset (
1541         [0]= %o'000377',                                ! DATA PATTERN 4
1542         [1]= %o'170017',                                ! DATA PATTERN 4
1543         [2]= %o'177400'),                                ! DATA PATTERN 4
1544     HOST_BUF : vector [260, word];                       ! HOST BUFFER AREA
1545
1546 external
1547     !
1548     ! HARDWARE P TABLE DATA IS STORED HERE
1549     !
1550     RT_TABLE : ref block [WORD1_IN_RT_TAB, word] field (RT_FIELDS),
1551     RC25_ADDR : ref RC25 field (RC_REG),                  ! READ REGISTER ALGORITHM
1552     RC25_DATA : block [2, word] field (RC_REG),         ! RCSA DATA
1553     UNIT : word,                                        ! UNIT UNDER TEST
1554     LOG_UNIT : word,
1555     RETRIES : word,
1556     NUM_RETRIES : word volatile,
1557     SWP_TRACE : word volatile,
1558     SWP_RETRIES : word volatile,
1559     I_AM_NEX : word volatile,                          ! INTERRUPT FLAG
1560     CANCEL_TIMER : word volatile,                      ! INTERRUPT FLAG
1561     COM_AREA : blockvector [REC_ALLOCATE + SND_ALLOCATE + HDR_SIZ, 2, word],
1562     HEAD_AREA : ref block [4, word] field (HDR_FIELD),
1563     RECEIVE_RING : ref blockvector [REC_ALLOCATE, 2, word] field (DSC_FIELD),
1564     SEND_RING : ref blockvector [SND_ALLOCATE, 2, word] field (DSC_FIELD),
1565     REC_ENVELOPE : blockvector [REC_ALLOCATE, RB_SIZE + 2, word] field (ENV_FIELD),
1566     SND_ENVELOPE : blockvector [SND_ALLOCATE, SB_SIZE + 2, word] field (ENV_FIELD),
1567     XMT_DATA_BUF : vector [256, word],
1568     RCV_DATA_BUF : vector [256, word],
1569     RINGBASE,                                          ! RING BASE ADDRESS
1570     BUF_DESCRPTR : word volatile,                      ! BUFFER DESCRIPTOR AREA
1571     CMD_REF : word volatile,                           ! COMMAND REFERENCE BUFFER
1572     CMD_SLOT : word volatile,                          ! COMMAND RING SLOT
1573     RES_SLOT : word volatile,                          ! RECEIVE RING SLOT

```

```

1574 DM_09 : vector [93, word],
1575 DM_10 : vector [58, word],
1576 DM_11 : vector [100, word],
1577 DM_12 : vector [202, word],
1578 DM_13 : vector [110, word],
1579 DM_19 : vector [113, word],
1580 DM_21 : vector [132, word],
1581 DM_26 : vector [200, word],
1582 DM_27 : vector [260, word],
1583 BYTE_COUNT : word volatile,
1584 MSGADR : word volatile,
1585 VEC_AD : byte volatile,
1586 MEM_SIZ : word,
1587 P_MASK : byte volatile,
1588 B_MASK : byte volatile,
1589 DATA1 : word,
1590 DATA2 : word volatile,
1591 DATA3 : word volatile,
1592 DATA4 : word volatile,
1593 END_LBN : word volatile,
1594 SWP_CONTINUE : word volatile,
1595 SWP_MANUAL : word volatile,
1596 MANU_SW : word volatile,
1597 SWITCH2 : word volatile,
1598 RET_UNIT_FLAG : word volatile,
1599 P1 : word volatile,
1600 P2 : word volatile,
1601 P3 : word volatile,
1602 P4 : word volatile,
1603 P5 : word volatile,
1604 P6 : word volatile,
1605 LBN : word volatile,
1606 LBN_ST : word volatile,
1607 LBN_ED : word volatile,
1608 LBN_SZ : word volatile,
1609 CLK_ADR : word,
1610 CLK_CSR : word,
1611 CLK_START : word,
1612 TICKS : word volatile,
1613 SECONDS : word,
1614 MINUTES : word,
1615 SWP_START,
1616 SWP_END,
1617 BUF_LENGTH,
1618 TEMP,
1619 FREE_MEM_ADDR,
1620 MEM_SIZE,
1621 H_SADD,
1622 H_EADD,
1623 INI_MSG,
1624 P_VECTOR,
1625 P_IP_ADDRESS,
1626 RET_STATUS,
1627 ADAPTO,
1628 TIME,
1629 MSG_1,
1630 MSG_2,

```

```

! DM PROGRAM 09
! DM PROGRAM 10
! DM PROGRAM 11
! DM PROGRAM 12
!   DM PROGRAM 13
!   DM PROGRAM 19
!   DM PROGRAM 21
!   DM PROGRAM 26
!   DM PROGRAM 27
! BYTE COUNT BUFFER
! ERROR MESSAGE ADDRESS
! RC25 VECTOR ADDRESS
! FREE MEMORY SIZE
! PRINT MASK FOR NUMBER OF ARGUMENTS
! INIT MASK FOR WHAT STEP TO DO
! DATA FOR STEP 1 WRITE
! DATA FOR STEP 2 WRITE
! DATA FOR STEP 3 WRITE
! DATA FOR STEP 4 WRITE
! ENDING LOGICAL BLOCK #

! SOFTWARE P-TAB MANUAL SWITCH
! MANUAL INTERVENTION SWITCH1
! MANUAL INTERVENTION SWITCH2
! RETURN UNIT STATUS BUFFER
! FORMAT ADDRESS FOR ERROR REPORT
! FAILING FRU
! FAILING REGISTER
! DATA FOR ERROR REPORT
! DATA FOR ERROR REPORT
! DATA FOR ERROR REPORT
! DATA FOR LBN
! DATA FOR STARTING LBN
! DATA FOR ENDING LBN
! LBN INCREMENTING SIZE
! LOC. TO RETURN CLOCK ADDR.
! STORE CLOCK STARTING ADDR.
! THE CLOCK STARTING VALUE
! THE # OF CLOCK INT. BUFFER
! THE NUMBERS OF SECONDS BUFFER
! THE NUMBERS OF MINUTES BUFFER
! STARTING TRACK BUF
! ENDING TRACK BUF
! BUFFER LENGTH
! TEMP. BUFFER
! STARTING FREE MEMORY ADDR.
! FREE MEMORY SIZE
! FREE HOST MEMORY START AD.
! FREE HOST MEMORY END AD.
! INIT ERROR MESSAGE
! VECTOR BUFFER
! RC25 ADDRESS
! COMMAND STATUS BUFFER
! ADAPTOR FRU MESSAGE
! PLIT LOCATION TO STORE DATA
! ERROR MESSAGE 1 IN MOD 1
! ERROR MESSAGE IN TEST

```

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (2)

: 1631 MSG_7.
 : 1632 MSG_8.
 : 1633 MSG_9.
 : 1634 MSG_10.
 : 1635 MSG_11.
 : 1636 MSG_13.
 : 1637 MSG_14.
 : 1638 MSG_17.
 : 1639 MSG_18.
 : 1640 MSG_19.
 : 1641 MSG_20.
 : 1642 MSG_21.
 : 1643 MSG_28.
 : 1644 MSG_29.
 : 1645 MSG_30.
 : 1646 QST12.
 : 1647 QST13.
 : 1648 QST14.
 : 1649 QST15.
 : 1650 END MSG.
 : 1651 FMT1.
 : 1652 FMT2.
 : 1653 FMT3.
 : 1654 FMT4.
 : 1655 FMT5.
 : 1656 FMT6.
 : 1657 FRU.
 : 1658 FMT\$A.
 : 1659 DBM7.
 : 1660 DBM8.
 : 1661 DBM9.
 : 1662 DBM10.
 : 1663 DBM11.
 : 1664 DBM12.
 : 1665 DBM13.
 : 1666 DBM14.
 : 1667 DBM15.
 : 1668 DBM16.
 : 1669 DBM17.
 : 1670 DBM18.
 : 1671 DBM19.
 : 1672 DBM20.
 : 1673 DBM21.
 : 1674 DBM22.
 : 1675 DBM23.
 : 1676 DBM24.
 : 1677 DBM25.
 : 1678 DBM26.
 : 1679 DBM27.
 : 1680 DBM28.
 : 1681 DBM29.
 : 1682 DBM30.
 : 1683 DBM31.
 : 1684 DBM32.
 : 1685 DBM36.
 : 1686 DBM37.
 : 1687 DBM38.
 :

: ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : ERROR MESSAGE IN TEST
 : MESSAGE
 : MESSAGE
 : MESSAGE
 : MESSAGE
 : ERROR MESSAGE IN TEST
 : FORMATTED MESSAGE
 : FORMATTED MESSAGE
 : FORMATTED MESSAGE
 : FORMATTED MESSAGE
 : FORMATTED MESSAGE
 : FORMATTED MESSAGE
 : FRU = MESSAGE
 :
 : TEST HEADER MESSAGES

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (2)

```

1688 DBM39,
1689 ! ERROR MESSAGES
1690 CTO_ERR,
1691 MSG_STATUS_ERR,
1692 AHEAD_MSG,
1693 BHEAD_MSG,
1694 CHEAD_MSG,
1695 DHEAD_MSG,
1696 MSG_BUSA_ERR,
1697 MSG_ADDR_ERR,
1698 MSG_DATA_ERR,
1699 MSG_ERR_CONT,
1700 MSG_SEER_ERR,
1701 MSG_TK_DSP,
1702 MSG_LBR_DSP,
1703 MSG_HSWICH_ERR,
1704 MSG_SURFACE_ERR,
1705 MSG_READ_ERR,
1706 MSG_SAC_ERR,
1707 MSG_AVE_TIME,
1708 MSG_PT_ERR1,
1709 MSG_WRP_ERR2,
1710 MSG_COM_WPT,
1711 AZT_READY_ERR,
1712 EXE_SUP_ERR,
1713 SND_DATA_ERR,
1714 RE_DATA_ERR,
1715 BUFF_ERR,
1716 DMC_ERR,
1717 BRERR,
1718 TIP:
1719
1720 external routine
1721 NXMI : novalue,
1722 AZT_INIT,
1723 AZP_INIT,
1724 FIND_CLOCK : novalue,
1725 CLOCK_INIT : novalue,
1726 RC25$ERR_RPT : novalue,
1727 INIT_COM_AREA,
1728 SET_INT_VECTOR : novalue,
1729 REC_STATUS,
1730 EX_SUP_PRG,
1731 RANDOM_NUM,
1732 REC_DATA,
1733 SEND_DATA,
1734 SET_CNTRL_CHAR,
1735 AVAILABLE,
1736 READ_CMD,
1737 READ_FILL_RING,
1738 ON_LINE,
1739 GET_UNIT_STATUS,
1740 GET_CMD_SLOT,
1741 DECODE,
1742 AVERAGE_TIME,
1743 EXAM_DATA,
1744 DM_ADDR_SETUP : novalue,

```

!TEST IN PROGRESS

! EXAMINE THE FREE MEMORY DATA
! PASS ADDR. TO DM PROGRAM

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (2)

:
: 1745 DATA_XMT_REC : novalue,
: 1746 WRT_PROTECT_TST : novalue,
: 1747 AZTEC_READY,
: 1748 DO_RETRIES : novalue;
: 1749
: 1750 !<BLF/PAGE>

!
: WRITE PROTECT ROUTINE
: GET AZTEC READY

```

1751 !
1752 BGNSTST;
1753
1754 !++
1755 TEST 1: REGISTER EXISTENCE TEST
1756 DESCRIPTION:
1757 THIS TEST WILL FIRST CHECK FOR THE EXISTENCE OF THE ADDRESS OF THE IP
1758 AND SA REGISTERS FOR THE DEVICE UNDER TEST.
1759 IF THESE MEMORY ADDRESSES ARE NON-EXISTENT, THE ERROR WILL BE
1760 REPORTED.
1761 IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, LOOPING WILL BE FROM THE
1762 BEGINNING OF SUB TEST.
1763 !--
1764
1765 local
1766     DUMMY;
1767
1768 if .SWP_TRACE then PRINTF (DBM7);           ! TEST 1
1769
1770 BGNSUB;                                     ! CLEAR RETRY COUNTER
1771 NUM_RETRIES = ZERO;
1772
1773 while (.NUM_RETRIES lequ .SWP_RETRIES) do
1774     begin
1775         I_AM_NEX = FALSE;                   ! CLEAR OUT NEX FLAG
1776         SETVEC (4, NXMI, PRI07);           ! SET UP FOR AN NEX TRAP
1777
1778         if (.RT_TABLE [RT_IP_ADDRESS] + 2) ! READ THE SA REGISTER
1779         then                                ! THIS IS SO THAT IF THERE
1780             begin                            ! IS AN NEX THERE WILL BE
1781                 DUMMY = 1;                  ! A SINGLE OPPEAND INST.
1782             end;                             ! SO THAT IT WILL TRAP
1783
1784         CLRVEC (4);                          ! CORRECTLY.
1785
1786         if .I_AM_NEX eqlu ALL_ONES         ! SEE IF WE GOT AN NEX
1787         then                                ! ADDRESS NOT THERE
1788             begin
1789                 P_MASK = 1;
1790                 PT = FMT1;
1791                 P2 = ADAPT;
1792                 P3 = 0;
1793                 P4 = (.RC25_ADDR) + 2;
1794                 ERRDF (1, MSG_1, RC25$ERR_RPT); ! PRINT ERROR MESSAGE
1795                 CKLOOP;
1796                 DO_RETRIES ();
1797             end;
1798
1799         if (.NUM_RETRIES eqlu ZERO) then exitloop;
1800
1801     end;
1802
1803 NUM_RETRIES = ZERO;                         ! CLEAR RETRY COUNTER
1804 ENDSUB;
1805 BGNSUB;
1806
1807 while (.NUM_RETRIES lequ .SWP_RETRIES) do

```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

```

:      1808      begin
:      1809      I_AM_NEX = FALSE;          ! CLEAR TRAP FLAG
:      1810      SETVEC (4, NXMI, PRI07);    ! SET UP TRAP VECTOR IF NEX
:      1811
:      1812      if (.RT_TABLE [RT_IP_ADDRESS]) ! READ IP REGISTER
:      1813      then
:      1814          begin
:      1815              DUMMY = 1;
:      1816          end;
:      1817
:      1818      CLRVEC (4);                  ! CLEAR THE VRCTOR
:      1819
:      1820      if .I_AM_NEX eqlu ALL_ONES    ! CHECK FOR TRAPS
:      1821      then
:      1822          begin
:      1823              P_MASK = 1;
:      1824              PT = FMT1;
:      1825              P2 = ADAPT;
:      1826              P4 = .RC25_ADDR;
:      1827              ERRDF (2, MSG_2, RC25$ERR_RPT); ! PRINT OUT ERRO MESSAGE
:      1828              CKLOOP;
:      1829              DO_RETRIES ();
:      1830          end;
:      1831
:      1832      if (.NUM_RETRIES eqlu ZERO) then exitloop;
:      1833
:      1834      end;
:      1835
:      1836      if .I_AM_NEX eqlu ALL_ONES    ! IF REGISTERS ARE NON-EXISTENT
:      1837      then                          ! THEN DROP THE UNIT FROM TESTING
:      1838          begin
:      1839              DODU (.LOG_UNIT);
:      1840              DOCLN;
:      1841          end;
:      1842
:      1843      ENDSUB;
:      1844      ENDTST;

```

.TITLE ZRCFA3 CZRCFA0 RC25 FR END TEST
.IDENT /V01.0/

000000		.PSECT	\$OWNS, D
000000		CMDBF1: .BLKW	20
000040		ENDBF1: .BLKW	20
000100		RING.B: .BLKW	40
000200	111111	DATA.PAT1:	
		.WORD	-66667
		.WORD	44444
000202	044444	.WORD	22222
000204	022222	DATA.PAT2:	
000206	177400	.WORD	-400
		.WORD	7760
000210	007760	.WORD	377
000212	000377	DATA.PAT3:	
000214	155555	.WORD	-22223

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

000216 133333
000220 066666
000222 000377

000224 170017
000226 177400
000230

.WORD -44445
.WORD 66666
DATA.PAT4:
.WORD 377
.WORD -7761
.WORD -400
HOST.BUF:
.BLKW 404

.GLOBL RT.TABLE, RC25.ADDR, RC25.DATA
.GLOBL UNIT, LOG.UNIT, RETRIES, NUM.RETRIES
.GLOBL SWP.TRACE, SWP.RETRIES, I.AM.NEX
.GLOBL CANCEL.TIMER, COM.AREA, HEAD.AREA
.GLOBL RECEIVE.RING, SEND.RING, REC.ENVELOPE
.GLOBL SND.ENVELOPE, XMT.DATA.BUF, RCV.DATA.BUF
.GLOBL RINGBASE, BUF.DESCRPTR, CMD.REF
.GLOBL CMD.SLOT, RES.SLOT, DM.09, DM.10
.GLOBL DM.11, DM.12, BYTE.COUNT, MSGADR
.GLOBL VEC.AD, MEM.SIZ, P.MASK, B.MASK
.GLOBL DATA1, DATA2, DATA3, DATA4, END.LBN
.GLOBL SWP.CONTINUE, SWP.MANUAL, MANU.SW
.GLOBL SWITCH2, RET.UNIT.FLAG, P1, P2
.GLOBL P3, P4, P5, P6, LBN, LBN.ST, LBN.ED
.GLOBL LBN.SZ, CLK.ADR, CLK.CSR, CLK.START
.GLOBL TICKS, SECONDS, MINUTES, SWP.START
.GLOBL SWP.END, BUF.LENGTH, TEMP, FREE.MEM ADDR
.GLOBL MEM.SIZE, H.SADD, H.EADD, INI.MSG
.GLOBL P.VECTOR, P.IP.ADDRESS, RET.STATUS
.GLOBL ADAPTO, TIME, MSG.1, MSG.2, MSG.7
.GLOBL MSG.8, MSG.9, MSG.10, MSG.11, MSG.13
.GLOBL MSG.14, MSG.17, MSG.18, MSG.19
.GLOBL MSG.20, MSG.21, MSG.28, MSG.29
.GLOBL MSG.30, QST12, QST13, QST14, QST15
.GLOBL END.MSG, FMT1, FMT2, FMT3, FMT4
.GLOBL FMT5, FMT6, FRU, FMT\$A, DBM7, DBM8
.GLOBL DBM9, DBM10, DBM11, DBM12, DBM13
.GLOBL DBM14, DBM15, DBM16, DBM17, DBM18
.GLOBL DBM19, DBM20, DBM21, DBM22, DBM23
.GLOBL DBM24, DBM25, DBM26, DBM27, DBM28
.GLOBL DBM29, DBM30, DBM31, DBM32, DBM36
.GLOBL DBM37, DBM38, DBM39, CTO.ERR, MSG.STATUS.ERR
.GLOBL AHEAD.MSG, BHEAD.MSG, CHEAD.MSG
.GLOBL DHEAD.MSG, MSG.BUSA.ERR, MSG.ADDR.ERR
.GLOBL MSG.DATA.ERR, MSG.ERR.CONT, MSG.SEEK.ERR
.GLOBL MSG.TK.DSP, MSG.LBN.DSP, MSG.HSWICH.ERR
.GLOBL MSG.SURFACE.ERR, MSG.READ.ERR
.GLOBL MSG.SAC.ERR, MSG.AVE.TIME, MSG.PT.ERR1
.GLOBL MSG.WRP.ERR2, MSG.COM.WPT, AZT.READY.ERR
.GLOBL EXE.SUP.ERR, SND.DATA.ERR, RE.DATA.ERR
.GLOBL BUFF.ERR, DMC.ERR, BRERR, TIP
.GLOBL NXMI, AZT.INIT, AZP.INIT, FIND.CLOCK
.GLOBL CLOCK.INIT, RC25\$ERR.RPT, INIT.COM.AREA
.GLOBL SET.INT.VECTOR, REC.STATUS, EX.SUP.PRG
.GLOBL RANDOM.NUM, REC.DATA, SEND.DATA
.GLOBL SET.CNTRLR.CHAR, AVAILABLE, READ.CMD
.GLOBL READ.FILL.RING, ON.LINE, GET.UNIT.STATUS

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Blisc-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

.GLOBL GET.CMD.SLOT, DECODE, AVERAGE.TIME
.GLOBL EXAM.DATA, DM.ADDR.SETUP, DATA.XMT.REC
.GLOBL WRT.PROTECT.TST, AZTEC.READY, DO.RETRIES

.SBTTL \$T1 TEST SECTION
.PSECT AC\$CODE, RO

000000

000000	010146			\$T1:	MOV	R1,-(SP)	:	1748
000002	032767	000001	000000G		BIT	#1,SWP.TRACE	:	1768
000010	001407				BEQ	1\$:	
000012	012746	000000G			MOV	#DBM7,-(SP)	:	
000016	012746	000001			MOV	#1,-(SP)	:	
000022	010600				MOV	SP,R0	: SP,*	
000024	104417				TRAP	17	:	
000026	022626				CMP	(SP)+,(SP)+	:	
000030	104402			1\$:	TRAP	2	:	
000032	005067	000000G			CLR	NUM.RETRIES	:	1771
000036	026767	000000G	000000G	2\$:	CMP	NUM.RETRIES,SWP.RETRIES	:	1773
000044	101100				BHI	7\$:	
000046	005067	000000G			CLR	I.AM.NEX	:	1775
000052	012746	000340			MOV	#340,-(SP)	:	1776
000056	012746	000000G			MOV	#NXMI,-(SP)	:	
000062	012746	000004			MOV	#4,-(SP)	:	
000066	012746	000003			MOV	#3,-(SP)	:	
000072	104437				TRAP	37	:	
000074	017700	000000G			MOV	@RT.TABLE,R0	:	1778
000100	032760	000001	000002		BIT	#1,2(R0)	:	
000106	001402				BEQ	3\$:	
000110	012701	000001			MOV	#1,R1	: *,DUMMY	1781
000114	012700	000004		3\$:	MOV	#4,R0	:	1784
000120	104436				TRAP	36	:	
000122	026727	000000G	177777		CMP	I.AM.NEX,#-1	:	1786
000130	001035				BNE	5\$:	
000132	112767	000001	000000G		MOVB	#1,P.MASK	:	1789
000140	012767	000000G	000000G		MOV	#FMT1,P1	:	1790
000146	012767	000001	000000G		MOV	#1,P2	:	1791
000154	005067	000000G			CLR	P3	:	1792
000160	016700	000000G			MOV	RC25.ADDR,R0	:	1793
000164	062700	000002			ADD	#2,R0	:	
000170	010067	000000G			MOV	R0,P4	:	
000174	104455				TRAP	55	:	1794
000176	000001				.WORD	1	:	
000200	000000G				.WORD	MSG.1	:	
000202	000000G				.WORD	RC25\$ERR.RPT	:	
000204	104465				TRAP	65	:	
000206	006000				ROR	R0	:	
000210	103003				BCC	4\$:	
000212	062706	000010			ADD	#10,SP	:	
000216	000415				BR	8\$:	
000220	004767	000000G		4\$:	JSR	PC,DO.RETRIES	:	1796
000224	005767	000000G		5\$:	TST	NUM.RETRIES	:	1799
000230	001003				BNE	6\$:	
000232	062706	000010			ADD	#10,SP	:	
000236	000403				BR	7\$:	
000240	062706	000010		6\$:	ADD	#10,SP	:	1774
000244	000674				BR	2\$:	1773

ZRCFA3	CZRCFA0	RC25	FR	END	TEST	TEST SECTION	8-Jul-1983 15:31:08	VAX-11 Bliss-16 V3-555	SPIDERS\$USERS:[LAKSHMANA.11^EL.REAL]ZRCFA (3)	1803
000246	005067	000000G								
000252	104467									
000254	006000									
000256	103664									
000260	104402									
000262	026767	000000G	000000G							
000270	101072									
000272	005067	000000G								
000276	012746	000340								
000302	012746	000000G								
000306	012746	000004								
000312	012746	000003								
000316	104437									
000320	017700	000000G								
000324	032710	000001								
000330	001402									
000332	012701	000001								
000336	012700	000004								
000342	104436									
000344	026727	000000G	177777							
000352	001030									
000354	112767	000001	000000G							
000362	012767	000000G	000000G							
000370	012767	000001	000000G							
000376	016767	000000G	000000G							
000404	104455									
000406	000002									
000410	000000G									
000412	000000G									
000414	104465									
000416	006000									
000420	103003									
000422	062706	000010								
000426	000423									
000430	004767	000000G								
000434	005767	000000G								
000440	001003									
000442	062706	000010								
000446	000403									
000450	062706	000010								
000454	000702									
000456	026727	000000G	177777							
000464	001004									
000466	016700	000000G								
000472	104451									
000474	104444									
000476	104467									
000500	006000									
000502	103666									
000504	012601									
000506	000207									

; Routine Size: 164 words, Routine Base: AC\$CODE + 0000
; Maximum stack depth per invocation: 7 words

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

.SBTTL T1 TEST SECTION

000000 004767 177264
000000
000004 104466
000006 006000
000010 103773
000012 000207

T1::
1\$: JSR PC,\$T1
TRAP 66
ROR R0
BLO 1\$
RTS PC

1843

: Routine Size: 6 words, Routine Base: AC\$CODE + 0510
: Maximum stack depth per invocation: 2 words

: 1845 !<BLF/PAGE>

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

```

1846 !
1847 BGNTST;
1848
1849 !++
1850 ! TEST 2: INITALZATION TEST (POWER UP DIAGNOSTICS)
1851 ! DESCRIPTION:
1852 ! THIS TEST INIT' THE AZTEC AND RUNS THE POWER UP DIAGNOSTICS BY
1853 ! WRITING WITH STEP1 DATA. THEN IT WILL CHECK FOR ERRORS AND
1854 ! REPORT IF AZTEC DOES NOT COME UPTO STEP2 READ
1855 !
1856 !
1857 NUM_RETRIES = ZERO; ! CLEAR RETRY COUNTER
1858
1859 if .SWP_TRACE then PRINTF (DBM8); ! TEST 2
1860
1861 while (.NUM_RETRIES lequ .SWP_RETRIES) do
1862 begin
1863 ! STEP 1 WRITE WITH STEP 2 READ
1864 B_MASK = 1; ! SELECT B MASK FOR STEP 1 WRITE
1865 DATA1 = %o'137600' + .RT_TABLE [RT_VECTOR]/4; ! SELECT STEP1 WRITE DATA WITH
1866 ! MAX RING SIZES ,IE AND VECTOR
1867 ! ADDRESS
1868
1869 if AZT_INIT () ! PORT SHOULD NOW GET TO STEP2
1870 ! AFTER FINISHING INTEGRITY CHECK
1871 ! DIAG. IF NOT REPORT ERROR
1872
1873 then
1874 begin
1875 ERRDF (3, MSG_14, RC25$ERR_RPT);
1876
1877 if .RET_STATUS then DECODE (); ! DECODE STATUS
1878
1879 CKLOOP;
1880 RETRIES = TRUE;
1881 end;
1882
1883 if (.RETRIES) then DO_RETRIES (); ! RETRY IF ERROR
1884
1885 if (.NUM_RETRIES eglu ZERO) then exitloop;
1886
1887 end;
1888 return;
1889 ENDTST;

```

000000	005067	000000G	\$T2:	.SBTTL	\$T2 TEST SECTION		
000004	032767	000001 000000G		CLR	NUM.RETRIES	:	1857
000012	001407			BIT	#1,SWP.TRACE	:	1859
000014	012746	000000G		BEQ	1\$		
000020	012746	000001		MOV	#DBM8,-(SP)		
000024	010600			MOV	#1,-(SP)		
000026	104417			MOV	SP,R0	: SP,*	
000030	022626			TRAP	17		
000032	026767	000000G 000000G	1\$:	CMP	(SP)+,(SP)+		
000040	101060			CMP	NUM.RETRIES,SWP.RETRIES	:	1861
				BHI	6\$		

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

000042	112767	000001	000000G	MOV	#1,B.MASK	:	1864
000050	016700	000000G		MOV	RT.TABLE,R0	:	1865
000054	016046	000002		MOV	2(R0),-(SP)		
000060	012746	000004		MOV	#4,-(SP)		
000064	004767	000000G		JSR	PC,BL\$DIV		
000070	010067	000000G		MOV	R0,DATA1		
000074	162767	040200	000000G	SUB	#40200,DATA1		
000102	004767	000000G		JSR	PC,AZT.INIT	:	1869
000106	006000			ROR	R0		
000110	103022			BCC	4\$		
000112	104455			TRAP	5\$:	1874
000114	000003			.WORD	3		
000116	000000G			.WORD	MSG.14		
000120	000000G			.WORD	RC25\$ERR.RPT		
000122	032767	000001	000000G	BIT	#1,RET.STATUS	:	1876
000130	001402			BEQ	2\$		
000132	004767	000000G		JSR	PC,DECODE		
000136	104465		2\$:	TRAP	6\$		
000140	006000			ROR	R0		
000142	103002			BCC	3\$		
000144	022626			CMP	(SP)+,(SP)+		
000146	000207			RTS	PC		
000150	012767	000001	000000G	MOV	#1,RETRIES	:	1879
000156	032767	000001	000000G	BIT	#1,RETRIES	:	1882
000164	001402			BEQ	5\$		
000166	004767	000000G		JSR	PC,D0.RETRIES		
000172	005767	000000G		TST	NUM.RETRIES	:	1884
000176	001002			BNE	7\$		
000200	022626			CMP	(SP)+,(SP)+		
000202	000207		6\$:	RTS	PC		
000204	022626		7\$:	CMP	(SP)+,(SP)+	:	1862
000206	000711			BR	1\$:	1861

: Routine Size: 68 words, Routine Base: AC\$CODE + 0524
: Maximum stack depth per invocation: 4 words

000000	004767	177564	T2::	.SBTTL	T2 TEST SECTION		
000000			1\$:	JSR	PC,\$T2	:	1888
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLC	1\$		
000012	000207			RTS	PC		

: Routine Size: 6 words, Routine Base: AC\$CODE + 0734
: Maximum stack depth per invocation: 2 words

: 1890 !<BLF/PAGE>

ZRCFA3
V01.0CZRCFA0 RC25 FR END TEST
TEST SECTION8-Jul-1983 15:31:08
8-Jul-1983 14:46:50VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

SEQ 208

Page 15

```

1891 BGNTST;
1892
1893 |++
1894 | TEST #3 - DIAGNOSTIC WRAP TEST
1895 |
1896 | DESCRIPTION:
1897 |
1898 |     THE AZTEC WILL BE INITIALIZED IN DIAGNOSTIC WRAP MODE AND A ONE BIT
1899 |     AND ALSO ZERO BIT FLOATED THROUGH THE SA REGISTER TO SEE THAT IT
1900 |     ECHOES PROPERLY.
1901 |
1902 |     A FAILURE TO ECHO WHAT WAS WRITTEN WILL RESULT IN A CALLOUT TO THE
1903 |     ADAPTER CARD FRU.
1904 |
1905 |     IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, THE PROGRAM WILL LOOP ON
1906 |     THE FAILING WRITE AND READ.
1907 |
1908 |--
1909
1910 local
1911   TST_PAT;
1912
1913 if .SWP_TRACE then PRINTF (DBM10);           ! TEST 3
1914
1915 NUM_RETRIES = ZERO;
1916
1917 while (.NUM_RETRIES lequ .SWP_RETRIES) do
1918   begin
1919     TIP = 4;
1920     !
1921     ! STEP1 WRITE
1922     !
1923     B_MASK = 0;                               ! MASK FOR STEP1 READ
1924     DATA1 = %0'140000';                       ! STEP1 WRITE WITH WRAP MODE BIT SET
1925     DATA2 = %0'10';                          ! TIME OUT COUNTER
1926     DATA3 = ZERO;                             ! TEMP STORAGE FOR RCSA DATA
1927
1928     if AZT_INIT ()                             ! CALL STEP 1 ROUTINE
1929     then
1930       begin
1931         ERRDF (4, MSG_14, RC25$ERR_RPT);       ! PRINT OUT ERROR REPORT
1932         CKLOOP;
1933         RETRIES = TRUE;
1934       end
1935     else
1936       begin
1937         WRT_RC25 (RCSA, .DATA1);               ! DO STEP1 WRITE WITH DWM.
1938
1939         while ((.DATA3 nequ .DATA1) and (.DATA2 nequ ZERO)) do
1940           begin
1941             DELAY (333);
1942             DATA2 = .DATA2 - 1;
1943             DATA3 = .RC25_ADDR [RCSA, RC_ALL]; !
1944           end;
1945
1946         TST_PAT = %0'000001';                 ! START TEST PATTERN TO
1947

```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

D 1

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

SEQ 209

Page 16

```

1948      incru FLOAT from 0 to 15 do          ! NOW FLOAT TEST PAT
1949      begin
1950
1951      incru COUNT from 0 to 1 do          ! FLOAT ZEROES AND THEN ONES
1952      begin
1953
1954      if .COUNT eqlu 1 then TST_PAT = not .TST_PAT;
1955
1956      BGNSUB;
1957      WRT_RC25 (RCSA, .TST_PAT);          ! WRITE TEST PATTERN TO SA
1958      DELAY (10);                          ! WAIT FOR IT TO ECHO.
1959      RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL];    ! GET RCSA DATA
1960
1961      if .RC25_DATA [RCSA, RC_ALL] nequ .TST_PAT    ! TEST SA FOR TEST PATTERN
1962      then                                         ! IF NOT EQU THEN
1963      begin                                         ! PRINT OUT ERROR REPORT
1964      P_MASK = 2;
1965      PT = FMT2;                                     ! MESSAGE ADDRESS
1966      P2 = ADAPT;                                    ! FAILING FRU
1967      P6 = (.RC25_ADDR) + 2;                       ! FAILING ADDRESS
1968      P4 = .TST_PAT;                                ! GOOD DATA
1969      P5 = .RC25_DATA [RCSA, RC_ALL];              ! BAD DATA
1970      ERRDF (5, MSG_7, RC25$ERR_RPT);             !
1971      CKLOOP;
1972      RETRIES = TRUE;
1973      end;
1974
1975      ENDSUB;
1976      end;
1977
1978      TST_PAT = not .TST_PAT;
1979      TST_PAT = .TST_PAT*1;                      ! SHIFT THE BIT DOWN 1
1980      end;
1981
1982      end;
1983
1984      if (.RETRIES) then DO_RETRIES ();          ! DO RETRIES IF IN ERROR
1985
1986      if (.NUM_RETRIES eqlu ZERO) then exitloop;
1987
1988      end;
1989
1990      WRT_RC25 (RCIP, ALL_ONES);                !REINITIALIZE THE PORT
1991      ENDTST;

```

.GLOBL LSDLY

```

000000 004167 000000G          $T3: .SBTTL $T3 TEST SECTION
000004 162706 000006          JSR    R1,$SAVE4
000010 032767 000001 0000C0G  SUB    #6,SP
000016 001407 000000G          BIT    #1,SWP.TRACE
000020 012746 000000G          BEQ    1$
000024 012746 000001          MOV    #DBM10,-(SP)
000030 010600 000000G          MOV    #1,-(SP)
                                MOV    SP,R0
                                ; SP,*

```

1889

1913

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

000032	104417				TRAP	17			
000034	022626				CMP	(SP)+,(SP)+			
000036	005067	000000G		1\$:	CLR	NUM.RETRIES	:		1915
000042	026767	000000G	000000G	2\$:	CMP	NUM.RETRIES,SWP.RETRIES	:		1917
000050	101402				BLOS	3\$			
000052	000167	000466			JMP	22\$			
000056	012767	000004	000000G	3\$:	MOV	#4,TIP	:		1919
000064	105067	000000G			CLRB	B.MASK	:		1923
000070	012767	140000	000000G		MOV	#-40000,DATA1	:		1924
000076	012767	000010	000000G		MOV	#10,DATA2	:		1925
000104	005067	000000G			CLR	DATA3	:		1926
000110	004767	000000G			JSR	PC,AZT.INIT	:		1928
000114	006000				ROR	R0			
000116	103015				BCC	5\$			
000120	104455				TRAP	55	:		1931
000122	000004				.WORD	4			
000124	000000G				.WORD	MSG.14			
000126	000000G				.WORD	RC25\$ERR.RPT			
000130	104465				TRAP	65			
000132	006000				ROR	R0			
000134	103002				BHIS	4\$			
000136	000167	000412			JMP	23\$			
000142	012767	0G0C01	000000G	4\$:	MOV	#1,RETRIES	:		1933
000150	000562				BR	20\$:		1928
000152	016701	000000G		5\$:	MOV	DATA1,R1	:	* ,RCM.REG	1937
000156	016700	000000G			MOV	RC25.ADDR,R0			
000162	010160	000002			MOV	R1,2(R0)	:	RCM.REG,*	
000166	026767	000000G	000000G	6\$:	CMP	DATA3,DATA1	:		1939
000174	001432				BEQ	11\$			
000176	005767	000000G			TST	DATA2			
000202	001427				BEQ	11\$			
000204	012701	000515			MOV	#515,R1	:	*,\$\$TMP2	1941
000210	001411			7\$:	BEQ	10\$:	*,\$\$TMP1	
000212	016700	000000G			MOV	L\$DLY,R0	:		
000216	001404				BEQ	9\$			
000220	005066	000004		8\$:	CLR	4(SP)	:	\$\$TMP	
000224	005300				DEC	R0	:	\$\$TMP1	
000226	001374				BNE	8\$			
000230	005301			9\$:	DEC	R1	:	\$\$TMP2	
000232	000766				BR	7\$			
000234	005367	000000G		10\$:	DEC	DATA2	:		1942
000240	016700	000000G			MOV	RC25.ADDR,R0	:		1943
000244	016065	000002	000002		MOV	2(R0),2(SP)	:	* ,RC.REG	
000252	016667	000002	000000G		MOV	2(SP),DATA3	:	RC.REG,*	
000260	000742				BR	6\$			1939
000262	012702	000001		11\$:	MOV	#1,R2	:	* ,TST.PAT	1946
000266	005004				CLR	R4	:	FLOAT	1948
000270	005003			12\$:	CLR	R3	:	COUNT	1951
000272	022727	0G0000	000001		CMP	#0,#1	:		1954
000300	001001			13\$:	BNE	14\$			
000302	005102				COM	R2	:	TST.PAT	
000304	104402			14\$:	TRAP	2	:		
000306	010201				MOV	R2,R1	:	TST.PAT,RCM.REG	1957
000310	016700	000000G			MOV	RC25.ADDR,R0			
000314	010160	000002			MOV	R1,2(R0)	:	RCM.REG,*	
000320	012701	000012			MOV	#12,R1	:	*,\$\$TMP2	1958
000324	001411			15\$:	BEQ	18\$			

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

000326	016700	000000G		MOV	L\$DLY,R0	:	*,S\$TMP1		
000332	001404			BEQ	17\$:			
000334	005066	000004		16\$:	CLR	4(SP)	:	S\$TMP	
000340	005300			DEC	R0	:	S\$TMP1		
000342	001374			BNE	16\$:			
000344	005301			17\$:	DEC	R1	:	S\$TMP2	
000346	000766			BR	15\$:			
000350	016700	000000G		18\$:	MOV	RC25.ADDR,R0	:		1959
000354	016016	000002		MOV	2(R0),(SP)	:	*,RC.REG		
000360	011667	000002G		MOV	(SP),RC25.DATA+2	:	RC.REG,*		
000364	021602			CMP	(SP),R2	:	RC25.DATA+2,TST.PAT		1961
000366	001436			BEQ	19\$:			1964
000370	112767	000002	000000G	MOV	#2,P.MASK	:			1965
000376	012767	000000G	000000G	MOV	#FMT2,P1	:			1966
000404	012767	000001	000000G	MOV	#1,P2	:			1967
000412	016700	000000G		MOV	RC25.ADDR,R0	:			
000416	062700	000002		ADD	#2,R0	:			
000422	010067	000000G		MOV	R0,P6	:			
000426	010267	000000G		MOV	R2,P4	:	TST.PAT,*		1968
000432	016767	000002G	000000G	MOV	RC25.DATA+2,P5	:			1969
000440	104455			TRAP	55	:			1970
000442	000005			.WORD	5	:			
000444	000000G			.WORD	MSG.7	:			
000446	000000G			.WORD	RC25\$ERR.RPT	:			
000450	104465			TRAP	65	:			
000452	006000			ROR	R0	:			
000454	103403			BLO	19\$:			
000456	012767	000001	000000G	MOV	#1,RETRIES	:			1972
000464	104467			19\$:	TRAP	67	:		1973
000466	006000			ROR	R0	:			
000470	103705			BLO	14\$:			
000472	005203			INC	R3	:	COUNT		1951
000474	020327	000001		CMP	R3,#1	:	COUNT,*		
000500	101677			BLOS	13\$:			
000502	005102			COM	R2	:	TST.PAT		1978
000504	006302			ASL	R2	:	TST.PAT		1979
000506	005204			INC	R4	:	FLOAT		1948
000510	020427	000017		CMP	R4,#17	:	FLOAT,*		
000514	101665			BLOS	12\$:			
000516	032767	000001	000000G	20\$:	BIT	#1,RETRIES	:		1984
000524	007402			BEQ	21\$:			
000526	004767	000000G		JSR	PC,DO.RETRIES	:			
000532	005767	000000G		21\$:	TST	NUM.RETRIES	:		1986
000536	001402			BEQ	22\$:			
000540	000167	177276		JMP	2\$:			
000544	012700	177777		22\$:	MOV	#-1,R0	:	*,RCM.REG	1990
000550	010077	000000G		MOV	R0,RC25.ADDR	:	RCM.REG,*		
000554	062706	000006		23\$:	ADD	..5.SP	:		1889
000560	000207			RTS	.	:			

: Routine Size: 185 words, Routine Base: AC\$CODE + 0750
: Maximum stack depth per invocation: 12 words

.SBTTL T3 TEST SECTION

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

000000	004767	177212	T3::			
000000			1\$:	JSR	PC,\$T3	
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

1990

: Routine Size: 6 words, Routine Base: AC\$CODE + 1532
: Maximum stack depth per invocation: 2 words

: 1992 !<BLF/PAGE>

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

H 1

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 213
Page 20

```
1993 !
1994 BGNSTST;
1995
1996 !++
1997 TEST #4 - VECTOR AND BR LEVEL TEST
1998
1999 DESCRIPTION:
2000
2001 THE INIT SEQUENCE WILL BE STARTED WITH THE INTERRUPT ENABLE BIT SET TO
2002 VERIFY THE AZTEC'S VECTOR AND BR LEVEL.
2003
2004 THIS TEST ASSUMES THE VECTOR GIVEN BY THE OPERATOR IS CORRECT.
2005
2006 THE PRIORITY LEVEL OF THE INTERRUPT REQUEST WILL BE VERIFIED.
2007
2008 FAILURE OF THE AZTEC TO VECTOR PROPERLY WILL NECESSITATE THAT THIS
2009 PROGRAM BE RESTARTED. A COMPLETED INTERRUPT AT THE WRONG BR LEVEL
2010 WILL BE REPORTED.
2011
2012 LOOP ON ERROR WILL RESTART THIS TEST IF THE ERROR IS RECOVERABLE.
2013
2014
2015 !--
2016
2017 !
2018 NUM_RETRIES = ZERO;
2019
2020 if .SWP_TRACE then PRINTF (DBM11);          ! TEST 4
2021
2022 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2023 begin
2024 TIP = 5;
2025 TEMP = PRI07;          ! START WITH HIGHEST PRIORITY
2026 I_AM_NEX = FALSE;    ! CLEAR INTERRUPT FLAG
2027 B_MASK = 0;          ! STEP 1 READ MASK
2028 DATA1 = %0'104600' + .RT_TABLE [RT_VECTOR]/4; ! INTERRUPT ENABLE BIT SET
2029 SETPRI (.TEMP);      ! SET HIGHEST PRIORITY
2030
2031 if AZT_INIT ()       ! BRING UP TO STEP 1 READ
2032 then                ! AND GET STATUS
2033 begin              ! IF ERROR
2034 ERRDF (6, MSG_14, RC25$ERR_RPT); ! THEN
2035                                ! REPORT IT
2036
2037 if .RET_STATUS then DECODE (); ! DECODE STATUS
2038
2039 CKLOOP;
2040 RETRIES = TRUE;
2041 end
2042 else
2043 begin
2044 WRT_RC25 (RCSA, .DATA1); ! WRITE STEP 1 DATA
2045 DELAY (1500);           ! WAIT FOR INTERRUPT
2046
2047 while (.TEMP gequ %0'140') do
2048 begin
```

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

I 1

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 214
Page 21

```

:      2050      if .I_AM_NEX eqlu ALL_ONES then exitloop;      !IF INTERRUPT DID NOT
:      2051
:      2052      TEMP = .TEMP - %o'40';                          ! NOT OCCUR
:      2053      SETPRI (.TEMP);                                  ! LOWER CPU PRIORITY
:      2054      RETRIES = TRUE;
:      2055      end;
:      2056
:      2057      end;
:      2058
:      2059      if .I_AM_NEX eqlu ALL_ONES                        ! IF INTERRUPT OCCURED
:      2060      then
:      2061      begin
:      2062      TIP = .TEMP^-5 + 1;                                ! GET PRIORITY
:      2063      SETPRI (PRI00);                                  ! SET HOST PRIORITY TO 0
:      2064      SETVEC (.RT_TABLE [RT_VECTOR], NXMI, .TIP);    ! SET UP SERVICE ROUTINE.
:      2065      PRINTF (INI_MSG, .RT_TABLE [RT_VECTOR], .TIP);
:      2066
:      2067      if .TIP nequ .RT_TABLE [RT_BR_LEVEL] then PRINTF (BRERR);      ! IF RECEIVED BR IS NOT THE
:      2068                                          ! SAME AS TYPED REPORT ERROR
:      2069
:      2070      RETRIES = FALSE;
:      2071      end
:      2072      else
:      2073      begin
:      2074      RETRIES = TRUE;
:      2075      ERRDF (7, END_MSG, 0);                            ! ERROR
:      2076      CKLOOP;
:      2077      end;
:      2078
:      2079      if .RETRIES then DO_RETRIES ();
:      2080
:      2081      if (.NUM_RETRIES eqlu ZERO) then exitloop;
:      2082
:      2083      end;
:      2084
:      2085      ENDTST;

```

000000	010146			.SBTTL	\$T4 TEST SECTION				
000002	005746			\$T4:	MOV R1, -(SP)	:			1991
000004	005067	000000G			TST -(SP)	:			
000010	032767	000001	000000G		CLR NUM.RETRIES	:			2018
000016	001407				BIT #1, SWP.TRACE	:			2020
000020	012746	000000G			BEQ 1\$				
000024	012746	000001			MOV #DBM11, -(SP)				
000030	010600				MOV #1, -(SP)				
000032	104417				MOV SP, R0	:	SP,*		
000034	022626				TRAP 17				
000036	026767	000000G	000000G	1\$:	CMP (SP)+, (SP)+				
000044	101402				CMP NUM.RETRIES, SWP.RETRIES	:			2022
000046	000167	000520			BLOS 2\$				
000052	012767	000005	000000G	2\$:	JMP 16\$				
000060	012767	000340	000000G		MOV #5, TIP	:			2024
000066	005067	000000G			MOV #340, TEMP	:			2025
000072	105067	000000G			CLR I.AM.NEX	:			2026
000076	016700	000000G			CLRB B.MASK	:			2027
					MOV RT.TABLE, R0	:			2028

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

000102	016046	000002			MOV	2(R0),-(SP)				
000106	012746	000004			MOV	#4,-(SP)				
000112	004767	000000G			JSR	PC,BLSDIV				
000116	010067	000000G			MOV	R0,DATA1				
000122	162767	073200	000000G		SUB	#73200,DATA1				
000130	016700	000000G			MOV	TEMP,R0	:			2029
000134	104441				TRAP	41	:			
000136	004767	000000G			JSR	PC,AZT.INIT	:			2031
000142	006000				ROR	R0				
000144	103023				BCC	5\$				
000146	104455				TRAP	55	:			2035
000150	000006				.WORD	6				
000152	000000G				.WORD	MSG.14				
000154	000000G				.WORD	RC25\$ERR.RPT				
000156	032767	000001	000000G		BIT	#1,RET.STATUS	:			2037
000164	001402				BEQ	3\$				
000166	004767	000000G			JSR	PC,DECODE				
000172	104465			3\$:	TRAP	65				
000174	006000				ROR	R0				
000176	103002				BCC	4\$				
000200	022626				CMR	(SP)+,(SP)+				
000202	000573				BR	16\$				
000204	012767	000001	000000G	4\$:	MOV	#1,RETRIES	:			2040
000212	000444				BR	10\$:			2031
000214	016701	000000G		5\$:	MOV	DATA1,R1	:	*	RCM.REG	2044
000220	016700	000000G			MOV	RC25.ADDR,R0				
000224	010160	000002			MOV	R1,2(R0)			RCM.REG,*	
000230	012701	002734			MOV	#2734,R1			*,\$\$TMP2	2045
000234	001411			6\$:	BEQ	9\$				
000236	016700	000000G			MOV	L\$DLY,R0			*,\$\$TMP1	
000242	001404				BEQ	8\$				
000244	005066	000004		7\$:	CLR	4(SP)			\$\$TMP	
000250	005300				DEC	R0			\$\$TMP1	
000252	001374				BNE	7\$				
000254	005301			8\$:	DEC	R1			\$\$TMP2	
000256	000766				BR	6\$				
000260	026727	000000G	000140	9\$:	CMR	TEMP,#140	:			2047
000266	103416				BLO	10\$				
000270	026727	000000G	177777		CMR	I.AM.NEX,#-1	:			2050
000276	001412				BEQ	10\$				
000300	162767	000040	000000G		SUB	#40,TEMP	:			2052
000306	016700	000000G			MOV	TEMP,R0	:			2053
000312	104441				TRAP	41				
000314	012767	000001	000000G		MOV	#1,RETRIES	:			2054
000322	000756				BR	9\$:			2047
000324	026727	000000G	177777	10\$:	CMR	I.AM.NEX,#-1	:			2059
000332	001065				BNE	12\$				
000334	016716	000000G			MOV	TEMP,(SP)	:			2062
000340	012746	177773			MOV	#-5,-(SP)				
000344	004767	000000G			JSR	PC,BL\$SHF				
000350	010067	000000G			MOV	R0,TIP				
000354	005267	000000G			INC	TIP				
000360	005000				CLR	R0	:			2063
000362	104441				TRAP	41				
000364	016716	000000G			MOV	TIP,(SP)	:			2064
000370	012746	000000G			MOV	#NXMI,-(SP)				
000374	016700	000000G			MOV	RT.TABLE,R0				

```

ZRCFA3          CZRCFAO RC25 FR END TEST          8-Jul-1983 15:31:08      VAX-11 Bliss-16 V3-555      SPIDERS$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)
V01.0          TEST SECTION          8-Jul-1983 14:46:50
000400 016046 000002          MOV      2(R0),-(SP)
000404 012746 000003          MOV      #3,-(SP)
000410 104437          TRAP    37
000412 016716 000000G          MOV      TIP,(SP)          ;
000416 016700 000000G          MOV      RT.TABLE,R0          ;
000422 016046 000002          MOV      2(R0),-(SP)
000426 012746 000000G          MOV      #INI.MSG,-(SP)
000432 012746 000003          MOV      #3,-(SP)
000436 010600          MOV      SP,R0          ; SP,*
000440 104417          TRAP    17
000442 016700 000000G          MOV      RT.TABLE,R0          ;
000446 026760 000000G 000004          CMP      TIP,4(R0)
000454 001407          BEQ     11$
000456 012716 000000G          MOV      #BRERR,(SP)
000462 012746 000001          MOV      #1,-(SP)
000466 010600          MOV      SP,R0          ; SP,*
000470 104417          TRAP    17
000472 005726          TST     (SP)+
000474 005067 000000G          11$:    CLR      RETRIES          ;
000500 062706 000016          ADD     #16,SP          ;
000504 000414          BR      13$          ;
000506 012767 000001 000000G          12$:    MOV      #1,RETRIES          ;
000514 104455          TRAP    55          ;
000516 000007          .WORD  7
000520 000000G          .WORD  END.MSG
000522 000000          .WORD  0
000524 104465          TRAP    65
000526 006000          ROR    R0
000530 103002          BCC    13$
000532 022626          CMP    (SP)+,(SP)+
000534 000416          BR     16$
000536 032767 000001 000000G          13$:    BIT     #1,RETRIES          ;
000544 001402          BEQ    14$
000546 004767 000000G          JSR    PC,DO.RETRIES
000552 005767 000000G          14$:    TST    NUM.RETRIES          ;
000556 001002          BNE    15$
000560 022626          CMP    (SP)+,(SP)+
000562 000403          BR     16$
000564 022626          15$:    CMP    (SP)+,(SP)+          ;
000566 000167 177244          JMP    1$          ;
000572 005726          16$:    TST    (SP)+          ;
000574 012601          MOV    (SP)+,R1
000576 000207          RTS    PC

```

```

: Routine Size: 192 words, Routine Base: AC$CODE + 1546
: Maximum stack depth per invocation: 14 words

```

```

000000 004767 177174          T4::    .SBTTL  T4 TEST SECTION
000000          1$:    JSR    PC,$T4          ;
000004 104466          TRAP    66
000006 006000          ROR    R0
000010 103773          BLO    1$
000012 000207          RTS    PC

```

L 1

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 217
Page 24

: Routine Size: 6 words, Routine Base: AC\$CODE + 2346
: Maximum stack depth per invocation: 2 words

: 2086 !<BLF/PAGE>

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

M 1

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

SEQ 218
Page 25

```
2087 BGNTST:
2088
2089 !++
2090 !
2091 ! TEST 5: STEP 1 -3 INITIALIZATION TEST
2092 !
2093 ! DESCRIPTION:
2094 !
2095 ! THIS TEST WILL CHECK FOR INFORMATIONS ECHOED FROM PORT AT
2096 ! EACH STEP READ COMING UPTO THAT STEP FROM SCRATCH. IF THERE WAS
2097 ! AN ERROR REPORTED OR ECHOED INFORMATIONS WERE INCORRECT
2098 ! THE SAME WILL BE REPORTED.
2099 ! LOOP ON ERROR WILL BE FROM THE BEGINNING OF SUB TEST.
2100 !--
2101
2102 NUM_RETRIES = ZERO; ! CLEAR RETRY COUNTER
2103
2104 if .SWP_TRACE then PRINTF (DBM9); ! TEST 5
2105
2106 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2107     begin
2108     !
2109     ! STEP1 READ
2110     !
2111     ! BGNSUB;
2112     !
2113     !
2114     ! check if using Q bus and flag
2115     ! TEMP = READBUS ();
2116     !
2117     ! STEP 1 READ
2118     !
2119     ! B_MASK = 0; ! START PORT INIT WITH MASK = 0
2120     !
2121     ! if AZT_INIT () ! BRING UP TO STEP 1 READ
2122     ! ! AND GET STATUS
2123     ! ! IF ERROR
2124     ! ! THEN
2125     ! ! REPORT IT
2126     !
2127     ! if .RET_STATUS then DECODE (); ! DECODE STATUS
2128     !
2129     ! CKLOOP;
2130     ! RETRIES = TRUE;
2131     ! end;
2132     !
2133     ! CHECK FOR CONTROLLER DEPENDENT INFORMATION FROM RCSA AT STEP 1 READ
2134     !
2135     ! if ((.RC25_DATA [RCSA, RCSA_NV]) ! CHECK THAT THE NV BIT DID
2136     ! ! NOT SET.
2137     ! ! or not (.RC25_DATA [RCSA, RCSA_DI])) ! CHECK IF DI BIT SET
2138     ! ! or (.TEMP) and not (.RC25_DATA [RCSA, RCSA_QB]) ! CHECK THE QB BIT
2139     ! ! or not (.TEMP) and (.RC25_DATA [RCSA, RCSA_QB]))
2140     ! ! then ! IF NOT SET
2141     ! ! begin ! THEN
2142     ! ! P_MASK = 2;
2143     ! ! PT = FMT3;
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

N 1
8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

SEQ 219
Page 26

```
2144     P2 = ADAPT;
2145     P4 = (.RC25_ADDR) + 2;
2146     P5 = .RC25_DATA [RCSA, RC_ALL];
2147     P6 = %0'01';
2148     ERRDF (9, MSG_14, RC25$ERR_RPT);
2149     CKLOOP;
2150     RETRIES = TRUE;
2151     end;
2152
2153     TEMP = .RC25_DATA [RCSA, RC_ALL];
2154     TEMP = .TEMP<6, 5>;
2155     PRINTF (FMT5, .TEMP);
2156     ENDSUB;
2157
2158 : STEP1 WRITE WITH STEP 2 READ
2159
2160     BGNSUB;
2161     B_MASK = 1;
2162     DATA1 = %0'137600' + .RT_TABLE [RT_VECTOR]/4;
2163
2164
2165     if AZT_INIT ()
2166     then
2167     begin
2168         ERRDF (10, MSG_14, RC25$ERR_RPT);
2169
2170         if .RET_STATUS then DECODE ();
2171
2172         CKLOOP;
2173         RETRIES = TRUE;
2174     end
2175     else
2176     begin
2177 : CHECK FOR ECHOED INFORMATIONS AT STEP2 READ
2178     TEMP = .DATA1<8, 8>;
2179
2180     if (.RC25_DATA [RCSA, RCSA_7_0] nequ .TEMP)
2181     then
2182     begin
2183         P_MASK = 2;
2184         PT = FMT2;
2185         P2 = ADAPT;
2186         P4 = .TEMP;
2187         P5 = .RC25_DATA [RCSA, RCSA_7_0];
2188         P6 = .RT_TABLE [RT_IP_ADDRESS] + 2;
2189         ERRDF (11, MSG_11, RC25$ERR_RPT);
2190         CKLOOP;
2191         RETRIES = TRUE;
2192     end;
2193
2194     end;
2195
2196     PRINTF (FMT4, .RC25_DATA [RCSA, RCSA_PTN]);
2197     ENDSUB;
2198
2199 : STEP 2 WRITE WITH A STEP 3 READ
2200
```

! MASK = STEP 1
! REPORT ERROR

! PORT SPECIFIC INFO
! GIVE IT TO OPERATOR

! STEP1 WRITE DATA FOR MAX
! RING LENGTHS, IE AND
! VECTOR ADDRESS

! DO INIT AND IF ERROR

! REPORT ERROR

! DECODE STATUS

! SAVE EXPECTED DATA

! IF ECHOED INFO DOES NOT
! MATCH REPORT ERROR

! GIVE PORT TYPE NUMBER

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

B 2

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

SEQ 220
Page 27

```
2201 :  
2202 BGNSUB;  
2203 B_MASK = 3; ! MASK UPTO STEP3 READ  
2204 DATA2 = COM_AREA; ! COM AREA START ADDRESS  
2205  
2206 if AZT_INIT () ! DO INIT AND IF ERROR  
2207 then  
2208 begin  
2209 ERRDF (12, MSG_14, RC25$ERR_RPT); ! PRINT ERROR MESSAGE  
2210  
2211 if .RET_STATUS then DECODE (); ! DECODE STATUS  
2212  
2213 CKLOOP;  
2214 RETRIES = TRUE;  
2215 end  
2216 else  
2217 begin  
2218 ! CHECK FOR ECHOED VECTOR AND IE BIT  
2219 TEMP = .DATA1<0, 8>;  
2220  
2221 if (.RC25_DATA [RCSA, RCSA_7_0] nequ .TEMP)  
2222 then ! IF ECHOED INFO NOT CORRECT  
2223 begin  
2224 P_MASK = 2;  
2225 PT = FMT2;  
2226 P2 = ADAPT;  
2227 P4 = .TEMP;  
2228 P5 = .RC25_DATA [RCSA, RCSA_7_0];  
2229 P6 = .RT_TABLE [RT_IP_ADDRESS] + 2;  
2230 ERRDF (13, MSG_11, RC25$ERR_RPT); ! REPORT ERROR  
2231 CKLOOP;  
2232 RETRIES = TRUE;  
2233 end;  
2234  
2235 end;  
2236  
2237 ENDSUB;  
2238 :  
2239 ! STEP 3 WRITE WITH STEP 4 READ  
2240 :  
2241 BGNSUB;  
2242 B_MASK = 7; ! BRING UPTO STEP4 READ  
2243 DATA3 = 0; ! RING BASE HIGH ADDRESS  
2244  
2245 if AZT_INIT () ! INIT AZTEC  
2246 then ! IF ERROR  
2247 begin ! THEN  
2248 ERRDF (14, MSG_14, RC25$ERR_RPT); ! PRINT OUT ERROR MESSAGE  
2249  
2250 if .RET_STATUS then DECODE (); ! DECODE ERROR  
2251  
2252 CKLOOP;  
2253 RETRIES = TRUE;  
2254 end;  
2255  
2256 ! PRINT MICRO CODE VERSION INFO.  
2257 PRINTF (FMT6, .RC25_DATA [RCSA, RCSA_MODEL], .RC25_DATA [RCSA, RCSA_U_CODE]);
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

```

:      2258      ENDSUB;
:      2259
:      2260      if (.RETRIES) then DO_RETRIES ();
:      2261
:      2262      if (.NUM_RETRIES eq lu ZERO) then exitloop;
:      2263
:      2264      end;
:      2265
:      2266      ENDTST;

```

```

000000 005067 000000G          $T5:  .SBTTL  $T5 TEST SECTION
000004 032767 000001 000000G      CLR    NUM.RETRIES          :
000012 001407                BIT    #1,SWP.TRACE          :
000014 012746 000000G      BEQ    1$                      :
000020 012746 000001        MOV    #DBM9,-(SP)          :
000024 010600                MOV    #1,-(SP)           :
000026 104417                MOV    SP,R0              : SP,*
000030 022626                TRAP   17                      :
000032 026767 000000G 000000G    1$:  CMP    (SP)+,(SP)+          :
000040 101401                CMP    NUM.RETRIES,SWP.RETRIES :
000042 000207                BLOS  2$                      :
000044 104402                RTS    PC                      :
000046 105067 000000G      2$:  TRAP   2                      :
000052 004767 000000G      CLRB  B.MASK                :
000056 006000                JSR   PC,AZT.INIT          :
000060 103023                ROR   R0                      :
000062 104455                BCC   5$                      :
000064 000010                TRAP  55                     :
000066 000000G      .WORD  10                      :
000070 000000G      .WORD  MSG.14                    :
000072 032767 000001 000000G      .WORD  RC25$ERR.RPT          :
000100 001402                BIT   #1,RET.STATUS        :
000102 004767 000000G      BEQ   3$                      :
000106 104465                JSR   PC,DECODE            :
000110 006000                TRAP  65                     :
000112 103003                ROR   R0                      :
000114 162706 000006      BCC   4$                      :
000120 000507                SUB   #6,SP                 :
000122 012767 000001 000000G      BR    9$                      :
000130 032767 002000 000002G    4$:  MOV   #1,RETRIES          :
000136 001004                BIT   #2000,RC25.DATA+2    :
000140 032767 000400 000002G    5$:  BNE   6$                      :
000146 001042                BIT   #400,RC25.DATA+2    :
000150 112767 000002 000000G    BNE   8$                      :
000156 012767 000000G 000000G    6$:  MOVB  #2,P.MASK            :
000164 012767 000001 000000G      MOV   #FMT3,P1             :
000172 016700 000000G      MOV   #1,P2                :
000176 062700 000002        MOV   RC25.ADDR,R0          :
000202 010067 000000G      ADD   #2,R0                 :
000206 016767 000002G 000000G    MOV   R0,P4                 :
000214 012767 000001 000000G    MOV   RC25.DATA+2,P5      :
000222 104455                TRAP  55                     :
000224 000011                MOV   #1,P6                :
000226 000000G      .WORD  11                      :
000230 000000G      .WORD  MSG.14                    :
                                .WORD  RC25$ERR.RPT

```

```

2102
2104
:
:
: SP,*
:
2106
:
:
:
:
2107
2119
2121
:
2125
:
2127
:
:
:
2130
2135
:
2137
:
2142
2143
2144
2145
:
2146
2147
2148

```

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

000232	104465			TRAP	65				
000234	006000			ROR	R0				
000236	103003			BCC	7\$				
000240	162706	000006		SUB	#6,SP				
000244	000435			BR	9\$				
000246	012767	000001	000000G	MOV	#1,RETRIES	:			2150
000254	016767	000002G	000000G	MOV	RC25.DATA+2,TEMP	:			2153
000262	006267	000000G		ASR	TEMP	:			2154
000266	006267	000000G		ASR	TEMP				
000272	006267	000000G		ASR	TEMP				
000276	006267	000000G		ASR	TEMP				
000302	006267	000000G		ASR	TEMP				
000306	006267	000000G		ASR	TEMP				
000312	042767	177740	000000G	BIC	#177740,TEMP				
000320	016746	000000G		MOV	TEMP,-(SP)	:			2155
000324	012746	000000G		MOV	#FMT5,-(SP)				
000330	012746	000002		MOV	#2,-(SP)				
000334	010600			MOV	SP,R0	: SP,*			
000336	104417			TRAP	17				
000340	062706	000006		ADD	#6,SP	:			2107
000344	104467			TRAP	67	:			2155
000346	006000			ROR	R0				
000350	103635			BLO	2\$				
000352	104402			TRAP	2	:			2156
000354	112767	000001	000000G	MOVB	#1,B.MASK	:			2161
000362	016700	000000G		MOV	RT.TABLE,R0	:			2162
000366	016046	000002		MOV	2(R0),-(SP)				
000372	012746	000004		MOV	#4,-(SP)				
000376	004767	000000G		JSR	PC,BL\$DIV				
000402	010067	000000G		MOV	R0,DATA1				
000406	162767	040200	000000G	SUB	#40200,DATA1				
000414	004767	000000G		JSR	PC,AZT.INIT	:			2166
000420	006000			ROR	R0				
000422	103023			BCC	13\$				
000424	104455			TRAP	55	:			2169
000426	000012			.WORD	12				
000430	000000G			.WORD	MSG.14				
000432	000000G			.WORD	RC25\$ERR.RPT				
000434	032767	000001	000000G	BIT	#1,RET.STATUS	:			2171
000442	001402			BEQ	11\$				
000444	004767	000000G		JSR	PC,DECODE				
000450	104465			TRAP	65				
000452	006000			ROR	R0				
000454	103002			BCC	12\$				
000456	024646			CMP	-(SP),-(SP)				
000460	000476			BR	16\$				
000462	012767	000001	000000G	MOV	#1,RETRIES	:			2174
000470	000456			BR	15\$:			2166
000472	005067	000000G		CLR	TEMP	:			2179
000476	116767	000001G	000000G	MOVB	DATA1+1,TEMP				
000504	005000			CLR	R0	:			2181
000506	156700	000002G		BISB	RC25.DATA+2,R0				
000512	020067	000000G		CMP	R0,TEMP				
000516	001443			BEQ	15\$				
000520	112767	000002	000000G	MOVB	#2,P.MASK	:			2184
000526	012767	000000G	000000G	MOV	#FMT2,P1	:			2185
000534	012767	000001	000000G	MOV	#1,P2	:			2186

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

000542	016767	000000G	000000G		MOV	TEMP,P4	:	2187
000550	005000				CLR	R0	:	2188
000552	156700	000002G			BISB	RC25.DATA+2,R0		
000556	010067	000000G			MOV	R0,P5		
000562	017700	000000G			MOV	@RT.TABLE,R0	:	2189
000566	062700	000002			ADD	#2,R0		
000572	010067	000000G			MOV	R0,P6		
000576	104455				TRAP	55	:	2190
000600	000013				.WORD	13		
000602	000000G				.WORD	MSG.11		
000604	000000G				.WORD	RC25\$ERR.RPT		
000606	104465				TRAP	65		
000610	006000				ROR	R0		
000612	103002				BCC	14\$		
000614	024646				CMP	-(SP),-(SP)		
000616	000417				BR	16\$		
000620	012767	000001	000000G	14\$:	MOV	#1,RETRIES	:	2192
000626	016700	000002G		15\$:	MOV	RC25.DATA+2,R0	:	2197
000632	000300				SWAB	R0		
000634	042700	177770			BIC	#177770,R0		
000640	010016				MOV	R0,(SP)		
000642	012746	000000G			MOV	#FMT4,-(SP)		
000646	012746	000002			MOV	#2,-(SP)		
000652	010600				MOV	SP,R0	: SP,*	
000654	104417				TRAP	17		
000656	062706	000010		16\$:	ADD	#10,SP	:	2156
000662	104467				TRAP	67	:	2197
000664	006000				ROR	R0		
000666	103631				BLO	10\$		
000670	104402			17\$:	TRAP	2	:	2198
000672	112767	000003	000000G		MOVB	#3,B.MASK	:	2203
000700	012767	000000G	000000G		MOV	#COM.AREA,DATA2	:	2204
000706	004767	000000G			JSR	PC,AZT.INIT	:	2206
000712	006000				ROR	R0		
000714	103021				BCC	19\$		
000716	104455				TRAP	55	:	2209
000720	000014				.WORD	14		
000722	000000G				.WORD	MSG.14		
000724	000000G				.WORD	RC25\$ERR.RPT		
000726	032767	000001	000000G		BIT	#1,RET.STATUS	:	2211
000734	001402				BEQ	18\$		
000736	004767	000000G			JSR	PC,DECODE		
000742	104465			18\$:	TRAP	65		
000744	006000				ROR	R0		
000746	103460				BLO	20\$		
000750	012767	000001	000000G		MOV	#1,RETRIES	:	2214
000756	000454				BR	20\$:	2206
000760	005067	000000G		19\$:	CLR	TEMP	:	2219
000764	116767	000000G	000000G		MOVB	DATA1,TEMP	:	2221
000772	005000				CLR	R0	:	
000774	156700	000002G			BISB	RC25.DATA+2,R0		
001000	020067	000000G			CMP	R0,TEMP		
001004	001441				BEQ	20\$		
001006	112767	000002	000000G		MOVB	#2,P.MASK	:	2224
001014	012767	000000G	000000G		MOV	#FMT2,P1	:	2225
001022	012767	000001	000000G		MOV	#1,P2	:	2226
001030	016767	000000G	000000G		MOV	TEMP,P4	:	2227

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

001036	005000			CLR	R0	:	2228
001040	156700	000002G		BISB	RC25.DATA+2,R0		
001044	010067	000000G		MOV	R0,P5		
001050	017700	000000G		MOV	@RT.TABLE,R0	:	2229
001054	062700	000002		ADD	#2,R0		
001060	010067	000000G		MOV	R0,P6		
001064	104455			TRAP	55	:	2230
001066	000015			.WORD	15		
001070	000000G			.WORD	MSG.11		
001072	000000G			.WORD	RC25\$ERR.RPT		
001074	104465			TRAP	65		
001076	006000			ROR	R0		
001100	103403			BLO	20\$		
001102	012767	000001	000000G	MOV	#1,RETRIES	:	2232
001110	104467		20\$:	TRAP	67	:	2235
001112	006000			ROR	R0		
001114	103665			BLO	17\$		
001116	104402		21\$:	TRAP	2	:	2237
001120	112767	000007	000000G	MOVB	#7,B.MASK	:	2242
001126	005067	000000G		CLR	DATA3	:	2243
001132	004767	000000G		JSR	PC,AZT.INIT	:	2245
001136	006000			ROR	R0		
001140	103023			BCC	24\$		
001142	104455			TRAP	55	:	2248
001144	000016			.WORD	16		
001146	000000G			.WORD	MSG.14		
001150	000000G			.WORD	RC25\$ERR.RPT		
001152	032767	000001	000000G	BIT	#1,RET.STATUS	:	2250
001160	001402			BEQ	22\$		
001162	004767	000000G		JSR	PC,DECODE		
001166	104465		22\$:	TRAP	65		
001170	006000			ROR	R0		
001172	103003			BCC	23\$		
001174	162706	000010		SUB	#10,SP		
001200	000426			BR	25\$		
001202	012767	000001	000000G	MOV	#1,RETRIES	:	2253
001210	016746	000002G	24\$:	MOV	RC25.DATA+2,-(SP)	:	2257
001214	042716	177760		BIC	#177760,(SP)		
001220	016700	000002G		MOV	RC25.DATA+2,R0		
001224	006200			ASR	R0		
001226	006200			ASR	R0		
001230	006200			ASR	R0		
001232	006200			ASR	R0		
001234	042700	177760		BIC	#177760,R0		
001240	010046			MOV	R0,-(SP)		
001242	012746	000000G		MOV	#FMT6,-(SP)		
001246	012746	000003		MOV	#3,-(SP)		
001252	010600			MOV	SP,R0	: SP,*	
001254	104417			TRAP	17		
001256	062706	000010	25\$:	ADD	#10,SP	:	2237
001262	104467			TRAP	67	:	2257
001264	006000			ROR	R0		
001266	103713			BLO	21\$		
001270	032767	000001	000000G	BIT	#1,RETRIES	:	2260
001276	001402			BEQ	26\$		
001300	004767	000000G		JSR	PC,DO.RETRIES		
001304	005767	000000G	26\$:	TST	NUM.RETRIES	:	2262

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (7)

001310	001402			BEO	27\$		
001312	000167	176514		JMP	1\$		
001316	000207		27\$:	RTS	PC	:	2085

; Routine Size: 360 words, Routine Base: AC\$CODE + 2362
 ; Maximum stack depth per invocation: 6 words

				.SBTTL	T5 TEST SECTION		
000000	004767	176454		T5::			
000000			1\$:	JSR	PC,\$T5	:	2264
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

; Routine Size: 6 words, Routine Base: AC\$CODE + 3702
 ; Maximum stack depth per invocation: 2 words

; 2267 !<BLF/PAGE>

```
2268 !
2269 BGNTST:
2270
2271 !++
2272 ! TEST #6 - PURGE AND POLL TEST
2273
2274 ! DESCRIPTION:
2275
2276 ! THIS TEST WILL PERFORM THE FIRST THREE STEPS OF THE INIT SEQUENCE.
2277 ! WHEN THE HOST RESPONDS TO THE STEP 3 TRANSITION IT WILL WRITE A ONE
2278 ! BIT TO BIT 15 OF THE SA REGISTER, THERBY REQUESTING THE EXECUTION OF
2279 ! PURGE AND POLL TESTING. THE HOST THEN WAITS FOR THE SA REGISTER TO
2280 ! TRANSITION TO A ZERO VALUE. THE HOST THEN WRITES ZEROS TO THE SA
2281 ! REGISTER SIMULATING A 'PURGE COMPLETED' HOST ACTION. THE HOST THEN
2282 ! READS THE IP REGISTER TO SMULATF A 'START POLLING' COMMAND FROM THE
2283 ! HOST TO THE PORT. THE TEST IS COMPLETE WHEN THE CONTROLLER ANNOUNCES
2284 ! THE TRANSITION TO STEP 4 IN THE SA REGISTER.
2285
2286 ! FAILURE TO PROPERLY COMPLETE THIS TEST WILL BE REPORTED.
2287
2288 ! LOOP ON ERROR WILL RESTART THE TEST.
2289 !--
2290
2291 if .SWP_TRACE then PRINTF (DBM12);          ! TEST 6
2292
2293 NUM_RETRIES = ZERO;
2294
2295 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2296     begin
2297         TIP = 6;
2298         B_MASK = 3;
2299         DATA1 = %0'100200' + .RT_TABLE [RT_VECTOR]/4;      ! IE AND VECTOR ADDRESS
2300         DATA2 = RINGBASE;                                  ! RING BASE LOW ADDRESS
2301         DATA3 = %0'100000';                                ! PURGE AND POLL
2302
2303         if AZT_INIT ()                                     ! DO UPTO STEP 3 READ AND
2304         then                                              ! CHECK FOR ERRORS
2305             begin                                         ! IF ERRORS THEN
2306                 ERRDF (15, MSG_14, RC25$ERR_RPT);        ! REPORT THEM
2307
2308                 if .RET_STATUS then DECODE ();          ! DECODE STATUS
2309
2310                 CKLOOP;
2311                 RETRIES = TRUE;
2312             end
2313         else
2314             begin
2315                 WRT_RC25 (RCSA, .DATA3);                ! WRITE PURGE AND POLL
2316
2317                 while (.RC25_ADDR [RCSA, RC_ALL] nequ ZERO) do
2318                     DELAY (10);                          ! WAIT UNTIL SA=0
2319
2320                 WRT_RC25 (RCSA, FALSE);                 ! WRITE ALL ZERO'S TO SA
2321                 DATA1 = .RC25_ADDR [RCIP, RC_ALL];     ! READ THE IP REGISTER
2322                 DATA1 = %0'10';                        ! INIT THE LOOP COUNT
2323
2324                 while (.DATA1 nequ ZERO) do
```

ZRCFA3
V01.0CZRCFA0 RC25 FR END TEST
TEST SECTION8-Jul-1983 15:31:08
8-Jul-1983 14:46:50VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (8)SEQ 227
Page 34

```

2325     begin
2326     delay (333);
2327
2328     if .I_AM_NEX eqlu ALL_ONES then exitloop;
2329
2330     DATA1 = .DATA1 - 1;
2331     end;
2332
2333     if .I_AM_NEX eqlu ALL_ONES
2334     then
2335     begin
2336     RC25_DATA [RCSA, RC_ALL] = .RC25_ADDR [RCSA, RC_ALL];
2337
2338     if .RC25_DATA [RCSA, RCSA_ER]      ! IF PORT FATAL ERROR
2339     then                                ! THEN REPORT IT.
2340     begin
2341     RET_STATUS = PFE_CODE;
2342     P1 = FMT3;
2343     P2 = ADAPT;
2344     P4 = (.RC25_ADDR) + 2;
2345     P5 = .RC25_DATA [RCSA, RC_ALL];
2346     P6 = %0'04';
2347     P MASK = 2;
2348     ERRDF (16, MSG_14, RC25$ERR_RPT);
2349     DECODE ();
2350     CKLOOP;
2351     RETRIES = TRUE;
2352     end;
2353
2354     if (.RC25_DATA [RCSA, RCSA_STEP] nequ %b'1000')      ! CHECK FOR STEP 4 COMPLETE
2355     then
2356     begin
2357     P1 = FMT3;
2358     P2 = ADAPT;
2359     P4 = (.RC25_ADDR) + 2;
2360     P5 = .RC25_DATA [RCSA, RC_ALL];
2361     P6 = %0'10';      ! MASK = STEP 4
2362     P MASK = 2;
2363     ERRDF (17, MSG_14, RC25$ERR_RPT);
2364     CKLOOP;
2365     RETRIES = TRUE;
2366     end;
2367
2368     end
2369     else
2370     begin
2371     RET_STATUS = CTO_CODE;
2372     RETRIES = TRUE;
2373     ERRDF (18, MSG_9, 0);
2374     DECODE ();
2375     end;
2376
2377     end;
2378
2379     if (.RETRIES) then DO_RETRIES ();
2380
2381     if (.NUM_RETRIES eqlu ZERO) then exitloop;

```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (8)

: 2382
: 2383 end;
: 2384
: 2385 ENDTST;

000000	010146			\$T6:	.SBTTL	\$T6 TEST SECTION			2266
000002	162706	000010			MOV	R1,-(SP)	:		
000006	032767	000001	000000G		SUB	#10,SP	:		2291
000014	001407				BIT	#1,SWP.TRACE	:		
000016	012746	000000G			BEQ	1\$			
000022	012746	000001			MOV	#DBM12,-(SP)			
000026	010600				MOV	#1,-(SP)			
000030	104417				MOV	SP,R0	: SP,*		
000032	022626				TRAP	17			
000034	005067	000000G		1\$:	CMP	(SP)+,(SP)+			2293
000040	026767	000000G	000000G	2\$:	CLR	NUM.RETRIES	:		2295
000046	101402				CMP	NUM.RETRIES,SWP.RETRIES	:		
000050	000167	000674			BLOS	3\$			
000054	012767	000006	000000G	3\$:	JMP	25\$			2297
000062	112767	000003	000000G		MOV	#6,TIP	:		2298
000070	016700	000000G			MOV	#3,B.MASK	:		2299
000074	016046	000002			MOV	RT.TABLE,R0	:		
000100	012746	000004			MOV	2(R0),-(SP)			
000104	004767	000000G			MOV	#4,-(SP)			
000110	010067	000000G			JSR	PC,BLSDIV			
000114	162767	077600	000000G		MOV	RO,DATA1			
000122	012767	000000G	000000G		SUB	#77600,DATA1			2300
000130	012767	100000	000000G		MOV	#RINGBASE,DATA2	:		2301
000136	004767	000000G			MOV	#-100000,DATA3	:		2303
000142	006000				JSR	PC,AZI.INIT	:		
000144	103025				ROR	R0			
000146	104455				BCC	6\$			
000150	000017				TRAP	5\$:		2306
000152	000000G				.WORD	17			
000154	000000G				.WORD	MSG.14			
000156	032767	000001	000000G		.WORD	RC25\$ERR.RPT			
000164	001402				BIT	#1,RET.STATUS	:		2308
000166	004767	000000G			BEQ	4\$			
000172	104465			4\$:	JSR	PC,DECODE			
000174	006000				TRAP	6\$			
000176	103003				ROR	R0			
000200	022626				BCC	5\$			
000202	000167	000542			CMP	(SP)+,(SP)+			
000206	012767	000001	000000G	5\$:	JMP	25\$			2311
000214	000167	000474			MOV	#1,RETRIES	:		2303
000220	016701	000000G		6\$:	JMP	22\$:		2315
000224	016700	000000G			MOV	DATA3,R1	: *,RCM.REG		
000230	010160	000002			MOV	RC25.ADDR,R0	:		
000234	016700	000000G		7\$:	MOV	R1,2(R0)	: RCM.REG,*		2317
000240	016066	000002	000010		MOV	RC25.ADDR,R0	:		
000246	001414				MOV	2(R0),10(SP)	: *,RC.REG		
000250	012701	000012			BEQ	11\$			
000254	001767			8\$:	MOV	#12,R1	: *,SSTMP2		2318
000256	016700	000000G			BEQ	7\$			
000262	001404				MOV	LSDLY,R0	: *,SSTMP1		
					BEQ	10\$			

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (8)

000264	005066	000012	9\$:	CLR	12(SP)	:	\$TMP	
000270	005300			DEC	R0	:	\$TMP1	
000272	001374			BNE	9\$			
000274	005301		10\$:	DEC	R1	:	\$TMP2	
000276	000766			BR	8\$			
000300	005001		11\$:	CLR	R1	:	RCM.REG	2320
000302	016700	000000G		MOV	RC25.ADDR,R0			
000306	005060	000002		CLR	2(R0)			
000312	011066	000006		MOV	(R0),6(SP)	:	RC25.ADDR,RC.REG	2321
000316	012767	000010	000000G	MOV	#10,DATA1	:		2322
000324	001423		12\$:	BEQ	17\$:		2324
000326	012701	000515		MOV	#515,R1	:	*,\$TMP2	2326
000332	001411		13\$:	BEQ	16\$			
000334	016700	000000G		MOV	L\$DLY,R0	:	*,\$TMP1	
000340	001404			BEQ	15\$			
000342	005066	000012	14\$:	CLR	12(SP)	:	\$TMP	
000346	005300			DEC	R0	:	\$TMP1	
000350	001374			BNE	14\$			
000352	005301		15\$:	DEC	R1	:	\$TMP2	
000354	000766			BR	13\$			
000356	026727	000000G	16\$:	CMP	I.AM.NEX,#-1	:		2328
000364	001403			BEQ	17\$			
000366	005367	000000G		DEC	DATA1	:		2330
000372	000754			BR	12\$:		2324
000374	026727	000000G	17\$:	CMP	I.AM.NEX,#-1	:		2333
000402	001130			BNE	21\$			
000404	016700	000000G		MOV	RC25.ADDR,R0	:		2336
000410	016066	000002	000004	MOV	2(R0),4(SP)	:	*,RC.REG	
000416	016667	000004	000002G	MOV	4(SP),RC25.DATA+2	:	RC.REG,*	
000424	100046			BPL	19\$:		2338
000426	012767	000021	000000G	MOV	#21,RET.STATUS	:		2341
000434	012767	000000G	000000G	MOV	#FMT3,P1	:		2342
000442	012767	000001	000000G	MOV	#1,P2	:		2343
000450	016700	000000G		MOV	RC25.ADDR,R0	:		2344
000454	062700	000002		ADD	#2,R0			
000460	010067	000000G		MOV	R0,P4			
000464	016767	000002G	000000G	MOV	RC25.DATA+2,P5	:		2345
000472	012767	000004	000000G	MOV	#4,P6	:		2346
000500	112767	000002	000000G	MOVB	#2,P.MASK	:		2347
000506	104455			TRAP	55	:		2348
000510	000020			.WORD	20			
000512	000000G			.WORD	MSG.14			
000514	000000G			.WORD	RC25\$ERR.RPT			
000516	004767	000000G		JSR	PC,DECODE	:		2349
000522	104465			TRAP	65			
000524	006000			ROR	R0			
000526	103002			BCC	18\$			
000530	022626			CMP	(SP)+,(SP)+			
000532	000506			BR	25\$			
000534	012767	000001	000000G	18\$:	MOV	#1,RETRIES	:	2351
000542	016700	000002G		19\$:	MOV	RC25.DATA+2,R0	:	2354
000546	042700	103777		BIC	#103777,R0			
000552	020027	040000		CMP	R0,#40000			
000556	001456			BEQ	22\$			
000560	012767	000000G	000000G	MOV	#FMT3,P1	:		2357
000566	012767	000001	000000G	MOV	#1,P2	:		2358
000574	016700	000000G		MOV	RC25.ADDR,R0	:		2359

ZRCFA3 CZRCFA0 RC25 FR END TEST
V01.0 TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (8)

000600	062700	000002			ADD	#2,R0		
000604	010067	000000G			MOV	R0,P4		
000610	016767	000002G	000000G		MOV	RC25.DATA+2,P5	:	2360
000616	012767	000010	000000G		MOV	#10,P6	:	2361
000624	112767	000002	000000G		MOVB	#2,P.MASK	:	2362
000632	104455				TRAP	55	:	2363
000634	000021				.WORD	21		
000636	000000G				.WORD	MSG.14		
000640	000000G				.WORD	RC25\$ERR.RPT		
000642	104465				TRAP	65		
000644	006000				ROR	R0		
000646	103002				BCC	20\$		
000650	022626				CMP	(SP)+,(SP)+		
000652	000436				BR	25\$		
000654	012767	000001	000000G	20\$:	MOV	#1,RETRIES	:	2365
000662	000414				BR	22\$:	2333
000664	012767	000011	000000G	21\$:	MOV	#11,RET.STATUS	:	2371
000672	012767	000001	000000G		MOV	#1,RETRIES	:	2372
000700	104455				TRAP	55	:	2373
000702	000022				.WORD	22		
000704	000000G				.WORD	MSG.9		
000706	000000				.WORD	0		
000710	004767	000000G			JSR	PC,DECODE	:	2374
000714	032767	000001	000000G	22\$:	BIT	#1,RETRIES	:	2379
000722	001402				BEQ	23\$		
000724	004767	000000G			JSR	PC,DO.RETRIES		
000730	005767	000000G		23\$:	TST	NUM.RETRIES	:	2381
000734	001002				BNE	24\$		
000736	022626				CMP	(SP)+,(SP)+		
000740	000403				BR	25\$		
000742	022626			24\$:	CMP	(SP)+,(SP)+	:	2296
000744	000167	177070			JMP	2\$:	2295
000750	062706	000010		25\$:	ADD	#10,SP	:	2266
000754	012601				MOV	(SP)+,R1		
000756	000207				RTS	PC		

; Routine Size: 248 words, Routine Base: AC\$CODE + 3716
; Maximum stack depth per invocation: 9 words

					.SBTTL	T6 TEST SECTION		
000000	004767	177014		T6::				
000000				1\$:	JSR	PC,\$T6	:	2383
000004	104466				TRAP	66		
000006	006000				ROR	R0		
000010	103773				BLO	1\$		
000012	000207				RTS	PC		

; Routine Size: 6 words, Routine Base: AC\$CODE + 4676
; Maximum stack depth per invocation: 2 words

; 2386 !<BLF/PAGE>


```
2387 !
2388 BGNTST:
2389
2390 !++
2391 ! TEST #7 - SMALL RING BUFFER INIT TEST
2392 !
2393 ! DESCRIPTION:
2394 !
2395 ! THE AZTEC WILL BE INITIALIZED WITHOUT INTERRUPTS AND USING THE
2396 ! SMALLEST RING BUFFER. THIS WILL BE THE FIRST TIME THAT THE
2397 ! INITIALIZATION SEQUENCE IS CARRIED OUT TO COMPLETION. INITIALIZING
2398 ! WITH THE SMALLEST RING BUFFER MINIMIZES THE HOST MEMORY AREA WITH
2399 ! WHICH THE AZTEC CONTROLLER MUST BE ABLE TO COMMUNICATE.
2400 !
2401 ! FAILURE TO PROPERLY INITIATE THE AZTEC WILL BE REPORTED.
2402 !
2403 ! IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, LOOPING WILL BE FROM THE
2404 ! START OF THIS TEST.
2405 !
2406
2407 if .SWP_TRACE then PRINTF (DBM13);          ! TEST 7
2408
2409 NUM_RETRIES = ZERO;
2410
2411 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2412 begin
2413 TIP = 7;
2414 B_MASK = %0'17';          ! SELECT ALL STEPS
2415 DATA1 = %0'100200';     ! STEP 1 WRITE WITH MIN. RING SIZES
2416 DATA2 = RING_B [0];    ! SET UP RING BASE ADDRESS
2417 DATA3 = 0;
2418 DATA4<0, 1> = 1;
2419 RING_B [0] = ALL_ONES;   ! INIT RING B [0] AND [1]
2420 RING_B [1] = ALL_ONES;   ! WITH ALL ONES (-1)
2421
2422 if AZP_INIT ()          ! DO INIT STEPS
2423 then
2424 begin
2425 ERRDF (19, MSG_14, RC25$ERR_RPT); ! IF ERROR THEN
2426                                     ! THEN REPORT THE ERROR
2427
2428 if .RET_STATUS then DECODE ();      ! DECODE RETURN STATUS
2429
2430 CKLOOP;
2431 RETRIES = TRUE;
2432 end;
2433
2434 if .RING_B [0] nequ 0 and .RING_B [1] nequ 0          ! TEST THAT THE RC25 CLEARED
2435 then                                                  ! RING BUFFERS
2436 begin                                              ! IF NOT THEN ERROR
2437 ERRDF (20, MSG_10, 0);                          ! AND REPORT IT
2438 CKLOOP;
2439 RETRIES = TRUE;
2440 end;
2441
2442 if (.RETRIES) then DO_RETRIES ();
2443
2444 if (.NUM_RETRIES eglu ZERO) then exitloop;
```

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (9)

ZRCFA3
V01.0 CZRCFA0 RC25 FR END TEST
TEST SECTION

```

:      2444
:      2445      end;
:      2446
:      2447      return;
:      2448      ENDTST;
    
```

```

000000 032767 000001 000000G      $T7:  .SBTTL  $T7 TEST SECTION      2407
000006 001407                    BIT      #1,SWP.TRACE      :
000010 012746 000000G            BEQ      1$          :
000014 012746 000001           MOV      #DBM13,-(SP)      :
000020 010600                    MOV      #1,-(SP)      :
000022 104417                    MOV      SP,R0        ; SP,*
000024 022626                    TRAP     17          :
000026 005067 000000G            CMP      (SP)+,(SP)+  :
000032 026767 000000G 000000G    1$:    CLR      NUM.RETRIES  :      2409
000040 101104                    2$:    CMP      NUM.RETRIES,SWP.RETRIES  :      2411
000042 012767 000007 000000G    BHI      7$          :
000050 112767 000017 000000G    MOV      #7,TIP      :      2413
000056 012767 100200 000000G    MOV      #17,B.MASK  :      2414
000064 012767 000100' 000000G    MOV      #-77600,DATA1  :      2415
000072 005067 000000G            MOV      #RING.B,DATA2  :      2416
000076 152767 000001 000000G    CLR      DATA3      :      2417
000104 012767 177777 000100'    BISB   #1,DATA4      :      2418
000112 012767 177777 000102'    MOV      #-1,RING.B  :      2419
000120 004767 000000G            MOV      #-1,RING.B+2  :      2420
000124 006000                    JSR     PC,AZP.INIT   :      2422
000126 103020                    ROR     R0            :
000130 104455                    BCC    4$            :
000132 000023                    TRAP   55            ;      2425
000134 000000G                    .WORD  23            :
000136 000000G                    .WORD  MSG.14       :
000140 032767 000001 000000G    .WORD  RC25$ERR.RPT  :
000146 001402                    BIT    #1,RET.STATUS  ;      2427
000150 004767 000000G            BEQ    3$            :
000154 104465                    JSR   PC,DECODE     :
000156 006000                    3$:   TRAP  65        :
000160 103434                    ROR   R0            :
000162 012767 000001 000000G    BLO   7$            :
000170 005767 000100'           MOV   #1,RETRIES    ;      2430
000174 001415                    4$:   TST  RING.B      :      2433
000176 005767 000102'           BEQ   5$            :
000202 001412                    TST  RING.B+2      :
000204 104455                    BEQ   5$            :
000206 000024                    TRAP  55            ;      2436
000210 000000G                    .WORD  24            :
000212 000000                    .WORD  MSG.10       :
000214 104465                    .WORD  0            :
000216 006000                    TRAP  65            :
000220 103414                    ROR   R0            :
000222 012767 000001 000000G    BLO   7$            :
000230 032767 000001 000000G    MOV   #1,RETRIES    ;      2438
000236 001402                    5$:   BIT  #1,RETRIES  :      2441
000240 004767 000000G            BEQ   6$            :
000244 005767 000000G            JSR   PC,DO.RETRIES  :
000250 001270                    6$:   TST  NUM.RETRIES  :      2443
        BNE  2$          :
    
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (9)

000252 000207

7\$: RTS PC

:

2385

: Routine Size: 86 words, Routine Base: AC\$CODE + 4712
: Maximum stack depth per invocation: 4 words

000000 004767 177520
000000
000004 104466
000006 006000
000010 103773
000012 000207

T7:: .SBTTL T7 TEST SECTION
1\$: JSR PC,\$T7
TRAP 66
ROR R0
BLO 1\$
RTS PC

:

2447

: Routine Size: 6 words, Routine Base: AC\$CODE + 5166
: Maximum stack depth per invocation: 2 words

: 2449 !<BLF/PAGE>

```

2450 !
2451 BGNTST;
2452
2453 !++
2454 ! TEST #8 - LARGE RING BUFFER INIT TEST
2455
2456 ! DESCRIPTION:
2457
2458 ! THE INIT SEQUENCE IS EXECUTED WITHOUT INTERRUPTS WITH A RING BUFFER
2459 ! LARGE ENOUGH TO COVER THE NORMAL HOST COMMUNICATIONS AREA PACKET AND
2460 ! BUFFER SPACE ( A 5 IN MESSAGE LENGTH AND A 5 IN COMMAND LENGTH).
2461
2462 ! A FAILURE TO COMPLETE THE INITIALIZATION SEQUENCE WITHOUT ERROR WILL BE
2463 ! REPORTED.
2464
2465 ! IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, LOOPING WILL BE TO THE
2466 ! BEGINNING OF THIS TEST.
2467 !--
2468
2469 if .SWP_TRACE then PRINTF (DBM14);           ! TEST 8
2470
2471 NUM_RETRIES = ZERO;
2472
2473 while (.NUM_RETRIES lequ .S P_RETRIES) do
2474     begin
2475         TIP = 8;
2476         B_MASK = %0'17';           ! SET MASK BIT FOR COMPLETE INIT.
2477         DATA1<15, 1> = TRUE;      ! SET BIT 15 FOR STEP-1 WRITE
2478         DATA1<14, 1> = 0;        ! NO DIAGNOSTIC WRAP MODE
2479         DATA1<11, 3> = SND_SIZ;  ! SET UP 16 COMMAND RINGS LENGTH
2480         DATA1<8, 3> = REC_SIZ;   ! SET UP 16 RESPONSE RINGS LENGTH
2481         DATA1<7, 1> = 0;        ! DISABLE INTERRUPT
2482         DATA1<0, 7> = 0;        ! LOAD INTERRUPT VECTOR ADDRESS
2483         DATA2 = COM_AREA;       ! LOAD COMMUNICATIONS AREA ADDRESS
2484         DATA3 = ZERO;          ! HI-ORDER ADDR = ZERO
2485         DATA4 = %0'177403';    ! "LAST FAIL" PACKET RESPONSE BIT SET
2486 ! INITIALIZE COM_AREA WITH ALL_ONES PRIOR TO INIT
2487
2488     incru I from 0 to RING_SIZE - 1 do
2489
2490         incru J from 0 to 1 do
2491             COM_AREA [.I, .J, WORD_REF] = ALL_ONES;
2492
2493     if AZP_INIT ()           ! DO STEP INIT AND CHECK FOR ERROR
2494     then
2495         begin
2496             ERRDF (21, MSG_14, RC25$ERR_RPT); ! IF ERRORS THEN
2497                                             ! REPORT ERROR
2498
2499         if .RET_STATUS then DECODE ();      ! DECODE STATUS
2500
2501         CKLOOP;
2502         RETRIES = TRUE;
2503         end;
2504
2505     incru I from 0 to RING_SIZE - 1 do           ! TEST RING AREA FOR ZEROES
2506         incru J from 0 to 1 do

```

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (10)

```

: 2507
: 2508     if .COM_AREA [I, J, WORD_REF] nequ 0      ! IF RING AREA IS NOT CLEAR
: 2509     then                                      ! THEN
: 2510         begin                                ! REPORT ERROR
: 2511         ERRDF (22, MSG_10, 0);
: 2512         CKLOOP;
: 2513         RETRIES = TRUE;
: 2514         end;
: 2515
: 2516     if (.RETRIES) then DO_RETRIES ();
: 2517
: 2518     if (.NUM_RETRIES eqlu ZERO) then exitloop;
: 2519
: 2520     end;
: 2521
: 2522     return;
: 2523     ENDTST;

```

```

000000 004167 000000G          $T8:  .SBTTL  $T8 TEST SECTION           :           2448
000004 032767 000001 000000G  JSR      R1,$SAVE2            :           2469
000012 001407                BEQ      #1,SWP.TRACE         :
000014 012746 000000G        MOV      #DBM14,-(SP)         :
000020 012746 000001        MOV      #1,-(SP)           :
000024 010600                MOV      SP,R0              : SP,*
000026 104417                TRAP     17                    :
000030 022626                CMP      (SP)+,(SP)+         :
000032 005067 000000G        1$:     CLR      NUM.RETRIES         :           2471
000036 026767 000000G 000000G  2$:     CMP      NUM.RETRIES,SWP.RETRIES :           2473
000044 101132                BHI     11$                    :
000046 012767 000010 000000G  MOV      #10,TIP            :           2475
000054 112767 000017 000000G  MOVB    #17,B.MASK         :           2476
000062 012767 122000 000000G  MOV     #122000,DATA1       :           2482
000070 012767 000000G 000000G  MOV     #COM.AREA,DATA2     :           2483
000076 005067 000000G        CLR      DATA3              :           2484
000102 012767 177403 000000G  MOV     #-375,DATA4         :           2485
000110 005001                CLR     R1                    :           2488
000112 005002                3$:     CLR     R2                    :           2490
000114 010100                4$:     MOV     R1,R0            :           2491
000116 006300                ASL    R0                      :
000120 060200                ADD    R2,R0                  : J,*
000122 006300                ASL    R0                      :
000124 012760 177777 000000G  MOV     #-1,COM.AREA(R0)    :
000132 005202                INC    R2                      : J
000134 020227 000001        CMP     R2,#1                 : J,*
000140 101765                BLOS   4$                      :
000142 005201                INC    R1                      : I
000144 020127 000037        CMP     R1,#37                : I,*
000150 101760                BLOS   3$                      :
000152 004767 000000G        JSR    PC,AZP.INIT          :           2493
000156 006000                ROR    R0                      :
000160 103070                BCC    6$                      :
000162 104455                TRAP   55                      :           2496
000164 000025                .WORD  25                      :
000166 000000G        .WORD  MSG.14                 :
000170 000000G        .WORD  RC25$ERR.RPT          :

```

ZRCFA3 V01.0	CZRCFAO RC25 FR END TEST TEST SECTION	8-Jul-1983 15:31:08 8-Jul-1983 14:46:50	VAX-11 Bliss-16 V3-555 SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (10	SEQ 236 Page 43	
000172	032767 000001 000000G	BIT	#1,RET.STATUS	:	2498
000200	001402	BEQ	5\$		
000202	004767 000000G	JSR	PC,DECODE		
000206	104465	5\$: TRAP	65		
000210	006000	ROR	R0		
000212	103447	BLO	11\$		
000214	012767 000001 000000G	MOV	#1,RETRIES	:	2501
000222	005001	6\$: CLR	R1	: I	2504
000224	005002	7\$: CLR	R2	: J	2506
000226	010100	8\$: MOV	R1,R0	: I,*	2508
000230	006300	ASL	R0		
000232	060200	ADD	R2,R0	: J,*	
000234	006300	ASL	R0		
000236	005760 000000G	TST	COM.AREA(R0)		
000242	001412	BEQ	9\$		
000244	104455	TRAP	55	:	2511
000246	000026	.WORD	26		
000250	000000G	.WORD	MSG.10		
000252	000000	.WORD	0		
000254	104465	TRAP	65		
000256	006000	ROR	R0		
000260	103424	BLO	11\$		
000262	012767 000001 000000G	MOV	#1,RETRIES	:	2513
000270	005202	9\$: INC	R2	: J	2506
000272	020227 000001	CMP	R2,#1	: J,*	
000276	101753	BLOS	8\$		
000300	005201	INC	R1	: I	2504
000302	020127 000037	CMP	R1,#37	: I,*	
000306	101746	BLOS	7\$		
000310	032767 000001 000000G	BIT	#1,RETRIES	:	2516
000316	001402	BEQ	10\$		
000320	004767 000000G	JSR	PC,DO.RETRIES		
000324	005767 000000G	10\$: TST	NUM.RETRIES	:	2518
000330	001242	BNE	2\$		
000332	000207	11\$: RTS	PC	:	2448

: Routine Size: 110 words, Routine Base: AC\$CODE + 5202
 : Maximum stack depth per invocation: 7 words

000000	004767 177440	T8::	.SBTTL T8 TEST SECTION		
000000		1\$:	JSR PC,\$T8	:	2522
000004	104466		TRAP 66		
000006	006000		ROR R0		
000010	103773		BLO 1\$		
000012	000207		RTS PC		

: Routine Size: 6 words, Routine Base: AC\$CODE + 5536
 : Maximum stack depth per invocation: 2 words

: 2524 !<BLF/PAGE>

```
2525 !
2526 BGNTST;
2527
2528 !++
2529 ! TEST #9 - 'DIAGNOSTIC MACHINE' CODE DOWN LINE LOAD TEST
2530
2531 ! DESCRIPTION:
2532
2533 ! THIS 'DIAGNOSTIC MACHINE' PROGRAM WILL ATTEMPT TO TRANSFER A BLOCK
2534 ! OF DATA FROM HOST MEMORY TO AN AREA IN THE CONTROLLER AND THEN
2535 ! EXAMINE THE TRANSFERED DATA.
2536
2537 ! IF THE TRANSFERED DATA NOT COMPARE CORRECTLY, THEN THE ERROR WILL
2538 ! BE REPORTED. THIS TEST ALSO REPORTS ERRORS IF ANY OF THE ROUTINES
2539 ! USED RETURNED FAILURE CODE.
2540
2541 ! IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, LOOPING WILL BE FROM
2542 ! THE START OF THIS TEST.
2543 !--
2544
2545 if .SWP_TRACE then PRINTF (DBM15);          ! TEST 9
2546
2547 NUM_RETRIES = ZERO;
2548
2549 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2550     begin
2551
2552         if AZTEC_READY ()                    ! GET AZTEC READY
2553         then
2554             begin
2555                 ERRDF (23, AZT_READY_ERR, 0); ! IF ERROR REPORT ERROR
2556
2557                 if .RET_STATUS then DECODE ();
2558
2559                 CKLOOP;
2560                 RETRIES = TRUE;
2561             end
2562         else
2563             begin
2564                 TEMP = .FREE_MEM_ADDR;        ! SAVE FREE MEMORY STARTING ADDR.
2565
2566                 incru COUNT from 0 to 1024 do ! FILL NEXT 1024 LOC. WITH DATAS
2567                     begin
2568                         .TEMP = %o'125252'; ! WRITE DATA 0'125252' INTO MEMORY
2569                         TEMP = .TEMP + 2;    ! INCREMENT THE POINTER BY 2
2570                     end;
2571
2572                 CMD_REF = 3;                 ! SET COMMAND REFERENCE #3
2573                 BUF_DESCPTR = DM_09;         ! DM-PROGRAM STARTING ADDRESS
2574                 BYTE_COUNT = 93*2;          ! TOTAL DM PROGRAM LENGTH BYTE COUNTS
2575
2576                 if EX_SUP_PRG ()             ! ISSUE AN 'EXECUTE SUPPLIED PRG' CMD
2577                 then                          ! STATUS BIT INDICATES ERROR
2578                     begin                     ! THEN
2579                         ERRDF (24, EXE_SUP_ERR, 0);
2580
2581                 if .RET_STATUS then DECODE ();
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

G 3

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

SEQ 238
Page 45

```
2582  
2583       CKLOOP;  
2584       RETRIES = TRUE;  
2585       end;  
2586  
2587       H_SADD = .FREE_MEM_ADDR;      ! LO BYTE FREE HOST MEMORY ADDRESS  
2588       H_EADD = 0;                  ! HIGH BYTE FREE MEMORY ADDRESS  
2589       BUF_LENGTH = 1024;           ! TOTAL FREE HOST MEMORY SIZE  
2590       CMD_REF = 4;                 ! COMMAND REFERENCE 04  
2591       BUF_DESCRPT = H_SADD;        ! DESCRIPTOR ADDRESS  
2592       BYTE_COUNT = 06;             ! TOTAL BYTES TO BE TRANSFER  
2593  
2594       if SEND_DATA ()              ! ISSUE SEND DATA COMMAND  
2595       then                          ! STATUS BIT INDICATES ERROR  
2596       begin                          ! THEN  
2597       ERRDF (25, SND_DATA_ERR, 0);  
2598  
2599       if .RET_STATUS then DECODE ();  
2600  
2601       CKLOOP;  
2602       RETRIES = TRUE;  
2603       end;  
2604  
2605       CMD_REF = 5;  
2606       BUF_DESCRPT = TIP;            ! CLEAN THE BUFFER  
2607       BYTE_COUNT = 02;             ! SET BYTE COUNTS = 2  
2608  
2609       if REC_DATA ()               ! SENT A RECEIVE DATA COMMAND  
2610       then                          ! STATUS BIT INDICATES ERROR  
2611       begin                          ! THEN  
2612       ERRDF (26, RE_DATA_ERR, 0);  
2613  
2614       if .RET_STATUS then DECODE ();  
2615  
2616       CKLOOP;  
2617       RETRIES = TRUE;  
2618       end;  
2619  
2620       if .TIP nequ %o'104'         ! IS REMOTE PROGRAM SENT DONE FLAG -  
2621       then                          ! TO THE HOST  
2622       begin                          ! NO. THEN  
2623       ERRDF (27, DMC_ERR, 0);       ! REPORT ERROR  
2624       CKLOOP;  
2625       RETRIES = TRUE;  
2626       end;  
2627  
2628       end;  
2629  
2630       if (.RETRIES) tnen DO_RETRIES ();  
2631  
2632       if (.NUM_RETRIES eqlu ZERO) then exitloop;  
2633  
2634       end;  
2635  
2636       return;  
2637       ENDTST;
```


ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

```

000000 004767 177236          T9::          .SBTTL  T9 TEST SECTION
000000          1$:          JSR      PC,$T9
000004 104466          TRAP    66
000006 006000          ROR     RO
000010 103773          BLO    1$
000012 000207          RTS     PC

```

2636

```

: Routine Size: 6 words,       Routine Base: AC$CODE + 6310
: Maximum stack depth per invocation: 2 words

```

```

:
: 2638 !
: 2639 BGNTST;
: 2640
: 2641 !++
: 2642 ! TEST #10 - NONEXISTENT MEMORY TEST
: 2643 !
: 2644 ! DESCRIPTION:
: 2645 !
: 2646 ! THIS 'DIAGNOSTIC MACHINE' PROGRAM WILL ATTEMPT TO READ THE FIRST
: 2647 ! ADDRESS OF THE I/O PAGE OF THE HOST CPU. THIS LOCATION IS RESERVED
: 2648 ! FOR DIAGNOSTICS AND A NXM SHOULD OCCUR.
: 2649 !
: 2650 ! IF THE CONTROLLER DOES NOT SEE THE NXM, THERE WILL BE A FRU CALLOUT
: 2651 ! OF THE ADAPTER CARD.
: 2652 !
: 2653 ! IF THE OPERATOR HAS SPECIFIED LOOP ON ERROR, LOOPING WILL BE FROM
: 2654 ! THE START OF THIS TEST.
: 2655 ! --
: 2656
: 2657 if .SWP_TRACE then PRINTF (DBM16);          ! TEST 10
: 2658
: 2659 NUM_RETRIES = ZERO;
: 2660
: 2661 while (.NUM_RETRIES lequ .SWP_RETRIES) do
: 2662 begin
: 2663 TIP = 0;          ! INIT TIP
: 2664
: 2665 if AZTEC_READY ()          ! GET AZTEC READY FOR OPERATION
: 2666 then
: 2667 begin
: 2668 ERKDF (28, AZT_READY_ERR, 0);          !
: 2669
: 2670 if .RET_STATUS then DECODE ();
: 2671
: 2672 CKLOOP;
: 2673 RETRIES = TRUE;
: 2674 end
: 2675 else
: 2676 begin
: 2677 VEC_AD = 04;          ! SET INT. VECTOR ADDR. TO 4
: 2678 SETVEC (.VEC_AD, NXMI, PRI04);
: 2679 SET_INT_VECTOR ();          ! SET THE VECTOR ADDR., SERVICE
: 2680 WRT_RC25 (RCSA, ONE);          ! ROUTINE ADDR. AND INT. PRIORITY
: 2681 CMD_REF = 3;          ! COMMAND REFERENCE #
: 2682 BUF_DESCRPTR = DM_10;          ! DMCODE STARTING ADDRESS
:

```

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

K 3
8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS&USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

SEQ 242
Page 49

```

2683     BYTE_COUNT = 58*2;                               ! BYTE COUNTS
2684
2685     if EX_SUP_PRG ()                                  ! ISSUE AN EXECUTE SUPPLIED CMD
2686     then                                             ! IF ERROR
2687         begin                                         ! THEN
2688             ERRDF (29, EXE_SUP_ERR, 0);
2689
2690             if .RET_STATUS then DECODE ();
2691
2692             CKLOOP;
2693             RETRIES = TRUE;
2694             end;
2695
2696     ;
2697     ; WAIT FOR 'DONE' SIGNAL FROM DM
2698     ;
2699     CMD_REF = 4;                                       ! COMMAND REFERENCE #
2700     BUF_DESCRIPTOR = TIP;                               ! CLEAN THE BUFFER
2701     BYTE_COUNT = 02;                                   ! SET BYTE COUNTS = 2
2702
2703     if REC_DATA ()                                    ! SENT A RECEIVE DATA COMMAND
2704     then                                             ! STATUS BIT INDICATES ERROR
2705         begin                                         ! THEN
2706             ERRDF (30, RE_DATA_ERR, 0);
2707
2708             if .RET_STATUS then DECODE ();
2709
2710             CKLOOP;
2711             RETRIES = TRUE;
2712             end;
2713
2714     if .TIP eqlu ZERO                                ! DID YOU GET SUCCESS FROM DM CODE?
2715     then                                             ! NO
2716         begin                                         ! THEN
2717             ERRDF (31, DMC_ERR, 0);
2718             CKLOOP;
2719             RETRIES = TRUE;
2720             end;
2721
2722     end;
2723
2724     if (.RETRIES) then DO_RETRIES ();
2725
2726     if (.NUM_RETRIES eqlu ZERO) then exitloop;
2727
2728     end;
2729
2730     return;
2731     ENDTST;

```

```

000000 010146          .SBTTL $T10 TEST SECTION
000002 032767 000001 000000G $T10: MOV R1,-(SP)
000010 001407          BEQ #1,SWP.TRACE
000012 012746 000000G     MOV #DBM16,-(SP)
000016 012746 000001     MOV #1,-(SP)

```

2637
2657

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

N 3
8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11)

SEQ 245
Page 52

```
2734  
2735  
2736 !++  
2737 TEST #11 - BUS ADDRESSING/DATA TEST A  
2738 DESCRIPTION:  
2739 THIS "DIAGNOSTIC MACHINE" PROGRAM ASKS THE PDP-11 PROGRAM TO FILL FREE  
2740 MEMORY (THAT MEMORY AVAILABLE TO THE PDP-11 PROGRAM THAT IS NOT BEING  
2741 USED BY THE PROGRAM OR THE PDP-11 SUPERVISOR) WITH AN ADDRESSING  
2742 PATTERN (WRITE ADDRESS WITH ADDRESS) AND REPORT THE LOCATION AND SIZE  
2743 OF THE FREE MEMORY. EVERY LOCATION OF FREE MEMORY WILL BE READ AND  
2744 THE DATA CHECKED.  
2745  
2746 IF THE DATA DOES NOT COMPARE CORRECTLY, THE ADDRESS AND DATA  
2747 EXPECTED ARE REPORTED.  
2748  
2749  
2750 !--  
2751  
2752  
2753 if .SWP_TRACE then PRINTF (DBI'17);          ! TEST 11  
2754  
2755 NUM_RETRIES = ZERO;  
2756  
2757 while (.NUM_RETRIES lequ .SWP_RETRIES) do  
2758   begin  
2759     TIP = 11;  
2760  
2761     if AZTEC_READY ()          ! GET AZTEC READY FOR OPERATION  
2762     then  
2763       begin  
2764         ERRDF (32, AZT_READY_ERR, 0);    !  
2765  
2766         if .RET_STATUS then DECODE ();  
2767  
2768         CKLOOP;  
2769         RETRIES = TRUE;  
2770       end  
2771     else  
2772       begin  
2773         ! SET_INT_VECTOR ();          ! SET THE VECTOR ADDR., SERVICE  
2774         ! ROUTINE ADDR. AND INT. PRIORITY  
2775         CMD_REF = 3;                ! COMMAND REFERENCE #  
2776         BUF_DESCRPT = DM 11;        ! DMCODE STARTING ADDRESS  
2777         BYTE_COUNT = 100*2;         ! BYTE COUNTS  
2778  
2779         if EX_SUP_PRG ()          ! ISSUE AN EXECUTE SUPPLIED -  
2780         then                      ! IF STATUS BIT INDICATES ERROR  
2781           begin                    ! THEN  
2782             ERRDF (33, EXE_SUP_ERR, 0);  
2783  
2784             if .RET_STATUS then DECODE ();  
2785  
2786             CKLOOP;  
2787             RETRIES = TRUE;  
2788           end  
2789  
2790         H_SADD = .FREE_MEM_ADDR;    ! LO-BYTE FREE HOST MEMORY ADDRESS
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

B 4

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

SEQ 246
Page 53

```

2791      TEMP = .H_SADD;           ! LOAD START ADDRESS FOR INIT
2792      BUF_LENGTH = .MEM_SIZ;    ! TOTAL FREE HOST MEMORY SIZE
2793      H_EADD = .H_SADD + 2 + (.BUF_LENGTH*2); ! END OF FREE MEM ADDRESS
2794      CMD_REF = 4;              ! COMMAND REFERENCE 04
2795      BUF_DESCRIPTOR = H_SADD;  ! DESCRIPTOR ADDRESS
2796      BYTE_COUNT = 06;        ! TOTAL BYTES TO BE TRANSFER
2797      ! INITIALIZE MEMORY BUFFER WITH A PATTERN BEFORE
2798      ! ASKING DM CODE TO WRITE TO THE BUFFER
2799
2800      incru COUNT from .H_SADD to .H_EADD by 2 do
2801      begin
2802          .TEMP = %0'177777';
2803          TEMP = .TEMP + 2;
2804      end;
2805
2806      H_EADD = 0;                ! HIGH BYTE FREE MEMORY ADDRESS
2807
2808      if SEND_DATA ()            ! ISSUE SEND DATA COMMAND
2809      then                        ! STATUS BIT INDICATES ERROR
2810      begin                        ! THEN
2811          ERRDF (34, SND_DATA_ERR, 0);
2812
2813          if .RET_STATUS then DECODE ();
2814
2815          CKLOOP;
2816          RETRIES = TRUE;
2817      end;
2818
2819      CMD_REF = 5;
2820      BUF_DESCRIPTOR = TIP;       ! CLEAN THE BUFFER
2821      BYTE_COUNT = 02;          ! SET BYTE COUNTS = 2
2822
2823      if REC_DATA ()             ! SENT A RECEIVE DATA COMMAND
2824      then                        ! STATUS BIT INDICATES ERROR
2825      begin                        ! THEN
2826          ERRDF (35, RE_DATA_ERR, 0);
2827
2828          if .RET_STATUS then DECODE ();
2829
2830          CKLOOP;
2831          RETRIES = TRUE;
2832      end;
2833
2834      ! EXAMINE THE FREE HOST MEMORY
2835      !
2836      TIP = 2;                    ! ADDRESS CONTAIN OWN ADDRESS
2837
2838      if EXAM_DATA ()
2839      then
2840      begin
2841          ERRDF (36, BUFF_ERR, RC25$ERR_RPT);
2842          CKLOOP;
2843          RETRIES = TRUE;
2844      end;
2845
2846      end;
2847

```


ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

```

:      2848      if (.RETRIES) then DO_RETRIES ();
:      2849
:      2850      if (.NUM_RETRIES eqLU ZERO) then exitloop;
:      2851
:      2852      end;
:      2853
:      2854      return;
:      2855      ENDTST;

```

000000	010146				.SBTTL	\$T11 TEST SECTION			
000002	032767	000001	000000G	\$i11:	MOV	R1,-(SP)	:		2731
000010	001407				BIT	#1,SWP.TRACE	:		2753
000012	012746	000000G			BEQ	1\$:		
000016	012746	000001			MOV	#DBM17,-(SP)	:		
000022	010600				MOV	#1,-(SP)	:		
000024	104417				MOV	SP,R0	:	SP,*	
000026	022626				TRAP	17	:		
000030	005067	000000G		1\$:	CMP	(SP)+,(SP)+	:		
000034	026767	000000G	000000G	2\$:	CLR	NUM.RETRIES	:		2755
000042	101402				CMP	NUM.RETRIES,SWP.RETRIES	:		2757
000044	000167	000544			BLOS	3\$:		
000050	012767	000013	000000G	3\$:	JMP	17\$:		
000056	004767	000000G			MOV	#13,TIP	:		2759
000062	006000				JSR	PC,AZTEC.READY	:		2761
000064	103024				ROR	R0	:		
000066	104455				BCC	6\$:		
000070	000040				TRAP	55	:		2764
000072	000000G				.WORD	40	:		
000074	000000				.WORD	AZT.READY.ERR	:		
000076	032767	000001	000000G		.WORD	0	:		
000104	001402				BIT	#1,RET.STATUS	:		2766
000106	004767	000000G			BEQ	4\$:		
000112	104465			4\$:	JSR	PC,DECODE	:		
000114	006000				TRAP	65	:		
000116	103002				ROR	R0	:		
000120	000167	000470			BHIS	5\$:		
000124	012767	000001	000000G	5\$:	JMP	17\$:		
000132	000167	000430			MOV	#1,RETRIES	:		2769
000136	012767	000003	000000G	6\$:	JMP	15\$:		2761
000144	012767	000000G	000000G		MOV	#3,CMD.REF	:		2775
000152	012767	000310	000000G		MOV	#DM.11,BUF.DESCRPTR	:		2776
000160	004767	000000G			MOV	#310,BYTE.COUNT	:		2777
000164	006000				JSR	PC,EX.SUP.PRG	:		2779
000166	103020				ROR	R0	:		
000170	104455				BCC	8\$:		
000172	000041				TRAP	55	:		2782
000174	000000G				.WORD	41	:		
000176	000000				.WORD	EXE.SUP.ERR	:		
000200	032767	000001	000000G		.WORD	0	:		
000206	001402				BIT	#1,RET.STATUS	:		2784
000210	004767	000000G			BEQ	7\$:		
000214	104465			7\$:	JSR	PC,DECODE	:		
000216	006000				TRAP	65	:		
000220	103575				ROR	R0	:		
000222	012767	000001	000000G		BLO	17\$:		
					MOV	#1,RETRIES	:		2787

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

000230	016767	000000G	000000G	8\$:	MOV	FREE.MEM.ADDR,H.SADD	:	2790
000236	016767	000000G	000000G		MOV	H.SADD,TEMP	:	2791
000244	016767	000000G	000000G		MOV	MEM.SIZ,BUF.LENGTH	:	2792
000252	016700	000000G			MOV	BUF.LENGTH,R0	:	2793
000256	006300				ASL	R0	:	
000260	066700	000000G			ADD	H.SADD,R0	:	
000264	010067	000000G			MOV	R0,H.EADD	:	
000270	162767	000002	000000G		SUB	#2,H.EADD	:	2794
000276	012767	000004	000000G		MOV	#4,CMD.REF	:	2795
000304	012767	000000G	000000G		MOV	#H.SADD,BUF.DESCRPTR	:	2796
000312	012767	000006	000000G		MOV	#6,BYTE.COUNT	:	2800
000320	016701	000000G			MOV	H.EADD,R1	:	
000324	016700	000000G			MOV	H.SADD,R0	: *.COUNT	
000330	000410				BR	10\$:	
000332	012777	177777	000000G	9\$:	MOV	#-1,@TEMP	:	2802
000340	062767	000002	000000G		ADD	#2,TEMP	:	2803
000346	062700	000002			ADD	#2,R0	: *.COUNT	2800
000352	020001			10\$:	CMP	R0,R1	: COUNT,*	
000354	101766				BLOS	9\$:	
000356	005067	000000G			CLR	H.EADD	:	2806
000362	004767	000000G			JSR	PC,SEND.DATA	:	2808
000366	006000				ROR	R0	:	
000370	103020				BCC	12\$:	
000372	104455				TRAP	55	:	2811
000374	000042				.WORD	42	:	
000376	000000G				.WORD	SND.DATA.ERR	:	
000400	000000				.WORD	0	:	
000402	032767	000001	000000G		BIT	#1,RET.STATUS	:	2813
000410	001402				BEQ	11\$:	
000412	004767	000000G			JSR	PC,DECODE	:	
000416	104465			11\$:	TRAP	65	:	
000420	006000				ROR	R0	:	
000422	103474				BLO	17\$:	
000424	012767	000001	000000G		MOV	#1,RETRIES	:	2816
000432	012767	000005	000000G	12\$:	MOV	#5,CMD.REF	:	2819
000440	012767	000000G	000000G		MOV	#TIP,BUF.DESCRPTR	:	2820
000446	012767	000002	000000G		MOV	#2,BYTE.COUNT	:	2821
000454	004767	000000G			JSR	PC,REC.DATA	:	2823
000460	006000				ROR	R0	:	
000462	103020				BCC	14\$:	
000464	104455				TRAP	55	:	2826
000466	000043				.WORD	43	:	
000470	000000G				.WORD	RE.DATA.ERR	:	
000472	000000				.WORD	0	:	
000474	032767	000001	000000G		BIT	#1,RET.STATUS	:	2828
000502	001402				BEQ	13\$:	
000504	004767	000000G			JSR	PC,DECODE	:	
000510	104465			13\$:	TRAP	65	:	
000512	006000				ROR	R0	:	
000514	103437				BLO	17\$:	
000516	012767	000001	000000G		MOV	#1,RETRIES	:	2831
000524	012767	000002	000000G	14\$:	MOV	#2,TIP	:	2836
000532	004767	000000G			JSR	PC,EXAM.DATA	:	2838
000536	006000				ROR	R0	:	
000540	103012				BCC	15\$:	
000542	104455				TRAP	55	:	2841
000544	000044				.WORD	44	:	

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (11

000546	000000G			.WORD	BUFF.ERR		
000550	000000G			.WORD	RC25\$ERR.RPT		
000552	104465			TRAP	65		
000554	006000			ROR	R0		
000556	103416			BLO	17\$		
000560	012767	000001	000000G	MOV	#1,RETRIES	:	2843
000566	032767	000001	000000G	BIT	#1,RETRIES	:	2848
000574	001402			BEQ	16\$		
000576	004767	000000G		JSR	PC,DO.RETRIES		
000602	005767	000000G		TST	NUM.RETRIES	:	2850
000606	001402			BEQ	17\$		
000610	000167	177220		JMP	2\$		
000614	012601			MOV	(SP)+,R1	:	2731
000616	000207			RTS	PC		

: Routine Size: 200 words, Routine Base: AC\$CODE + 7036
: Maximum stack depth per invocation: 5 words

				.SBTTL	T11 TEST SECTION		
000000	004767	177154	T11::				
000000			1\$:	JSR	PC,\$T11	:	2854
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

: Routine Size: 6 words, Routine Base: AC\$CODE + 7656
: Maximum stack depth per invocation: 2 words

: 2856 !<BLF/PAGE>

ZRCFA3
V01.0CZRCFA0 RC25 FR END TEST
TEST SECTION8-Jul-1983 15:31:08
8-Jul-1983 14:46:50VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

SEQ 250

Page 57

```

2857 !
2858 BGNTST;
2859
2860 !++
2861 ! TEST #12 - BUS ADDRESSING/DATA TEST B
2862 !
2863 ! DESCRIPTION:
2864 !
2865 !     THIS TEST FIRST BRINGS AZTEC DRIVE READY AND ONLINE AND THEN
2866 !     LOADS DM_12 PROGRAM VECTOR TO PORT CONTROLLER MEMORY. THEN
2867 !     DOES THE FOLLOWING:
2868 !
2869 !     A. GIVE FREE MEMORY ADDRESS AND BUFFER SIZE TO DM CODE
2870 !     AND ASK DM CODE WRITE A PATTERN OF ONE'S COMPLEMENT
2871 !     OF ADDRESS AT THE ADDRESS AND EXPECTS TO RECEIVE
2872 !     SUCCESS OR FAILURE CODE FROM DM PROGRAM. THEN CHECKS
2873 !     MEMORY BUFFER FOR THE EXPECTED PATTERN AND REPORTS
2874 !     ERROR IF ENCOUNTERED.
2875 !
2876 !     B. IF SUCCESS, ASKS DM CODE TO WRITE TO MEMORY A PATTERN
2877 !     OF ALL ONES AND CHECKS FOR THE PATTERN IN MEMORY.
2878 !
2879 !     C. IF SUCCESS, ASKS DM CODE TO WRITE TO MEMORY A PATTERN
2880 !     OF ALL ZEROES AND CHECKS FOR THE PATTERN IN MEMORY.
2881 !
2882 !     IF OPERATOR ASKS FOR RETRIES THE WHOLE TEST WILL BE RETRIED
2883 !     ONLY IF FAILURE ENCOUNTERED.
2884 !--
2885
2886 if .SWP_TRACE then PRINTF (DBM18);           ! TEST 12
2887
2888 NUM_RETRIES = ZERO;
2889
2890 while (.NUM_RETRIES lequ .SWP_RETRIES) do
2891     begin
2892     TIP = 12;
2893
2894     if AZTEC_READY ()                         ! GFT AZTEC READY FOR OPERATION
2895     then
2896     begin
2897     ERRDF (37, AZT_READY_ERR, 0);             !
2898
2899     if .RET_STATUS then DECODE ();
2900
2901     CKLOOP:
2902     RETRIES = TRUE;
2903     end
2904     else
2905     begin
2906     ! SET_INT_VECTOR ();                       ! SET THE VECTOR ADDR., SERVICE
2907     !                                         ! ROUTINE ADDR. AND INT. PRIORITY
2908
2909     ! SEND DOWN LINE LOAD THE DM CODE AND EXECUTE THE DM PROGRAM WHICH IT WILL
2910     ! WRITE THE FREE HOST MEMORY WITH COMPLEMENT THE TESTING ADDRESS
2911
2912     CMD_REF = 3;                             ! COMMAND REFERENCE #
2913     BUF_DESCRPT = DM_12;                     ! DMCODE STARTING ADDRESS

```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

G 4

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

SEQ 251
Page 58

```
2914     BYTE_COUNT = 202*2;           ! BYTE COUNTS
2915
2916     if EX_SUP_PRG ()                ! ISSUE AN EXECUTE SUPPLIED -
2917     then                             ! IF STATUS BIT INDICATES ERROR
2918         begin                         ! THEN
2919         ERRDF (38, EXE_SUP_ERR, 0);
2920
2921         if .RET_STATUS then DECODE ();
2922
2923         CKLOOP;
2924         RETRIES = TRUE;
2925         end;
2926
2927     incru COUNT from 0 to 2 do
2928     begin
2929         H_SADD = .FREE_MEM_ADDR;      ! LO-BYTE FREE HOST MEMORY ADDRESS
2930         TEMP = .H_SADD;
2931         BUF_LENGTH = .MEM_SIZ;       ! TOTAL FREE HOST MEMORY SIZE
2932         H_EADD = .FREE_MEM_ADDR - 2 + .BUF_LENGTH*2; ! END ADDRESS OF BUFFER
2933
2934     ! SENT FREE HOST MEMORY ADDRESS AND IT LENGTH TO DM PROGRAM
2935
2936         CMD_REF = 4;                 ! COMMAND REFERENCE 04
2937         BUF_DESCPTR = H_SADD;        ! DESCRIPTOR ADDRESS
2938         BYTE_COUNT = 06;            ! TOTAL BYTES TO BE TRANSFER
2939     ! INITIALIZE MEMORY BUFFER WITH A PATTERN BEFORE
2940     ! ASKING DM CODE TO WRITE TO THE BUFFER
2941
2942         incru LOOP from .H_SADD to .H_EADD by 2 do
2943         begin
2944             .TEMP = %0'125252';
2945             TEMP = .TEMP + 2;
2946         end;
2947
2948         H_EADD = 0;                  ! HIGH BYTE FREE MEM ADDRESS
2949
2950         if SEND_DATA ()              ! ISSUE SEND DATA COMMAND
2951         then                          ! STATUS BIT INDICATES ERROR
2952             begin                     ! THEN
2953             ERRDF (39, SND_DATA_ERR, 0);
2954
2955             if .RET_STATUS then DECODE ();
2956
2957             CKLOOP;
2958             RETRIES = TRUE;
2959             end;
2960
2961     ! WAIT FOR 'DONE' SIGNAL FROM DM
2962
2963
2964         CMD_REF = 5;                 ! COMMAND REFERENCE #
2965         BUF_DESCPTR = TIP;           ! CLEAN THE BUFFER
2966         BYTE_COUNT = 02;            ! SET BYTE COUNTS = 2
2967
2968         if REC_DATA ()               ! SENT A RECEIVE DATA COMMAND
2969         then                          ! STATUS BIT INDICATES ERROR
2970             begin                     ! THEN
```

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

H 4

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12)

SEQ 252
Page 59

```
2971 ERRDF (40, RE_DATA_ERR, 0); ! REPORT ERROR
2972
2973 if .RET_STATUS then DECODE ();
2974
2975 CKLOOP;
2976 RETRIES = TRUE;
2977 end;
2978
2979 if .TIP nequ %0'104' ! IF DM RETURNS FAILURE CODE
2980 then ! THEN ABORT DM PROGRAM
2981 begin
2982 ERRDF (41, DMC_ERR, 0);
2983 RETRIES = TRUE;
2984 CKLOOP;
2985 exitloop;
2986 end;
2987
2988 !
2989 ! EXAMINE THE FREE HOST MEMORY
2990 !
2991
2992 if .COUNT eqlu 0 then TIP = 1; ! ADDRESS CONTAINS COMPLEMENT
2993 ! OF ADDRESS
2994
2995 if .COUNT eqlu 1 then TIP = ALL_ONES; ! MEMORY PATTERN SECOND TIME
2996
2997 if .COUNT eqlu 2 then TIP = ZERO; ! MEMORY PATTERN THIRD TIME
2998
2999 if EXAM_DATA ()
3000 then
3001 begin
3002 ERRDF (42, BUFF_ERR, RC25$ERR_RPT);
3003 CKLOOP;
3004 RETRIES = TRUE;
3005 end;
3006
3007 !
3008 ! SIGNAL DM TO CONTINUE TO EXECUTE THE PROGRAM
3009 !
3010 end; ! ASK DM CODE TO CONT.
3011
3012 end;
3013
3014 if (.RETRIES) then DO_RETRIES ();
3015
3016 if (.NUM_RETRIES eqlu ZERO) then exitloop;
3017
3018 end;
3019
3020 return;
3021 ENDTST;
3022
```

000000 004167 C00000G
000004 032767 000001 000000G

\$T12: .SBTTL \$T12 TEST SECTION
JSR R1,\$SAVE2
BIT #1,SWP.TRACE

;
;

2855
2886

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

ZRCFA3
V01.0 CZRCFA0 RC25 FR END TEST
TEST SECTION

000012	001407			BEQ	1\$				
000014	012746	000000G		MOV	#DBM18,-(SP)				
000020	012746	000001		MOV	#1,-(SP)				
000024	010600			MOV	SP,R0		:	SP,*	
000026	104417			TRAP	17				
000030	022626			CMP	(SP)+,(SP)+				
000032	005067	000000G		1\$: CLR	NUM.RETRIES		:		2888
000036	026767	000000G	000000G	2\$: CMP	NUM.RETRIES,SWP.RETRIES		:		2890
000044	101401			BLOS	3\$				
000046	000207			RTS	PC				
000050	012767	000014	000000G	3\$: MOV	#14,TIP		:		2892
000056	004767	000000G		JSR	PC,AZTEC.READY		:		2894
000062	006000			ROR	R0				
000064	103023			BCC	6\$				
000066	104455			TRAP	55		:		2897
000070	000045			.WORD	45				
000072	000000G			.WORD	AZT.READY.ERR				
000074	000000			.WORD	0				
000076	032767	000001	000000G	BIT	#1,RET.STATUS		:		2899
000104	001402			BEQ	4\$				
000106	004767	000000G		JSR	PC,DECODE				
000112	104465			4\$: TRAP	65				
000114	006000			ROR	R0				
000116	103001			BHIS	5\$				
000120	000207			RTS	PC				
000122	012767	000001	000000G	5\$: MOV	#1,RETRIES		:		2902
000130	000167	000540		JM'	22\$:		2894
000134	012767	000003	000000G	6\$: MOV	#3,CMD.REF		:		2912
000142	012767	000000G	000000G	MOV	#DM.12,BUF.DESCRPTR		:		2913
000150	012767	000624	000000G	MOV	#624,BYTE.COUNT		:		2914
000156	004767	000000G		JSR	PC,EX.SUP.PRG		:		2916
000162	006000			ROR	R0				
000164	103021			BCC	9\$				
000166	104455			TRAP	55		:		2919
000170	000046			.WORD	46				
000172	000000G			.WORD	EXE.SUP.ERR				
000174	000000			.WORD	0				
000176	032767	000001	000000G	BIT	#1,RET.STATUS		:		2921
000204	001402			BEQ	7\$				
000206	004767	000000G		JSR	PC,DECODE				
000212	104465			7\$: TRAP	65				
000214	006000			ROR	R0				
000216	103001			BHIS	8\$				
000220	000207			RTS	PC				
000222	012767	000001	000000G	8\$: MOV	#1,RETRIES		:		2924
000230	005002			9\$: CLR	R2		:	COUNT	2927
000232	016767	000000G	000000G	10\$: MOV	FREE.MEM.ADDR,H.SADD		:		2929
000240	016767	000000G	000000G	MOV	H.SADD,TEMP		:		2930
000246	016767	000000G	000000G	MOV	MEM.SIZ,BUF.LENGTH		:		2931
000254	016700	000000G		MOV	BUF.LENGTH,R0		:		2932
000260	006300			ASL	R0				
000262	066700	000000G		ADD	FREE.MEM.ADDR,R0				
000266	010067	000000G		MOV	R0,H.EADD				
000272	162767	000002	000000G	SUB	#2,H.EADD				
000300	012767	000004	000000G	MOV	#4,CMD.REF		:		2936
000306	012767	000000G	000000G	MOV	#H.SADD,BUF.DESCRPTR		:		2937
000314	012767	000006	000000G	MOV	#6,BYTE.COUNT		:		2938

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

000322	016701	000000G			MOV	H.EADD,R1	:	2942
000326	016700	000000G			MOV	H.SADD,R0	: *,LOOP	
000332	000410				BR	12\$:	
000334	012777	125252	000000G	11\$:	MOV	#-52526,@TEMP	:	2944
000342	062767	000002	000000G		ADD	#2,TEMP	:	2945
000350	062700	000002			ADD	#2,R0	: *,LOOP	2942
000354	020001			12\$:	CMP	R0,R1	: LOOP,*	
000356	101766				BLOS	11\$:	
000360	005067	000000G			CLR	H.EADD	:	2948
000364	004767	000000G			JSR	PC,SEND.DATA	:	2950
000370	006000				ROR	R0	:	
000372	103020				BCC	14\$:	
000374	104455				TRAP	55	:	2953
000376	000047				.WORD	47	:	
000400	000000G				.WORD	SND.DATA.ERR	:	
000402	000000				.WORD	0	:	
000404	032767	000001	000000G		BIT	#1,RET.STATUS	:	2955
000412	001402				BEQ	13\$:	
000414	004767	000000G			JSR	PC,DECODE	:	
000420	104465			13\$:	TRAP	65	:	
000422	006000				ROR	R0	:	
000424	103536				BLO	24\$:	
000426	012767	000001	000000G		MOV	#1,RETRIES	:	2958
000434	012767	000005	000000G	14\$:	MOV	#5,CMD.REF	:	2964
000442	012767	000000G	000000G		MOV	#TIP,BUF.DESCRPTR	:	2965
000450	012767	000002	000000G		MOV	#2,BYTE.COUNT	:	2966
000456	004767	000000G			JSR	PC,REC.DATA	:	2968
000462	006000				ROR	R0	:	
000464	103020				BCC	16\$:	
000466	104455				TRAP	55	:	2971
000470	000050				.WORD	50	:	
000472	000000G				.WORD	RE.DATA.ERR	:	
000474	000000				.WORD	0	:	
000476	032767	000001	000000G		BIT	#1,RET.STATUS	:	2973
000504	001402				BEQ	15\$:	
000506	004767	000000G			JSR	PC,DECODE	:	
000512	104465			15\$:	TRAP	65	:	
000514	006000				ROR	R0	:	
000516	103501				BLO	24\$:	
000520	012767	000001	000000G		MOV	#1,RETRIES	:	2976
000526	026727	000000G	000104	16\$:	CMP	TIP,#104	:	2979
000534	001413				BEQ	17\$:	
000536	104455				TRAP	55	:	2982
000540	000051				.WORD	51	:	
000542	000000G				.WORD	DMC.ERR	:	
000544	000000				.WORD	0	:	
000546	012767	000001	000000G		MOV	#1,RETRIES	:	2983
000554	104465				TRAP	65	:	
000556	006000				ROR	R0	:	
000560	103045				BCC	22\$:	
000562	000207				RTS	PC	:	
000564	005702			17\$:	TST	R2	: COUNT	2992
000566	001003				BNE	18\$:	
000570	012767	000001	000000G		MOV	#1,TIP	:	
000576	020227	000001		18\$:	CMP	R2,#1	: COUNT,*	2996
000602	001003				BNE	19\$:	
000604	012767	177777	000000G		MOV	#-1,TIP	:	

ZRCFA3
V01.0

CZRCFA0 RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

000612	020227	000002	19\$:	CMP	R2,#2	:	COUNT,*	2998
000616	001002			BNE	20\$			
000620	005067	000000G		CLR	TIP			
000624	004767	000000G	20\$:	JSR	PC,EXAM.DATA	:		3000
000630	006000			ROR	R0			
000632	103012			BCC	21\$			
000634	104455			TRAP	55	:		3003
000636	000052			.WORD	52			
000640	000000G			.WORD	BUFF.ERR			
000642	000000G			.WORD	RC25\$ERR.RPT			
000644	104465			TRAP	65			
000646	006000			ROR	R0			
000650	103424			BLO	24\$			
000652	012767	000001 000000G		MOV	#1,RETRIES	:		3005
000660	005202		21\$:	INC	R2	:	COUNT	2927
000662	020227	000002		CMP	R2,#2	:	COUNT,*	
000666	101002			BHI	22\$			
000670	000167	177336		JMP	10\$			
000674	032767	000001 000000G	22\$:	BIT	#1,RETRIES	:		3015
000702	001402			BEQ	23\$			
000704	004767	000000G		JSR	PC,DO.RETRIES			
000710	005767	000000G	23\$:	TST	NUM.RETRIES	:		3017
000714	001402			BEQ	24\$			
000716	000167	177114		JMP	2\$			
000722	000207		24\$:	RTS	PC	:		2855

: Routine Size: 234 words, Routine Base: AC\$CODE + 7672
: Maximum stack depth per invocation: 7 words

000000	004767	177050	T12::	.SBTTL	T12 TEST SECTION			
000000			1\$:	JSR	PC,\$T12	:		3021
000004	104466			TRAP	66			
000006	006000			ROR	R0			
000010	103773			BLO	1\$			
000012	000207			RTS	PC			

: Routine Size: 6 words, Routine Base: AC\$CODE + 10616
: Maximum stack depth per invocation: 2 words

: 3023 end
: 3024
: 3025 eludom

OTS external references
.GLOBL \$SAVE4, \$SAVE2, BL\$SHF, BL\$DIV

PSECT SUMMARY

:
: Psect Name Words Attributes
:

ZRCFA3
V01.0

CZRCFAO RC25 FR END TEST
TEST SECTION

8-Jul-1983 15:31:08
8-Jul-1983 14:46:50

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (12

:	SOWNS	336	RW	:	D	:	LCL	:	REL	:	CON
:	AC\$CODE	2253	RO	:	I	:	LCL	:	REL	:	CON

LIBRARY STATISTICS

File	----- Total	Symbols Loaded	----- Percent	Blocks Read
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]AZTECO.L16:1	523	231	44	59

COMMAND QUALIFIERS

: BLISS /PDP11/LIST ZRCFA3.B16/EN:NOEIS

: Size: 2253 code + 336 data words
 : Run Time: 00:53.6
 : Elapsed Time: 02:45.0
 : Memory Used: 296 pages
 : Compilation Complete

ZRCFA4

CZRCFA0 RC25 FR END TEST

8-Jul-1983 15:33:57

VAX-11 Bliss-16 V3-555

8-Jul-1983 14:47:41

SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

```

0001 MODULE ZRCFA4 (%TITLE 'CZRCFA0 RC25 FR END TEST'
0002             IDENT = 'V01.0',
0003             ADDRESSING_MODE (RELATIVE)
0004             ) =
0005 BEGIN
0006 !<BLF/LOWERCASE_KEY>
0007
0008 library 'AZTECO';           ! AZTEC LIBRARY
0009
0010 require 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISR LIBRARY
1499
1500
1501 %sbttl 'DM PROGRAM'
1502
1503 !++
1504
1505     THIS MODULE CONTAINS DM CODE FOR SOME OF THE TESTS
1506     AS GLOBAL DATA. THE HOST PROGRAM WILL DOWN LINE LOAD
1507     THESE TESTS IN AZTEC CONTROLLER'S MEMORY FOR EXECUTION.
1508     THE DM CODE WAS FIRST ASSEMBLED AND LINKED UNDER RT
1509     AND THEN MADE AS VECTOR ARRAYS BY USING DMCONV.EXE
1510     THIS MODULE IS A COLLECTION OF ARRAYS FOR SPECIFIC
1511     TESTS.
1512 !--
1513
1514 !<BLF/PAGE>

```

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
DM PROGRAM

N 4
8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (2)

SEQ 258
Page 2

```
:  
:  
:  
:  
1515 psect  
1516     global = DM$CODE(nowrite, noexecute, global, concatenate);  
1517
```

.....

```
1518 %sbttl 'DM CODE DOWN LINE LOAD TEST'
1519
1520 global
1521   DM_09 : vector [93, word] preset (
1522   [0]    = %o'000270'  ! THIS IS THE DM PROGRAM BYTE COUNT.
1523   [1]    = %o'000000'
1524   [2]    = %o'000000'  ! THIS IS THE DM OVERLAY BYTE COUNT.
1525   [3]    = %o'000000'
1526   [4]    = %o'042524'  ! NEXT 3 WORDS = PROGRAM NAME (ASCII)
1527   [5]    = %o'052123'  ! PROGRAM NAME IS 'TEST09'
1528   [6]    = %o'034460'
1529   [7]    = %o'000000'  ! THIS IS THE PROGRAM VERSION
1530   [8]    = %o'126411'  ! UPPER BYTE=TIME OUT VAL. LOWER = FLAGS
1531   [9]    = %o'000000'
1532   [10]   = %o'000000'
1533   [11]   = %o'000000'
1534   [12]   = %o'000000'
1535   [13]   = %o'000000'
1536   [14]   = %o'000000'
1537   [15]   = %o'000000'
1538   [16]   = %o'104206'  ! DM CODE STARTS HERE
1539   [17]   = %o'003051'
1540   [18]   = %o'114000'
1541   [19]   = %o'003037'
1542   [20]   = %o'104207'
1543   [21]   = %o'003032'
1544   [22]   = %o'104201'
1545   [23]   = %o'000003'
1546   [24]   = %o'060023'
1547   [25]   = %o'103207'
1548   [26]   = %o'177740'
1549   [27]   = %o'115007'
1550   [28]   = %o'012756'
1551   [29]   = %o'003003'
1552   [30]   = %o'114000'
1553   [31]   = %o'003052'
1554   [32]   = %o'104307'
1555   [33]   = %o'003032'
1556   [34]   = %o'104301'
1557   [35]   = %o'003033'
1558   [36]   = %o'104302'
1559   [37]   = %o'003034'
1560   [38]   = %o'104203'
1561   [39]   = %o'003052'
1562   [40]   = %o'060020'
1563   [41]   = %o'103207'
1564   [42]   = %o'177740'
1565   [43]   = %o'115007'
1566   [44]   = %o'013007'
1567   [45]   = %o'115400'
1568   [46]   = %o'003037'
1569   [47]   = %o'106300'
1570   [48]   = %o'003035'
1571   [49]   = %o'003037'
1572   [50]   = %o'032756'
1573   [51]   = %o'104200'
1574   [52]   = %o'000106'
```

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
DM CODE DOWN LINE LOAD TEST

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (3)

:	1575	[53]	=	%0'003040'	,
:	1576	[54]	=	%0'003024'	,
:	1577	[55]	=	%0'104207'	,
:	1578	[56]	=	%0'003052'	,
:	1579	[57]	=	%0'104201'	,
:	1580	[58]	=	%0'125252'	,
:	1581	[59]	=	%0'104302'	,
:	1582	[60]	=	%0'003034'	,
:	1583	[61]	=	%0'106271'	,
:	1584	[62]	=	%0'053003'	,
:	1585	[63]	=	%0'117402'	,
:	1586	[64]	=	%0'053015'	,
:	1587	[65]	=	%0'104200'	,
:	1588	[66]	=	%0'000104'	,
:	1589	[67]	=	%0'003040'	,
:	1590	[68]	=	%0'104207'	,
:	1591	[69]	=	%0'003040'	,
:	1592	[70]	=	%0'104201'	,
:	1593	[71]	=	%0'000001'	,
:	1594	[72]	=	%0'060022'	,
:	1595	[73]	=	%0'060010'	,
:	1596	[74]	=	%0'000000'	,
:	1597	[75]	=	%0'000000'	,
:	1598	[76]	=	%0'000000'	,
:	1599	[77]	=	%0'000012'	,
:	1600	[78]	=	%0'000000'	,
:	1601	[79]	=	%0'000000'	,
:	1602	[80]	=	%0'000000'	,
:	1603	[81]	=	%0'000000'	,
:	1604	[82]	=	%0'000000'	,
:	1605	[83]	=	%0'000000'	,
:	1606	[84]	=	%0'000000'	,
:	1607	[85]	=	%0'000000'	,
:	1608	[86]	=	%0'000000'	,
:	1609	[87]	=	%0'000000'	,
:	1610	[88]	=	%0'000000'	,
:	1611	[89]	=	%0'000000'	,
:	1612	[90]	=	%0'000000'	,
:	1613	[91]	=	%0'144423'	,
:	1614	[92]	=	%0'000000');
:	1615				

```
1616 %sbttl 'NONEXISTENT MEMORY TEST'
1617
1618 global
1619 DM_10 : vector [58, word] preset (
1620 [0] = %o'000162' ! THIS IS THE DM PROGRAM BYTE COUNT.
1621 [1] = %o'000000'
1622 [2] = %o'000000' ! THIS IS THE DM OVERLAY BYTE COUNT.
1623 [3] = %o'000000'
1624 [4] = %o'042524' ! NEXT 3 WORDS = PROGRAM NAME (ASCII)
1625 [5] = %o'052123' ! PROGRAM NAME IS 'TEST10'
1626 [6] = %o'030061'
1627 [7] = %o'000000' ! THIS IS THE PROGRAM VERSION
1628 [8] = %o'126411' ! UPPER BYTE=TIME OUT VAL. LOWER = FLAGS
1629 [9] = %o'000000'
1630 [10] = %o'000000'
1631 [11] = %o'000000'
1632 [12] = %o'000000'
1633 [13] = %o'000000'
1634 [14] = %o'000000'
1635 [15] = %o'000000'
1636 [16] = %o'104206' ! DM CODE STARTS HERE
1637 [17] = %o'003007'
1638 [18] = %o'104207'
1639 [19] = %o'160000'
1640 [20] = %o'104201'
1641 [21] = %o'177777'
1642 [22] = %o'104202'
1643 [23] = %o'000001'
1644 [24] = %o'104203'
1645 [25] = %o'003500'
1646 [26] = %o'060021'
1647 [27] = %o'103207'
1648 [28] = %o'177740'
1649 [29] = %o'104070'
1650 [30] = %o'002765'
1651 [31] = %o'104207'
1652 [32] = %o'002765'
1653 [33] = %o'104201'
1654 [34] = %o'000001'
1655 [35] = %o'060022'
1656 [36] = %o'060010'
1657 [37] = %o'000000'
1658 [38] = %o'000000'
1659 [39] = %o'000000'
1660 [40] = %o'000000'
1661 [41] = %o'000000'
1662 [42] = %o'000000'
1663 [43] = %o'000000'
1664 [44] = %o'000000'
1665 [45] = %o'000000'
1666 [46] = %o'000000'
1667 [47] = %o'000000'
1668 [48] = %o'000000'
1669 [49] = %o'000000'
1670 [50] = %o'000000'
1671 [51] = %o'000000'
1672 [52] = %o'000000'
```

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
NONEXISTENT MEMORY TEST

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (4)

```

:      1673 [53] = %o'000000'.
:      1674 [54] = %o'000000'.
:      1675 [55] = %o'000000'.
:      1676 [56] = %o'030037'.
:      1677 [57] = %o'000000');
:      1678

```


ZRCFA4
V01.0

CZRCFAO RC25 FR END TEST
BUS ADDRESSING/DATA TEST A

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)

```

:
1679 %sbttl 'BUS ADDRESSING/DATA TEST A'
1680
1681 global
1682     DM_11 : vector [100, word] preset (
1683 [0]     = %o'000306' : THIS IS THE DM PROGRAM BYTE COUNT.
1684 [1]     = %o'000000'
1685 [2]     = %o'000000' : THIS IS THE DM OVERLAY BYTE COUNT.
1686 [3]     = %o'000000'
1687 [4]     = %o'042524' : NEXT 3 WORDS = PROGRAM NAME (ASCII)
1688 [5]     = %o'052123' : PROGRAM NAME IS 'TEST11'
1689 [6]     = %o'030461'
1690 [7]     = %o'000000' : THIS IS THE PROGRAM VERSION
1691 [8]     = %o'126411' : UPPER BYTE=TIME OUT VAL. LOWER = FLAGS
1692 [9]     = %o'000000'
1693 [10]    = %o'000000'
1694 [11]    = %o'000000'
1695 [12]    = %o'000000'
1696 [13]    = %o'000000'
1697 [14]    = %o'000000'
1698 [15]    = %o'000000'
1699 [16]    = %o'104206' : DM CODE STARTS HERE
1700 [17]    = %o'003061'
1701 [18]    = %o'104207'
1702 [19]    = %o'003040'
1703 [20]    = %o'104201'
1704 [21]    = %o'000003'
1705 [22]    = %o'060023'
1706 [23]    = %o'103207'
1707 [24]    = %o'177740'
1708 [25]    = %o'115007'
1709 [26]    = %o'012754'
1710 [27]    = %o'003023'
1711 [28]    = %o'104200'
1712 [29]    = %o'000001'
1713 [30]    = %o'003043'
1714 [31]    = %o'104300'
1715 [32]    = %o'003040'
1716 [33]    = %o'003044'
1717 [34]    = %o'104304'
1718 [35]    = %o'003042'
1719 [36]    = %o'114000'
1720 [37]    = %o'003046'
1721 [38]    = %o'104307'
1722 [39]    = %o'003040'
1723 [40]    = %o'104301'
1724 [41]    = %o'003041'
1725 [42]    = %o'104302'
1726 [43]    = %o'003043'
1727 [44]    = %o'104203'
1728 [45]    = %o'003044'
1729 [46]    = %o'060021'
1730 [47]    = %o'103207'
1731 [48]    = %o'177740'
1732 [49]    = %o'115007'
1733 [50]    = %o'013012'
1734 [51]    = %o'115400'
1735 [52]    = %o'003046'

```

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (5)ZRCFA4
V01.0CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST A

```

: 1736 [53] = %o'106200'.
: 1737 [54] = %o'000012'.
: 1738 [55] = %o'003046'.
: 1739 [56] = %o'032766'.
: 1740 [57] = %o'003023'.
: 1741 [58] = %o'117404'.
: 1742 [59] = %o'013027'.
: 1743 [60] = %o'105200'.
: 1744 [61] = %o'000002'.
: 1745 [62] = %o'003040'.
: 1746 [63] = %o'104300'.
: 1747 [64] = %o'003040'.
: 1748 [65] = %o'003044'.
: 1749 [66] = %o'002764'.
: 1750 [67] = %o'104200'.
: 1751 [68] = %o'000106'.
: 1752 [69] = %o'003045'.
: 1753 [70] = %o'003032'.
: 1754 [71] = %o'104200'.
: 1755 [72] = %o'000104'.
: 1756 [73] = %o'003045'.
: 1757 [74] = %o'104207'.
: 1758 [75] = %o'003045'.
: 1759 [76] = %o'104201'.
: 1760 [77] = %o'000001'.
: 1761 [78] = %o'060022'.
: 1762 [79] = %o'060010'.
: 1763 [80] = %o'000000'.
: 1764 [81] = %o'000000'.
: 1765 [82] = %o'000000'.
: 1766 [83] = %o'000000'.
: 1767 [84] = %o'000000'.
: 1768 [85] = %o'000000'.
: 1769 [86] = %o'000000'.
: 1770 [87] = %o'000000'.
: 1771 [88] = %o'000000'.
: 1772 [89] = %o'000000'.
: 1773 [90] = %o'000000'.
: 1774 [91] = %o'000000'.
: 1775 [92] = %o'000000'.
: 1776 [93] = %o'000000'.
: 1777 [94] = %o'000000'.
: 1778 [95] = %o'000000'.
: 1779 [96] = %o'000000'.
: 1780 [97] = %o'000000'.
: 1781 [98] = %o'056247'.
: 1782 [99] = %o'000000').
: 1783
```

```

1784 %sbttl 'BUS ADDRESSING/DATA TEST B'
1785
1786 global
1787     DM_12 : vector [202, word] preset (
1788 [0]     = %o'000622' : THIS IS THE DM PROGRAM BYTE COUNT.
1789 [1]     = %o'000000'
1790 [2]     = %o'000000' : THIS IS THE DM OVERLAY BYTE COUNT.
1791 [3]     = %o'000000'
1792 [4]     = %o'042524' : NEXT 3 WORDS = PROGRAM NAME (ASCII)
1793 [5]     = %o'052123' : PROGRAM NAME IS 'TEST12'
1794 [6]     = %o'031061'
1795 [7]     = %o'000000' : THIS IS THE PROGRAM VERSION
1796 [8]     = %o'177411' : UPPER BYTE=TIME OUT VAL. LOWER = FLAGS
1797 [9]     = %o'000000'
1798 [10]    = %o'000000'
1799 [11]    = %o'000000'
1800 [12]    = %o'000000'
1801 [13]    = %o'000000'
1802 [14]    = %o'000000'
1803 [15]    = %o'000000'
1804 [16]    = %o'104206' : DM CODE STARTS HERE
1805 [17]    = %o'002767'
1806 [18]    = %o'003004'
1807 [19]    = %o'000000'
1808 [20]    = %o'000000'
1809 [21]    = %o'000000'
1810 [22]    = %o'000000'
1811 [23]    = %o'000000'
1812 [24]    = %o'000000'
1813 [25]    = %o'000000'
1814 [26]    = %o'000000'
1815 [27]    = %o'000000'
1816 [28]    = %o'000000'
1817 [29]    = %o'000000'
1818 [30]    = %o'000000'
1819 [31]    = %o'000000'
1820 [32]    = %o'000000'
1821 [33]    = %o'000000'
1822 [34]    = %o'000000'
1823 [35]    = %o'000000'
1824 [36]    = %o'000000'
1825 [37]    = %o'000000'
1826 [38]    = %o'000000'
1827 [39]    = %o'000000'
1828 [40]    = %o'000000'
1829 [41]    = %o'000000'
1830 [42]    = %o'000000'
1831 [43]    = %o'000104'
1832 [44]    = %o'000106'
1833 [45]    = %o'000000'
1834 [46]    = %o'000000'
1835 [47]    = %o'000000'
1836 [48]    = %o'000000'
1837 [49]    = %o'000000'
1838 [50]    = %o'000000'
1839 [51]    = %o'000000'
1840 [52]    = %o'023016'

```

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

1841	[53]	=	%0'023031'
1842	[54]	=	%0'023210'
1843	[55]	=	%0'023120'
1844	[56]	=	%0'023126'
1845	[57]	=	%0'023210'
1846	[58]	=	%0'023120'
1847	[59]	=	%0'023155'
1848	[60]	=	%0'023210'
1849	[61]	=	%0'060010'
1850	[62]	=	%0'104207'
1851	[63]	=	%0'002770'
1852	[64]	=	%0'104201'
1853	[65]	=	%0'000003'
1854	[66]	=	%0'060023'
1855	[67]	=	%0'103207'
1856	[68]	=	%0'177740'
1857	[69]	=	%0'115007'
1858	[70]	=	%0'013030'
1859	[71]	=	%0'003203'
1860	[72]	=	%0'000000'
1861	[73]	=	%0'104300'
1862	[74]	=	%0'002770'
1863	[75]	=	%0'002777'
1864	[76]	=	%0'104300'
1865	[77]	=	%0'002771'
1866	[78]	=	%0'003000'
1867	[79]	=	%0'104301'
1868	[80]	=	%0'002772'
1869	[81]	=	%0'104207'
1870	[82]	=	%0'177777'
1871	[83]	=	%0'107307'
1872	[84]	=	%0'002777'
1873	[85]	=	%0'104070'
1874	[86]	=	%0'003002'
1875	[87]	=	%0'023063'
1876	[88]	=	%0'105200'
1877	[89]	=	%0'000002'
1878	[90]	=	%0'002777'
1879	[91]	=	%0'115000'
1880	[92]	=	%0'002777'
1881	[93]	=	%0'053060'
1882	[94]	=	%0'115400'
1883	[95]	=	%0'003000'
1884	[96]	=	%0'117401'
1885	[97]	=	%0'053041'
1886	[98]	=	%0'000000'
1887	[99]	=	%0'100467'
1888	[100]	=	%0'100461'
1889	[101]	=	%0'100462'
1890	[102]	=	%0'100463'
1891	[103]	=	%0'104307'
1892	[104]	=	%0'002777'
1893	[105]	=	%0'104301'
1894	[106]	=	%0'003000'
1895	[107]	=	%0'104202'
1896	[108]	=	%0'000001'
1897	[109]	=	%0'104203'

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

```

.....
1898 [110] = %o'003002'
1899 [111] = %o'060021'
1900 [112] = %o'103207'
1901 [113] = %o'177740'
1902 [114] = %o'115007'
1903 [115] = %o'013113'
1904 [116] = %o'115400'
1905 [117] = %o'003003'
1906 [118] = %o'106200'
1907 [119] = %o'000012'
1908 [120] = %o'003003'
1909 [121] = %o'033067'
1910 [122] = %o'003203'
1911 [123] = %o'104263'
1912 [124] = %o'104262'
1913 [125] = %o'104261'
1914 [126] = %o'104267'
1915 [127] = %o'000000'
1916 [128] = %o'104207'
1917 [129] = %o'002775'
1918 [130] = %o'104201'
1919 [131] = %o'000001'
1920 [132] = %o'060023'
1921 [133] = %o'000000'
1922 [134] = %o'104300'
1923 [135] = %o'002770'
1924 [136] = %o'002777'
1925 [137] = %o'104300'
1926 [138] = %o'002771'
1927 [139] = %o'003000'
1928 [140] = %o'104301'
1929 [141] = %o'002772'
1930 [142] = %o'104200'
1931 [143] = %o'177777'
1932 [144] = %o'003002'
1933 [145] = %o'023063'
1934 [146] = %o'105200'
1935 [147] = %o'000002'
1936 [148] = %o'002777'
1937 [149] = %o'115000'
1938 [150] = %o'002777'
1939 [151] = %o'053152'
1940 [152] = %o'115400'
1941 [153] = %o'003000'
1942 [154] = %o'117401'
1943 [155] = %o'053141'
1944 [156] = %o'000000'
1945 [157] = %o'104300'
1946 [158] = %o'002770'
1947 [159] = %o'002777'
1948 [160] = %o'104300'
1949 [161] = %o'002771'
1950 [162] = %o'003000'
1951 [163] = %o'104301'
1952 [164] = %o'002772'
1953 [165] = %o'114000'
1954 [166] = %o'003002'
.....

```

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

```

:          1955 [167] = %o'023063'
:          1956 [168] = %o'105200'
:          1957 [169] = %o'000002'
:          1958 [170] = %o'002777'
:          1959 [171] = %o'115000'
:          1960 [172] = %o'002777'
:          1961 [173] = %o'053200'
:          1962 [174] = %o'115400'
:          1963 [175] = %o'003000'
:          1964 [176] = %o'117401'
:          1965 [177] = %o'053167'
:          1966 [178] = %o'000000'
:          1967 [179] = %o'104300'
:          1968 [180] = %o'002774'
:          1969 [181] = %o'002776'
:          1970 [182] = %o'023215'
:          1971 [183] = %o'060010'
:          1972 [184] = %o'104300'
:          1973 [185] = %o'002773'
:          1974 [186] = %o'002776'
:          1975 [187] = %o'023215'
:          1976 [188] = %o'000000'
:          1977 [189] = %o'104207'
:          1978 [190] = %o'002776'
:          1979 [191] = %o'104201'
:          1980 [192] = %o'000001'
:          1981 [193] = %o'060022'
:          1982 [194] = %o'103207'
:          1983 [195] = %o'177740'
:          1984 [196] = %o'115007'
:          1985 [197] = %o'013227'
:          1986 [198] = %o'060010'
:          1987 [199] = %o'000000'
:          1988 [200] = %o'165572'
:          1989 [201] = %o'000000');
:          1990
:          1991 end
:          1992
:          1993 eludom
    
```

.TITLE ZRCFA4 CZRCFA0 RC25 FR END TEST
.IDENT /V01.0/

```

000000
000000 000270
000002 000000
000004 000000
000006 000000
000010 042524
000012 052123
000014 034460
000016 000000
000020 126411
000022 000000
000024 000000
    
```

```

DM.09:: .PSECT DM$CODE, RO, D, GBL
         .WORD 270
         .WORD 0
         .WORD 0
         .WORD 0
         .WORD 42524
         .WORD 52123
         .WORD 34460
         .WORD 0
         .WORD -51367
         .WORD 0
         .WORD 0
    
```

ZRCFA4
V01.0 CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

000026	000000	.WORD	0
000030	000000	.WORD	0
000032	000000	.WORD	0
000034	000000	.WORD	0
000036	000000	.WORD	0
000040	104206	.WORD	-73572
000042	003051	.WORD	3051
000044	114000	.WORD	-64000
000046	003037	.WORD	3037
000050	104207	.WORD	-73571
000052	003032	.WORD	3032
000054	104201	.WORD	-73577
000056	000003	.WORD	3
000060	060023	.WORD	60023
000062	103207	.WORD	-74571
000064	177740	.WORD	-40
000066	115007	.WORD	-62771
000070	012756	.WORD	12756
000072	003003	.WORD	3003
000074	114000	.WORD	-64000
000076	003052	.WORD	3052
000100	104307	.WORD	-73471
000102	003032	.WORD	3032
000104	104301	.WORD	-73477
000106	003033	.WORD	3033
000110	104302	.WORD	-73476
000112	003034	.WORD	3034
000114	104203	.WORD	-73575
000116	003052	.WORD	3052
000120	060020	.WORD	60020
000122	103207	.WORD	-74571
000124	177740	.WORD	-40
000126	115007	.WORD	-62771
000130	013007	.WORD	13007
000132	115400	.WORD	-62400
000134	003037	.WORD	3037
000136	106300	.WORD	-71500
000140	003035	.WORD	3035
000142	003037	.WORD	3037
000144	032756	.WORD	32756
000146	104200	.WORD	-73600
000150	000106	.WORD	106
000152	003040	.WORD	3040
000154	003024	.WORD	3024
000156	104207	.WORD	-73571
000160	003052	.WORD	3052
000162	104201	.WORD	-73577
000164	125252	.WORD	-52526
000166	104302	.WORD	-73476
000170	003034	.WORD	3034
000172	106271	.WORD	-71507
000174	053003	.WORD	53003
000176	117402	.WORD	-60376
000200	053015	.WORD	53015
000202	104200	.WORD	-73600
000204	000104	.WORD	104
000206	003040	.WORD	3040

ZRCFA4
V01.0 CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

000210	104207		.WORD	-73571
000212	003040		.WORD	3040
000214	104201		.WORD	-73577
000216	000001		.WORD	1
000220	060022		.WORD	60022
000222	060010		.WORD	60010
000224	000000		.WORD	0
000226	000000		.WORD	0
000230	000000		.WORD	0
000232	000012		.WORD	12
000234	000000		.WORD	0
000236	000000		.WORD	0
000240	000000		.WORD	0
000242	000000		.WORD	0
000244	000000		.WORD	0
000246	000000		.WORD	0
000250	000000		.WORD	0
000252	000000		.WORD	0
000254	000000		.WORD	0
000256	000000		.WORD	0
000260	000000		.WORD	0
000262	000000		.WORD	0
000264	000000		.WORD	0
000266	144423		.WORD	-33355
000270	000000		.WORD	0
000272	000162	DM.10::	.WORD	162
000274	000000		.WORD	0
000276	000000		.WORD	0
000300	000000		.WORD	0
000302	042524		.WORD	42524
000304	052123		.WORD	52123
000306	030061		.WORD	30061
000310	000000		.WORD	0
000312	126411		.WORD	-51367
000314	000000		.WORD	0
000316	000000		.WORD	0
000320	000000		.WORD	0
000322	000000		.WORD	0
000324	000000		.WORD	0
000326	000000		.WORD	0
000330	000000		.WORD	0
000332	104206		.WORD	-73572
000334	003007		.WORD	3007
000336	104207		.WORD	-73571
000340	160000		.WORD	-20000
000342	104201		.WORD	-73577
000344	177777		.WORD	-1
000346	104202		.WORD	-73576
000350	000001		.WORD	1
000352	104203		.WORD	-73575
000354	003500		.WORD	3500
000356	060021		.WORD	60021
000360	103207		.WORD	-74571
000362	177740		.WORD	-40
000364	104070		.WORD	-73710
000366	002765		.WORD	2765
000370	104207		.WORD	-73571

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

000372	002765	.WORD	2765
000374	104201	.WORD	-73577
000376	000001	.WORD	1
000400	060022	.WORD	60022
000402	060010	.WORD	60010
000404	000000	.WORD	0
000406	000000	.WORD	0
000410	000000	.WORD	0
000412	000000	.WORD	0
000414	000000	.WORD	0
000416	000000	.WORD	0
000420	000000	.WORD	0
000422	000000	.WORD	0
000424	000000	.WORD	0
000426	000000	.WORD	0
000430	000000	.WORD	0
000432	000000	.WORD	0
000434	000000	.WORD	0
000436	000000	.WORD	0
000440	000000	.WORD	0
000442	000000	.WORD	0
000444	000000	.WORD	0
000446	000000	.WORD	0
000450	000000	.WORD	0
000452	030037	.WORD	30037
000454	000000	.WORD	0
000456	000306	DM.11:: .WORD	306
000460	000000	.WORD	0
000462	000000	.WORD	0
000464	000000	.WORD	0
000466	042524	.WORD	42524
000470	052123	.WORD	52123
000472	030461	.WORD	30461
000474	000000	.WORD	0
000476	126411	.WORD	-51367
000500	000000	.WORD	0
000502	000000	.WORD	0
000504	000000	.WORD	0
000506	000000	.WORD	0
000510	000000	.WORD	0
000512	000000	.WORD	0
000514	000000	.WORD	0
000516	104206	.WORD	-73572
000520	003061	.WORD	3061
000522	104207	.WORD	-73571
000524	003040	.WORD	3040
000526	104201	.WORD	-73577
000530	000003	.WORD	3
000532	060023	.WORD	60023
000534	103207	.WORD	-74571
000536	177740	.WORD	-40
000540	115007	.WORD	-62771
000542	012754	.WORD	12754
000544	003023	.WORD	3023
000546	104200	.WORD	-73600
000550	000001	.WORD	1
000552	003043	.WORD	3043

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

000554	104300	.WORD	-73500
000556	003040	.WORD	3040
000560	003044	.WORD	3044
000562	104304	.WORD	-73474
000564	003042	.WORD	3042
000566	114000	.WORD	-64000
000570	003046	.WORD	3046
000572	104307	.WORD	-73471
000574	003040	.WORD	3040
000576	104301	.WORD	-73477
000600	003041	.WORD	3041
000602	104302	.WORD	-73476
000604	003043	.WORD	3043
000606	104203	.WORD	-73575
000610	003044	.WORD	3044
000612	060021	.WORD	60021
000614	103207	.WORD	-74571
000616	177740	.WORD	-40
000620	115007	.WORD	-62771
000622	013012	.WORD	13012
000624	115400	.WORD	-62400
000626	003046	.WORD	3046
000630	106200	.WORD	-71600
000632	000012	.WORD	12
000634	003046	.WORD	3046
000636	032766	.WORD	32766
000640	003023	.WORD	3023
000642	117404	.WORD	-60374
000644	013027	.WORD	13027
000646	105200	.WORD	-72600
000650	000002	.WORD	2
000652	003040	.WORD	3040
000654	104300	.WORD	-73500
000656	003040	.WORD	3040
000660	003044	.WORD	3044
000662	002764	.WORD	2764
000664	104200	.WORD	-73600
000666	000106	.WORD	106
000670	003045	.WORD	3045
000672	003032	.WORD	3032
000674	104200	.WORD	-73600
000676	000104	.WORD	104
000700	003045	.WORD	3045
000702	104207	.WORD	-73571
000704	003045	.WORD	3045
000706	104201	.WORD	-73577
000710	000001	.WORD	1
000712	060022	.WORD	60022
000714	060010	.WORD	60010
000716	000000	.WORD	0
000720	000000	.WORD	0
000722	000000	.WORD	0
000724	000000	.WORD	0
000726	000000	.WORD	0
000730	000000	.WORD	0
000732	000000	.WORD	0
000734	000000	.WORD	0

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERSUSERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

000736	000000		.WORD	0
000740	000000		.WORD	0
000742	000000		.WORD	0
000744	000000		.WORD	0
000746	000000		.WORD	0
000750	000000		.WORD	0
000752	000000		.WORD	0
000754	000000		.WORD	0
000756	000000		.WORD	0
000760	000000		.WORD	0
000762	056247		.WORD	56247
000764	000000		.WORD	0
000766	000622	DM.12::	.WORD	622
000770	000000		.WORD	0
000772	000000		.WORD	0
000774	000000		.WORD	0
000776	042524		.WORD	42524
001000	052123		.WORD	52123
001002	031061		.WORD	31061
001004	000000		.WORD	0
001006	177411		.WORD	-367
001010	000000		.WORD	0
001012	000000		.WORD	0
001014	000000		.WORD	0
001016	000000		.WORD	0
001020	000000		.WORD	0
001022	000000		.WORD	0
001024	000000		.WORD	0
001026	104206		.WORD	-73572
001030	002767		.WORD	2767
001032	003004		.WORD	3004
001034	000000		.WORD	0
001036	000000		.WORD	0
001040	000000		.WORD	0
001042	000000		.WORD	0
001044	000000		.WORD	0
001046	000000		.WORD	0
001050	000000		.WORD	0
001052	000000		.WORD	0
001054	000000		.WORD	0
001056	000000		.WORD	0
001060	000000		.WORD	0
001062	000000		.WORD	0
001064	000000		.WORD	0
001066	000000		.WORD	0
001070	000000		.WORD	0
001072	000000		.WORD	0
001074	000000		.WORD	0
001076	000000		.WORD	0
001100	000000		.WORD	0
001102	000000		.WORD	0
001104	000000		.WORD	0
001106	000000		.WORD	0
001110	000000		.WORD	0
001112	000000		.WORD	0
001114	000104		.WORD	104
001116	000106		.WORD	106

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

001120	000000	.WORD	0
001122	000000	.WORD	0
001124	000000	.WORD	0
001126	000000	.WORD	0
001130	000000	.WORD	0
001132	000000	.WORD	0
001134	000000	.WORD	0
001136	023016	.WORD	23016
001140	023031	.WORD	23031
001142	023210	.WORD	23210
001144	023120	.WORD	23120
001146	023126	.WORD	23126
001150	023210	.WORD	23210
001152	023120	.WORD	23120
001154	023155	.WORD	23155
001156	023210	.WORD	23210
001160	060010	.WORD	60010
001162	104207	.WORD	-73571
001164	002770	.WORD	2770
001166	104201	.WORD	-73577
001170	000003	.WORD	3
001172	060023	.WORD	60023
001174	103207	.WORD	-74571
001176	177740	.WORD	-40
001200	115007	.WORD	-62771
001202	013030	.WORD	13030
001204	003203	.WORD	3203
001206	000000	.WORD	0
001210	104300	.WORD	-73500
001212	002770	.WORD	2770
001214	002777	.WORD	2777
001216	104300	.WORD	-73500
001220	002771	.WORD	2771
001222	003000	.WORD	3000
001224	104301	.WORD	-73477
001226	002772	.WORD	2772
001230	104207	.WORD	-73571
001232	177777	.WORD	-1
001234	107307	.WORD	-70471
001236	002777	.WORD	2777
001240	104070	.WORD	-73710
001242	003002	.WORD	3002
001244	023063	.WORD	23063
001246	105200	.WORD	-72600
001250	000002	.WORD	2
001252	002777	.WORD	2777
001254	115000	.WORD	-63000
001256	002777	.WORD	2777
001260	053060	.WORD	53060
001262	115400	.WORD	-62400
001264	003000	.WORD	3000
001266	117401	.WORD	-60377
001270	053041	.WORD	53041
001272	000000	.WORD	0
001274	100467	.WORD	-77311
001276	100461	.WORD	-77317
001300	100462	.WORD	-77316

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDER\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

001302	100463	.WORD	-77315
001304	104307	.WORD	-73471
001306	002777	.WORD	2777
001310	104301	.WORD	-73477
001312	003000	.WORD	3000
001314	104202	.WORD	-73576
001316	000001	.WORD	1
001320	104203	.WORD	-73575
001322	003002	.WORD	3002
001324	060021	.WORD	60021
001326	103207	.WORD	-74571
001330	177740	.WORD	-40
001332	115007	.WORD	-62771
001334	013113	.WORD	13113
001336	115400	.WORD	-62400
001340	003003	.WORD	3003
001342	106200	.WORD	-71600
001344	000012	.WORD	12
001346	003003	.WORD	3003
001350	033067	.WORD	33067
001352	003203	.WORD	3203
001354	104263	.WORD	-73515
001356	104262	.WORD	-73516
001360	104261	.WORD	-73517
001362	104267	.WORD	-73511
001364	000000	.WORD	0
001366	104207	.WORD	-73571
001370	002775	.WORD	2775
001372	104201	.WORD	-73577
001374	000001	.WORD	1
001376	060023	.WORD	60023
001400	000000	.WORD	0
001402	104300	.WORD	-73500
001404	002770	.WORD	2770
001406	002777	.WORD	2777
001410	104300	.WORD	-73500
001412	002771	.WORD	2771
001414	003000	.WORD	3000
001416	104301	.WORD	-73477
001420	002772	.WORD	2772
001422	104200	.WORD	-73600
001424	177777	.WORD	-1
001426	003002	.WORD	3002
001430	023063	.WORD	23063
001432	105200	.WORD	-72600
001434	000002	.WORD	2
001436	002777	.WORD	2777
001440	115000	.WORD	-63000
001442	002777	.WORD	2777
001444	053152	.WORD	53152
001446	115400	.WORD	-62400
001450	003000	.WORD	3000
001452	117401	.WORD	-60377
001454	053141	.WORD	53141
001456	000000	.WORD	0
001460	104300	.WORD	-73500
001462	002770	.WORD	2770

ZRCFA4
V01.0

CZRCFA0 RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

F 6

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 276

Page 20

001464	002777	.WORD	2777
001466	104300	.WORD	-73500
001470	002771	.WORD	2771
001472	003000	.WORD	3000
001474	104301	.WORD	-73477
001476	002772	.WORD	2772
001500	114000	.WORD	-64000
001502	003002	.WORD	3002
001504	023063	.WORD	23063
001506	105200	.WORD	-72600
001510	000002	.WORD	2
001512	002777	.WORD	2777
001514	115000	.WORD	-63000
001516	002777	.WORD	2777
001520	053200	.WORD	53200
001522	115400	.WORD	-62400
001524	003000	.WORD	3000
001526	117401	.WORD	-60377
001530	053167	.WORD	53167
001532	000000	.WORD	0
001534	104300	.WORD	-73500
001536	002774	.WORD	2774
001540	002776	.WORD	2776
001542	023215	.WORD	23215
001544	060010	.WORD	60010
001546	104300	.WORD	-73500
001550	002773	.WORD	2773
001552	002776	.WORD	2776
001554	023215	.WORD	23215
001556	000000	.WORD	0
001560	104207	.WORD	-73571
001562	002776	.WORD	2776
001564	104201	.WORD	-73577
001566	000001	.WORD	1
001570	060022	.WORD	60022
001572	103207	.WORD	-74571
001574	177740	.WORD	-40
001576	115007	.WORD	-62771
001600	013227	.WORD	13227
001602	060010	.WORD	60010
001604	000000	.WORD	0
001606	165572	.WORD	-12206
001610	000000	.WORD	0

PSECT SUMMARY

```

:
:
: Psect Name      Words  Attributes
:   DM$CODE      453    RO , D , GBL, REL, CON
:

```

LIBRARY STATISTICS

```

:
:
: ----- Symbols ----- Blocks
:

```

ZRCFA4
V01.0

CZRCFAO RC25 FR END TEST
BUS ADDRESSING/DATA TEST B

G 6

8-Jul-1983 15:33:57
8-Jul-1983 14:47:41

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (6)

SEQ 277
Page 21

File	Total	Loaded	Percent	Read
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]AZTECO.L16:1	523	4	0	19

COMMAND QUALIFIERS

BLISS /PDP11/LIST ZRCFA4.B16/EN:NOEIS

: Size: 0 code + 453 data words
: Run Time: 00:23.9
: Elapsed Time: 00:56.1
: Memory Used: 196 pages
: Compilation Complete

ZRCFAS

H 6

8-Jul-1983 15:34:55
8-Jul-1983 14:50:06

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

SEQ 278

Page 1

```

: 0001 MODULE ZRCFAS =
: 0002 BEGIN
: 0003 %TITLE 'LASTAD AND SETUP'
: 0004 :
: 0005 :
: 0006 REQUIRE 'BLSMAC.REQ';
: 1495 :
: 1496 LIBRARY 'AZTECO';
: 1497 :
: 1498 %SBTTL 'LAST ADDRESS AND SETUP SECTION'
: 1499 LASTAD;
: 1500 BGNSETUP (0);
: 1501 ENDSETUP;

```

.TITLE ZRCFAS LASTAD AND SETUP

```

000000          .PSECT $XYZ$, RO
000000 000004' BLSLAS::WORD T$FREE
000002 000000C .WORD <<T$FREE-<BLSLAS+4>>/2>
000004 000000 T$FREE::WORD 0

```

```

000004'      L$LAST==      BLSLAS+4
000000      T$PTHV==      0

```

```

000000 000207          .SBTTL $END.LINK LAST ADDRESS AND SETUP SECTION
SEND.LINK::      RTS      PC      ;

```

1496

```

; Routine Size: 1 word,      Routine Base: $XYZ$ + 0006
; Maximum stack depth per invocation: 0 words

```

```

: 1502 END
: 1503
: 1504 ELUDOM

```

PSECT SUMMARY

Psect Name	Words	Attributes
\$XYZ\$	4	RO, I, LCL, REL, CON

LIBRARY STATISTICS

File	Total	Symbols Loaded	Percent	Blocks Read
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]AZTECO.L16:1	523	0	0	16

ZRCFAS

LASTAD AND SETUP
LAST ADDRESS AND SETUP SECTION

I 6

8-Jul-1983 15:34:55
8-Jul-1983 14:50:06

VAX-11 Bliss-16 V3-555
SPIDERS\$USERS:[LAKSHMANA.11REL.REAL]ZRCFA (1)

SEQ 279
Page 2

COMMAND QUALIFIERS

:
: BLISS /PDP11/LIST ZRCFAS.B16/EN:NOEIS

: Size: 1 code + 3 data words
: Run Time: 00:06.1
: Elapsed Time: 00:15.1
: Memory Used: 103 pages
: Compilation Complete

CZRCFA.EXE Memory allocation map TKB M40.02 Page 1
 8-JUL-83 15:46

Partition name : DUMMY
 Identification : V01.0
 Task UIC : [300,10]
 Task attributes: -HD
 Total address windows: 1.
 Task image size : 12128. words
 Task address limits: 002000 061247
 R-W disk blk limits: 000002 000061 000060 00048.

*** Root segment: ZRCFA1

R/W mem limits: 002000 061247 057250 24232.
 Disk blk limits: 000002 000061 000060 00048.

Memory allocation synopsis:

Section		Title	Ident	File
-----		-----	-----	-----
. BLK.:(RW,I,LCL,REL,CON)	002000 000000 00000.			
AASCOD:(RO,I,LCL,REL,CON)	002000 001260 00688.			
	002000 000232 00154.	ZRCFA1	V01.0	ZRCFA1.OBJ;1
	002232 001026 00534.	ZRCFA2	V01.0	ZRCFA2.OBJ;1
ABSCOD:(RO,I,LCL,REL,CON)	003260 015132 06746.			
	003260 015132 06746.	ZRCFA2	V01.0	ZRCFA2.OBJ;1
ACSCOD:(RO,I,LCL,REL,CON)	020412 010632 04506.			
	020412 010632 04506.	ZRCFA3	V01.0	ZRCFA3.OBJ;1
BLSCOD:(RO,I,LCL,REL,CON)	031244 000424 00276.			
	031244 000316 00206.	B16MUL	V3.0	NEISLB.OLB;4
	031562 000106 00070.	B16SAV	V3.0	NEISLB.OLB;4
DMSCOD:(RO,D,GBL,REL,CON)	031670 001612 00906.			
	031670 001612 00906.	ZRCFA4	V01.0	ZRCFA4.OBJ;1
\$GLOB\$: (RO,D,GBL,REL,CON)	033502 005714 03020.			
	033502 005714 03020.	ZRCFA1	V01.0	ZRCFA1.OBJ;1
\$OWNS : (RW,D,LCL,REL,CON)	041416 001240 00672.			
	041416 001240 00672.	ZRCFA3	V01.0	ZRCFA3.OBJ;1
\$PLITS:(RO,D,GBL,REL,CON)	042656 016360 07408.			
	042656 016360 07408.	ZRCFA1	V01.0	ZRCFA1.OBJ;1
\$XYZ\$: (RO,I,LCL,REL,CON)	061236 000010 00008.			
	061236 000010 00008.	ZRCFA5	NONE	ZRCFA5.OBJ;1

Global symbols:

ADAPTO 042714-R	BL\$DIV 031470-R	BYTE.C 041270-R	CLK.ST 035530-R	DATA1 041302-R	DBM14 044614-R	DBM22 045256-R
AHEAD. 050674-R	BL\$LAS 061236-R	BYT.CN 041406-R	CLK.TY 035522-R	DATA2 041304-R	DBM15 044650-R	DBM23 045324-R
AVAILA 011762-R	BL\$MOD 031502-R	B.MASK 041321-R	CLOCK. 003530-R	DATA3 041306-R	DBM16 044712-R	DBM24 045406-R
AVERAG 016344-R	BL\$MUL 031244-R	CANCEL 041346-R	CMD.RE 041266-R	DATA4 041310-R	DBM17 044756-R	DBM25 045452-R
AZP.IN 005110-R	BL\$SHF 031514-R	CHEAD. 050764-R	CMD.SL 041350-R	DBM1 044010-R	DBM18 045026-R	DBM26 045510-R
AZTEC. 017500-R	BRERR 050132-R	CLK.AD 035520-R	COM.AR 035546-R	DBM10 044410-R	DBM19 045076-R	DBM27 045554-R
AZT.IN 004236-R	BUFF.E 047662-R	CLK.CS 035524-R	CONTRO 042746-R	DBM11 044452-R	DBM2 044110-R	DBM28 045614-R
AZT.RE 052216-R	BUF.DE 041264-R	CLK.HE 035526-R	CTO.ER 050632-R	DBM12 044520-R	DBM20 045136-R	DBM29 045664-R
BHEAD. 050730-R	BUF.LE 041374-R	CLK.IN 003276-R	DATA.X 016764-R	DBM13 044560-R	DBM21 045206-R	DBM3 044124-R

CZRCFA.EXE Memory allocation map TKB M40.02 Page 2
 ZRCFA1 8-JUL-83 15:46

DBM30	045724-R	ERR.02	046450-R	LSAU	003250-R	LSNDHW	002176-R	MSG.TK	051054-R	QST12	043612-R	SMSCP.	061204-R
DBM31	045762-R	EXAM.D	016522-R	LSAUT	002070-R	LSNDSF	002416-R	MSG.WR	052062-R	QST13	043640-R	SND.DA	052316-R
DBM32	046024-R	EXE.SU	052256-R	LSAUTO	003142-R	LSNDSW	002222-R	MSG.01	046372-R	QST14	043664-R	SND.EN	037764-R
DBM33	046060-R	EX.SUP	006464-R	LSCCP	002106-R	LSPRIO	002042-R	MSG.1	047254-R	QST15	043736-R	SWITCH	041324-R
DBM34	046100-R	FAL.CO	041402-R	LSCLEA	003224-R	LSPROT	002224-R	MSG.10	047506-R	QST2	043100-R	SWP.CO	002214-R
DBM35	046122-R	FIND.C	003344-R	LSCO	002032-R	LSPRT	002112-R	MSG.11	047554-R	QST3	043110-R	SWP.EN	002210-R
DBM36	046146-R	FMTSA	047162-R	LSDEPO	002011-R	LSREPP	002062-R	MSG.13	047612-R	QST4	043122-R	SWP.LI	002204-R
DBM37	046210-R	FMTSC	046516-R	LSDESC	002256-R	LSREV	002010-R	MSG.14	047634-R	QST6	043146-R	SWP.MA	002216-R
DBM38	046254-R	FMT1	046524-R	LSDESP	002076-R	LSRPT	002440-R	MSG.17	050210-R	QST7	043220-R	SWP.RE	002212-R
DBM39	046314-R	FMT2	046610-R	LSDEVP	002060-R	LSSFTL	002366-R	MSG.18	050256-R	QST8	043310-R	SWP.ST	002206-R
DBM4	044136-R	FMT3	046670-R	LSDISP	002124-R	LSSOFT	002370-R	MSG.19	050334-R	QST9	043330-R	SWP.TO	002202-R
DBM5	044152-R	FMT4	046764-R	LSDLY	002116-R	LSSPC	002056-R	MSG.2	047304-R	QST10.1	043426-R	SWP.TR	002220-R
DBM6	044166-R	FMT5	047022-R	LSDTP	002040-R	LSSPCP	002020-R	MSG.20	050372-R	QST10.2	043456-R	TEMP	041414-R
DBM7	044200-R	FMT6	047102-R	LSDTYP	002034-R	LSSPTP	002024-R	MSG.21	050440-R	RANDOM	016264-R	TICKS	041272-R
DBM8	044244-R	FREE.M	041364-R	LSDU	003236-R	LSSTA	002030-R	MSG.28	050504-R	RCV.DA	034520-R	TIME	042660-R
DBM9	044326-R	FRU	042664-R	LSDUT	002072-R	LSSW	002202-R	MSG.29	050532-R	RC.STR	060210-R	TIP	041300-R
DECODE	017764-R	GET.CM	015464-R	LSDVTY	002232-R	LSSWLE	002200-R	MSG.30	050572-R	RC25E	003554-R	T\$FREE	061242-R
DFPTBL	002166-R	GET.RE	015532-R	LSEF	002052-R	LSTEST	002114-R	MSG.7	047334-R	RC25.A	035540-R	T\$PTHV	000000
DHEAD.	051020-R	GET.UN	014770-R	LSENVI	002044-R	LSTIML	002014-R	MSG.8	047406-R	RC25.D	035542-R	T1	021122-R
DMC.ER	047740-R	GP\$1	002320-R	LSERRT	002154-R	LSUNIT	002012-R	MSG.9	047450-R	READ.C	013310-R	T10	027434-R
DMC.TE	041404-R	GP\$2	002330-R	LSETP	002102-R	MANU.S	041322-R	NUM.RE	041376-R	READ.F	014166-R	T11	030270-R
DM.ADD	017244-R	GP\$3	002340-R	L\$EXP1	002046-R	MECHAN	043032-R	NXMI	003260-R	RECEIV	035760-R	T12	031230-R
DM.REC	041410-R	GP\$4	002352-R	L\$EXP4	002064-R	MEM.SI	041366-R	ON.LIN	012376-R	REC.DA	010270-R	T2	021346-R
DM.XMT	041412-R	GP\$5	002370-R	L\$EXP5	002066-R	MINUTE	041276-R	PFE.ER	050654-R	REC.EN	035764-R	T3	022144-R
DM.09	031670-R	GP\$6	002402-R	L\$HARD	002320-R	MSGADR	041314-R	PFE.ST	054376-R	REC.ST	015744-R	T4	022760-R
DM.10	032162-R	GP\$7	002410-R	L\$HIME	002120-R	MSG.AD	051364-R	PRT\$FR	004040-R	RES.SL	041352-R	T5	024314-R
DM.11	032346-R	HEAD.A	035756-R	L\$HPCP	002016-R	MSG.AV	052146-R	P.BR.L	002172-R	RETRIE	041400-R	T6	025310-R

DM.12	032656-R	HWP.TA	033516-R	LSHPTP	002022-R	MSG.BU	051320-R	P.IP.A	002166-R	RET.ST	041344-R	T7	025600-R
DO.RET	017674-R	H.EADD	041372-R	LSHRDL	002316-R	MSG.CO	051746-R	P.MASK	041320-R	RET.UN	041326-R	T8	026150-R
DRIVE.	043002-R	H.SADD	041370-R	LSHW	002166-R	MSG.DA	051432-R	P.UNIT	002174-R	RE.DAT	052354-R	T9	026722-R
DUP.MS	015600-R	INIT.C	005706-R	LSHWLE	002164-R	MSG.ER	051514-R	P.VECT	002170-R	RINGBA	035556-R	UNIT	035532-R
D\$PCNT	002122-R	INI.MS	047776-R	LSICP	002104-R	MSG.HS	051546-R	P1	041330-R	RT	033502-R	VEC.AD	035536-R
EMSG.S	054722-R	I.AM.N	041312-R	LSINIT	003130-R	MSG.LB	051134-R	P2	041332-R	RT.TAB	033514-R	WRT.PR	017266-R
END.LB	041316-R	LBN	041354-R	LSLADP	002026-R	MSG.PT	052000-R	P3	041334-R	SDUP.S	060542-R	XMT.DA	033520-R
END.MS	050060-R	LBN.ED	041360-R	LSLAST	061242-R	MSG.PW	047220-R	P4	041336-R	SECOND	041274-R	\$END.L	061244-R
ERRBLK	002162-R	LBN.ST	041356-R	LSLOAD	002100-R	MSG.RE	051646-R	P5	041340-R	SEND.D	007446-R	\$SAVE2	031562-R
ERRMSG	002160-R	LBN.SZ	041362-R	LSLUN	002074-R	MSG.SA	051672-R	P6	041342-R	SEND.R	035762-R	\$SAVE3	031576-R
ERRNBR	002156-R	LOG.UN	035534-R	LSMREV	002050-R	MSG.SE	051472-R	QST1	043064-R	SET.CN	011112-R	\$SAVE4	031614-R
ERRTYP	002154-R	LSACP	002110-R	LSNAME	002000-R	MSG.ST	051240-R	QST10	043346-R	SET.IN	015672-R	\$SAVE5	031634-R
ERR.01	046424-R	LSAPT	002036-R	LSNDHR	002364-R	MSG.SU	051576-R	QST11	043536-R	SFPTBL	002202-R		

*** Task builder statistics:

Total work file references: 62863.

Work file reads: 0.

Work file writes: 0.

Size of core pool: 5486. words (21. pages)

Size of work file: 3584. words (14. pages)

Elapsed time:00:00:20

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 1

GLOBAL CROSS REFERENCE

CREF V01

SYMBOL	VALUE	REFERENCES...
ADAPTO	042714-R	# ZRCFA1 ZRCFA2 ZRCFA3
AHEAD.	050674-R	# ZRCFA1 ZRCFA3
AVAILA	011762-R	# ZRCFA2 ZRCFA3
AVERAG	016344-R	# ZRCFA2 ZRCFA3
AZP.IN	005110-R	# ZRCFA2 ZRCFA3
AZTEC.	017500-R	# ZRCFA2 ZRCFA3
AZT.IN	004236-R	# ZRCFA2 ZRCFA3
AZT.RE	052216-R	# ZRCFA1 ZRCFA3
BHEAD.	050730-R	# ZRCFA1 ZRCFA3
BL\$DIV	031470-R	# B16MUL ZRCFA2 ZRCFA3
BL\$LAS	061236-R	# ZRCFA5
BL\$MOD	031502-R	# B16MUL ZRCFA2
BL\$MUL	031244-R	# B16MUL ZRCFA2
BL\$SHF	031514-R	# B16MUL ZRCFA2 ZRCFA3
BRERR	050132-R	# ZRCFA1 ZRCFA3
BUFF.E	047662-R	# ZRCFA1 ZRCFA3
BUF.DE	041264-R	# ZRCFA1 ZRCFA2 ZRCFA3
BUF.LE	041374-R	# ZRCFA1 ZRCFA2 ZRCFA3
BYTE.C	041270-R	# ZRCFA1 ZRCFA2 ZRCFA3
BYT.CN	041406-R	# ZRCFA1 ZRCFA2
B.MASK	041321-R	# ZRCFA1 ZRCFA2 ZRCFA3
CANCEL	041346-R	# ZRCFA1 ZRCFA2 ZRCFA3
CHEAD.	050764-R	# ZRCFA1 ZRCFA3
CLK.AD	035520-R	# ZRCFA1 ZRCFA2 ZRCFA3
CLK.CS	035524-R	# ZRCFA1 ZRCFA2 ZRCFA3
CLK.HE	035526-R	# ZRCFA1 ZRCFA2
CLK.IN	003276-R	# ZRCFA2
CLK.ST	035530-R	# ZRCFA1 ZRCFA2 ZRCFA3
CLK.TY	035522-R	# ZRCFA1 ZRCFA2
CLOCK.	003530-R	# ZRCFA2 ZRCFA3
CMD.RE	041266-R	# ZRCFA1 ZRCFA2 ZRCFA3
CMD.SL	041350-R	# ZRCFA1 ZRCFA2 ZRCFA3
COM.AR	035546-R	# ZRCFA1 ZRCFA2 ZRCFA3
CONTRO	042746-R	# ZRCFA1 ZRCFA2
CTO.ER	050632-R	# ZRCFA1 ZRCFA2 ZRCFA3
DATA.X	016764-R	# ZRCFA2 ZRCFA3
DATA1	041302-R	# ZRCFA1 ZRCFA2 ZRCFA3
DATA2	041304-R	# ZRCFA1 ZRCFA2 ZRCFA3
DATA3	041306-R	# ZRCFA1 ZRCFA2 ZRCFA3
DATA4	041310-R	# ZRCFA1 ZRCFA2 ZRCFA3
DBM1	044010-R	# ZRCFA1 ZRCFA2
DBM10	044410-R	# ZRCFA1 ZRCFA3
DBM11	044452-R	# ZRCFA1 ZRCFA3
DBM12	044520-R	# ZRCFA1 ZRCFA3
DBM13	044560-R	# ZRCFA1 ZRCFA3
DBM14	044614-R	# ZRCFA1 ZRCFA3
DBM15	044650-R	# ZRCFA1 ZRCFA3
DBM16	044712-R	# ZRCFA1 ZRCFA3
DBM17	044756-R	# ZRCFA1 ZRCFA3
DBM18	045026-R	# ZRCFA1 ZRCFA3
DBM19	045076-R	# ZRCFA1 ZRCFA3
DBM2	044110-R	# ZRCFA1 ZRCFA2

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 2

GLOBAL CROSS REFERENCE

CREF V01

SYMBOL	VALUE	REFERENCES...
DBM20	045136-R	# ZRCFA1 ZRCFA3
DBM21	045206-R	# ZRCFA1 ZRCFA3
DBM22	045256-R	# ZRCFA1 ZRCFA3
DBM23	045324-R	# ZRCFA1 ZRCFA3
DBM24	045406-R	# ZRCFA1 ZRCFA3
DBM25	045452-R	# ZRCFA1 ZRCFA3
DBM26	045510-R	# ZRCFA1 ZRCFA3
DBM27	045554-R	# ZRCFA1 ZRCFA3
DBM28	045614-R	# ZRCFA1 ZRCFA3
DBM29	045664-R	# ZRCFA1 ZRCFA3
DBM3	044124-R	# ZRCFA1 ZRCFA2
DBM30	045724-R	# ZRCFA1 ZRCFA3
DBM31	045762-R	# ZRCFA1 ZRCFA3
DBM32	046024-R	# ZRCFA1 ZRCFA3
DBM33	046060-R	# ZRCFA1 ZRCFA2
DBM34	046100-R	# ZRCFA1 ZRCFA2
DBM35	046122-R	# ZRCFA1 ZRCFA2
DBM36	046146-R	# ZRCFA1 ZRCFA3
DBM37	046210-R	# ZRCFA1 ZRCFA3
DBM38	046254-R	# ZRCFA1 ZRCFA3
DBM39	046314-R	# ZRCFA1 ZRCFA3
DBM4	044136-R	# ZRCFA1 ZRCFA2
DBM5	044152-R	# ZRCFA1 ZRCFA2
DBM6	044166-R	# ZRCFA1 ZRCFA2
DBM7	044200-R	# ZRCFA1 ZRCFA3
DBM8	044244-R	# ZRCFA1 ZRCFA3
DBM9	044326-R	# ZRCFA1 ZRCFA3
DECODE	017764-R	# ZRCFA2 ZRCFA3
DFPTBL	002166-R	# ZRCFA1
DHEAD.	051020-R	# ZRCFA1 ZRCFA3
DMC.ER	047740-R	# ZRCFA1 ZRCFA3
DMC.TE	041404-R	# ZRCFA1 ZRCFA2
DM.ADD	017244-R	# ZRCFA2 ZRCFA3
DM.REC	041410-R	# ZRCFA1 ZRCFA2
DM.XMT	041412-R	# ZRCFA1 ZRCFA2
DM.09	031670-R	ZRCFA3 # ZRCFA4
DM.10	032162-R	ZRCFA3 # ZRCFA4
DM.11	032346-R	ZRCFA3 # ZRCFA4
DM.12	032656-R	ZRCFA3 # ZRCFA4
DO.RET	017674-R	# ZRCFA2 ZRCFA3
DRIVE.	043002-R	# ZRCFA1 ZRCFA2
DUP.MS	015600-R	# ZRCFA2
D\$PCNT	002122-R	# ZRCFA1
EMSG.S	054722-R	# ZRCFA1 ZRCFA2
END.LB	041316-R	# ZRCFA1 ZRCFA2 ZRCFA3
END.MS	050060-R	# ZRCFA1 ZRCFA3
ERRBLK	002162-R	# ZRCFA1
ERRMSG	002160-R	# ZRCFA1
ERRNBR	002156-R	# ZRCFA1
ERRTYP	002154-R	# ZRCFA1
ERR.01	046424-R	# ZRCFA1 ZRCFA2
ERR.02	046450-R	# ZRCFA1 ZRCFA2

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 3
 GLOBAL CROSS REFERENCE CREF V01

SYMBOL	VALUE	REFERENCES...
EXAM.D	016522-R	# ZRCFA2 ZRCFA3
EXE.SU	052256-R	# ZRCFA1 ZRCFA3
EX.SUP	006464-R	# ZRCFA2 ZRCFA3
FAL.CO	041402-R	# ZRCFA1 ZRCFA2
FIND.C	003344-R	# ZRCFA2 ZRCFA3
FMT\$A	047162-R	# ZRCFA1 ZRCFA2 ZRCFA3
FMT\$C	046516-R	# ZRCFA1 ZRCFA2
FMT1	046524-R	# ZRCFA1 ZRCFA3
FMT2	046610-R	# ZRCFA1 ZRCFA2 ZRCFA3
FMT3	046670-R	# ZRCFA1 ZRCFA2 ZRCFA3
FMT4	046764-R	# ZRCFA1 ZRCFA3
FMT5	047022-R	# ZRCFA1 ZRCFA3
FMT6	047102-R	# ZRCFA1 ZRCFA3
FREE.M	041364-R	# ZRCFA1 ZRCFA2 ZRCFA3
FRU	042664-R	# ZRCFA1 ZRCFA2 ZRCFA3
GET.CM	015464-R	# ZRCFA2 ZRCFA3
GET.RE	015532-R	# ZRCFA2
GET.UN	014770-R	# ZRCFA2 ZRCFA3
GP\$1	002320-R	# ZRCFA2
GP\$2	002330-R	# ZRCFA2
GP\$3	002340-R	# ZRCFA2
GP\$4	002352-R	# ZRCFA2
GP\$5	002370-R	# ZRCFA2
GP\$6	002402-R	# ZRCFA2
GP\$7	002410-R	# ZRCFA2
HEAD.A	035756-R	# ZRCFA1 ZRCFA2 ZRCFA3
HWP.TA	033516-R	# ZRCFA1 ZRCFA2
H.EADD	041372-R	# ZRCFA1 ZRCFA2 ZRCFA3
H.SADD	041370-R	# ZRCFA1 ZRCFA2 ZRCFA3
INIT.C	005706-R	# ZRCFA2 ZRCFA3
INI.MS	047776-R	# ZRCFA1 ZRCFA3
I.AM.N	041312-R	# ZRCFA1 ZRCFA2 ZRCFA3
LBN	041354-R	# ZRCFA1 ZRCFA2 ZRCFA3
LBN.ED	041360-R	# ZRCFA1 ZRCFA2 ZRCFA3
LBN.ST	041356-R	# ZRCFA1 ZRCFA2 ZRCFA3
LBN.SZ	041362-R	# ZRCFA1 ZRCFA3
LOG.UN	035534-R	# ZRCFA1 ZRCFA2 ZRCFA3
LSACP	002110-R	# ZRCFA1
LSAPT	002036-R	# ZRCFA1
LSAU	003250-R	ZRCFA1 # ZRCFA2
LSAUT	002070-R	# ZRCFA1
LSAUTO	003142-R	ZRCFA1 # ZRCFA2
L\$CCP	002106-R	# ZRCFA1
L\$CLEA	003224-R	ZRCFA1 # ZRCFA2
L\$CO	002032-R	# ZRCFA1
L\$DEPO	002011-R	# ZRCFA1
L\$DESC	002256-R	ZRCFA1 # ZRCFA2
L\$DESP	002076-R	# ZRCFA1
L\$DEVP	002060-R	# ZRCFA1
L\$DISP	002124-R	# ZRCFA1
L\$DLY	002116-R	# ZRCFA1 ZRCFA2 ZRCFA3
L\$DTP	002040-R	# ZRCFA1

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 4

GLOBAL CROSS REFERENCE CREF V01

SYMBOL	VALUE	REFERENCES...
LSDTYP	002034-R	# ZRCFA1
L\$DU	003236-R	ZRCFA1 # ZRCFA2
L\$DUT	002072-R	# ZRCFA1
L\$DVTY	002232-R	ZRCFA1 # ZRCFA2
L\$EF	002052-R	# ZRCFA1
L\$ENVI	002044-R	# ZRCFA1
L\$ERRT	002154-R	# ZRCFA1
L\$ETP	002102-R	# ZRCFA1
L\$EXP1	002046-R	# ZRCFA1
L\$EXP4	002064-R	# ZRCFA1
L\$EXP5	002066-R	# ZRCFA1
L\$HARD	002320-R	ZRCFA1 # ZRCFA2
L\$HIME	002120-R	# ZRCFA1
L\$HPCP	002016-R	# ZRCFA1
L\$HPTP	002022-R	# ZRCFA1
L\$HRDL	002316-R	# ZRCFA2
L\$HW	002166-R	# ZRCFA1
L\$HWLE	002164-R	# ZRCFA1
L\$ICP	002104-R	# ZRCFA1
L\$INIT	003130-R	ZRCFA1 # ZRCFA2
L\$LADP	002026-R	# ZRCFA1
L\$LAST	061242-R	ZRCFA1 # ZRCFA5
L\$LOAD	002100-R	# ZRCFA1
L\$LUN	002074-R	# ZRCFA1
L\$MREV	002050-R	# ZRCFA1
L\$NAME	002000-R	# ZRCFA1
L\$NDHR	002364-R	# ZRCFA2
L\$NDHW	002176-R	# ZRCFA1
L\$NDSF	002416-R	# ZRCFA2
L\$NDSW	002222-R	# ZRCFA1
L\$PRIO	002042-R	# ZRCFA1
L\$PROT	002224-R	# ZRCFA1
L\$PRT	002112-R	# ZRCFA1
L\$REPP	002062-R	# ZRCFA1
L\$REV	002010-R	# ZRCFA1
L\$RPT	002440-R	ZRCFA1 # ZRCFA2
L\$SFTL	002366-R	# ZRCFA2
L\$SOFT	002370-R	ZRCFA1 # ZRCFA2
L\$SPC	002056-R	# ZRCFA1
L\$SPCP	002020-R	# ZRCFA1
L\$SPTP	002024-R	# ZRCFA1
L\$STA	002030-R	# ZRCFA1
L\$SW	002202-R	# ZRCFA1
L\$SWLE	002200-R	# ZRCFA1
L\$TEST	002114-R	# ZRCFA1
L\$TML	002014-R	# ZRCFA1
L\$UNIT	002012-R	# ZRCFA1
MANU.S	041322-R	# ZRCFA1 ZRCFA2 ZRCFA3
MECHAN	043032-R	# ZRCFA1 ZRCFA2
MEM.SI	041366-R	# ZRCFA1 ZRCFA2 ZRCFA3 ZRCFA3
MINUTE	041276-R	# ZRCFA1 ZRCFA2 ZRCFA3
MSGADR	041314-R	# ZRCFA1 ZRCFA2 ZRCFA3

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 5

GLOBAL CROSS REFERENCE

CREF V01

SYMBOL	VALUE	REFERENCES...
MSG.AD	051364-R	# ZRCFA1 ZRCFA3
MSG.AV	052146-R	# ZRCFA1 ZRCFA3
MSG.BU	051320-R	# ZRCFA1 ZRCFA3
MSG.CO	051746-R	# ZRCFA1 ZRCFA3
MSG.DA	051432-R	# ZRCFA1 ZRCFA3
MSG.ER	051514-R	# ZRCFA1 ZRCFA3
MSG.HS	051546-R	# ZRCFA1 ZRCFA3
MSG.LB	051134-R	# ZRCFA1 ZRCFA3
MSG.PT	052000-R	# ZRCFA1 ZRCFA3
MSG.PW	047220-R	# ZRCFA1 ZRCFA2
MSG.RE	051646-R	# ZRCFA1 ZRCFA3
MSG.SA	051672-R	# ZRCFA1 ZRCFA3
MSG.SE	051472-R	# ZRCFA1 ZRCFA3
MSG.ST	051240-R	# ZRCFA1 ZRCFA2 ZRCFA3
MSG.SU	051576-R	# ZRCFA1 ZRCFA3
MSG.TK	051054-R	# ZRCFA1 ZRCFA3
MSG.WR	052062-R	# ZRCFA1 ZRCFA3
MSG.01	046372-R	# ZRCFA1
MSG.1	047254-R	# ZRCFA1 ZRCFA3
MSG.10	047506-R	# ZRCFA1 ZRCFA3
MSG.11	047554-R	# ZRCFA1 ZRCFA3
MSG.13	047612-R	# ZRCFA1 ZRCFA3
MSG.14	047634-R	# ZRCFA1 ZRCFA2 ZRCFA3
MSG.17	050210-R	# ZRCFA1 ZRCFA3
MSG.18	050256-R	# ZRCFA1 ZRCFA3
MSG.19	050334-R	# ZRCFA1 ZRCFA3
MSG.2	047304-R	# ZRCFA1 ZRCFA3
MSG.20	050372-R	# ZRCFA1 ZRCFA3
MSG.21	050440-R	# ZRCFA1 ZRCFA3
MSG.28	050504-R	# ZRCFA1 ZRCFA3
MSG.29	050532-R	# ZRCFA1 ZRCFA3
MSG.30	050572-R	# ZRCFA1 ZRCFA3
MSG.7	047334-R	# ZRCFA1 ZRCFA3
MSG.8	047406-R	# ZRCFA1 ZRCFA3
MSG.9	047450-R	# ZRCFA1 ZRCFA3
NUM.RE	041376-R	# ZRCFA1 ZRCFA2 ZRCFA3
NXMI	003260-R	# ZRCFA2 ZRCFA3
ON.LIN	012376-R	# ZRCFA2 ZRCFA3
PFE.ER	050654-R	# ZRCFA1 ZRCFA2
PFE.ST	054376-R	# ZRCFA1 ZRCFA2
PRT\$FR	004040-R	# ZRCFA2
P.BR.L	002172-R	# ZRCFA1
P.IP.A	002166-R	# ZRCFA1 ZRCFA3
P.MASK	041320-R	# ZRCFA1 ZRCFA2 ZRCFA3
P.UNIT	002174-R	# ZRCFA1
P.VECT	002170-R	# ZRCFA1 ZRCFA3
P1	041330-R	# ZRCFA1 ZRCFA2 ZRCFA3
P2	041332-R	# ZRCFA1 ZRCFA2 ZRCFA3
P3	041334-R	# ZRCFA1 ZRCFA2 ZRCFA3
P4	041336-R	# ZRCFA1 ZRCFA2 ZRCFA3
P5	041340-R	# ZRCFA1 ZRCFA2 ZRCFA3
P6	041342-R	# ZRCFA1 ZRCFA2 ZRCFA3

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46 PAGE 6

GLOBAL CROSS REFERENCE

CREF V01

SYMBOL	VALUE	REFERENCES...
QST1	043064-R	# ZRCFA1 ZRCFA2
QST10	043346-R	# ZRCFA1 ZRCFA2
QST11	043536-R	# ZRCFA1 ZRCFA2
QST12	043612-R	# ZRCFA1 ZRCFA3
QST13	043640-R	# ZRCFA1 ZRCFA3
QST14	043664-R	# ZRCFA1 ZRCFA2 ZRCFA3
QST15	043736-R	# ZRCFA1 ZRCFA2 ZRCFA3
QST2	043100-R	# ZRCFA1 ZRCFA2
QST3	043110-R	# ZRCFA1 ZRCFA2
QST4	043122-R	# ZRCFA1 ZRCFA2
QST6	043146-R	# ZRCFA1 ZRCFA2
QST7	043220-R	# ZRCFA1 ZRCFA2
QST8	043310-R	# ZRCFA1 ZRCFA2
QST9	043330-R	# ZRCFA1 ZRCFA2
QS10.1	043426-R	# ZRCFA1 ZRCFA2
QS10.2	043456-R	# ZRCFA1 ZRCFA2
RANDOM	016264-R	# ZRCFA2 ZRCFA3
RCV.DA	034520-R	# ZRCFA1 ZRCFA2 ZRCFA3
RC.STR	060210-R	# ZRCFA1 ZRCFA2
RC25\$E	003554-R	# ZRCFA2 ZRCFA3
RC25.A	035540-R	# ZRCFA1 ZRCFA2 ZRCFA3
RC25.D	035542-R	# ZRCFA1 ZRCFA2 ZRCFA3
READ.C	013310-R	# ZRCFA2 ZRCFA3
READ.F	014166-R	# ZRCFA2 ZRCFA3
RECEIV	035760-R	# ZRCFA1 ZRCFA2 ZRCFA3
REC.DA	010270-R	# ZRCFA2 ZRCFA3
REC.EN	035764-R	# ZRCFA1 ZRCFA2 ZRCFA3
REC.ST	015744-R	# ZRCFA2 ZRCFA3
RES.SL	041352-R	# ZRCFA1 ZRCFA2 ZRCFA3
RETRIE	041400-R	# ZRCFA1 ZRCFA2 ZRCFA3
RET.ST	041344-R	# ZRCFA1 ZRCFA2 ZRCFA3
RET.UN	041326-R	# ZRCFA1 ZRCFA2 ZRCFA3
RE.DAT	052354-R	# ZRCFA1 ZRCFA3
RINGBA	035556-R	# ZRCFA1 ZRCFA2 ZRCFA3
RT	033502-R	# ZRCFA1 ZRCFA2
RT.TAB	033514-R	# ZRCFA1 ZRCFA2 ZRCFA3
SDUP.S	060542-R	# ZRCFA1 ZRCFA2
SECOND	041274-R	# ZRCFA1 ZRCFA2 ZRCFA3
SEND.D	007446-R	# ZRCFA2 ZRCFA3
SEND.R	035762-R	# ZRCFA1 ZRCFA2 ZRCFA3
SET.CN	011112-R	# ZRCFA2 ZRCFA3
SET.IN	015672-R	# ZRCFA2 ZRCFA3
SFPTBL	002202-R	# ZRCFA1
SMSCP.	061204-R	# ZRCFA1 ZRCFA2
SND.DA	052316-R	# ZRCFA1 ZRCFA3
SND.EN	037764-R	# ZRCFA1 ZRCFA2 ZRCFA3
SWITCH	041324-R	# ZRCFA1 ZRCFA2 ZRCFA3
SWP.CO	002214-R	# ZRCFA1 ZRCFA2 ZRCFA3
SWP.EN	002210-R	# ZRCFA1 ZRCFA3
SWP.LI	002204-R	# ZRCFA1
SWP.MA	002216-R	# ZRCFA1 ZRCFA3
SWP.RE	002212-R	# ZRCFA1 ZRCFA2 ZRCFA3

CZRCFA CREATED BY TKB ON 8-JUL-83 AT 15:46

PAGE 7

GLOBAL CROSS REFERENCE

CREF V01

SYMBOL	VALUE	REFERENCES...
SWP.ST	002206-R	# ZRCFA1 ZRCFA3
SWP.TO	002202-R	# ZRCFA1
SWP.TR	002220-R	# ZRCFA1 ZRCFA2 ZRCFA3
TEMP	041414-R	# ZRCFA1 ZRCFA2 ZRCFA3
TICKS	041272-R	# ZRCFA1 ZRCFA2 ZRCFA3
TIME	042660-R	# ZRCFA1 ZRCFA3
TIP	041300-R	# ZRCFA1 ZRCFA2 ZRCFA3
T\$FREE	061242-R	# ZRCFA5
T\$PTHV	000000	ZRCFA1 # ZRCFA5
T1	021122-R	ZRCFA1 # ZRCFA3
T10	027434-R	ZRCFA1 # ZRCFA3
T11	030270-R	ZRCFA1 # ZRCFA3
T12	031230-R	ZRCFA1 # ZRCFA3
T2	021346-R	ZRCFA1 # ZRCFA3
T3	022144-R	ZRCFA1 # ZRCFA3
T4	022760-R	ZRCFA1 # ZRCFA3
T5	024314-R	ZRCFA1 # ZRCFA3
T6	025310-R	ZRCFA1 # ZRCFA3
T7	025600-R	ZRCFA1 # ZRCFA3
T8	026150-R	ZRCFA1 # ZRCFA3
T9	026722-R	ZRCFA1 # ZRCFA3
UNIT	035532-R	# ZRCFA1 ZRCFA2 ZRCFA3
VEC.AD	035536-R	# ZRCFA1 ZRCFA2 ZRCFA3
WRT.PR	017266-R	# ZRCFA2 ZRCFA3
XMT.DA	033520-R	# ZRCFA1 ZRCFA2 ZRCFA3
\$END.L	061244-R	# ZRCFA5
\$SAVE2	031562-R	B16MUL # B16SAV ZRCFA2 ZRCFA3
\$SAVE3	031576-R	# B16SAV ZRCFA2
\$SAVE4	031614-R	# B16SAV ZRCFA3
\$SAVE5	031634-R	B16MUL # B16SAV ZRCFA2