

RL11,RLV11

RL01/02 DRIVE TEST 3
CZRLNAO

AH-F845A-MC
FICHE 1 OF 1

MAR 1980
COPYRIGHT © 1980
MADE IN USA



A large grid of approximately 12 columns and 20 rows of data. Each cell contains a small table or chart, likely representing test results or performance metrics. The data is too faint to read accurately but appears to be organized in a structured format.



IDENTIFICATION

PRODUCT CODE: AC-F843A-MC
PRODUCT NAME: CZRLNA0 RL01/02 DRIVE TEST 3
DATE CREATED: 5-JAN-79
REVISED: 7-DEC-79
MAINTAINER: DIAGNOSTIC ENGINEERING
AUTHORS: D. DEKNIS, C. CAMPBELL

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS MANUAL.

THE SOFTWARE DESCRIBED IN THIS DOCUMENT IS FURNISHED TO THE PURCHASER UNDER A LICENSE FOR USE ON A SINGLE COMPUTER SYSTEM AND CAN BE COPIED (WITH INCLUSION OF DIGITAL'S COPYRIGHT NOTICE) ONLY FOR USE IN SUCH SYSTEM, EXCEPT AS MAY OTHERWISE BE PROVIDED IN WRITING BY DIGITAL.

DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL.

COPYRIGHT (C) 1979, DIGITAL EQUIPMENT CORPORATION

TABLE OF CONTENTS

1.0	GENERAL INFORMATION
1.1	PROGRAM ABSTRACT
1.1.1	STRUCTURE OF PROGRAM
1.1.2	DIAGNOSTIC INFORMATION
1.2	SYSTEM REQUIREMENTS
1.2.1	HARDWARE REQUIREMENTS
1.2.2	SOFTWARE REQUIREMENTS
1.3	RELATED DOCUMENTS AND STANDARDS
1.4	DIAGNOSTIC HIERARCHY PREREQUISITES
1.5	ASSUMPTIONS
2.0	OPERATING INSTRUCTIONS
2.1	HOW TO RUN THIS DIAGNOSTIC
2.1.1	THE FIVE STEPS OF EXECUTION
2.1.2	SAMPLE RUN-THROUGH
2.2	CHAIN MODE OPERATION
2.3	DETAILS OF COMMANDS AND SYNTAX
2.3.1	TABLE OF COMMAND VALIDITY
2.3.2	COMMAND SYNTAX
2.4	EXTENDED P-TABLE DIALOGUE
2.5	HARDWARE PARAMETERS
2.6	SOFTWARE PARAMETERS
3.0	ERROR INFORMATION
3.1	ERROR REPORTING
3.1.2	SPECIFIC RESULT MESSAGES
3.1.3	OTHER MESSAGES
3.2	ERROR HALTS
4.0	PERFORMANCE AND PROGRESS REPORTS
4.1	PERFORMANCE REPORTS
4.2	PROGRESS REPORTS
5.0	DEVICE INFORMATION TABLES
6.0	TEST SUMMARIES

1.0 GENERAL INFORMATION1.1 PROGRAM ABSTRACT1.1.1 STRUCTURE OF PROGRAM

THIS DIAGNOSTIC COMPATIBLE WITH BOTH XXDP+ AND ACT. IT CAN BE RUN STANDALONE UNDER XXDP, AND CAN BE CHAINED UNDER XXDP+, ACT AND APT IN ACT MODE (SEE 2.2 'CHAIN MODE OPERATION' FOR DETAILS OF CHAINING PROCEDURE). IT IS A SINGLE PROGRAM FROM THE STANDPOINT OF THE DIAGNOSTIC USER, WHICH AT RUN TIME IS APPENDED TO A COMMON FRONT-END PIECE OF SUPERVISOR SOFTWARE THROUGH WHICH THE DIAGNOSTIC PROGRAM INTERFACES TO THE ENVIRONMENT AS IT EXECUTES.

WHEN THIS DIAGNOSTIC IS STARTED AT ADDRESS 200, CONTROL GOES FIRST TO THE SUPERVISOR PORTION, WHICH WILL ASK CERTAIN 'HARD CORE' QUESTIONS ABOUT THE ENVIRONMENT. THEN IT WILL ENTER COMMAND MODE, INDICATED BY A PROMPT CHARACTER (DR>). AT COMMAND MODE THE OPERATOR MAY ENTER ANY OF SEVERAL COMMANDS AS DESCRIBED IN 2.0 'OPERATING INSTRUCTIONS'.

THE DIAGNOSTIC PROGRAM IS LOADED IN THE LOWER 8K OF MEMORY. THE DIAGNOSTIC SUPERVISOR CODING OCCUPIES 6.25K OF THE UPPER PART OF MEMORY JUST BELOW THE XXDP+ MONITOR WHICH RESIDES IN THE UPPERMOST 1.5K OF MEMORY SPACE.

1.1.2 DIAGNOSTIC INFORMATION

THIS PROGRAM TESTS AND EXERCISES RL01/02 DISK DRIVES RL11/RLV11 CONTROLLER. (4 DRIVES PER CONTROLLER). THE ENTIRE PROGRAM IS RUN ON THE FIRST DRIVE BEFORE STARTING ON THE SECOND. THE PROGRAM STARTS BY TESTING THE SIMPLEST FUNCTIONS FIRST USING THE LOGIC TESTED IN EARLIER TESTS TO TEST MORE COMPLEX FUNCTIONS.

THIS PROGRAM FIRST TESTS THE RL01/02 SEEK TIMING. DATA TRANSFERS ARE DONE AFTER THE SEEK TIMING TEST. THE FIRST DATA TRANSFER IS READING OF THE BAD SECTOR FILES WHICH ARE STORED AND USED LATER TO PREVENT TESTING ON BAD SECTORS. FOLLOWING DATA READ AND WRITE TESTING, THE PROGRAM TESTS FOR OVERWRITE PROBLEMS AND ADJACENT CYLINDER INTERFERENCE.

THE WRITE LOCK DATA PROTECTION TEST IS PERFORMED IF MANUAL INTERVENTION IS REQUESTED.

1.2 SYSTEM REQUIREMENTS

1.2.1 HARDWARE REQUIREMENTS

- * PDP-11/LSI-11 PROCESSOR WITH 16K OR MORE OF MEMORY
- * CONSOLE DEVICE (LA30,LA36,VT50,ETC.)
- * 1 OR 2 RL11/RLV11 CONTROLLER(S) WITH
 - 1 - 8 RL01 DRIVES WITH RL01K CARTRIDGES CONTAINING A 'BAD SECTOR FILE'
 - 1 - 8 RL02 DRIVES WITH RL02K CARTRIDGES CONTAINING A 'BAD SECTOR FILE'
- * KW11-P CLOCK (REQUIRED TO PERFORM TESTS 1 AND 4)
- * LINE PRINTER (OPTIONAL)

1.2.2 SOFTWARE REQUIREMENTS

CZRLJBO RL01/02 DRIVE TEST PART 2 (FORMERLY CZRLDBO)

1.3 RELATED DOCUMENTS AND STANDARDS

RL01/02 DISK SUBSYSTEM USER'S GUIDE (EK-RL01-UG-002)
XXDP+/SUPERVISOR USER'S MANUAL

1.4 DIAGNOSTIC HIERARCHY PREREQUISITES

THE RL01/02 SUBSYSTEM SHOULD HAVE SUCCESSFULLY RUN THE FOLLOWING PROGRAMS:

CVRLAR0	RLV11 RL01 DISKLESS TEST (RLV11 ONLY)
CZRLGBO	RL11/RLV11 RL01/02 CONTROLLER TEST (PART 1)
CZRLHBO	RL11/RLV11 RL01/02 CONTROLLER TEST (PART 2)
CZRLIBO	RL01/02 DRIVE TEST (PART 1)

1.5 ASSUMPTIONS

THE HARDWARE OTHER THAN THE RL01/02 SUBSYSTEM IS ASSUMED TO WORK PROPERLY. FALSE ERRORS MAY BE REPORTED IF THE PROCESSOR, ETC., DO NOT FUNCTION PROPERLY.

2.0 OPERATING INSTRUCTIONS

2.1 HOW TO RUN THIS DIAGNOSTIC
-----2.1.1 THE FIVE STEPS OF EXECUTION

THIS DIAGNOSTIC PROGRAM SHOULD BE LOADED AND STARTED USING NORMAL XXDP+ PROCEDURES. START THE EXECUTION OF THE XXDP+ MONITOR BY USING THE APPROPRIATE BOOTSTRAP PROGRAM. THE MONITOR WILL PRINT A MESSAGE IDENTIFYING ITSELF AND REQUESTING THAT THE CURRENT DATE BE ENTERED. AN EXAMPLE OF THIS MESSAGE IS GIVEN BELOW FOR THE XXDP+ MONITOR:

```
CHMDKAO XXDP+ DK MONITOR NNK
BOOTED VIA UNIT 0
ENTER DATE (DD-MMM-YY):
```

AFTER THE DATE HAS BEEN ACCEPTED BY THE MONITOR THE RESTART ADDRESS OF THE MONITOR IS PRINTED. THEN THE FOLLOWING TWO QUESTIONS ARE ASKED:

```
50 HZ ? N
LSI ? N
```

THE DEFAULTS ARE BOTH 'NO'. TYPE 'R' AND THE PROGRAM NAME TO RUN THE PROGRAM. DO NOT TYPE THE EXTENSION.

WHEN THIS DIAGNOSTIC IS STARTED THE FOLLOWING STEPS WILL OCCUR:

```
*****
* STEP 1 *
*****
```

THE DIAGNOSTIC WILL ISSUE THE PROMPT 'DR>'. FROM THIS POINT UNTIL THE TIME WHEN YOU RESTART XXDP+, YOU WILL BE TALKING TO THE DIAGNOSTIC, NOT XXDP+. WE WILL REFER TO THE PRESENCE OF THIS PROMPT AS BEING IN DIAGNOSTIC COMMAND MODE, AS OPPOSED TO XXDP+ COMMAND MODE.

AT THIS POINT YOU WILL ENTER A 'START' COMMAND. THIS IS NOT THE SAME AS THE XXDP+ 'START' COMMAND, WHICH YOU ALREADY ISSUED IN RESPONSE TO THE XXDP+ DOT PROMPT. THIS 'START' COMMAND CAN TAKE A NUMBER OF SWITCHES AND FLAGS (ALL OPTIONAL) AND THE DETAILS OF THESE ARE SET FORTH IN 2.3 'DETAILS OF COMMANDS AND SYNTAX'. HOWEVER, IN ORDER TO USE THE PROGRAM, ALL YOU NEED TO SAY IS SOMETHING LIKE THIS:

```
STA/PASS:1/FLAGS.HOE
```

THINGS TO NOTE HERE:

1. ONLY THE FIRST THREE CHARACTERS OF THIS OR ANY COMMAND AT THE 'DR>' LEVEL NEED TO BE TYPED.
2. THE 'PASS' SWITCH SPECIFIES HOW MANY PASSES YOU DESIRE. A PASS CONSISTS OF RUNNING THE FULL DIAGNOSTIC AGAINST ALL UNITS BEING TESTED (THIS WILL BE EXPLAINED SHORTLY). ONE PASS IS SPECIFIED IN THE ABOVE EXAMPLE.
3. THE 'FLAGS' SWITCH MAY SPECIFY ANY OF A NUMBER OF FLAGS, BUT THE MAIN USEFUL ONES ARE:

PNT	PRINT NUMBER OF TEST BEING EXECUTED
LOE	LOOP ON ERROR
HOE	HALT ON ERROR
IER	INHIBIT ERROR PRINTOUT

THE HOE FLAG IS SPECIFIED IN THE ABOVE EXAMPLE (WE'LL SEE WHY SHORTLY).

```
*****
* STEP 2 *
*****
```

WHEN YOU HAVE TYPED IN A 'START' COMMAND, THE DIAGNOSTIC WILL COME BACK WITH THE QUESTION '# UNITS?' TO WHICH YOU SHOULD RESPOND BY TYPING IN THE NUMBER OF DEVICES YOU WISH TO TEST.

A WORD OF WARNING HERE: THE NUMBER OF UNITS DEPENDS ON THE TARGET DEVICE OF THE DIAGNOSTIC. FOR EXAMPLE, IF THE DIAGNOSTIC IS DIRECTED AT A DISK DRIVE, THEN THE NUMBER OF UNITS WOULD BE THE NUMBER OF DRIVES TO BE TESTED. WHEREAS IF THE DIAGNOSTIC WAS DIRECTED AT THE DISK CONTROLLER, THEN THE NUMBER OF UNITS WOULD BE THE NUMBER OF CONTROLLERS. THE TARGET DEVICE OF A DIAGNOSTIC CAN ALWAYS BE DETERMINED BY INSPECTING THE 'HEADER' STATEMENT NEAR THE BEGINNING OF THE SOURCE CODE. ONE OF THE OPERANDS OF THIS 'HEADER' STATEMENT SHOULD BE THE DEVICE TYPE OF THE DIAGNOSTIC.

```
*****
* STEP 3 *
*****
```

WHEN YOU HAVE TYPED IN THE NUMBER OF UNITS TO BE TESTED, THE DIAGNOSTIC WILL ASK YOU THE 'HARDWARE QUESTIONS'. THE ANSWERS TO THESE QUESTIONS ARE USED TO BUILD TABLES IN CORE, CALLED 'HARDWARE P-TABLES'. ONE HARDWARE P-TABLE WILL BE BUILT FOR EACH UNIT TO BE TESTED.

THERE ARE SEVERAL HARDWARE QUESTIONS AND THE ENTIRE SERIES WILL BE POSED N TIMES, WHERE N IS THE NUMBER OF UNITS.

THIS REPRESENTS A NEW PHILOSOPHY IN DIAGNOSTIC ENGINEERING. DIAGNOSTICS IN THE FUTURE WILL NOT BE WRITTEN TO AUTOSIZE OR ASSUME STANDARD ADDRESSES: INSTEAD, THEY WILL ASK THE OPERATOR FOR ALL THE INFORMATION THEY NEED TO TEST THE DEVICE.

* STEP 4 *

AFTER YOU HAVE ANSWERED ALL THE HARDWARE QUESTIONS (SEC 2.5) FOR ALL THE UNITS, YOU WILL BE ASKED 'CHANGE SW?' IF YOU WANT TO BE ASKED THE SOFTWARE QUESTIONS THAT DETERMINE THE BEHAVIOR OF THIS PROGRAM, TYPE 'Y'. IF YOU WANT TO TAKE ALL THE DEFAULTS TO THESE QUESTIONS, TYPE 'N'. IF YOU TYPE 'Y' YOU WILL BE ASKED THE SOFTWARE QUESTIONS (SEC 2.6), AND THE ANSWERS WILL BE PUT INTO THE SOFTWARE P-TABLE IN THE PROGRAM. THE SERIES OF QUESTIONS WILL BE ASKED JUST ONCE, REGARDLESS OF THE NUMBER OF UNITS TO BE TESTED.

* STEP 5 *

AFTER YOU HAVE ANSWERED THE SOFTWARE QUESTIONS, THE DIAGNOSTIC WILL BEGIN TO EXECUTE THE HARDWARE TEST CODE. THERE ARE SEVERAL THINGS THAT CAN HAPPEN NEXT, DEPENDING ON WHETHER A HARDWARE ERROR IS ENCOUNTERED AND ALSO ON WHAT SWITCH VALUES YOU SELECTED ON THE START COMMAND. CONSIDER THE POSSIBILITIES:

1. IF NO ERROR IS ENCOUNTERED, THEN THE DIAGNOSTIC WILL SIMPLY EXECUTE THE DESIRED NUMBER OF PASSES AND RETURN TO COMMAND MODE (PROMPT DR>).
2. IF AN ERROR IS ENCOUNTERED, THEN ONE OF THREE THINGS HAPPENS, DEPENDING ON THE SETTINGS OF THE HOE AND LOE FLAGS.

HOE SET: THE ERROR WILL BE REPORTED ON THE CONSOLE AND THE DIAGNOSTIC WILL RETURN TO COMMAND MODE.

LOE SET: THE DIAGNOSTIC WILL LOOP ENDLESSLY ON THE BLOCK OF CODE THAT DETECTED THE ERROR.

NEITHER HOE NOR LOE SET: THE ERROR WILL BE REPORTED ON THE CONSOLE AND NORMAL EXECUTION WILL RESUME AS IF NO ERROR HAD OCCURRED.

2.1.2 SAMPLE RUN-THROUGH

LET'S SEE HOW ALL THIS WORKS IN A REAL SITUATION. RECALL THAT WE ENTERED THE COMMAND 'STA/PASS:1/FLAGS:HOE'. THIS WOULD BE A VERY TYPICAL WAY TO RUN THE DIAGNOSTIC. IF NO ERRORS ARE ENCOUNTERED, THE SINGLE REQUESTED PASS WILL BE EXECUTED AND THE PROMPT WILL BE RE-ISSUED.

IF AN ERROR IS ENCOUNTERED, THE ERROR WILL BE REPORTED AND THE PROMPT WILL BE REISSUED (BECAUSE THE HOE FLAG IS SET). AT THIS POINT THERE ARE FOUR DIFFERENT WAYS YOU CAN GET THE PROGRAM GOING AGAIN:

1. ISSUE ANOTHER 'START' COMMAND (THUS GOING THRU ALL OF STEPS 1, 2, 3, 4, AND 5 AGAIN)
2. ISSUE A 'RESTART' COMMAND (SAME AS START COMMAND EXCEPT THAT THE HARDWARE QUESTIONS ARE NOT ASKED)
3. ISSUE A 'CONTINUE' COMMAND (EXECUTION WILL RESUME AT THE BEGINNING OF THE PARTICULAR HARDWARE TEST (MOST DIAGNOSTICS CONSIST OF A NUMBER OF THESE) THAT IT WAS IN WHEN THE ERROR HALT OCCURRED. NO QUESTIONS ASKED.
4. ISSUE A 'PROCEED' COMMAND: EXECUTION WILL RESUME AT THE INSTRUCTION FOLLOWING THE ERROR REPORT (THIS IS A SPECIAL COMMAND AND CAN BE ISSUED ONLY AT A HALT ON ERROR).

THE MOST TYPICAL THING TO DO HERE IS TO ISSUE THE PROCEED, BUT WITH DIFFERENT FLAG SETTINGS. PROBABLY YOU' WOULD WANT TO SAY:

PRO/FLAGS:IER:LOE:HOE=0

THIS WILL DO THE FOLLOWING:

1. TURN ON THE IER (INHIBIT ERROR PRINTOUT) FLAG
2. TURN ON THE LOE FLAG
3. TURN OFF THE HOE FLAG
4. RESUME EXECUTION AT INSTRUCTION AFTER ERROR REPORT

THE DIAGNOSTIC WILL NOW LOOP ON THE BLOCK OF CODE THAT DETECTED AND REPORTED THE ERROR, BUT NO ERROR PRINTOUT WILL OCCUR. THUS YOU CAN STUDY THE ERROR OR SCOPE IT OR WHATEVER.

WHEN YOU'VE SEEN ENOUGH, YOU MAY HIT CONTROL/C. THIS WILL TAKE YOU OUT OF THE LOOP AND PUT YOU BACK INTO COMMAND MODE.

1. START
2. RESTART
3. CONTINUE

LET'S SAY YOU'VE REPAIRED THE DEFECT FOUND ABOVE AND WANT TO FINISH RUNNING THE DIAGNOSTIC. YOU WOULD TYPE

CON/FLAGS:HOE:IER=0:LOE=0

THIS WILL RESTORE THE FLAGS TO THEIR ORIGINAL VALUES AND RESUME EXECUTION AT THE BEGINNING OF THE HARDWARE TEST YOU WERE IN. IF THE ERROR DOES NOT RECUR, THE EXECUTION WILL FLOW RIGHT ON THRU TO THE NEXT ERROR OR TO END OF PASS.

IF AT END OF PASS YOU WANT TO RUN THE DIAGNOSTIC AGAIN, YOU HAVE TWO CHOICES:

1. START
2. RESTART ⁶

YOU WOULD CHOOSE ONE, DEPENDING ON WHETHER YOU WANTED TO ANSWER THE HARDWARE QUESTIONS AGAIN.

THE FULL PRINT-OUT FROM THE ABOVE DIALOGUE MIGHT LOOK LIKE THIS
(O=OPERATOR, D-DIAGNOSTIC):

	B WHOM ENTERED: -----
.R CZRLNA	O
DRS LOADED	D
DIAG. RUN-TIME SERVICES REV. D APR-79	D
CZRLN-A-0	D
CZRLN TESTS SEEK AND ROTATIONAL TIMING & WRITE & READ DATA	D
UNIT IS RL01, RL02	D
DR>STA/PASS:1/FLAGS:HOE	D,0
# UNITS (D) ? 2	D,0
UNIT 0	D
RL11 (L) Y ?	D,0
BUS ADDRESS (O) 174400 ?	D,0
VECTOR (O) 160 ?	D,0
DRIVE (O) 0 ?	D,0
DRIVE TYPE = RL01 (L) Y ?	D,0
BR LEVEL (O) 5 ?	D,0
UNIT 1	D
RL11 (L) Y ?	D,0
BUS ADDRESS (O) 174400 ?	D,0
VECTOR (O) 160 ?	D,0
DRIVE (O) 0 ? 1	D,0
DRIVE TYPE = RL01 (L) ? N	D,0 (N-RL02)
BR LEVEL (O) 5 ?	D,0
CHANGE SW (L) ? Y	D,0
USE ALL CYL (L) N ?	D,0
USE ALL SECT (L) N ?	D,0
DO MANUAL INTERVENTION TEST (L) N ?	D,0
LOW SEEK LIMIT (L) N ?	D,0
UPPER SEEK LIMIT (L) N ?	D,0
USE ONLY ONE SURF (L) N ?	D,0
INPUT ERROR LIMIT (D) 20 ?	D,0
DATA CMP ERR LMT (D) 10 ?	D,0
CZRLN HRD ERR 00004 TST 003 SUB 002 PC:004130 ERR HLT	
DR>PRO/FLAGS:IER:LOE:HOE=0	D,0

 AT THIS POINT THE DIAGNOSTIC IS LOOPING ON THE
 ERROR WITHOUT PRINTING ANYTHING. YOU CAN SCOPE
 THE ERROR UNTIL YOU HAVE LOCATED IT, THEN ^C OUT

```

^C                                0
DR>CON/FLAGS:HOE:IER:LOE=0       D,0
CHANGE SW (L) ? N                 D,0
CZRLN EOP 1                        D
^C
DR>RESTART/PASS:1                 D,0
CHANGE SW (L) ? N                 D,0
-----
-----
-----
-----
  
```

2.2 CHAIN MODE OPERATION

CHAIN MODE OPERATION CONSISTS OF THE SEQUENTIAL EXECUTION OF PROGRAMS WITHOUT OPERATOR INTERVENTION. ONLY PROGRAMS THAT HAVE BEEN MODIFIED TO RUN IN CHAIN MODE CAN BE CHAINED. CHAINABLE PROGRAMS ARE IDENTIFIED IN THE DIRECTORY BY A BIC EXTENSION.

TO RUN CHAIN MODE, THE XXDP+ MONITOR USES AN ASCII FILE (KNOWN AS A CHAIN FILE) LISTING THE PROGRAMS TO BE RUN AND THE NUMBER OF PASSES EACH PROGRAM SHOULD RUN. THIS FILE MUST BE ON THE SYSTEM DEVICE.

A CHAIN FILE MAY BE GENERATED BY USE OF THE XTECO TEXT EDITOR. THIS FILE MUST HAVE A CCC EXTENSION. THE CHAIN FILE MAY CONTAIN ANY OF THE COMMANDS SUPPORTED BY THE XXDP+ MONITOR. THE COMMANDS IN THE ASCII FILE ARE EXECUTED IN THE ORDER IN WHICH THEY ARE ENCOUNTERED.

TO EXECUTE A CHAIN FILE THE USER TYPES:

```

C FILNAM <CR> OR
C FILNAM/QV <CR>
  
```

IN THE FIRST CASE THE PASS COUNT SPECIFIED IN THE CHAIN FILE IS USED BY THE XXDP+ MONITOR TO DETERMINE THE NUMBER OF PASSES TO EXECUTE EACH PROGRAM. IN THE SECOND CASE THE PROGRAM COUNT IS NOT USED AND EACH PROGRAM IS EXECUTED ONLY ONCE. THE /QV SWITCH PROVIDES A SINGLE EXECUTION MODE OF OPERATION OF QUICK VERIFY.

WHEN PROGRAMS ARE RUN IN CHAIN MODE, THE SOFTWARE SWITCH REGISTER SHOULD BE SET TO 00000. THE XXDP+ MONITOR PRINTS EACH COMMAND TAKEN FROM THE CHAIN FILE AND THEN EXECUTES THE COMMAND. WHEN THE LAST COMMAND OTHER THAN ANOTHER C COMMAND HAS BEEN EXECUTED THE XXDP+ MONITOR TERMINATES CHAIN MODE AND TYPES A PROMPT (.). IT IS READY TO ACCEPT ANOTHER COMMAND FROM THE CONSOLE. IF THE LAST COMMAND IS ANOTHER C COMMAND, THE CHAIN MODE WILL CONTINUE AND THE CHAIN FILE SPECIFIED BY THIS NEW C COMMAND WILL BE USED.

IF THE USER WISHES TO TERMINATE CHAIN MODE BEFORE ITS NORMAL TERMINATION HE MAY DO SO BY TYPING A CONTROL/C. HOWEVER, THE MONITOR WILL NOT ABORT THE CHAIN MODE UNTIL IT RECEIVES PROGRAM CONTROL FROM THE PROGRAM CURRENTLY RUNNING.

2.3 DETAILS OF COMMANDS AND SYNTAX

2.3.1 TABLE OF COMMAND VALIDITY

THERE ARE FOUR WAYS OF ENTERING DIAGNOSTIC COMMAND MODE, AND DIFFERENT SUBSETS OF THE DIAG COMMAND SET ARE AVAILABLE WITH EACH:

<u>HOW ENTERED</u>	<u>LEGAL COMMANDS</u>
1. OPERATOR ENTERED 'RUN DIAG'	START PRINT DISPLAY FLAGS ZFLAGS EXIT
2. DIAGNOSTIC HAS FINISHED ALL ITS REQUESTED PASSES	START RESTART PRINT DISPLAY FLAGS ZFLAGS EXIT
3. OPERATOR INTERRUPTED THE	START PRINT DISPLAY FLAGS ZFLAGS EXIT

- 4. AN ERROR WAS ENCOUNTERED WITH THE HOE FLAG SET SET
- START
 - RESTART
 - CONTINUE
 - PROCEED
 - PRINT
 - DISPLAY
 - FLAGS
 - ZFLAGS
 - EXIT

2.3.2 COMMAND SYNTAX

STA(RT)/TESTS:TEST-LIST/PASS:PASS-CNT/FLAGS:FLAG-LIST/EOP:EOP-INCR

THE DIAGNOSTIC IN CORE IS EXECUTED IN ACCORDANCE WITH THE SWITCHES SPECIFIED. THE MESSAGE '# UNITS?' IS PRINTED. THE START COMMAND MAY BE ISSUED WHEN DIAGNOSTIC COMMAND MODE HAS BEEN ENTERED VIA ONE OF THE FOLLOWING: A) OPERATOR TYPED 'RUN DIAGNOSTIC' B) DIAGNOSTIC FINISHED EXECUTING C) ERROR WAS ENCOUNTERED WITH HOE FLAG SET D) OPERATOR ENTERED CONTROL/C. AFTER THE OPERATOR RESPONDS TO '# UNITS?', THE HARDWARE DIALOGUE IS INITIATED. WHEN IT IS COMPLETED, THE QUESTIONS 'CHANGE SW?' IS ISSUED, AND THE ANSWERS, IF GIVEN, BECOME THE NEW DEFAULTS. THEREFORE IT IS NECESSARY TO RELOAD THE PROGRAM IN ORDER TO RETURN TO THE LOAD DEFAULTS.

THE SWITCH ARGUMENTS ARE AS FOLLOWS:

'TEST-LIST' IS A SEQUENCE OF DECIMAL NUMBERS (1:2 ETC.) OR RANGES OF DECIMAL NUMBERS (1-5:8-10 ETC.) THAT SPECIFY THE TESTS TO BE EXECUTED. THE NUMBERS ARE SEPARATED BY COLONS. THE NUMBERS RANGE FROM 1 TO THE LARGEST TEST NUMBER IN THE DIAGNOSTIC. THEY MAY BE SPECIFIED IN ANY ORDER. TESTS WILL BE EXECUTED IN NUMERICAL ORDER REGARDLESS OF THE ORDER OF SPECIFICATION. THE DEFAULT IS TO EXECUTE ALL TESTS.

'PASS-CNT' IS A DECIMAL NUMBER INDICATING THE DESIRED NUMBER OF PASSES. A PASS IS DEFINED AS THE EXECUTION OF THE FULL DIAGNOSTIC (ALL SELECTED TESTS) AGAINST ALL UNITS SUBMITTED. THE DEFAULT IS NON-ENDING TEST EXECUTION. 'FLAG-LIST' IS A SEQUENCE OF ELEMENTS OF THE FORM <FLAG>, <FLAG=1>, OR <FLAG=0>, SEPARATED BY COLONS, WHERE <FLAG> HAS ONE OF THE FOLLOWING VALUES:

HOE HALT ON ERROR, CAUSING COMMAND MODE TO BE ENTERED WHEN AN ERROR IS ENCOUNTERED

LOE LOOP ON ERROR, CAUSING THE DIAGNOSTIC TO LOOP CONTINUOUSLY WITHIN THE SMALLEST DEFINED BLOCK OF CODING (SEGMENT, SUBTEST, OR TEST) CONTAINING THE ERROR

IER INHIBIT ERROR REPORTING

IBE INHIBIT BASIC ERROR REPORTS

IXE INHIBIT EXTENDED ERROR REPORTS

PRI DIRECT ALL MESSAGES TO A LINE PRINTER

PNT PRINT NUMBER OF TEST BEING EXECUTED

BOE BELL ON ERROR

UAM RUN IN UNATTENDED MOD , BYPASSING MANUAL INTERVENT'ON TESTS

ISR INHIBIT STATISTICAL REPORTS

IDU INHIBIT DROPPING OF UNITS BY DIAGNOSTIC

ADR EXECUTE AUTODROP CODE

LOT LOOP ON TEST

EVL EVALUATE

THE FLAGS NAMED OR EQUATED TO 1 ARE SET, THOSE EQUATED TO 0 ARE CLEARED. A FLAG NOT SPECIFIED IS CLEARED. IF THE FLAGS SWITCH IS NOT GIVEN ALL FLAGS ARE CLEARED.

'EOP-INCR' IS A DECIMAL NUMBER INDICATING HOW OFTEN (IN TERMS OF PASSES) IT IS DESIRED THAT THE END OF PASS MESSAGE BE PRINTED. THE DEFAULT IS AT THE END OF EVERY PASS.

RES(TART)/TEST:TEST-LIST/PASS:PASS-CNT/FLAGS:FLAG-LIST/EOP:EOP-INCR/UNITS:UNIT-LIST

THE DIAGNOSTIC IN CORE IS EXECUTED IN ACCORDANCE WITH THE SWITCHES SPECIFIED. HOWEVER, NEW 'P-TABLES' ARE NOT BUILT. INSTEAD, THE ONES IN CORE ARE USED.

THE QUESTION 'CHANGE SW?' IS ASKED AND THE ANSWERS GIVEN BECOME THE NEW DEFAULTS. THE COMMAND MAY BE ISSUED WHEN COMMAND MODE HAS BEEN ENTERED VIA A) DIAGNOSTIC IS FINISHED B) HALT ON ERROR C) CONTROL/C.

THE SWITCH ARGUMENTS ARE AS IN THE START COMMAND EXCEPT:

1. 'UNIT-LIST' IS A SEQUENCE OF LOGICAL UNIT NUMBERS RANGING FROM 1 THRU N (N = NUMBER OF UNITS BEING TESTED) SPECIFYING WHICH UNITS ARE TO BE TESTED. THE LOGICAL UNIT NUMBER DESIGNATES THE POSITION OF THE P-TABLE IN CORE, ACCORDING TO THE ORDER IN WHICH THEY WERE BUILT. THE UNITS SPECIFIED MUST NOT HAVE BEEN DROPPED BY THE OPERATOR DROP COMMAND. THE UNIT-LIST DEFAULTS TO 'ALL THAT HAVE NOT BEEN DROPPED BY OPERATOR COMMAND'. THE EFFECT OF THE UNIT-LIST LASTS UNTIL THE NEXT START (WHERE IT IS AUTOMATICALLY RESET TO 'ALL') OR THE NEXT RESTART.
2. ALL UNSPECIFIED FLAG SETTINGS ARE UNCHANGED.

 CON(TINUE)/PASS:<PASS-CNT/FLAGS:<FLAG-LIST>

COMMAND MODE MUST HAVE BEEN ENTERED DUE TO A HALT ON ERROR OR A CONTROL/C. THE EFFECT OF THE COMMAND IS TO GO TO THE BEGINNING OF THE TEST THAT WAS BEING EXECUTED WHEN THE HALT OR CONTROL/C TOOK PLACE. SOFTWARE DIALOGUE MAY OPTIONALLY BE RE-EXECUTED. HARDWARE PARAMETERS MAY NOT BE CHANGED.

THE SWITCH ARGUMENTS ARE AS IN THE START COMMAND EXCEPT:

1. DEFAULT FOR PASS-CNT IS THE UNSATISFIED PASS-CNT FROM THE PREVIOUS START OR RESTART
2. UNSPECIFIED FLAG SETTINGS ARE UNCHANGED

 PRO(CEED)/FLAGS:<FLAG-LIST>

COMMAND MODE MUST HAVE BEEN ENTERED VIA A HALT ON ERROR. THE EFFECT OF THE COMMAND IS TO BEGIN EXECUTION AT THE LOCATION FOLLOWING THE ERROR CALL. NEITHER HARDWARE NOR SOFTWARE PARAMETERS MAY BE ALTERED.

THE SWITCH ARGUMENTS ARE THE SAME AS THE START COMMAND EXCEPT:

1. UNSPECIFIED FLAG SETTINGS ARE UNCHANGED

 EXIT

RETURN TO XXDP+ PROMPT MODE.

DRO(P)/UNITS:UNIT-LIST

THE UNITS SPECIFIED ARE DROPPED FROM TESTING UNTIL THEY ARE ADDED BACK OR UNTIL A START COMMAND IS GIVEN. A DROP CANNOT BE FOLLOWED BY A PROCEED.

THERE IS ALSO A 'DROP' MACRO INTERNAL TO THE DIAGNOSTIC, WHICH GIVES THE FACILITY OF AUTO-DROPPING. THE DURATION OF A PROGRAM DROP, HOWEVER, IS ONLY UNTIL THE NEXT START OR RESTART.

ADD/UNITS:UNIT-LIST

THE UNITS SPECIFIED ARE ADDED BACK (THEY MUST HAVE BEEN PREVIOUSLY DROPPED BY THE DROP COMMAND) TO THE TEST SEQUENCE. AN ADD CANNOT BE FOLLOWED BY A PROCEED.

PRI(NT)

ALL STATISTICS TABLES ACCUMULATED BY THE DIAGNOSTIC ARE PRINTED. THE ISR (INHIBIT STATISTICAL REPORTING) FLAG IS CLEARED.

DIS(PLAY)/UNITS:<UNIT-LIST>

THE HARDWARE P-TABLES FOR ALL UNITS UNDER TEST ARE PRINTED OUT IN THE FORMAT IN WHICH THEY WERE ENTERED. ANY UNITS THAT WERE DROPPED BY THE OPERATOR 'DROP' COMMAND ARE SO DESIGNATED.

FLA(GS)

THE CURRENT SETTINGS OF ALL FLAGS ARE PRINTED.

ZFL(AGS)

ALL FLAGS ARE CLEARED.

2.4 EXTENDED P-TABLE DIALOGUE

THE FULL CAPABILITY OF THE HARDWARE DIALOGUE IS REVEALED BY THE FOLLOWING DISCUSSION OF WHAT HAPPENS INTERNALLY.

AS SOON AS THE QUESTION '# UNITS?' IS ANSWERED (WITH THE NUMBER N), SPACE IN CORE IS ALLOCATED FOR 'N' P-TABLES. ALL OF THE P-TABLES ARE OF THE SAME FORMAT, AND THERE IS A ONE-TO-ONE CORRESPONDENCE BETWEEN THE HARDWARE PARAMETER QUESTIONS AND THE SLOTS IN THE P-TABLE FORMAT.

IN GIVING A STRING OF VALUES, COMMAS WITHOUT INTERVENING VALUES MAY BE USED TO INDICATE A REPETITION OF THE LAST NAMED VALUE.

A STRING OF VALUES MAY BE GIVEN AS A RANGE (6-10 FOR EXAMPLE). IF THE VALUES REPRESENT PURE NUMERICAL DATA, THIS SAMPLE RANGE TRANSLATES TO THE STRING 6,7,8,9,10 (AN INCREMENT OF 1). IF THE VALUES ARE ADDRESSES, THE SAMPLE RANGE TRANSLATES TO THE STRING 6,8,10 (AN INCREMENT OF 2).

NOW LET US SEE HOW WE COULD USE THESE CAPABILITIES TO CONSTRUCT A SET OF P-TABLES. ASSUME THAT WE HAVE 8 RL UNITS, AND THAT THERE ARE FIVE (5) HARDWARE PARAMETERS FOR EACH (5 SLOTS IN THE P-TABLE, 5 HARDWARE QUESTIONS IN THE DIALOGUE).

FOLLOWING IS THE DIALOGUE FOR THIS 8 RLOX DRIVE SYSTEM. THIS SYSTEM HAS TWO (2) RL11 TYPE CONTROLLERS ALL TO BE SET AT 'BR LEVEL' 5. THE FIRST 4 DRIVES ARE RL01'S AND THE LAST 4 DRIVES ARE RL02'S (ON THE SECOND CONTROLLER):

UNITS (D) ? 8

UNIT 0

RL11 (L) Y ?

BUS ADDRESS (O) 174400 ?

VECTOR (O) 160 ?

DRIVE (O) 0 ? 0-3

DRIVE TYPE = RL01 (L) Y ?

BR LEVEL (O) 5 ?

UNIT 4

RL11 (L) Y ?

BUS ADDRESS (O) 174400 ? 175400

VECTOR (O) 160 ? 164

DRIVE (O) 0 ? 0-3

DRIVE TYPE = RL01 (L) Y ? N

BR LEVEL (O) 5 ?

THE FIRST TIME THRU THE P-TABLE QUESTIONS THE DEFAULT VALUES ARE USED FOR THE CONTROLLER TYPE (QUESTION #1), CSR ADDRESS OF THE CONTROLLER (QUESTION #2), THE CONTROLLER VECTOR ASSIGNMENT (QUESTION #3), THE DRIVE TYPE (QUESTION #5), AND THE 'BR LEVEL' (QUESTION #6). THE ACTUAL UNIT NUMBERS OF THE RL01'S FOR QUESTION #4 WAS ASSIGNED 0 THRU 3 FOR THE FIRST 4 P-TABLE SLOTS.

THE SECOND TIME THRU THE P-TABLE QUESTIONS (FOR THE RL02 ASSIGNMENT ON THE SECOND CONTROLLER), THE FIRST QUESTION DEFAULTED TO 'RL11' TYPE CONTROLLER. THE SECOND QUESTION WAS ANSWERED TO REFLECT THE CHANGE IN CSR ADDRESS FOR THE RL02 CONTROLLER (175400). THE SECOND CONTROLLER'S VECTOR WAS ALSO CHANGED TO 164 IN QUESTION #3. THE RL02 TEST UNIT NUMBERS WERE ASSIGNED VALUES 0 TO 3 IN QUESTION #4 AND THE DRIVE TYPE WAS SET FOR RL02'S FOR THE REMAINING 4 UNITS IN QUESTION #5. THE LAST QUESTION WAS DEFAULTED USING THE 'BR LEVEL' FROM THE FIRST PASS.

2.5 HARDWARE PARAMETERS

THE FOLLOWING QUESTIONS WILL BE ASKED ON A START COMMAND. THE VALUE LOCATED TO THE LEFT OF THE QUESTION MARK IS THE DEFAULT VALUE THAT WILL BE TAKEN ON A CARRIAGE RETURN RESPONSE.

RL11 (L) Y?

ANSWER YES(Y) IF YOU HAVE AN RL11 CONTROLLER, NO(N) IF YOU HAVE AN RLV11 CONTROLLER.

BUS ADDRESS (O) 174400?

ANSWER WITH THE BUS ADDRESS OF THE CONTROLLER.

VECTOR (O) 160?

ANSWER WITH THE INTERRUPT VECTOR OF THE CONTROLLER.

DRIVE (O) 0?

ANSWER WITH THE DRIVE(S) CONNECTED TO THE CONTROLLER

DRIVE TYPE - RL01 (L) ?

ANSWER NO (N) IF DRIVE IS AN RL02

BR LEVEL (O) 5?

ANSWER WITH THE INTERRUPT PRIORITY OF THE CONTROLLER.

2.6 SOFTWARE PARAMETERS

THE FOLLOWING QUESTIONS ARE ASKED IF REQUESTED ON A START, RESTART, OR CONTINUE. THEY ALLOW FLEXIBILITY IN THE WAY THE PROGRAM BEHAVES. THE SOFTWARE PARAMETERS GIVE THE PROGRAM FLEXIBILITY IN THE WAY IT RUNS. THE PARAMETERS CAN BE MODIFIED ON A START, RESTART, OR CONTINUE BY ANSWERING (Y)ES TO THE FOLLOWING QUESTION:

CHANGE S.W. ?

A YES ANSWER WILL ASK THE FOLLOWING SOFTWARE PARAMETER QUESTIONS, WITH THE PRESENT DEFAULT VALUE PRINTED TO THE LEFT OF THE QUESTION MARK. (THE LAST ANSWER GIVEN IS THE DEFAULT) THE DEFAULT IS TAKEN ON A <CR>. CONTROL Z (^Z) WILL DEFAULT ALL REMAINING QUESTIONS AND START THE TEST.

USE ALL CYLINDERS (N)?

IF 'YES', THOSE TESTS THAT NORMALLY USE A SELECTED SET OF CYLINDERS WILL TEST EVERY CYLINDER ON THE CARTRIDGE.

USE ALL SECTORS (N)?

IF 'YES', THOSE TESTS THAT NORMALLY USE A SINGLE SECTOR TO TEST A GIVEN OPERATION (SUCH AS SEEK DESTINATION) WILL READ AND VERIFY EVERY SECTOR HEADER.

EXECUTE MANUAL INTERVENTION TESTS (N)?

IF 'YES', SEEK TIMING, ROTATIONAL TIMING, AND WRITE LOCK ERROR AND DATA PROTECTION TESTS ARE EXECUTED. THE ONLY TEST THAT ACTUALLY REQUIRES MANUAL INTERVENTION IS THE WRITE LOCK TEST AND THAT TEST WILL BYPASS AUTOMATICALLY AFTER WAITING 30 SECONDS FOR WRITE LOCK TO BE SET.

LOWER SEEK LIMIT (N)?

IF 'YES', THE NEXT PARAMETER IS REQUESTED.

ENTER VALUE (DECIMAL) (0)?

THIS LIMIT IS IMPOSED ON ALL SEEK OPERATIONS SUCH THAT TESTING IS NOT DONE BELOW THAT LIMIT. IN ADDITION, SETTING THIS LIMIT (OR THE UPPER LIMIT, SEE BELOW) CAUSES THE FORWARD AND REVERSE OSCILLATING SEEK TESTS TO PERFORM DIFFERENTLY (SEE TEST DESCRIPTION). TESTS THAT REQUIRE ACCESS TO A SPECIFIC CYLINDER THAT FALLS BELOW THE SPECIFIED LIMIT WILL IGNORE THE LIMIT (SEE WRITE/READ TEST PART 1).

UPPER SEEK LIMIT (N)?

IF 'YES', AN UPPER CYLINDER LIMIT IS IMPOSED IN THE SAME MANNER AS THE LOWER SEEK LIMIT. A 'YES' RESPONSE WILL CAUSE THE FOLLOWING PARAMETER REQUEST.

ENTER VALUE (DECIMAL) (255)?

USE ONLY ONE SURFACE (N)?

IF 'YES', THE NEXT PARAMETER IS REQUESTED.

SPECIFY SURFACE (0 OR 1) (DECIMAL) (0)?

WHICHEVER SURFACE IS SPECIFIED IS THE ONLY SURFACE TESTED IN THE ENTIRE PROGRAM. ANY TEST THAT IS DESIGNED TO TEST THE OTHER SURFACE IS AUTOMATICALLY BYPASSED. THE PROGRAM DOES NOT PRINT ANY INDICATION THAT A TEST IS BYPASSED IN THIS CASE.

SPECIFY ERROR LIMIT (DECIMAL) (20)?

THIS PARAMETER SPECIFIES THE MAXIMUM NUMBER OF ERRORS ALLOWED. THIS LIMIT IS ON A PER DRIVE BASIS IN A SINGLE PASS. IF THE ERROR LIMIT IS EXCEEDED, THE DRIVE IS DROPPED FROM FURTHER TESTING.

DATA COMPARE ERROR LIMIT (DECIMAL) (20)?

THIS PARAMETER SPECIFIES THE NUMBER OF DATA COMPARE ERRORS THAT WILL BE LISTED FOR A GIVEN COMPARE OPERATION. AFTER THE LIMIT IS REACHED, THE DATA ERRORS ARE NOT PRINTED BUT THE COMPARE CONTINUES UNTIL THE END OF THE DATA FIELD. A TOTAL IS REPORTED AT THE END OF THE COMPARE.

3.0 ERROR INFORMATION

ALL ERRORS ARE PRINTED VIA CONSOLE DEVICE. THE ERROR INCLUDES ERROR NUMBER, TYPE AND PROGRAM LOCATION. ERRORS INCLUDE REGISTERS BEFORE AND AT ERROR WITH RELEVANT DATA.

3.1 ERROR REPORTING

THE OPERATION MESSAGE (LINE 4) IS GENERATED IN A DYNAMIC MANNER BASED ON THE SUBSYSTEM FUNCTION BEING EXECUTED AT THE TIME OF THE ERROR AND THE STATE OF THE FLAGS IN THE LOCATION TAGGED 'OPFLAGS'. THE POSSIBLE OPERATION MESSAGES ARE GIVEN BELOW.

SEEK - FROM (CYL NUM) DIFF (CYL DIFF) SGN (0 OR 1) HD (0 OR 1) WHERE THE VALUES ARE GIVEN IN OCTAL. THIS MESSAGE IS THE RESULT OF A SEEK OPERATION THAT WAS VERIFIED BY A READ HEADER AND THE HEAD POSITION AFTER A SEEK IS IN ERROR. (THE ACTUAL HEAD POSITION IN THIS ERROR SITUATION IS GIVEN IN THE RESULT LINE, LINE 5.)

READ DATA - IS A READ DATA OPERATION WHERE SOME FORM OF ERROR WAS DETECTED IN THE ACTUAL READ OPERATION. THIS ERROR COULD BE HARDWARE DETECTED SUCH AS DATA CRC, HEADER CRC, HEADER NOT FOUND, ETC., OR A SOFTWARE DETECTED ERROR SUCH AS DRIVE READY RESET AFTER A READ DATA COMPLETED.

READ DATA WITH DATA COMPARE - IS AN ERROR THAT WAS DETECTED AS BAD DATA IN THE BUFFER AFTER

A READ DATA OPERATION. WHEN THIS OPERATION IS REPORTED IT INDICATES THE ACTUAL READ DATA OPERATION COMPLETED WITH NO DETECTED ERRORS BUT THE DATA WAS WRONG.

READ HEADER - READ HEADER FOR 40 HEADERS - READ HEADER FOR 40 HEADERS WITH HEADER COMPARE - HAVE THE SAME GENERAL MEANING AS THE READ DATA AND READ DATA WITH DATA COMPARE. MESSAGES HAVING THE OPERATION OF READ HEADER OR READ HEADER FOR 40 HEADERS ARE THE RESULT OF ERRORS DETECTED IN THE ACTUAL OPERATION WHILE THE READ HEADER FOR 40 HEADERS WITH HEADER COMPARE INDICATES NO ERROR IN THE ACTUAL OPERATION BUT THE HEADER DATA ITSELF WAS IN ERROR.

WRITE DATA - RESET - GET STATUS - GET STATUS WITH RESET - ARE ALL BASIC OPERATIONS. AS BEFORE, THE ERROR DETECTION CAN BE EITHER HARDWARE OR SOFTWARE. THE RESULT LINE (LINE 5) WILL DEFINE THE REASON FOR THE REPORT.

LD DRV - UNLD DRV - ARE OPERATION MESSAGES THAT WILL APPEAR IN THE REPORT WHEN THE DRIVE LOAD AND UNLOAD SEQUENCE IS BEING TESTED.

ANOTHER GROUP OF OPERATION QUALIFIERS WILL BE REPORTED FOR OPERATIONS THAT FAIL IN SPECIFIC TESTS. THESE TESTS ARE THE WRITE/READ TEST PART 2, OVERWRITE TEST, AND THE ADJACENT CYLINDER INTERFERENCE TEST.

OPERATION -----	QUALIFIER -----
READ DATA WITH DATA COMPARE	FOL 0 TO CC SEEK
READ DATA	FOL 255 TO CC SEEK
WRITE DATA	FOL WRITE (NO SEEK)
READ HEADER	ADJ. CYL WRITTEN AFTER FWD SK
	ADJ. CYL WRITTEN AFTER REV SK
	SK FWD, WRT-SK REV, OVERWRT
	SK REV, WRT-SK FWD, OVERWRT

THE ABOVE OPERATIONS CAN BE REPORTED WITH ANY OF THE QUALIFIERS. THE QUALIFIERS IN THESE TESTS ARE AN ATTEMPT TO MAKE THE REPORT MORE MEANINGFUL BY PROVIDING INFORMATION ABOUT THE SEQUENCE OF OPERATIONS BEING DONE

THE QUALIFIERS 'FOL 0 TO CC SEEK' AND 'FOL 255 TO CC SEEK' INDICATE THAT THE SEQUENCE OF OPERATIONS INCLUDED A SEEK OF A GIVEN DIRECTION TO THE CYLINDER WHERE THE TEST IS BEING PERFORMED.

THE 'FOL WRITE (NO SEEK)' QUALIFIER MEANS THAT THE OPERATION WAS DONE AFTER A WRITE WITH NO HEAD MOVEMENT BETWEEN THE WRITE AND READ.

THE QUALIFIER 'ADJ CYL WRITTEN AFTER FWD SK' AND 'ADJ CYL WRITTEN AFTER REV SK' WILL BE REPORTED ONLY IN THE ADJACENT CYLINDER INTERFERENCE TEST. THESE QUALIFIERS ARE USED WHEN THE ERROR OCCURS ON THE CYLINDER UNDER TEST AND DEFINE THE DIRECTION THE HEADS WERE MOVED WHEN THE ADJACENT CYLINDER WAS WRITTEN.

THE QUALIFIERS 'SK FWD, WRT-SK REV, OVERWRT' AND 'SK REV, WRT-SK FWD, OVERWRT' WILL BE REPORTED ONLY IN THE OVERWRITE TEST. THESE QUALIFIERS DEFINE THE DIRECTION OF HEAD MOTION BEFORE THE INITIAL WRITE AND THE OVERWRITE.

THE QUALIFIER 'ON BAD SEC FILES' WILL BE REPORTED WITH THE WRITE DATA COMMAND IF THE PROGRAM ABORTS THAT COMMAND BECAUSE THE WRITE WOULD BE ON THE BAD SECTOR FILES.

3.1.2 SPECIFIC RESULT MESSAGES

THE RESULT MESSAGE (LINE 5) IS GENERATED DYNAMICALLY BASED ON THE EXPECTED RESULT OF THE OPERATION BEING TESTED. SINCE OPERATIONS ARE MONITORED DURING EXECUTION THE RESULT MESSAGE MAY REPORT AN ERROR DETECTED DURING THE OPERATION AS WELL AS THE ERRORS SEEN AT THE END OF THE OPERATION. ONLY THE FIRST ERROR SEEN IS REPORTED IN ALL CASES.

THE GENERAL FORMAT FOR THE RESULT LINE IS:

RESULT:(VAR 1) IS (VAR 2) SB (VAR 3) (OPTIONAL QUALIFIER)
WHERE VARIABLE 1 CAN BE ONE OF THE FOLLOWING:

CONT ERR	(CONTROLLER ERROR)
DRV ERR	(DRIVE ERROR)
NON-EXSTNT MEM	(NON-EXISTANT MEMORY)
HDR CRC	(HEADER CRC ERROR)
DATA CRC	
HDR NOT FND	(HEADER NOT FOUND)
DATA LATE	
HDR NOT FND/HDR CRC/OPI	(ALL 3 BITS SET)
DRV RDY	(DRIVE READY)
SELECTED HEAD	
VOL CHK	(VOLUME CHECK)
COVER OPEN	
BRUSH HME	(BRUSH HOME)
WRT LCK	(WRITE LOCK)
HDS OUT	(HEADER OUT)
DRV SEL ERR	(DRIVE SELECT ERROR)
DRV STATE	(DRIVE STATE)
SPIN TIMEOUT	(SPINDLE TIMEOUT SPD ERROR)
WRT GAT ERR	(WRITE GATE ERROR)
SEFK TIMEOUT	(SKTO ERROR)
CUR HEAD ERR	(CURRENT IN HEAD ERROR)
WRT DAT ERR	(WRITE DATA ERROR)

OP INCOMPLETE	(OPI ERROR)
HDR/DAT ERR	(HDR CRC OR DATA CRC ERROR BIT 11 OF CS REGISTER)
HDR NOT FND/DAT LATE	(HDR NOT FOUND OR DATA LATE ERROR BIT 12 OF CS REGISTER)
CYL	(CYLINDER WHEN REPORTING A SEEK ERROR)

VARIABLE 2 WILL BE A VALUE THAT DEFINES WHAT THE RESULT ACTUALLY IS. THIS CAN BE A 1 OR 0 TO INDICATE A SET OF RESULT CONDITIONS, A NUMBER 0 TO 7 TO INDICATE THE DRIVE STATE, OR A NUMBER 0 TO 377 (OCTAL) TO IDENTIFY A CYLINDER NUMBER.

VARIABLE 3 DEFINES THAT THE VALUE GIVEN IS VARIABLE 2 SHOULD BE. THE OPTIONAL QUALIFIER IS PROVIDED WHEN IT IS USEFUL TO KNOW WHEN THE ERROR WAS DETECTED IN THE OPERATION BEING PERFORMED. THIS QUALIFIER IS USED TO REPORT RESULTS SUCH AS:

```
BRUSH HME IS 1 SB 0 IN STATE 2
HEADS OUT IS 0 SB 1 IN STATE 3
DRV RDY IS 0 SB 1 IN DATA XFER
SELECTED HEAD IS 1 SB 0 IN CYCLE UP
DRV RDY IS 0 SB 1 IN STATE 5
DRV RDY IS 1 SB 0 IN SEEK W/O MOTION
DRV RDY IS 0 SB 1 IN 10MS
DRV RDY IS 0 SB 1 IN 500MS
DRV RDY IS 0 SB 1 IN 5SECONDS
```

THESE RESULTS, WHEN SEEN WITH THE OPERATION MESSAGE, WILL BE SELF EXPLANATORY.

OTHER RESULT MESSAGES THAT CAN BE PART OF AN ERROR REPORT ARE:

'INTERRUPT TOO LATE'

WHICH INDICATES THAT THE OPERATION BEING PERFORMED DID NOT COMPLETE IN THE EXPECTED AMOUNT OF TIME. THIS RESULT CAN BE CAUSED BY THE DRIVE LOSING READY BEFORE STARTING A READ HEADER AND THEREFORE NOT COMPLETING THE READ HEADER IN 1MS.

'FAIL TO RELOAD HEADS AFTER ERR CLEAR'

THIS IS REPORTED WHEN AN ERROR CAUSES HEADS TO UNLOAD AND AFTER THE ERROR IS CLEARED THE HEADS DO NOT RELOAD.

'UNKN DRV STATE-NO RDY, NO ERR, HDS OUT'

THIS IS REPORTED WHEN THE PROGRAM CANNOT DETERMINE THE DRIVE STATE OR STATUS.

'WRITE ABORTED''

THIS IS REPORTED WHEN THE PROGRAM ABORTS A WRITE TO PROTECT THE BAD SECTOR FILES.

'COULD NOT RETRIEVE DRIVE STATUS''

THIS IS REPORTED IF THE GET STATUS COMMAND DOES NOT COMPLETE SUCCESSFULLY WHEN THE STATUS IS REQUIRED TO REPORT AN ERROR.

'OPI SET-NO DRIVE RESPONSE''

THIS IS REPORTED AS THE RESULT WHEN THE GET STATUS COMMAND IS TIMED OUT (OPI SETS) WHEN THAT COMMAND IS BEING USED IN THE EARLY TESTS TO CHECK THE DRIVE INTERFACE.

'NO INTERRUPT ON CMND COMPLETE''

THIS IS REPORTED WHEN THE COMMAND SUCCESSFULLY COMPLETES BUT THE CONTROLLER HAS NOT GENERATED AN INTERRUPT.

'ERR DID NOT CLEAR''

THIS IS REPORTED WHEN THE RESET COMMAND DOES NOT CLEAR THE CONTROLLER ERRORS. THIS IS A CONTROLLER RELATED PROBLEM BUT IS REPORTED IF SEEN IN THE DRIVE TEST PROGRAMS.

'DRV ERR IS NOT CLEARED''

THIS IS REPORTED WHEN THE GET STATUS W/RESET COMMAND DOES NOT CLEAR ALL DRIVE ERRORS.

'UNEXPECTED ERR''

THIS IS REPORTED WHEN THE CONTROLLER SENSES AN ERROR BUT NO ERROR BITS ARE SET.

'BAD SEC FILE FMT ERR''

THIS IS REPORTED IF THE CONTENTS OF THE FILES DO NOT CORRESPOND TO THE EXPECTED FORMAT. (REFER TO DEC STANDARD 144 FOR FORMAT SPECIFICS.)

3.1.3 OTHER MESSAGES

OTHER INFORMATION IS REPORTED UNDER VARIOUS CIRCUMSTANCES. THESE ARE:

'BAD SEC FILES NOT STRD. ALL SEC ASSUMED GOOD.'

THIS MESSAGE IS PRINTED WHEN A PARTICULAR TEST REQUIRES THE BAD SECTOR FILES BUT THEY HAVE NOT BEEN STORED. THIS SITUATION WILL OCCUR IF THIS TEST IS STARTED OUT OF THE NORMAL PROGRAM SEQUENCE OR IF THE BAD SECTOR FILES COULD NOT BE READ.

'ERROR LIMIT EXCEEDED-UNIT DROPPED'

THIS IS REPORTED (WITH THE UNIT NUMBER) WHEN MORE THAN THE SPECIFIED NUMBER OF ERRORS (DEFAULT 20) HAVE OCCURED IN ANY SINGLE PASS.

MOST ERROR REPORTS HAVE THE FOLLOWING FORMAT.

- (1) PROG NAME ERR NUM TEST NUM SUBTEST NUM ERR PC
- (2) ROUTINE TRACE SEQ (IN SEQ CALLED)
(ADDRESS)
(ADDRESS)
.
(ADDRESS)
- (3) TEST DESCRIPTION
- (4) OPERATION:
- (5) RESULT:
- (6) ADDRESS OF UNIT UNDER TEST
- (7) RLCS RLDA RLBA RLMP CYL HD
- (8) OP INIT
- (9) OP DONE
- (10) DRIVE STATUS
- (11) WORD NUM IS (XXXXXX) SB (YYYYYY)
- (12) TOTAL COMPARE ERRS: (ZZZ) OF (128)

THE ONLY EXCEPTION TO THE ABOVE FORMAT IS PURE DATA COMPARE ERRORS (NOT DETECTED BY READ ERROR). THEN THE FORMAT DOES NOT INCLUDE LINES 5 THROUGH 10.

LINE 1 IS THE ERROR HEADER AND IS PROVIDED BY THE SUPERVISOR. THE PROGRAM IS IDENTIFIED BY NAME WITH THE NUMBER OF TEST AND SUBTEST PRESENTLY BEING EXECUTED.

THE SUBTEST NUMBER IS UNIQUE IN THIS PROGRAM IN THAT IT DOES NOT REFER TO A PHYSICAL SUBTEST WITHIN A GIVEN TEST. RATHER IT REFLECTS THE NUMBER OF TIMES A SUBTEST HAS BEEN EXECUTED WITHIN A TEST. CONSEQUENTLY, ON A TEST THAT TESTS AN INCREMENTAL TYPE OF OPERATION (SUCH A INCREMENTAL SEEKS, READ ALL HEADERS FROM BOTH SURFACES, ETC.) THE SUBTEST WILL BE DESCRIPTIVE OF WHERE IN THE TEST THE ERROR OCCURRED.

THE ERROR P.C. IS THE PHYSICAL MEMORY LOCATION WHERE THE ERROR REPORT WAS INITIATED. SINCE MANY FUNCTIONS ARE SUBROUTINED, AND ERRORS ARE REPORTED FROM SUBROUTINES, THE ERROR P.C. IS NOT SUFFICIENT TO IDENTIFY THE LOCATION OF THE ERROR CALL AND THE ROUTINE TRACE SEQUENCE IS PROVIDED.

LINE 2 IS THE ROUTINE TRACE SEQUENCE. IF THE ERROR CALL IS INITIATED FROM WITHIN THE TEST (AS OPPOSED TO WITHIN A ROUTINE), THIS PORTION OF THE REPORT IS OMITTED. IF THE CALL IS INITIATED FROM A ROUTINE (WHICH MAY BE CALLED BY ANOTHER ROUTINE, WHICH MAY BE CALLED BY ANOTHER ROUTINE, ETC. SEVERAL LEVELS DEEP) THE ROUTINE TRACE SEQUENCE PROVIDES A TRAIL TO THE ACTUAL LOCATION WITHIN THE TEST THAT CALLED THE FIRST ROUTINE. THE FIRST ENTRY LISTED IS THE LOCATION WHERE THE FIRST ROUTINE WAS CALLED.

LINE 3 IS THE TEST DESCRIPTION AND IS ROUGHLY IDENTICAL TO THE NAME OF THE TEST BEING PERFORMED.

LINE 4 IDENTIFIES THE ACTUAL HARDWARE FUNCTION THAT IS BEING PERFORMED. ADDITIONAL INFORMATION ON THIS LINE IS DESCRIPTIVE OF SPECIFIC USE OF THE FUNCTION. FOR EXAMPLE, THE OPERATION LINE WILL READ 'READ HEADERS FOR 40 HEADERS' WHEN ALL HEADERS ARE BEING READ FROM A TRACK.

LINE 5 IDENTIFIES THE ERROR THAT HAS BEEN DETECTED. THE CONTENT OF LINE 5 IDENTIFIES WHAT WAS BEING TESTED (SUCH AS DRIVE READY, CONTROLLER ERROR, DRIVE STATE, ETC.), WHAT IT IS AND WHAT IT SHOULD BE. LINE 5 MAY BE REPEATED IF MORE THAN ONE TESTED ITEM IS FOUND IN ERROR.

IN ADDITION LINE 5 WILL REPORT ANY HARDWARE DETECTED ERRORS SUCH AS OPERATION INCOMPLETE, HEADER CRC, ETC. IN THIS CASE THE FIRST LINE PRINTED AS RESULT WILL BE DETERMINED BY THE THREE ERROR BITS OPI, HNF/DLT, AND HCRC/DJRC. THE LINE WILL BE DETERMINED AS IN THE FOLLOWING TRUTH TABLE:

HNF/DLT	DCRC/HCRC	OPI	MESSAGE
1	1	1	HDR NOT FND/HDR CRC/OPI ERROR
0	1	1	HDR CRC ERROR
1	0	1	HDR NOT FND ERROR
0	1	0	DATA CRC ERROR
1	0	0	DATA LATE ERROR

LINE 6 IDENTIFIES THE PHYSICAL ADDRESS OF THE UNIT UNDER TEST. THIS ADDRESS IS BY UNIBUS ADDRESS OF THE CONTROLLER AND DRIVE NUMBER.

LINE 7 NAMES THE CONTROLLER REGISTERS (AND CYLINDER AND HEAD WHERE THESE ARE APPLICABLE IN THE REPORT) TO BE REPORTED.

LINE 8 PROVIDES THE CONTENTS OF CONTROLLER REGISTERS WHEN THE OPERATION WAS INITIATED.

LINE 9 PROVIDES THE CONTENTS OF THE CONTROLLER REGISTERS WHEN THE ERROR BEING REPORTED WAS DETECTED. FREQUENTLY THE REGISTER CONTENTS OF OP INIT AND OP DONE WILL BE DIFFERENT. OP INIT MAY INDICATE A SEEK WAS BEING PERFORMED BUT OP DONE MAY INDICATE THE ERROR WAS DETECTED BY A READ HEADER. THE REASON IS THAT A SEEK WAS EXECUTED AND DID NOT PROPERLY POSITION HEADS AND WHEN THE READ HEADER WAS DONE THE HEADS WERE ON THE WRONG CYLINDER.

LINE 10 IS THE DRIVE STATUS. THIS LINE IS ONLY REPORTED IF THE RLMP REGISTER DOES NOT CONTAIN THE ACTUAL DRIVE STATUS.

LINE 11 AND LINE 12 ARE REPORTED IF THE ERROR WAS DETECTED AS A COMPARE OPERATION, EITHER DATA OR HEADERS. IN ADDITION, GOOD AND BAD DATA IS REPORTED FOR ALL READ ERRORS.

3.2 ERROR HALTS

ERROR HALTS ARE SUPPORTED PER DESCRIBED IN THE PREVIOUS SECTION WITH /FLAG:HOE. THERE ARE NO OTHER HALTS.

4.0 PERFORMANCE AND PROGRESS REPORTS

4.1 PERFORMANCE REPORTS

THIS PROGRAM WILL NOT GIVE ANY PERFORMANCE REPORTS.

4.2 PROGRESS REPORTS

THIS PROGRAM WILL NOT GIVE ANY PROGRESS REPORTS.

5.0 DEVICE INFORMATION TABLES

THE RL11/RLV11 CONTROLLER HAS THE FOLLOWING FOUR(4) REGISTERS FOR CONTROL OF THE SUBSYSTEM.

RLCS - CONTROL AND STATUS REGISTER (XXXXX0)

BIT 15 - COMPOSITE ERROR
BIT 14 - DRIVE ERROR
BIT 13 - NON EXISTENT MEMORY ERROR
BIT 12 - HEADER NOT FOUND (WITH BIT 10 SET)
 - DATA LATE (WITH BIT 10 CLEAR)
BIT 11 - HEADER CRC (WITH BIT 10 SET)
 - DATA CRC (WITH BIT 10 CLEAR)
BIT 10 - OPERATION INCOMPLETE
BIT 9/8 - DRIVE SELECT (0-3)

BIT 7 - CONTROLLER READY
BIT 6 - INTERRUPT ENABLE
BIT 5 - EXTENDED BUS ADDRESS (BIT 17)
BIT 4 - EXTENDED BUS ADDRESS (BIT 16)
BIT 3-1 - FUNCTION CODE
 0 - NOP (PDP-11) MAINT (LSI-11)
 1 - WRITE CHECK
 2 - GET DRIVE STATUS
 3 - SEEK
 4 - READ HEADER
 5 - WRITE DATA
 6 - READ DATA
 7 - READ WITHOUT HEADER COMPARE

BIT 0 - DRIVE READY

RLBA - BUS ADDRESS REGISTER (XXXXX2)

BITS 15-1 BUS ADDRESS OF DATA TRANSFER
BIT 0 SHOULD BE 0

RLDA - DISK ADDRESS REGISTER (XXXXX4)

FOR READ/WRITE FUNCTIONS

BIT 15-7 - CYLINDER ADDRESS FOR TRANSFER
BIT 6 - SURFACE FOR TRANSFER
BIT 5-0 - SECTOR FOR TRANSFER (1-40.)

FOR SEEK FUNCTION

BIT 15-7 - DIFFERENCE TO NEW CYLINDER
BIT 6-5 - MUST BE ZERO (0)
BIT 4 - SURFACE (0=UPPER, 1=LOWER)
BIT 3 - MUST BE ZERO (0)
BIT 2 - SEEK DIRECTION(1=IN / 0=OUT)
BIT 1 - MUST BE ZERO (0)
BIT 0 - MUST BE ONE (1)

FOR GET STATUS FUNCTION

BIT 15-4 - IGNORED SHOULD BE ZERO (0)
BIT 3 - DRIVE RESET
BIT 2 - MUST BE ZERO (0)
BIT 1 - MUST BE ONE (1)
BIT 0 - MUST BE ONE (1)

RLMP - MULTIPURPOSE REGISTER

FOR READ/WRITE FUNCTION

BIT 15 - 0 - WORD COUNT (TWO'S COMPLIMENT)

FOR READ HEADER FUNCTION

BIT 15-0 - DISK HEADER OF SECTOR (FIRST READ)
 - ZERO WORD (SECOND READ)
 - HEADER CRC (THIRD READ)

FOR GET STATUS FUNCTION

HAS DRIVE STATUS

BIT 15 - WRITE DATA ERROR
BIT 14 - CURRENT HEAD ERROR (CHE)
BIT 13 - WRITE LOCK STATUS (WL)
BIT 12 - SEEK TIME OUT (SKTO)
BIT 11 - SPIN ERROR (SPE)
BIT 10 - WRITE GATE ERROR (WGE)
BIT 9 - VOLUME CHECK (VC)
BIT 8 - DRIVE SELECT ERROR (DSE)
BIT 7 - DRIVE TYPE IS RLO2 IF SET
BIT 6 - SURFACE (0=UPPPER, 1=LOWER)
BIT 5 - COVER OPEN
BIT 4 - HEADS HOME
BIT 3 - BRUSHES HOME
BIT 2-0 - STATE BITS
 0 - LOAD STATE
 1 - SPIN UP
 2 - BRUSH CYCLE
 3 - LOAD HEADS
 4 - SEEK - TRACK COUNTING
 5 - SEEK - LINEAR MODE
 6 - UNLOAD HEADS
 7 - SPIN DOWN

6.0 TEST SUMMARIES

TEST 1 SEEK TIMING

(P-CLOCK IS REQUIRED TO PERFORM THIS TEST.)

POSITION HEADS AT CYLINDER 0.

DO 64 SEEKS FROM 0 TO 1 AND 1 TO 0, MEASURING THE SEEK TIME FOR EACH SEEK. AVERAGE THE SEEK TIMES (FORWARD AND REVERSE INDEPENDENTLY) AND REPORT.

REPEAT ABOVE SEEKING BETWEEN CYLINDER 127 TO 128 AND 254 TO 255 FOR RL01 AND 255 TO 256 AND 256 TO 511 FOR RL02.

REPEAT ABOVE SEEKING BETWEEN CYLINDER 0 TO 127 AND 128 TO 256 FOR RL01 AND CYLINDER 0 TO 256 AND 256 TO 511 FOR RL02.

REPEAT ABOVE SEEKING BETWEEN CYLINDER 0 AND 255 FOR RL01 AND 0 TO 511 FOR RL02.

THE SEEK TIMES WILL BE REPORTED AS SHOWN BELOW. THE TIME MEASURED IS FROM START OF SEEK COMMAND UNTIL INTERRUPT IS RECEIVED.

	INNER	MIDDLE	OUTER	MAX TIME
1 CYL FWD	X	X	X	X
1 CYL REV	X	X	X	X
MID CYL FWD	X		X	X
MID CYL REV	X		X	X
MAX CYL FWD		X		X
MAX CYL REV		X		X

THE X INDICATES WHERE TIME WILL BE REPORTED.

TEST 2 BASIC READ DATA TEST

POSITION HEADS AT MAX CYLINDER.

DO READ DATA, HEAD 1. CHECK FOR ANY ERRORS AND REPORT. IF ERROR. READ SECTOR 1 THROUGH 19 UNTIL NO ERROR ON READ. REPORT ALL ERRORS BUT DO NOT INCREMENT ERROR COUNT. IF NONE CAN BE READ, SUCCESSFULLY, REPORT THAT FACTORY BAD SECTOR FILE CANNOT BE READ, INCREMENT ERROR COUNT AND PROCEED WITH READ OF SECTOR 20.

ON SECTOR WITH NO CRC ERROR, VERIFY DATA FORMAT (WORD 0 AND 1 ARE NOT 0, WORD 2 AND 3 ARE 0, LOCATE FIRST WORD OF ALL ONE'S AND THAT WORD TO WORD 127 ARE ALL ONE'S.) STORE BAD SECTOR DATA.

READ DATA, HEAD ONE, SECTOR 20. CHECK FOR ANY ERRORS AND REPORT. IF ERROR, READ SECTOR 21 THROUGH 39 UNTIL NO ERROR ON READ. REPORT ALL ERRORS BUT DO NOT INCREMENT ERROR COUNT. IF NONE CAN BE READ SUCCESSFULLY, REPORT THAT SOFTWARE BAD SECTOR FILES CANNOT BE READ, INCREMENT ERROR COUNT AND EXIT TEST.

ON SECTOR WITH NO CRC ERROR, VERIFY DATA AS ABOVE. STORE BAD SECTOR DATA.

NOTE: IF SURFACE 0 IS SELECTED THIS TEST WILL BE BYPASSED.

TEST 3 WRITE/READ DATA TEST (PART 1)

POSITION HEADS AT CYLINDER 0

WRITE PATTERN 1 ON HEAD 0, SECTOR 0. CHECK FOR ANY ERROR.

READ HEAD 0, SECTOR 0. CHECK FOR CPC ERROR. COMPARE DATA.

REPEAT FOR OTHER DATA PATTERNS (2 THROUGH 8).

CHECK IF CYLINDER 0, TRACK 1, SECTOR 0 IS LISTED IN BAD SECTOR DATA. IF NOT, REPEAT ABOVE TEST AT CYLINDER 0, TRACK 1, SECTOR 0. IF IT IS LISTED AS BAD, LOCATE FIRST SECTOR 0, TRACK 1 THAT IS GOOD AND DO ABOVE TESTS.

NOTE: CYLINDER LIMITS ARE IGNORED, TESTING IS DONE AT CYLINDER 0. HOWEVER, CHOOSING A SINGLE SURFACE WILL LIMIT TESTING TO THAT SURFACE.

TEST 4 ROTATIONAL TIMING TEST

(P-CLOCK IS REQUIRED TO PERFORM THIS TEST.)

POSITION HEADS TO CYLINDER 0.

DO WRITE DATA TO CYLINDER 0, HEAD 0, SECTOR 0. WAIT FOR INTERRUPT.

DO WRITE DATA TO CYLINDER 0, HEAD 0, SECTOR 0. START TIMING. WHEN INTERRUPT OCCURS, STOP TIMING. RESULT IS SPINDLE ROTATION TIME.

REPEAT TEST 64 TIMES. REPORT THE AVERAGE AS SPINDLE ROTATION TIME. THE TIME REPORTED IS IN 100'S OR MICROSECONDS.

TEST 5 WRITE/READ TEST (PART 2)

CC IS CURRENT CYLINDER SELECTED FROM SET.
LET SELECTED CYLINDER SET BE AS DEFINED IN PARAGRAPH 4.3.

SEEK FORWARD TO CC. WRITE PATTERNS 1 THROUGH 8 REPEATED 5 TIMES ON HEAD 0. READ/COMPARE ALL DATA.

SEEK REVERSE TO 'LOLIMIT'. SEEK FORWARD TO CC. READ/COMPARE ALL DATA. SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC. READ/COMPARE ALL DATA. REWRITE DATA PATTERNS 1 THROUGH 8 REPEATED 5 TIMES ON HEAD 0. READ COMPARE ALL DATA.

SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC. READ/COMPARE ALL DATA. SEEK REVERSE TO 'LOLIMIT'. SEEK FORWARD TO CC.

READ/COMPARE ALL DATA.

REPEAT ABOVE TEST FOR HEAD 1.

REPEAT ABOVE TESTS FOR ALL CYLINDERS IN SELECTED CYLINDER SET.

NOTE 1: IF ANY OF THE SECTORS IN THE SELECTED CYLINDER SET ARE LISTED AS BAD, THAT SECTOR WILL BE BYPASSED.

NOTE 2: IF THE 'USE ALL CYLINDERS' PARAMETER IS SPECIFIED AS 'Y', THE TEST WILL INCLUDE ALL CYLINDERS IN THE SELECTED PARAMETER SET.

NOTE 3: IN THE FIRST PASS OF THE PROGRAM THIS TEST IS EXECUTED ON ONLY 6 OF THE CYLINDERS LISTED IN THE CYLINDER SET. THOSE USED WILL BE EVERY 8TH ENTRY IN THE TABLE. ON THE SECOND AND SUBSEQUENT PASSES ALL ENTRIES IN THE SELECTED CYLINDER SET ARE USED.

NOTE 4: TESTING WILL BE DONE BETWEEN UPPER AND LOWER LIMITS. CYLINDERS IN THE CYLINDER SET BEYOND THESE LIMITS WILL NOT BE TESTED. CHOOSING A SINGLE SURFACE WILL LIMIT TESTING TO THAT SURFACE.

TEST 6 WRITE LOCK ERROR AND DATA PROTECTION TEST

DO WRITE DATA PATTERN 0 AT SECTOR 0. READ DATA AND VERIFY.

ASK OPERATOR TO WRITE LOCK DRIVE. DO GET STATUS LOOP UNTIL WRITE LOCK IS SET. IF NOT SET IN 30 SECONDS, ABORT THE TEST.

WHEN WRITE LOCK IS SET, DO WRITE DATA PATTERN 1 AT SECTOR 0. REPORT FAILURE IF DRIVE ERROR DOES NOT SET OR IF ANY OTHER ERROR SETS. CLEAR ERROR AND READ DATA AT SECTOR 0. CHECK THAT DATA HAS NOT BEEN DISTURBED.

REQUEST OPERATOR TO RESET WRITE LOCK. DO GET STATUS LOOP UNTIL WRITE LOCK IS RESET. IF NOT RESET IN 30 SECONDS, REPEAT THE REQUEST.

NOTE: THIS TEST IS EXECUTED ONLY IF THE PROGRAM OPERATION MODE 2 IS SELECTED, MANUAL INTERVENTION TESTING IS REQUESTED, AND IS RUN IN FIRST PASS ONLY.

TEST 7 ADJACENT CYLINDER INTERFERENCE TEST

CC IS CURRENT CYLINDER SELECTED FROM SET
LET SELECTED CYLINDER SET BE AS DEFINED IN PARAGRAPH 4.3.
DATA PATTERN IS 155555.

SEEK FORWARD TO CYLINDER CC. WRITE PATTERN ON TRACK 0, ALL SECTORS. READ/COMPARE DATA.

SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC-1. WRITE PATTERN. SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC. WRITE PATTERN. (THIS HAS BRACKETED ORIGINAL WRITE WITH WRITES IN ADJACENT CYLINDERS. NOTE ADJACENT CYLINDERS WERE WRITTEN AFTER HEADS CAME ON CYLINDER IN REVERSE DIRECTION WHICH IS OPPOSITE OF CENTER CYLINDER.)

SEEK REVERSE TO 'LOLIMIT'. SEEK FORWARD TO CC. READ/COMPARE DATA FROM ALL SECTORS. ANY ERRORS (READ OR COMPARE) ARE ATTRIBUTED TO ADJACENT CYLINDER INTERFERENCE.

SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC. WRITE DATA PATTERN. SEEK REVERSE TO 'LOLIMIT'. SEEK FORWARD TO CC-1, WRITE PATTERN. SEEK REVERSE TO 'LOLIMIT'. SEEK FORWARD TO CC+1, WRITE PATTERN. SEEK FORWARD TO 'HILIMIT'. SEEK REVERSE TO CC. READ/COMPARE DATA IN ALL SECTORS. ANY ERRORS (READ OR COMPARE) ARE ATTRIBUTED TO ADJACENT CYLINDER INTERFERENCE.

REPEAT ABOVE TESTS ON HEAD 1.

NOTE 1: IF ANY SECTOR ON A SELECTED CYLINDER IS LISTED BAD, THAT SECTOR WILL BE BYPASSED.

NOTE 2: IF THE 'USE ALL CYLINDERS' PARAMETER IS SPECIFIED AS 'Y', THE TEST WILL INCLUDE ALL CYLINDERS (EXCEPT 0 AND MAX CYL) IN THE SELECTED PARAMETER SET.

NOTE 3: IN THE FIRST PASS OF THE PROGRAM THIS TEST IS EXECUTED ON ONLY 3 OF THE CYLINDERS LISTED IN THE CYLINDER SET. THOSE USED WILL BE THE FIRST, TWENTYFIRST, AND FORTYFIRST ENTRIES IN THE TABLE. ON SECOND AND SUBSEQUENT PASSES EVERY FOURTH CYLINDER SET ENTRY WILL BE TESTED.

NOTE 4: TESTING WILL BE DONE BETWEEN UPPER AND LOWER LIMITS. CYLINDERS IN THE CYLINDER SET BEYOND THESE LIMITS WILL NOT BE TESTED. CHOOSING A SINGLE SURFACE WILL LIMIT TESTING TO THAT SURFACE.

TEST 8 OVERWRITE TEST

CC IS CURRENT CYLINDER SELECTED FROM SET
SELECTED CYLINDER SET DEFINED IN PARAGRAPH 4.3.
PATTERN A = 125252
PATTERN B = 000000

SEEK FORWARD TO CC. WRITE DATA OF PATTERN A IN ALL SECTORS, HEAD 0. READ/COMPARE DATA.

SEEK FORWARD TO 'HILIMIT', SEEK REVERSE TO CC. WRITE PATTERN B. SEEK REVERSE TO 'LOLIMIT', SEEK FORWARD TO CC. READ/COMPARE DATA.

SEEK FORWARD TO 'HILIMIT', SEEK REVERSE TO CC. WRITE DATA
PATTERN A. READ/COMPARE DATA. SEEK REVERSE TO 'LOLIMIT',
SEEK FORWARD TO CC. WRITE PATTERN B. SEEK FORWARD TO
'HILIMIT' SEEK REVERSE TO CC. READ/COMPARE DATA.

ANY FAILURES (READ OR COMPARE) ARE ATTRIBUTED TO OVERWRITE
PROBLEM.

REPEAT ABOVE TESTS ON HEAD 1.

NOTE 1: IF ANY SECTOR ON A SELECTED CYLINDER IS LISTED AS BAD,
THAT SECTOR WILL BE BYPASSED.

NOTE 2: IF THE 'USE ALL CYLINDERS' PARAMETER IS SPECIFIED AS
'Y', THE TEST WILL INCLUDE ALL CYLINDERS IN THE
SELECTED PARAMETER SET.

NOTE 3: IN THE FIRST PASS OF THE PROGRAM THIS TEST IS
EXECUTED ON ONLY 3 OF THE CYLINDERS LISTED IN THE
CYLINDER SET. THOSE USED WILL BE THE FIRST,
TWENTYFIRST, AND FORTYFIRST ENTRIES IN THE TABLE. ON
SECOND AND SUBSEQUENT PASSES EVERY FOURTH CYLINDER SET
ENTRY WILL BE TESTED.

NOTE 4: TESTING WILL BE DONE BETWEEN UPPER AND LOWER LIMITS.
CYLINDERS IN THE CYLINDER SET BEYOND THESE LIMITS WILL
NOT BE TESTED. CHOOSING A SINGLE SURFACE WILL LIMIT
TESTING TO THAT SURFACE.

TABLE OF CONTENTS

18	MACRO DEFINITIONS	
88	GLOBAL DATA SECTION	
222	GLOBAL DATA SECTION	
643	GLOBAL MESSAGES	
876	ERROR MESSAGES	
1213	INITIALIZATION SECTION	
1348	AUTO DROP SECTION	
1388	CLEANUP CODE SECTION	
1418	GLOBAL SUBROUTINES	
2671	*TEST 1	**SEEK TIMING
2862	*TEST 2	**BASIC READ DATA (BAD SECTOR FILE)
2956	*TEST 3	**WRITE/READ DATA (PART 1)
3004	*TEST 4	**ROTATIONAL TIMING
3086	*TEST 5	**WRITE/READ DATA (PART 2)
3240	*TEST 6	**WRITE LOCK ERROR AND DATA PROTECTION
3352	*TEST 7	**ADJACENT CYLINDER INTERFERENCE
3523	*TEST 8	**OVERWRITE
3690	PARAMETER CODING	

1			
2		000001	PART2==1
3			.ENABLE ABS
4			.ENABLE AMA
5		002000	.=2000
6			.MCALL SVC
7			
8	002000		SVC
9		000001	SVCTST=1
10	•	000001	SVCSUB=1
11		000001	SVCBGL=1
12		000000	SVCINS=0
13		000000	SVCTAG=0
14			
15			

17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48

```
.MACRO MACRO DEFINITIONS
.MACRO WAITUS ARG ;MACRO MICRO-SEC WAIT
MOV ARG,XDELAY ;SAVE ARGUMENT
JSR PC,TIME ;CALL TIMING ROUTINE
.ENDM

.MACRO WAITMS ARG ;MACRO MILLI-SEC WAIT
MOV ARG,YDELAY ;SAVE ARGUMENT
JSR PC,XTIME ;CALL TIMING ROUTINE
.ENDM

.MACRO ABORTWAIT ;MACRO CLEAR UNELAPSED TIME
MOV XDELAY,TEMPO ;SAVE MICRO-SEC RUN TIME
MOV YDELAY,TEMP ;SAVE MILLI-SEC RUN TIME
CLR XDELAY ;ABORT MICRO-SEC WAIT
CLR YDELAY ;ABORT MILLI-SEC WAIT
.ENDM

.MACRO GETTIM ARG ;MACRO GET ELAPSED TIME
MOV @#CLKCTR,ARG ;STORE CLOCK COUNTER CONTENTS
CLR @#CLKCSR ;EVENT FINISHED, STOP CLOCK
.ENDM

.MACRO STCLK ;MACRO START P-CLOCK
CLR @#CLKCSB ;CLEAR CLOCK COUNT SET BUFFER
CLR @#CLKCTR ;CLEAR CLOCK COUNTER
MOV #23,@#CLKCSR ;INITIALIZE P-CLOCK RATE, ARG 'P'

```

```
52
53          .NLIST  CND,MD,ME
54
55
56 002000          POINTER  BGNSW,BGNSF1,BGNDU
57
58 002000          BGNMOD  MDHEDR
63 002000          HEADER  CZRLN,B,0,30000,0
(4) 002000          103      .ASCII  /C/
(4) 002001          132      .ASCII  /Z/
(4) 002002          122      .ASCII  /R/
(4) 002003          114      .ASCII  /L/
(4) 002004          116      .ASCII  /N/
(6) 002005          000      .BYTE   0
(6) 002006          000      .BYTE   0
(5) 002007          000      .BYTE   0
(4) 002010          102      .ASCII  /B/
(4) 002011          060      .ASCII  /O/
(4) 002012          000000    .WORD   0
(4) 002014          030000    .WORD  30000
(4) 002016          036352    .WORD  L$HARD
(4) 002020          036526    .WORD  L$SOFT
(4) 002022          013704    .WORD  L$HW
(4) 002024          013722    .WORD  L$SW
(4) 002026          037132    .WORD  L$LAST
(4) 002030          000000    .WORD   0
(4) 002032          000000    .WORD   0
(4) 002034          000000    .WORD   0
(4) 002036          000000    .WORD   0
(4) 002040          013740    .WORD  L$DISPATCH
(4) 002042          000000    .WORD   0
(4) 002044          000000    .WORD   0
(4) 002046          000000    .WORD   0
(4) 002050          003      .BYTE  C$REVISION
(3) 002051          003      .BYTE  C$EDIT
(4) 002052          000000    .WORD   0
(5) 002054          000000    .WORD   0
(4) 002056          000000    .WORD   0
(4) 002060          002216    .WORD  L$DVTYP
(4) 002062          000000    .WORD   0
(4) 002064          000000    .WORD   0
(4) 002066          000000    .WORD   0
(4) 002070          000000    .WORD   0
(4) 002072          015420    .WORD  L$DU
(4) 002074          000000    .WORD   0
(4) 002076          002122    .WORD  L$DESC
(4) 002100          104035    EMT    E$LOAD
(4) 002102          000000    .WORD   0
(4) 002104          013760    .WORD  L$INIT
(4) 002106          015272    .WORD  L$CLEAN
(4) 002110          014734    .WORD  L$AUTO
(4) 002112          013674    .WORD  L$PROT
(4) 002114          000000    .WORD   0
(4) 002116          000000    .WORD   0
(4) 002120          000000    .WORD   0
65 002122          ENDMOD
```

66 002122
(3) 002122 055103 046122 020116
(3) 002130 042524 052123 020123
(3) 002136 042523 045505 023040
(3) 002144 051040 052117 052101
(3) 002152 047511 040516 020114
(3) 002160 044524 044515 043516
(3) 002166 040440 042116 053440
(3) 002174 044522 042524 023040
(3) 002202 051040 040505 020104
(3) 002210 040504 040524 000

DESCRIPT <CZRLN TESTS SEEK & ROTATIONAL TIMING AND WRITE & READ DATA>
.ASCIZ /CZRLN TESTS SEEK & ROTATIONAL TIMING AND WRITE & READ DATA/

(2) 002216
67 002216
(3) 002216 046122 030460 051054
(3) 002224 030114 000062

.EVEN
DEV TYP <RL01,RL02>
.ASCIZ /RL01,RL02/

(2)

.EVEN

68

:COPYRIGHT (C) 1979

69

:THIS SOFTWARE IS FURNISHED UNDER LICENSE FOR USE ONLY
:ON A SINGLE COMPUTER SYSTEM AND MAY BE COPIED ONLY WITH
:THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS
:SOFTWARE, OR ANY COPIES THEREOF, MAY NOT BE PROVIDED
:OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON EXCEPT
:FOR USE ON SUCH SYSTEM, AND TO ONE WHO AGREES TO THESE
:LICENSE TERMS. TITLE TO OWNERSHIP OF THE SOFTWARE SHALL
:AT ALL TIMES REMAIN IN DEC.

70

71

72

73

74

75

76

77

78

79

:THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE
:WITHOUT NOTICE AND SHALL NOT BE CONSTRUED AS A COMMITMENT
:BY DIGITAL EQUIPMENT CORPORATION.

80

81

82

:DEC ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY
:OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DEC.

83

84

85

86

87

.SBTTL GLOBAL DATA SECTION

88

89

90

002230

BGNMOD GLBEQAT

(1)

EQUALS

(1)

: BIT DEFINITIONS

(1)

100000

BIT15== 100000

(1)

040000

BIT14== 40000

(1)

020000

BIT13== 20000

(1)

010000

BIT12== 10000

(1)

004000

BIT11== 4000

(1)

002000

BIT10== 2000

(1)

001000

BIT09== 1000

(1)

000400

BIT08== 400

(1)

000200

BIT07== 200

(1)

000100

BIT06== 100

(1)

000040

BIT05== 40

(1)

000020

BIT04== 20


```
(1) 000010 BIT03== 10
(1) 000004 BIT02== 4
(1) 000002 BIT01== 2
(1) 000001 BIT00== 1
(1) .
(1) 001000 BIT9== BITJ9
(1) 000400 BIT8== BIT08
(1) 000200 BIT7== BIT07
(1) 000100 BIT6== BIT06
(1) 000040 BIT5== BIT05
(1) 000020 BIT4== BIT04
(1) 000010 BIT3== BIT03
(1) 000004 BIT2== BIT02
(1) 000002 BIT1== BIT01
(1) 000001 BIT0== BIT00
(1) .
(1) : EVENT FLAG DEFINITIONS
(1) : EF32:EF17 RESERVED FOR SUPERVISOR TO PROGRAM COMMUNICATION
(1) .
(1) 000040 EF.START== 32. ; START COMMAND WAS ISSUED
(1) 000037 EF.RESTART== 31. ; RESTART COMMAND WAS ISSUED
(1) 000036 EF.CONTINUE== 30. ; CONTINUE COMMAND WAS ISSUED
(1) 000035 EF.NEW== 29. ; A NEW PASS HAS BEEN STARTED
(1) 000034 EF.PWR== 28. ; A POWER-FAIL/POWER-UP OCCURRED
(1) .
(1) : PRIORITY LEVEL DEFINITIONS
(1) .
(1) 000340 PRI07== 340
(1) 000300 PRI06== 300
(1) 000240 PRI05== 240
(1) 000200 PRI04== 200
(1) 000140 PRI03== 140
(1) 000100 PRI02== 100
(1) 000040 PRI01== 40
(1) 000000 PRI00== 0
(1) .
(1) : OPERATOR FLAG BITS
(1) .
(1) 000004 EVL== 4
(1) 000010 LOT== 10
(1) 000020 ADR== 20
(1) 000040 IDU== 40
(1) 000100 ISR== 100
(1) 000200 UAM== 200
(1) 000400 BOE== 400
(1) 001000 PNT== 1000
(1) 002000 PRI== 2000
(1) 004000 IXE== 4000
(1) 010000 IBE== 10000
(1) 020000 IER== 20000
(1) 040000 LOE== 40000
(1) 100000 HOE== 100000
93 : OFFSETS FOR HARDWARE P-TABLE
94 000000 CSR =0 ;BUS ADDRESS
95 000002 VECT =2 ;VECTOR ADDRESS
```

```

96      000004      PRIOR      =4          :PRIORITY
97      000006      TYPDR      =6          :DRIVE TYPE
98      000010      DRSB       =10         :DRIVE SELECT BIT
99      000012      CNT        =12         :CONTROLLER TYPE
100
101      ;          :          : OFFSET FOR SOFTWARE P-TABLE
102      000000      MISWI      =0          :SOFTWARE PARAMETERS SWITCHES
103      000002      LOLIM      =2          :CYLINDER LOWER LIMIT
104      000004      HILIM      =4          :CYLINDER HIGH LIMIT
105      000006      HEAD       =6          :SELECTED HEAD FOR RUNNING TESTS
106      000010      ERLIM      =10         :ERROR LIMIT
107      000012      DCLIM      =12         :DATA COMPARE ERROR LIMIT
108
109      ;          :          : BIT ASSIGNMENT FOR SOFTWARE P-TABLE SWITCHES
110      000001      ALLCYL     =BIT00      :USE ALL CYLINDERS
111      000002      ALLSEC     =BIT01      :USE ALL SECTORS
112      000004      DRSELT     =BIT02      :EXECUTE DRIVE SELECT TEST
113      000010      HDALIGN    =BIT03      :EXECUTE HEAD ALIGNMENT TEST
114      010000      HEADLM     =BIT12      :HEAD LIMIT SPECIFIED FLAG
115      020000      HICYL      =BIT13      :HI LIMIT SPECIFIED FLAG
116      040000      LOCYL      =BIT14      :LO LIMIT SPECIFIED
117      100000      MITEST     =BIT15      :EXECUTE MANUAL INTERVENTION TESTS
118
119      ;          :          : SUBSYSTEM FUNCTIONS
120      000102      CKDATA     =102        :WRITE CHECK
121      000104      GTSTAT     =104        :GET STATUS
122      000106      SEEK       =106        :SEEK
123      000110      RDHEAD     =110        :READ HEADER
124      000112      WTDATA     =112        :WRITE DATA
125      000114      RDDATA     =114        :READ DATA
126      000116      RDNOHR     =116        :READ DATA, IGNORE HEADERS
127      000100      NOOP       =100        :NO OPERATION
128
129      ;          :          : OPERATION FLAGS
130      007777      COMPOP     =7777        :COMPOSITE OPERATION FLAGS
131      000002      HDRCMP     =BIT01      :HEADER COMPARE OPERATION
132      000001      DATACMP    =BIT00      :DATA COMPARE OPERATION
133      000004      CYLUP      =BIT02      :CYCLE UP OPERATION
134      000010      ULOAD      =BIT03      :UNLOAD OPERATION
135      000020      INOUTS     =BIT04      :IN-OUT SEEK OPERATION
136      000040      OUTINS     =BIT05      :OUT-IN SEEK OPERATION
137      000100      FOLWRT     =BIT06      :FOLLOWING WRITE OPERATION
138      000200      REVSKS     =BIT07      :REV SEEK SEQ (ADJ INTERFERENCE)
139      000400      FWDSKS     =BIT08      :FWD SEEK SEQ (ADJ INTERFERENCE)
140      001000      REVSKO     =BIT09      :REV SEEK SEQ (OVERWRITE)
141      002000      FWDSKO     =BIT10      :FWD SEEK SEQ (OVERWRITE)
142      004000      BADADD     =BIT11      :BAD DISK ADDRESS
143      010000      SEEKOP     =BIT12      :SEEK OPERATION
144      020000      RORWOF     =BIT13      :READ OR WRITE OPERATION
145      040000      RELDWT     =BIT14      :RELOAD WAIT
146      100000      HDR40      =BIT15      :40 HEADER OPERATION
147      003760      MQUALS     =OUTINS!INOUTS!FOLWRT!REVSKS!FWDSKS!REVSKO!FWDSKO
148      :          :          : MESSAGE QUALIFIER BITS
149
150      ;          :          : ERROR FLAGS FROM SUBROUTINES
151      000001      TOSLOW     =BIT00      :OPERATION TOOK TOO LONG
  
```

152	000002	NOIRPT =BIT01	:NO INTERRUPT FROM OPERATION
153	000004	CONHNG =BIT02	:CONTROLLED HUNG
154	000010	NOCLR =BIT03	:BAD CONTROLLER CLEAR
155			
156	000000	RLCS =0	:CONTROL AND STATUS REGISTER
157	000002	RLBA =2	:BUS ADDRESS REGISTER
158	000004	RLDA =4	:DISK ADDRESS REGISTER
159	000006	RLMP =6	:MULTI-PURPOSE REGISTER
160			
161		: REGISTER BIT DEFINITIONS - CONTROL STATUS REGISTER	
162	000000	RLCSR =0	:CONTROL AND STATUS REGISTER
163	100000	ANYERR =100000	:ANY ERROR BIT
164	040000	DRVERR =40000	:DRIVE ERROR BIT
165	020000	NXMERR =20000	:NON-EXISTENT MEMORY ERROR
166	010000	DLTERR =10000	:DATA LATE ERROR
167	010000	HNFERR =10000	:HEADER NOT FOUND ERROR
168	004000	DCKERR =4000	:DATA CHECK ERROR
169	004000	HCRERR =4000	:HEADER CHECK ERROR
170	002000	OPIERR =2000	:OPERATION INCOMPLETE ERROR
171	001400	DSMSK =1400	:DRIVE SELECT MASK
172	000200	CRDYMSK =200	:CONTROLLER READY MASK
173	000100	INTEBL =100	:INTERRUPT ENABLE MASK
174	000060	BAMSK =60	:BUS ADDRESS UPPER MASK
175	000001	DRDYMSK =1	:DRIVE READY MASK
176			
177		: REGISTER BIT DEFINITIONS - DISK ADDRESS FOR DATA XFER	
178	000077	SAMSK =77	:SECTOR ADDRESS MASK
179	000100	HSMSK =100	:HEAD SELECT MASK
180			
181		: REGISTER BIT DEFINITIONS - DISK ADDRESS FOR SEFK	
182	000001	MBSET0 =1	:MUST BE SET, BIT 0
183	000004	DIRBIT =4	:DIRECTION BIT
184	000020	HDSEL =20	:HEAD SELECT BIT
185			
186		: REGISTER BIT DEFINITIONS - DISK ADDRESS FOR GET STATUS	
187	000003	GETSTAT =3	:GET STATUS SETUP
188	000010	DRSET =10	:DRIVE RESET MASK
189			
190		: REGISTER BIT DEFINITIONS - MP FOR DATA XFER	
191	017777	WCMSK =17777	:WORD COUNT MASK
192	160000	WCRNG =160000	:WORD COUNT RANGE MASK
193			
194		: REGISTER BIT DEFINITIONS - MP FOR READ HEADER	
195	000077	HDSEC =77	:SECTOR MASK
196	000100	HDHSEL =100	:HEAD SELECT MASK
197			
198		: REGISTER BIT DEFINITIONS - MP FOR GET STATUS	
199	000007	STAMSK =7	:STATE MASK
200	000010	BHSTAT =10	:BRUSH HOME STATUS
201	000020	H0STAT =20	:HEADS OUT STATUS
202	000040	C0STAT =40	:COVER OPEN STATUS
203	000100	HSSTAT =100	:HEAD SELECT STATUS
204	000400	DSESTAT =400	:DRIVE SELECT ERROR STATUS
205	001000	VCSTAT =1000	:VOLUME CHECK STATUS
206	002000	WGSTAT =2000	:WRITE GATE ERROR STATUS
207	004000	SPDSTAT =4000	:SPIN ERROR STATUS

```
208          010000          STOSTAT =10000          ;SEEK TIMEOUT ERROR STATUS
209          020000          WLSTAT  =20000          ;WRITE LOCK STATUS
210          040000          HCESTAT =40000          ;HEAD CURRENT ERROR STATUS
211          100000          WDESTAT =100000         ;WRITE DATA ERROR STATUS
212
213          ;          P-CLOCK REGISTERS
214          172540          CLKCSR  =172540          ;CLOCK CONTROL AND STATUS REGISTER
215          172542          CLKCSB  =172542          ;CLOCK COUNT SET BUFFER
216          172544          CLKCTR  =172544          ;CLOCK COUNTER
217
218 002230          ENDMOD
219
220
221
222          .SBTTL GLOBAL DATA SECTION
223
224 002230          EGNMOD GLBDAT
225
226          ;          TABLE OF OPERATION MESSAGES
227
228 002230 000000          OPMSGs: .WORD 0          ;FILLER
229 002232 005375          .WORD MWRCHK          ;MESSAGE FOR WRITE CHECK
230 002234 005420          .WORD MGTSTA          ;GET STATUS
231 002236 005350          .WORD MSEEK          ;SEEK
232 002240 005365          .WORD MREADH          ;READ HEADER
233 002242 005406          .WORD MWRITE          ;WRITE DATA
234 002244 005354          .WORD MREAD          ;READ DATA
235 002246 005503          .WORD MWRSET          ;WITH RESET
236 002250 005432          .WORD MDATCP          ;WITH DATA COMPARE
237 002252 005451          .WORD MHDRCP          ;WITH HEADER COMPARE
238 002254 005550          .WORD MCYLUP          ;LOAD HEADS
239 002256 005537          .WORD MLOAD          ;UNLOAD HEADS
240 002260 005577          .WORD MINOJT          ;IN-OUT SEQ
241 002262 005560          .WORD MOUTIN          ;OUT-IN SEQ
242 002264 005620          .WORD MFOLWRT          ;FOLLOWING WRITE
243 002266 005640          .WORD MREVSK          ;REV SEEK
244 002270 005671          .WORD MFWDSK          ;FWD SEEK
245 002272 005756          .WORD MRESKO          ;REV SEEK
246 002274 005722          .WORD MFWSKO          ;FWD SEEK
247 002276 006012          .WORD MBADAD          ;BAD DISK ADD FOR WRITE
248 002300 005467          .WORD M4OHDR          ;40 HEADER OPERATION
249 002302 000000          T.DRIVE: .WORD 0
250 002304 000000          JJJ: .WORD 0
251 002306 000000          HLMTW: .WORD 0
252 002310 000000          CLRBYT: .WORD 0
253 002312 000000          NXTHL: .WORD 0
254 002314 000000          GBND: .WORD 0
255 002316 000000          CAMSK: .WORD 0
256 002320 000000          DIRMSK: .WORD 0
257 002322 000000          HDCYL: .WORD 0
258
259          ;          TABLE OF RESULT NAME MESSAGE ADDRESSES
260 002324 010135          RESTBL: .WORD MCERR          ;CONTROLLER ERROR
261 002326 010246          .WORD MDRERR          ;DRIVE ERROR
262 002330 010464          .WORD MNEERR          ;NON-EXISTANT MEMORY ERROR
263 002332 010436          .WORD MFLERR          ;HEADER NOT FOUND-DATA LATE
```

264	002334	010421	.WORD	MHDERR	:HEADER OR DATA ERROR
265	002336	010411	.WORD	MOPERR	:OPERATION INCOMPLETE
266	002340	010516	.WORD	MNDRST	:NO DRIVE STATUS AVAILABLE
267	002342	000000	.WORD	0	
268	002344	010374	.WORD	MWDERR	:WRITE DATA ERROR
269	002346	010356	.WORD	MHCERR	:HEAD CURRENT ERROR
270	002350	000000	.WORD	0	
271	002352	010342	.WORD	MSTERR	:SEEK TIMEOUT ERROR
272	002354	010307	.WORD	MSPERR	:SPINDLE ERROR
273	002356	010325	.WORD	MWGERR	:WRITE GATE ERROR
274	002360	000000	.WORD	0	
275	002362	010257	.WORD	MDSERR	:DRIVE SELECT ERROR

276
277
; PATTBL: PATTERN TABLE

278	002364	005072	.WORD	PAT1
279	002366	005074	.WORD	PAT2
280	002370	005134	.WORD	PAT3
281	002372	005174	.WORD	PAT4
282	002374	005234	.WORD	PAT5
283	002376	005242	.WORD	PAT6
284	002400	005302	.WORD	PAT7
285	002402	005304	.WORD	PAT8
286	002404	005344	.WORD	PAT9
287	002406	005346	.WORD	PAT10

288
289
290
; SUBSTK: SUBROUTINE CALLING STACK

291	002410	000000	.WORD	0	:STACK IS 12 WORDS LONG
292	002412	000000	.WORD	0	
293	002414	000000	.WORD	0	
294	002416	000000	.WORD	0	
295	002420	000000	.WORD	0	
296	002422	000000	.WORD	0	
297	002424	000000	.WORD	0	
298	002426	000000	.WORD	0	
299	002430	000000	.WORD)	
300	002432	000000	.WORD	U	

301
302
; RL01 TABLE OF CYLINDERS

303	002434	000002	.WORD	2	:TABLE OF DIFFERENCES
304	002436	000006	.WORD	6	
305	002440	000011	.WORD	9.	
306	002442	000014	.WORD	12.	
307	002444	000021	.WORD	17.	
308	002446	000026	.WORD	22.	
309	002450	000033	.WORD	27.	
310	002452	000042	.WORD	34.	
311	002454	000051	.WORD	41.	
312	002456	000200	.WORD	128.	
313	002460	000377	.WORD	255.	

314
315
; RL02 TABLE OF CYLINDERS

316	002462	000004	.WORD	4
317	002464	000014	.WORD	12.
318	002466	000022	.WORD	18.
319	002470	000030	.WORD	24.

320	002472	000042	.WORD	34.
321	002474	000054	.WORD	44.
322	002476	000066	.WORD	54.
323	002500	000104	.WORD	68.
324	002502	000122	.WORD	82.
325	002504	000400	.WORD	256.
326	002506	000777	.WORD	511.

; TABLE TO BE USED TO BUILD AND STORE THE CYLINDERS

330	002510	000020	T33TBL:	.BLKW	16.
331	002550	000020	TBT:	.BLKW	16.

CYLTBL: .BYTE 2 ;TABLE OF DEFAULT CYLINDERS

334	002610	002	.BYTE	2
335	002611	007	.BYTE	7.
336	002612	016	.BYTE	14.
337	002613	024	.BYTE	20.
338	002614	033	.BYTE	27.
339	002615	041	.BYTE	33.
340	002616	046	.BYTE	38.
341	002617	055	.BYTE	45.
342	002620	064	.BYTE	52.
343	002621	072	.BYTE	58.
344	002622	101	.BYTE	65.
345	002623	110	.BYTE	72.
346	002624	115	.BYTE	77.
347	002625	124	.BYTE	84.
348	002626	133	.BYTE	91.
349	002627	141	.BYTE	97.
350	002630	146	.BYTE	102.
351	002631	154	.BYTE	108.
352	002632	161	.BYTE	113.
353	002633	170	.BYTE	120.
354	002634	177	.BYTE	127.
355	002635	205	.BYTE	134.
356	002636	213	.BYTE	139.
357	002637	222	.BYTE	146.
358	002640	230	.BYTE	152.
359	002641	235	.BYTE	157.
360	002642	244	.BYTE	164.
361	002643	252	.BYTE	170.
362	002644	261	.BYTE	177.
363	002645	270	.BYTE	184.
364	002646	275	.BYTE	189.
365	002647	303	.BYTE	195.
366	002650	312	.BYTE	202.
367	002651	317	.BYTE	207.
368	002652	326	.BYTE	214.
369	002653	334	.BYTE	220.
370	002654	343	.BYTE	227.
371	002655	352	.BYTE	234.
372	002656	361	.BYTE	241.
373	002657	367	.BYTE	247.
374	002660	375	.BYTE	253.
375*	002661	000	.BYTE	0

376	002662	000401	.WORD	257.	
377	002664	000406	.WORD	262.	
378	002666	000415	.WORD	269.	
379	002670	000423	.WORD	275.	
380	002672	000432	.WORD	282.	
381	002674	000445	.WORD	293.	
382	002676	000454	.WORD	300.	
383	002700	000463	.WORD	307.	
384	002702	000471	.WORD	313.	
385	002704	000500	.WORD	320.	
386	002706	000507	.WORD	327.	
387	002710	000514	.WORD	332.	
388	002712	000523	.WORD	339.	
389	002714	000532	.WORD	346.	
390	002716	000540	.WORD	352.	
391	002720	000545	.WORD	357.	
392	002722	000553	.WORD	363.	
393	002724	000560	.WORD	368.	
394	002726	000567	.WORD	375.	
395	002730	000576	.WORD	382.	
396	002732	000605	.WORD	389.	
397	002734	000612	.WORD	394.	
398	002736	000621	.WORD	401.	
399	002740	000627	.WORD	407.	
400	002742	000634	.WORD	412.	
401	002744	000643	.WORD	419.	
402	002746	000651	.WORD	425.	
403	002750	000660	.WORD	432.	
404	002752	000667	.WORD	439.	
405	002754	000674	.WORD	444.	
406	002756	000702	.WORD	450.	
407	002760	000711	.WORD	457.	
408	002762	000716	.WORD	462.	
409	002764	000725	.WORD	469.	
410	002766	000733	.WORD	475.	
411	002770	000742	.WORD	482.	
412	002772	000751	.WORD	489.	
413	002774	000760	.WORD	496.	
414	002776	000766	.WORD	502.	
415	003000	000774	.WORD	508.	
416	003002	000774	.WORD	508.	
417	003004	000000	.WORD	0	
418	003006	000000	SSIDX: .WORD	0	;SUBROUTINE STACK INDEX POINTER
419					
420			: OPERATIONAL FLAGS		
421	003010	000000	OPFLAG: .WORD	0	;OPERATION FLAGS
422	003012	000000	DONE: .WORD	0	;OPERATION COMPLETE FLAG
423	003014	000000	HADONE: .WORD	0	;HEAD ALIGNMENT DONE FLAG
424	003016	000000	ERHEAD: .WORD	0	;ADDRESS OF ERROR HEADER
425	003020	000000	MORECE: .WORD	0	;MORE THAN 1 COMPARE ERROR
426	003022	000000	ERRSWI: .WORD	0	;ERROR RETURN SWITCH
427	003024	000000	BSFLAG: .WORD	0	;BAD SECTOR FLAGS
428	003026	000000	WRTSWI: .WORD	0	;WRITE SWITCH
429	003030	000000	TBLSTR: .WORD	0	;TABLE STORAGE
430					
431	003032	000000	RLBAS: .WORD	0	;RL11 BASE ADDRESS

432	003034	000000	RLVEC: .WORD	0	:RL11 VECTOR ADDRESS
433	003036	000000	RLDRV: .WORD	0	:DRIVE NUMBER UNDER TEST
434					
435	003040	000000	L.CS: .WORD	0	:CONTROLLER REGISTER STORAGE
436	003042	000000	L.BA: .WORD	0	:BEFORE OPERATION
437	003044	000000	L.DA: .WORD	0	
438	003046	000000	L.MP: .WORD	0	
439	003050	000000	T.CS: .WORD	0	:CONTROLLER REGISTER STORAGE
440	003052	000000	T.BA: .WORD	0	: AFTER OPERATION
441	003054	000000	T.DA: .WORD	0	
442	003056		T.MP:		
443	003056	000000	HDWRD1: .WORD	0	:HEADER WORD STORAGE
444	003060	000000	HDWRD2: .WORD	0	
445	003062	000000	HDWRD3: .WORD	0	
446					
447	003064	000000	T.STAT: .WORD	0	:DRIVE STATE STORAGE
448					
449	003066	000000	RESPARM: .WORD	0	:PARAM BLOCK FOR REASON REPORT
450	003070	000000	.WORD	0	
451	003072	000000	.WORD	0	
452	003074	000000	.WORD	0	
453	003076	000000	.WORD	0	
454					
455	003100	000000	DRVCNT: .WORD	0	:DRIVE COUNT FOR DRIVES UNDER TEST
456	003102	000000	DIFAUG: .WORD	0	:DIFFERENCE AUGMENT FOR SEEK
457	003104	000000	OLDCYL: .WORD	0	:OLD CYLINDER
458	003106	000000	NEWCYL: .WORD	0	:NEW CYLINDER
459	003110	000000	CURCYL: .WORD	0	:CURRENT CYLINDER
460	003112	000000	DESDIF: .WORD	0	:DESIRED DIFFERENCE
461	003114	000000	DESSGN: .WORD	0	:DESIRED SIGN
462	003116	000000	DESHD: .WORD	0	:DESIRED HEAD
463	003120	000000	DESSEC: .WORD	0	:DESIRED SECTOR
464	003122	000000	TEMPO: .WORD	0	:TEMPORARY STORAGE
465	003124	000000	TEMP1: .WORD	0	:TEMPORARY STORAGE
466	003126	000000	TEMP2: .WORD	0	:TEMPORARY STORAGE
467	003130	000000	TEMP3: .WORD	0	:TEMPORARY STORAGE
468	003132	000000	TEMP4: .WORD	0	:TEMPORARY STORAGE
469	003134	000000	TEMP5: .WORD	0	:TEMPORARY STORAGE
470	003136	000000	TEMP6: .WORD	0	:TEMPORARY STORAGE
471	003140	000000	TEMP7: .WORD	0	:TEMPORARY STORAGE
472	003142	000000	TEMP8: .WORD	0	:TEMPORARY STORAGE
474			:		
475	003144	000000	OFIN: .WORD	0	:ONE CYLINDER FORWARD INNER
476	003146	000000	OFINU: .WORD	0	: UPPER
477	003150	000000	OFMID: .WORD	0	:ONE CYLINDER FORWARD MIDDLE
478	003152	000000	OFMIDU: .WORD	0	: UPPER
479	003154	000000	OFOUT: .WORD	0	:ONE CYLINDER FORWARD OUTER
480	003156	000000	OFOUTU: .WORD	0	: UPPER
481	003160	000000	ORIN: .WORD	0	:ONE CYLINDER REVERSE INNER
482	003162	000000	ORINU: .WORD	0	: UPPER
483	003164	000000	ORMID: .WORD	0	:ONE CYLINDER REVERSE MIDDLE
484	003166	000000	ORMIDU: .WORD	0	: UPPER
485	003170	000000	OROUT: .WORD	0	:ONE CYLINDER REVERSE OUTER
486	003172	000000	OROUTU: .WORD	0	: UPPER
487	003174	000000	HF IN: .WORD	0	:128 CYLINDER FORWARD INNER
488	003176	000000	HF INU: .WORD	0	: UPPER

489	003200	000000	HFOUT: .WORD	0	:128 CYLINDER FORWARD OUTER
490	003202	000000	HFOUTU: .WORD	0	: UPPER
491	003204	000000	HRIN: .WORD	0	:128 CYLINDER REVERSE INNER
492	003206	000000	HRINU: .WORD	0	: UPPER
493	003210	000000	HROUT: .WORD	0	:128 CYLINDER REVERSE OUTER
494	003212	000000	HROUTU: .WORD	0	: UPPER
495	003214	000000	AFMID: .WORD	0	:256 CYLINDER FORWARD
496	003216	000000	AFMIDU: .WORD	0	: UPPER
497	003220	000000	ARMID: .WORD	0	:256 CYLINDER REVERSE
498	003222	000000	ARMIDU: .WORD	0	: UPPER
499					
500	003224	000226	EXOCYL: .WORD	150.	: EXPECTED TIME ONE CYLINDER
501	003226	001046	EXHCYL: .WORD	550.	: EXPECTED TIME 128 CYLINDER
502	003230	001750	EXACYL: .WORD	1000.	: EXPECTED TIME 256 CYLINDER
503	003232	000372	EXROT: .WORD	250.	: EXPECTED ROTATION TIME
505	003234	000004	ERRVEC: .WORD	4	: ERROR VECTOR
506					
507			:		MISCELLANEOUS COUNTERS
508	003236	000000	PASCNT: .WORD	0	: PASS COUNTER (LOCAL TO A TEST)
509	003240	000000	COUNT: .WORD	0	: A COUNTER (LOCAL TO A TEST)
510	003242	000000	ERRPOINT: .WORD	0	: ERROR POINTER
511	003244	000100	ERRCNT: .BLKW	64.	: ERROR COUNTER FOR PROGRAM
512	003444	000000	PASNUM: .WORD	0	: PASS NUMBER FOR PROGRAM
513	003446	000000	PSETNM: .WORD	0	: COUNTER FOR PARAMETER SET NUMBER IN USE
514	003450	000	LOCERR: .BYTE	0	: LOCAL ERROR COUNTER
515	003451	000	NOERCT: .BYTE	0	: INHIBIT ERROR COUNTING FLAG
516	003452	000000	TRPFLG: .WORD	0	: HARDWARE TRAP OCCURANCE
517	003454	000000	PWRFLG: .WORD	0	: POWER FAILURE OCCURANCE
518	003456	000000	XDELAY: .WORD	0	
519	003460	000000	YDELAY: .WORD	0	
520	003462	000000	MININC: .WORD	0	
521	003464	000000	TEMP: .WORD	0	
522	003466	000000	TIM.US: .WORD	0	
523	003470	000000	TAG: .WORD	0	
524	003472	000000	MAJINC: .WORD	0	
525	003474	000000	CLKFLG: .WORD	0	: FLAG INDICATING PRESENCE OF A P-CLOCK
526	003476	000000	CLKADR: .WORD	0	: POINTER TO DIAGNOSTIC MONITOR CLOCK TABLE
527					
528					
529			:		BAD SECTOR TABLES AND POINTERS
530	003500	000000	BSFVAL: .WORD	0	: BAD SECTORS FILES VALID FLAG
531					
532	003502	000076	SBSFIL: .BLKW	76	: SOFTWARE BAD SECTOR FILE
533	003676	000076	FBSFIL: .BLKW	76	: FACTORY BAD SECTOR FILE
534					
535	004072	000200	IBUFF: .BLKW	200	: INPUT BUFFER
536	004472	000200	OBUFF: .BLKW	200	: OUTPUT BUFFER
537					
538	005072	000000	PAT1: .WORD	0	: PATTERN 1 (ALL ZEROS)
539	005074	177772	PAT2: .WORD	177772	
540	005076	177777	.WORD	177777	
541	005100	177777	.WORD	177777	
542	005102	052525	.WORD	052525	
543	005104	052525	.WORD	052525	
544	005106	052525	.WORD	052525	
545	005110	177777	.WORD	177777	

546	005112	177777	.WORD	177777
547	005114	052525	.WORD	052525
548	005116	052525	.WORD	052525
549	005120	177777	.WORD	177777
550	005122	052525	.WORD	052525
551	005124	177252	.WORD	177252
552	005126	177252	.WORD	177252
553	005130	172765	.WORD	172765
554	005132	172765	.WORD	172765
555				
556	005134	000003	PAT3: .WORD	000003
557	005136	000000	.WORD	000000
558	005140	000000	.WORD	000000
559	005142	177777	.WORD	177777
560	005144	177777	.WORD	177777
561	005146	177777	.WORD	177777
562	005150	000000	.WORD	000000
563	005152	000000	.WORD	000000
564	005154	177777	.WORD	177777
565	005156	177777	.WORD	177777
566	005160	000000	.WORD	000000
567	005162	177777	.WORD	177777
568	005164	000000	.WORD	000000
569	005166	177777	.WORD	177777
570	005170	000000	.WORD	000000
571	005172	177777	.WORD	177777
572				
573	005174	025252	PAT4: .WORD	025252
574	005176	052525	.WORD	052525
575	005200	052525	.WORD	052525
576	005202	125252	.WORD	125252
577	005204	125252	.WORD	125252
578	005206	125252	.WORD	125252
579	005210	052525	.WORD	052525
580	005212	052525	.WORD	052525
581	005214	125252	.WORD	125252
582	005216	125252	.WORD	125252
583	005220	052525	.WORD	052525
584	005222	125252	.WORD	125252
585	005224	052525	.WORD	052525
586	005226	125252	.WORD	125252
587	005230	052525	.WORD	052525
588	005232	125252	.WORD	125252
589				
590	005234	155555	PAT5: .WORD	155555
591	005236	133333	.WORD	133333
592	005240	066666	.WORD	066666
593				
594	005242	121105	PAT6: .WORD	121105
595	005244	150442	.WORD	150442
596	005246	064221	.WORD	064221
597	005250	132110	.WORD	132110
598	005252	055044	.WORD	055044
599	005254	026442	.WORD	026442
600	005256	013211	.WORD	013211
601	005260	105504	.WORD	105504

602	005262	042642			.WORD	042642
603	005264	021321			.WORD	021321
604	005266	110550			.WORD	110550
605	005270	044264			.WORD	044264
606	005272	022132			.WORD	022132
607	005274	011055			.WORD	011055
608	005276	104426			.WORD	104426
609	005300	042213			.WORD	042213
610						
611	005302	177777		PAT7:	.WORD	177777
612						
613	005304	045513		PAT8:	.WORD	045513
614	005306	122645			.WORD	122645
615	005310	151322			.WORD	151322
616	005312	064551			.WORD	064551
617	005314	132264			.WORD	132264
618	005316	055132			.WORD	055132
619	005320	026455			.WORD	026455
620	005322	113226			.WORD	113226
621	005324	045513			.WORD	045513
622	005326	122645			.WORD	122645
623	005330	151322			.WORD	151322
624	005332	064551			.WORD	064551
625	005334	132264			.WORD	132264
626	005336	055132			.WORD	055132
627	005340	026455			.WORD	026455
628	005342	113226			.WORD	113226
629						
630	005344	125252		PAT9:	.WORD	125252
631						
632	005346	155555		PAT10:	.WORD	155555
633						
634	005350			ENDMOD		
635						
636						
637						
641						
642						
643				.SBTTL	GLOBAL MESSAGES	
644						
645	005350			BGNMOD	GLBTXT	
646						
647	005350	045523	000040	MSEEK:	.ASCIZ	/SK /
648	005354	042122	042040	MREAD:	.ASCIZ	/RD DATA /
649	005365	122	020104	MREADH:	.ASCIZ	/RD HDR /
650	005375	127	052122	MWRCHK:	.ASCIZ	/WRT CHCK /
651	005406	051127	020124	MWRITE:	.ASCIZ	/WRT DATA /
652	005420	042507	020124	MGTSTA:	.ASCIZ	/GET STAT /
653	005432	044527	044124	MDATCP:	.ASCIZ	/WITH DATA CMP /
654	005451	127	052111	MHDRCP:	.ASCIZ	/WITH HDR CMP /
655	005467	106	051117	M40HDR:	.ASCIZ	/FOR 40 HDRS /
656	005503	127	052111	MWRSET:	.ASCIZ	/WITH RESET /
657	005517	117	042520	MOPER:	.ASCIZ	/OPER: /
658	005526	042522	052523	MRSLT:	.ASCIZ	/RESULT: /
659	005537	125	046116	MULOAD:	.ASCIZ	/UNLD DRV /
660	005550	042114	042040	MCYLUP:	.ASCIZ	/LD DRV /

661	005560	047506	020114	020060	MOUTIN:	.ASCIZ	/FOL 0 TO CC SK/
662	005577	106	046117	031040	MINOUT:	.ASCIZ	/FOL 255 TO CC SK/
663	005620	047506	020114	051127	MFOLWRT:	.ASCIZ	/FOL WRT (NO SK)/
664	005640	042101	020112	054503	MREVSK:	.ASCIZ	/ADJ CYL WRTTN AFT REV SK/
665	005671	101	045104	041440	MFWDISK:	.ASCIZ	/ADJ CYL WRTTN AFT FWD SK/
666	005722	045523	043040	042127	MFWSKO:	.ASCIZ	/SK FWD,WRT - SK REV,OVERWRT/
667	005756	045523	051040	053105	MRESKO:	.ASCIZ	/SK REV,WRT - SK FWD,OVERWRT/
668	006012	047117	041040	042101	MBADAD:	.ASCIZ	/ON BAD SEC FILES/
669	006033	103	047101	052047	MBADSF:	.ASCIZ	/CAN'T GET BAD SEC FILES/
670	006063	102	042101	051440	MFMTERR:	.ASCIZ	/BAD SEC FILE FMT ERR/
671	006110	047524	046440	047101	MTMBS:	.ASCIZ	/TO MANY BAD SEC /
672	006131	102	051525	040440	BASADD:	.ASCIZ	/BUS ADD=/
673	006142	051104	036526	000	DRVNAM:	.ASCIZ	/DRV=/
674	006147	116	020117	051104	DRVNAV:	.ASCIZ	/NO DRV FOR TST/
675	006166	051104	020126	044504	NOPIR:	.ASCIZ	/DRV DID NOT REC'R FROM PWR FAIL/
676	006226	046122	051503	000	CSNAM:	.ASCIZ	/RLCS/
677	006233	122	041114	000101	BANAM:	.ASCIZ	/RLBA/
678	006240	046122	040504	000	DANAM:	.ASCIZ	/RLDA/
679	006245	122	046514	000120	MPNAM:	.ASCIZ	/RLMP/
680	006252	050117	044440	044516	LAB1:	.ASCIZ	/OP INIT = /
681	006265	117	020120	047504	LAB2:	.ASCIZ	/OP DONE = /
682	006300	047527	042122	000040	MWORD:	.ASCIZ	/WORD /
683	006306	047111	051124	052120	MTOSLOW:	.ASCIZ	/INTRPT TOO LATE/
684	006326	047516	042040	053122	MDRRES:	.ASCIZ	/NO DRV RSPNSE/
685	006344	047516	044440	052116	MNOINT:	.ASCIZ	/NO INTRPT ON CMND COMPLETE/
686	006377	103	052116	051114	MCONING:	.ASCIZ	/CNTLR HUNG /
687	006413	105	051122	042040	MNOCLR:	.ASCIZ	/ERR DID NOT CLR/
688	006433	126	046117	041440	VCNRST:	.ASCIZ	/VOL CHK NOT RSET/
689	006454	047125	050130	052103	UNXERR:	.ASCIZ	/UNXPCTED ERR/
690	006471	040	042524	052123	TSTLAB:	.ASCIZ	/ TEST/
708	006477	117	052125	043440	P2T03E:	.ASCIZ	/OUT GRD BAND /
709	006515	111	041516	051440	P2T04E:	.ASCIZ	/INC SK FWD HD 0/
710	006535	111	041516	051440	P2T05E:	.ASCIZ	/INC SK REV HD 0/
711	006555	111	041516	051440	P2T06E:	.ASCIZ	/INC SK FWD HD 1/
712	006575	111	047116	043440	P2T07E:	.ASCIZ	/INN GRD BAND /
713	006613	111	041516	051440	P2T08E:	.ASCIZ	/INC SK REV HD 1/
714	006633	123	000113		P2T09E:	.ASCIZ	/SK/
715	006636	053506	020104	051517	P2T10E:	.ASCIZ	/FWD OSC SK/
716	006651	122	053105	047440	P2T11E:	.ASCIZ	/REV OSC SK/
717	006664	045523	052040	046511	P2T12E:	.ASCIZ	/SK TIMING/
718	006676	051502	020103	042122	P2T13E:	.ASCIZ	/BSC RD DATA/
719	006712	051127	027524	042122	P2T14E:	.ASCIZ	&WRT/RD DATA (P1)&
720	006733	123	044520	042116	P2T15E:	.ASCIZ	/SPINDLE ROT TIMING/
721	006756	051127	027524	042122	P2T16E:	.ASCIZ	&WRT/RD DATA (P2)&
722	006777	127	052122	046040	P2T17E:	.ASCIZ	/WRT LCK ERR AND DATA PROT/
723	007031	101	045104	041440	P2T18E:	.ASCIZ	/ADJ CYL INTERFNCE/
724	007053	117	042526	053522	P2T19E:	.ASCIZ	/OVERWRT/
725	007063	123	020113	044524	SKTMES:	.ASCIZ	/SK TIMES /
726	007075	123	044520	042116	SRTMES:	.ASCIZ	/SPINDLE ROT TIME /
727	007117	050	047111	030440	VALDES:	.ASCIZ	/((IN 100'S OF U-SEC))/
728	007143	101	050120	047522	MAPROX:	.ASCIZ	/APPROX /
729	007153	111	047116	051105	LABIN:	.ASCIZ	/INNER/
730	007161	115	042111	046104	LABMID:	.ASCIZ	/MIDDLE/
731	007170	052517	042524	000122	LABOUT:	.ASCIZ	/OUTER/
732	007176	040515	020130	044524	LABEXP:	.ASCIZ	/MAX TIME/
733	007207	061	041440	046131	LABOCF:	.ASCIZ	/1 CYL FWD/

734	007221	061	041440	046131	LABOCR: .ASCIZ	/1 CYL REV/
735	007233	115	042111	041440	LABHCF: .ASCIZ	/MID CYL FWD/
736	007247	115	042111	041440	LABHCR: .ASCIZ	/MID CYL REV/
737	007263	115	054101	041440	LABACF: .ASCIZ	/MAX CYL FWD/
738	007277	115	054101	041440	LABACR: .ASCIZ	/MAX CYL REV/
740	007313	110	051504	043040	HDMOVF: .ASCIZ	/HDS FAILED TO MV IN 10 TRYS/
758	007347	122	051505	052105	OPR12: .ASCIZ	/RESET WRT LCK /
759	007366	047117	000040		OPR1A: .ASCIZ	/ON /
760	007372	047117	042040	053122	OPR1B: .ASCIZ	/ON DRV /
761	007402	047125	042504	020122	UNDTST: .ASCIZ	/UNDER TEST/
762	007415	123	052105	053440	OPR004: .ASCIZ	/SET WRT LCK /
763	007432	044504	043106	000040	DIFWD: .ASCIZ	/DIFF /
764	007440	043523	020116	000	SGNWD: .ASCIZ	/SGN /
755	007445	110	020104	000	HDWD: .ASCIZ	/HD /
766	007451	123	041505	000040	SECWD: .ASCIZ	/SEC /
767	007456	054503	020114	000	CYLWD: .ASCIZ	/CYL /
768	007463	106	047522	020115	FRMWD: .ASCIZ	/FROM /
769	007471	040	054502	040520	BYPSSM: .ASCIZ	/ BYPASSED /
770	007504	047522	052125	047111	SEQMES: .ASCIZ	/ROUTINE TRACE SEQ:/
771	007527	104	053122	051440	STAMES: .ASCIZ	/DRV STAT/
772	007540	040502	020104	042523	BSNSTR: .ASCIZ	/BAD SEC FILES NOT STRD. ALL SEC ASSUMED OK./
773	007614	047524	040524	020114	TCERR: .ASCIZ	/TOTAL CMP ERRS: /
774	007635	104	044522	042526	NOCTLR: .ASCIZ	/DRIVE DROPPED - NO CONTROLLER/
775	007673	104	044522	042526	NOTRDY: .ASCIZ	/DRIVE DROPPED - DID NOT RESPOND WITH 'READY'/
776	007750	042524	052123	030440	NOTST1: .ASCIZ	/TEST 1 CANNOT BE PERFORMED...P-CLOCK IS NOT AVAILABLE/
777	010036	042524	052123	032040	NOTST4: .ASCIZ	/TEST 4 CANNOT BE PERFORMED...P-CLOCK IS NOT AVAILABLE/

						RESULT NAMES
781	010124	051104	020126	042122	MDRDY: .ASCIZ	/DRV RDY /
782	010135	103	047117	020124	MCERR: .ASCIZ	/CONT ERR /
783	010147	110	051104	041440	MHCRC: .ASCIZ	/HDR CRC/
784	010157	104	052101	020101	MDCRC: .ASCIZ	/DATA CRC/
785	010170	042110	020122	047516	MHNF: .ASCIZ	/HDR NOT FND/
786	010204	040504	040524	046040	MDLT: .ASCIZ	/DATA LATE/
787	010216	042110	020122	047516	MHFCRC: .ASCIZ	&HDR NOT FND/HDR CRC/OPI&
788	010246	051104	020126	051105	MDRERR: .ASCIZ	/DRV ERR /
797	010257	104	053122	051440	MDSERR: .ASCIZ	/DRV SEL ERR /
798	010274	051104	020126	052123	MDRVST: .ASCIZ	/DRV STATE /
799	010307	123	044520	020116	MSPERR: .ASCIZ	/SPIN TIMEOUT /
800	010325	127	052122	043440	MWGERR: .ASCIZ	/WRT GAT ERR /
801	010342	045523	052040	046511	MSTERR: .ASCIZ	/SK TIMEOUT /
802	010356	042510	042101	041440	MHCERR: .ASCIZ	/HEAD CUR ERR /
803	010374	051127	020124	040504	MWDERR: .ASCIZ	/WRT DAT ERR /
804	010411	117	051120	044455	MOPERR: .ASCIZ	/OPR-INC/
805	010421	110	051104	042057	MHDERR: .ASCIZ	&HDR/DAT ERR &
806	010436	042110	020122	047516	MFLERR: .ASCIZ	&HDR NOT FND/DAT LATE &
807	010464	047516	026516	054105	MNEERR: .ASCIZ	/NON-EXISTENT MEMORY /
808	010511	103	046131	000040	MCYLOC: .ASCIZ	/CYL /
809	010516	040503	023516	020124	MNDRST: .ASCIZ	/CAN'T GET DRV STAT/
810	010541	125	045516	020116	MUNDEF: .ASCIZ	/UNKN DRV STATE-NO RDY,NO ERR,HDS OUT/
811	010606	040506	046111	052040	MRLFAL: .ASCIZ	/FAIL TO RELD HDS AFTER ERR CLR/
812	010645	127	052122	040440	MWRTAB: .ASCIZ	/WRT ABRTD/
813	010657	040	053117	020122	MEXERS: .ASCIZ	/ OVR ERR LIMIT - UNIT DRPPD /
814	010714	042440	051122	000	MERRS: .ASCIZ	/ ERR/
815	010721	207	177777	000	BELL: .ASCIZ	<207><377><377>

```
816  
817  
818 010725 111 020123 000  
819 010731 040 041123 000040 RESE3: .ASCIZ /IS /  
RESE4: .ASCIZ /SB /  
820  
821  
822 010736 044440 020116 000  
823 010743 040 043117 000040 RESE5: .ASCIZ /IN /  
RESE6: .ASCIZ /OF /  
824 010750 052123 052101 020105 STATE2: .ASCIZ /STATE 2/  
825 010760 052123 052101 020105 STATE3: .ASCIZ /STATE 3/  
826 010770 052123 052101 020105 STATE5: .ASCIZ /STATE 5/  
830 011000 051461 020124 020063 C10MS: .ASCIZ /1ST 3 MS/  
831 011011 065 030060 051515 C500MS: .ASCIZ /500MS/  
832 011017 103 041531 052440 CCYLUP: .ASCIZ /CYC UP/  
833 011026 040504 040524 054040 CAFDT: .ASCIZ /DATA XFR/  
834 011037 065 051440 041505 CSSEC: .ASCIZ /5 SEC/  
835  
836 011045 045 022516 022524 FMTOP1: .ASCIZ /%N%T%N%T%T%T%O6%S%T%O1%N/  
837 011074 047045 052045 047445 FMTOP2: .ASCIZ /%N%T%O1%S1%T%O1%N/  
838 011116 047045 052045 047445 FMTOP3: .ASCIZ /%N%T%O1%S1%T%T%N/  
839 011137 045 022524 000124 FMT1: .ASCIZ /%T%T/  
840 011144 047045 052045 052045 FMT1.1: .ASCIZ /%N%T%T/  
841 011153 045 000124 FMT2: .ASCIZ /%T/  
842 011156 047045 000 FMT3: .ASCIZ /%N/  
843 011161 045 022516 022524 FMT4: .ASCIZ /%N%T%T%N/  
844 011172 047045 052045 047445 FMT5: .ASCIZ /%N%T%O6%S1%T%O1/  
845 011212 047045 051445 030461 FMT6: .ASCIZ /%N%S11%T%S4%T%S4%T%S4%T%S4%T%S2%T/  
846 011254 047045 052045 047445 FMT7: .ASCIZ /%N%T%O6%S2%O6%S2%O6%S2%O6%S3%O3%S2%O1%N/  
847 011324 047045 052045 047445 FMT8: .ASCIZ /%N%T%O6%S2%O6%S2%O6%S2%O6/  
848 011356 047045 052045 000 FMT9: .ASCIZ /%N%T/  
849 011363 045 022524 030517 FMT11: .ASCIZ /%T%O1/  
850 011371 045 022524 031517 FMT12: .ASCIZ /%T%O3/  
851 011377 045 022516 030523 FMT13: .ASCIZ /%N%S11%T%O3%S1%T%O3%S1%T%O1%S1%T%O1/  
852 011443 045 022516 022524 FMT14: .ASCIZ /%N%T%T%D3%S1%T%O6%S1%T%O6/  
853 011475 045 022516 030523 FMT15: .ASCIZ /%N%S11%T%D3%S1%T%O6%S1%T%O6/  
854 011531 045 022516 032523 FMT16: .ASCIZ /%N%S5%O6/  
855 011542 051445 030061 052045 FMT17: .ASCIZ /%S10%T%N%S11%O6%N/  
856 011564 047045 051445 032461 FMT18: .ASCIZ /%N%S15%T%S5%T%S4%T%S5%T%N/  
857 011616 052045 051445 022464 FMT19: .ASCIZ /%T%S4%D6%S4%D6%S4%D6%S4%D6%N/  
858 011653 045 022524 031123 FMT20: .ASCIZ /%T%S2%D6%S14%D6%S4%D6%N/  
859 011703 045 022524 030523 FMT21: .ASCIZ /%T%S12%D6%S14%D6%N/  
860 011726 047045 051445 030461 FMT22: .ASCIZ /%N%S11%T%O3%S1%T%O1%S1%T%O2/  
861 011762 052045 052045 052045 FMT23: .ASCIZ /%T%T%T%O1%N/  
862 011776 047045 052045 000 FMT24: .ASCIZ /%N%T/  
863 012003 045 022516 031104 FMT25: .ASCIZ /%N%D2%T/  
864 012013 045 022516 030523 FMT26: .ASCIZ /%N%S1%T%D4%T%T%D3%N/  
865 012037 045 022516 022524 FMT27: .ASCIZ /%N%T%D3%T%D3%N/  
866 012036 047045 052045 052045 FMT28: .ASCIZ /%N%T%T%T/  
867  
868 012067 ENDMOD  
869  
874
```

```

876      .SBTTL  ERROR MESSAGES
877 012070 BGNMOD  GLBERR
878      :      ERR1   R3 POINTS TO RESULT MESSAGE
879      :      :      RESULT: (R3)
880
881      :      ERR2   R3 POINTS TO RESULT NAME
882      :      :      RESULT: (R3) IS 1 SB 0
883
884      :      ERR3   R3 POINTS TO RESULT NAME
885      :      :      RESULT: (R3) IS 0 SB 1
886
887      :      ERR4   R3 POINTS TO RESULT NAME
888      :      :      R4 POINTS TO RESULT CONDITIONS
889      :      :      RESULT: (R3) IS 1 SB 0 (R4)
890
891      :      ERR5   R3 POINTS TO RESULT NAME
892      :      :      R4 POINTS TO RESULT CONDITIONS
893      :      :      RESULT: (R3) IS 0 SB 1 (R4)
894
895      :      ERR6   RFSULT ROUTINE DETERMINES WHICH ERROR(S) ARE SET AND
896      :      :      REPORTS ALL
897      :      :      RESULT: 'ERROR' IS 1 SB 0
898
899      :      ERR7   DRIVE STATE ERROR REPORT
900      :      :      R3 CONTAINS EXPECTED STATE
901      :      :      T.STAT CONTAINS BAD STATE
902      :      :      RESULT: DRIVE STATE IS (T.STAT) SB (R3)
903
904      :      ERR8   HEAD POSITIONING ERROR REPORT
905      :      :      NEWCYL CONTAINS EXPECTED CYLINDER
906      :      :      HDWRD1 CONTAINS BAD CYLINDER
907      :      :      RESULT: CYLINDER IS (HDWRD1) SB (NEWCYL)
908
909      :      ERR9   UTILITY RESULT REPORT
910      :      :      R3 POINTS TO RESULT NAME
911      :      :      R4 POINTS TO VALUE 1
912      :      :      R5 POINTS TO VALUE 2
913      :      :      RESULT: (R3-NAME) IS (R4-VALUE 1) SB (R5-VALUE 2)
914
915      :      ERR10  COMPARE ERROR REPORT
916      :      :      R3 CONTAINS THE BAD WORD NUMBER
917      :      :      R4 POINTS TO BAD WORD
918      :      :      R5 POINTS TO GOOD WORD
919      :      :      RESULT: WORD (R3) IS (R4) SB (R5)
920
921
922 012070 BGNMSG  ERR1
923 012070 105737 003451 TSTB  NOERCT      ;TEST IF ERROR COUNTING INHIBITED
924 012074 001002      BNE      1$      ;YES - SKIP
925 012076 005277 171140 INC      @ERRPOINT ;ELSE BUMP ERROR COUNT
926 012102 010146      1$: MOV     R1, -(SP) ;STORE R1
927 012104 004737 024662 JSR     PC, RPTOP ;REPORT OPERATION
928 012110 012721 000001 MOV     #1, (R1)+ ;SET PARAM NUMBER
929 012114 010321      MOV     R3, (R1)+ ;INSERT MESSAGE ADDRESS POINTER
930 012116 004737 025450 JSR     PC, RPTRES ;REPORT RESULTS
931 012122 004737 025656 JSR     PC, RPTREM ;REPORT REMAINDER
  
```

932	012126	012601		MOV	(SP)+,R1	:RESTORE R1
933	012130	004737	016032	JSR	PC,CKERLM	:GO CHECK IF ERROR COUNT EXCEEDED
934	012134			ENDMSG		
(3)	012134			L10000:		
(3)	012134	104423		TRAP	CSMSG	
935						
936	012136			BGNMSG	ERR2	
937	012136	005277	171100	INC	@ERRPOINT	:BUMP ERROR COUNT
938	012142	010146		MOV	R1,-(SP)	:STORE R1
939	012144	004737	024662	JSR	PC,RPTOP	:REPORT OPERATION
940	012150	012721	000003	MOV	#3,(R1)+	:SET PARAM NUMBER
941	012154	010321		MOV	R3,(R1)+	:INSERT NAME ADD POINTER
942	012156	012721	000001	MOV	#1,(R1)+	:SET IS VALUE
943	012162	005021		CLR	(R1)+	:SET SB VALUE
944	012164	004737	025450	JSR	PC,RPTRES	:REPORT RESULTS
945	012170	004737	025656	JSR	PC,RPTREM	:REPORT REMAINDER
946	012174	012601		MOV	(SP)+,R1	:RESTORE R1
947	012176	004737	016032	JSR	PC,CKERLM	:GO CHECK IF ERROR COUNT EXCEEDED
948	012202			ENDMSG		
(3)	012202			L10001:		
(3)	012202	104423		TRAP	CSMSG	
949						
950	012204			BGNMSG	ERR3	
951	012204	005277	171032	INC	@ERRPOINT	:BUMP ERROR COUNT
952	012210	010146		MOV	R1,-(SP)	:STORE R1
953	012212	004737	024662	JSR	PC,RPTOP	:REPORT OPERATION
954	012216	012721	000003	MOV	#3,(R1)+	:SET PARAM NUMBER
955	012222	010321		MOV	R3,(R1)+	:INSERT NAME ADD POINTER
956	012224	005021		CLR	(R1)+	:SET IS VALUE
957	012226	012721	000001	MOV	#1,(R1)+	:SET SB VALUE
958	012232	004737	025450	JSR	PC,RPTRES	:REPORT RESULTS
959	012236	004737	025656	JSR	PC,RPTREM	:REPORT REMAINDER
960	012242	012601		MOV	(SP)+,R1	:RESTORE R1
961	012244	004737	016032	JSR	PC,CKERLM	:GO CHECK IF ERROR COUNT EXCEEDED
962	012250			ENDMSG		
(3)	012250			L10002:		
(3)	012250	104423		TRAP	CSMSG	
963						
964	012252			BGNMSG	ERR4	
965	012252	005277	170764	INC	@ERRPOINT	:BUMP ERROR COUNT
966	012256	010146		MOV	R1,-(SP)	:STORE R1
967	012260	004737	024662	JSR	PC,RPTOP	:REPORT OPERATION
968	012264	012721	000004	MOV	#4,(R1)+	:SET PARAM NUMBER
969	012270	010321		MOV	R3,(R1)+	:INSERT NAME ADD POINTER
970	012272	012721	000001	MOV	#1,(R1)+	:SET IS VALUE
971	012276	005021		CLR	(R1)+	:SET SB VALUE
972	012300	010411		MOV	R4,(R1)	:INSERT ADD OF CONDITION POINTER
973	012302	004737	025450	JSR	PC,RPTRES	:REPORT RESULTS
974	012306	004737	025656	JSR	PC,RPTREM	:REPORT REMAINDER
975	012312	012601		MOV	(SP)+,R1	:RESTORE R1
976	012314	004737	016032	JSR	PC,CKERLM	:GO CHECK IF ERROR COUNT EXCEEDED
977	012320			ENDMSG		
(3)	012320			L10003:		
(3)	012320	104423		TRAP	CSMSG	
978						
979	012322			BGNMSG	ERR5	

980	012322	005277	170714		INC	@ERRPOINT	:BUMP ERROR COUNT
981	012326	010146			MOV	R1,-(SP)	:STORE R1
982	012330	004737	024662		JSR	PC,RPTOP	:REPORT OPERATION
983	012334	012721	000004		MOV	#4,(R1)+	:SET PARAM NUMBER
984	012340	010321			MOV	R3,(R1)+	:INSERT NAME ADD POINTER
985	012342	005021			CLR	(R1)+	:SET IS VALUE
986	012344	012721	000001		MOV	#1,(R1)+	:SET SB VALUE
987	012350	010411			MOV	R4,(R1)	:INSERT ADD OF CONDITION POINTER
988	012352	004737	025450		JSR	PC,RPTRES	:REPORT RESULTS
989	012356	004737	025656		JSR	PC,RPTREM	:REPORT REMAINDER
990	012362	012601			MOV	(SP)+,R1	:RESTORE R1
991	012364	004737	016032		JSR	PC,CKERLM	:GO CHECK IF ERROR COUNT EXCEEDED
992	012370						
(3)	012370			ENDMSG			
(3)	012370	104423		L10004:	TRAP	C\$MSG	
993							
994	012372			BGNMSG	ERR6		
995	012372	105737	003451		TSTB	NOERCT	:TEST IF ERROR COUNTING INHIBITED
996	012376	001002			BNE	17\$:YES - SKIP
997	012400	005277	170636		INC	@ERRPOINT	:ELSE BUMP ERROR COUNT
998	012404	010146		17\$:	MOV	R1,-(SP)	:STORE R1
999	012406	010346			MOV	R3,-(SP)	:STORE R3
1000	012410	010446			MOV	R4,-(SP)	:STORE R4
1001	012412	010546			MOV	R5,-(SP)	:STORE R5
1002	012414	004737	024662		JSR	PC,RPTOP	:REPORT OPERATION
1003	012420	012721	000003		MOV	#3,(R1)+	:SET PARAM NUMBER
1004	012424	012761	000001	000002	MOV	#1,2(R1)	:INSERT IS VALUE
1005	012432	005037	003130		CLR	TEMP3	:CLEAR FOR STATUS STORAGE
1006	012436	013703	003050		MOV	T.CS,R3	:GET T.CS
1007	012442	042703	177761		BIC	#177761,R3	:AND CLEAR ALL BUT FUNCTION
1008	012446	022703	000004		CMF	#4,R3	:CHECK IF IT WAS GET STATUS
1009	012452	001434			BEQ	1\$:YES - STATUS IS IN T.MP, SKIP
1010	012454	012762	000003	000004	MOV	#GETSTAT,RLDA(R2)	:ELSE DO GET STATUS
1011	012462	012703	000004		MOV	#4,R3	
1012	012466	053703	003036		BIS	RLDRV,R3	
1013	012472	010362	000000		MOV	R3,RLCS(R2)	
1014	012476				WAITUS	#10.	:WAIT FOR CONTROLLER READY
1015	012510	032762	000200	000000	BIT	#CRDYMSK,RLCS(R2)	:TEST IF READY
1016	012516	001003			BNE	10\$:YES - SKIP
1017	012520	012703	001000	9\$:	MOV	#BIT9,R3	:ELSE SET NO DRIVE STATUS BIT
1018	012524	000413			BR	2\$:IN MESSAGE WORD AND SKIP
1019	012526	016203	000006	10\$:	MOV	RLMP(R2),R3	:STORE STATUS FOR REPORT
1020	012532	010337	003130		MOV	R3,TEMP3	
1021	012536	113703	003131		MOVB	TEMP3+1,R3	:GET ERROR BITS IN PROPER POSITION
1022	012542	000402			BR	13\$	
1023	012544	113703	003057	1\$:	MOVB	T.MP+1,R3	:GET ERROR BITS FROM MP REG
1024	012550	042703	177442	13\$:	BIC	#177442,R3	:CLEAR UNUSED BITS
1025	012554	013704	003050	2\$:	MOV	T.CS,R4	:GET ERROR BITS FROM CS REG
1026	012560	042704	001777		BIC	#1777,R4	:CLEAR UNUSED BITS
1027	012564	050403			BIS	R4,R3	:MAKE ONE WORD OF POSSIBLE ERRORS
1028	012566	032703	002000		BIT	#OPIERR,R3	:TEST IF OPI SET
1029	012572	001442			BEQ	115\$:NO - SKIP
1030	012574	032703	010000		BIT	#HNFERR,R3	:TEST IF HDR NOT FOUND ERROR
1031	012600	001026			BNE	107\$:YES - SKIP
1032	012602	032703	004000		BIT	#HCRCERR,R3	:TEST IF HDR CRC ERR
1033	012606	001020			BNE	105\$:YES - SKIP

```
1034 012610 012704 010411      MOV      #MOPERR,R4      ;SET OPI ALONE MESSAGE
1035 012614      100$: PRINTB  #FMT28,#MRSLT,R4,#MERRS ;REPORT ERROR
(10) 012614 012746 010714      MOV      #MERRS,-(SP)
(9) 012620 010446      MOV      R4,-(SP)
(8) 012622 012746 005526      MOV      #MRSLT,-(SP)
(7) 012626 012746 012056      MOV      #FMT28,-(SP)
(6) 012632 012746 090004      MOV      #4,-(SP)
(3) 012636 010600      MOV      SP,R0
(4) 012640 104414      TRAP    C$PNTB
(4) 012642 062706 000012      ADD     #12,SP
1036 012646 000430      BR      120$           ;SKIP
1037 012650 012704 010147      105$: MOV     #MHCRC,R4      ;HDR CRC MESSAGE
1038 012654 000757      BR      100$
1039 012656 032703 004000      107$: BIT     #HCRCERR,R3     ;TEST IF HCRC WITH HDR NOT FND
1040 012662 001003      BNE     109$           ;YES - SKIP
1041 012664 012704 010170      MOV     #MHNH,R4      ;MESSAGE HEADER NOT FOUND
1042 012670 000751      BR      100$
1043 012672 012704 010216      109$: MOV     #MHFCRC,R4     ;HNF AND HCRC MESSAGE
1044 012676 000746      BR      100$           ;SKIP
1045 012700 032703 004000      115$: BIT     #DCKERR,R3     ;TEST IF DATA CHECK SET, NOT OPI
1046 012704 001403      BEQ    118$           ;NO - SKIP
1047 012706 012704 010157      MOV     #MDCRC,R4     ;SET MESSAGE DATA CHECK
1048 012712 000740      BR      100$           ;SKIP
1049 012714 032703 010000      118$: BIT     #DLTERR,R3     ;TEST IF DATA LATE ERROR
1050 012720 001403      BEQ    120$           ;NO - SKIP
1051 012722 012704 010204      MOV     #MDLT,R4      ;SET MESSAGE DATA LATE
1052 012726 000732      BR      100$           ;SKIP
1053 012730 012705 100000      120$: MOV     #BIT15,R5     ;SET BIT POINTER FOR TEST
1054 012734 005004      CLR    R4             ;CLEAR R4 FOR TABLE COUNT
1055 012736 030503      3$: BIT     R5,R3       ;TEST IF BIT IS SET
1056 012740 001005      BNE    6$             ;YES - SKIP TO REPORT
1057 012742 005724      4$: TST     (R4)+       ;ELSE BUMP TABLE POINTER
1058 012744 000241      CLC                    ;CLEAR CARRY
1059 012746 006005      ROR    R5             ;SHIFT BIT POINTER TO NEXT BIT
1060 012750 001372      BNE    3$             ;LOOP IF NOT 0
1061 012752 000405      BR      7$             ;ELSE REPORT REMAINDER
1062 012754 016411 002324      6$: MOV     RESTBL(R4),(R1) ;INSERT NAME ADDRESS
1063 012760 004737 025450      JSR    PC,RPTRES      ;REPORT RESULTS
1064 012764 000766      BR      4$             ;GET NEXT BIT
1065 012766 004737 025656      7$: JSR    PC,RPTREM      ;REPORT REMAINDER
1066 012772 005737 003130      TST    TEMP3          ;TEST IF ANY NEW STATUS
1067 012776 001414      BEQ    15$           ;NO - SKIP
1068 013000      PRINTB #FMT17,#STAMES,TEMP3
(9) 013000 013746 003130      MOV     TEMP3,-(SP)
(8) 013004 012746 007527      MOV     #STAMES,-(SP)
(7) 013010 012746 011542      MOV     #FMT17,-(SP)
(6) 013014 012746 000003      MOV     #3,-(SP)
(3) 013020 010600      MOV     SP,R0
(4) 013022 104414      TRAP    C$PNTB
(4) 013024 062706 000010      ADD     #10,SP
1069 013030 032737 004000 003050 15$: BIT     #DCKERR,T.CS     ;TEST IF DATA CHECK ERROR
1070 013036 001453      BEQ    25$           ;NO - SKIP
1071 013040 032737 002000 003050      BIT     #OPIERR,T.CS     ;TEST IF OPI SET
1072 013046 001047      BNE    25$           ;YES - SKIP
1073 013050 005037 003020      CLR    MORECE        ;CLEAR COMPARE ERROR COUNT
1074 013054 012701 000200      MOV     #128.,R1      ;SET COMPARE LENGTH
```

```
1075 013060 012703 000001      MOV    #1,R3          ;SET WORD COUNT
1076 013064 012705 004472      MOV    #0BUFF,R5     ;SET GOOD WC POINTER
1077 013070 012704 004072      MOV    #1BUFF,R4     ;SET TEST WORD OINTER
1078 013074 021514              18$:  CMP    (R5),(R4)   ;CHECK WORD
1079 013076 001427              BEQ    19$           ;GOOD - SKIP
1080 013100 023727 003020 000012  CMP    MORECE,#10.   ;TEST IF COMPARE LIMIT REACHED
1081 013106 003021              BGT    20$           ;YES - SKIP
1082 013110              PRINTB #FMT15,#MWORD,R3,#RESE3,(R4),#RESE4,(R5)
(13) 013110 011546              MOV    (R5),-(SP)
(12) 013112 012746 010731      MOV    #RESE4,-(SP)
(11) 013116 011446              MOV    (R4),-(SP)
(10) 013120 012746 010725      MOV    #RESE3,-(SP)
(9) 013124 010346              MOV    R3,-(SP)
(8) 013126 012746 006300      MOV    #MWORD,-(SP)
(7) 013132 012746 011475      MOV    #FMT15,-(SP)
(6) 013136 012746 000007      MOV    #7,-(SP)
(3) 013142 010600              MOV    SP,R0
(4) 013144 104414              TRAP   C$PNTB
(4) 013146 062706 000020      ADD    #20,SP
1083 013152 005237 003020      20$:  INC    MORECE      ;BUMP ERROR COUNTER
1084 013156 022524      19$:  CMP    (R5)+,(R4)+ ;BUMP POINTERS
1085 013160 005203              INC    R3           ;BUMP COUNTER
1086 013162 005301              DEC    R1           ;DEC LENGTH COUNT
1087 013164 001343              BNE    18$         ;LOOP IF NOT DONE
1088 013166 005737 003020      25$:  TST    MORECE      ;TEST IF ANY COMPARE ERRORS
1089 013172 001421              BEQ    27$         ;NO - SKIP
1090 013174 012701 000200      MOV    #128,R1      ;SET COMPARE LENGTH
1091 013200              PRINTB #FMT27,#TCERR,MORECE,#RESE6,R1
(11) 013200 010146              MOV    R1,-(SP)
(10) 013202 012746 010743      MOV    #RESE6,-(SP)
(9) 013206 013746 003020      MOV    MORECE,-(SP)
(8) 013212 012746 007614      MOV    #TCERR,-(SP)
(7) 013216 012746 012037      MOV    #FMT27,-(SP)
(6) 013222 012746 000005      MOV    #5,-(SP)
(3) 013226 010600              MOV    SP,R0
(4) 013230 104414              TRAP   C$PNTB
(4) 013232 062706 000014      ADD    #14,SP
1092 013236 012605      27$:  MOV    (SP)+,R5     ;RESTORE R5, 4, 3, 1
1093 013240 012604              MOV    (SP)+,R4
1094 013242 012603              MOV    (SP)+,R3
1095 013244 012601              MOV    (SP)+,R1
1096 013246 004737 016032      JSR    PC,CKERLM    ;GO CHECK IF ERROR COUNT EXCEEDED
1097 013252              ENDMSG
(3) 013252              L10005:
(3) 013252 104423              TRAP   C$MSG
1098
1099 013254              BGNMSG ERR7
1100 013254 005277 167762      INC    @ERRPOINT    ;BUMP ERROR COUNT
1101 013260 010146              MOV    R1,-(SP)    ;STORE R1
1102 013262 004737 024662      JSR    PC,RPTOP     ;REPORT OPERATION
1103 013266 012721 000003      MOV    #3,(R1)+    ;SET PARAM NUMBER
1104 013272 012721 010274      MOV    #MDRVST,(R1)+ ;INSERT NAME ADD POINTER
1105 013276 013721 003064      MOV    T,STAT,(R1)+ ;INSERT IS VALUE
1106 013302 010311              MOV    R3,(R1) ;INSERT SB VALUE
1107 013304 004737 025450      JSR    PC,RPTRES    ;REPORT RESULTS
1108 013310 004737 025656      JSR    PC,RPTREM    ;REPORT REMAINDER
```

```
1109 013314 012601          MOV      (SP)+,R1          ;RESTORE R1
1110 013316 004737 016032   JSR      PC,CKERLM        ;GO CHECK IF ERROR COUNT EXCEEDED
1111 013322          ENDMSG
(3) 013322          L10006:
(3) 013322 104423          TRAP     C$MSG
1112
1113 013324          BGNMSG  ERR8
1114 013324 005277 167712   INC      @ERRPOINT        ;BUMP ERROR COUNT
1115 013330 010146          MOV      R1,-(SP)         ;STORE R1
1116 013332 010346          MOV      R3,-(SP)         ;STORE R3
1117 013334 004737 024662   JSR      PC,RPTOP         ;REPORT OPERATION
1118 013340 012721 000003   MOV      #3,(R1)+         ;SET PARAM NUMBER
1119 013344 012721 010511   MOV      #MCYLOC,(R1)+    ;INSERT NAME ADD POINTER
1120 013350 013711 003056   MOV      HDWRD1,(R1)      ;GET HEADER WORD
1121 013354 012703 000007   MOV      #7,R3           ;SET SHIFT COUNT
1122 013360 000241          3$:   CLC
1123 013362 006011          ROR      (R1)             ;ALIGN CHAR FOR PRINTING
1124 013364 005303          DEC      R3              ; AS IS VALUE
1125 013366 001374          BNE      3$
1126 013370 005721          TST      (R1)+           ;BUMP PARAM POINTER
1127 013372 013711 003106   MOV      NEWCYL,(R1)      ;INSERT SB VALUE
1128 013376 004737 025450   JSR      PC,RPTRES        ;REPORT RESULTS
1129 013402 004737 025656   JSR      PC,RPTREM        ;REPORT REMAINDER
1130 013406 012603          MOV      (SP)+,R3         ;RESTORE R3
1131 013410 012601          MOV      (SP)+,R1         ;RESTORE R1
1132 013412 004737 016032   JSR      PC,CKERLM        ;GO CHECK IF ERROR COUNT EXCEEDED
1133 013416          ENDMSG
(3) 013416          L10007:
(3) 013416 104423          TRAP     C$MSG
1134
1135 013420          BGNMSG  ERR9
1136 013420 005277 167616   INC      @ERRPOINT        ;BUMP ERROR COUNT
1137 013424 010146          MOV      R1,-(SP)         ;STORE R1
1138 013426 004737 024662   JSR      PC,RPTOP         ;REPORT OPERATION
1139 013432 012721 000003   MOV      #3,(R1)+         ;SET PARAM NUMBER
1140 013436 010321          MOV      R3,(R1)+         ;INSERT NAME ADD POINTER
1141 013440 010421          MOV      R4,(R1)+         ;SET IS VALUE
1142 013442 010521          MOV      R5,(R1)+         ;SET SB VALUE
1143 013444 004737 025450   JSR      PC,RPTRES        ;REPORT RESULTS
1144 013450 004737 025656   JSR      PC,RPTREM        ;REPORT REMAINDER
1145 013454 012601          MOV      (SP)+,R1         ;RESTORE R1
1146 013456 004737 016032   JSR      PC,CKERLM        ;GO CHECK IF ERROR COUNT EXCEEDED
1147 013462          ENDMSG
(3) 013462          L10010:
(3) 013462 104423          TRAP     C$MSG
1148 013464          BGNMSG  ERR10
1149 013464 010146          MOV      R1,-(SP)         ;STORE R1
1150 013466 005737 003020   TST      MORECE          ;TEST IF 2ND BAD LINE
1151 013472 001051          BNE      3$              ;YES - SKIP
1152 013474 005277 167542   INC      @ERRPOINT        ;BUMP ERROR COUNT
1153 013500 004737 024662   JSR      PC,RPTOP         ;REPORT OPERATION
1154 013504          PRINTB #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1> ;REPORT ID
(11) 013504 005046          CLR      -(SP)
(11) 013506 153716 003037   BISB    RLDRV+1,(SP)
(10) 013512 012746 006142   MOV      #DRVNAM,-(SP)
(9) 013516 013746 003032   MOV      RLBAS,-(SP)
```

```

(8) 013522 012746 006131      MOV    #BASADD,-(SP)
(7) 013526 012746 011172      MOV    #FMT5,-(SP)
(6) 013532 012746 000005      MOV    #5,-(SP)
(3) 013536 010600              MOV    SP,R0
(4) 013540 104414              TRAP   C$PNTB
(4) 013542 062706 000014      ADD    #14,SP
1155 013546                    PRINTB #FMT14,#MRSLT,#MWORD,R3,#RESE3,(R4),#RESE4,(R5)
(14) 013546 011546            MOV    (R5),-(SP)
(13) 013550 012746 010731      MOV    #RESE4,-(SP)
(12) 013554 011446            MOV    (R4),-(SP)
(11) 013556 012746 010725      MOV    #RESE3,-(SP)
(10) 013562 010346            MOV    R3,-(SP)
(9) 013564 012746 006300      MOV    #MWORD,-(SP)
(8) 013570 012746 005526      MOV    #MRSLT,-(SP)
(7) 013574 012746 011443      MOV    #FMT14,-(SP)
(6) 013600 012746 000010      MOV    #10,-(SP)
(3) 013604 010600              MOV    SP,R0
(4) 013606 104414              TRAP   C$PNTB
(4) 013610 062706 000022      ADD    #22,SP
1156 013614 000421            BR     4$
1157 013616                    3$: PRINTB #FMT15,#MWORD,R3,#RESE3,(R4),#RESE4,(R5);REPORT DATA
(13) 013616 011546            MOV    (R5),-(SP)
(12) 013620 012746 010731      MOV    #RESE4,-(SP)
(11) 013624 011446            MOV    (R4),-(SP)
(10) 013626 012746 010725      MOV    #RESE3,-(SP)
(9) 013632 010346            MOV    R3,-(SP)
(8) 013634 012746 006300      MOV    #MWORD,-(SP)
(7) 013640 012746 011475      MOV    #FMT15,-(SP)
(6) 013644 012746 000007      MOV    #7,-(SP)
(3) 013650 010600              MOV    SP,R0
(4) 013652 104414              TRAP   C$PNTB
(4) 013654 062706 000020      ADD    #20,SP
1158 013660 005237 003020      4$: INC    MORECE           ;INC COMPARE ERROR COUNT
1159 013664 012601              MOV    (SP)+,R1           ;RESTORE R1
1160 013666 004737 016032      JSR    PC,CKERLM         ;GO CHECK IF ERROR COUNT EXCEEDED
1161 013672                    ENDMSG
(3) 013672                    L10011:
(3) 013672 104423              TRAP   C$MSG
1162 013674                    ENDMOD
1163
1164                    ;LOAD PROTECTION TABLE
1165 013674                    BGNPROT
1166 013674 000000              .WORD 0                   ;OFFSET OF CSR IN P-TABLE
1167 013676 177777              .WORD -1                  ;NOT A MASS-BUS DRIVE
1168 013700 000010              .WORD 10                  ;OFFSET OF DRIVE IN P-TABLE
1169 013702                    ENDPROT
1170
1171                    .EVEN
1172
1173 013702                    BGNMOD HPTCODE
1174 013702                    BGNHW
(3) 013702 000006              .WORD L10013-L$HW/2
1175 013704 174400              .WORD 174400              ;CSR BASE ADDRESS DEFAULT
1176 013706 000160              .WORD 160                 ;VECTOR DEFAULT
1177 013710 000240              .WORD 240                 ;PRIORITY DEFAULT
1178 013712 000001              .WORD 1                   ;TYPE OF DRIVE

```

1179	013714	000000		.WORD	0		:DRIVE NUMBER DEFAULT
1180	013716	000001		.WORD	1		:RL11 CONTROLLER
1181	013720		ENDHW				
(3)	013720		L10013:				
1182	013720		ENDMOD				
1183							
1184	013720		BGNMOD	SPTCODE			
1185	013720		BGNSW				
(3)	013720	000006		.WORD	L10014-LSSW/2		
1186	013722	000000	MISWIW:	.WORD	0		:BIT 0 = USE ALL CYLINDERS
1187							:BIT 1 = USE ALL SECTORS
1188							:BIT 2 = EXECUTE DRIVE SELECT TEST
1189							:BIT 3 = EXECUTE HEAD ALIGNMENT
1190							:BIT 12 = HEAD SELECT SUPPLIED FLAG
1191							:BIT 13 = HILIMIT SPECIFIED FLAG
1192							:BIT 14 = LO LIMIT SPECIFIED FLAG
1193							:BIT 15 = DO MANUAL INTERVENTION
1194	013724	000000	LOLIMW:	.WORD	0		
1195	013726	000377	HILIMW:	.WORD	255.		
1196	013730	000000	HEADW:	.WORD	0		
1197	013732	000024	ERLIMW:	.WORD	20.		:ERROR LIMIT
1198	013734	000012	DCLIMW:	.WORD	10.		:COMPARE ERROR LIMIT
1199	013736		ENDSW				
(3)	013736		L10014:				
1200	013736		ENDMOD				
1201							
1202	013736		BGNMOD	DSPCODE			
1207	013736		DISPATCH		8		
(4)	013736	000010		.WORD	8		
(6)	013740	026142		.WORD	T1		
(6)	013742	030054		.WORD	T2		
(6)	013744	030572		.WORD	T3		
(6)	013746	031006		.WORD	T4		
(6)	013750	031614		.WORD	T5		
(6)	013752	032724		.WORD	T6		
(6)	013754	033742		.WORD	T7		
(6)	013756	035156		.WORD	T8		
1209	013760		ENDMOD				
1210							
1211							

```

1213      .SBTTL  INITIALIZATION SECTION
1214
1215 013760  BGNMOD  INITCODE
1216 013760  BGNINIT
1217
1218      ;CHECK FOR PRESENCE OF A P-CLOCK
1219 013760  005037  003474      CLR      CLKFLG      ;CLEAR CLOCK FLAG
1220 013764      CLOCK  P,CLKADR      ;P-CLOCK?
      (3) 013764  012700  000120      MOV      #'P,R0
      (3) 013770  104462      TRAP     C$CLCK
      (3) 013772  010037  003476      MOV      R0,CLKADR
1221 013776      BNCOMPLETE 1$      ;BRANCH IF NO P-CLOCK
      (2) 013776  103002      BCC      1$
1222 014000  005237  003474      INC      CLKFLG      ;INDICATE PRESENCE OF A P-CLOCK
1223 014004      1$:  SETPRI  #340      ;SET PRIORITY TO 7 TO INHIBIT ALL INTERRUPTS
      (3) 014004  012700  000340      MOV      #340,R0
      (3) 014010  104441      TRAP     C$SPRI
1224 014012      BRESET      ;FOR LSI-11 CPU'S
      (3) 014012  104433      TRAP     C$RESET
1225 014014      MANUAL      ;CHECK IF MANUAL INTERVENTION ALLOWED
      (3) 014014  104450      TRAP     C$MANI
1226 014016      BCOMPLETE 2$      ;YES - SKIP
      (2) 014016  103403      BCS      2$
1227 014020  042737  100014  013722      BIC      #MITEST!DRSELT!HDALIGN,MISWIW ;CLEAR ALL MANUAL
1228      ; INTERVENTION FLAGS
1229 014026  005037  003006      2$:  CLR      SSINDX      ;CLEAR SUBROUTINE STACK INDEX
1230 014032      READEF  #EF.PWR      ;POWER FAILURE
      (3) 014032  012700  000034      MOV      #EF.PWR,R0
      (3) 014036  104447      TRAP     C$REFG
1231 014040      BNCOMPLETE 4$      ;NO, GO CHECK NEW PASS
      (2) 014040  103005      BCC      4$
1232 014042  013737  002012  003454      MOV      LSUNIT,PWRFLG ;SET POWER FAIL FLAG
1233 014050  000137  014462      JMP      PWCON      ;GO SERVICE POWER FAIL
1234 014054      4$:  READEF  #EF.START      ;CHECK IF START
      (3) 014054  012700  000040      MOV      #EF.START,R0
      (3) 014060  104447      TRAP     C$REFG
1235 014062      BNCOMPLETE RESTART ;NO - SKIP
      (2) 014062  103034      BCC      RESTART
1236
1237      ;
1238      ; ON START INITIALIZE TO START AT FIRST DRIVE, CLEAR INTERNAL
1239      ; PASS COUNT, AND ERROR COUNT.
1240 014064  013737  002012  003100      MOV      LSUNIT,DRVcnt ;SET UP UNIT COUNT
1241 014072  005037  003444      RSTRT: CLR      PASNUM      ;CLEAR PASS NUMBER
1242 014076  012700  003244      MOV      #ERRCNT,R0
1243 014102  012701  000100      MOV      #64.,R1      ;GET A COUNT
1244 014106  005020      1$:  CLR      (R0)+      ;CLEAR AN ERROR COUNTER STORAGE AREA
1245 014110  005301      DEC      R1
1246 014112  001375      BNE      1$      ;LOOP TILL ALL CLEARED
1247 014114  012737  003242  003242      MOV      #ERRCNT-2,ERRPOINT ;INIT ERROR POINTER
1248 014122  012737  177777  003446      MOV      #-1,PSETNM      ;SET PARAM SELECT TO INITIAL VALUE
1249 014130  012737  177777  003014      MOV      #-1,HADONE      ;PRESET HEAD ALIGN DONE FLAG
1250 014136  032737  040000  013722      LAB:  BIT      #LOCYL,MISWIW ;TEST IF LO LIMIT SET
1251 014144  001002      BNE      5$      ;YES - SKIP
1252 014146  005037  013724      CLR      LOLIMW      ;ELSE CLEAR LO LIMIT
1253 014152  000432      5$:  BR      SETDON

```

1254	014154					RESTART:			
1255	014154					READEF	#EF.RESTART		:CHECK IF RESTART
(3)	014154	012700	000037			MOV	#EF.RESTART,R0		
(3)	014160	104447				TRAP	CSREFG		
1256	014162					BCOMplete	RSTRT		:NO - SKIP
(2)	014162	103743				BCS	RSTRT		
1257	014164					CONTINUE:			
1258	014164					READEF	#EF.CONTINUE		:TEST IF CONTINUE
(3)	014164	012700	000036			MOV	#EF.CONTINUE,R0		
(3)	014170	104447				TRAP	CSREFG		
1259	014172					BCOMplete	PWCON		
(2)	014172	103533				BCS	PWCON		
1260						:	ON CONTINUE PICK UP UNIT LAST UNDER TEST		
1261	014174					READEF	#EF.NEW		:CHECK IF STARTING NEW PASS
(3)	014174	012700	000035			MOV	#EF.NEW,R0		
(3)	014200	104447				TRAP	CSREFG		
1262	014202					BCOMplete	PASNEW		
(2)	014202	103403				BCS	PASNEW		
1263	014204					NXTPAS:			
1264	014204	005737	003100			TST	DRVCNT		:TEST IF ALL UNITS CHECKED
1265	014210	001013				BNE	SETDON		:NO - SKIP
1266	014212	005237	003444			PASNEW:	PASNUM		:ELSE BUMP PASS COUNT
1267	014216	012737	003242	003242		MOV	#ERRCNT-2,ERRPOINT		:INIT ERROR POINTER
1268	014224	013737	002012	003100		MOV	LSUNIT,DRVCNT		:GET ALL DRIVES
1269	014232	012737	177777	003446		MOV	#-1,PSETNM		:SET PARAM SELECT TO INITIAL
1270	014240	005237	003446			SETDON:	INC PSETNM		:NEXT SET OF PARAMETERS
1271	014244	005337	003100			DEC	DRVCNT		:DOWN COUNT DRIVE TOTAL
1272	014250	062737	000002	003242		ADD	#2,ERRPOINT		:UPDATE THE ERROR POINTER
1273	014256	013700	003446			MOV	PSETNM,R0		:SET UP TO GET PARAMETERS
1274	014262	012702	003032			MOV	#RLBAS,R2		
1275	014266					GPHARD	R0,R1		
(3)	014266	104442				TRAP	CSGPHRD		
(3)	014270	010001				MOV	R0,R1		
1276	014272					BCOMplete	7\$:SKIP IF GOOD PARAM
(2)	014272	103406				BCS	7\$		
1277	014274	005737	003454			TST	PWRFLG		:RECENT POWER FAILURE
1278	014300	001741				BEQ	NXTPAS		:NO
1279	014302	005337	003454			DEC	PWRFLG		:ACCOUNT FOR DRIVE
1280	014306	000736				BR	NXTPAS		
1281	014310	012122				7\$:	MOV (R1)+,(R2)+		:STORE PARAMETERS CSR
1282	014312	012122				MOV	(R1)+,(R2)+		:VECTOR
1283	014314	005721				TST	(R1)+		:BUMP PAST PRIORITY
1284	014316	012137	002302			MOV	(R1)+,T.DRIVE		
1285	014322	012122				MOV	(R1)+,(R2)+		
1286	014324	022737	000001	002302		CMP	#1,T.DRIVE		
1287	014332	001426				BEQ	65\$		
1288	014334	012737	000776	002312		MOV	#510.,NXTHL		
1289	014342	012737	000777	002306		MOV	#511.,HLMTW		
1290	014350	012737	001000	002314		MOV	#512.,GBND		
1291	014356	012737	177600	002316		MOV	#177600,CAMSK		
1292	014364	012737	177600	002320		MOV	#177600,DIRMSK		
1293	014372	012737	177600	002322		MOV	#177600,HDCYL		
1294	014400	012737	177000	002310		MOV	#177000,CLRBYT		
1295	014406	000425				BR	PWCON		
1296									
1297	014410	012737	000377	002306	65\$:	MOV	#255.,HLMTW		


```

1298 014416 012737 000400 002314      MOV      #256.,GBND
1299 014424 012737 077600 002316      MOV      #77600.,CAMSK
1300 014432 012737 077600 002320      MOV      #77600.,DIRMSK
1301 014440 012737 077600 002322      MOV      #77600.,HDCYL
1302 014446 012737 000376 002312      MOV      #254.,NXTHL
1303 014454 012737 177400 002310      MOV      #177400.,CLRBYT
1304
1305 014462 032737 020000 013722  PWCON:  BIT      #HICYL,MISWIW
1306 014470 001003      BNE      1$
1307 014472 013737 002306 013726      MOV      HLMTW,HILIMW
1308 014500      1$:  SETVEC  RLVEC,#INTHLR,#340      ;SET UP VECTOR
(7) 014500 012746 000340      MOV      #340,-(SP)
(6) 014504 012746 015752      MOV      #INTHLR,-(SP)
(5) 014510 013746 003034      MOV      RLVEC,-(SP)
(4) 014514 012746 000003      MOV      #3,-(SP)
(3) 014520 104437      TRAP     C$$SVEC
(2) 014522 062706 000010      ADD      #10,SP
1309 014526      SETPRI  #0      ;SET PRIORITY
(3) 014526 012700 000000      MOV      #0,R0
(3) 014532 104441      TRAP     C$$SPRI
1310 014534 013702 003032      MOV      RLBAS,R2      ;SET RL11 BASE ADDRESS POINTER
1321      ;CHECK IF POWER FAILURE WAIT IS NEEDED
1322
1323 014540 005737 003454      TST      PWRFLG      ;NEEDED???
1324 014544 001472      BEQ      8$      ;NO, SKIP
1325
1326 014546 013705 003036      MOV      RLDRV,R5      ;DRIVE SELECT
1327 014552 052705 000200      BIS      #CRDYMSK,R5      ;SET CRDY
1328 014556 010562 000000      MOV      R5,RLCS(R2)      ;SELECT DRIVE
1329 014562 012701 000170      MOV      #120.,R1      ;INITIALIZE WAIT COUNT
1330 014566 032762 000001 000000  9$:  BIT      #DRDYMSK,RLCS(R2)      ;DRIVE UP YET?
1331 014574 001056      BNE      8$      ;YES START TEST
1332
1333 014576      WAITMS  #10.      ;WAIT A SECOND
1334 014610 005301      DEC      R1      ;SIXTY GONE BY
1335 014612 001365      BNE      9$      ;NO
1336 014614      PRINTF  #FMT24,#NOPWR
(8) 014614 012746 006166      MOV      #NOPWR,-(SP)
(7) 014620 012746 011776      MOV      #FMT24,-(SP)
(6) 014624 012746 000002      MOV      #2,-(SP)
(3) 014630 010600      MOV      SP,R0
(4) 014632 104417      TRAP     C$PNTF
(4) 014634 062706 000006      ADD      #6,SP
1337 014640      PRINTF  #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
(11) 014640 005046      CLR      -(SP)
(11) 014642 153716 003037      BISB    RLDRV+1,(SP)
(10) 014646 012746 006142      MOV      #DRVNAM,-(SP)
(9) 014652 013746 003032      MOV      RLBAS,-(SP)
(8) 014656 012746 006131      MOV      #BASADD,-(SP)
(7) 014662 012746 011172      MOV      #FMT5,-(SP)
(6) 014666 012746 000005      MOV      #5,-(SP)
(3) 014672 010600      MOV      SP,R0
(4) 014674 104417      TRAP     C$PNTF
(4) 014676 062706 000014      ADD      #14,SP
1338 014702      PRINTF  #FMT3
(7) 014702 012746 011156      MOV      #FMT3,-(SP)

```

CZRLNAO RLO1/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 N 5
INITIALIZATION SECTION PAGE 1-29

SEQ 0065

(6)	014706	012746	000001	MOV	#1,-(SP)	
(3)	014712	010600		MOV	SP,RO	
(4)	014714	104417		TRAP	C\$PNTF	
(4)	014716	062706	000004	ADD	#4,SP	
1339	014722			DODU	PSETNM	;DROP DRIVE
(3)	014722	013700	003446	MOV	PSETNM,RO	
(3)	014726	104451		TRAP	C\$DODU	
1340	014730			DOCLN		
(3)	014730	104444		TRAP	C\$DCLN	
1341	014732					
1342				8\$:		
1343	014732			ENDINIT		
(3)	014732			L10015:		
(3)	014732	104411		TRAP	C\$INIT	
1344	014734			ENDMOD		
1345						

1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357 014734
1358 014734 005037 003452
1359 014740
(7) 014740 012746 000340
(6) 014744 012746 015744
(5) 014750 013746 003234
(4) 014754 012746 000003
(3) 014760 104437
(2) 014762 062706 000010
1360
1361 014766 013702 003032
1362 014772 005762 000000
1363 014776 005737 003452
1364 015002 001447
1365 015004
(8) 015004 012746 007635
(7) 015010 012746 011776
(6) 015014 012746 000002
(3) 015020 010600
(4) 015022 104417
(4) 015024 062706 000006
1366 015030
(11) 015030 005046
(11) 015032 153716 003037
(10) 015036 012746 006142
(9) 015042 013746 003032
(8) 015046 012746 006131
(7) 015052 012746 011172
(6) 015056 012746 000005
(3) 015062 010600
(4) 015064 104417
(4) 015066 062706 000014
1367
1368 015072
(7) 015072 012746 011156
(6) 015076 012746 000001
(3) 015102 010600
(4) 015104 104417
(4) 015106 062706 000004
1369
1370 015112
(3) 015112 013700 003446
(3) 015116 104451
1371 015120 000460
1372 015122 013705 003036
1373 015126 052705 000200

.SBTTL AUTO DROP SECTION

:THE AUTO DROP SECTION IS INVOKED BY THE DIAGNOSTIC SUPERVISOR WHENEVER THE
: 'ADR' FLAG IS SET BY THE OPERATOR. IT IS EXECUTED AFTER THE INITIALIZATION
: CODE AND CHECKS THE DRIVE TO DETERMINE IF IT IS READY TO RECEIVE A COMMAND.
: IF THE DRIVE IS NOT READY IT IS DROPPED FROM THE TEST CYCLE AND THE NEXT
: DRIVE IS ACCESSED. IF THE DRIVE IS READY THE HARDWARE TESTS ARE PERFORMED
: AFTER WHICH THE NEXT DRIVE IS ACCESSED.

BGNAUTO

CLR TRPFLG ;CLEAR TRAP FLAG
SETVEC ERRVEC,#TRPHAN,#340 ;SET UP TRAP VECTOR TO DETECT
MOV #340,-(SP)
MOV #TRPHAN,-(SP)
MOV ERRVEC,-(SP)
MOV #3,-(SP)
TRAP C\$SVEC
ADD #10,SP

MOV RLBAS,R2 ;/NON-EXISTENT CONTROLLER
TST RLCS(R2) ;GET RL11 BASE ADDRESS
TST TRPFLG ;ACCESS DRIVE CONTROLLER ADDRESS
BEQ 1\$;DID TRAP OCCUR?
PRINTF #FMT24,#NOCTLR ;BRANCH TO CHECK DRIVE IF TRAP DID NOT OCCUR
MOV #NOCTLR,-(SP) ;ELSE, PRINT MSG. 'DRIVE DROPPED - NO CONTROLLER'
MOV #FMT24,-(SP)
MOV #2,-(SP)
MOV SP,R0
TRAP C\$PNTF
ADD #6,SP
PRINTF #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
CLR -(SP)
BISB RLDRV+1,(SP)
MOV #DRVNAM,-(SP)
MOV RLBAS,-(SP)
MOV #BASADD,-(SP)
MOV #FMT5,-(SP)
MOV #5,-(SP)
MOV SP,R0
TRAP C\$PNTF
ADD #14,SP

PRINTF #FMT3 ;PRINT DRIVE INFORMATION
MOV #FMT3,-(SP)
MOV #1,-(SP)
MOV SP,R0
TRAP C\$PNTF
ADD #4,SP

DODU PSETNM ;DO DROP UNIT ON DRIVE
MOV PSETNM,R0
TRAP C\$DODU
BR 2\$;BRANCH TO EXIT
1\$: MOV RLDRV,R5 ;ELSE, GET DRIVE NUMBER
BIS #CRDYMSK,R5 ;SET CONTROLLER READY

```
1374 015132 010562 000000      MOV    R5,RLCS(R2)      ;LOAD IN THE DRIVE NUMBER
1375 015136 032762 000001 000000  BIT    #DRDYMSK,RLCS(R2) ;IS DRIVE READY?
1376 015144 001046          BNE    2$              ;BRANCH TO PERFORM TESTS IF DRIVE IS READY
1377 015146          PRINTF #FMT24,#NOTRDY    ;PRINT MSG. 'DRIVE DROPPED - DID NOT RESPOND
      (8) 015146 012746 007673      MOV    #NOTRDY,-(SP)
      (7) 015152 012746 011776      MOV    #FMT24,-(SP)
      (6) 015156 012746 000002      MOV    #2,-(SP)
      (3) 015162 010600          MOV    SP,R0
      (4) 015164 104417          TRAP   C$PNTF
      (4) 015166 062706 000006      ADD    #6,SP
1378          ;/WITH 'READY''
1379 015172          PRINTF #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
      (11) 015172 005046          CLR    -(SP)
      (11) 015174 153716 003037      BISB   RLDRV+1,(SP)
      (10) 015200 012746 006142      MOV    #DRVNAM,-(SP)
      (9) 015204 013746 003032      MOV    RLBAS,-(SP)
      (8) 015210 012746 006131      MOV    #BASADD,-(SP)
      (7) 015214 012746 011172      MOV    #FMT5,-(SP)
      (6) 015220 012746 000005      MOV    #5,-(SP)
      (3) 015224 010600          MOV    SP,R0
      (4) 015226 104417          TRAP   C$PNTF
      (4) 015230 062706 000014      ADD    #14,SP
1380          ;PRINT DRIVE INFORMATION
1381 015234          PRINTF #FMT3
      (7) 015234 012746 011156      MOV    #FMT3,-(SP)
      (6) 015240 012746 000001      MOV    #1,-(SP)
      (3) 015244 010600          MOV    SP,R0
      (4) 015246 104417          TRAP   C$PNTF
      (4) 015250 062706 000004      ADD    #4,SP
1382 015254          DODU    PSETNM          ;DO DROP UNIT ON DRIVE
      (3) 015254 013700 003446      MOV    PSETNM,R0
      (3) 015250 104451          TRAP   C$DODU
1383 015262          2$: CLRVEC ERRVEC          ;RELEASE ERROR VECTOR
      (3) 015262 013700 003234      MOV    ERRVEC,R0
      (3) 015266 104436          TRAP   C$CVEC
1384 015270          ENDAUTO
      (3) 015270          L10016:
      (3) 015270 104461          TRAP   C$AUTO
1385
```

```

1387
1388      .SBTTL  CLEANUP CODE SECTION
1389
1390      BGNMOD  CLNCODE
1391      BGNCLN
1392
1393      SETVEC  ERRVEC,#TRPHAN,#340
(7)      MOV     #340,-(SP)
(6)      MOV     #TRPHAN,-(SP)
(5)      MOV     ERRVEC,-(SP)
(4)      MOV     #3,-(SP)
(3)      TRAP   C$SVEC
(2)      ADD    #10,SP
1394
1395      SETPRI  #7          ;SET PRIORITY TO 7
(3)      MOV     #7,R0
(3)      TRAP   C$SPRI
1396      BIT     #CRDYMSK,RLCS(R2) ;TEST IF CONTROLLER READY
1397      BEQ    3$          ;NO LOOP UNTIL READY
1398      BIS     RLDRV,RLCS(R2) ;SET DRIVE NUMBER
1399      BIT     #DRDYMSK,RLCS(R2) ;TEST IF DRIVE BUSY
1400      BNE    5$          ;NO - SKIP
1401      WAITMS #3          ;WAIT 300 MS
1402      CLRVEC RLVEC          ;RELEASE VEC
(3)      MOV     RLVEC,R0
(3)      TRAP   C$CVEC
1403      TST    PWRFLG          ;PWR FAIL SET
1404      BEQ    7$          ;NO
1405      DEC    PWRFLG
1406      CLRVEC ERRVEC
(3)      MOV     ERRVEC,R0
(3)      TRAP   C$CVEC
1407      BRESET
(3)      TRAP   C$RESET          ;TAKE CARE OF LSI-11
1408
1409      ENDCLN
(3)      L'0017:
(3)      TRAP   C$CLEAN
1410
1411      BGNDDU
1412      NOP
1413      ENDDU
(3)      L10020:
(3)      TRAP   C$DU
1414
1415      ENDMOD
1416
  
```

```

1418          .SBTTL  GLOBAL SUBROUTINES
1419
1420 015424      BGNMOD  GLBSUB
1421
1422
1423 015424 012737 000160 002116 TIME:  MOV    #160,L$DLY      ;GET OUTER DELAY LOOP
1424 015432 005237 003466          INC    TIM.US        ;US-WAIT ROUTINE INDICATOR
1425 015436 013737 003456 003462      MOV    XDELAY,MININC  ;SAVE ORIGINAL US-WAIT
1426 015444 005437 003456          NEG    XDELAY        ;GET NEGATIVE OF FACTOR
1427 015450          READBUS          ;Q - BUS?
   (3) 015450 104407          TRAP   C$RDBU
1428 015452          BCOMPLETE 2$          ;BRANCH - IF YES
   (2) 015452 103420          BCS   2$
1429 015454          1$: DELAY   #1.          ;WAIT
   (2) 015454 012727 000001          MOV    #1.,(PC)+
   (2) 015460 000000          .WORD 0
   (2) 015462 013727 002116          MOV    L$DLY,(PC)+
   (2) 015466 000000          .WORD 0
   (2) 015470 005367 177772          DEC   -6(PC)
   (2) 015474 001375          BNE   -.4
   (2) 015476 005367 177756          DEC   -22(PC)
   (2) 015502 001367          BNE   -.20
1430 015504 005237 003456          INC   XDELAY        ;WAIT FACTOR EXPIRED?
1431 015510 002761          BLT   1$            ;BRANCH - IF NO
1432 015512 000422          BR    4$
1433 015514 012737 000065 002116 2$: MOV    #65,L$DLY      ;GET TIME
1434 015522          3$: DELAY   #1.          ;GET OUTER DELAY LOOP
   (2) 015522 012727 000001          MOV    #1.,(PC)+      ;WAIT WITH RESPECT TO FONZ BUS
   (2) 015526 000000          .WORD 0
   (2) 015530 013727 002116          MOV    L$DLY,(PC)+
   (2) 015534 000000          .WORD 0
   (2) 015536 005367 177772          DEC   -6(PC)
   (2) 015542 001375          BNE   -.4
   (2) 015544 005367 177756          DEC   -22(PC)
   (2) 015550 001367          BNE   -.20
1435 015552 005237 003456          INC   XDELAY        ;WAIT FACTOR EXPIRED?
1436 015556 002761          BLT   3$            ;BRANCH - IF NO
1437 015560 063737 003462 003122 4$: ADD    MININC,TEMPO  ;GET TIME EXPIRED
1438 015566 000207          RTS    PC           ;RETURN
1439
1440
1441 015570 012737 000160 002116 XTIME: MOV    #160,L$DLY      ;GET OUTER DELAY LOOP
1442 015576 005037 003466          CLR   TIM.US        ;MS. WAIT INDICATOR
1443 015602 013737 003460 003472      MOV    YDELAY,MAJINC ;SAVE ORIGINAL WAIT MS
1444 015610 006337 003460          ASL   YDELAY        ;MULTIPLY BY FACTOR 4
1445 015614 006337 003460          ASL   YDELAY
1446 015620 005437 003460          NEG   YDELAY
1447 015624          READBUS          ;GET NEGATIVE OF RESULT
   (3) 015624 104407          TRAP   C$RDBU        ;Q - BUS?
1448 015626          BNCOMPLETE 1$          ;BRANCH - IF NO
   (2) 015626 103023          BCC   1$
1449 015630 012737 000150 002116      MOV    #150,L$DLY    ;GET OUTER DELAY LOOP
1450 015636          2$: DELAY   #20          ;WAIT WITH RESPECT TO FONZ BUS
   (2) 015636 012727 000020          MOV    #20,(PC)+
   (2) 015642 000000          .WORD 0
   (2) 015644 013727 002116          MOV    L$DLY,(PC)+
  
```

```
(2) 015650 000000 .WORD 0
(2) 015652 005367 177772 DEC -6(PC)
(2) 015656 001375 BNE -4
(2) 015660 005367 177756 DEC -22(PC)
(2) 015664 001367 BNE -20
1451 015666 005237 003460 INC YDELAY ;WAIT FACTOR EXPIRED
1452 015672 002761 BLT 2$ ;BRANCH - IF NO
1453 015674 000417 BR 3$ ;GET TIME
1454 015676 1$: DELAY #10 ;WAIT
(2) 015676 012727 000010 MOV ##10,(PC)+
(2) 015702 000000 .WORD 0
(2) 015704 013727 002116 MOV L$DLY,(PC)+
(2) 015710 000000 .WORD 0
(2) 015712 005367 177772 DEC -6(PC)
(2) 015716 001375 BNE -4
(2) 015720 005367 177756 DEC -22(PC)
(2) 015724 001367 BNE -20
1455 015726 005237 003460 INC YDELAY ;WAIT FACTOR EXPIRED?
1456 015732 002761 BLT 1$ ;BRANCH - IF NC
1457 015734 063737 003472 003464 3$: ADD MAJINC,TEMP ;GET EXPIRED TIME
1458 015742 000207 RTS PC ;RETURN
1459
1460
1461
1462 015744 BGNSRV
1463
1464 ;TRAP HANDLER INDICATES OCCURRENCE OF A TRAP.
1465
1466 015744 005237 003452 TRPHAN: INC TRPFLG
1467
1468 015750 ENDSRV
(3) 015750 L10021:
(2) 015750 000002 RTI
1469
1470 015752 BGNSRV
1471
1472 ;INTERRUPT HANDLER. ABORTS WAIT TIMER AND STORES RL11 REGISTERS.
1473
1474 015752 INTHLR:
1475
1476 015752 012237 003050 MOV (R2)+,T.CS ;STORE RL REGISTERS
1477 015756 012237 003052 MOV (R2)+,T.BA
1478 015762 012237 003054 MOV (R2)+,T.DA
1479 015766 011237 003056 MOV (R2),T.MP
1480 015772 012737 177777 003012 MOV #-1,DONE ;SET DONE FLAG
1481 016000 013702 003032 MOV RLBAS,R2 ;RESTORE R2
1482 016004 ABORTWAIT
1483
1484 016030 ENDSRV
(3) 016030 L10022:
(2) 016030 000002 RTI
1485
```

```

1487
1488      :      ERROR LIMIT CHECKING ROUTINE
1489      :      DROPS DRIVE IF ERROR LIMIT EXCEEDED
1490
1491
1492 016032 027737 165204 013732 CKERLM: CMP      @ERRPOINT,ERLIMW      ;TEST IF ERROR LIMIT EXCEEDED
1493 016040 002453      BLT      1$              ;NO - SKIP
1494 016042      INLOOP      ;CHECK IF IN ERROR LOOP
(3) 016042 104420      TRAP      C$INLP
1495 016044      CCOMPLETE  1$              ;YES - SKIP
(2) 016044 103451      BCS      1$
1496 016046      PRINTF    #FMT25,ERLIMW,#MEXERS
(9) 016046 012746 010657      MOV      #MEXERS,-(SP)
(8) 016052 013746 013732      MOV      ERLIMW,-(SP)
(7) 016056 012746 012003      MOV      #FMT25,-(SP)
(6) 016062 012746 000003      MOV      #3,-(SP)
(3) 016066 010600      MOV      SP,R0
(4) 016070 104417      TRAP      C$PNTF
(4) 016072 062706 000010      ADD      #10,SP
1497 016076      PRINTF    #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
(11) 016076 005046      CLR      -(SP)
(11) 016100 153716 003037      BISB    RLDRV+1,(SP)
(10) 016104 012746 006142      MOV      #DRVNAM,-(SP)
(9) 016110 013746 003032      MOV      RLBAS,-(SP)
(8) 016114 012746 006131      MOV      #BASADD,-(SP)
(7) 016120 012746 011172      MOV      #FMT5,-(SP)
(6) 016124 012746 000005      MOV      #5,-(SP)
(3) 016130 010600      MOV      SP,R0
(4) 016132 104417      TRAP      C$PNTF
(4) 016134 062706 000014      ADD      #14,SP
1498 016140      PRINTF    #FMT3
(7) 016140 012746 011156      MOV      #FMT3,-(SP)
(6) 016144 012746 000001      MOV      #1,-(SP)
(3) 016150 010600      MOV      SP,R0
(4) 016152 104417      TRAP      C$PNTF
(4) 016154 062706 000004      ADD      #4,SP
1499 016160      DODU     PSETNM              ;DROP DRIVE
(3) 016160 013700 003446      MOV      PSETNM,R0
(3) 016164 104451      TRAP      C$DODU
1500 016166      DOCLN   ;GO TO CLEAN JP
(3) 016166 104444      TRAP      C$DCLN
1501 016170 000207      1$:      RTS      PC
1502
1503      :      READ AND STORE ALL RL11 REGISTERS
1504 016172 016237 000000 003050 READRL: MOV      RLCSR(R2),T.CS      ;GET CS REG
1505 016200 016237 000002 003052      MOV      RLBA(R2),T.BA      ;GET BUS ADDRESS REG
1506 016206 016237 000004 003054      MOV      RLDA(R2),T.DA      ;GET DISK ADDRESS
1507 016214 016237 000006 003056      MOV      RLMP(R2),T.MP      ;GET MULTI-PURPOSE REG
1508 016222 000207      RTS      PC              ;RETURN
1509
1510      :      WAIT FOR CONTROLLER TIMEOUT TO FORCE INTERRUPT ROUTINE
1511 016224 011646      WAITIN: MOV      (SP),-(SP)      ;MAKE ROOM FOR ERROR POINTER
1512 016226 005066 000002      CLR      2(SP)              ;CLEAR FOR POINTER
1513 016232 032762 000200 000000      BIT      #CRDYMSK,RLCSR(R2) ;TEST IF CONTROLLER READY
1514 016240 001420      BEQ     4$              ;NO - SKIP TO WAIT
1515 016242 004737 016172      JSR     PC,READRL        ;READ ALL RL REGS

```



```

1516 016246 005737 003012      TST      DONE          ;TEST IF INTERRUPT OCCURRED
1517 016252 001435              BEQ      5$            ;NO - GO SET NO INTERRUPT ERR FLAG
1518 016254 012766 006306 000002 1$:      MOV      #MTOSLOW,2(SP) ;ELSE SET TOO SLOW ERROR POINTER
1519 016262 032737 002000 003050      BIT      #OPIERR,T.CS  ;TEST IF OPI SET
1520 016270 001403              BEQ      2$            ;NO - SKIP
1521 016272 012766 006326 000002      MOV      #MDRRES,2(SP) ;SET MESSAGE FOR NO DRIVE RESPONSE
1522 016300 000207              RTS      PC            ;RETURN
1523 016302              4$:      WAITMS   #3          ;WAIT 300 MS FOR TIMEOUT
1524 016314 032762 000200 000000      BIT      #CRDYMSK,RLCS(R2) ;TEST IF READY NOW SET
1525 016322 001006              BNE      3$            ;YES - SKIP
1526 016324 004737 016172              JSR      PC,READRL     ;READ RL REGS
1527 016330 012766 006377 000002      MOV      #MCONHNG,2(SP) ;SET MESSAGE FOR CONTROLLER HUNG
1528 016336 000760              BR       2$            ;SKIP
1529 016340 005737 003012      3$:      TST      DONE          ;ELSE CHECK IF INTERRUPT OCCURRED
1530 016344 001343              BNE      1$            ;YES - SKIP TO SET TOO SLOW
1531 016346 004737 016172      5$:      JSR      PC,READRL     ;READ RL REGS
1532 016352 012766 006344 000002      MOV      #MNOINT,2(SP) ;ELSE SET NO INTERRUPT FLAG
1533 016360 000747              BR       2$            ;GO TO RETURN
1534
1535
1536 016362 005037 003010      ;          ;          ;OPERATION AND TEST INITIALIZE ROUTINE
1537 016366 105037 003451      ;          ;          ;          ;          ;          ;          ;
1538 016372 005037 003020      ;          ;          ;          ;          ;          ;          ;
1539 016376 000207      ;          ;          ;          ;          ;          ;          ;
1540
1541
1542 016400 013746 003132      ;          ;          ;GET STATUS AND GET STATUS WITH RESET ROUTINE
1543 016404 012737 000013 003132      ;          ;          ;          ;          ;          ;          ;
1544 016412 000412              ;          ;          ;          ;          ;          ;          ;
1545 016414 013746 003132      ;          ;          ;          ;          ;          ;          ;
1546 016420 012737 000003 003132      ;          ;          ;          ;          ;          ;          ;
1547 016426 000404              ;          ;          ;          ;          ;          ;          ;
1548 016430 013746 003132      ;          ;          ;          ;          ;          ;          ;
1549 016434 005037 003132      ;          ;          ;          ;          ;          ;          ;
1550 016440 010346      ;          ;          ;          ;          ;          ;          ;
1551 016442 013703 003006      ;          ;          ;          ;          ;          ;          ;
1552 016446 005723              ;          ;          ;          ;          ;          ;          ;
1553 016450 016663 000004 002410      ;          ;          ;          ;          ;          ;          ;
1554 016456 162763 000004 002410      ;          ;          ;          ;          ;          ;          ;
1555 016464 010337 003006      ;          ;          ;          ;          ;          ;          ;
1556 016470 010046              ;          ;          ;          ;          ;          ;          ;
1557 016472 010146              ;          ;          ;          ;          ;          ;          ;
1558 016474 012737 000002 003022      ;          ;          ;          ;          ;          ;          ;
1559 016502 032737 000010 003132      ;          ;          ;          ;          ;          ;          ;
1560 016510 001460              ;          ;          ;          ;          ;          ;          ;
1561 016512 032762 040000 000000      ;          ;          ;          ;          ;          ;          ;
1562 016520 001405              ;          ;          ;          ;          ;          ;          ;
1563 016522              ;          ;          ;          ;          ;          ;          ;
1564 016534 012701 000062      49$:     MOV      #50.,R1      ;INITIALIZE WAIT COUNT
1565 016540 004737 016430      50$:     JSR      PC,GSTAT     ;GET DRIVE STATUS
1566 016544 017230              ;          ;          ;          ;          ;          ;          ;
1567 016546 032737 000001 003050      ;          ;          ;          ;          ;          ;          ;
1568 016554 001054              ;          ;          ;          ;          ;          ;          ;
1569 016556 032737 000020 003056      ;          ;          ;          ;          ;          ;          ;
1570 016564 001010              ;          ;          ;          ;          ;          ;          ;
1571 016566 032737 144000 003056      ;          ;          ;          ;          ;          ;          ;

```

```

1572                                     ;THAT CAUSED HEADS TO
1573                                     ;UNLOAD
1574 016574 001444                      BEQ      5$      ;NO - SKIP
1575 016576 052737 040000 003010        BIS      #RELDWT,OPFLAG ;ELSE SET WAIT FLAG
1576 016604 000440                      BR       5$      ;SKIP TO CLEAR
1577 016606 032737 040000 003050 51$:  BIT      #DRVERR,T.CS  ;TEST IF DRIVE ERROR NOW
1578 016614 001034                      BNE      5$      ;YES - SKIP TO CLEAR
1579 016616                                WAITMS  #1      ;WAIT FOR DRIVE TO GET ERROR, RDY, OR HEADS OUT
1580 016630 005301                      DEC      R1      ;DEC WAIT COUNTER
1581 016632 001342                      BNE      50$     ;IF NOT DONE, LOOP
1582 016634 012703 010541              MOV      #MUNDEF,R3 ;MESSAGE FOR UNDEFINED STATE
1583 016640                      ERRHRD  10001,,,ERR1
   (4) 016640 104456                    TRAP    C$ERHRD
   (5) 016642 023421                    .WORD  10001
   (5) 016644 000000                    .WORD  0
   (5) 016646 012070                    .WORD  ERR1
1584 016650 000565                      BR       14$     ;EXIT
1585 016652 005737 003132              11$:  TST     TEMP4  ;TEST IF SAVE REGISTERS
1586 016656 001013                      DNE      5$      ;NO SKIP
1587 016660 012701 000004              MOV      #4,R1   ;SET SAVE COUNT
1588 016664 012703 003050              MOV      #L.MP+2,R3 ;SET ADDRESS OF FIRST SAVE
1589 016670 014346                      8$:  MOV      -(R3),-(SP) ;PUT REG ON STACK
1590 016672 005301                      DEC      R1      ;DEC COUNT
1591 016674 001375                      BNE      8$      ;LOOP UNTIL ALL SAVED
1592 016676 012737 000003 003044      MOV      #GETSTAT,L.DA ;SET FOR GET STATUS
1593 016704 000403                      BR       6$      ;SKIP
1594 016706 013737 003132 003044 5$:  MOV      TEMP4,L.DA ;INSERT PRESET FOR STATUS
1595 016714                      6$:
1596 016714 005037 003012              CLR      DONE    ;CLEAR INTERRUPT FLAG
1597 016720 013737 003036 003040      MOV      RLDRV,L.CS ;SET UP TO GET STATUS
1598 016726 042737 002000 003040      BIC      #BIT10,L.CS ;CLEAR FOR DRIVE 4 - 7 SPEC'D
1599 016734 052737 000104 003040      BIS      #GTSTAT,L.CS
1600 016742 013762 003044 000004      MOV      L.DA,RLDA(R2) ;LOAD RL REGS
1601 016750 013762 003040 000000      MOV      L.CS,RLCSR(R2) ;LOAD CS REG
1602 016756                                WAITUS  #1      ;WAIT 100 US FOR INTERRUPT
1603 016770 005737 003012              TST     DONE    ;CHECK IF INTERRUPT OCCURRED
1604 016774 001504                      BEQ      1$      ;NO - SKIP
1605 016776 013737 003056 003064 4$:  MOV      T.MP,T.STAT ;STORE MP REGISTER
1606 017004 042737 177770 003064      BIC      #*C<STAMSK>,T.STAT ;CLEAR ALL BUT STATE
1607 017012 032737 000010 003044      BIT      #DRSET,L.DA ;TEST IF RESET WAS SPECIFIED
1608 017020 001503                      BEQ      3$      ;NO - SKIP TO EXIT
1609 017022 032737 040000 003010      BIT      #RELDWT,OPFLAG ;TEST IF RELOAD WAIT FLAG SET
1610 017030 001427                      BEQ      12$     ;NO - SKIP
1611 017032 012701 001130              MOV      #600,,R1 ;SET WAIT COUNT FOR 60 SECONDS
1612 017036 032762 000001 000000 13$:  BIT      #DRDYMSK,RLCS(R2) ;TEST IF DRIVE NOW READY
1613 017044 001021                      BNE      12$     ;YES - SKIP
1614 017046                                WAITMS  #1      ;CALL WAIT
1615 017060 005301                      DEC      R1      ;DEC COUNT
1616 017062 001365                      BNE      13$     ;LOOP IF NOT 0
1617 017064 004737 016430              JSR     PC,GSTAT ;GET DRIVE STATUS
1618 017070 017230                      3$      ;ERROR RETURN
1619 017072 012703 010606              MOV      #MRLFAL,R3 ;SET RESULT MESSAGE POINTER
1620 017076                      ERRHRD  10003,,,ERR1
   (4) 017076 104456                    TRAP    C$ERHRD
   (5) 017100 023423                    .WORD  10003
   (5) 017102 000000                    .WORD  0

```

```

(5) 017104 012070          .WORD  ERR1
1621 017106 000446          BR      14$          ;GO TO EXIT
1622 017110                12$:  WAITUS  #10.          ;WAIT FOR 1MS
1623 017122 004737 016430  JSR     PC,GSTAT    ;GET DRIVE STATUS
1624 017126 017230          3$
1625 017130 032737 100000 003050 BIT     #ANYERR,T.CS ;TEST IF ANY ERROR
1626 017136 001434          BEQ     3$          ;NO - SKIP
1627 017140 032737 001000 003056 BIT     #VCSTAT,T.MP ;CHECK IF VOLUME CHECK RESET
1628 017146 001403          BEQ     7$          ;YES SKIP
1629 017150 012703 006433  MOV     #VCNRST,R3   ;SET REASON POINTER
1630 017154 000417          BR      2$          ;EXIT
1631 017156 032737 040000 003050 7$:  BIT     #DRVERR,T.CS ;CHECK IF DRIVE ERROR
1632 017164 001405          BEQ     9$          ;NO - SKIP
1633 017166                ERRHRD  10004...ERR6
(4) 017166 104456          TRAP   C$ERRHRD
(5) 017170 023424          .WORD  10004
(5) 017172 000000          .WORD  0
(5) 017174 012372          .WORD  ERR6
1634 017176 000412          BR      14$          ;EXIT
1635 017200 012703 006454  9$:  MOV     #UNXERR,R3 ;SET REASON POINTER
1636 017204 000403          BR      2$          ;EXIT
1637 017206 004737 016224  1$:  JSR     PC,WAITIN  ;WAIT FOR INTERRUPT
1638 017212 012603          MOV     (SP)+,R3    ;STORE REASON POINTER FOR RETURN
1639 017214                2$:  ERRHRD  10002...ERR1
(4) 017214 104456          TRAP   C$ERRHRD
(5) 017216 023422          .WORD  10002
(5) 017220 000000          .WORD  0
(5) 017222 012070          .WORD  ERR1
1640 017224 005037 003022  14$:  CLR     ERRSWI     ;CLEAR FOR ERROR RETURN
1641 017230 005737 003132  3$:  TST     TEMP4     ;TEST IF REGISTERS WERE SAVED
1642 017234 001007          BNE    22$          ;NO - SKIP
1643 017236 012703 003040  MOV     #L.CS,R3    ;SET POINTER TO RESTORE
1644 017242 012701 000004  MOV     #4,R1       ;SET REGISTER COUNT
1645 017246 012623          20$:  MOV     (SP)+,(R3)+ ;RESTORE REG
1646 017250 005301          DEC     R1         ;DEC COUNT
1647 017252 001375          BNE    20$          ;LOOP UNTIL ALL ARE RESTORED
1648 017254 162737 000002 003006 22$:  SUB     #2,SSINDX   ;REMOVE ENTRY FROM SUBROUT STACK
1649 017262 012601          MOV     (SP)+,R1    ;RESTORE R1
1650 017264 012600          MOV     (SP)+,R0    ;RESTORE R0
1651 017266 012603          MOV     (SP)+,R3    ;RESTORE R3
1652 017270 012637 003132  MOV     (SP)+,TEMP4 ;RESTORE TEMP4
1653 017274 005737 003022  TST     ERRSWI     ;TEST IF ERROR RETURN
1654 017300 001403          BEQ     99$          ;YES - SKIP
1655 017302 063716 003022  ADD     ERRSWI,(SP) ;ADD IN ERROR RETURN
1656 017306 000207          RTS     PC
1657 017310 017616 000000  99$:  MOV     @ (SP),(SP) ;SET ERROR RETURN ADDRESS
1658 017314 000207          RTS     PC
1659
1660
1661                ;
1662 017316 012737 177777 003124 XSEEK: MOV     #-1,TEMP1 ;SET SPECIAL TIMING SEEK FLAG
1663 017324 000402          BR      XSEEK1
1664 017326 005037 003124  XSEEK: CLR     TEMP1 ;CLEAR SPECIAL SEEK FOR TIMING FLAG
1665 017332 010346          XSEEK1: MOV     R3,-(SP) ;STORE R3
1666 017334 013703 003006  MOV     SSINDX,R3  ;GET SUBROUTINE INDEX
1667 017340 005723          TST     (R3)+      ;BUMP IT FOR NEXT ENTRY

```

1668	017342	016663	000002	002410	MOV	2(SP),SUBSTK(R3)	:INSERT THIS CALL
1669	017350	162763	000004	002410	SUB	#4,SUBSTK(R3)	:ADJUST IT TO CALLING LOCATION
1670	017356	010337	003006		MOV	R3,SSINDX	:STORE IT BACK
1671	017362	010046			MOV	R0,-(SP)	
1672	017364	010146			MOV	R1,-(SP)	
1673	017366	010546			MOV	R5,-(SP)	:STORE REG
1674	017370	012737	000002	003022	MOV	#2,ERRSWI	:SET FOR NO ERROR RETURN
1675	017376	005037	003102		CLR	DIFAUG	:CLEAR DIFFERENCE AUGMENT (FOR SEEKING
1676							: PAST GUARD BAND)
1677	017402	004737	022506		JSR	PC,GETPOS	:GET PRESENT POSITION
1678	017406	020040			65\$		
1679	017410	013737	003110	003104	MOV	CURCYL,OLDCYL	:MOVE CURRENT TO OLD CYLINDER
1680	017416	023737	003106	002306	CMP	NEWCYL,HLMTW	:TEST IF NEW IS GREATER THAN 255
1681	017424	003427			BLE	3\$:NO - SKIP
1682	017426	163737	002306	003106	SUB	HLMTW,NEWCYL	:ELSE SUBTRACT 255.
1683	017434	013737	003106	003102	MOV	NEWCYL,DIFAUG	:STORE DIFFERENCE AS AUGMENT
1684	017442	013737	002306	003106	MOV	HLMTW,NEWCYL	:SET NEWCYL AS 255.
1685	017450	022737	000001	002302	CMP	#1,T.DRIVE	
1686	017456	001424			BEQ	6\$	
1687	017460	162737	000001	003106	SUB	#1,NEWCYL	
1688	017466	012737	000001	003114	MOV	#1,DESSGN	
1689	017474	012737	000001	003112	MOV	#1,DESDIF	
1690	017502	000451			BR	18\$	
1691	017504	005737	003106		3\$: TST	NEWCYL	:TEST IF NEWCYL HAS NEGATIVE VALUE
1692	017510	100007			BPL	6\$:NO - SKIP
1693	017512	005437	003106		NEG	NEWCYL	:ELSE MAKE IT POSITIVE
1694	017516	013737	003106	003102	MOV	NEWCYL,DIFAUG	:AND STORE IT AS AUGMENT
1695	017524	005037	003106		CLR	NEWCYL	:AND SET NEWCYL TO 0
1696	017530	013705	003110		6\$: MOV	CURCYL,R5	:COMPUTE DIFFERENCE AND NEW CYLINDER
1697	017534	163705	003106		SUB	NEWCYL,R5	:SUB NEWCYL FROM CURCYL
1698	017540	100005			BPL	13\$:IF DIFF IS POSITIVE - SKIP(REV SEEK)
1699	017542	012737	000001	003114	MOV	#1,DESSGN	:ELSE SET SIGN FOR FORWARD
1700	017550	005405			NEG	R5	:MAKE DIFFERENCE POSITIVE
1701	017552	000402			BR	14\$:SKIP
1702	017554	005037	003114		13\$: CLR	DESSGN	:SET SIGN FOR REVERSE
1703	017560	010537	003112		14\$: MOV	R5,DESDIF	:STORE DIFFERENCE
1704	017564	005737	003102		TST	DIFAUG	:IS THERE A DIFFERENCE AUGMENT
1705	017570	001416			BEQ	18\$:NO - SKIP
1706	017572	023737	003106	002306	CMP	NEWCYL,HLMTW	:CHECK IF NEW CYL IS 255.
1707	017600	001007			BNE	17\$:NO - SKIP
1708	017602	012737	000001	003114	MOV	#1,DESSGN	:ELSE FORCE SIGN FOR FORWARD
1709							: (INNER GUARD BAND)
1710	017610	022737	000001	002302	CMP	#1,T.DRIVE	
1711	017616	001003			BNE	18\$	
1712	017620	063737	003102	003112	17\$: ADD	DIFAUG,DESDIF	
1713	017626				18\$:		
1714	017626	012705	003040		MOV	#L,CS,R5	:GET L REG ADDRESS
1715	017632	012715	000106		MOV	#SEEK,(R5)	:SET FOR SEEK
1716	017636	053715	003036		BIS	RLDRV,(R5)	:INSERT DRIVE NUMBER
1717	017642	042725	002000		BIC	#BIT10,(R5)+	:CLEAR IF DRIVE 4 - 7 SPEC'D
1718	017646	005025			CLR	(R5)+	:CLEAR BUS ADDRESS
1719	017650	013715	003112		MOV	DESDIF,(R5)	:LOAD DIFFERENCE
1720	017654	012700	000007		MOV	#7,R0	:SET TO SHIFT DIFFERENCE
1721	017660	006315			21\$: ASL	(R5)	
1722	017662	005300			DEC	R0	
1723	017664	001375			BNE	21\$:LOOP UNTIL ALIGNED

```

1724 017666 005737 003114      TST    DESSGN      ;TEST SIGN
1725 017672 001402              BEQ    23$         ;SKIP IF 0
1726 017674 052715 000004      BIS    #DIRBIT,(R5) ;ELSE INSERT SIGN
1727 017700 005737 003116      23$:  TST    DESHD      ;TEST IF HEAD 0
1728 017704 001402              BEQ    25$         ;YES - SKIP
1729 017706 052715 000020      BIS    #HDSEL,(R5) ;ELSE SET HEAD BIT
1730 017712 052725 000001      25$:  BIS    #MBSET0,(R5)+ ;INSERT MARKER BIT
1731 017716 004737 020444      JSR    PC,RDYCHK   ;CHECK IF DRIVE READY
1732 017722 020040              65$
1733 017724 005037 003012      CLR    DONE        ;CLEAR INTERRUPT FLAG
1734 017730 005737 003124      TST    TEMP1       ;CHECK IF SPECIAL SEEK FLAG SET
1735 017734 001041              BNE    65$         ;YES - SKIP, DO NOT START SEEK
1736 017736 014562 000004      MOV    -(R5),RLDA(R2) ;LOAD RL REGISTERS
1737 017742 014562 000002      MOV    -(R5),RLBA(R2)
1738 017746 014562 000000      MOV    -(R5),RLCS(R2)
1739 017752              30$:  WAITUS  #10.
1740 017764 005737 003012      TST    DONE        ;TEST IF INTERRUPT DONE
1741 017770 001012              BNE    32$         ;YES - SKIP
1742 017772 004737 016224      JSR    PC,WAITIN   ;GO WAIT FOR INTERRUPT
1743 017776 012603              MOV    (SP)+,R3    ;GET RESULT MESSAGE POINTER
1744 020000              ERRHRD 10005...ERR1
   (4) 020000 104456      TRAP  C$ERRHRD
   (5) 020002 023425      .WORD 10005
   (5) 020004 000000      .WORD 0
   (5) 020006 012070      .WORD ERR1
1745 020010 005037 003022      CLR    ERRSWI      ;CLEAR FOR ERROR RETURN
1746 020014 000411              BR     65$
1747 020016 005737 003050      32$:  TST    T.CS      ;TEST IF ANY ERROR
1748 020022 100006              BPL    65$         ;NO - SKIP
1749 020024              ERRHRD 10006...ERR6
   (4) 020024 104456      TRAP  C$ERRHRD
   (5) 020026 023426      .WORD 10006
   (5) 020030 000000      .WORD 0
   (5) 020032 012372      .WORD ERR6
1750 020034 005037 003022      CLR    ERRSWI      ;CLEAR FOR ERROR RETURN
1751 020040 162737 000002 003006 65$:  SUB    #2,SSINDX   ;REMOVE ENTRY FROM SUBROUT STACK
1752 020046 012605              MOV    (SP)+,R5    ;RESTORE REGISTERS
1753 020050 012601              MOV    (SP)+,R1
1754 020052 012600              MOV    (SP)+,R0
1755 020054 012603              MOV    (SP)+,R3
1756 020056 005737 003022      TST    ERRSWI      ;TEST IF ERROR RETURN
1757 020062 001403              BEQ    99$         ;YES - SKIP
1758 020064 063716 003022      ADD    ERRSWI,(SP) ;ADD IN ERROR RETURN
1759 020070 000207              RTS    PC
1760 020072 017616 000000      99$:  MOV    @ (SP),(SP) ;SET ERROR RETURN ADDRESS
1761 020076 000207              RTS    PC
1762
1819
1821 ;
1822 ; POSITION HEADS ROUTINE. POSITIONS HEADS USING 1 CYLINDER SEEKS
1823 ; TO CYLINDER SPECIFIED IN R5 BY THE CALLING ROUTINE
   POSHDS: MOV    R3,-(SP) ;SAVE REGS
1824 020102 013703 003006      MOV    SSINDX,R3  ;GET SUBROUTINE INDEX
1825 020106 005723              TST    (R3)+      ;BUMP IT FOR NEXT ENTRY
1826 020110 016663 000002 002410      MOV    2(SP),SUBSTK(R3) ;INSERT THIS CALL
1827 020116 162763 000004 002410      SUB    #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
1828 020124 010337 003006      MOV    R3,SSINDX  ;STORE IT BACK

```

```
1829 020130 010346          MOV      R3,-(SP)
1830 020132 010446          MOV      R4,-(SP)
1831 020134 012737 000002 003022  MOV      #2,ERRSWI      ;SET FOR NO ERROR RETURN
1832 020142 004737 022506          JSR      PC,GETPOS      ;GET CURRENT POSITION
1833 020146 020406          PH65$
1834 020150 012704 000012          MOV      #10.,R4      ;SET RETRY COUNT
1835 020154          BGNSEG
(3) 020154 104404          TRAP     C$BSEG
1836 020156          1$: INLOOP          ;CHECK IF IN ERROR LOOP
(3) 020156 104420          TRAP     C$INLP
1837 020160          BNCOMPLETE 5$      ;NO - SKIP
(2) 020160 103012          BCC      5$
1838 020162 004737 022506          JSR      PC,GETPOS      ;ELSE GET POSITION
1839 020166 020404          60$
1840 020170 023737 003110 003106  CMP      CURCYL,NEWCYL  ;CHECK IF AT INTENDED POSITION
1841 020176 001017          BNE      8$            ;NO - SKIP
1842 020200 004737 021004          JSR      PC,ONSWAP      ;SWAP OLDCYL AND NEWCYL
1843 020204 000414          BR       8$            ;SKIP
1844 020206 013737 003110 003104 5$: MOV      CURCYL,OLDCYL  ;IN NOT LOOPING, STORE CURCYL AS OLDCYL
1845 020214 023705 003110          CMP      CURCYL,R5      ;CHECK IF HDS AT FINAL POSITION
1846 020220 001471          BEQ      60$           ;YES - GO TO EXIT
1847 020222 003003          BGT      7$            ;IF CURCYL > FINAL POSITION - SKIP
1848 020224 005237 003106          INC      NEWCYL         ;ELSE BUMP NEWCYL (MOVE HDS IN)
1849 020230 000402          BR       8$            ;SKIP
1850 020232 005337 003106          7$: DEC      NEWCYL      ;DEC NEWCYL (MOVE HDS OUT)
1851 020236 004737 017326          8$: JSR      PC,XSEEK     ;DO SEEK
1852 020242 020404          60$
1853 020244 012701 005670          MOV      #3000.,R1      ;SET WAIT COUNT 300 MS
1854 020250 004737 022222          JSR      PC,RDYWAIT     ;WAIT FOR DRIVE READY
1855 020254 020404          60$
1856 020256 005737 003050          TST      T.CS          ;TEST IF ANY ERROR
1857 020262 100007          BPL      10$          ;NO - SKIP
1858 020264          ERRHRD 10008.,,ERR6
(4) 020264 104456          TRAP     C$ERRHD
(5) 020266 023430          .WORD   10008
(5) 020270 000000          .WORD   0
(5) 020272 012372          .WORD   ERR6
1859 020274 005037 003022          CLR      ERRSWI        ;CLEAR FOR ERROR ERROR RETURN
1860 020300 000441          BR       60$
1861 020302 004737 022506          10$: JSR      PC,GETPOS     ;GET POSITION
1862 020306 020404          60$
1863 020310 023737 003110 003106  CMP      CURCYL,NEWCYL  ;CHECK IF ARRIVED AT DESIRED PLACE
1864 020316 001003          BNE      15$          ;NO - SKIP
1865 020320 012704 000012          14$: MOV      #10.,R4      ;ELSE INIT RETRY COUNT
1866 020324 000714          BR       1$            ;GO DO NEXT SEEK
1867 020326 005737 003114          15$: TST      DESSGN      ;TEST IF GOING IN
1868 020332 001017          BNE      17$          ;YES - SKIP
1869 020334 023737 003110 003106  CMP      CURCYL,NEWCYL  ;CHECK IF HEADS DID NOT MOVE IN
1870 020342 003366          BGT      14$          ;YES - SKIP
1871 020344 005304          16$: DEC      R4          ;DEC RETRY COUNT
1872 020346 001333          BNE      8$            ;DO ANOTHER SEEK IF NOT 0
1873 020350 012703 007313          MOV      #HDMOVF,R3     ;ELSE SET RESULT MESSAGE POINTER
1874 020354          ERRHRD 10009.,,ERR1
(4) 020354 104456          TRAP     C$ERRHD
(5) 020356 023431          .WORD   10009
(5) 020360 000000          .WORD   0
```

```

(5) 020362 012070
1875 020364 005037 003022
1876 020370 000405
1877 020372 023737 003110 003106 17$:
1878 020400 002747
1879 020402 000760
1880 020404
1881 020404
1882 020404
(3) 020404
(3) 020404 104405
1883 020406 162737 000002 003006 PH65$:
1884 020414 012604
1885 020416 012600
1886 020420 012603
1887 020422 005737 003022
1888 020426 001403
1889 020430 063716 003022
1890 020434 000207
1891 020436 017616 000000 99$:
1892 020442 000207
1893
1895
1896
1897 020444 010346
1898 020446 013703 003006
1899 020452 005723
1900 020454 016663 000002 002410
1901 020462 162763 000004 002410
1902 020470 010337 003006
1903 020474 010046
1904 020476 010146
1905 020500 010446
1906 020502 012737 000002 003022
1907 020510 012701 011610
1908 020514 004737 016430 1$:
1909 020520 020654
1910 020522 032737 000001 003050
1911 020530 001053
1912 020532
1913 020544 005301
1914 020546 001362
1915 020550 012703 010124
1916 020554 012704 011011
1917 020560
(4) 020560 104456
(5) 020562 023432
(5) 020564 000000
(5) 020566 012322
1918 020570 012701 000062
1919 020574 004737 016430 2$:
1920 020600 020654
1921 020602 032737 000001 003050
1922 020610 001007
1923 020612
1924 020624 005301

```

```

        .WORD  ERR1
        CLR    ERRSWI      ;CLEAR FOR ERROR ERROR RETURN
        BR     60$
        CMP    CURCYL,NEWCYL ;HDS SHOULD MOVE OUT, CHK THEY DID
        BLT   14$          ;YES - SKIP
        BR     16$          ;ELSE GO DEC AND RETRY
20$:
60$:
ENDSEG
10000$:
        TRAP   C$ESEG
        SUB    #2,SSINDX    ;REMOVE ENTRY FROM SUBROUT STACK
        MOV    (SP)+,R4     ;RESTORE REGISTERS
        MOV    (SP)+,R0
        MOV    (SP)+,R3
        TST   ERRSWI      ;TEST IF ERROR RETURN
        BEQ   99$         ;YES - SKIP
        ADD   ERRSWI,(SP)  ;ADD IN ERROR RETURN
        RTS   PC
99$:
        MOV   @ (SP),(SP)  ;SET ERROR RETURN ADDRESS
        RTS   PC
;
; DRIVE READY TEST ROUTINE. CHECKS DRIVE IS READY. IF NOT, WAIT
; 500MS FOR READY TO SET.
RDYCHK:
        MOV   R3,-(SP)    ;STORE REGS
        MOV   SSINDX,R3   ;GET SUBROUTINE INDEX
        TST  (R3)+        ;BUMP IT FOR NEXT ENTRY
        MOV  2(SP),SUBSTK(R3) ;INSERT THIS CALL
        SUB  #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
        MOV  R3,SSINDX    ;STORE IT BACK
        MOV  R0,-(SP)
        MOV  R1,-(SP)
        MOV  R4,-(SP)
        MOV  #2,ERRSWI    ;SET FOR NO ERROR RETURN
        MOV  #5000.,R1    ;SET WAIT COUNT
        JSR  PC,GSTAT     ;GET DRIVE STATUS
4$:
        BIT   #DRDYMSK,T.CS ;TEST IF DRIVE READY
        BNE  5$          ;YES - EXIT
        WAITUS #1
        DEC  R1          ;DEC WAIT COUNT
        BNE  1$          ;LOOP IF NOT 0
        MOV  #MDRDY,R3    ;SET RESULT MESSAGE POINTER
        MOV  #C500MS,R4   ;SET CONDITION MESSAGE POINTER
        ERRHRD 10010.,ERR5
        TRAP C$ERHRD
        .WORD 10010
        .WORD 0
        .WORD ERR5
        MOV  #50.,R1      ;SET WAIT COUNT FOR ONDS
        JSR  PC,GSTAT     ;GET DRIVE STATU
4$:
        BIT   #DRDYMSK,T.CS ;TEST IF DRIVE REALY
        BNE  3$          ;YES - SKIP
        WAITMS #1
        DEC  R1          ;DEC WAIT COUNTER

```

```

1925 020626 001362          BNE      2$          ;LOOP UNTIL TIME DONE
1926 020630 032737 100000 003050 3$:  BIT      #ANYERR,T.CS ;TEST IF ANYERR SET
1927 020636 001406          BEQ      4$          ;NO - SKIP
1928 020640          ERRHRD 10011.,,ERR6 ;REPORT ALL ERRORS
    (4) 020640 104456          TRAP    C$ERRHRD
    (5) 020642 023433          .WORD  10011
    (5) 020644 000000          .WORD  0
    (5) 020646 012372          .WORD  ERR6
1929 020650 005337 003244          DEC     ERRCNT      ;REDUCE ERROR COUNT FOR DUAL ERRORS
1930 020654 005037 003022          CLR     ERRSWI      ;CLEAR FOR ERROR RETURN
1931 020660 162737 000002 003006 4$:  SUB     #2,SSINDX   ;REMOVE ENTRY FROM SUBROUT STACK
1932 020666 012604          MOV     (SP)+,R4    ;RESTORE REGS
1933 020670 012601          MOV     (SP)+,R1
1934 020672 012600          MOV     (SP)+,R0
1935 020674 012603          MOV     (SP)+,R3
1936 020676 005737 003022          TST    ERRSWI      ;TEST IF ERROR RETURN
1937 020702 001403          BEQ     99$         ;YES - SKIP
1938 020704 063716 003022          ADD    ERRSWI,(SP) ;ADD IN ERROR RETURN
1939 020710 000207          RTS    PC
1940 020712 017616 000000          99$:  MOV    @ (SP),(SP) ;SET ERROR RETURN ADDRESS
1941 020716 000207          RTS    PC
1942
1943          ;          CHOOSE HEAD ROUTINE. PICKS HEAD 0 UNLESS SPECIFIC HEAD IS
1944          ;          SELECTED BY SOFTWARE PARAMETER.
1945 020720 005037 003116          CHOSHD: CLR    DESHD    ;CLEAR TO HEAD 0
1946 020724 032737 010000 013722  BIT     #HEADLM,MISWIW ;TEST IF HEAD SPECIFIED
1947 020732 001403          BEQ     1$          ;NO - SKIP
1948 020734 013737 013730 003116  MOV     HEADW,DESHD ;INSERT SPECIFIED HEAD
1949 020742 000207          1$:  RTS    PC
1950
1951          ;          SWAP HEAD ROUTINE. CHANGES SELECTED HEAD TO HEAD 1
1952          ;          UNLESS HEAD 0 SPECIFICALLY SELECTED BY SOFTWARE PARAMETER.
1953 020744 032737 010000 013722  SWAPHD: BIT     #HEADLM,MISWIW ;TEST IF HEAD SPECIFIED
1954 020752 001011          BNE     2$          ;YES - TAKE ABORT EXIT
1955 020754 005737 003116          TST    DESHD      ;TEST IF HEAD ONE USED
1956 020760 001006          BNE     2$          ;YES - TAKE ABORT EXIT
1957 020762 012737 000001 003116  MOV     #1,DESHD   ;ELSE SET FOR HEAD ONE
1958 020770 062716 000002          ADD    #2,(SP)    ;BUMP PAST ABORT RETURN
1959 020774 000207          RTS    PC         ;RETURN
1960 020776 017616 000000          2$:  MOV    @ (SP),(SP) ;GET ABORT DESTINATION
1961 021002 000207          3$:  RTS    PC
1962
1963          ;          SWAP OLD CYLINDER AND NEW CYLINDER ROUTINE.
1964 021004 010046          ONSWAP: MOV    R0,-(SP)   ;STORE R0
1965 021006 013700 003104          MOV    OLDCYL,R0  ;MOVE OLD TO R0
1966 021012 013737 003106 003104  MOV    NEWCYL,OLDCYL ;MOVE NEW TO OLD
1967 021020 010037 003106          MOV    R0,NEWCYL ;PUT OLD IN NEW
1968 021024 012600          MOV    (SP)+,R0   ;RESTORE R0
1969 021026 000207          RTS    PC
1970
1971          ;          BAD SECTOR FILES VALID CHECK ROUTINE. CHECKS IF BAD SECTOR
1972          ;          FILES HAVE BEEN READ AND STORED. IF NOT, REPORT AND FORCE
1973          ;          FILES TO LOOK LIKE ALL SECTORS OK.
1974          ;
1975 021030 005737 003500          CKBSVD: TST    BSFVAL   ;TEST IF BAD SECTORS STORED
1976 021034 001051          BNE     5$          ;YES - EXIT
1977 021036          PRINTF #FMT9,#BSNSTR ;REPORT

```


(8)	021036	012746	007540		MOV	#BSNSTR,-(SP)	
(7)	021042	012746	011356		MOV	#FMT9,-(SP)	
(6)	021046	012746	000002		MOV	#2,-(SP)	
(3)	021052	010600			MOV	SP,R0	
(4)	021054	104417			TRAP	CSPNTF	
(4)	021056	062706	000006		ADD	#6,SP	
1978	021062				PRINTF	#FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>	
(11)	021062	005046			CLR	-(SP)	
(11)	021064	153716	003037		BISB	RLDRV+1,(SP)	
(10)	021070	012746	006142		MOV	#DRVNAM,-(SP)	
(9)	021074	013746	003032		MOV	RLBAS,-(SP)	
(8)	021100	012746	006131		MOV	#BASADD,-(SP)	
(7)	021104	012746	011172		MOV	#FMT5,-(SP)	
(6)	021110	012746	000005		MOV	#5,-(SP)	
(3)	021114	010600			MOV	SP,R0	
(4)	021116	104417			TRAP	CSPNTF	
(4)	021120	062706	000014		ADD	#14,SP	
1979	021124				PRINTF	#FMT3	
(7)	021124	012746	011156		MOV	#FMT3,-(SP)	
(6)	021130	012746	000001		MOV	#1,-(SP)	
(3)	021134	010600			MOV	SP,R0	
(4)	021136	104417			TRAP	CSPNTF	
(4)	021140	062706	000004		ADD	#4,SP	
1980	021144	012737	177777	003502	MOV	#-1,SBSFIL	:FORCE FILES TO NO ENTRIES
1981	021152	012737	177777	003676	MOV	#-1,FBSFIL	
1982	021160	000207			RTS	PC	
1983							
1985							
1986	021162	012737	000001	003132	: XRDHDC: READ HEADERS ROUTINE.		
1987	021170	000402			MOV	#1,TEMP4	:SET FLAG TO BYPASS REG STORAGE
1988	021172	005037	003132		BR	XRDHDG	:GO DO IT
1989	021176	010346			CLR	TEMP4	:SET FLAG TO SAVE T. AND L. REGS
1990	021200	013703	003006		XRDHDG: MOV	R3,-(SP)	:STORE REGISTERS
1991	021204	005723			MOV	SSINDX,R3	:GET SUBROUTINE INDEX
1992	021206	016663	000002	002410	TST	(R3)+	:BUMP IT FOR NEXT ENTRY
1993	021214	162763	000004	002410	MOV	2(SP),SUBSTK(R3)	:INSERT THIS CALL
1994	021222	010337	003006		SUB	#4,SUBSTK(R3)	:ADJUST IT TO CALLING LOCATION
1995	021226	010046			MOV	R3,SSINDX	:STORE IT BACK
1996	021230	010146			MOV	R0,-(SP)	
1997	021232	010446			MOV	R1,-(SP)	
1998	021234	012737	000002	003022	MOV	R4,-(SP)	
1999	021242	005737	003132		MOV	#2,ERRSWI	:SET FOR NO ERROR RETURN
2000	021246	001007			TST	TEMP4	:TEST IF REGISTERS TO BE SAVED
2001	021250	012703	003050		BNE	2\$:NO - SKIP
2002	021254	012701	000004		MOV	#L.MP+2,R3	:SET POINTER FOR REGS
2003	021260	014346			MOV	#4,R1	:SET COUNT
2004	021262	005301			1\$: MOV	-(R3),-(SP)	:SAVE REGISTER
2005	021264	001375			DEC	R1	:DEC COUNT
2006	021266	004737	020444		BNE	1\$:LOOP UNTIL ALL ARE SAVED
2007	021272	021542			2\$: JSR	PC,RDYCHK	:CHECK DRIVE READY
2008	021274	005037	003012		65\$ CLR	DONE	:CLEAR INTERRUPT FLAG
2009	021300	012701	003040		MOV	#L.CS,R1	:GET ADDRESS OF LOAD REGS
2010	021304	013711	003036		MOV	RLDRV,(R1)	:LOAD DRIVE NUMBER
2011	021310	042711	002000		BIC	#BIT10,(R1)	:CLEAR FOR DRIVE 4 - 7 SPEC'D
2012	021314	052721	000110		BIS	#RDHEAD,(R1)+	:INSERT COMMAND
2013	021320	005021			CLR	(R1)+	:CLEAR BA

```

2014 021322 005021          CLR      (R1)+      ;CLEAR DA
2015 021324 014162 000004  MOV      -(R1),RLDA(R2) ;LOAD RL11 REGS
2016 021330 014162 000002  MOV      -(R1),RLBA(R2)
2017 021334 014162 000000  MOV      -(R1),RLCSR(R2)
2018 021340          3$:  WAITUS  #10.      ;WAIT 1MS FOR INTERRUPT
2019 021352 005737 003012  TST      DONE      ;TEST IN INTERRUPT FLAG SET
2020 021356 001460          BEQ      14$        ;NO - SKIP
2021 021360 032737 000001 003050 5$:  BIT      #DRDYMSK,T.CS ;TEST IF DRIVE READY
2022 021366 001035          BNE      10$        ;YES - SKIP
2023 021370 012703 010124  MOV      #MDRDY,R3   ;SET NO READY MESSAGE
2024 021374 012704 011026  MOV      #CAFDT,R4   ;CONDITION OF AFTER DATA XFER
2025 021400          ERRHRD 10017...ERR5
   (4) 021400 104456  TRAP     C$ERRHD
   (5) 021402 023441  .WORD   10017
   (5) 021404 000000  .WORD   0
   (5) 021406 012322  .WORD   ERR5
2026 021410 012701 000062  MOV      #50,R1      ;SET WAIT COUNT FOR 5 SECONDS
2027 021414 004737 016430  4$:  JSR      PC,G$STAT ;GET STATUS
2028 021420 021536          60$
2029 021422 032737 000001 003050  BIT      #DRDYMSK,T.CS ;TEST IF DRIVE HAS COME READY
2030 021430 001403          BEQ      11$        ;NO - SKIP
2031 021432 005037 003022  CLR      ERRSWI     ;CLEAR ERROR SWITCH
2032 021436 000411          BR       10$        ;SKIP
2033 021440 005301  11$:  DEC      R1        ;DEC WAIT COUNT
2034 021442 001364          BNE      4$         ;LOOP UNTIL TIME DONE
2035 021444 012704 011037  MOV      #C5SEC,R4   ;SET CONDITION AFTER 5 SECONDS
2036 021450          ERRHRD 10014...ERR5
   (4) 021450 104456  TRAP     C$ERRHD
   (5) 021452 023436  .WORD   10014
   (5) 021454 000000  .WORD   0
   (5) 021456 012322  .WORD   ERR5
2037 021460 000426          BR       60$
2038 021462 005737 003050  10$:  TST      T.CS      ;CHECK FOR ANY ERRORS
2039 021466 100005          BPL      12$        ;NO - SKIP
2040 021470          ERRHRD 10016...ERR6
   (4) 021470 104456  TRAP     C$ERRHD
   (5) 021472 023440  .WORD   10016
   (5) 021474 000000  .WORD   0
   (5) 021476 012372  .WORD   ERR6
2041 021500 000416          BR       60$
2042 021502 012701 003060  12$:  MOV      #HDWRD2,R1 ;GET POINTER
2043 021506 016221 000006  MOV      RLMP(R2),(R1)+ ;STORE LAST TWO HEADER WORDS
2044 021512 016221 000006  MOV      RLMP(R2),(R1)+
2045 021516 000411          BR       65$
2046 021520 004737 016224  14$:  JSR      PC,WAITIN  ;WAIT FOR INTERRUPT
2047 021524 012603  MOV      (SP)+,R3    ;GET RESULTS
2048 021526          ERRHRD 10015...ERR1
   (4) 021526 104456  TRAP     C$ERRHD
   (5) 021530 023437  .WORD   10015
   (5) 021532 000000  .WORD   0
   (5) 021534 012070  .WORD   ERR1
2049 021536 005037 003022  60$:  CLR      ERRSWI     ;CLEAR FOR ERROR ERROR RETURN
2050 021542 005737 003132  65$:  TST      TEMP4     ;TEST IF REGISTERS WERE SAVED
2051 021546 001007          BNE      22$        ;NO - SKIP
2052 021550 012703 003040  MOV      #L.CS,R3   ;SET POINTER TO RESTORE REGS
2053 021554 012701 000004  MOV      #4,R1      ;SET COUNT
  
```

```

2054 021560 012623      20$:  MOV    (SP)+,(R3)+    ;RESTORE REGISTER
2055 021562 005301      DEC    R1              ;DEC COUNT
2056 021564 001375      BNE    20$            ;LOOP UNTIL ALL ARE RESTORED
2057 021566 162737 000002 003006 22$:  SUB    #2,SSINDX      ;REMOVE ENTRY FROM SUBROUT STACK
2058 021574 012604      MOV    (SP)+,R4      ;RESTORE REGS
2059 021576 012601      MOV    (SP)+,R1
2060 021600 012600      MOV    (SP)+,R0
2061 021602 012603      MOV    (SP)+,R3
2062 021604 005737 003022      TST    ERRSWI        ;TEST IF ERROR RETURN
2063 021610 001403      BEQ    99$           ;YES - SKIP
2064 021612 0637.6 003022      ADD    ERRSWI,(SP)   ;ADD IN ERROR RETURN
2065 021616 000207      RTS    PC
2066 021620 017616 000000      99$:  MOV    @ (SP),(SP)   ;SET ERROR RETURN ADDRESS
2067 021624 000207      RTS    PC
2068
2070      ;
2071      ;   VERIFY HEADERS ROUTINE. COMPARES 40 HEADERS FOR CONTENT AND
2072      ;   SEQUENCE.
2073      VERHDR: MOV    R3,-(SP)      ;STORE REGS
2074      MOV    SSINDX,R3    ;GET SUBROUTINE INDEX
2075      TST    (R3)+        ;BUMP IT FOR NEXT ENTRY
2076      MOV    2(SP),SUBSTK(R3) ;INSERT THIS CALL
2077      SUB    #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
2078      MOV    R3,SSINDX    ;STORE IT BACK
2079      MOV    R0,-(SP)
2080      MOV    R1,-(SP)
2081      MOV    R4,-(SP)
2082      MOV    R5,-(SP)
2083      MOV    #2,ERRSWI    ;SET FOR NO ERROR RETURN
2084      BIS    #HDCMP,OPFLAG ;SET HEADER COMPARE FLAG
2085      CLR    MORECE      ;CLEAR MORE ERRORS FLAG
2086      MOV    #IBUFF,R4   ;SET POINTER TO HEADERS
2087      MOV    #TEMPO,R5   ;SET POINTER TO WORK AREA
2088      CLR    R3          ;CLEAR FOR WORD COUNTER
2089      MOV    (R4),(R5)   ;MOVE HDR WORD TO WORK AREA
2090      MOV    (R4),R1     ;PUT WORD IN REG 1
2091      BIC    #177,R1    ;CLEAR ALL BUT CYLINDER
2092      MOV    #7,R0      ;SET SHIFT COUNT
2093      3$:  ASR    R1          ;SHIFT
2094      DEC    R0          ;DEC
2095      BNE    3$         ;LOOP
2096      CMP    R1,NEWCYL   ;CHECK IF CYLINDER PART GOOD
2097      BEQ    4$         ;YES - SKIP
2098      ERRHRD 10018,,ERR10 ;REPORT ERROR
2099      TRAP  C$ERRHRD
2100      .WORD 10018
2101      .WORD 0
2102      .WORD ERR10
2103      CLR    ERRSWI     ;CLEAR FOR ERROR ERROR RETURN
2104      BR    65$
2105      4$:  MOV    #40,R1    ;SET HEADER COUNT
2106      BIC    #HDHSEL,(R5) ;CLEAR HEAD SELECT AND 0 BIT
2107      TST    DESHD      ;ARE WE USING HD 0?
2108      BEQ    5$         ;YES - SKIP
2109      BIS    #HDHSEL,(R5) ;INSERT HEAD BIT
2110      5$:  CLR    2(R5)    ;CLEAR 2ND WORD OF WORK AREA
2111      6$:  CMP    (R5),(R4)+ ;TEST FIRST WORD OK

```

```

2107 022016 001410      BEQ      8$      ;YES - SKIP
2108 022020 005744      TST      -(R4)   ;ELSE SET POINTER FOR ERROR
2109 022022      ERRHRD 10018.,,ERR10 ;REPORT
   (4) 022022 104456      TRAP     C$ERHRD
   (5) 022024 023442      .WORD   10018
   (5) 022026 000000      .WORD   0
   (5) 022030 013464      .WORD   ERR10
2110 022032 005037 003022 CLR      ERRSWI   ;CLEAR FOR ERROR RETURN
2111 022036 005724      TST      (R4)+   ;RESET POINTER
2112 022040 005203      8$: INC      R3     ;BUMP WORD COUNTER
2113 022042 005724      TST      (R4)+   ;TEST 2ND WORD IS 0
2114 022044 001410      BEQ      12$     ;YES - SKIP
2115 022046 022544      CMP      (R5)+,-(R4) ;ADJUST POINTERS FOR REPORT
2116 022050      ERRHRD 10018.,,ERR10 ;REPORT
   (4) 022050 104456      TRAP     C$ERHRD
   (5) 022052 023442      .WORD   10018
   (5) 022054 000000      .WORD   0
   (5) 022056 013464      .WORD   ERR10
2117 022060 005037 003022 CLR      ERRSWI   ;CLEAR FOR ERROR RETURN
2118 022064 024524      CMP      -(R5),(R4)+ ;RESET POINTERS
2119 022066 005724      12$: TST      (R4)+   ;BUMP PAST ECC WORD
2120 022070 005203      INC      R3     ;BUMP WORD COUNTER
2121 022072 005215      INC      (R5)   ;BUMP SECTOR OF EXPECTED HEADER
2122 022074 011500      MOV      (R5),R0 ;MOVE EXPECTED HDR TO R0
2123 022076 042700 177700 BIC      #^CHDSEC,R0 ;CLEAR ALL BUT SECTOR
2124 022102 022700 000050 CMP      #40.,R0  ;TEST IF AT SECTOR 40
2125 022106 001002      BNE      15$     ;NO - SKIP
2126 022110 042715 000077 BIC      #HDSEC,(R5) ;CLEAR SECTOR TO 0
2127 022114 005203      15$: INC      R3     ;BUMP HDR WORD COUNTER
2128 022116 005301      DEC      R1     ;DEC HEADER COUNT
2129 022120 001335      BNE      6$     ;LOOP IF NOT YET DONE
2130 022122 162737 000002 003006 65$: SUB      #2,SSINDX ;REMOVE ENTRY FROM SUBROUT STACK
2131 022130 012605      MOV      (SP)+,R5 ;RESTORE REGISTERS
2132 022132 012604      MOV      (SP)+,R4
2133 022134 012601      MOV      (SP)+,R1
2134 022136 012600      MOV      (SP)+,R0
2135 022140 012603      MOV      (SP)+,R3
2136 022142 005737 003022 TST      ERRSWI   ;TEST IF ERROR RETURN
2137 022146 001403      BEQ      99$     ;YES - SKIP
2138 022150 063716 003022 ADD      ERRSWI,(SP) ;ADD IN ERROR RETURN
2139 022154 000207      RTS      PC
2140 022156 017616 000000 99$: MOV      @ (SP),(SP) ;SET ERROR RETURN ADDRESS
2141 022162 000207      RTS      PC
2142
2144 ; POSITION HEAD BIT FROM HEADER OR MULTIPURPOSE REGISTER TO LSB.
2145 022164 013705 003056 POSHW1: MOV      HDWRD1,R5 ;START FOR POSITION HD BIT IN WD 1
2146 022170 000402      BR      POSHDO  ;SKIP
2147 022172 013705 003056 POSHSB: MOV      T.MP,R5 ;START FOR POSITION HD BIT IN MP
2148 022176 010146      POSHDO: MOV      R1,-(SP) ;STORE R1
2149 022200 042705 177677 BIC      #^CHSSTAT,R5 ;CLEAR ALL BUT HEAD SEL BIT
2150 022204 012701 000006 MOV      #6,R1   ;SET SHIFT COUNT
2151 022210 006205      1$: ASR      R5     ;SHIFT FOR RIGHT JUSTIFY
2152 022212 005301      DEC      R1
2153 022214 001375      BNE      1$
2154 022216 012601      MOV      (SP)+,R1 ;RESTORE R1
2155 022220 000207      RTS      PC     ;RETURN

```

```
2156  
2157  
2158  
2159 022222 010346  
2160 022224 013703 003006  
2161 022230 005723  
2162 022232 016663 000002 002410  
2163 022240 162763 000004 002410  
2164 022246 010337 003006  
2165 022252 010046  
2166 022254 010146  
2167 022256 010446  
2168 022260 012737 000002 003022  
2169 022266 004737 016430 5$:  
2170 022272 022442  
2171 022274 032737 000001 003050  
2172 022302 001061  
2173 022304 005301  
2174 022306 001406  
2175 022310  
2176 022322 000761  
2177 022324 012703 010124 7$:  
2178 022330  
  (4) 022330 104456  
  (5) 022332 023444  
  (5) 022334 000000  
  (5) 022336 012204  
2179 022340 012701 000062  
2180 022344 004737 016430 6$:  
2181 022350 022442  
2182 022352 032737 000001 003050  
2183 022360 001016  
2184 022362  
2185 022374 005301  
2186 022376 001362  
2187 022400 012704 011037  
2188 022404  
  (4) 022404 104456  
  (5) 022406 023445  
  (5) 022410 000000  
  (5) 022412 012322  
2189 022414 000410  
2190 022416 032737 100000 003050 8$:  
2191 022424 001406  
2192 022426  
  (4) 022426 104456  
  (5) 022430 023446  
  (5) 022432 000000  
  (5) 022434 012372  
2193 022436 005337 003244 11$:  
2194 022442 005037 003022 10$:  
2195 022446 162737 000002 003006 9$:  
2196 022454 012604  
2197 022456 012601  
2198 022460 012600  
2199 022462 012603
```

WAIT FOR READY ROUTINE. DURATION OF WAIT PASSED TO THE ROUTINE
FROM THE CALLING ROUTINE IN R1.
RDYWAIT: MOV R3,-(SP) ;STORE R3
MOV SSINDX,R3 ;GET SUBROUTINE INDEX
TST (R3)+ ;BUMP IT FOR NEXT ENTRY
MOV 2(SP),SUBSTK(R3) ;INSERT THIS CALL
SUB #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
MOV R3,SSINDX ;STORE IT BACK
MOV R0,-(SP)
MOV R1,-(SP)
MOV R4,-(SP)
MOV #2,ERRSWI ;SET FOR NO ERROR RETURN
JSR PC,GSTAT ;GET DRIVE STATUS
10\$
BIT #DRDYMSK,T.CS ;CHECK IF READY
BNE 9\$;YES - SKIP
DEC R1 ;DEC WAIT COUNT
BEQ 7\$;SKIP IF 0
WAITUS #1
BR 5\$
MOV #MDRDY,R3 ;SET NAME MESSAGE PTR
ERRHRD 10020,,ERR3 ;REPORT READY ERROR
TRAP C\$ERHRD
.WORD 10020
.WORD 0
.WORD ERR3
MOV #50,,R1 ;SET WAIT COUNT FOR 5 SECONDS
JSR PC,GSTAT ;GET DRIVE STATUS
10\$
BIT #DRDYMSK,T.CS ;TEST IF DRIVE READY
BNE 8\$;YES - SKIP
WAITMS #1 ;WAIT 100 MS
DEC R1 ;DEC WAIT COUNT
BNE 6\$;LOOP UNTIL TIME DONE
MOV #C5SEC,R4 ;SET CONDITION AFTER 5 SECDS
ERRHRD 10021,,ERR5
TRAP C\$ERHRD
.WORD 10021
.WORD 0
.WORD ERR5
BR 11\$;EXIT
BIT #ANYERR,T.CS ;TEST IF ANY ERROR SET
BEQ 10\$;NO - SKIP
ERRHRD 10022,,ERR6 ;REPORT ALL ERRORS
TRAP C\$ERHRD
.WORD 10022
.WORD 0
.WORD ERR6
DEC ERRCNT ;DEC FOR DOUBLE ERROR REPORT
CLR ERRSWI ;CLEAR FOR ERROR ERROR RETURN
SUB #2,SSINDX ;REMOVE ENTRY FROM SUBROUT STACK
MOV (SP)+,R4 ;RESTORE REGISTERS
MOV (SP)+,R1
MOV (SP)+,R0
MOV (SP)+,R3 ;RESTORE R3

```

2200 022464 005737 003022      TST   ERRSWI      ;TEST IF ERROR RETURN
2201 022470 001403              BEQ   99$         ;YES - SKIP
2202 022472 063716 003022      ADD   ERRSWI,(SP) ;ADD IN ERROR RETURN
2203 022476 000207              RTS   PC
2204 022500 017616 000000      99$: MOV   @ (SP),(SP) ;SET ERROR RETURN ADDRESS
2205 022504 000207              RTS   PC
2206
2207      ; GET POSITION ROUTINE. READS A HEADER FROM CURRENT CYLINDER
2208      ; (WHERE IT IS PRESENTLY POSITIONED) AND STORES CYLINDER
2209      ; NUMBER IN CURCYL.
2210 022506 010346      GETPOS: MOV   R3,-(SP)      ;STORE REGISTERS
2211 022510 013703      MOV   SSINDX,R3      ;GET SUBROUTINE INDEX
2212 022514 005723      TST   (R3)+          ;BUMP IT FOR NEXT ENTRY
2213 022516 016663 000002 002410  MOV   2(SP),SUBSTK(R3) ;INSERT THIS CALL
2214 022524 162763 000004 002410  SUB   #4,SUBSTK(R3)   ;ADJUST IT TO CALLING LOCATION
2215 022532 010337 003006      MOV   R3,SSINDX      ;STORE IT BACK
2216 022536 010046      MOV   R0,-(SP)
2217 022540 010546      MOV   R5,-(SP)
2218 022542 004737 021172      JSR   PC,XRDHD       ;DO READ HEADER
2219 022546 022576      65$
2220 022550 013703 003056      MOV   HDWRD1,R3      ;GET HEADER WORD
2221 022554 012705 000007      MOV   #7,R5          ;SET SHIFT COUNT
2222 022560 006203      4$:  ASR   R3          ;SHIFT TO RIGHT JUSTIFY
2223 022562 005305      DEC   R5
2224 022564 001375      BNE   4$
2225 022566 042703 177000      BIC   #177000,R3
2226 022572 010337 003110      MOV   R3,CURCYL      ;STORE AS CURRENT CYLINDER
2227 022576 162737 000002 003006  65$: SUB   #2,SSINDX      ;REMOVE ENTRY FROM SUBROUT STACK
2228 022604 012605      MOV   (SP)+,R5        ;RESTORE REGISTERS
2229 022606 012600      MOV   (SP)+,R0
2230 022610 012603      MOV   (SP)+,R3
2231 022612 005737 003022      TST   ERRSWI         ;TEST IF ERROR RETURN
2232 022616 001403              BEQ   99$           ;YES - SKIP
2233 022620 063716 003022      ADD   ERRSWI,(SP)    ;ADD IN ERROR RETURN
2234 022624 000207              RTS   PC
2235 022626 017616 000000      99$: MOV   @ (SP),(SP) ;SET ERROR RETURN ADDRESS
2236 022632 000207              RTS   PC
2237
2239      ; VERIFY POSITION ROUTINE. READS A HEADER (USING GETPOS) AND
2240      ; CHECKS HEADS ARE POSITIONED AT NEW CYLINDER (CURCYL = NEWCYL).
2241 022634 010346      VERPOS: MOV   R3,-(SP)      ;STORE R3
2242 022636 013703 003006      MOV   SSINDX,R3      ;GET SUBROUTINE INDEX
2243 022642 005723      TST   (R3)+          ;BUMP IT FOR NEXT ENTRY
2244 022644 016663 000002 002410  MOV   2(SP),SUBSTK(R3) ;INSERT THIS CALL
2245 022652 162763 000004 002410  SUB   #4,SUBSTK(R3)   ;ADJUST IT TO CALLING LOCATION
2246 022660 010337 003006      MOV   R3,SSINDX      ;STORE IT BACK
2247
2248 022664 012737 000002 003022  MOV   #2,ERRSWI      ;SET FOR NO ERROR RETURN
2249 022672 004737 022506      JSR   PC,GETPOS      ;GET POSITION
2250 022676 022724      65$
2251 022700 023737 003106 003110  CMP   NEWCYL,CURCYL  ;CHECK IF CURRENT CYL IS NEW CYL
2252 022706 001406      BEQ   1$             ;YES - SKIP
2253 022710      ERRHRD 10022,,ERR8
(4) 022710 104456      TRAP  C$ERRHRD
(5) 022712 023446      .WORD 10022
(5) 022714 000000      .WORD 0

```

```

(5) 022716 013324 .WORD ERR8
2254 022720 005037 003022 CLR ERRSWI ;CLEAR FOR ERROR ERROR RETURN
2255 022724 162737 000002 003006 1$: SUB #2,SSINDX ;REMOVE ENTRY FROM SUBROUT STACK
2256 022724 012603 MOV (SP)+,R3 ;RESTORE R3
2257 022732 005737 003022 TST ERRSWI ;TEST IF ERROR RETURN
2258 022734 001403 BEQ 99$ ;YES - SKIP
2259 022740 063716 003022 ADD ERRSWI,(SP) ;ADD IN ERROR RETURN
2260 022742 000207 RTS PC
2261 022746 017616 000000 99$: MOV @ (SP), (SP) ;SET ERROR RETURN ADDRESS
2262 022750 000207 RTS PC
2263
2264
2265 ; READ ALL HEADERS ROUTINE. 40 HEADERS ARE READ AND STORED
2266 ; IN IRUFF.
2267
2268 022756 010346 RDALHD: MOV R3,-(SP) ;STORE REGISTERS
2269 022760 013703 MOV SSINDX,R3 ;GET SUBROUTINE INDEX
2270 022764 005723 TST (R3)+ ;BUMP IT FOR NEXT ENTRY
2271 022766 016663 000002 002410 MOV 2(SP),SUBSTK(R3) ;INSERT THIS CALL
2272 022774 162763 000004 002410 SUB #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
2273 023002 010337 003006 MOV R3,SSINDX ;STORE IT BACK
2274 023006 010046 MOV R0,-(SP)
2275 023010 010146 MOV R1,-(SP)
2276 023012 010446 MOV R4,-(SP)
2277 023014 012737 000002 003022 MOV #2,ERRSWI ;SET FOR NO ERROR RETURN
2278 023022 012701 000050 MOV #40,R1 ;SET HEADER COUNT
2279 023026 052737 100000 003010 BIS #HDR40,OPFLAG ;SET 40 HDR OP FLAG
2280 023034 012703 004072 MOV #IBUFF,R3 ;SET POINTER TO STORE HDRS
2281 023040 013704 003032 MOV RLBAS,R4 ;GET BASE ADDRESS
2282 023044 062704 000006 ADD #RLMP,R4 ;MAKE IT POINT TO MP REG
2283 023050 012737 000010 003040 MOV #10,L.CS ;LOAD FOR READ HEADER, NO INTERRUPT
2284 023056 053737 003036 003040 BIS RLDRV,L.CS ;INSERT DRIVE NUMBER
2285 023064 042737 002000 003040 BIC #BIT10,L.CS ;CLEAR FOR DRIVE 4 - 7 SPEC'D
2286 023072 005037 003042 CLR L.BA ;CLEAR BA
2287 023076 005037 003044 CLR L.DA ;CLEAR DA
2288 023102 005737 003116 TST DESHD ;TEST IF HEAD 0
2289 023106 001403 BEQ 3$ ;YES - SKIP
2290 023110 052737 000020 003044 BIS #HDSSEL,L.DA ;ELSE INSERT HEAD 0
2291 023116 013762 003044 000004 3$: MOV L.DA,RLDA(R2) ;LOAD RLDA REG
2292 023124 013762 003042 000002 MOV L.BA,RLBA(R2) ;LOAD RLBA
2293 023132 032762 000200 000000 BIT #CRDYMSK,RLCS(R2) ;TEST IF CONTROLLER READY
2294 023140 001003 BNE 6$ ;YES - SKIP
2295 023142 004737 020444 JSR PC,RDYCHK ;ELSE CHECK READY
2296 023146 023264 65$
2297 023150 013762 003040 000000 6$: MOV L.CS,RLCS(R2) ;LOAD RLCS REG
2298 023156 012700 077777 MOV #77777,R0 ;SET COUNT FOR WAIT
2299 023162 032762 000200 000000 7$: BIT #CRDYMSK,RLCS(R2) ;CHECK THAT OPERATION COMPLETED
2300 023170 001016 BNE 8$ ;YES - SKIP
2301 023172 005300 DEC R0 ;DEC COUNT
2302 023174 001372 BNE 7$ ;SKIP IF NOT YET 0
2303 023176 004737 016172 JSR PC,READRL ;ELSE GET ALL REGISTERS
2304 023202 004737 016224 JSR PC,WAITIN ;ELSE WAIT FOR TIMEOUT
2305 023206 012603 MOV (SP)+,R3 ;GET RESULT MESSAGE POINTER
2306 023210 ERRHRD 10025,,,ERR1
(4) 023210 104456 TRAP C$ERRHD
(5) 023212 023451 .WORD 10025
(5) 023214 000000 .WORD 0
  
```

```

(5) 023216 012070          .WORD  ERR1
2307 023220 005037 003022 CLR  ERRSWI      ;CLEAR FOR ERROR RETURN
2308 023224 000417          BR  65$
2309 023226 005737 003050 8$:  TST  T.CS      ;TEST FOR ANY ERRORS
2310 023232 100007          BPL  12$        ;NO - SKIP
2311 023234          ERRHRD 10026.,,ERR6
      (4) 023234 104456          TRAP C$ERHRD
      (5) 023236 023452          .WORD 10026
      (5) 023240 000000          .WORD 0
      (5) 023242 012372          .WORD ERR6
2312 023244 005037 003022 CLR  ERRSWI      ;CLEAR FOR ERROR RETURN
2313 023250 000405          BR  65$
2314 023252 011423          12$: MOV (R4),(R3)+ ;STORE HEADER WORDS
2315 023254 011423          MOV (R4),(R3)+
2316 023256 011423          MOV (R4),(R3)+
2317 023260 005301          DEC  R1          ;DEC HEADER COUNT
2318 023262 001332          BNE  6$
2319 023264 162737 000002 003006 65$: SUB #2,SSINDX ;REMOVE ENTRY FROM SUBROUT STACK
2320 023272 012604          MOV  (SP)+,R4   ;RESTORE REGISTERS
2321 023274 012601          MOV  (SP)+,R1
2322 023276 012600          MOV  (SP)+,R0
2323 023300 012603          MOV  (SP)+,R3
2324 023302 005737 003022 TST  ERRSWI      ;TEST IF ERROR RETURN
2325 023306 001403          BEQ  99$        ;YES - SKIP
2326 023310 063716 003022 ADD  ERRSWI,(SP) ;ADD IN ERROR RETURN
2327 023314 000207          RTS  PC
2328 023316 017616 000000 99$: MOV @ (SP),(SP) ;SET ERROR RETURN ADDRESS
2329 023322 000207          RTS  PC
2330
2331
2333 : GENERATE DATA ROUTINE. PATTERN TO BE GENERATED IS GIVEN
2334 : IN THE WORD FOLLOWING THE CALL. 128 WORDS ARE GENERATED
2335 : IN OBUFF.
2336 023324 010146          DATGEN: MOV R1,-(SP) ;STORE REGISTERS
2337 023326 010346          MOV R3,-(SP)
2338 023330 010446          MOV R4,-(SP)
2339 023332 012701 004472 MOV #OBUFF,R1 ;SET POINTER TO OBUFF
2340 023336 012504          MOV (R5)+,R4 ;GET DATA PATTERN SELECTOR
2341 023340 006304          ASL R4 ;ADJUST IT FOR INDEXING
2342 023342 016403 002364 MOV PATTBL(R4),R3 ;GET ADDRESS OF PATTERN
2343 023346 011321          MOV (R3),(R1)+ ;MOVE FIRST PATTERN WORD
2344 023350 001421          BEQ  5$ ;SKIP IF PATTERN IS 0
2345 023352 021327 177777 CMP (R3),#-1 ;CHECK IF PATTERN IS ALL 1'S
2346 023356 001416          BEQ  5$ ;YES - SKIP
2347 023360 020427 000010 CMP R4,#8. ;TEST IF PATTERN 5
2348 023364 001403          BEQ  3$ ;YES - SKIP
2349 023366 020427 000020 CMP R4,#16. ;CHECK IF PATTERN 9 OR 10
2350 023372 002413          BLT  6$ ;NO - SKIP
2351 023374 005723          3$: TST (R3)+ ;BUMP SOURCE POINTER
2352 023376 012321          MOV (R3)+,(R1)+ ;MOVE TWO MORE WORDS FORM SOURCE
2353 023400 012321          MOV (R3)+,(R1)+
2354 023402 012704 000015 MOV #13,R4 ;SET COUNT
2355 023406 012703 004472 MOV #OBUFF,R3 ;RESET POINTER
2356 023412 000406          BR  8$
2357 023414 012703 004472 5$: MOV #OBUFF,R3 ;ELSE SET OBUFF AS PATTERN SOURCE
2358 023420 000401          BR  7$ ;GO TO FILL

```



```

2359 023422 005723      6$:   TST      (R3)+      ;BUMP SOURCE POINTER
2360 023424 012704 000017 7$:   MOV      #15.,R4      ;SET MOVE COUNT
2361 023430 012321      8$:   MOV      (R3)+,(R1)+  ;MOVE 15 WORDS INTO BUFFER
2362 023432 005304      DEC      R4
2363 023434 001375      BNE      8$
2364 023436 012703 004472  MOV      #OBUFF,R3      ;SET SOURCE TO TOP OF OBUFF
2365 023442 012704 000160  MOV      #112.,R4      ;SET COUNT FOR REST OF BUFFER
2366 023446 012321      10$:  MOV      (R3)+,(R1)+  ;REPEAT PATTERN IN BUFFER
2367 023450 005304      DEC      R4
2368 023452 001375      BNE      10$
2369 023454 012604      MOV      (SP)+,R4      ;RESTORE REGISTERS
2370 023456 012603      MOV      (SP)+,R3
2371 023460 012601      MOV      (SP)+,R1
2372 023462 000205      RTS       R5           ;RETURN
2373
2374      ;
2375      ; DATA COMPARE ROUTINE. COMPARES THE CONTENTS OF Ibuff AND OBUFF.
2376 023464 010346      ; ERROR REPORTING IS LIMITED BY SOFTWARE PARAMETER.
2377 023466 013703 003006  DATCOM: MOV      R3,-(SP)      ;STORE R3
2378 023472 005723      MOV      SSINDX,R3     ;GET SUBROUTINE STACK INDEX
2379 023474 016663 000002 002410  TST      (R3)+      ;BUMP INDEX TO NEXT ENTRY
2380 023502 162763 000004 002410  MOV      2(SP),SUBSTK(R3) ;INSERT THIS CALL
2381 023510 010337 003006      SUB      #4,SUBSTK(R3) ;ADJUST IT TO CALLING LOCATION
2382 023514 010146      MOV      R3,SSINDX    ;STORE IT BACK
2383 023516 010446      MOV      R1,-(SP)     ;STORE OTHER REGISTERS
2384 023520 010546      MOV      R4,-(SP)
2385 023522 052737 000001 003010  MOV      R5,-(SP)
2386 023530 005037 003020      BIS      #DATACMP,OPFLAG ;SET DATA COMPARE FLAG
2387 023534 012705 004472      CLR      MORECE      ;CLEAR MORE ERROR FLAG
2388 023540 012704 004072      MOV      #OBUFF,R5   ;SET POINTERS TO DATA FOR COMPARE
2389 023544 012703 000001      MOV      #IBUFF,R4
2390 023550 012701 000200      MOV      #1,R3       ;SET WORD COUNTER
2391 023554 022425      MOV      #128.,R1    ;SET COMPARE COUNT,-
2392 023556 001052      5$:   CMP      (R4)+,(R5)+  ;COMPARE DATA
2393 023560 005203      BNE      10$         ;ERROR - SKIP TO REPORT
2394 023562 005301      7$:   INC      R3         ;BUMP WORD COUNT
2395 023564 001373      DEC      R1         ;DEC COMPARE COUNT
2396 023566 042737 000001 003010  BNE      5$         ;LOOP IF NOT 0
2397 023574 005737 003022      9$:   BIC      #DATACMP,OPFLAG ;CLEAR DATA COMPARE FLAG
2398 023600 001021      TST      ERRSWI      ;TEST IF ANY COMPARE ERRORS
2399 023602 012701 000200      BNE      15$        ;NO - SKIP
2400 023606      MOV      #128.,R1   ;SET REPORT VALUE
(11) 023606 010146      PRINTB  #FMT27,#TCERR,MORECE,#RESE6,R1
(10) 023610 012746 010743      MOV      R1,-(SP)
(9)  023614 013746 003020      MOV      #RESE6,-(SP)
(8)  023620 012746 007614      MOV      MORECE,-(SP)
(7)  023624 012746 012037      MOV      #TCERR,-(SP)
(6)  023630 012746 000005      MOV      #FMT27,-(SP)
(5)  023634 010600      MOV      #5,-(SP)
(4)  023636 104414      MOV      SP,R0
(4)  023640 062706 000014      TRAP    C$PNTB
2401 023644 162737 000002 003006  15$:  ADD      #14,SP
2402 023652 012605      SUB      #2,SSINDX   ;REMOVE ENTRY FROM SUBROUT STACK
2403 023654 012604      MOV      (SP)+,R5   ;RESTORE REGS
2404 023656 012601      MOV      (SP)+,R4
2405 023660 012603      MOV      (SP)+,R3

```

```
2406 023662 005737 003022      TST      ERRSWI      ;TEST IF ERROR RETURN
2407 023666 001403              BEQ      99$        ;YES - SKIP
2408 023670 063716 003022      ADD      ERRSWI,(SP) ;ADD IN ERROR RETURN
2409 023674 000207              RTS      PC
2410 023676 017616 000000      99$:    MOV      @(SP),(SP) ;SET ERROR RETURN ADDRESS
2411 023702 000207              RTS      PC
2412 023704 023737 003020 013734 10$:    CMP      MORECE,DCLIMW ;TEST IF COMPARE EPRORS LIMIT EXCEEDED
2413 023712 002011              BGE      13$        ;YES - SKIP
2414 023714 024445              CMP      -(R4),-(R5) ;SET PTRS BACK TO ERROR WORDS
2415 023716              ERRHRD 10035,,ERR10 ;REPORT ERROR
      (4) 023716 104456              TRAP    C$ERRHRD
      (5) 023720 023463              .WORD  10035
      (5) 023722 000000              .WORD  0
      (5) 023724 013464              .WORD  ERR10
2416 023726 005037 003022      CLR      ERRSWI      ;CLEAR ERROR SWITCH
2417 023732 022425              CMP      (R4)+,(R5)+ ;BUMP PTRS PAST ERROR WORDS
2418 023734 000711              BR       7$         ;DO NEXT COMPARE
2419 023736 005237 003020      13$:    INC      MORECE    ;BUMP ERROR COUNTER
2420 023742 000706              BR       7$         ;DO NEXT COMPARE
```

```

2422
2423      ;      WRITE AND READ DATA ROUTINE.
2424
2425 023744 012737 177777 003124 XWRITT: MOV    #-1,TEMP1      ;SET SPECIAL WRITE FOR TIMING FLAG
2426 023752 000402                BR      XWRIT1
2427 023754 005037 003124 XWRITE: CLR    TEMP1          ;CLEAR SPECIAL WRITE FLAG
2428 023760 012737 000112 003140 XWRIT1: MOV    #WTDATA,TEMP7    ;SET FOR WRITE
2429 023766 023737 002306 003110      CMP    HLMTW,CURCYL          ;TEST IF CYLINDER 255 (BAD SEC)
2430 023774 001006                BNE     1$                  ;NO - SKIP
2431 023776 005737 003116      TST    DESHD                ;TEST IF HEAD 1 (BAD SECTOR FILES)
2432 024002 001403                BEQ     1$                  ;NO - SKIP
2433 024004 052737 004000 003010      BIS    #BADADD,OPFLAG        ;SET BAD ADDRESS FLAG
2434 024012 000403                1$: BR      XREADG          ;SKIP TO EXECUTE
2435 024014 012737 000114 003140 XREAD: MOV    #RDDATA,TEMP7    ;SET FOR READ
2436 024022 010346 XREADG: MOV    R3,-(SP)        ;STORE R3
2437 024024 013703 003006      MOV    SSINDX,R3           ;SET SUBROUTINE INDEX
2438 024030 005723                TST    (R3)+                ;BUMP TO NEXT STACK ENTRY
2439 024032 016663 000002 002410      MOV    2(SP),SUBSTK(R3)     ;INSERT THIS CALL
2440 024040 162763 000004 002410      SUB    #4,SUBSTK(R3)        ;ADJUST TO POINT TO CALL
2441 024046 010337 003006      MOV    R3,SSINDX           ;STORE IT BACK
2442 024052 010046                MOV    R0,-(SP)
2443 024054 010146                MOV    R1,-(SP)            ;STORE OTHER REGISTERS
2444 024056 010446                MOV    R4,-(SP)
2445 024060 004737 020444      JSR    PC,RDYCHK           ;CHECK IF DRIVE READY
2446 024064 024452                6$:
2447 024066 012703 003040      MOV    #L.CS,R3            ;GET ADDRESS OF LOAD REGS
2448 024072 013713 003140      MOV    TEMP7,(R3)          ;SET COMMAND
2449 024076 053713 003036      BIS    RLDRV,(R3)          ;INSERT DRIVE NUMBER
2450 024102 042713 002000      BIC    #BIT10,(R3)         ;CLEAR FOR DRIVE 4 - 7 SPEC'D
2451 024106 032723 000004      BIT    #BIT2,(R3)+         ;TEST IF WRITE DATA
2452 024112 001403                BEQ     3$                  ;YES - SKIP
2453 024114 012723 004072      MOV    #IBUFF,(R3)+        ;ELSE SET BA FOR READ
2454 024120 000402                BR      4$
2455 024122 012723 004472      3$: MOV    #OBUFF,(R3)+      ;SET BA FOR WRITE
2456 024126 013713 003110      4$: MOV    CURCYL,(R3)      ;GET CURRENT CYLINDER
2457 024132 012704 000007      MOV    #7,R4              ;ALIGN IT IN DA
2458 024136 006313      5$: ASL    (R3)
2459 024140 005304                DEC    R4
2460 024142 001375                BNE     5$
2461 024144 005737 003116      TST    DESHD                ;TEST IF HEAD 0
2462 024150 001402                BEQ     7$                  ;YES - SKIP
2463 024152 052713 000100      BIS    #HSMASK,(R3)        ;SET FOR HEAD 1
2464 024156 053723 003120      7$: BIS    DESSEC,(R3)+      ;INSERT DESIRED SECTOR
2465 024162 012713 177600      MOV    #177600,(R3)        ;INSERT WORD COUNT
2466 024166 005737 003124      TST    TEMP1              ;CHECK IF SPECIAL WRITE FOR TIMING
2467 024172 001402                BEQ     8$                  ;NO - SKIP
2468 024174 012713 177777      MOV    #177777,(R3)        ;ELSE SET FOR 1 WORD TRANSFER
2469 024200 032737 004000 003010      8$: BIT    #BADADD,OPFLAG    ;TEST IF BAD ADDRESS FLAG SET
2470 024206 001414                BEQ     2$                  ;NO - SKIP
2471 024210 042737 173777 003010      BIC    #^CBADADD,OPFLAG    ;CLEAR ALL BUT THIS FLAG
2472 024216 012703 010645      MOV    #MURTAB,R3          ;SET RESULT MESSAGE POINTER
2473 024222      ERRHRD 10032,,ERR1
      (4) 024222 104456      TRAP  C$ERRHD
      (5) 024224 023460      .WORD 10032
      (5) 024226 000000      .WORD 0
      (5) 024230 012070      .WORD ERR1
  
```

2474	024232	005037	003010			CLR	OPFLAG		:CLEAR ALL FLAGS
2475	024236	000503				BR	64\$		
2476	024240	005037	003012	2\$:		CLR	DONE		:CLEAR INTERRUPT FLAG
2477	024244	005737	003124			TST	TEMP1		:CHECK IF SPECIAL WRITE FLAG SET
2478	024250	001100				BNE	65\$:YES - DO NOT START WRITE
2479	024252	011362	000006			MOV	(R3),RLMP(R2)		:LOAD RL REGS
2480	024256	014362	000004			MOV	-(R3),RLDA(R2)		
2481	024262	014362	000002			MOV	-(R3),RLBA(R2)		
2482	024266	014362	000000			MOV	-(R3),RLCS(R2)		
2483	024272			10\$:		WAITUS	#3000.		:WAIT 300MS FOR INTERRUPT
2484	024304	005737	003012			TST	DONE		:CHECK IF INTERRUPT
2485	024310	001010				BNE	14\$:YES - SKIP
2486	024312	004737	016224			JSR	PC,WAITIN		:WAIT FOR INTERRUPT
2487	024316	012603				MOV	(SP)+,R3		:GET RESULT MESSAGE
2488	024320					ERRHRD	10030.,,ERR1		
(4)	024320	104456				TRAP	C\$ERHRD		
(5)	024322	023456				.WORD	10030		
(5)	024324	000000				.WORD	0		
(5)	024326	012070				.WORD	ERR1		
2489	024330	000446				BR	64\$		
2490	024332	032737	000001	003050	14\$:	BIT	#DRDYMSK,T.CS		:TEST IF DRIVE READY
2491	024340	001033				BNE	20\$:YES - SKIP
2492	024342	012703	010124			MOV	#MDRDY,R3		:SET RESULT MESSAGE
2493	024346	012704	011026			MOV	#CAFDT,R4		:CONDITION AFTER DATA XFER
2494	024352					ERRHRD	10032.,,ERR5		
(4)	024352	104456				TRAP	C\$ERHRD		
(5)	024354	023460				.WORD	10032		
(5)	024356	000000				.WORD	0		
(5)	024360	012322				.WORD	ERR5		
2495	024362	012701	000062			MOV	#50.,R1		:SET WAIT COUNT FOR 5 SECDS
2496	024366	004737	016430			JSR	PC,GSTAT		:GET DRIVE STATUS
2497	024372	024446				64\$			
2498	024374	032737	000001	003050		BIT	#DRDYMSK,T.CS		:TEST IF DRIVE READY NOW
2499	024402	001012				BNE	20\$:YES - SKIP
2500	024404	005301				DEC	R1		:DEC WAIT COUNT
2501	024406	001367				BNE	17\$:LOOP IF NOT TIME DONE
2502	024410	012704	011037			MOV	#C5SEC,H4		:SET CONDITION 5 SECONDS
2503	024414					ERRHRD	10033.,,ERR5		
(4)	024414	104456				TRAP	C\$ERHRD		
(5)	024416	023461				.WORD	10033		
(5)	024420	000000				.WORD	0		
(5)	024422	012322				.WORD	ERR5		
2504	024424	005037	003022			CLR	ERRSWI		:CLEAR ERROR SWITCH
2505	024430	005737	003050			TST	T.CS		:CHECK IF ANY ERROR
2506	024434	100006			20\$:	BPL	65\$:NO - SKIP
2507	024436					ERRHRD	10031.,,ERR6		
(4)	024436	104456				TRAP	C\$ERHRD		
(5)	024440	023457				.WORD	10031		
(5)	024442	000000				.WORD	0		
(5)	024444	012372				.WORD	ERR6		
2508	024446	005037	003022		64\$:	CLR	ERRSWI		:CLEAR ERROR SWITCH
2509	024452	162737	000002	003006	65\$:	SUB	#2,SSINDX		:REMOVE ENTRY FROM SUBROUT STACK
2510	024460	012604				MOV	(SP)+,R4		:RESTORE REGISTERS
2511	024462	012601				MOV	(SP)+,R1		
2512	024464	012600				MOV	(SP)+,R0		
2513	024466	012603				MOV	(SP)+,R3		

```

2514 024470 005737 003022      TST      ERRSWI      ;TEST IF ERROR RETURN
2515 024474 001403              BEQ      99$         ;YES - SKIP
2516 024476 063716 003022      ADD      ERRSWI,(SP) ;ELSE ADD IN ERROR RETURN
2517 024502 000207              RTS      PC
2518 024504 017616 000000      99$:    MOV      @ (SP), (SP) ;ADJUST FOR ERROR RETURN
2519 024510 000207              RTS      PC
2520
2521
2522
2523 024512 010046      BSCHK:  MOV      R0,-(SP)      ;STORE REGISTERS
2524 024514 010146      MOV      R1,-(SP)
2525 024516 010346      MOV      R3,-(SP)
2526 024520 005037 003024      CLR      BSFLAG      ;CLEAR FLAG
2527 024524 012703 003676      MOV      #FBSFIL,R3  ;GET POINTER TO FACTORY FILE
2528 024530 022713 177777      CMP      #-1,(R3)    ;CHECK IF ALL ONES
2529 024534 001005              BNE      4$          ;NO SKIP TO TEST
2530 024536 012703 003502      2$:    MOV      #SBSFIL,R3 ;ELSE SET POINTER TO SOFTWARE FILE
2531 024542 022713 177777      CMP      #-1,(R3)    ;CHECK IF ALL ONES
2532 024546 001431              BEQ      20$         ;YES - EXIT
2533 024550 013700 003106      4$:    MOV      NEWCYL,R0  ;BUILD HEADER OF ADDRESS IN QUESTION
2534 024554 012701 000007      MOV      #7,R1       ;POSITION CYLINDER
2535 024560 006300      5$:    ASL      R0
2536 024562 005301      DEC      R1
2537 024564 001375      BNE      5$
2538 024566 005737 003116      TST      DESHD       ;CHECK IF HEAD 0
2539 024572 001402              BEQ      7$          ;YES - SKIP
2540 024574 052700 000100      BIS      #BIT6,R0    ;INSERT HEAD 1
2541 024600 053700 003120      7$:    BIS      DESSEC,R0  ;INSERT SECTOR
2542 024604 022300      8$:    CMP      (R3)+,R0    ;CHECK THIS WORD IN FILE
2543 024606 001402              BEQ      12$        ;YES - EXIT,ERROR
2544 024610 101005              BHI      15$        ;EXIT- NO ERROR
2545 024612 000774      BR      8$
2546 024614 012737 000001 003024 12$:    MOV      #1,BSFLAG  ;SET ERROR FLAG
2547 024622 000403      BR      20$        ;GO TO EXIT
2548 024624 020327 003676      15$:    CMP      R3,#FBSFIL ;DONE BOTH FILES?
2549 024630 003342              BGT      2$          ;NO GO DO SOFTWARE FILE
2550 024632 012603 20$:    MOV      (SP)+,R3    ;ELSE RESTORE REGISTERS
2551 024634 012601      MOV      (SP)+,R1
2552 024636 012600      MOV      (SP)+,R0
2553 024640 005737 003024      TST      BSFLAG      ;CHECK IF ERROR
2554 024644 001003              BNE      99$        ;YES - SKIP
2555 024646 062716 000002      ADD      #2,(SP)    ;ELSE BUMP ERROR RETURN
2556 024652 000207              RTS      PC
2557 024654 017616 000000      99$:    MOV      @ (SP), (SP) ;SET FOR ERROR RETURN
2558 024660 000207              RTS      PC
2559
2560
2561 ;
2562 ;
2563 ;
2564 024662 010446      RPTOP: MOV      R4,-(SP)
2565 024664 005737 003006      TST      SSINDX     ;TEST SUBROUTINE INDEX 0
2566 024670 001433              BEQ      1$          ;SKIP IF 0
2567 024672 012704 000002      MOV      #2,R-      ;SET INDEXER TO FIRST ENTRY
2568 024676      PRINTB #FM 9,#SEQMES ;PRINT 'SUBROUTINE CALL SEQ'
(8) 024676 012746 007504      MOV      #SEQMES,-(SP)
(7) 024702 012746 011356      MOV      #FMT9,-(SP)

```

```

(6) 024706 012746 000002      MOV      #2,-(SP)
(3) 024712 010600      MOV      SP,R0
(4) 024714 104414      TRAP    C$PNTB
(4) 024716 062706 000006      ADD      #6,SP
2569 024722          3$: PRINTB  #FMT16,SUBSTK(R4)      ;PRINT CALLING LOCATION
(8) 024722 016446 002410      MOV      SUBSTK(R4),-(SP)
(7) 024726 012746 011531      MOV      #FMT16,-(SP)
(6) 024732 012746 000002      MOV      #2,-(SP)
(3) 024736 010600      MOV      SP,R0
(4) 024740 104414      TRAP    C$PNTB
(4) 024742 062706 000006      ADD      #6,SP
2570 024746 062704 000002      ADD      #2,R4          ;BUMP INDEX
2571 024752 020437 003006      CMP      R4,SSINDX     ;CHECK IF ALL PRINTED
2572 024756 003761          BLE      3$            ;LOOP IF NOT ALL PRINTED YET
2573 024760          1$: PRINTB  #FMT4,ERHEAD,#TSTLAB  ;PRINT ERROR HEADER
(9) 024760 012746 006471      MOV      #TSTLAB,-(SP)
(8) 024764 013746 003016      MOV      ERHEAD,-(SP)
(7) 024770 012746 011161      MOV      #FMT4,-(SP)
(6) 024774 012746 000003      MOV      #3,-(SP)
(3) 025000 010600      MOV      SP,R0
(4) 025002 104414      TRAP    C$PNTB
(4) 025004 062706 000010      ADD      #10,SP
2574 025010 042737 030000 003010      BIC      #SEEKOP!RORWOP,OPFLAG  ;CLEAR SK & RD OR WRT FLAG
2575 025016 013701 003040      MOV      L,CS,R1      ;GET COMMAND EXECUTED
2576 025022 042701 177741      BIC      #177741,R1    ;STRIP ALL BUT FUNCTION CODE
2577 025026 022701 000006      CMP      #6,R1      ;TEST IF SEEK OPERATION
2578 025032 001003          BNE      2$            ;NO - SKIP
2579 025034 052737 010000 003010      BIS      #SEEKOP,OPFLAG  ;ELSE SET SEEK FLAG
2580 025042 022701 000012          2$: CMP      #12,R1      ;TEST IF WRITE
2581 025046 001003          BNE      20$           ;NO - SKIP
2582 025050 052737 020000 003010      BIS      #RORWOP,OPFLAG  ;SET RD OR WRT FLAG
2583 025056 022701 000014          20$: CMP      #14,R1      ;TEST IF READ
2584 025062 001003          BNE      22$           ;NO - SKIP
2585 025064 052737 020000 003010      BIS      #RORWOP,OPFLAG  ;SET RD OR WRT FLAG
2586 025072          22$: PRINTB  #FMT1,#MOPER,OPMSG$S(R1) ;PRINT OPERATION
(9) 025072 016146 002230      MOV      OPMSG$S(R1),-(SP)
(8) 025076 012746 005517      MOV      #MOPER,-(SP)
(7) 025102 012746 011137      MOV      #FMT1,-(SP)
(6) 025106 012746 000003      MOV      #3,-(SP)
(3) 025112 010600      MOV      SP,R0
(4) 025114 104414      TRAP    C$PNTB
(4) 025116 062706 000010      ADD      #10,SP
2587 025122 020127 000004      CMP      R1,#4          ;CHECK IF GET STATUS
2588 025126 001007          BNE      4$            ;NO - SKIP
2589 025130 032737 000010 003044      BIT      #DRSET,L,DA    ;TEST IF RESET INCLUDED
2590 025136 001403          BEQ      4$            ;NO - SKIP
2591 025140 012701 000016          MOV      #16,R1        ;SET TO PRINT WITH RESET
2592 025144 000436          BR       9$
2593 025146 032737 007777 003010 4$: BIT      #COMPOP,OPFLAG  ;TEST IF ANY OTHER OPERATION
2594 025154 001424          BEQ      8$            ;NO - SKIP
2595 025156 013704 003010          MOV      OPFLAG,R4     ;SET UP TO DETERMINE WHICH ONE
2596 025162 012701 000020          MOV      #20,R1        ;PRESET THE POINTER
2597 025166 032704 000001          5$: BIT      #BIT00,R4    ;CHECK THE BIT
2598 025172 001003          BNE      6$            ;IF SET - SKIP
2599 025174 005721          TST      (R1)+         ;BUMP POINTER
2600 025176 006204          ASR      R4
  
```

```

2601 025200 000772          BR      5$
2602 025202          6$: PRINTB #FMT2,OPMSG$ (R1)
(8) 025202 016146 002230    MOV     OPMSG$ (R1),-(SP)
(7) 025206 012746 011153    MOV     #FMT2,-(SP)
(6) 025212 012746 000002    MOV     #2,-(SP)
(3) 025216 010600          MOV     SP,R0
(4) 025220 104414          TRAP   C$PNTB
(4) 025222 062706 000006    ADD     #6,SP
2603 025226 032737 100000 003010 8$: BIT     #HDR40,OPFLAG ;TEST IF 40 HEADER OPERATION
2604 025234 001415          BEQ     10$ ;NO - SKIP
2605 025236 012701 000050    MOV     #50,R1 ;ELSE PRINT IT
2606 025242          9$: PRINTB #FMT2,OPMSG$ (R1)
(8) 025242 016146 002230    MOV     OPMSG$ (R1),-(SP)
(7) 025246 012746 011153    MOV     #FMT2,-(SP)
(6) 025252 012746 000002    MOV     #2,-(SP)
(3) 025256 010600          MOV     SP,R0
(4) 025260 104414          TRAP   C$PNTB
(4) 025262 062706 000006    ADD     #6,SP
2607 025266 000434          BR      15$
2608 025270 032737 010000 003010 10$: BIT     #SEEKOP,OPFLAG ;SKIP
2609 025276 001430          BEQ     15$ ;TEST IF SEEK
2610 025300          PRINTB #FMT13,#FRMWD,OLDCYL,#DIFWD,DESDIF,#SGNWD,DESSGN,#HDWD,DESHD
(15) 025300 013746 003116    MOV     DESHD,-(SP)
(14) 025304 012746 007445    MOV     #HDWD,-(SP)
(13) 025310 013746 003114    MOV     DESSGN,-(SP)
(12) 025314 012746 007440    MOV     #SGNWD,-(SP)
(11) 025320 013746 003112    MOV     DFSDIF,-(SP)
(10) 025324 012746 007432    MOV     #DIFWD,-(SP)
(9) 025330 013746 003104    MOV     OLDCYL,-(SP)
(8) 025334 012746 007463    MOV     #FRMWD,-(SP)
(7) 025340 012746 011377    MOV     #FMT13,-(SP)
(6) 025344 012746 000011    MOV     #11,-(SP)
(3) 025350 010600          MOV     SP,R0
(4) 025352 104414          TRAP   C$PNTB
(4) 025354 062706 000024    ADD     #24,SP
2611 025360 032737 020000 003010 15$: BIT     #RORWOP,OPFLAG ;TEST IF READ OR WRITE SET
2612 025366 001424          BEQ     17$ ;NO - SKIP
2613 025370          PRINTB #FMT22,#CYLWD,CURCYL,#HDWD,DESHD,#SECWD,DESSEC
(13) 025370 013746 003120    MOV     DESSEC,-(SP)
(12) 025374 012746 007451    MOV     #SECWD,-(SP)
(11) 025400 013746 003116    MOV     DESHD,-(SP)
(10) 025404 012746 007445    MOV     #HDWD,-(SP)
(9) 025410 013746 003110    MOV     CURCYL,-(SP)
(8) 025414 012746 007456    MOV     #CYLWD,-(SP)
(7) 025420 012746 011726    MOV     #FMT22,-(SP)
(6) 025424 012746 000007    MOV     #7,-(SP)
(3) 025430 010600          MOV     SP,R0
(4) 025432 104414          TRAP   C$PNTB
(4) 025434 062706 000020    ADD     #20,SP
2614 025440 004737 026112          17$: JSR     PC,CLRPARM ;CLEAR PARAM TABLE
2615 025444 012604          MOV     (SP)+,R4 ;RESTORE R4
2616 025446 000207          RTS     PC
2617
2618 ; REPORT REASON ROUTINE
2619 ; PRINTS REASON PORTION FOR ALL ERROR REPORTS.
2620 025450 010146          RPTRES: MOV    R1,-(SP) ;STORE R1

```

```

2621 025452 010346      MOV      R3,-(SP)      ;STORE R3
2622 025454 010446      MOV      R4,-(SP)      ;STORE R4
2623 025456 012701 003066  MOV      #RESPARM,R1   ;GET START OF PARAM
2624 025462 012103      MOV      (R1)+,R3      ;GET NUMBER OF PARAM
2625 025464      PRINTB  #FMT1.1,#MRSLT,(R1) ;PRINT NAME
(9) 025464 011146      MOV      (R1),-(SP)
(8) 025466 012746 005526      MOV      #MRSLT,-(SP)
(7) 025472 012746 011144      MOV      #FMT1.1,-(SP)
(6) 025476 012746 000003      MOV      #3,-(SP)
(3) 025502 010600      MOV      SP,R0
(4) 025504 104414      TRAP    C$PNTB
(4) 025506 062706 000010      ADD      #10,SP
2626 025512 021127 010516      CMP      (R1),#MNDRST  ;TEST IF MESSAGE IS NO DRV STATUS
2627 025516 001453      BEQ     6$            ;YES - SKIP REST OF REPORT
2628 025520 012704 011363      MOV      #FMT11,R4    ;PRISET FOR FORMAT 11
2629 025524 022127 010511      CMP      (R1)+,#MCYLOC ;CHECK IF REPORTING CYLINDER LOC
2630 025530 001002      BNE     3$            ;NO - SKIP
2631 025532 012704 011371      MOV      #FMT12,R4    ;ELSE CHANGE TO FORMAT 12
2632 025536 005303 3$:      DEC     R3            ;DEC PARAM COUNT
2633 025540 001442      BEQ     6$            ;IF 0 - EXIT
2634 025542      PRINTB  R4,#RESE3,(R1)+ ;REPORT IS VALUE
(9) 025542 012146      MOV      (R1)+,-(SP)
(8) 025544 012746 010725      MOV      #RESE3,-(SP)
(7) 025550 010446      MOV      #4,-(SP)
(6) 025552 012746 000003      MOV      #3,-(SP)
(3) 025556 010600      MOV      SP,R0
(4) 025560 104414      TRAP    C$PNTB
(4) 025562 062706 000010      ADD      #10,SP
2635 025566      PRINTB  R4,#RESE4,(R1)+ ;REPORT SB VALUE
(9) 025566 012146      MOV      (R1)+,-(SP)
(8) 025570 012746 010731      MOV      #RESE4,-(SP)
(7) 025574 010446      MOV      R4,-(SP)
(6) 025576 012746 000003      MOV      #3,-(SP)
(3) 025602 010600      MOV      SP,R0
(4) 025604 104414      TRAP    C$PNTB
(4) 025606 062706 000010      ADD      #10,SP
2636 025612 162703 000002      SUB      #2,R3        ;DEC PARAM COUNT
2637 025616 001413      BEQ     6$            ;IF 0 - EXIT
2638 025620      PRINTB  #FMT1,#RESE5,(R1)+ ;REPORT CONDITION
(9) 025620 012146      MOV      (R1)+,-(SP)
(8) 025622 012746 010736      MOV      #RESE5,-(SP)
(7) 025626 012746 011137      MOV      #FMT1,-(SP)
(6) 025632 012746 000003      MOV      #3,-(SP)
(3) 025636 010600      MOV      SP,R0
(4) 025640 104414      TRAP    C$PNTB
(4) 025642 062706 000010      ADD      #10,SP
2639 025646 012604 6$:      MOV      (SP)+,R4      ;RESTORE REGS
2640 025650 012603      MOV      (SP)+,R3
2641 025652 012601      MOV      (SP)+,R1
2642 025654 000207      RTS     PC            ;RETURN
2643
2644 ;
2645 ;
2646 025656      RPTREM: PRINTB #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
(11) 025656 005046      CLR     -(SP)
(11) 025660 153716 003037      BISB   RLDRV+1,(SP)

```



```

(10) 025664 012746 006142      MOV      #DRVNAM,-(SP)
(9)  025670 013746 003032      MOV      RLBAS,-(SP)
(8)  025674 012746 006131      MOV      #BASADD,-(SP)
(7)  025700 012746 011172      MOV      #FMT5,-(SP)
(6)  025704 012746 000005      MOV      #5,-(SP)
(3)  025710 010600                MOV      SP,R0
(4)  025712 104414                TRAP     C$PNTB
(4)  025714 062706 000014      ADD      #14,SP
2647                                :
2648 025720                REPORT  RL11 REGISTERS
(13) 025720 012746 007445      PRINTB  #FMT6,#CSNAM,#DANAM,#BANAM,#MPNAM,#CYLWD,#HDWD
(12) 025724 012746 007456      MOV      #HDWD,-(SP)
(11) 025730 012746 006245      MOV      #CYLWD,-(SP)
(10) 025734 012746 006233      MOV      #MPNAM,-(SP)
(9)  025740 012746 006240      MOV      #BANAM,-(SP)
(8)  025744 012746 006226      MOV      #DANAM,-(SP)
(7)  025750 012746 011212      MOV      #CSNAM,-(SP)
(6)  025754 012746 000007      MOV      #FMT6,-(SP)
(3)  025760 010600                MOV      #7,-(SP)
(4)  025762 104414                MOV      SP,R0
(4)  025764 062706 000020      TRAP     C$PNTB
2649 025770                ADD      #20,SP
(12) 025770 013746 003046      PRINTB  #FMT8,#LAB1,L.CS,L.DA,L.BA,L.MP
(11) 025774 013746 003042      MOV      L.MP,-(SP)
(10) 026000 013746 003044      MOV      L.BA,-(SP)
(9)  026004 013746 003040      MOV      L.DA,-(SP)
(8)  026010 012746 006252      MOV      L.CS,-(SP)
(7)  026014 012746 011324      MOV      #LAB1,-(SP)
(6)  026020 012746 000006      MOV      #FMT8,-(SP)
(3)  026024 010600                MOV      #6,-(SP)
(4)  026026 104414                MOV      SP,R0
(4)  026030 062706 000016      TRAP     C$PNTB
2650 026034                ADD      #16,SP
(14) 026034 013746 003116      PRINTB  #FMT7,#LAB2,T.CS,T.DA,T.BA,T.MP,CURCYL,DESHD
(13) 026040 013746 003110      MOV      DESHD,-(SP)
(12) 026044 013746 003056      MOV      CURCYL,-(SP)
(11) 026050 013746 003052      MOV      T.MP,-(SP)
(10) 026054 013746 003054      MOV      T.BA,-(SP)
(9)  026060 013746 003050      MOV      T.DA,-(SP)
(8)  026064 012746 006265      MOV      T.CS,-(SP)
(7)  026070 012746 011254      MOV      #LAB2,-(SP)
(6)  026074 012746 000010      MOV      #FMT7,-(SP)
(3)  026100 010600                MOV      #10,-(SP)
(4)  026102 104414                MOV      SP,R0
(4)  026104 062706 000022      TRAP     C$PNTB
2651 026110 000207                ADD      #22,SP
2652                                RTS      PC
2653                                :
2654 026112 010546                CLRPARM: MOV      R5,-(SP)          ;STORE R5
2655 026114 012701 003066                MOV      #RESPARM,R1          ;GET ADDRESS OF BLOCK
2656 026120 012705 000005                MOV      #5,R5                ;SET COUNT
2657 026124 005021                2$: CLR      (R1)+            ;CLEAR WORD
2658 026126 005305                DEC      R5                    ;DEC COUNT
2659 026130 001375                BNE     2$                     ;LOOP UNTIL 0
2660 026132 012701 003066                MOV      #RESPARM,R1          ;RESET POINTER
2661 026136 012605                MOV      (SP)+,R5            ;RESTORE R5

```

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 ^{G 8} PAGE 2-7
GLOBAL SUBROUTINES

SEQ 0097

2662 026140 000207
2663
2664 026142
2665

RTS PC

ENDMOD

```

2667      .TITLE  CZRLNAO RL01/02 DRIVE TEST 3
2668
2669 026142  BGNMOD  HRDWTST
2670
2671      .SBTTL  *TEST 1          **SEEK TIMING
2672
2673 026142  BGNTST                ;TEST 1
(3) 026142
2674 026142 012737 006664 003016      MOV      #P2T12E,ERHEAD ;SET ERROR HEADER
2675      ;CHECK FOR PRESENCE OF A P-CLOCK...BYPASS TEST IF NOT AVAILABLE
2676 026150 005737 003474      TST      CLKFLG        ;P-CLOCK?
2677 026154 001014      BNE      3$           ;BRANCH TO PERFORM TEST IF P-CLOCK IS PRESENT
2678 026156      PRINTF  #FMT9,#NOTST1 ;ELSE, PRINT MSG. 'TEST 1 CANNOT BE PERFORMED...'
(8) 026156 012746 007750      MOV      #NOTST1,-(SP)
(7) 026162 012746 011356      MOV      #FMT9,-(SP)
(6) 026166 012746 000002      MOV      #2,-(SP)
(3) 026172 010600      MOV      SP,R0
(4) 026174 104417      TRAP    C$PNTF
(4) 026176 062706 000006      ADD      #6,SP
2679
2680 026202 000137 030052      JMP      65$          ;/P-CLOCK IS NOT AVAILABLE''
2681 026206 004737 016362      JSR     PC,TSTINT    ;EXIT TEST
2682 026212 004737 016400      JSR     PC,GSTATR   ;INITIALIZE TEST
2683 026216 030052      65$          ;CLEAR DRIVE
2684 026220 012700 003144      MOV     #OFIN,R0    ;GET ADDRESS OF 1ST TIME VALUE
2685 026224 012701 000030      MOV     #24.,R1    ;SET COUNT FOR CLEAR
2686 026230 005020      4$:      CLR     (R0)+      ;CLEAR TIMER STORAGE
2687 026232 005301      DEC     R1
2688 026234 001375      BNE     4$
2689 026236 005037 003236      CLR     PASCNT     ;CLEAR PASS COUNTER
2690 026242 005037 003106      CLR     NEWCYL    ;POSITION HEADS AT 0
2691 026246 004737 017326      JSR     PC,XSEEK   ;DO SEEK
2692 026252 030052      65$
2693 026254 012701 005670      MOV     #3000.,R1  ;SET WAIT FOR 300 MS
2694 026260 004737 022222      JSR     PC,RDYWAIT ;WAIT FOR READY
2695 026264 030052      65$
2696 026266 004737 022634      JSR     PC,VERPOS  ;VERIFY POSITION
2697 026272 030052      65$
2698 026274 004737 020720      JSR     PC,CHOSHD  ;GO CHOSE HEAD
2699 026300 012700 003154      MOV     #OFOUT,R0  ;SET PTRS FOR 1 CYL FWD OUTER TIMER
2700 026304 012701 003156      MOV     #OFOUTU,R1
2701 026310 012703 003170      MOV     #OROUT,R3
2702 026314 012704 003172      MOV     #OROUTU,R4
2703 026320 012737 000001 003106      MOV     #1,NEWCYL  ;SET NEWCYL TO CYL 1
2704 026326 012737 000200 003240      8$:      MOV     #128.,COUNT ;SET COUNTER FOR SEEK LOOP
2705 026334 012737 000110 003142      MOV     #RDHEAD,TEMP8 ;BUILD READ HEADER COMMAND
2706 026342 053737 003036 003142      BIS     RLDIV,TEMP8
2707 026350 042737 002000 003142      BIC     #BIT10,TEMP8
2708 026356 004737 017316      9$:      JSR     PC,XSEEKT  ;DO SEEK BUILD BUT DO NOT START
2709 026362 030052      65$
2710 026364 013762 003044 000004      MOV     L.DA,RLDA(R2) ;LOAD RL REGISTERS
2711 026372 013762 003040 000000      MOV     L.CS,RLCS(R2)
2712 026400 010046      MOV     R0,-(SP)   ;STORE R0
2713 026402      WAITUS #10.      ;WAIT FOR INTERRUPT
2714 026414 005737 003012      TST     DONE      ;TEST IF INTERRUPT
2715 026420 001011      BNE     17$       ;YES - SKIP
  
```

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-9
*TEST 1 **SEEK TIMING

SEQ 0099

2716	026422	004737	016224		JSR	PC, WAITIN		:WAIT FOR INTERRUPT
2717	026426	012603			MOV	(SP)+, R3		:GET MESSAGE POINTER
2718	026430				ERRHRD	1201, ERR1		
(4)	026430	104456			TRAP	C\$ERRD		
(5)	026432	002261			.WORD	1201		
(5)	026434	000000			.WORD	0		
(5)	026436	012070			.WORD	ERR1		
2719	026440	000137	030052		JMP	65\$		
2720	026444	005737	003050	17\$:	TST	T.CS		:CHECK IF ANY EPRORS
2721	026450	100006			BPL	14\$:NO - SKIP
2722	026452				ERRHRD	1202, ERR6		
(4)	026452	104456			TRAP	C\$ERRD		
(5)	026454	002262			.WORD	1202		
(5)	026456	000000			.WORD	0		
(5)	026460	012372			.WORD	ERR6		
2723	026462	000137	030052		JMP	65\$		
2724	026466	005037	003012	14\$:	CLR	DONE		:CLEAR INTERRUPT FLAG
2725	026472				STCLK			:START P-CLOCK TO INITIATE MEASUREMENT
2726								:/OF TIME INTERVAL
2727	026510	013762	003142	000000	MOV	TEMP8, RLCS(R2)		:LOAD RL11 CONTROL AND STATUS REGISTER
2728								:/TO INITIATE SEEK OPERATION
2729	026516				WAITUS	#2000.		:WAIT FOR INTERRUPT
2730	026530				GETTIM	R5		:GET ELAPSED TIME
2731	026540	012600			MOV	(SP)+, R0		:RESTORE R0
2732	026542	013737	003142	003040	MOV	TEMP8, L.CS		:SET IF ERROR TO REPORT
2733	026550	004737	022634		JSR	PC, VERPOS		:VERIFY POSITION
2734	026554	030052			65\$			
2735	026556	005737	003114		TST	DESSGN		:CHECK WHICH SEEK DIRECTION
2736	026562	001403			BEQ	15\$:REVERSE - SKIP
2737	026564	060510			ADD	R5, (R0)		:ADD TO FORWARD TOTAL
2738	026566	005511			ADC	(R1)		:ADD IN OVERFLOW
2739	026570	000402			BR	16\$:SKIP
2740	026572	060513		15\$:	ADD	R5, (R3)		:ADD TO REVERSE TOTAL
2741	026574	005514			ADC	(R4)		:ADD IN OVERFLOW
2742	026576	005337	003240	16\$:	DEC	COUNT		:DEC SEEK COUNT
2743	026602	001403			BEQ	18\$:SKIP IF 0
2744	026604	004737	021004		JSR	PC, ONSWAP		:ELSE SWAP OLD AND NEW CYL
2745	026610	000662			BR	9\$:REDO SEEK LOOP
2746	026612	162710	000470	18\$:	SUB	#312, (R0)		:SUB CONSTANT FOR READ HEADER TIME
2747	026616	162713	000470		SUB	#312, (R3)		
2748	026622	012705	000006		MOV	#6, R5		:SET SHIFT COUNT TO DIVIDE BY 64
2749	026626	000241		10\$:	CLC			:DIVIDE BOTH TOTALS BY 64
2750	026630	006011			ROR	(R1)		
2751	026632	006010			ROR	(R0)		
2752	026634	000241			CLC			
2753	026636	006014			ROR	(R4)		
2754	026640	006013			ROR	(R3)		
2755	026642	005305			DEC	R5		
2756	026644	001570			BNE	10\$		
2757	026646	005237	003236		INC	PASCNT		:BUMP PASS COUNT
2758	026652	022737	000001	003236	CMP	#1, PASCNT		:TEST IF PASS 1
2759	026660	001051			BNE	24\$:NO - SKIP
2760	026662	012737	000177	003106	MOV	#127, NEWCYL		:ELSE SET TO POSITION HDS TO 127
2761	026670	022737	000001	002302	CMP	#1, T.DRIVE		:DRIVE = RL01?
2762	026676	001403			BEQ	101\$:YUP
2763	026700	012737	000377	003106	MOV	#255, NEWCYL		:NO - SET FOR A MID POS SEEK RL02

J 8
PAGE 2-10

CZRLNAO RL01/02 DRIVE TEST 3 MACY11 30A(1052) 17-DEC-79 10:29 SEQ 0100
CZRLNA.MAC 17-DEC-79 10:22 *TEST 1 **SEEK TIMING

2764	026706	004737	017326		101\$:	JSR	PC,XSEEK	:DO SEEK
2765	026712	030052				65\$		
2766	026714	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
2767	026720	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
2768	026724	030052				65\$		
2769	026726	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
2770	026732	030052				65\$		
2771	026734	012700	003150			MOV	#OFMID,R0	:SET PTRS FOR TIMING 1 CYL SK AT 127
2772	026740	012701	003152			MOV	#OFMIDU,R1	
2773	026744	012703	003164			MOV	#ORMID,R3	
2774	026750	012704	003166			MOV	#ORMIDU,R4	
2775	026754	012737	000200	003106		MOV	#128.,NEWCYL	:SET NEWCYL TO 128
2776	026762	022737	000001	002302		CMP	#1,T.DRIVE	:RL01?
2777	026770	001403				BEQ	102\$:YUP
2778	026772	012737	000400	003106		MOV	#256.,NEWCYL	:SET FOR RL02
2779	027000	000137	026326		102\$:	JMP	8\$:DO SEEK LOOP
2780	027004	022737	000002	003236	24\$:	CMP	#2,PASCNT	:TEST IF PASS 2
2781	027012	001033				BNE	28\$:NO - SKIP
2782	027014	013737	002312	003106		MOV	NXTHL,NEWCYL	:SET UP TO TIME 1 CYL SEEK AT INNER
2783	027022	004737	017326			JSR	PC,XSEEK	: LIMIT
2784	027026	030052				65\$		
2785	027030	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
2786	027034	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
2787	027040	030052				65\$		
2788	027042	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
2789	027046	030052				65\$		
2790	027050	012700	003144			MOV	#OFIN,R0	:SET POINTERS
2791	027054	012701	003146			MOV	#OFINU,R1	
2792	027060	012703	003160			MOV	#ORIN,R3	
2793	027064	012704	003162			MOV	#ORINU,R4	
2794	027070	013737	002306	003106		MOV	HLMTW,NEWCYL	:LOAD NEW CYLINDER
2795	027076	000137	026326			JMP	8\$:DO SEEK LOOP
2796	027102	022737	000003	003236	28\$:	CMP	#3,PASCNT	:TEST IF PASS 3
2797	027110	001040				BNE	32\$:NO - SKIP
2798	027112	005037	003106			CLR	NEWCYL	:ELSE SET UP TO TIME 85/170 CYL SEEK
2799	027116	004737	017326			JSR	PC,XSEEK	: AT OUTER LIMIT
2800	027122	030052				65\$		
2801	027124	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
2802	027130	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR DRIVE READY
2803	027134	030052				65\$		
2804	027136	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
2805	027142	030052				65\$		
2806	027144	012700	003200			MOV	#HFOUT,R0	:SET POINTERS
2807	027150	012701	003202			MOV	#HFOUTU,R1	
2808	027154	012703	003210			MOV	#HROUT,R3	
2809	027160	012704	003202			MOV	#HFOUTU,R4	
2810	027164	012737	000125	003106		MOV	#85.,NEWCYL	:LOAD NEWCYL FOR 85 CYL SEEK
2811	027172	022737	000001	002302		CMP	#1,T.DRIVE	:RL01?
2812	027200	001505				BEQ	39\$:YUP
2813	027202	012737	000252	003106		MOV	#170.,NEWCYL	:NO - SET FOR RL02
2814	027210	000501				BR	39\$	
2815	027212	022737	000004	003236	32\$:	CMP	#4,PASCNT	:TEST IF PASS 4
2816	027220	001041				BNE	36\$:NO - SKIP
2817	027222	012737	000252	003106		MOV	#170.,NEWCYL	:ELSE SET UP TO TIME 85 CYL SEEK
2818	027230	022737	000001	002302		CMP	#1,T.DRIVE	:RL01?
2819	027236	001403				BEQ	321\$:YES

```

2820 027240 012737 000525 003106 MOV #341.,NEWCYL ;NO - SET FOR RL02
2821 027246 004737 017326 321$: JSR PC,XSEEK ; AT INNER LIMIT
2822 027252 030052 65$
2823 027254 012701 005670 MOV #3000.,R1 ;SET WAIT COUNT FOR 300 MS
2824 027260 004737 022222 JSR PC,RDYWAIT ;WAIT FOR READY
2825 027264 030052 65$
2826 027266 004737 022634 JSR PC,VERPOS ;VERIFY POSITION
2827 027272 030052 65$
2828 027274 012700 003174 MOV #HF IN,R0 ;SET POINTERS
2829 027300 012701 003176 MOV #HF INU,R1
2830 027304 012703 003204 MOV #HR IN,R3
2831 027310 012704 003206 MOV #HR INU,R4
2832 027314 013737 002306 003106 MOV HLMTW,NEWCYL ;SET NEWCYL TO 255/511 FOR 85/170 CYL SEEK
2833 027322 000434 BR 39$ ;DO TIMING LOOP
2834 027324 022737 000005 003236 36$: CMP #5,PASCNT ;TEST IF PASS 5
2835 027332 001032 BNE 40$ ;NO - SKIP
2836 027334 005037 003106 CLR NEWCYL ;ELSE SET UP TO TIME 256/512 CYL SEEK
2837 027340 004737 017326 JSR PC,XSEEK ; OVER ALL SURFACE
2838 027344 030052 65$
2839 027346 012701 005670 MOV #3000.,R1 ;SET WAIT COUNT FOR 300 MS
2840 027352 004737 022222 JSR PC,RDYWAIT ;WAIT FOR DRIVE READY
2841 027356 030052 65$
2842 027360 004737 022634 JSR PC,VERPOS ;VERIFY POSITION
2843 027364 030052 65$
2844 027366 012700 003214 MOV #AFMID,R0 ;SET POINTERS
2845 027372 012701 003216 MOV #AFMIDU,R1
2846 027376 012703 003220 MOV #ARMID,R3
2847 027402 012704 003222 MOV #ARMIDU,R4
2848 027406 013737 002306 003106 MOV HLMTW,NEWCYL ;SET NEWCYL
2849 027414 000137 026326 JMP 8$
2850 027420 40$: PRINTF #FMT1.1,#SKTMES,#VALDES
(9) 027420 012746 007117 MOV #VALDES,-(SP)
(8) 027424 012746 007063 MOV #SKTMES,-(SP)
(7) 027430 012746 011144 MOV #FMT1.1,-(SP)
(6) 027434 012746 000003 MOV #3,-(SP)
(3) 027440 010600 MOV SP,R0
(4) 027442 104417 TRAP C$PNTF
(4) 027444 062706 000010 ADD #10,SP
2851 027450 PRINTF #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
(11) 027450 005046 CLR -(SP)
(11) 027452 153716 003037 BISB RLDRV+1,(SP)
(10) 027456 012746 006142 MOV #DRVNAM,-(SP)
(9) 027462 013746 003032 MOV RLBAS,-(SP)
(8) 027466 012746 006131 MOV #BASADD,-(SP)
(7) 027472 012746 011172 MOV #FMT5,-(SP)
(6) 027476 012746 000005 MOV #5,-(SP)
(3) 027502 010600 MOV SP,R0
(4) 027504 104417 TRAP C$PNTF
(4) 027506 062706 000014 ADD #14,SP
2852 027512 PRINTF #FMT18,#LABIN,#LABMID,#LABOUT,#LABEXP
(11) 027512 012746 007176 MOV #LABEXP,-(SP)
(10) 027516 012746 007170 MOV #LABOUT,-(SP)
(9) 027522 012746 007161 MOV #LABMID,-(SP)
(8) 027526 012746 007153 MOV #LABIN,-(SP)
(7) 027532 012746 011564 MOV #FMT18,-(SP)
(6) 027536 012746 000005 MOV #5,-(SP)

```

(3)	027542	010600		MOV	SP,RO
(4)	027544	104417		TRAP	C\$PNTF
(4)	027546	062706	000014	ADD	#14,SP
2853	027552			PRINTF	#FMT19,#LABOCF,OF IN,OFMID,OFOUT,EXOCYL
(12)	027552	013746	003224	MOV	EXOCYL,-(SP)
(11)	027556	013746	003154	MOV	OFOUT,-(SP)
(10)	027562	013746	003150	MOV	OFMID,-(SP)
(9)	027566	013746	003144	MOV	OFIN,-(SP)
(8)	027572	012746	007207	MOV	#LABOCF,-(SP)
(7)	027576	012746	011616	MOV	#FMT19,-(SP)
(6)	027602	012746	000006	MOV	#6,-(SP)
(3)	027606	010600		MOV	SP,RO
(4)	027610	104417		TRAP	C\$PNTF
(4)	027612	062706	000016	ADD	#16,SP
2854	027616			PRINTF	#FMT19,#LABOCR,ORIN,ORMID,OROUT,EXOCYL
(12)	027616	013746	003224	MOV	EXOCYL,-(SP)
(11)	027622	013746	003170	MOV	OROUT,-(SP)
(10)	027626	013746	003164	MOV	ORMID,-(SP)
(9)	027632	013746	003160	MOV	ORIN,-(SP)
(8)	027636	012746	007221	MOV	#LABOCR,-(SP)
(7)	027642	012746	011616	MOV	#FMT19,-(SP)
(6)	027646	012746	000006	MOV	#6,-(SP)
(3)	027652	010600		MOV	SP,RO
(4)	027654	104417		TRAP	C\$PNTF
(4)	027656	062706	000016	ADD	#16,SP
2855	027662			PRINTF	#FMT20,#LABHCF,HF IN,HFOUT,EXHCYL
(11)	027662	013746	003226	MOV	EXHCYL,-(SP)
(10)	027666	013746	003200	MOV	HFOUT,-(SP)
(9)	027672	013746	003174	MOV	HF IN,-(SP)
(8)	027676	012746	007233	MOV	#LABHCF,-(SP)
(7)	027702	012746	011653	MOV	#FMT20,-(SP)
(6)	027706	012746	000005	MOV	#5,-(SP)
(3)	027712	010600		MOV	SP,RO
(4)	027714	104417		TRAP	C\$PNTF
(4)	027716	062706	000014	ADD	#14,SP
2856	027722			PRINTF	#FMT20,#LABHCR,HRIN,HROUT,EXHCYL
(11)	027722	013746	003226	MOV	EXHCYL,-(SP)
(10)	027726	013746	003210	MOV	HROUT,-(SP)
(9)	027732	013746	003204	MOV	HRIN,-(SP)
(8)	027736	012746	007247	MOV	#LABHCR,-(SP)
(7)	027742	012746	011653	MOV	#FMT20,-(SP)
(6)	027746	012746	000005	MOV	#5,-(SP)
(3)	027752	010600		MOV	SP,RO
(4)	027754	104417		TRAP	C\$PNTF
(4)	027756	062706	000014	ADD	#14,SP
2857	027762			PRINTF	#FMT21,#LABACF,AFMID,EXACYL
(10)	027762	013746	003230	MOV	EXACYL,-(SP)
(9)	027766	013746	003214	MOV	AFMID,-(SP)
(8)	027772	012746	007263	MOV	#LABACF,-(SP)
(7)	027776	012746	011703	MOV	#FMT21,-(SP)
(6)	030002	012746	000004	MOV	#4,-(SP)
(3)	030006	010600		MOV	SP,RO
(4)	030010	104417		TRAP	C\$PNTF
(4)	030012	062706	000012	ADD	#12,SP
2858	030016			PRINTF	#FMT21,#LABACR,ARMID,EXACYL
(10)	030016	013746	003230	MOV	EXACYL,-(SP)

(9)	030022	013746	003220	MOV	ARMID,-(SP)
(8)	030026	012746	007277	MOV	#LABA(R,-(SP)
(7)	030032	012746	011703	MOV	#FMT21,-(SP)
(6)	030036	012746	00000'	MOV	#4,-(SP)
(3)	030042	010600		MOV	SP,R0
(4)	030044	104417		TRAP	C\$PNTF
(4)	030046	062706	000012	ADD	#12,SP
2859	030052				
2860	030052				
(3)	030052				
(3)	030052	104401		TRAP	C\$ETST

65\$:
ENDTST
L10023:


```
2862 .SBTTL *TEST 2 **BASIC READ DATA (BAD SECTOR FILE)
2863 BGNSTST ;TEST 2
(3) 030054 T2::
2864 030054 012737 006676 003016 MOV #P2T13E,ERHEAD ;SET ERROR HEADER
2865 030062 004737 016362 JSR PC,TSTINT ;INITIALIZE TEST
2866 030066 004737 016400 JSR PC,GSTATR ;CLEAR DRIVE
2867 030072 030542 65$
2868 030074 012737 000001 003116 MOV #1,DESHD ;SET TO HEAD 1
2869 030102 032737 010000 013722 BIT #HEADLM,MISWIW ;TEST IF HEAD SPEC'D
2870 030110 001405 BEQ 2$ ;NO - SKIP
2871 030112 005737 013730 TST HEADW ;TEST IF HEAD 0
2872 030116 001002 BNE 2$ ;NO - SKIP
2873 030120 EXIT TST ;ELSE EXIT TEST
(3) 030120 104432 TRAP C$EXIT
(3) 030122 000446 .WORD L10024-
2874 030124 013737 002306 003106 2$: MOV HLMTW,NEWCYL ;POSITION HEADS AT 255
2875 030132 004737 017326 JSR PC,XSEEK ;DO SEEK
2876 030136 030542 65$
2877 030140 012701 005670 MOV #3000.,R1 ;SET WAIT COUNT FOR 300 MS
2878 030144 004737 022222 JSP PC,RDYWAIT ;WAIT FOR INTERRUPT
2879 030150 030542 65$
2880 030152 004737 022634 JSR PC,VERPOS ;VERIFY POSITION
2881 030156 030542 65$
2882 030160 005037 003120 CLR DESSEC ;SET FOR SECTOR 0
2883 030164 012737 003676 003134 MOV #FBSFIL,TEMP5 ;SET TEMP STORAGE FOR FACTORY BS FILE
2884 030172 012737 000020 003136 MOV #16.,TEMP6 ;SET MAX SECTOR COUNT
2885 030200 112737 000001 003451 MOV #1,NOERCT ;SET FOR NO ERROR COUNTING
2886 030206 105037 003450 CLRB LOCERR ;CLEAR LOCAL ERROR COUNTER
2887 030212 005037 003130 4$: CLR TEMP3 ;CLEAR ONES DETECTED FLAG
2888 030216 013701 003134 MOV TEMP5,R1 ;INIT POINTERS
2889 030222 013700 003136 MOV TEMP6,R0
2890 030226 012703 004072 MOV #IBUFF,R3
2891 030232 012737 000002 003022 MOV #2,ERRSWI ;INIT ERROR SWITCH
2892 030240 004737 024014 JSR PC,XREAD ;DO READ
2893 030244 030416 39$
2894 030246 005723 TST (R3)+ ;TEST IF WORD 0 NOT NEG
2895 030250 100516 BMI 45$ ;YES, BAD FMT ERROR
2896 030252 005723 TST (R3)+ ;ELSE TEST WORD 1 NOT NEG
2897 030254 100514 BMI 45$ ;YES - BAD FMT ERROR REPORT
2898 030256 005723 7$: TST (R3)+ ;TEST WORD 2 IS 0
2899 030260 001112 BNE 45$ ;NO - SKIP TO FMT ERROR RPT
2900 030262 005723 TST (R3)+ ;TEST WORD 3 IS 0
2901 030264 001110 BNE 45$ ;NO - SKIP TO FMT ERROR RPT
2902 030266 021327 177777 8$: CMP (R3),#-1 ;TEST IF NEXT WORD IS ALL 1'S
2903 030272 001004 BNE 10$ ;NO - SKIP
2904 030274 012737 000001 003130 MOV #1,TEMP3 ;ELSE SET 1'S DETECTED FLAG
2905 030302 000403 BR 11$ ;SKIP
2906 030304 005737 003130 10$: TST TEMP3 ;TEST IF ONES HAVE BEEN DETECTED
2907 030310 001076 BNE 45$ ;YES - SKIP TO FMT ERROR RPT
2908 030312 012311 11$: MOV (R3)+,(R1) ;STORE CYLINDER WORD
2909 030314 012705 000007 MOV #7,R5 ;ALIGN IT TO LOOK LIKE HEADER
2910 030320 006311 12$: ASL (R1)
2911 030322 005305 DEC R5
2912 030324 001375 BNE 12$
2913 030326 032713 000400 BIT #BIT8,(R3) ;TEST IF HEAD 1
2914 030332 001402 BEQ 15$ ;NO - SKIP
```

```
2915 030334 052711 000100      BIS      #BIT6,(R1)      ;INSERT HEAD BIT
2916 030340 042713 177400      15$:    BIC      #177400,(R3) ;CLEAR ALL BUT SECTOR
2917 030344 052321                BIS      (R3)+,(R1)+ ;INSERT SECTOR NUMBER
2918 030346 020327 004472      CMP      R3,#IBUFF+256. ;CHECK IF IBUFF EMPTY
2919 030352 001345                BNE      8$          ;NO GET NEXT CYLINDER
2920 030354 005737 003130      TST      TEMP3      ;ELSE TEST IF 1'S DETECTED
2921 030360 001461                BEQ      48$        ;TO MANY ERRORS - REPORT
2922 030362 022737 000044 003136      CMP      #36.,TEMP6 ;CHECK IF SOFTWARE BAD READ
2923 030370 001464                BEQ      65$        ;YES - SKIP
2924 030372 012737 003502 003134 37$:    MOV      #SBSFIL,TEMP5 ;ELSE CHANGE POINTERS
2925 030400 012737 000044 003136      MOV      #36.,TEMP6 ;
2926 030406 012737 000024 003120      MOV      #20.,DESSEC ;MAX SECTOR NUMBER
2927 030414 000676                BR       4$          ;SECTOR NUMBER START
2928 030416 005237 003450      39$:    INC      LOCERR     ;DO READ
2929 030422 012777 177777 152504 40$:    MOV      #-1,@TEMP5 ;BUMP LOCAL ERROR COUNTER
2930 030430                INLOOP                ;MOV 1'S INTO FILE STORAGE
(3) 030430 104420                TRAP    C$INLP      ;CHECK IF IN ERROR LOOP
2931 030432                BCOMPLETE 4$          ;YES - GO DO READ
(2) 030432 103667                BCS     4$
2932 030434 023737 003120 003136 41$:    CMP      DESSEC,TEMP6 ;CHECK IF ALL SECTORS READ
2933 030442 001015                BNE     43$        ;NO - SKIP
2934 030444 012703 006033      MOV      #MBADSF,R3 ;SET RESULT MESSAGE POINTER
2935 030450 005237 003450      INC      LOCERR     ;BUMP LOCAL ERROR COUNTER
2936 030454                ERRHRD 1301...ERR1
(4) 030454 104456                TRAP    C$ERRHRD
(5) 030456 002425                .WORD  1301
(5) 030460 000000                .WORD  0
(5) 030462 012070                .WORD  ERR1
2937 030464 022737 003502 003134      CMP      #SBSFIL,TEMP5 ;TEST IF SOFTWARE FILES CHECKED
2938 030472 001423                BEQ     65$        ;YES - EXIT
2939 030474 000736                BR      37$        ;ELSE GO CHECK SOFTWARE FILES
2940 030476 062737 000004 003120 43$:    ADD      #4,DESSEC   ;BUMP TO NEXT SECTOR
2941 030504 000642                BR      4$          ;GO DO READ
2942 030506 012703 006063      45$:    MOV      #MFMTERR,R3 ;SET RESULT MESSAGE POINTER
2943 030512                ERRHRD 1302...ERR1
(4) 030512 104456                TRAP    C$ERRHRD
(5) 030514 002426                .WORD  1302
(5) 030516 000000                .WORD  0
(5) 030520 012070                .WORD  ERR1
2944 030522 000735                BR      39$        ;GO CHECK FOR LOOP
2945 030524 012703 006110      48$:    MOV      #MTMBS,R3  ;SET RESULT MESSAGE PTR
2946 030530                ERRHRD 1303...ERR1
(4) 030530 104456                TRAP    C$ERRHRD
(5) 030532 002427                .WORD  1303
(5) 030534 000000                .WORD  0
(5) 030536 012070                .WORD  ERR1
2947 030540 000730                BR      40$        ;GO CHECK FOR LOOP
2948 030542 012737 000002 003022 65$:    MOV      #2,ERRSWI  ;INIT ERROR SWITCH
2949 030550 012737 000001 003500      MOV      #1,BSFVAL  ;SET BAD SECTOR FILES VALID FLAG
2950 030556 105737 003450      TSTB   LOCERR     ;TEST IF LOCAL ERRORS
2951 030562 001402                BEQ     66$        ;NO - SKIP
2952 030564 005237 003244      INC     ERRCNT    ;ELSE BUMP ERROR COUNT
2953 030570                66$:
2954 030570                ENDTST
(3) 030570                L10024:
(3) 030570 104401                TRAP    C$ETST
```

```
2956 .SBTTL *TEST 3 **WRITE/READ DATA (PART 1)
2957 BGNTST ;TEST 3
(3) 030572
2958 030572 012737 006712 003016 MOV #P2T14E,ERHEAD ;SET ERROR HEADER T3::
2959 030600 004737 021030 JSR PC,CKBSVD ;GO CHECK IF BAD SECTOR FILES VALID
2960 030604 004737 016362 JSR PC,TSTINT ;INITIALIZE TEST
2961 030610 004737 016400 JSR PC,GSTATR ;CLEAR DRIVE
2962 030614 031004 T3065$
2963 030616 004737 020720 JSR PC,CHOSHD ;GO CHOSE HEAD
2964 030622 005037 003120 CLR DESSEC ; SECTOR 0
2965 030626 005037 003106 CLR NEWCYL ; CYLINDER 0
2966 030632 005037 030676 CLR T310$ ;CLEAR PATTERN SELECT
2967 030636 004737 017326 T306$: JSR PC,XSEEK ;POSITION HEADS
2968 030642 031004 T3065$
2969 030644 012701 005670 MOV #3000.,R1 ;SET WAIT COUNT FOR 300 MS
2970 030650 004737 022222 JSR PC,RDYWAIT ;WAIT FOR READY
2971 030654 031004 T3065$
2972 030656 004737 022634 JSR PC,VERPOS ;VERIFY POSITION
2973 030662 031004 T3065$
2974 030664 005037 030676 CLR T'10$ ;CLEAR PATTERN SELECTOR
2975 030670 T307$:
2976 030670 BGNSUB
(3) 030670
(3) 030670 104402 TRAP C$BSUB T3.1:
2977 030672 004537 023324 JSR R5,DATGEN ;GENERATE DATA
2978 030676 000000 T310$: .WORD 0 ;PATTERN SELECT WORD
2979 030700 004737 023754 JSR PC,XWRITE ;DO WRITE DATA
2980 030704 030722 60$
2981 030706 004737 024014 JSR PC,XREAD ;DO READ DATA
2982 030712 030722 60$
2983 030714 004737 023464 JSR PC,DATCOM ;COMPARE DATA
2984 030720 030722 60$
2985 030722 012737 000002 003022 60$: MOV #2,ERRSWI ;INIT ERROR SWITCH
2986 030730 ENDSUB
(3) 030730 L10026:
(3) 030730 104403 TRAP C$ESUB
2987 030732 ESCAPE TST ;EXIT TEST IF ERROR
(3) 030732 104410 TRAP C$ESCAPE
(3) 030734 000050 .WORD L10025-
2988 030736 022737 000010 030676 CMP #8.,T310$ ;WAS DATA PAT 8 USED?
2989 030744 001403 BEQ 10$ ;YES - SKIP
2990 030746 005237 030676 INC T310$ ;ELSE BUMP TO NEXT PATTERN
2991 030752 000746 BR T307$ ;DO TEST WITH NEW PATTERN
2992 030754 004737 020744 10$: JSR PC,SWAPHD ;GO SWAP TO HEAD 1 OR END TEST
2993 030760 031004 T3065$ ;ABORT RETURN
2994 030762 005037 030676 CLR T310$ ;SET PATTERN SELECT TO 0
2995 030766 004737 024512 11$: JSR PC,BSCHK ;CHECK IF SECTOR BAD
2996 030772 030776 13$ ;YES RETURN - SKIP TO 13$
2997 030774 000720 BR T306$ ;NO RETURN - DO TEST THIS SECTOR
2998 030776 005237 003106 13$: INC NEWCYL ;BUMP TO NEXT CYLINDER
2999 031002 000771 BR 11$ ;CHECK IF THIS ONE BAD
3000 031004 T3065$:
3001 031004 ENDTST
(3) 031004 L10025:
(3) 031004 104401 TRAP C$ETST
3002
```

```

3004 .SBTTL *TEST 4 **ROTATIONAL TIMING
3005 BGNTST ;TEST 4
(3) 031006
3006 031006 012737 006733 003016
3007 MOV #P2T15E,ERHEAC ;SET ERROR HEADER
;CHECK FOR PRESENCE OF A P-CLOCK...BYPASS TEST IF NOT AVAILABLE
3008 031014 005737 003474 TST CLKFLG ;P-CLOCK?
3009 031020 001014 BNF 3$ ;BRANCH TO PERFORM TEST IF P-CLOCK IS PRESENT
3010 031022 PRINTF #FMT9,#NOTST4 ;ELSE, PRINT MSG. 'TEST 4 CANNOT BE PERFORMED...
(8) 031022 012746 010036 MOV #NOTST4,-(SP)
(7) 031026 012746 011356 MC' #FMT9,-(SP)
(6) 031032 012746 000002 MOV #2,-(SP)
(3) 031036 010600 MOV SP,R0
(4) 031040 104417 TRAP C$PNTF
(4) 031042 062706 000006 ADD #6,SP
3011 ;/P-CLOCK IS NOT AVAILABLE''
3012 031046 EXIT TST
(3) 031046 104432 TRAP C$EXIT
(3) 031050 000542 .WORD L10027-.
3013 031052 005003 3$: CLR R3 ;CLEAR FOR TIMING STORAGE
3014 031054 005004 CLR R4
3015 031056 004737 016362 JSR PC,TSTINT ;INITIALIZE TEST
3016 031062 004737 016400 JSR PC,GSTATR ;CLEAR DRIVE
3017 031066 031604 60$
3018 031070 004537 023324 JSR R5,DATGEN ;GENERATE DATA
3019 031074 000000 0 ;PATTERN 0
3020 031076 005037 003120 CLR DESSEC ;CLEAR TO SECTOR 0
3021 031102 004737 020720 JSR PC,CHOSHD ;GO SELECT HEAD
3022 031106 013737 013724 003106 MOV LOLIMW,NEWCYL ;SET FOR CYLINDER
3023 031114 004737 017326 JSR PC,XSEEK ;DO SEEK
3024 031120 031604 60$
3025 031122 012701 005670 MOV #3000.,R1 ;SET WAIT FOR 300 MS
3026 031126 004737 022222 JSR PC,RDYWAIT ;WAIT FOR READY
3027 031132 031604 60$
3028 031134 004737 022634 JSR PC,VERPOS ;VERIFY POSITION
3029 031140 031604 60$
3030 031142 012701 000100 MOV #64.,R1 ;SET LOOP COUNTER
3031 031146 012705 003046 5$: MOV #L.MP,R5 ;SET A POINTER
3032 031152 004737 023744 JSR PC,XWRITT ;DO FIRST WRITE
3033 031156 031604 60$
3034 031160 011562 000006 MOV (R5),RLMP(R2) ;LOAD RL REGISTERS
3035 031164 014562 000004 MOV -(R5),RLDA(R2)
3036 031170 014562 000002 MOV -(R5),RLBA(R2)
3037 031174 014562 000000 MOV -(R5),RLCS(R2)
3038 031200 WAITUS #3000.
3039 031212 005737 003012 TST DONE ;TEST IF INTERRUPT
3040 031216 001011 BNE 6$ ;YES - SKIP
3041 031220 004737 016224 JSR PC,WAITIN ;ELSE WAIT FOR TIMEOUT
3042 031224 012603 MOV (SP)+,R3 ;GET MESSAGE POINTER
3043 031226 ERRHRD 1501.,ERR1
(4) 031226 104456 TRAP C$ERHRD
(5) 031230 002735 .WORD 1501
(5) 031232 000000 .WORD 0
(5) 031234 012070 .WORD ERR1
3044 031236 000137 031604 JMP 60$
3045 031242 005737 003050 6$: TST T.CS ;TEST IF ANY ERRORS
3046 031246 100006 BPL 4$ ;NO - SKIP
  
```

```

3047 031250 ERRHRD 1502.,,ERR6
(4) 031250 104456 TRAP C$ERHRD
(5) 031252 002736 .WORD 1502
(5) 031254 000000 .WORD 0
(5) 031256 012372 .WORD ERR6
3048 031260 000137 031604 JMP 60$
3049 031264 012705 003046 4$: MOV #L.MP,R5 ;SET POINTER TO RL LOAD REGS
3050 031270 005037 003012 CLR DONE ;CLEAR INTERRUPT INDICATOR
3051 031274 STCLK ;START P-CLOCK TO INITIATE MEASUREMENT
3052 ;/OF TIME INTERVAL
3053 031312 011562 000006 MOV (R5),RLMP(R2) ;LOAD RL REGISTERS FOR 2ND WRITE
3054 031316 014562 000004 MOV -(R5),RLDA(R2)
3055 031322 014562 000002 MOV -(R5),RLBA(R2)
3056 031326 014562 000000 MOV -(R5),RLCS(R2)
3057 031332 WAITUS #3000. ;WAIT FOR INTERRUPT
3058 031344 GETTIM R0 ;GET ELAPSED TIME
3059 031354 005737 003012 TST DONE ;TEST IF INTERRUPT OCCURRED
3060 031360 001010 BNE 7$ ;YES - SKIP
3061 031362 004737 016224 JSR PC,WAITIN ;GO WAIT FOR INTERRUPT
3062 031366 012603 MOV (SP)+,R3 ;GET MESSAGE POINTER
3063 031370 ERRHRD 1503.,,ERR1 ;REPORT
(4) 031370 104456 TRAP C$ERHRD
(5) 031372 002737 .WORD 1503
(5) 031374 000000 .WORD 0
(5) 031376 012070 .WORD ERR1
3064 031400 000501 BR 60$
3065 031402 005737 003050 7$: TST T.CS ;TEST IF ANY ERROR
3066 031406 100005 BPL 8$ ;NO - SKIP
3067 031410 ERRHRD 1504.,,ERR6 ;REPORT ERRORS
(4) 031410 104456 TRAP C$ERHRD
(5) 031412 002740 .WORD 1504
(5) 031414 000000 .WORD 0
(5) 031416 012372 .WORD ERR6
3068 031420 000471 BR 60$
3069 031422 060003 8$: ADD R0,R3 ;ADD IN TIME USED
3070 031424 005504 ADC R4 ;DOUBLE PRECISION
3071 031426 005301 DEC R1 ;DEC LOOP COUNTER
3072 031430 001246 BNE 5$ ;LOOP UNTIL 0
3073 031432 012701 000006 MOV #6,R1 ;SET DIVIDE COUNT
3074 031436 000241 10$: CLC ;CLEAR CARRY FOR DIVIDE
3075 031440 006004 ROR R4 ;DIVIDE SUM BY 100(8)
3076 031442 006003 ROR R3
3077 031444 005301 DEC R1 ;DEC DIVIDE COUNT
3078 031446 001373 BNE 10$ ;LOOP UNTIL DONE
3079 031450 PRINTF #FMT1.1,#SRTMES,#VALDES
(9) 031450 012746 007117 MOV #VALDES,-(SP)
(8) 031454 012746 007075 MOV #SRTMES,-(SP)
(7) 031460 012746 011144 MOV #FMT1.1,-(SP)
(6) 031464 012746 000003 MOV #3,-(SP)
(3) 031470 010600 MOV SP,R0
(4) 031472 104477 TRAP C$PNTF
(4) 031474 062706 000010 ADD #10,SP
3080 031500 PRINTF #FMT5,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1>
(11) 031500 005046 CLR -(SP)
(11) 031502 153716 003037 BISB RLDRV+1,(SP)
(10) 031506 012746 006142 MOV #DRVNAM,-(SP)

```

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-19
*TEST 4 **ROTATIONAL TIMING

SEQ 0109

```

(9) 031512 013746 003032      MOV      RLBAS,-(SP)
(8) 031516 012746 006131      MOV      #BASADD,-(SP)
(7) 031522 012746 011172      MOV      #FMT5,-(SP)
(6) 031526 012746 000005      MOV      #5,-(SP)
(3) 031532 010600              MOV      SP,R0
(4) 031534 104417              TRAP     C$PNTF
(4) 031536 062706 000014      ADD      #14,SP
3081 031542                    PRINTF   #FMT26,#RESE3,R3,#RESE4,#MAPROX,EXROT
(12) 031542 013746 003232      MOV      EXROT,-(SP)
(11) 031546 012746 007143      MOV      #MAPROX,-(SP)
(10) 031552 012746 010731      MOV      #RESE4,-(SP)
(9) 031556 010346              MOV      R3,-(SP)
(8) 031560 012746 010725      MOV      #RESE3,-(SP)
(7) 031564 012746 012013      MOV      #FMT26,-(SP)
(6) 031570 012746 000006      MOV      #6,-(SP)
(3) 031574 010600              MOV      SP,R0
(4) 031576 104417              TRAP     C$PNTF
(4) 031600 062706 000016      ADD      #16,SP
3082 031604 012737 000002 003022 60$:      MOV      #2,ERRSWI      ;INITIALIZE ERROR SWITCH
3083 031612                    ENDTST
(3) 031612                    L10027:
(3) 031612 104401              TRAP     C$ETST
3084

```

```
3086 .SBTTL *TEST 5 **WRITE/READ DATA (PART 2)
3087 BGNTST ;TEST 5
(3) 031614 T5::
3088 031614 012737 006756 003016 MOV #P2T16E,ERHEAD ;SET ERROR HEADER
3089 031622 004737 021030 JSR PC,CKBSVD ;GO CHECK IF BAD SECTOR FILES VALID
3090 031626 004737 016362 JSR PC,TSTINT ;INITIALIZE TEST
3091 031632 004737 016400 JSR PC,GSTATR ;CLEAR DRIVE
3092 031636 032722 T3165$
3093 031640 005037 003236 CLR PASCNT ;CLEAR PASS TO 0
3094 031644 012705 177776 MOV #-2,R5 ;SET
3095 031650 005737 003444 TST PASNUM ;TEST IF FIRST PASS (QUICK VERIFY)
3096 031654 001006 BNE 1$ ;NO - SKIP
3097 031656 032737 000001 013722 BIT #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3098 031664 001002 BNE 1$ ;YES - SKIP
3099 031666 012705 177760 MOV #-16.,R5 ;ELSE SET PEOPLE TO NEG 8
3100 031672 1$:
3101 031672 012701 002510 MOV #T33TBL,R1 ;GET ADDRESS OF WORK TABLE
3102 031676 012737 000010 002304 MOV #10,JJJ ;SET CLEAR COUNT
3103 031704 013721 013724 2$: MOV LOLIMW,(R1)+ ;CLEAR LOCATIONS TO LO LIMIT
3104 031710 005337 002304 DEC JJJ ;DEC COUNT
3105 031714 001373 BNE 2$ ;LOOP UNTIL 0
3106 031716 013737 013726 002514 MOV HILIMW,T33TBL+4 ;INSERT HILIMIT
3107 031724 013737 013726 002516 MOV HILIMW,T33TBL+6 ;INTO APPROPRIATE LOCATIONS
3108 031732 013737 013726 002520 MOV HILIMW,T33TBL+10
3109 031740 062705 000002 *3100$: ADD #2,R5 ;BUMP R5 BY 2
3110 031744 032737 000001 013722 BIT #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3111 031752 001031 BNE 5$ ;YES - SKIP
3112 031754 005737 003444 TST PASNUM ;TEST IF FIRST PASS (QUICK VERIFY)
3113 031760 001002 BNE 3$ ;NO - SKIP
3114 031762 062705 000016 ADD #16,R5 ;ELSE BUMP CYLINDER POINTER BY 7
3115 031766 022737 000001 002302 3$: CMP #1,T.DRIVE ;RLO1 OR RLO2? THAT IS THE Q
3116 031774 001404 BEQ 44$ ;ANS IS RLO1
3117 031776 020527 000244 CMP R5,#164.
3118 032002 103013 BHIS 4$
3119 032004 000403 BR 69$ ;TEST PAST TABLE-YES EXIT
3120 032006 020527 000122 44$: CMP R5,#82.
3121 032012 103007 BHIS 4$ ;TES PAST THE TABLE
3122
3123 032014 016537 002610 002304 69$: MOV CYLTBL(R5),JJJ ;GET NEXT TABLE ENTRY
3124 032022 043737 002310 002304 BIC CLRBYT,JJJ ;CLEAR UPPER BYTE
3125 032030 001007 BNE 8$
3126 032032 000137 032722 4$: JMP T3165$ ;EXIT TEST
3127 032036 023705 013726 5$: CMP HILIMW,R5 ;TEST IF ALL CYLINDERS USED
3128 032042 001773 BEQ 4$ ;YES - EXIT TEST
3129 032044 010537 002304 MOV R5,JJJ ;USE R5 AS NEXT CYLINDER
3130 032050 023737 002304 013724 8$: CMP JJJ,LOLIMW ;CHECK IF LOWER THAN LOLIMIT
3131 032056 103730 BLO T3100$ ;YES - SKIP
3132 032060 023737 002304 013726 CMP JJJ,HILIMW ;CHECK IF HIGHER THAN HILIMIT
3133 032066 101324 BHI T3100$ ;YES - SKIP
3134 032070 012703 002550 MOV #TBT,R3
3135 032074 013713 002304 MOV JJJ,(R3)
3136 032100 013763 002304 000002 MOV JJJ,2(R3)
3137 032106 013763 002304 000004 MOV JJJ,4(R3)
3138 032114 013763 002304 000006 MOV JJJ,6(R3)
3139 032122 013763 002304 000010 MOV JJJ,10(R3)
3140 032130 013763 002304 000012 MOV JJJ,12(R3)
```

CZRLNAO RLO1/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-21
*TEST 5 **WRITE/READ DATA (PART 2)

SEQ 0111

3141	032136	010337	003030			MOV	R3,TBLSTR	:STORE TABLE ADDRESS
3142	032142	004737	020720			JSR	PC,CHOSHD	:GO CHOSE HEAD
3143								
3144	032146						T3101\$:	
3145	032146						BGNSUB	
(3)	032146							T5.1:
(3)	032146	104402				TRAP	CSBSUB	
3146	032150	042737	003760	003010		BIC	#MQUALS,OPFLAG	:CLEAR ALL MESSAGE QUALIFIERS
3147	032156	005737	003236			TST	PASCNT	:TEST IF PASS 0
3148	032162	001414				BEQ	11\$:YES - SKIP
3149	032164	023727	003236	000003		CMP	PASCNT,#3	:TEST IF PASS 3
3150	032172	001404				BEQ	10\$:YES - SKIP
3151	032174	002407				BLT	11\$:CHECK IF LESS THAN 3, IF YES CLEAR TO J
3152	032176	012737	000003	003236		MOV	#3,PASCNT	:ELSE SET TO 3
3153	032204	052737	000020	003010	10\$:	BIS	#INOUTS,OPFLAG	:SET MESSAGE QUAL
3154	032212	000405				BR	12\$:SKIP
3155	032214	005037	003236		11\$:	CLR	PASCNT	:SET PASS COUNT TO 0
3156	032220	052737	000040	003010		BIS	#OUTINS,OPFLAG	:SET MESSAGE QUAL
3157	032226	012737	000003	003026	12\$:	MOV	#3,WRTSWI	:SET READ AND WRITE SWITCH
3158	032234	013703	003030			MOV	TBLSTR,R3	:GET STORED TABLE ADDRESS
3159	032240	012701	002510			MOV	#T3TBL,R1	
3160	032244	012703	002550			MOV	#TBT,R3	
3161	032250	005037	003120		15\$:	CLR	DESSEC	:CLEAR TO SECTOR 0
3162	032254	012137	003106			MOV	(R1)+,NEWCYL	:GET NEXT TABLE ENTRY
3163	032260	004737	017326			JSR	PC,XSEEK	:DO SEEK
3164	032264	032630				60\$		
3165	032266	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3166	032272	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3167	032276	032630				60\$		
3168	032300	012337	003106			MOV	(R3)+,NEWCYL	:GET NEXT TABLE ENTRY
3169	032304	004737	017326			JSR	PC,XSEEK	:DO SEEK
3170	032310	032630				60\$		
3171	032312	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3172	032316	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3173	032322	032630				60\$		
3174	032324	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
3175	032330	032630				60\$		
3176	032332	004737	024512		16\$:	JSR	PC,BSCHK	:CHECK FOR BAD SECTOR
3177	032336	032470				32\$: 'YES' RETURN
3178	032340	013737	003120	032360		MOV	DESSEC,25\$:SET DATA PATTERN = TO SECTOR NUMBER
3179	032346	042737	177770	032360		BIC	#177770,25\$:CLEAR ALL BUT LSD
3180	032354	004537	023324			JSR	R5,DATGEN	:GO GENERATE DATA
3181	032360	000000			25\$:	.WORD	0	
3182	032362	032737	000001	003026		BIT	#BIT0,WRTSWI	:TEST IF WRITE THIS PASS
3183	032370	001425				BEQ	29\$:NO - SKIP
3184	032372	004737	023754			JSR	PC,XWRITE	:DO WRITE
3185	032376	032630				60\$		
3186	032400	005237	003120			INC	DESSEC	:INC SECTOR
3187	032404	022737	000050	003120		CMP	#40.,DESSEC	:TEST IF ALL SECTORS USED
3188	032412	001347				BNE	16\$:NO - SKIP
3189	032414	042737	000060	003010		BIC	#INOUTS!OUTINS,OPFLAG	:CLEAR QUALIFIERS
3190	032422	042737	000001	003026		BIC	#BIT0,WRTSWI	:CLEAR WRITE REQUIRED SWITCH
3191	032430	052737	000100	003010		BIS	#FOLWRT,OPFLAG	:SET FOLLOWING WRITE QUALIFIER
3192	032436	005037	003120			CLR	DESSEC	:CLEAR TO SECTOR 0
3193	032442	000733				BR	16\$:SKIP
3194	032444	032737	000002	003026	29\$:	BIT	#BIT1,WRTSWI	:TEST IF READ THIS PASS

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) *TEST 5

17-DEC-79 10:29 PAGE 2-22
**WRITE/READ DATA (PART 2)

SEQ 0112

```

3195 032452 001414          BEQ      33$          :NO - SKIP
3196 032454 004737 024014    31$:   JSR      PC,XREAD  :ELSE DO READ
3197 032460 032630          60$
3198 032462 004737 023464    JSR      PC,DATCOM  :COMPARE DATA
3199 032466 032630          60$
3200 032470 005237 003120    32$:   INC      DESSEC   :BUMP SECTOR
3201 032474 022737 000050 003120    CMP      #40.,DESSEC :TEST IF ALL SECTORS USED
3202 032502 001313          BNE      16$          :NO - LOOP
3203 032504 005037 003120    33$:   CLR      DESSEC   :CLEAR DESIRED SECTOR
3204 032510 005037 003026    CLR      WRTSWI    :CLEAR WRITE/READ SWITCH
3205 032514 005237 003236    INC      PASCNT    :BUMP PASS COUNT
3206 032520 042737 003760 003010    BIC      #MQUALS,OPFLAG :CLEAR ALL QUALIFIERS
3207 032526 023727 003236 000003    CMP      PASCNT,#3  :TEST IS PASS 3
3208 032534 001435          BEQ      60$          :YES - SKIP
3209 032536 023727 003236 000006    CMP      PASCNT,#6  :TEST IF PASS 6
3210 032544 001431          BEQ      60$          :YES - SKIP
3211 032546 012737 000002 003026    MOV      #BIT1,WRTSWI :SET READ REQUIRED BIT
3212 032554 023727 003236 000001    CMP      PASCNT,#1  :TEST IF PASS 1
3213 032562 001415          BEQ      40$          :YES - SKIP
3214 032564 023727 003236 000005    CMP      PASCNT,#5  :TEST IF PASS 4
3215 032572 001411          BEQ      40$          :YES - SKIP
3216 032574 000404          BR       39$          :SKIP
3217 032576 052737 002000 003010    37$:   BIS      #FWDSKO,OPFLAG :SET FWD QUALIFIER
3218 032604 000407          BR       36$          :GO DO NEXT PASS
3219 032606 052737 000020 003010    39$:   BIS      #INOLTS,OPFLAG :SET QUALIFIER
3220 032614 000403          BR       36$          :SKIP
3221 032616 052737 000040 003010    40$:   BIS      #OUTINS,OPFLAG :SET MESSAGE QUALIFIER
3222 032624 000137 032250    36$:   JMP      15$          :GO DO NEXT PASS
3223 032630 012737 000002 003022    60$:   MOV      #2,ERRSWI  :INIT ERROR SWITCH
3224 032636          ENDSUB
(3) 032636          L10031:
(3) 032636 104403    TRAP    C$ESUB
3225 032640          ESCAPE  TST          :EXIT TEST IF ERROR
(3) 032640 104410    TRAP    C$ESCAPE
(3) 032642 000060    .WORD  L10030-
3226 032644 012737 000003 003026    MOV      #3,WRTSWI  :SET FOR READ AND WRITE REQ.
3227 032652 023727 003236 000003    CMP      PASCNT,#3  :TEST IF PASS 3
3228 032660 001004          BNE      45$          :NO - SKIP
3229 032662 012737 002516 003030    MOV      #T33TBL+6,TBLSTR :STORE MID POINT IN TABLE
3230 032670 000410          BR       48$          :GO START PASS 4
3231 032672 005037 003236    45$:   CLR      PASCNT    :CLEAR TO PASS 0
3232 032676 004737 020744    JSR      PC,SWAPHD  :GO SWAP TO HEAD 1 OR END TEST
3233 032702 031740          T3100$ :ABORT RETURN
3234 032704 012737 002510 003030    MOV      #T33TBL,TBLSTR :STORE START OF TABLE
3235 032712 062703 000006    48$:   ADD      #6,R3
3236 032716 000137 032146    JMP      T3101$
3237 032722          T3165$:
3238 032722          ENDTST
(3) 032722          L10030:
(3) 032722 104401    TRAP    C$TST

```

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-23
*TEST 6

**WRITE LOCK ERROR AND DATA PROTECTION

SEQ 0113

```

3240          .SBTTL *TEST 6          **WRITE LOCK ERROR AND DATA PROTECTION
3241 032724   BGNSTST                ;TEST 6
(3) 032724
3242 032724   005737 003444          TST PASNUM          ;TEST IF FIRST PASS
3243 032730   001003                  BNE 2$              ;NO - SKIP
3244 032732   005737 013722          TST MISWIW         ;TEST IF RUN MANUAL INTERVENTION
3245 032736   100402                  BMI 3$              ;YES - SKIP
3246 032740   000137 033740          2$: JMP T3265$     ;EXIT TST
3247 032744   3$:
3248 032744   BGNSUB
(3) 032744
(3) 032744   104402                  TRAP CS$SUB        T6.1:
3249 032746   012737 006777 003016  MOV #P2T17E,ERHEAD ;SET ERROR HEADER
3250 032754   004737 016362          JSR PC,TSTINT      ;INITIALIZE TEST
3251 032760   004737 016400          JSR PC,GSTATR     ;CLEAR DRIVE
3252 032764   033606                  60$
3253 032766   005037 003116          CLR DESHD         ;SET TO HEAD 0
3254 032772   005037 003120          CLR DESSEC        ;SET TO SECTOR 0
3255 032776   005037 003106          CLR NEWCYL        ;CLEAR TO CYLINDER 0
3256 033002   004737 017326          JSR PC,XSEEK      ;DO SEEK
3257 033006   033606                  60$
3258 033010   012701 013560          MOV #6000.,R1     ;INITIALIZE WAIT COUNT
3259 033014   004737 022222          JSR PC,RDYWAIT    ;WAIT FOR READY
3260 033020   033606                  60$
3261 033022   004737 022634          JSR PC,VERPOS     ;VERIFY POSITION
3262 033026   033606                  60$
3263 033030   032737 020000 003056  BIT #WLSTAT,T.MP  ;TEST IF WRITE LOCK SET
3264 033036   001116                  BNE 7$             ;YES - SKIP
3265 033040   004537 023324          JSR R5,DATGEN     ;GENERATE DATA
3266 033044   000007                  7$                ;PATTERN 7
3267 033046   004737 023754          JSR PC,XWRITE     ;WRITE DATA
3268 033052   033606                  60$
3269 033054   004737 024014          JSR PC,XREAD      ;READ DATA
3270 033060   033606                  60$
3271 033062   004737 023464          JSR PC,DATCOM     ;CHECK DATA
3272 033066   033606                  60$
3273 033070   PRINTF #FMTOP1,#OPR004,#OPR1A,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1> ;REQUEST SET WR
(13) 033070   005046                  CLR -(SP)
(13) 033072   153716 003037          BISB RLDRV+1,(SP)
(12) 033076   012746 006142          MOV #DRVNAM,-(SP)
(11) 033102   013746 003032          MOV RLBAS,-(SP)
(10) 033106   012746 006131          MOV #BASADD,-(SP)
(9) 033112   012746 007366          MOV #OPR1A,-(SP)
(8) 033116   012746 007415          MOV #OPR004,-(SP)
(7) 033122   012746 011045          MOV #FMTOP1,-(SP)
(6) 033126   012746 000007          MOV #7,-(SP)
(3) 033132   010600                  MOV SP,R0
(4) 033134   104417                  TRAP C$PNTF
(4) 033136   062706 000020          ADD #20,SP
3274 033142   012701 000024          MOV #20.,R1      ;INITIALIZE WAIT COUNT
3275 033146   WAITMS #50.        ;CALL WAIT
3276 033160   004737 016400          JSR PC,GSTATR     ;GET STATUS
3277 033164   033606                  60$
3278 033166   032737 020000 003056  BIT #WLSTAT,T.MP  ;CHECK IF WRITE LOCK SET
3279 033174   001037                  BNE 7$             ;YES - SKIP
3280 033176   PRINTF #FMT2,#BELL  ;RING BELL

```

(8)	033176	012746	010721		MOV	#BELL,-(SP)	
(7)	033202	012746	011153		MOV	#FMT2,-(SP)	
(6)	033206	012746	000002		MOV	#2,-(SP)	
(3)	033212	010600			MOV	SP,R0	
(4)	033214	104417			TRAP	C\$PNTF	
(4)	033216	062706	000006		ADD	#6,SP	
3281	033222	005301			DEC	R1	:DEC COUNT
3282	033224	001350			BNE	5\$:SKIP IF NOT 0
3283	033226				PRINTF	#FMT23,#P2T17E,#BYPNSM,#OPR1A,<B,RLDRV+1>	:RPT BYPASSED
(11)	033226	005046			CLR	-(SP)	
(11)	033230	153716	003037		BISB	RLDRV+1,(SP)	
(10)	033234	012746	007366		MOV	#OPR1A,-(SP)	
(9)	033240	012746	007471		MOV	#BYPNSM,-(SP)	
(8)	033244	012746	006777		MOV	#P2T17E,-(SP)	
(7)	033250	012746	011762		MOV	#FMT23,-(SP)	
(6)	033254	012746	000005		MOV	#5,-(SP)	
(3)	033260	010600			MOV	SP,R0	
(4)	033262	104417			TRAP	C\$PNTF	
(4)	033264	062706	000014		ADD	#14,SP	
3284	033270				EXIT	TST	
(3)	033270	104432			TRAP	C\$EXIT	
(3)	033272	000446			.WORD	L10032-	
3285	033274	004537	023324	7\$:	JSR	R5,DATGEN	:GENERATE DATA
3286	033300	000001			1		:PATTERN 1
3287	033302	012705	003040		MOV	#LCS,R5	:GET ADDRESS OF L REGS
3288	033306	012715	000112		MOV	#WTDATA,(R5)	:LOAD WRITE COMMAND
3289	033312	053715	003036		BIS	RLDRV,(R5)	:INSERT DRIVE NUMBER
3290	033316	042725	002000		BIC	#BIT10,(R5)+	:CLEAR FOR DRIVE 4 - 7 SPEC'D
3291	033322	012725	004472		MOV	#OBUFF,(R5)+	:LOAD BUS ADDRESS
3292	033326	005025			CLR	(R5)+	:CYL 0, HD 0, SECTOR 0
3293	033330	012725	177600		MOV	#177600,(R5)+	:128 WORDS
3294	033334	012701	000454		MOV	#300.,R1	:SET WAIT COUNT FOR 30 MS
3295	033340	005037	003012		CLR	DONE	:CLEAR INTERRUPT FLAG
3296	033344	014562	000006		MOV	-(R5),RLMP(R2)	:LOAD RL REGS
3297	033350	014562	000004		MOV	-(R5),RLDA(R2)	
3298	033354	014562	000002		MOV	-(R5),RLBA(R2)	
3299	033360	014562	000000		MOV	-(R5),RLCS(R2)	
3300	033364			10\$:	WAITUS	#1	
3301	033376	005737	003012		TST	DONE	:CHECK IF INTERRUPT
3302	033402	001013			BNE	14\$:YES - SKIP
3303	033404	005301			DEC	R1	:DEC WAIT COUNT
3304	033406	001366			BNE	10\$:LOOP IF NOT 0
3305	033410	004737	016224		JSR	PC,WAITIN	:WAIT FOR INTERRUPT
3306	033414	012603			MOV	(SP)+,R3	:GET RESULT MESSAGE
3307	033416				ERRHRD	1701.,ERR1	
(4)	033416	104456			TRAP	C\$ERRHD	
(5)	033420	003245			.WORD	1701	
(5)	033422	000000			.WORD	0	
(5)	033424	012070			.WORD	ERR1	
3308	033426				EXIT	SUB	
(3)	033426	104432			TRAP	C\$EXIT	
(3)	033430	000164			.WORD	L10033-	
3309	033432	004737	016430	14\$:	JSR	PC,GSTAT	:GET STATUS
3310	033436	033606			60\$		
3311	033440	032737	040000	003050	BIT	#DRVERR,T.CS	:TEST IF ANY ERROR SET
3312	033446	001006			BNE	15\$:YES - SKIP

```
3313 033450 012703 010246      MOV    #MDRERR,R3      ;SET RESULT MESSAGE POINTER
3314 033454                      ERRHRD 1702.,,ERR3      ;REPORT ERROR NOT SET
(4) 033454 104456              TRAP   C$ERHRD
(5) 033456 003246              .WORD 1702
(5) 033460 000000              .WORD 0
(5) 033462 012204              .WORD ERR3
3315 033464 032737 002000 003056 15$: BIT    #WGESTAT,T.MP    ;TEST IF WGE SET
3316 033472 001006                      BNE    18$            ;YES - SKIP
3317 033474 012703 010325      MOV    #MWGERR,R3      ;SET MESSAGE FOR WGE NOT SET
3318 033500                      ERRHRD 1704.,,ERR3
(4) 033500 104456              TRAP   C$ERHRD
(5) 033502 003250              .WORD 1704
(5) 033504 000000              .WORD 0
(5) 033506 012204              .WORD ER03
3319 033510 042737 040000 003050 18$: BIC    #DRVERR,T.CS    ;CLEAR DRIVE ERROR BIT
3320 033516 042737 002000 003056 BIC    #WGESTAT,T.MP    ;CLEAR WGE BIT
3321 033524 032737 157400 003056 BIT    #157400,T.MP     ;TEST IF ANY OTHER ERRORS
3322 033532 001004                      BNE    16$            ;YES - GO REPORT
3323 033534 032737 036000 003050 BIT    #36000,T.CS     ;TEST ANY ERRORS IN CS REG
3324 033542 001405                      BEQ    17$            ;NO - SKIP
3325 033544                      ERRHRD 1703.,,ERR6    ;REPORT ERRORS
(4) 033544 104456              TRAP   C$ERHRD
(5) 033546 003247              .WORD 1703
(5) 033550 000000              .WORD 0
(5) 033552 012372              .WORD ERR6
3326 033554 000414                      BR     60$            ;EXIT TEST
3327 033556 004737 016400          JSR    PC,GSTATR      ;GET STATUS AND RE-SET ERROR
3328 033562 033606                      60$
3329 033564 004537 023324          JSR    R5,DATGEN      ;GO GENERATE DATA
3330 033570 000007                      7
3331 033572 004737 024014          JSR    PC,XREAD       ;READ DATA
3332 033576 033606                      60$
3333 033600 004737 023464          JSR    PC,DATCOM      ;COMPARE 1TA
3334 033604 033606                      60$
3335 033606 012737 000002 003022 60$: MOV    #2,ERRSWI      ;INIT ERROR SWITCH
3336 033614                      ENDSUB
(3) 033614                      L10033:
(3) 033614 104403              TRAP   C$ESUB
3337 033616 012737 000002 003022 T3204$: MOV    #2,ERRSWI      ;INIT ERROR SWITCH
3338 033624                      PRINTF #FMTOP1,#OPR12,#OPR1A,#BASADD,RLBAS,#DRVNAM,<B,RLDRV+1> ;REQ RESET WRT L
(13) 033624 005046              CLR    -(SP)
(13) 033626 153716 003037          BISB  RLDRV-1,(SP)
(12) 033632 012746 006142          MOV    #DRVNAM,-(SP)
(11) 033636 013746 003032          MOV    RLBAS,-(SP)
(10) 033642 012746 006131          MOV    #BASADD,-(SP)
(9) 033646 012746 007366          MOV    #OPR1A,-(SP)
(8) 033652 012746 007347          MOV    #OPR12,-(SP)
(7) 033656 012746 011045          MOV    #FMTOP1,-(SP)
(6) 033662 012746 000007          MOV    #7,-(SP)
(3) 033666 010600              MOV    SP,R0
(4) 033670 104417              TRAP   C$PNTF
(4) 033672 062706 000020          ADD    #20,SP
3339 033676 012701 001274          MOV    #700.,R1      ;INITIALIZE WAIT COUNT
3340 033702                      WAITMS #1
3341 033714 004737 016400          JSR    PC,GSTATR      ;GET STATUS
3342 033720 033616                      T3204$
```

```
3343 033722 032737 020000 003056 BIT #WLSTAT,T.MP ;CHECK IF WRITE LOCK RESET
3344 033730 001403 BEQ T3265$
3345 033732 005301 DEC R1 ;DEC WAIT COUNT
3346 033734 001362 BNE 16$ ;LOOP IF NOT 0
3347 033736 000727 BR T3204$ ;ELSE REPEAT MESSAGE
3348 033740 T3265$:
3349 033740 ENDTST
(3) 033740 L10032:
(3) 033740 104401 TRAP C$ETST
3350
```

```

3352 .SBTTL *TEST 7 **ADJACENT CYLINDER INTERFERENCE
3353 BGNTST ;TEST 7
(3) 033742 T7::
3354 033742 012737 007031 003016 MOV #P2T18E,ERHEAD ;SET ERROR HEADER
3355 033750 004737 021030 JSR PC,CKBSVD ;GO CHECK IF BAD SECTOR FILES VALID
3356 033754 004737 016362 JSR PC,TSTINT ;INITIALIZE TEST
3357 033760 004737 016400 JSR PC,GSTATR ;CLEAR DRIVE
3358 033764 035154 T3365$
3359 033766 005037 003236 CLR PASCNT ;CLEAR PASS TO 0
3360 033772 012705 177776 MOV #-2,R5 ;SET R5
3361 033776 005737 003444 TST PASNUM ;TEST IF FIRST PASS (QUICK VERIFY)
3362 034002 001007 BNE 1$ ;NO - SKIP
3363 034004 032737 000001 013722 BIT #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3364 034012 001003 BNE 1$ ;YES - SKIP
3365 034014 012705 177730 MOV #-40.,R5 ;ELSE SET R5 TO NEG 20
3366 034020 000402 BR 9$ ;SKIP
3367 034022 012705 177770 1$: MOV #-10,R5 ;ELSE SET FOR NEG 4
3368 034026 012701 002510 9$: MOV #T33TBL,R1 ;GET ADDRESS OF WORK TABLE
3369 034032 012737 000010 002304 MOV #10,JJJ ;SET CLEAR COUNT
3370 034040 013721 013724 2$: MOV LOLIMW,(R1)+ ;CLEAR LOCATIONS TO LOLIMIT
3371 034044 005337 002304 DEC JJJ ;DEC COUNT
3372 034050 001373 BNE 2$ ;LOOP UNTIL 0
3373 034052 004537 023324 JSR R5,DATGEN ;GO GENERATE DATA
3374 034056 000011 9. ;PATTERN 9
3375 034060 013737 013726 002512 MOV HILIMW,T33TBL+2 ;INSERT HILIMIT
3376 034066 013737 013726 002514 MOV HILIMW,T33TBL+4 ;INTO APPROPRIATE LOCATIONS
3377 034074 013737 013726 002520 MOV HILIMW,T33TBL+10
3378 034102 013737 013726 002526 MOV HILIMW,T33TBL+16
3379 034110 062705 000002 T3300$: ADD #2,R5
3380
3381 034114 032737 000001 013722 BIT #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3382 034122 001034 BNE 5$ ;YES - SKIP
3383 034124 005737 003444 TST PASNUM ;TEST IF FIRST PASS (QUICK VERIFY)
3384 034130 001403 BEQ 3$ ;NO - SKIP
3385 034132 062705 000006 ADD #6,R5 ;ELSE BUMP CYLINDER POINTER BY 3
3386 034136 000402 BR 6$ ;SKIP
3387 034140 062705 000044 3$: ADD #36.,R5 ;BUMP TO NEXT ENTRY
3388 034144 022737 000001 002302 6$: CMP #1,T.DRIVE
3389 034152 001404 BEQ 44$
3390 034154 020537 000244 CMP R5,164.
3391 034160 103013 BHIS 4$
3392 034162 000403 BR 69$
3393
3394 034164 020527 000122 44$: CMP R5,#82.
3395 034170 103007 BHIS 4$
3396
3397 034172 016537 002610 002304 69$: MOV CYLTBL(R5),JJJ
3398 034200 043737 002310 002304 BIC CLRBYT,JJJ
3399 034206 001013 BR 8$
3400 034210 000137 032722 4$: JMP T3165$
3401 034214 005705 5$: TST R5 ;TEST IF R5 0
3402 034216 001002 BNE 7$ ;NO - SKIP
3403 034220 062705 000002 ADD #2,R5
3404 034224 023705 002306 7$: CMP HLMTW,R5 ;TEST IF ALL CYLINDERS USED
3405 034230 001767 BEQ 4$ ;YES - EXIT TEST
3406 034232 010537 002304 MOV R5,JJJ ;USE R5 AS NEXT CYLINDER

```

3407	034236	023737	002304	013724	8\$:	CMP	JJJ,LOLIMW	:CHECK IF LOWER THAN LOLIMIT
3408	034244	103721				BLO	T3300\$:YES - SKIP
3409	034246	023737	002304	013726		CMP	JJJ,HILIMW	:CHECK IF HIGHER THAN HILIMIT
3410	034254	101315				BHI	T3300\$:YES - SKIP
3411	034256	012703	002550			MOV	#TBT,R3	
3412	034262	013713	002304			MOV	JJJ,(R3)	
3413	034266	013763	002304	000006		MOV	JJJ,6(R3)	
3414	034274	013763	002304	000010		MOV	JJJ,10(R3)	
3415	034302	013763	002304	000012		MOV	JJJ,12(R3)	
3416	034310	013763	002304	000016		MOV	JJJ,16(R3)	
3417	034316	162737	000001	002304		SUB	#1,JJJ	
3418	034324	013763	002304	000002		MOV	JJJ,2(R3)	
3419	034332	013763	002304	000012		MOV	JJJ,12(R3)	
3420	034340	062737	000002	002304		ADD	#2,JJJ	
3421	034346	013763	002304	000004		MOV	JJJ,4(R3)	
3422	034354	013763	002304	000014		MOV	JJJ,14(R3)	
3423	034362	010337	003030			MOV	R3,TBLSTR	
3424	034366	004737	020720			JSR	PC,CHOSHD	:GO CHOSE HEAD
3425	034372				T3301\$:			
3426	034372				BGNSUB			
(3)	034372							T7.1:
(3)	034372	104402				TRAP	CSBSUB	
3427	034374	042737	003760	003010		BIC	#MOUALS,OPFLAG	:CLEAR ALL MESSAGE QUALIFIERS
3428	034402	005737	003236			TST	PASCNT	:TEST IF PASS 0
3429	034406	001414				BEQ	11\$:YES - SKIP
3430	034410	023727	003236	000004		CMP	PASCNT,#4	:TEST IF PASS 4
3431	034416	001404				BEQ	10\$:YES - SKIP
3432	034420	002407				BLT	11\$:CHECK IF LESS THAN 4, IF YES CLEAR TO 0
3433	034422	012737	000004	003236		MOV	#4,PASCNT	:ELSE SET TO 4
3434	034430	052737	000020	003010	10\$:	BIS	#INOUTS,OPFLAG	:SET MESSAGE QUAL
3435	034436	000405				BR	12\$:SKIP
3436	034440	005037	003236		11\$:	CLR	PASCNT	:SET PASS COUNT TO 0
3437	034444	052737	000040	003010		BIS	#OUTINS,OPFLAG	:SET MESSAGE QUAL
3438	034452	012737	000003	003026	12\$:	MOV	#3,WRTSWI	:SET READ AND WRITE SWITCH
3439	034460	012701	002510			MOV	#T33TBL,R1	
3440	034464	012703	002550			MOV	#TBT,R3	
3441	034470	005037	003120		75\$:	CLR	DESSEC	:CLEAR TO SECTOR 0
3442	034474	012137	003106			MOV	(R1)+,NEWCYL	:GET NEXT TABLE ENTRY
3443	034500	004737	017326			JSR	PC,XSEEK	:DO SEEK
3444	034504	035062				60\$		
3445	034506	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3446	034512	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3447	034516	035062				60\$		
3448	034520	012337	003106			MOV	(R3)+,NEWCYL	:GET NEXT TABLE ENTRY
3449	034524	004737	017326			JSR	PC,XSEEK	:DO SEEK
3450	034530	035062				60\$		
3451	034532	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3452	034536	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3453	034542	035062				60\$		
3454	034544	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
3455	034550	035062				60\$		
3456	034552	004737	024512		16\$:	JSR	PC,BSCHK	:CHECK FOR BAD SECTOR
3457	034556	034666				32\$:YES RETURN
3458	034560	032737	000001	003026		BIT	#BIT0,WRTSWI	:TEST IF WRITE THIS PASS
3459	034566	001425				BEQ	29\$:NO - SKIP
3460	034570	004737	023754			JSR	PC,XWRITE	:DO WRITE

3461	034574	035062				SOS		
3462	034576	005237	003120			INC	DESSEC	:INC SECTOR
3463	034602	022737	000050	003120		CMP	#40.,DESSEC	:TEST IF ALL SECTORS USED
3464	034610	001360				BNE	16\$:NO - SKIP
3465	034612	042737	000060	003010		BIC	#INOUTS,OPFLAG	:CLEAR QUALIFIERS
3466	034620	042737	000001	003026		BIC	#BIT0,WRTSWI	:CLEAR WRITE REQUIRED SWITCH
3467	034626	052737	000100	003010		BIS	#FOLWRT,OPFLAG	:SET FOLLOWING WRITE QUALIFIER
3468	034634	005037	003120			CLR	DESSEC	:CLEAR TO SECTOR 0
3469	034640	000744				BR	16\$:SKIP
3470	034642	032737	000002	003026	29\$:	BIT	#BIT1,WRTSWI	:TEST IF READ THIS PASS
3471	034650	001414				BEQ	33\$:NO - SKIP
3472	034652	004737	024014		31\$:	JSR	PC,XREAD	:ELSE DO READ
3473	034656	035062				60\$		
3474	034660	004737	023464			JSR	PC,DATCOM	:COMPARE DATA
3475	034664	035062				60\$		
3476	034666	005237	003120		32\$:	INC	DESSEC	:BUMP SECTOR
3477	034672	022737	000050	003120		CMP	#40.,DESSEC	:TEST IF ALL SECTORS USED
3478	034700	001324				BNE	16\$:NO - LOOP
3479	034702	005037	003120		33\$:	CLR	DESSEC	:CLEAR DESIRED SECTOR
3480	034706	005037	003026			CLR	WRTSWI	:CLEAR WRITE/READ SWITCH
3481	034712	005237	003236			INC	PASCNT	:BUMP PASS COUNT
3482	034716	042737	003760	003010		BIC	#MQUALS,OPFLAG	:CLEAR ALL QUALIFIERS
3483	034724	023727	003236	000004		CMP	PASCNT,#4	:TEST IS PASS 4
3484	034732	001453				BEQ	60\$:YES - SKIP
3485	034734	023727	003236	000010		CMP	PASCNT,#8.	:TEST IF PASS 8.
3486	034742	001447				BEQ	60\$:YES - SKIP
3487	034744	023727	003236	000003		CMP	PASCNT,#3	:TEST IF PASS 3
3488	034752	001430				BEQ	39\$:YES - SKIP
3489	034754	023727	003236	000007		CMP	PASCNT,#7	:TEST IF PASS 7
3490	034762	001430				BEQ	40\$:YES - SKIP
3491	034764	012737	000001	003026		MOV	#BIT0,WRTSWI	:SET WRITE REQUIRED
3492	034772	023727	003236	000001		CMP	PASCNT,#1	:TEST IF PASS 1
3493	035000	001411				BEQ	37\$:YES - SKIP
3494	035002	023727	003236	000002		CMP	PASCNT,#2	:TEST IF PASS 2
3495	035010	001405				BEQ	37\$:YES - SKIP
3496	035012	052737	000040	003010		BIS	#OUTINS,OPFLAG	:SET MESSAGE QUALIFIER
3497	035020	000137	034470		36\$:	JMP	15\$:GO DO NEXT PASS
3498	035024	052737	000020	003010	37\$:	BIS	#INOUTS,OPFLAG	:SET MESSAGE QUALIFIER
3499	035032	000772				BR	36\$	
3500	035034	052737	000200	003010	39\$:	BIS	#REVSKS,OPFLAG	:SET MESSAGE QUALIFIER
3501	035042	000403				BR	41\$	
3502	035044	052737	000400	003010	40\$:	BIS	#FWDKSKS,OPFLAG	:SET MESSAGE QUALIFIER
3503	035052	012737	000002	003026	41\$:	MOV	#BIT1,WRTSWI	:SET READ REQUIRED
3504	035060	000757				BR	36\$	
3505	035062	012737	000002	003022	60\$:	MOV	#2,ERRSWI	:INIT ERROR SWITCH
3506	035070					ENDSUB		
(3)	035070					L10035:		
(3)	035070	104403				TRAP	C\$ESUB	
3507	035072					ESCAPE	TST	:EXIT TEST IF ERROR
(3)	035072	104410				TRAP	C\$ESCAPE	
(3)	035074	000060				.WORD	L10034-	
3508	035076	012737	000003	003026		MOV	#3,WRTSWI	:SET FOR READ AND WRITE REQ.
3509	035104	023727	003236	000004		CMP	PASCNT,#4	:TEST IF PASS 4
3510	035112	001004				BNE	45\$:NO - SKIP
3511	035114	012737	002520	003030		MOV	#T33TBL+10,TBLSTR	:STORE MID POINT IN TABLE
3512	035122	000410				BR	48\$:GO START PASS 4

CZRLNAO RLC1/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-30
*TEST 7

**ADJACENT CYLINDER INTERFERENCE

3513	035124	005037	003236		45\$:	CLR	PASCNT	;CLEAR TO PASS 0
3514	035130	004737	020744			JSR	PC,SWAPHD	;GO SWAP TO HEAD 1 OR END TEST
3515	035134	034110				T3300\$;ABORT RETURN
3516	035136	012737	002510	003030		MOV	#T33TBL,TBLSTR	;STORE START OF TABLE
3517								
3518	035144	062703	000010		48\$:	ADD	#10,R3	
3519	035150	000137	034372			JMP	T3301\$	
3520	035154					T3365\$:		
3521	035154					ENDTST		
(3)	035154					L10034:		
(3)	035154	104401				TRAP	C\$ETST	

```

3523          .SBTTL *TEST 8          **OVERWRITE
3524 035156   BGNTST          ;TEST 8
(3) 035156
3525 035156   012737 007053 003016   MOV    #P2T19E,ERHEAD ;SET ERROR HEADER
3526 035164   004737 021030           JSR    PC,CKBSVD      ;GO CHECK IF BAD SECTOR FILES VALID
3527 035170   004737 016362           JSR    PC,TSTINT      ;INITIALIZE TEST
3528 035174   004737 016400           JSR    PC,GSTATR      ;CLEAR DRIVE
3529 035200   036346
3530 035202   005037 003236           CLR    PASCNT        ;CLEAR PASS TO 0
3531 035206   012705 177776           MOV    #-2,R5        ;SET R5
3532 035212   005737 003444           TST    PASNUM        ;TEST IF FIRST PASS (QUICK VERIFY)
3533 035216   001007           BNE    1$            ;NO - SKIP
3534 035220   032737 000001 013722   BIT    #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3535 035226   001003           BNE    1$            ;YES - SKIP
3536 035230   012705 177730           MOV    #-40.,R5      ;ELSE SET R5 TO NEG 20
3537 035234   000402           BR     9$            ;SKIP
3538 035236   012705 177770           1$: MOV    #-10,R5    ;SET FOR NEXT ENTRY
3539 035242   012701 002510           9$: MOV    #T33TBL,R1 ;GET ADDRESS OF WORK TABLE
3540 035246   012737 000010 002304   MOV    #10,JJJ       ;SET CLEAR COUNT
3541 035254   013721 013724           2$: MOV    LOLIMW,(R1)+ ;CLEAR LOCATIONS TO LOLIMIT
3542 035260   005337 002304           DEC    JJJ           ;DEC COUNT
3543 035264   001373           BNE    2$            ;LOOP UNTIL 0
3544 035266   013737 013726 002512   MOV    HILIMW,T33TBL+2 ;INSERT HILIMIT
3545 035274   013737 013726 002516   MOV    HILIMW,T33TBL+6 ;INTO APPROPRIATE LOCATIONS
3546 035302   013737 013726 002522   MOV    HILIMW,T33TBL+12
3547 035310   062705 000002           T3400$: ADD    #2,R5
3548 035314   032737 000001 013722   BIT    #ALLCYL,MISWIW ;TEST IF USE ALL CYLINDERS
3549 035322   001034           BNE    5$            ;YES - SKIP
3550 035324   005737 003444           TST    PASNUM        ;TEST IF FIRST PASS (QUICK VERIFY)
3551 035330   001003           BNE    3$            ;NO - SKIP
3552 035332   062705 000046           ADD    #38.,R5       ;ELSE BUMP CYLINDER POINTER BY 19
3553 035336   000402           BR     6$            ;SKIP
3554 035340   062705 000006           3$: ADD    #6,R5      ;BUMP CYLINDER POINTER BY 3
3555 035344   022737 000001 002302   6$: CMP    #1,T.DRIVE
3556 035352   001404           BFQ    444$
3557 035354   020527 000244           CMP    R5,#164.
3558 035360   103013           BHIS   4$
3559 035362   000403           BR     669$
3560 035364   020527 000122           444$: CMP    R5,#82.
3561 035370   103007           BHIS   4$
3562 035372   016537 002610 002304   669$: MOV    CYLTBL(R5),JJJ
3563 035400   043737 002310 002304   BIC    CLRBYT,JJJ
3564 035406   001013           BNE    8$
3565 035410   000137 036346           4$: JMP    T3465$     ;EXIT TEST
3566 035414   005705           5$: TST    R5        ;TEST IF R5 0
3567 035416   001002           BNE    7$            ;NO - SKIP
3568 035420   062705 000002           ADD    #2,R5
3569 035424   022705 002306           7$: CMP    #HLMW,R5   ;TEST IF ALL CYLINDERS USED
3570 035430   001767           BEQ    4$            ;YES - EXIT TEST
3571 035432   010537 002304           MOV    R5,JJJ       ;USE R5 AS NEXT CYLINDER
3572 035436   023737 002304 013724   8$: CMP    JJJ,LOLIMW ;TEST IF PAST LO LIMIT
3573 035444   103721           BLO    T3400$       ;YES - SKIP
3574 035446   023737 002304 013726   CMP    JJJ,HILIMW   ;TEST IF PAST HILIMIT
3575 035454   101315           BHI    T3400$       ;YES - SKIP
3576 035456   012703 002550           MOV    #TBT,R3
3577 035462   013713 002304           MOV    JJJ,(R3)

```

3578	035466	013763	002304	000002		MOV	JJJ,2(R3)	
3579	035474	013763	002304	000004		MOV	JJJ,4(R3)	
3580	035502	013763	002304	000006		MOV	JJJ,6(R3)	
3581	035510	013763	002304	000010		MOV	JJJ,10(R3)	
3582	035516	013763	002304	000012		MOV	JJJ,12(R3)	
3583	035524	010337	003030			MOV	R3,TBLSTR	
3584	035530	004737	020720			JSR	PC,CHOSHD	:GO CHOSE HEAD
3585	035534							
3586	035534				T3401\$:			
(3)	035534				BGNSUB			
(3)	035534	104402				TRAP	C\$BSUB	T8.1:
3587	035536	042737	003760	003010		BIC	#MQUALS,OPFLAG	:CLEAR ALL MESSAGE QUALIFIERS
3588	035544	005737	003236			TST	PASCNT	:TEST IF PASS 0
3589	035550	001414				BEQ	11\$:YES - SKIP
3590	035552	023727	003236	000003		CMP	PASCNT,#3	:TEST IF PASS 3
3591	035560	001404				BEQ	10\$:YES - SKIP
3592	035562	002407				BLT	11\$:CHECK IF LESS THAN 3, IF YES CLEAR TO 0
3593	035564	012737	000003	003236		MOV	#3,PASCNT	:ELSE SET TO 3
3594	035572	052737	000020	003010	10\$:	BIS	#INOUTS,OPFLAG	:SET MESSAGE QUAL
3595	035600	000405				BR	12\$:SKIP
3596	035602	005037	003236		11\$:	CLR	PASCNT	:SET PASS COUNT TO 0
3597	035606	052737	000040	003010		BIS	#OUTINS,OPFLAG	:SET MESSAGE QUAL
3598	035614	012737	000003	003026	12\$:	MOV	#3,WRTSWI	:SET READ AND WRITE SWITCH
3599	035622	012701	002510			MOV	#T3,TBL,R1	
3600	035626	012703	002550			MOV	#TBT,R3	
3601	035632	005037	003120		15\$:	CLR	DESSEC	
3602	035636	012137	003106			MOV	(R1)+,NEWCYL	:GET NEXT TABLE ENTRY
3603	035642	004737	017326			JSR	PC,XSEEK	:DO SEEK
3604	035646	036254				60\$		
3605	035650	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3606	035654	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3607	035660	036254				60\$		
3608	035662	012337	003106			MOV	(R3)+,NEWCYL	:GET NEXT TABLE ENTRY
3609	035666	004737	017326			JSR	PC,XSEEK	:DO SEEK
3610	035672	036254				60\$		
3611	035674	012701	005670			MOV	#3000.,R1	:SET WAIT COUNT FOR 300 MS
3612	035700	004737	022222			JSR	PC,RDYWAIT	:WAIT FOR READY
3613	035704	036254				60\$		
3614	035706	004737	022634			JSR	PC,VERPOS	:VERIFY POSITION
3615	035712	036254				60\$		
3616	035714	004737	024512		16\$:	JSR	PC,BSCHK	:CHECK FOR BAD SECTOR
3617	035720	036070				32\$:YES RETURN
3618	035722	005737	003236			TST	PASCNT	:TEST IF PASS 0
3619	035726	001407				BEQ	17\$:YES - SKIP
3620	035730	022737	000003	003236		CMP	#3,PASCNT	:TEST IF PASS 3
3621	035736	001403				BEQ	17\$:YES - SKIP
3622	035740	005037	035760			CLR	25\$:ELSE CLEAR DATA PATTERN SELECTOR
3623	035744	000403				BR	18\$	
3624	035746	012737	000010	035760	17\$:	MOV	#8.,25\$:SET DATA PATTERN SELECTOR TO 8
3625	035754	004537	023324		18\$:	JSR	R5,DATGEN	:GO GENERATE DATA
3626	035760	000000			25\$:	.WORD	0	
3627	035762	032737	000001	003026		BIT	#BIT0,WRTSWI	:TEST IF WRITE THIS PASS
3628	035770	001425				BEQ	29\$:NO - SKIP
3629	035772	004737	023754			JSR	PC,XWRITE	:DO WRITE
3630	035776	036254				60\$		
3631	036000	005237	003120			INC	DESSEC	:INC SECTOR

```

3632 036004 022737 000050 003120      CMP      #40.,DESSEC      ;TEST IF ALL SECTORS USED
3633 036012 001340                      BNE      16$            ;NO - SKIP
3634 036014 042737 000060 003010      BIC      #INOUTS!OUTINS,OPFLAG ;CLEAR QUALIFIERS
3635 036022 042737 000001 003026      BIC      #BIT0,WRTSWI     ;CLEAR WRITE REQUIRED SWITCH
3636 036030 052737 000100 003010      BIS      #FOLWRT,OPFLAG  ;SET FOLLOWING WRITE QUALIFIER
3637 036036 005037 003120      CLR      DESSEC          ;CLEAR TO SECTOR 0
3638 036042 000724                      BR       16$            ;SKIP
3639 036044 032737 000002 003026 29$:    BIT      #BIT1,WRTSWI     ;TEST IF READ THIS PASS
3640 036052 001414                      BEQ      33$            ;NO - SKIP
3641 036054 004737 024014          31$:    JSR      PC,XREAD      ;ELSE DO READ
3642 036060 036254                      60$
3643 036062 004737 023464      JSR      PC,DATCOM      ;COMPARE DATA
3644 036066 036254                      60$
3645 036070 005237 003120          32$:    INC      DESSEC          ;BUMP SECTOR
3646 036074 022737 000050 003120      CMP      #40.,DESSEC      ;TEST IF ALL SECTORS USED
3647 036102 001304                      BNE      16$            ;NO - LOOP
3648 036104 005037 003120          33$:    CLR      DESSEC          ;CLEAR DESIRED SECTOR
3649 036110 005037 003026      CLR      WRTSWI         ;CLEAR WRITE/READ SWITCH
3650 036114 005237 003236      INC      PASCNT         ;BUMP PASS COUNT
3651 036120 042737 003760 003010      BIC      #MQUALS,OPFLAG  ;CLEAR ALL QUALIFIERS
3652 036126 023727 003236 000003      CMP      PASCNT,#3      ;TEST IS PASS 3
3653 036134 001447                      BEQ      60$            ;YES - SKIP
3654 036136 023727 003236 000006      CMP      PASCNT,#6      ;TEST IF PASS 6
3655 036144 001443                      BEQ      60$            ;YES - SKIP
3656 036146 023727 003236 000001      CMP      PASCNT,#1      ;TEST IF PASS 1
3657 036154 001424                      BEQ      39$            ;YES - SKIP
3658 036156 023727 003236 000004      CMP      PASCNT,#4      ;TEST IF PASS 4
3659 036164 001424                      BEQ      40$            ;YES - SKIP
3660 036166 012737 000002 003026      MOV      #BIT1,WRTSWI    ;SET WRITE REQUIRED BIT
3661 036174 023727 003236 000002      CMP      PASCNT,#2      ;TEST IF PASS 2
3662 036202 001405                      BEQ      37$            ;YES - SKIP
3663 036204 052737 001000 003010      BIS      #REVSKO,OPFLAG  ;SET REVERSE QUALIFIER
3664 036212 000137 035632          36$:    JMP      15$            ;GO DO NEXT PASS
3665 036216 052737 002000 003010 37$:    BIS      #FWDSKO,OPFLAG  ;SET FWD QUALIFIER
3666 036224 000772                      BR       36$            ;GO DO NEXT PASS
3667 036226 052737 000020 003010 39$:    BIS      #INOUTS,OPFLAG  ;SET QUALIFIER
3668 036234 000403                      BR       41$            ;SKIP
3669 036236 052737 000040 003010 40$:    BIS      #OUTINS,OPFLAG  ;SET MESSAGE QUALIFIER
3670 036244 012737 000001 003026 41$:    MCV      #BIT0,WRTSWI    ;SET WRITE REQUIRED BIT
3671 036252 000757                      BR       36$            ;GO DO NEXT PASS
3672 036254 012737 000002 003022 60$:    MOV      #2,ERRSWI      ;INIT ERROR SWITCH
3673 036262                      ENDSUB
(3) 036262                      L10037:
(3) 036262 104403                      TRAP     C$ESUB
3674 036264                      ESCAPE   TST                ;EXIT TEST IF ERROR
(3) 036264 104410                      TRAP     C$ESCAPE
(3) 036266 000060                      .WORD   L10036-?
3675 036270 012737 000003 003026      MOV      #3,WRTSWI      ;SET FOR READ AND WRITE REQ.
3676 036276 023727 003236 000003      CMP      PASCNT,#3      ;TEST IF PASS 3
3677 036304 001004                      BNE      45$            ;NO - SKIP
3678 036306 012737 002516 003030      MOV      #T33TBL+6,TBLSTR ;STORE MID POINT IN TABLE
3679 036314 000410                      BR       48$            ;GO START PASS 4
3680 036316 005037 003236          45$:    CLR      PASCNT         ;CLEAR TO PASS 0
3681 036322 004737 020744      JSR      PC,SWAPHD      ;GO SWAP TO HEAD ONE OR ABORT TEST
3682 036326 035310                      T3400$ ;ABORT RETURN
3683 036330 012737 002510 003030      MOV      #T33TBL,TBLSTR ;STORE START OF TABLE

```

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 2-34
*TEST 8 **OVERWRITE

3684	036336	062703	000006
3685	036342	000137	035534
3686	036346		
3687	036346		
(3)	036346		
(3)	036346	104401	
3688	036350		

48\$:	ADD	#6,R3
	JMP	T3401\$
T3465\$:		
ENDTST		
L10036:		
	TRAP	CSETST
ENDMOD		

3690					.SBTTL	PARAMETER CODING
3691	036350				BGNMOD	HRDPRM
3692	036350				BGNHRD	
(3)	036350	000030				.WORD L10040-L\$HARD/2
3693	036352				GPRML	CNTYPE,CNT,1,YES
(4)	036352	005130				.WORD T\$CODE
(4)	036354	036516				.WORD CNTYPE
(4)	036356	000001				.WORD 1
3694	036360				GPRMA	CSRMSG,CSR,0,160000,177776,YES
(4)	036360	000031				.WORD T\$CODE
(4)	036362	036432				.WORD CSRMSG
(4)	036364	160000				.WORD T\$LLOLIM
(4)	036366	177776				.WORD T\$HILIM
3695	036370				GPRMA	VECMMSG,VECT,0,0,776,YES
(4)	036370	001031				.WORD T\$CODE
(4)	036372	036446				.WORD VECMSG
(4)	036374	000000				.WORD T\$LLOLIM
(4)	036376	000776				.WORD T\$HILIM
3696	036400				GPRMD	DRMSG,DRSB,0,3400,0,7,YES
(4)	036400	004032				.WORD T\$CODE
(4)	036402	036510				.WORD DRMSG
(4)	036404	003400				.WORD 3400
(4)	036406	000000				.WORD T\$LLOLIM
(4)	036410	000007				.WORD T\$HILIM
3697	036412				GPRML	DRTYPE,TYPDR,1,YES
(4)	036412	003130				.WORD T\$CODE
(4)	036414	036466				.WORD DRTYPE
(4)	036416	000001				.WORD 1
3698	036420				GPRMD	BRMSG,PRIOR,0,340,0,7,YES
(4)	036420	002032				.WORD T\$CODE
(4)	036422	036455				.WORD BRMSG
(4)	036424	000340				.WORD 340
(4)	036426	000000				.WORD T\$LLOLIM
(4)	036430	000007				.WORD T\$HILIM
3699						
3700	036432				ENDHRD	
(2)						.FVEN
(3)	036432				L10040:	
3701						
3702	036432	052502	020123	042101	CSRMSG:	.ASCIZ /BUS ADDRESS/
	036440	051104	051505	000123		
3703	036446	042526	052103	051117	VECMMSG:	.ASCIZ /VECTOR/
	036454	000				
3704	036455	102	020122	042514	BRMSG:	.ASCIZ /BR LEVEL/
	036462	042526	000114			
3705	036466	051104	053111	020105	DRTYPE:	.ASCIZ /DRIVE TYPE = RL01/
	036474	054524	042520	036440		
	036502	051040	030114	000061		
3706	036510	051104	053111	000105	DRMSG:	.ASCIZ /DRIVE/
3707	036516	046122	030461	000	CNTYPE:	.ASCIZ /RL11/
3708	036523				ENDMOD	
3709		036524				.EVEN
3710						
3711	036524				BGNMOD	SFTPRM
3712	036524				BGNSFT	
(3)	036524	000056				.WORD L10041-L\$SOFT/2

3713				
3715	036526		GPRML	CYLO,MISWI,1,YES
(4)	036526	000130		.WORD T\$CODE
(4)	036530	036662		.WORD CYLO
(4)	036532	000001		.WORD 1
3716	036534		GPRML	SECO,MISWI,2,YES
(4)	036534	000130		.WORD T\$CODE
(4)	036536	036676		.WORD SECO
(4)	036540	000002		.WORD 2
3722	036542		GPRML	MANQ,MISWI,10000,YES
(4)	036542	000130		.WORD T\$CODE
(4)	036544	036713		.WORD MANQ
(4)	036546	100000		.WORD 100000
3723				
3725	036550		GPRML	LOLIMQ,MISWI,40000,YES
(4)	036550	000130		.WORD T\$CODE
(4)	036552	036747		.WORD LOLIMQ
(4)	036554	040000		.WORD 40000
3726	036556		XFERF	1\$
(5)	036556	006044		.WORD T\$CODE
3727	036560		GPRMD	LIMVAL,LOLIM,D,255.,0,253.,YES
(4)	036560	001052		.WORD T\$CODE
(4)	036562	036766		.WORD LIMVAL
(4)	036564	000377		.WORD 255.
(4)	036566	000000		.WORD T\$LOLIM
(4)	036570	000375		.WORD T\$HILIM
3728	036572		1\$:	GPRML HILIMQ,MISWI,20000,YES
(4)	036572	000130		.WORD T\$CODE
(4)	036574	036774		.WORD HILIMQ
(4)	036576	020000		.WORD 20000
3729	036600		XFERF	2\$
(5)	036600	006044		.WORD T\$CODE
3730	036602		GPRMD	LIMVAL,HILIM,D,255.,0,255.,YES
(4)	036602	002052		.WORD T\$CODE
(4)	036604	036766		.WORD LIMVAL
(4)	036606	000377		.WORD 255.
(4)	036610	000000		.WORD T\$LOLIM
(4)	036612	000377		.WORD T\$HILIM
3731	036614		2\$:	GPRML HEADQ,MISWI,10000,YES
(4)	036614	000130		.WORD T\$CODE
(4)	036616	037015		.WORD HEADQ
(4)	036620	010000		.WORD 10000
3732	036622		XFERF	3\$
(5)	036622	006044		.WORD T\$CODE
3733	036624		GPRMD	HEADV,HEAD,D,17,0,1,YES
(4)	036624	003052		.WORD T\$CODE
(4)	036626	037037		.WORD HEADV
(4)	036630	000017		.WORD 17
(4)	036632	000000		.WORD T\$LOLIM
(4)	036634	000001		.WORD T\$HILIM
3735	036636		3\$:	GPRMD ERLIMQ,ERLIM,D,377,0,377,YES
(4)	036636	004052		.WORD T\$CODE
(4)	036640	037062		.WORD ERLIMQ
(4)	036642	000377		.WORD 377
(4)	036644	000000		.WORD T\$LOLIM
(4)	036646	000377		.WORD T\$HILIM

```
3737 036650          GPRMD  DCLIMQ,DCLIM,D,377,1,377,YES
(4) 036650 005052    .WORD  T$CODE
(4) 036652 037104    .WORD  DCLIMQ
(4) 036654 000377    .WORD  377
(4) 036656 000001    .WORD  T$LOLIM
(4) 036660 000377    .WORD  T$HILIM
3739 036662          ENDSFT
(2)                                     .EVEN
(3) 036662          L10041:
3740
3742 036662 051525 020105 046101  CYLQ:  .ASCIZ  /USE ALL CYL/
036670 020114 054503 000114
3743 036676 051525 020105 046101  SECQ:  .ASCIZ  /USE ALL SECT/
036704 020114 042523 052103
036712 000
3749 036713 104 020117 040515  MANQ:  .ASCIZ  /DO MANUAL INTERVENTION TEST/
036720 052516 046101 044440
036726 052116 051105 042526
036734 052116 047511 020116
036742 042524 052123 000
3751 036747 114 053517 051440  LOLIMQ: .ASCIZ  /LOW SEEK LIMIT/
036754 042505 020113 044514
036762 044515 000124
3752 036766 040526 052514 000105  LIMVAL: .ASCIZ  /VALUE/
3753 036774 050125 042520 020122  HILIMQ: .ASCIZ  /UPPER SEEK LIMIT/
037002 042523 045505 046040
037010 046511 052111 000
3754 037015 125 042523 047440  HEADQ:  .ASCIZ  /USE ONLY ONE SURF/
037022 046116 020131 047117
037030 020105 052523 043122
037036 000
3755 037037 127 040510 020124  HEADV:  .ASCIZ  /WHAT SURF (0 OR 1)/
037044 052523 043122 024040
037052 020060 051117 030440
037060 000051
3757 037062 047111 052520 020124  ERLIMQ: .ASCIZ  /INPUT ERROR LIMIT/
037070 051105 047522 020122
037076 044514 044515 000124
3759 037104 040504 040524 041440  DCLIMQ: .ASCIZ  /DATA CMP ERR LMT/
037112 050115 042440 051122
037120 046040 052115 000
3761 037126          .EVEN
3762 037126          ENDMOD
3763
3764 037126          LASTAD
(2)                                     .EVEN
(4) 037126 000000    .WORD  0
(4) 037130 000000    .WORD  0
(3) 037132          L$LAST::
3765
3766 000001          .END
```


CZRLNAO RLO1/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 3-5
CROSS REFERENCE TABLE -- USER SYMBOLS

F\$RPT = 000012	8#													
F\$SEGE = 000003	8#	1835	1882											
F\$SOFT = 000005	8#	3712	3726	3729	3732	3739								
F\$SRV = 000010	8#	1462	1468	1470	1484									
F\$SUB = 000002	8#	2976	2986	3145	3224	3248	3336	3426	3506	3586	3673			
F\$SW = 000014	8#	1185	1199											
F\$TEST = 000001	8#	2673	2860	2863	2954	2957	3001	3005	3083	3087	3238	3241	3349	
	3353	3521	3524	3687										
GBND 002314	254#	1290*	1298*											
GETPOS 022506	1677	1832	1838	1861	2210#	2249								
GETSTA = 000003	187#	1010	1543	1546	1592									
GLBDAT 002230	224#													
GLBEQA 002230	90#													
GLBERR 012070	877#													
GLBSUB 015424	1420#													
GLBTXT 00535J	645#													
GSTAT 016430	1548#	1565	1617	1623	1908	1919	2027	2169	2180	2496	3309			
GSTATC 016414	1545#													
GSTATG 016440	1544	1547	1550#											
GSTATR 016400	1542#	2682	2866	2961	3016	3091	3251	3276	3327	3341	3357	3528		
GTSTAT = 000104	121#	1599												
G\$CNTD = 000200	8#													
G\$DELM = 000372	8#	1429	1434	1450	1454									
G\$DISP = 000003	8#													
G\$EXCP = 000400	8#													
G\$HILI = 000002	8#													
G\$LOLI = 000001	8#													
G\$NO = 000000	8#													
G\$OFFS = 000400	8#	3693	3694	3695	3696	3697	3698	3715	3716	3722	3725	3727	3728	
	3730	3731	3733	3735	3737									
G\$OF SI = 000376	8#	3693	3694	3695	3696	3697	3698	3715	3716	3722	3725	3727	3728	
	3730	3731	3733	3735	3737									
G\$PRMA = 000001	8#	3694	3695											
G\$PRMD = 000002	8#	3696	3698	3727	3730	3733	3735	3737						
G\$PRML = 000000	8#	3693	3697	3715	3716	3722	3725	3728	3731					
G\$RADA = 000140	8#													
G\$RADB = 000000	8#													
G\$RADD = 000040	8#	3727	3730	3733	3735	3737								
G\$RADL = 000120	8#	3693	3697	3715	3716	3722	3725	3728	3731					
G\$RADO = 000020	8#	3694	3695	3696	3698									
G\$XFER = 000004	8#	3726	3729	3732										
G\$YES = 000010	8#	3693	3694	3695	3696	3697	3698	3715	3716	3722	3725	3727	3728	
	3730	3731	3733	3735	3737									
HADONE 003014	423#	1249*												
HCESTA = 040000	210#	1571												
HCR CER = 004000	169#	1032	1039											
HDALIG = 000010	113#	1227												
HDCYL 002322	257#	1293*	1301*											
HDHSEL = 000100	196#	2101	2104											
HDMOVF 007313	740#	1873												
HDRCMP = 000002	131#	2083												
HDR40 = 100000	146#	2279	2603											
HDSEC = 000077	195#	2123	2126											
HDSEL = 000020	184#	1729	2290											
HDWD 007445	765#	2610	2613	2648										
HDWRD1 003056	443#	1120	2145	2220										

G
G
G
G
G

HCWRD2	003060	444#	2042											
HDWRD3	003062	445#												
HEAD =	000006	105#	3733											
HEADLM=	010000	114#	1946	1953	2869									
HEADQ	037015	3731	3754#											
HEADV	037037	3733	3755#											
HEADW	013730	1196#	1948	2871										
HFIN	003174	487#	2828	2855										
HFINU	003176	488#	2829											
HFOUT	003200	489#	2806	2855										
HFOUTU	003202	490#	2807	2809										
HICYL =	020000	115#	1305											
HILIM =	000004	104#	3730											
HILIMQ	036774	3728	3753#											
HILIMW	013726	1195#	1307*	3106	3107	3108	3127	3132	3375	3376	3377	3378	3409	3544
		3545	3546	3574										
HLMTW	002306	251#	1289*	1297*	1307	1680	1682	1684	1706	2429	2794	2832	2848	2874
		3404	3569											
HNFERR=	010000	167#	1030											
HOE =	100000 G	92#												
HSTAT=	000020	201#	1569											
HPTCOD	013702 G	1173#												
HRDPRM	036350 G	3691#												
HRDWTS	026142 G	2669#												
HRIN	003204	491#	2830	2856										
HRINU	003206	492#	2831											
HROUT	003210	493#	2808	2856										
HROUTU	003212	494#												
HSMK =	000100	179#	2463											
HSTAT=	000100	203#	2149											
IBE =	010000 G	92#												
IBUFF	004072	535#	1077	2085	2280	2388	2453	2890	2918					
IDU =	000040 G	92#												
IER =	020000 G	92#												
INITCO	013760 G	1215#												
INOUTS	000020	135#	147	3153	3189	3219	3434	3465	3498	3594	3634	3667		
INIBL=	000100	173#												
INTHLR	015752	1308	1474#											
ISR =	000100 G	92#												
IXE =	004000 G	92#												
ISAU =	000041	8#												
ISAUTO=	000041	8#	1357#	1384#										
ISCLN =	000041	8#	1391#	1409#										
ISDU =	000041	8#	1411#	1413#										
ISHRD =	000041	3692#	3700#											
ISINIT=	000041	8#	1216#	1343#										
ISMOD =	000041	8#	58#	65#	90#	218#	224#	634#	645#	868#	877#	1162#	1173#	1182#
		1184#	1200#	1202#	1209#	1215#	1344#	1390#	1415#	1420#	2664#	2669#	3688#	3691#
		3708#	3711#	3762#										
ISMSG =	000041	8#	922#	934#	936#	948#	950#	962#	964#	977#	979#	992#	994#	1097#
		1099#	1111#	1113#	1133#	1135#	1147#	1148#	1161#					
ISPROT=	000040	8#	1165#											
ISPTAB=	000041	8#												
ISPWR =	000041	8#												
ISRPT =	000041	8#												
ISSEG =	000041	8#	1835#	1892#	2673	2863	2957	2976	3005	3087	3145	3241	3248	3353

MOPERR	010411	265	804#	1034										
MORECE	003020	425#	1073*	1080	1083*	1088	1091	1150	1158*	1538*	2084*	2386*	2400	2412
		2419*												
MOUTIN	005560	241	661#											
MPNAM	006245	679#	2648											
MQUALS=	003760	147#	3146	3206	3427	3482	3587	3651						
MREAD	005354	234	648#											
MREADH	005365	232	649#											
MRESKO	005756	245	667#											
MREVSK	005640	243	664#											
MRLFAL	010606	811#	1619											
MRSLT	005526	658#	1035	1155	2625									
MSEEK	005350	231	647#											
MSPERR	010307	272	799#											
MSTERR	010342	271	801#											
MTMBS	006110	671#	2945											
MTOSLO	006306	683#	1518											
MULOAD	005537	239	659#											
MUNDEF	010541	810#	1582											
MWDERR	010574	268	803#											
MWGERR	010325	273	800#	3317										
MWORD	006300	682#	1082	1155	1157									
MWRCHK	005375	229	650#											
MWRITE	005406	233	651#											
MWRSET	005503	235	656#											
MWRTAB	010645	812#	2472											
M4OHDR	005467	248	655#											
NEWCYL	003106	458#	1127	1680	1682*	1683	1684*	1687*	1691	1693*	1694	1695*	1697	1706
		1840	1848*	1850*	1863	1869	1877	1966	1967*	2095	2251	2533	2690*	2703*
		2760*	2763*	2775*	2778*	2782*	2794*	2798*	2810*	2813*	2817*	2820*	2832*	2836*
		2848*	2874*	2965*	2998*	3022*	3162*	3168*	3255*	3442*	3448*	3602*	3608*	
NOCLR =	000010	154#												
NOCTLR	007635	774#	1365											
NOERCT	003451	515#	923	995	1537*	2885*								
NOIRPT=	000002	152#												
NOOP =	000100	127#												
NOPWR	006166	675#	1336											
NOTRDY	007673	775#	1377											
NOTST1	007750	776#	2678											
NOTST4	010036	777#	3010											
NXMERR=	020000	165#												
NXTHL	002312	253#	1288*	1302*	2782									
NXTPAS	014204	1263#	1278	1280										
OBUFF	004472	536#	1076	2339	2355	2357	2364	2387	2455	3291				
OFIN	003144	475#	2684	2790	2853									
OFINU	003146	476#	2791											
OFMID	003150	477#	2771	2853										
OFMIDU	003152	478#	2772											
OFOUT	003154	479#	2699	2853										
OFOUTU	003156	480#	2700											
OLDCYL	003104	457#	1679*	1844*	1965	1966*	2610							
ONSWAP	021004	1842	1964#	2744										
OPFLAG	003010	421#	1536*	1575*	1609	2083*	79*	2385*	2396*	2433*	2469	2471*	2474*	2574*
		2579*	2582*	2585*	2593	2595	2603	2608	2611	3146*	3153*	3156*	3189*	3191*
		3206*	3217*	3219*	3221*	3427*	3434*	3437*	3465*	3467*	3482*	3496*	3498*	3500*
		3502*	3587*	3594*	3597*	3634*	3636*	3651*	3663*	3665*	3667*	3669*		

SAMSK = 000077	178#													
SBSFIL 003502	532#	1980*	2530	2924	2937									
SECO 036676	3716	3743#												
SECWD 007451	766#	2613												
SEEK = 000106	122#	1715												
SEEKOP= 010000	143#	2574	2579	2608										
SEQMES 007504	770#	2568												
SETDON 014240	123	1265	1270#											
SFTPRM 036524 G	3711#													
SGNWD 007440	764#	2610												
SKTMES 007063	725#	2850												
SPDSTA= 004000	207#	1571												
SPTCOD 013720 G	1184#													
SRTMES 007075	726#	3079												
SSINDX 003006	418#	1229*	1551	1555*	1648*	1666	1670*	1751*	1824	1828*	1883*	1898	1902*	
	1931*	1990	1994*	2057*	2073	2077*	2130*	2160	2164*	2195*	2211	2215*	2227*	
	2242	2246*	2256*	2269	2273*	2319*	2377	2381*	2401*	2437	2441*	2509*	2565	
	2571													
STAMES 007527	771#	1068												
STAMSK= 000007	199#	1606												
STATE2 010750	824#													
STATE3 010760	825#													
STATE5 010770	826#													
STOSTA= 010000	208#													
SUBSTK 002410	291#	1553*	1554*	1668*	1669*	1826*	1827*	1900*	1901*	1992*	1993*	2075*	2076*	
	2162*	2163*	2213*	2214*	2244*	2245*	2271*	2272*	2379*	2380*	2439*	2440*	2569	
SVCBGL= 000001	11#													
SVCGBL 000000	8#	58	63	66	67	90	224	645	877	922	936	950	964	
	979	994	1099	1113	1135	1148	1165	1173	1174	1184	1185	1202	1207	
	1215	1216	1357	1390	1391	1411	1420	2669	3691	3692	3711	3712	3764#	
SVCINS= 000000	8#	12#	63	66	67	934	948	962	977	992	1035	1068	1082	
	1091	1097	1111	1133	1147	1154	1155	1157	1161	1174	1185	1207	1220	
	1221	1223	1224	1225	1226	1230	1231	1234	1235	1255	1256	1258	1259	
	1261	1262	1275	1276	1308	1309	1336	1337	1338	1339	1340	1343	1359	
	1365	1366	1368	1370	1377	1379	1381	1382	1383	1384	1393	1395	1402	
	1406	1407	1409	1413	1427	1428	1429	1434	1447	1448	1450	1454	1468	
	1484	1494	1495	1496	1497	1498	1499	1500	1583	1620	1633	1639	1744	
	1749	1835	1836	1837	1858	1874	1882	1917	1928	1977	1978	1979	2025	
	2036	2040	2048	2097	2109	2116	2178	2188	2192	2253	2306	2311	2400	
	2415	2473	2488	2494	2503	2507	2568	2569	2573	2586	2602	2606	2610	
	2613	2625	2634	2635	2638	2646	2648	2649	2650	2678	2718	2722	2850	
	2851	2852	2853	2854	2855	2856	2857	2858	2860	2873	2930	2931	2936	
	2943	2946	2954	2976	2986	2987	3001	3010	3012	3043	3047	3063	3067	
	3079	3080	3081	3083	3145	3224	3225	3238	3248	3273	3280	3283	3284	
	3307	3308	3314	3318	3325	3336	3338	3349	3426	3506	3507	3521	3586	
	3673	3674	3687	3692	3693	3694	3695	3696	3697	3698	3700	3712	3715	
	3716	3722	3725	3726	3727	3728	3729	3730	3731	3732	3733	3735	3737	
	3739	3764												
SVCSUB= 000001	8#	10#	2976	3145	3248	3426	3586							
SVC TAG= 000000	8#	13#	934	948	962	977	992	1097	1111	1133	1147	1161	1181	
	1199	1343	1384	1409	1413	1468	1484	1882	2860	2954	2986	3001	3083	
	3224	3238	3336	3349	3506	3521	3673	3687	3700	3739				
SVC TST= 000001	8#	9#	2673	2863	2957	3005	3087	3241	3353	3524				
SWAPHD 020744	1953#	2992	3232	3514	3681									
SSL SYM= 010000	8#	934#	948#	962#	977#	992#	1097#	1111#	1133#	1147#	1161#	1181#	1199#	
	1343#	1384#	1409#	1413#	1468#	1484#	1835#	2860#	2954#	2986#	3001#	3083#	3224#	

T\$NS1 = 000005	2669#	3688	3691#	3708	3711#	3762							
	922#	934	936#	948	950#	962	964#	977	979#	992	994#	1097	1099#
	1111	1113#	1133	1135#	1147	1148#	1161	1174#	1181	1185#	1199	1216#	1343
	1391#	1409	1411#	1413	1462#	1468	1470#	1484	1835#	1882	2673#	2860	2863#
	2954	2957#	3001	3005#	3083	3087#	3238	3241#	3349	3353#	3521	3524#	3687
	3692#	3700	3712#	3726	3729	3732	3739						
T\$NS2 = 000002	2976#	2986	3145#	3224	3248#	3336	3426#	3506	3586#	3673			
T\$PTNU= 000000	8#												
T\$SAVL= 177777	8#												
T\$SEGL= 177777	8#	1835#	1882#										
T\$SEKO= 010000	1835#	1882											
T\$SUBN= 000001	8#	2673#	2863#	2957#	2976#	3005#	3087#	3145#	3241#	3248#	3353#	3426#	3524#
	3586#												
T\$TAGL= 177777	8#												
T\$TAGN= 010042	8#	922#	936#	950#	964#	979#	994#	1099#	1113#	1135#	1148#	1165#	1174#
	1185#	1216#	1357#	1391#	1411#	1462#	1470#	2673#	2863#	2957#	2976#	3005#	3087#
	3145#	3241#	3248#	3353#	3426#	3524#	3586#	3692#	3712#				
T\$TEMP= 000000	65#	218#	634#	868#	934#	948#	962#	977#	992#	1097#	1111#	1133#	1147#
	1161#	1162#	1169#	1181#	1182#	1199#	1200#	1207#	1209#	1343#	1344#	1384#	1409#
	1413#	1415#	1468#	1484#	1882#	2664#	2860#	2873#	2954#	2986#	2987#	3001#	3012#
	3083#	3224#	3225#	3238#	3284#	3308#	3336#	3349#	3506#	3507#	3521#	3673#	3674#
	3687#	3688#	3693#	3694#	3695#	3696#	3697#	3698#	3700#	3708#	3715#	3716#	3722#
	3725#	3727#	3728#	3730#	3731#	3733#	3735#	3737#	3739#	3762#			
T\$TEST= 000010	8#	2673#	2863#	2957#	2976	3005#	3087#	3145	3241#	3248	3353#	3426	3524#
	3586	3764											
T\$TSTM= 177777	8#	934	948	962	977	992	1035	1068	1082	1091	1097	1111	1133
	1147	1154	1155	1157	1161	1220	1223	1224	1225	1230	1234	1255	1258
	1261	1275	1308	1309	1336	1337	1338	1339	1340	1343	1359	1365	1366
	1368	1370	1377	1379	1381	1382	1383	1384	1393	1395	1402	1406	1407
	1409	1413	1427	1447	1494	1496	1497	1498	1499	1500	1583	1620	1633
	1639	1744	1749	1835	1836	1858	1874	1882	1917	1928	1977	1978	1979
	2025	2036	2040	2048	2097	2109	2116	2178	2188	2192	2253	2306	2311
	2400	2415	2473	2488	2494	2503	2507	2568	2569	2573	2586	2602	2606
	2610	2613	2625	2634	2635	2638	2646	2648	2649	2650	2678	2718	2722
	2850	2851	2852	2853	2854	2855	2856	2857	2858	2860	2873	2930	2936
	2943	2946	2954	2976	2986	2987	3001	3010	3012	3043	3047	3063	3067
	3079	3080	3081	3083	3145	3224	3225	3238	3248	3273	3280	3283	3284
	3307	3308	3314	3318	3325	3336	3338	3349	3426	3506	3507	3521	3586
	3673	3674	3687										
T\$TSTS= 000001	8#	2673#	2863#	2957#	3005#	3087#	3241#	3353#	3524#				
T\$SAUT= 010016	1357#	1384											
T\$SCLE= 010017	1391#	1409											
T\$SDU = 010020	1411#	1413											
T\$SHAR= 010040	3692#	3700											
T\$SHW = 010013	1174#	1181											
T\$SINI= 010015	1216#	1343											
T\$SMMSG= 010011	922#	934	936#	948	950#	962	964#	977	979#	992	994#	1097	1099#
	1111	1113#	1133	1135#	1147	1148#	1161						
T\$SPRO= 010012	1165#												
T\$SSEG= 010000	1835#	1882#											
T\$SOF= 010041	3712#	3739											
T\$SRV= 010022	1462#	1468	1470#	1484									
T\$SUB= 010037	2976#	2986	3145#	3224	3248#	3308	3336	3426#	3506	3586#	3673		
T\$SW = 010014	1185#	1199											
T\$TES= 010036	2673#	2860	2863#	2873	2954	2957#	2987	3001	3005#	3012	3083	3087#	3225
	3238	3241#	3284	3349	3353#	3507	3521	3524#	3674	3687			

CZRLNAO RL01/02 DRIVE TEST 3
CZRLNA.MAC 17-DEC-79 10:22

MACY11 30A(1052) 17-DEC-79 10:29 PAGE 3-17
CROSS REFERENCE TABLE -- USER SYMBOLS

WDESTA= 100000	211#	1571												
WGESTA= 002000	206#	3315	3320											
WLSTAT= 020000	209#	3263	3278	3343										
WRTSWI 003026	428#	3157*	3182	3190*	3194	3204*	3211*	3226*	3438*	3458	3466*	3470	3480*	
	3491*	3503*	3508*	3598*	3627	3635*	3639	3649*	3660*	3670*	3675*			
WTDATA= 000112	124#	2428	3288											
XDELAY 003456	518#	1014*	1425	1426*	1430*	1435*	1482*	1602*	1622*	1739*	1912*	2018*	2175*	
	2483*	2713*	2729*	3038*	3057*	3300*								
XRDHD 021172	1988#	2218												
XRDHDC 021162	1986#													
XRDHDG 021176	1987	1989#												
XREAD 024014	2435#	2892	981	3196	3269	3331	3472	3641						
XREADG 024022	2434	2436#												
XSEEK 017326	1664#	1851	2691	2764	2783	2799	2821	2837	2875	2967	3023	3163	3169	
	3256	3443	3449	3603	3609									
XSEEKT 017316	1662#	2708												
XSEEK1 017332	1663	1665#												
XTIME 015570	1333	1401	1441#	1523	1563	1579	1614	1923	2184	3275	3340			
XWRITE 023754	2427#	2979	3184	3267	3460	3629								
XWRITT 023744	2425#	3032												
XWRIT1 023760	2426	2428#												
XSALWA= 000000	8#													
XSALS= 000040	8#	3726	3729	3732										
XSOFFS= 000400	8#	3726	3729	3732										
XSTRUE= 000020	8#													
YDELAY 003460	519#	1333*	1401*	1443	1444*	1445*	1446*	1451*	1455*	1482*	1523*	1563*	1579*	
	1614*	1923*	2184*	3275*	3340*									
	5#	66#	330#	331#	511#	532#	533#	535#	536#	871#	1429	1434	1450	
	1454	2873	2987	3012	3225	3284	3308	3507	3674	3709#	3726	3729	3732	
	3761#													

- 037132

MANUAL	1225														
MSBYTE	63#														
MSCHEC	2873#	3012#	3284#	3308#											
MSCNTO	3693#	3694#	3695#	3696#	3697#	3698#	3715#	3716#	3722#	3725#	3727#	3728#	3730#	3731#	3733#
	3735#	3737#													
MSCOUN	1035#	1068#	1082#	1091#	1154#	1155#	1157#	1336#	1337#	1338#	1365#	1366#	1368#	1377#	1379#
	1381#	1496#	1497#	1498#	1977#	1978#	1979#	2400#	2568#	2569#	2573#	2586#	2602#	2606#	2610#
	2613#	2025#	2634#	2635#	2638#	2646#	2648#	2649#	2650#	2678#	2850#	2851#	2852#	2853#	2854#
	2855#	2856#	2857#	2858#	3010#	3079#	3080#	3081#	3273#	3280#	3283#	3338#			
MSDATA	63#	66#	67#												
MSDECR	65#	218#	634#	868#	934#	948#	962#	977#	992#	1097#	1111#	1133#	1147#	1161#	1162#
	1169#	1181#	1182#	1199#	1200#	1209#	1343#	1344#	1384#	1409#	1413#	1415#	1468#	1484#	1882#
	2664#	2860#	2954#	2986#	3001#	3083#	3224#	3238#	3336#	3349#	3506#	3521#	3673#	3687#	3688#
	3700#	3708#	3739#	3762#											
MSDEFA	3693#	3694#	3695#	3696#	3697#	3698#	3715#	3716#	3722#	3725#	3727#	3728#	3730#	3731#	3733#
	3735#	3737#													
MSENDE	65#	218#	634#	868#	934#	948#	962#	977#	992#	1097#	1111#	1133#	1147#	1161#	1162#
	1181#	1182#	1199#	1200#	1209#	1343#	1344#	1384#	1409#	1413#	1415#	1468#	1484#	1882#	2664#
	2860#	2954#	2986#	3001#	3083#	3224#	3238#	3336#	3349#	3506#	3521#	3673#	3687#	3688#	3700#
	3708#	3739#	3762#												
MSERRI	1583#	1620#	1633#	1639#	1744#	1749#	1858#	1874#	1917#	1928#	2025#	2036#	2040#	2048#	2097#
	2109#	2116#	2178#	2188#	2192#	2253#	2306#	2311#	2415#	2473#	2488#	2494#	2503#	2507#	2718#
	2722#	2936#	2943#	2946#	3043#	3047#	3063#	3067#	3307#	3314#	3318#	3325#			
MSERCA	2987#	3225#	3507#	3674#											
MSERCS	2987#	3225#	3507#	3674#											
MSXCP	3694#	3695#	3696#	3698#	3727#	3730#	3733#	3735#	3737#						
MSXIT	2873#	3012#	3284#	3308#											
MSXSE	2873#	3012#	3284#	3308#											
MSXTJ	2873#	3012#	3284#	3308#											
MSGEN	58#	63#	66#	67#	90#	224#	645#	877#	922#	934#	936#	948#	950#	962#	964#
	977#	979#	992#	994#	1097#	1099#	1111#	1113#	1133#	1135#	1147#	1148#	1161#	1165#	1173#
	1174#	1181#	1184#	1185#	1199#	1202#	1207#	1215#	1216#	1343#	1357#	1384#	1390#	1391#	1409#
	1411#	1413#	1420#	1462#	1468#	1470#	1484#	1882#	2669#	2673#	2860#	2863#	2954#	2957#	2976#
	2986#	3001#	3005#	3083#	3087#	3145#	3224#	3238#	3241#	3248#	3336#	3349#	3353#	3426#	3506#
	3521#	3524#	3586#	3673#	3687#	3691#	3692#	3700#	3711#	3712#	3739#	3764#			
MSGETS	65#	218#	634#	868#	934#	948#	962#	977#	992#	1097#	1111#	1133#	1147#	1161#	1162#
	1169#	1181#	1182#	1199#	1200#	1209#	1343#	1344#	1384#	1409#	1413#	1415#	1468#	1484#	1882#
	2664#	2860#	2954#	2986#	3001#	3083#	3224#	3238#	3336#	3349#	3506#	3521#	3673#	3687#	3688#
	3700#	3708#	3726#	3729#	3732#	3739#	3762#								
MSGETT	2873#	2987#	3012#	3225#	3284#	3308#	3507#	3674#	3726#	3729#	3732#				
MSGNGB	58#	63#	66#	67#	90#	224#	645#	877#	922#	936#	950#	964#	979#	994#	1099#
	1113#	1135#	1148#	1165#	1173#	1174#	1184#	1185#	1202#	1207#	1215#	1216#	1357#	1390#	1391#
	1411#	1420#	1462#	1470#	2669#	3691#	3692#	3711#	3712#	3764#					
MSGNIN	63#	66#	67#	934#	948#	962#	977#	992#	1035#	1068#	1082#	1091#	1097#	1111#	1133#
	1147#	1154#	1155#	1157#	1161#	1174#	1185#	1207#	1220#	1221#	1223#	1224#	1225#	1226#	1230#
	1231#	1234#	1235#	1255#	1256#	1258#	1259#	1261#	1262#	1275#	1276#	1308#	1309#	1336#	1337#
	1338#	1339#	1340#	1343#	1359#	1365#	1366#	1368#	1370#	1377#	1379#	1381#	1382#	1383#	1384#
	1393#	1395#	1402#	1406#	1407#	1409#	1413#	1427#	1428#	1429#	1434#	1447#	1448#	1450#	1454#
	1468#	1484#	1494#	1495#	1496#	1497#	1498#	1499#	1500#	1583#	1620#	1633#	1639#	1744#	1749#
	1835#	1836#	1837#	1858#	1874#	1882#	1917#	1928#	1977#	1978#	1979#	2025#	2036#	2040#	2048#
	2097#	2109#	2116#	2178#	2188#	2192#	2253#	2306#	2311#	2400#	2415#	2473#	2488#	2494#	2503#
	2507#	2568#	2569#	2573#	2586#	2602#	2606#	2610#	2613#	2625#	2634#	2635#	2638#	2646#	2648#
	2649#	2650#	2678#	2718#	2722#	2850#	2851#	2852#	2853#	2854#	2855#	2856#	2857#	2858#	2860#
	2873#	2930#	2931#	2936#	2943#	2946#	2954#	2976#	2986#	2987#	3001#	3010#	3012#	3043#	3047#
	3063#	3067#	3079#	3080#	3081#	3083#	3145#	3224#	3225#	3238#	3248#	3273#	3280#	3283#	3284#
	3307#	3308#	3314#	3318#	3325#	3336#	3338#	3349#	3426#	3506#	3507#	3521#	3586#	3673#	3674#

M\$SVC	934#	948#	962#	977#	992#	1035#	1068#	1082#	1091#	1097#	1111#	1133#	1147#	1154#	1155#
	1157#	1161#	1220#	1223#	1224#	1225#	1230#	1234#	1255#	1258#	1261#	1275#	1308#	1309#	1336#
	1337#	1338#	1339#	1340#	1343#	1359#	1365#	1366#	1368#	1370#	1377#	1379#	1381#	1382#	1383#
	1384#	1393#	1395#	1402#	1406#	1407#	1409#	1413#	1427#	1447#	1494#	1496#	1497#	1498#	1499#
	1500#	1583	1620	1633	1639	1744	1749	1835#	1836#	1858	1874	1882#	1917	1928	1977#
	1978#	1979#	2025	2036	2040	2048	2097	2109	2116	2178	2188	2192	2253	2306	2311
	2400#	2415	2473	2485	2494	2503	2507	2568#	2569#	2573#	2586#	2602#	2606#	2610#	2613#
	2625#	2634#	2635#	2638#	2646#	2648#	2649#	2650#	2678#	2718	2722	2850#	2851#	2852#	2853#
	2854#	2855#	2856#	2857#	2858#	2860#	2873#	2930#	2936	2943	2946	2954#	2976#	2986#	2987#
	3001#	3010#	3012#	3043	3047	3063	3067	3079#	3080#	3081#	3083#	3145#	3224#	3225#	3238#
	3248#	3273#	3280#	3283#	3284#	3307	3308#	3314	3318	3325	3336#	3338#	3349#	3426#	3506#
	3507#	3521#	3586#	3673#	3674#	3687#									
M\$TLAB	934#	948#	962#	977#	992#	1035#	1068#	1082#	1091#	1097#	1111#	1133#	1147#	1154#	1155#
	1157#	1161#	1220#	1223#	1224#	1225#	1230#	1234#	1255#	1258#	1261#	1275#	1308#	1309#	1336#
	1337#	1338#	1339#	1340#	1343#	1359#	1365#	1366#	1368#	1370#	1377#	1379#	1381#	1382#	1383#
	1384#	1393#	1395#	1402#	1406#	1407#	1409#	1413#	1427#	1447#	1494#	1496#	1497#	1498#	1499#
	1500#	1583#	1670#	1633#	1639#	1744#	1749#	1835#	1836#	1858#	1874#	1882#	1917#	1928#	1977#
	1978#	1979#	2025#	2036#	2040#	2048#	2097#	2109#	2116#	2178#	2188#	2192#	2253#	2306#	2311#
	2400#	2415#	2473#	2488#	2494#	2503#	2507#	2568#	2569#	2573#	2586#	2602#	2606#	2610#	2613#
	2625#	2634#	2635#	2638#	2646#	2648#	2649#	2650#	2678#	2718#	2722#	2850#	2851#	2852#	2853#
	2854#	2855#	2856#	2857#	2858#	2860#	2873#	2930#	2936#	2943#	2946#	2954#	2976#	2986#	2987#
	3001#	3010#	3012#	3043#	3047#	3063#	3067#	3079#	3080#	3081#	3083#	3145#	3224#	3225#	3238#
	3248#	3273#	3280#	3283#	3284#	3307#	3308#	3314#	3318#	3325#	3336#	3338#	3349#	3426#	3506#
	3507#	3521#	3586#	3673#	3674#	3687#									
M\$TSTL	934#	948#	962#	977#	992#	1035#	1068#	1082#	1091#	1097#	1111#	1133#	1147#	1154#	1155#
	1157#	1161#	1220#	1223#	1224#	1225#	1230#	1234#	1255#	1258#	1261#	1275#	1308#	1309#	1336#
	1337#	1338#	1339#	1340#	1343#	1359#	1365#	1366#	1368#	1370#	1377#	1379#	1381#	1382#	1383#
	1384#	1393#	1395#	1402#	1406#	1407#	1409#	1413#	1427#	1447#	1494#	1496#	1497#	1498#	1499#
	1500#	1583#	1620#	1633#	1639#	1744#	1749#	1835#	1836#	1858#	1874#	1882#	1917#	1928#	1977#
	1978#	1979#	2025#	2036#	2040#	2048#	2097#	2109#	2116#	2178#	2188#	2192#	2253#	2306#	2311#
	2400#	2415#	2473#	2488#	2494#	2503#	2507#	2568#	2569#	2573#	2586#	2602#	2606#	2610#	2613#
	2625#	2634#	2635#	2638#	2646#	2648#	2649#	2650#	2678#	2718#	2722#	2850#	2851#	2852#	2853#
	2854#	2855#	2856#	2857#	2858#	2860#	2873#	2930#	2936#	2943#	2946#	2954#	2976#	2986#	2987#
	3001#	3010#	3012#	3043#	3047#	3063#	3067#	3079#	3080#	3081#	3083#	3145#	3224#	3225#	3238#
	3248#	3273#	3280#	3283#	3284#	3307#	3308#	3314#	3318#	3325#	3336#	3338#	3349#	3426#	3506#
	3507#	3521#	3586#	3673#	3674#	3687#									
M\$WORD	63#	1207#	1583#	1620#	1633#	1639#	1744#	1749#	1858#	1874#	1917#	1928#	2025#	2036#	2040#
	2048#	2097#	2109#	2116#	2178#	2188#	2192#	2253#	2306#	2311#	2415#	2473#	2488#	2494#	2503#
	2507#	2718#	2722#	2873#	2936#	2943#	2946#	3012#	3043#	3047#	3063#	3067#	3284#	3307#	3308#
	3314#	3318#	3325#	3693#	3694#	3695#	3696#	3697#	3698#	3715#	3716#	3722#	3725#	3726#	3727#
	3728#	3729#	3730#	3731#	3732#	3733#	3735#	3737#	3764						
M\$XFER	3726#	3729#	3732#												
POINTE	56														
PRINTB	1035	1068	1082	1091	1154	1155	1157	2400	2568	2569	2573	2586	2602	2606	2610
	2613	2625	2634	2635	2638	2646	2648	2649	2650						
PRINTF	1336	1337	1338	1365	1366	1368	1377	1379	1381	1496	1497	1498	1977	1978	1979
	2678	2850	2851	2852	2853	2854	2855	2856	2857	2858	3010	3079	3080	3081	3273
	3280	3283	3338												
READBU	1427	1447													
READDEF	1230	1234	1255	1258	1261										
SETPRI	1223	1309	1395												
SETVEC	1308	1359	1393												
STCLK	42#	2725	3051												
SVC	6#	8													
WAITMS	25#	1333	1401	1523	1563	1579	1614	1923	2184	3275	3340				
WAITUS	20#	1014	1602	1622	1739	1912	2018	2175	2483	2713	2729	3038	3057	3300	

CZRLNAO RL01/02 DRIVE TEST 3 MACY11 30A(1052) 17-DEC-79 10:29 H 12 PAGE 4-4
CZRLNA.MAC 17-DEC-79 10:22 CROSS REFERENCE TABLE -- MACRO NAMES

SEQ 0150

XFER	2873#	3012#	3284#	3308#
XFERF	3726	3729	3732	

. ABS. 037132 000

ERRORS DETECTED: 0

.CZRLNA.LST/CRF=SVC33/ML,CZRLNA.MAC
RUN-TIME: 109 109 11 SECONDS
RUN-TIME RATIO: 462/231-1.9
CORE USED: 16K (31 PAGES)