


DEQNA

DEQNA FUNCTIONAL TEST
CZQNA00

COPYRIGHT (c) 1984
AH-T615C-MC
FICHE 01 OF 02

OCT 1984
digital
Made In USA



DEQNA

DEQNA FUNCTIONAL TEST
CZQNACO

COPYRIGHT (c) 1984
AH-T6150-MC
FICHE 02 OF 02

OCT 1984
digital
Made In USA

This microfiche card contains a grid of frames. The frames are arranged in approximately 12 rows and 6 columns. Each frame contains a small, high-contrast image or data set, likely representing a functional test result. The data is too small to be legible in this image. A small white mark is visible at the bottom center of the card.

ZQNA1

CZQNA0 DEQNA FUNCTIONAL TEST

5-Jul-1984 14:03:26
5-Jul 1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

: 0001 0
: 0002 0
: 0003 0
: 0004 0
: 0005 0
: 0006 0
: 0007 1
: 0008 1
: C 0009 1
: C 0010 1
: C 0011 1
: C 0012 1
: C 0013 1
: C 0014 1
: C 0015 1
: C 0016 1
: C 0017 1
: C 0018 1
: C 0019 1
: C 0020 1
: C 0021 1
: C 0022 1
: C 0023 1
: C 0024 1
: C 0025 1
: C 0026 1
: C 0027 1
: C 0028 1
: C 0029 1
: C 0030 1
: C 0031 1
: C 0032 1
: C 0033 1
: C 0034 1
: C 0035 1
: C 0036 1
: C 0037 1
: C 0038 1
: C 0039 1
: C 0040 1
: C 0041 1
: C 0042 1
: C 0043 1
: C 0044 1
: C 0045 1
: C 0046 1
: C 0047 1
: C 0048 1
: C 0049 1

MODULE ZQNA1 (*TITLE 'CZQNA0 DEQNA FUNCTIONAL TEST'
IDENT = 'V01.0',
ADDRESSING_MODE(Absolute),
LANGUAGE(BLISS16)) *

*SBTTL 'GLOBAL DEFINITION MODULE'

BEGIN

*(

IDENTIFICATION

PRODUCT CODE: AC-T614C-MC
PRODUCT NAME: CZQNA0 DEQNA FUNCTIONAL TEST
PRODUCT DATE: JULY 5, 1984
MAINTAINER: PSD DIAGNOSTIC ENGINEERING
AUTHOR: S. MAZURCZYK

COPYRIGHT (C) 1984

DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS 01754

THIS SOFTWARE IS FURNISHED UNDER A LICENSE FOR USE ONLY ON A SINGLE
COMPUTER SYSTEM AND MAY BE COPIED ONLY WITH THE INCLUSION OF THE
ABOVE COPYRIGHT NOTICE. THIS SOFTWARE, OR ANY OTHER COPIES THEREOF,
MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON
EXCEPT FOR USE ON SUCH SYSTEM AND TO ONE WHO AGREES TO THESE LICENSE
TERMS. TITLE TO AND OWNERSHIP OF THE SOFTWARE SHALL AT ALL TIMES
REMAIN IN DEC.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
CORPORATION.

DEC ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DEC.

THE FOLLOWING ARE TRADEMARKS OF DIGITAL EQUIPMENT CORPORATION:

DIGITAL	PDP	UNIBUS	MASSBUS
DEC	DECUS	DECTAPE	

ZQNA1
VC1.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

: C 0050 1
: C 0051 1
: C 0052 1
: C 0053 1
: C 0054 1
: C 0055 1
: C 0056 1
: C 0057 1
: C 0058 1
: C 0059 1
: C 0060 1
: C 0061 1
: C 0062 1
: C 0063 1
: C 0064 1
: C 0065 1
: C 0066 1
: C 0067 1
: C 0068 1
: C 0069 1
: C 0070 1
: C 0071 1
: C 0072 1
: C 0073 1
: C 0074 1
: C 0075 1
: C 0076 1
: C 0077 1
: C 0078 1
: C 0079 1

TABLE OF CONTENTS

- 1.0 GENERAL INFORMATION
- 1.1 PROGRAM ABSTRACT
- 1.2 SYSTEM REQUIREMENTS
- 1.3 RELATED DOCUMENTS AND STANDARDS
- 1.4 ASSUMPTIONS
- 2.0 OPERATING INSTRUCTIONS
- 2.1 COMMANDS
- 2.2 SWITCHES
- 2.3 FLAGS
- 2.4 HARDWARE QUESTIONS
- 2.5 SOFTWARE QUESTIONS
- 2.6 QUICK STARTUP PROCEDURE
- 3.0 ERROR INFORMATION
- 4.0 TEST SUMMARIES
- 5.0 MAINTENANCE HISTORY

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0003
Page 3
(3): C 0080 1
: C 0081 1
: C 0082 1
: C 0083 1
: C 0084 1
: C 0085 1
: C 0086 1
: C 0087 1
: C 0088 1
: C 0089 1
: C 0090 1
: C 0091 1
: C 0092 1
: C 0093 1
: C 0094 1
: C 0095 1
: C 0096 1
: C 0097 1
: C 0098 1
: C 0099 1
: C 0100 1
: C 0101 1
: C 0102 1
: C 0103 1
: C 0104 1
: C 0105 1
: C 0106 1
: C 0107 1
: C 0108 1
: C 0109 1
: C 0110 1
: C 0111 1
: C 0112 1
: C 0113 1
: C 0114 1
: C 0115 1
: C 0116 1
: C 0117 1
: C 0118 1
: C 0119 1
: C 0120 1
: C 0121 1
: C 0122 1
: C 0123 1
: C 0124 1
: C 0125 1
: C 0126 1
: C 0127 1
: C 0128 11.0 GENERAL INFORMATION
-----1.1 PROGRAM ABSTRACT

The DIGITAL ETHERNET Q-Bus Network Adapter (DEQNA) Field Functional Diagnostic Program (ZQNA) performs extensive functional testing of the DEQNA/M7504 module for Q18 or Q22-Bus based PDP-11 systems. ZQNA program attempts to isolate faults to the following Field Replacable Units (FRU's): DEQNA, bulkhead assembly, transceiver cable, circuit breaker (fuse in bulkhead assembly) and transceiver. This software also attempts to localize faults to the functional areas of the DEQNA module.

A test operator controls testing of the module from a console (hard copy or CRT).

This diagnostic has been written for use with the diagnostic runtime services software (supervisor). These services provide the interface to the operator and to the software environment. For a complete description of the runtime services, refer to the XXDP: user's manual. There is a brief description of the runtime services in section 2 of this document.

1.2 SYSTEM REQUIREMENTS

The ZQNA software operates on a typical 'newer PDP-11 processor' system that has one or two DEQNA modules on the Q18 or Q22 system bus. The internal and internal/extended loopback mode tests do not require the transceiver or the loopback connector to be unplugged. The external loopback mode may be used with a terminated transceiver that has no network cable attached.

Testing DEQNA module and its interface to the Ethernet requires following hardware:

- Typical system (PDP-11/23 Plus, ORION) with Q-Bus,
- DEQNA module,
- Minimum of 28K words of memory (supporting block or non-block mode),
- Console terminal,
- Loopback connector (male loopback connector, Part # 12 221 96-01),
- Bulkhead assembly,
- Transceiver cable,
- and transceiver (H4000).

: C 0129 1
: C 0130 1
: C 0131 1
: C 0132 1
: C 0133 1
: C 0134 1
: C 0135 1
: C 0136 1
: C 0137 1
: C 0138 1
: C 0139 1
: C 0140 1
: C 0141 1
: C 0142 1
: C 0143 1
: C 0144 1
: C 0145 1
: C 0146 1
: C 0147 1
: C 0148 1
: C 0149 1
: C 0150 1
: C 0151 1
: C 0152 1
: C 0153 1
: C 0154 1
: C 0155 1
: C 0156 1
: C 0157 1
: C 0158 1
: C 0159 1
: C 0160 1
: C 0161 1
: C 0162 1
: C 0163 1
: C 0164 1
: C 0165 1
: C 0166 1
: C 0167 1
: C 0168 1
: C 0169 1
: C 0170 1
: C 0171 1
: C 0172 1
: C 0173 1
: C 0174 1
: C 0175 1

1.3 RELATED DOCUMENTS AND STANDARDS

XXDP+ Supervisor/User's Manual - (CHQUS).

1.4 ASSUMPTIONS

It is assumed that the system has been tested without DEQNA and found working before this diagnostic is run, or that DEQNA DEC/X11 Exerciser has dropped DEQNA option module when running system test.

2.0 OPERATING INSTRUCTIONS

This section contains a brief description of the runtime services. for detailed information, refer to the XXDP+ User's Manual (CHQUS).

2.1 COMMANDS

There are eleven legal commands for the diagnostic runtime services (supervisor). This section lists the commands and gives a very brief description of them. The XXDP+ User's Manual has more details.

COMMAND	EFFECT
-----	-----
START	Start the diagnostic from an initial state
RESTART	Start the diagnostic without initializing
CONTINUE	Continue at test that was interrupted (after ↑C)
PROCEED	Continue from an error halt
EXIT	Return to XXDP+ monitor (XXDP+ operation only!)
ADD	Activate a unit for testing (all units are considered to be active at start time)
DROP	Deactivate a unit
PRINT	Print statistical information (if implemented by the diagnostic - section 4.0)
DISPLAY	Type a list of all device information
FLAGS	Type the state of all flags (see section 2.3)
ZFLAGS	Clear all flags (see section 2.3)

A command can be recognized by the first three characters. So you may, for example, type "STA" instead of "START".

ZQNA1
V01.0CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0005
Page 5
(5)2.2 SWITCHES

There are several switches which are used to modify supervisor operation. These switches are appended to the legal commands. All of the legal switches are tabulated below with a brief description of each. In the descriptions below, a decimal number is designated by "DDDDD".

SWITCH	EFFECT
-----	-----
/TESTS:LIST	Execute only those tests specified in the list. List is a string of test numbers, for example - /TESTS:1:5:7-10. This list will cause tests 1,5,7,8,9,10 to be run. All other tests will not be run.
/PASS:DDDDD	Execute DDDDD passes (DDDDD = 1 to 64000)
/FLAGS:FLGS	Set specified flags. flags are described in section 2.3.
/EOP:DDDDD	Report end of pass message after every DDDDD passes only. (DDDDD = 1 to 64000)
/UNITS:LIST	TEST/ADD/DROP only those units specified in the list. List example - /UNITS:0:5:10-12 use units 0,5,10,11,12 (unit numbers = 0-63)

Example of switch usage:

```
START/TESTS:1-5/PASS:1000/EOP:100
```

The effect of this command will be:

1. Tests 1 through 5 will be executed.
2. All units will be tested 1000 times.
3. The end of pass messages will be printed after each 100 passes only.

A Switch can be recognized by the first three characters. You may, for example, type "/TES:1-5" instead of "/TESTS:1-5".

```
: C 0176 1
: C 0177 1
: C 0178 1
: C 0179 1
: C 0180 1
: C 0181 1
: C 0182 1
: C 0183 1
: C 0184 1
: C 0185 1
: C 0186 1
: C 0187 1
: C 0188 1
: C 0189 1
: C 0190 1
: C 0191 1
: C 0192 1
: C 0193 1
: C 0194 1
: C 0195 1
: C 0196 1
: C 0197 1
: C 0198 1
: C 0199 1
: C 0200 1
: C 0201 1
: C 0202 1
: C 0203 1
: C 0204 1
: C 0205 1
: C 0206 1
: C 0207 1
: C 0208 1
: C 0209 1
: C 0210 1
: C 0211 1
: C 0212 1
: C 0213 1
: C 0214 1
: C 0215 1
```

Below is a table that specifies which switches can be used by each command.

: C 0216 1
: C 0217 1
: C 0218 1
: C 0219 1
: C 0220 1
: C 0221 1
: C 0222 1
: C 0223 1
: C 0224 1
: C 0225 1
: C 0226 1
: C 0227 1
: C 0228 1
: C 0229 1
: C 0230 1
: C 0231 1

	TESTS	PASS	FLAGS	EOP	UNITS
START	X	X	X	X	X
RESTART	X	X	X	X	X
CONTINUE		X	X	X	
PROCEED			X		
DROP					X
ADD					X
PRINT					
DISPLAY					X
FLAGS					
ZFLAGS					
EXIT					


```

: C 0232 1
: C 0233 1
: C 0234 1
: C 0235 1
: C 0236 1
: C 0237 1
: C 0238 1
: C 0239 1
: C 0240 1
: C 0241 1
: C 0242 1
: C 0243 1
: C 0244 1
: C 0245 1
: C 0246 1
: C 0247 1
: C 0248 1
: C 0249 1
: C 0250 1
: C 0251 1
: C 0252 1
: C 0253 1
: C 0254 1
: C 0255 1
: C 0256 1
: C 0257 1
: C 0258 1
: C 0259 1
: C 0260 1
: C 0261 1
: C 0262 1
: C 0263 1
: C 0264 1
: C 0265 1
: C 0266 1
: C 0267 1
: C 0268 1
: C 0269 1
: C 0270 1
: C 0271 1
: C 0272 1
: C 0273 1
: C 0274 1
: C 0275 1
: C 0276 1

```

2.3 FLAGS

Flags are used to set up certain operational parameters such as looping on error. All flags are cleared at startup and remain cleared until explicitly set using the flags switch. Flags are also cleared after a start command unless set using the flag switch. The ZFLAGS command may also be used to clear all flags. with the exception of the START and ZFLAGS commands. No commands affect the state of the flags; they remain set or cleared as specified by the last flag switch.

FLAG	EFFECT
----	-----
HOE	Halt on error control is returned to runtime services command mode
LOE	Loop on error
IER*	Inhibit all error reports
IBR*	Inhibit all error reports except first level (first level contains error type, number, PC, test and unit)
IXR*	Inhibit extended error reports (those called by PRINTX macro's)
PRI	Direct messages to line printer
PNT	Print test number as test executes
BOE	"BEL!" on error
UAM	Unattended mode (no manual intervention)
ISR	Inhibit statistical reports (does not apply to diagnostics which do not support statistical reporting)
IDR	Inhibit program dropping of units
ADR	Execute autodrop code
LOT	Loop on test
EVL	Execute evaluation (on diagnostics which have evaluation support)

*error messages are described in section 3.0

See the XXDP+ User's Manual for more details on flags. You may specify more than one flag with the flag switch. For example, to cause the program to loop on error, inhibit error reports and type a "BELL" on error, you may use the following string:

```
/FLAGS:LOE:IER:BOE
```

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2CEQ 0008
Page 8
(8)

```

: C 0277 1      2.4  HARDWARE QUESTIONS
: C 0278 1      -----
: C 0279 1
: C 0280 1      When a diagnostic is started, the DRS prompts the user for hardware
: C 0281 1      information by displaying
: C 0282 1
: C 0283 1      "CHANGE HW (L) ?"
: C 0284 1
: C 0285 1      you must answer "Y" after a start command unless the hardware
: C 0286 1      information has been "preloaded" using the Setup Utility (see chapter
: C 0287 1      6 of the XXDP+ User's Manual). When you answer this question with a
: C 0288 1      "Y", the DRS asks for the number of units. You will then be asked the
: C 0289 1      following questions for each unit.
: C 0290 1
: C 0291 1      # OF DEVICES (D) ?
: C 0292 1
: C 0293 1      Answer with the number of units to be tested (no default). This answer
: C 0294 1      will determine how many times the following questions are asked.
: C 0295 1      One (!) device must be specified
: C 0296 1
: C 0297 1      DEQNA I/O PAGE  ADR  (0) 174440 ?
: C 0298 1
: C 0299 1      Answer with the address of the I/O page register assigned for one
: C 0300 1      of the DEQNA devices. The I/O page addresses permitted are: 174440
: C 0301 1      and 174460.
: C 0302 1
: C 0303 1      INTERRUPT VECTOR ADR (0) 700 ?
: C 0304 1
: C 0305 1      Answer with the interrupt vector address of the DEQNA module.
: C 0306 1      Interrupt vector address for device at I/O page address 174440 is 700
: C 0307 1      oct. and that for I/O page address of 174460 is 704 oct.
: C 0308 1
: C 0309 1

```

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

: C 0310 1
: C 0311 1
: C 0312 1
: C 0313 1
: C 0314 1
: C 0315 1
: C 0316 1
: C 0317 1
: C 0318 1
: C 0319 1
: C 0320 1
: C 0321 1
: C 0322 1
: C 0323 1
: C 0324 1
: C 0325 1
: C 0326 1
: C 0327 1
: C 0328 1
: C 0329 1
: C 0330 1
: C 0331 1
: C 0332 1
: C 0333 1
: C 0334 1
: C 0335 1
: C 0336 1
: C 0337 1
: C 0338 1
: C 0339 1
: C 0340 1
: C 0341 1
: C 0342 1
: C 0343 1
: C 0344 1
: C 0345 1
: C 0346 1
: C 0347 1
: C 0348 1
: C 0349 1
: C 0350 1
: C 0351 1
: C 0352 1
: C 0353 1
: C 0354 1
: C 0355 1
: C 0356 1
: C 0357 1
: C 0358 1
: C 0359 1
: C 0360 1
: C 0361 1

2.5 SOFTWARE QUESTIONS

After you have answered the hardware questions or after a RESTART or CONTINUE command, the DRS asks for software parameters. These parameters govern some diagnostic specific operation modes. You will be prompted by

CHANGE SW (L) ?

if you wish to change any parameters, answer by typing "Y". The software questions and the default values are described in the next paragraph(s).

DO YOU WANT TO TEST SANITY TIMER (L)?

If you wish to test the Sanity Timer logic, answer by typing "Y". Whenever this question is answered with a "Y" following question will follow:

SANITY TIMER TIMEOUT VALUE (D)?

Answer with the TIMEOUT VALUE being a decimal number between 0 and 7. Use table below to select desired TIMEOUT VALUE.

TIMEOUT VALUE	TIMEOUT PERIOD IN SEC.
-----	-----
0	1/4
1	1
2	4
3	16
4	60
5	240
6	960
7	3840

EXTERNAL LOOPBACK MODE (L)?

Answer with "Y" if you want to execute include "TEST 7" in the test sequence. "TEST 7" is the only test that uses external loopback mode. "N" inhibits execution of "TEST 7".

SYSTEM HAS BLOCK-MODE MEMORY (L)?

Answer with "Y" if the system has block-mode memory and "N" if it has non block-mode memory.

IS LOOPBACK CONNECTOR IN DEQNA (L)?

Answer with "Y" if loopback connector is in the back of the DEQNA module.

: C 0362 1
: C 0363 1
: C 0364 1
: C 0365 1
: C 0366 1
: C 0367 1
: C 0368 1
: C 0369 1
: C 0370 1
: C 0371 1
: C 0372 1
: C 0373 1
: C 0374 1
: C 0375 1
: C 0376 1
: C 0377 1
: C 0378 1
: C 0379 1
: C 0380 1
: C 0381 1
: C 0382 1
: C 0383 1
: C 0384 1
: C 0385 1
: C 0386 1
: C 0387 1
: C 0388 1

2.6 QUICK START-UP PROCEDURE (XXDP+)

To start-up this program:

- o Boot XXDP+
- o Give the date
- o Type "R Name", where Name is the name of the BIN file for this program
- o Type "START"
- o Answer the "CHANGE HW" question with "Y"
- o Answer all the hardware questions
- o Answer the "CHANGE SW" question with "Y"
- o Answer all the software questions

When you follow this procedure you will be using only the defaults for flags and software parameters. These defaults are described in the previous sections.

: C 0389 1
: C 0390 1
: C 0391 1
: C 0392 1
: C 0393 1
: C 0394 1
: C 0395 1
: C 0396 1
: C 0397 1
: C 0398 1
: C 0399 1
: C 0400 1
: C 0401 1
: C 0402 1
: C 0403 1
: C 0404 1
: C 0405 1
: C 0406 1
: C 0407 1
: C 0408 1
: C 0409 1
: C 0410 1
: C 0411 1
: C 0412 1
: C 0413 1
: C 0414 1
: C 0415 1
: C 0416 1
: C 0417 1
: C 0418 1
: C 0419 1
: C 0420 1
: C 0421 1
: C 0422 1
: C 0423 1
: C 0424 1
: C 0425 1
: C 0426 1
: C 0427 1
: C 0428 1
: C 0429 1
: C 0430 1
: C 0431 1
: C 0432 1

3.0 ERROR INFORMATION

TYPES OF ERROR MESSAGES

There are three levels of error messages that may be issued by a diagnostic: general, basic and extended. General error messages are always printed unless the IBE and/or IER flag is set. The general error message is of the form:

NAME ER_TYPE ER_NO UNIT_NO TEST_NO PC_ADDR

.where:

NAME = Diagnostic name
ER_TYPE = Error type (all errors are HARD)
ER_NO = Error number
UNIT_NO = 0
TEST_NO = Test and subtest where error occurred
PC_ADDR = Program Counter contents

Basic error messages are messages that contain some additional information about the error. These are always printed unless one or more of the DRS error flag(s) (IBE, IXE, IER) is set. These messages are printed before the associated general message.

Extended error messages contain supplementary error information such as register contents or good/bad data. These are always printed unless the IXE and/or IER flag is set. These messages are printed after the associated general error message and any associated basic error messages. A typical extended error message might have a following format:

TRANSMIT DESCRIPTOR LIST

RECEIVE DESCRIPTOR LIST

Flag Word
Low Order Addr Bits
High Order Addr Bits
Packet Length (byte)
Status Word 1
Status Word 2

Flag Word
Low Order Addr Bits
High Order Addr Bits
Packet Length (byte)
Status Word 1
Status Word 2

```

: C 0433 1      SPECIFIC ERROR MESSAGES
: C 0434 1      -----
: C 0435 1
: C 0436 1      The following are possible error messages.
: C 0437 1
: C 0438 1      DEQNA FATAL ERROR DETECTED
: C 0439 1      ACTUAL DATA = octal number  EXPECTED DATA = octal number
: C 0440 1      BAD CSR: ACT = octal number  EXP = octal number
: C 0441 1      BAD TRANSMIT FLAG WORD: ACT = octal number  EXP = octal number
: C 0442 1      BAD TRANSMIT STATUS WORD 1: ACT = octal number  EXP = octal number
: C 0443 1      BAD RECEIVE FLAG WORD: ACT = octal number  EXP = octal number
: C 0444 1      BAD RECEIVE STATUS WORD 1: ACT = octal number  EXP = octal number
: C 0445 1      BAD RECEIVE BUFFER LENGTH: ACT = octal number  EXP = octal number
: C 0446 1      BAD CSR = octal number
: C 0447 1      LOOPBACK PACKET UNABLE TO SET CA BIT, CSR = octal number
: C 0448 1      LOOPBACK PACKET UNABLE TO CLEAR CA BIT, CSR = octal number
: C 0449 1      CA BIT OK, BUT RI BIT IS NOT ON, CSR = octal number
: C 0450 1      CA BIT IN THE CSR WAS SET TOO EARLY, CSR = octal number
: C 0451 1      BAD CSR, EXPECTED, XL AND RL ( BITS 4,5 ) TO BE RESET TO 0
: C 0452 1      BAD CSR, EXPECTED, XL AND RL ( BITS 4,5 ) TO BE SET TO 1
: C 0453 1      BAD CSR, EXPECTED, RI ( BIT 15 ) TO BE SET TO 1
: C 0454 1      BAD CSR, EXPECTED, XI ( BIT 7 ) TO BE SET TO 1
: C 0455 1      BAD CSR, EXPECTED, NI ( BIT 2 ) TO BE SET TO 1
: C 0456 1      BAD CSR, EXPECTED, NI ( BIT 2 ) TO BE RESET TO 0
: C 0457 1
: C 0458 1      CSR ADR = octal number  ACTUAL = octal number  EXPECTED = octal number
: C 0459 1      UNABLE TO RESET DEQNA: ADR: address  CSR = octal number
: C 0460 1      WAIT ABOUT number SECOND(S)
: C 0461 1      SANITY TIMER TIMED OUT AS EXPECTED
: C 0462 1      NO SANITY TIMER INTERRUPT DETECTED
: C 0463 1      DISCONNECT TRANSCEIVER CABLE FROM BULKHEAD ASSEMBLY AND CONNECT
: C 0464 1      LOOPBACK CONNECTOR TO BULKHEAD ASSEMBLY, THEN RETEST
: C 0465 1      DISCONNECT BULKHEAD ASSEMBLY FROM DEQNA AND CONNECT
: C 0466 1      LOOPBACK CONNECTOR TO DEQNA, THEN RETEST
: C 0467 1      CHECK FOR LOOSE WIRES IN A LOOPBACK CONNECTOR OR USE DIFFERENT
: C 0468 1      LOOPBACK CONNECTOR, THEN RETEST
: C 0469 1      REPLACE DEQNA, THEN RETEST
: C 0470 1      REPLACE BULKHEAD CONNECTOR, THEN RETEST
: C 0471 1      DISCONNECT TRANSCEIVER CABLE FROM TRANSCEIVER AND CONNECT IT TO
: C 0472 1      LOOPBACK CONNECTOR AND BULKHEAD ASSEMBLY
: C 0473 1      REPLACE TRANSCEIVER CABLE, THEN RETEST
: C 0474 1      REPLACE TRANSCEIVER, THEN RETEST
: C 0475 1      REPLACE THE FUSE IF BAD, THEN RETEST
: C 0476 1      BAD RECEIVE DESCRIPTOR:
: C 0477 1      BAD TRANSMIT DESCRIPTOR:
: C 0478 1      BAD RECEIVE BUFFER:
: C 0479 1      ACTUAL = octal number  EXPECTED = octal number  INDEX = decimal number
: C 0480 1      DMA OPERATION TAKES TOO LONG
: C 0481 1      TOO MANY DEVICES
: C 0482 1      THERE WAS A POWER FAIL - WAITING
: C 0483 1      WAIT ABOUT decimal number MINUTE(S)
: C 0484 1      WAIT ABOUT decimal number HOUR
: C 0485 1      IF NO RESET, TYPE ANY CHARACTER TO EXIT FROM TEST

```

N1

ZQNA1
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

SEQ 0013
Page 13
(12)

```
: C 0486 1      TDR VALUE = 0#N'),
: C 0487 1      BAD CSR, BITS STUCK AT 0:
: C 0488 1      BAD CSR, BITS STUCK AT 1:
: C 0489 1      SOFTWARE RESET UNABLE TO CLEAR CSR STATIC BITS:
: C 0490 1      BAD STATION ADDRESS CHECKSUM: ACT = octal number EXP = octal number
: C 0491 1      BAD STATION ADDRESS: station address
: C 0492 1      BAD DEQNA I/O PAGE REGISTER: register address
: C 0493 1      BAD CSR, EXPECTED RL ( BIT 5 ) TO BE SET TO 0
: C 0494 1      BAD B/D PROM CHECKSUM: INDEX = octal number ACT = octal number EXP = octal number
: C 0495 1      B/D PROM CHECKSUM OFFSET = octal number ACT = octal number EXP = octal number
: C 0496 1      BAD INTERRUPT: ADR = octal number ACT LEV = octal number EXP LEV = octal number
: C 0497 1      REGISTER FAILED TO RESPOND AT ADDRESS: register address
: C 0498 1
```

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

: C 0499 1
: C 0500 1
: C 0501 1
: C 0502 1
: C 0503 1
: C 0504 1
: C 0505 1
: C 0506 1

4.0 TEST SUMMARIES

Each test has its own test summary; therefore, test summaries are not included here.

)*

ZQNA1
V01.0CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL DEFINITION MODULE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 B1,ss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0015
Page 15
(14)

```

: 0507 1
: 0508 1 LIBRARY 'QNALIB';
: 0509 1 REQUIRE 'BLSMAC.REQ';           ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1999 1
: 2000 1 !..
: 2001 1 !   DEFINE THE NUMBER OF TESTS IN THIS DIAGNOSTIC
: 2002 1 !..
: 2003 1
: 2004 1 PSECT
: 2005 1     CODE = AA$CODE$;
: 2006 1
: 2007 1 LITERAL
: 2008 1     DS$NBR_OF_TESTS = 21;
: 2009 1
: 2010 1 EQUALS;
: 2011 1
: 2012 1 POINTER (ALL);
: 2013 1
: 2014 1 !..
: 2015 1 !   THE PROGRAM HEADER IS THE INTERFACE BETWEEN THE DIAGNOSTIC PROGRAM
: 2016 1 !   AND THE SUPERVISOR.
: 2017 1 !..
: 2018 1
: 2019 1 HEADER (ASCII'CZQNA ',ASCII'C',ASCII'O', 120, 0, PRI00);
: 2020 1
: 2021 1
: 2022 1 !..
: 2023 1 !   NO POINTERS ARE OPTIONAL USING BLISS. MAKE SURE THE FOLLOWING
: 2024 1 !   SECTIONS OF CODE ARE IN PLACE (IN THE CORRECT SKELS),EVEN IF
: 2025 1 !   THE SECTIONS ARE BLANK.
: 2026 1
: 2027 1 !   ARGUMENT      FUNCTION
: 2028 1 !   -----      -
: 2029 1 !   RPT           REPORT CODE
: 2030 1 !   SW            SOFTWARE TABLE
: 2031 1 !   SFT           SOFTWARE TABLE QUESTIONS
: 2032 1 !   AU            ADD CODE
: 2033 1 !   DU            DROP CODE
: 2034 1 !   TBL           ERROR TABLE
: 2035 1 !   SETUP         ASSEMBLED P-TABLES
: 2036 1
: 2037 1 !   CHANGE THE "HEADER" TO CONTAIN THE PROPER ARGUMENTS.
: 2038 1 !   ARGUMENTS ARE: NAME,REV,PATCH,LONGEST TEST TIME,TYPE
: 2039 1 !   WHERE "TYPE" = 0 FOR SEQUENTIAL DIAGNOSTIC AND =1
: 2040 1 !   FOR EXERCISER. THERE IS ALSO AN OPTIONAL SIXTH ARGUMENT
: 2041 1 !   WHICH SPECIFIES THE PROCESSOR PRIORITY TO BE SET WHEN
: 2042 1 !   STARTING THE DIAGNOSTIC (DEFAULT IS 0).
: 2043 1 !..
: 2044 1
: 2045 1

```

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
DISPATCH TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

: 2046 1
: 2047 1
: 2048 1
: 2049 1
: 2050 1
: 2051 1
: 2052 1
: 2053 1
: 2054 1
: 2055 1
: 2056 1
: 2057 1
: 2058 1
: 2059 1
: 2060 1
: 2061 1
: 2062 1
: 2063 1
: 2064 1
: 2065 1
: 2066 1
: 2067 1
: 2068 1
: 2069 1

*SBTTL 'DISPATCH TABLE'

DISPATCH (DS#NBR_OF_TESTS):

!..
! THE DISPATCH TABLE CONTAINS THE STARTING ADDRESS OF EACH TEST.
! IT IS USED BY THE SUPERVISOR TO DISPATCH TO EACH TEST.

! CHANGE THE LITERAL DECLARATION OF DS#NBR_OF_TESTS TO BE
! THE NUMBER OF HARDWARE TESTS IN YOUR PROGRAM.

!--

ERRTBL:

!..
! THE ERRTBL MACRO IS REQUIRED WHETHER OR NOT YOU REPORT ERRORS USING
! THE "ERROR" MACRO. THE ERRTBL MACRO EXPANDS INTO FOUR WORDS THAT
! ARE USED BY THE RUNTIME SERVICES DURING AN ERROR CALL: ERROR TYPE,
! ERROR NUMBER, ADDRESS OF ERROR MESSAGE AND ADDRESS OF MESSAGE
! BLOCK. THERE MUST BE ONLY ONE ERRTBL IN ANY PROGRAM. THIS SECTION
! IS NOT OPTIONAL.

!--

ZQNA1
V01.0CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0017
Page 17
(16)

```

: 2070 1  *SBTTL 'GLOBAL DATA SECTION'
: 2071 1
: 2072 1  PSECT
: 2073 1      PLIT  = $PLIT$,
: 2074 1      OWN   = $OWN$,
: 2075 1      GLOBAL = $GLOB$;
: 2076 1
: 2077 1  !**
: 2078 1  !   THE GLOBAL DATA DEFINED IN THIS SECTION IS USED BY MORE THAN ONE
: 2079 1  !   TEST.
: 2080 1  !--
: 2081 1
: 2082 1  GLOBAL
: 2083 1
: 2084 1  !**
: 2085 1  !   COMMUNICATION AREA DECLARATIONS
: 2086 1  !--
: 2087 1
: 2088 1      RCV_D_LIST      : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 2089 1      XMIT_D_LIST     : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 2090 1      RCV_BUFFER      : VECTOR [ B_SIZE, BYTE ],
: 2091 1      XMIT_BUFFER     : VECTOR [ B_SIZE, BYTE ],
: 2092 1      PHYS_ADR        : VECTOR [ 22, BYTE ],
: 2093 1      SETUP_BUFFER    : VECTOR [ SETUP_SIZE, WORD ],
: 2094 1      IOP_TABLE       : VECTOR [ 8, WORD ],
: 2095 1      ETH_STATION_ADR : VECTOR [ 6, WORD ],
: 2096 1      STATION_ADR     : VECTOR [ 4, WORD ],
: 2097 1      PTRN_TABLE      : VECTOR [ 8, BYTE ] INITIAL ( BYTE (
: 2098 1
: 2099 1      *B'00000000', *B'11111111', *B'10101010', *B'01010101',
: 2100 1      *B'11001100', *B'00110011', *B'11110000', *B'00001111' ) ).

```

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

SEQ 0018
Page 18
(17)

```

: 2101 1      TARGET_ADR      : VECTOR [ T_SIZE, BYTE ] INITIAL ( BYTE (
: 2102 1
: 2103 1      #X'00' , #X'00' , #X'00' , #X'00' , #X'00' , #X'00' ,      ! 1 - MEMORY PATTERN
: 2104 1      #X'55' , #X'55' , #X'55' , #X'55' , #X'55' , #X'55' ,      ! 2
: 2105 1      #X'AA' , #X'AA' , #X'AA' , #X'AA' , #X'AA' , #X'AA' ,      ! 3 - MEMORY PATTERN
: 2106 1      #X'55' , #X'55' , #X'55' , #X'55' , #X'55' , #X'55' ,      ! 4 - MEMORY PATTERN
: 2107 1      #X'FF' , #X'FF' , #X'FF' , #X'FF' , #X'FF' , #X'FF' ,      ! 5 - MEMORY PATTERN
: 2108 1      #X'00' , #X'F4' , #X'FA' , #X'44' , #X'44' , #X'55' ,      ! 6
: 2109 1      #X'AA' , #X'00' , #X'00' , #X'00' , #X'00' , #X'00' ,      ! 7 - MEMORY PATTERN
: 2110 1      #X'AA' , #X'00' , #X'02' , #X'AA' , #X'AA' , #X'AA' ,      ! 8
: 2111 1      #X'AA' , #X'00' , #X'05' , #X'55' , #X'55' , #X'55' ,      ! 9
: 2112 1      #X'AA' , #X'00' , #X'04' , #X'FF' , #X'FF' , #X'FF' ,      ! 10
: 2113 1      #X'AA' , #X'00' , #X'04' , #X'00' , #X'00' , #X'00' ,      ! 11 - LOW ETHERNET ADR
: 2114 1      #X'AA' , #X'00' , #X'04' , #X'18' , #X'81' , #X'18' ,      ! 12 - HIGH ETHERNET ADR
: 2115 1      #X'01' , #X'00' , #X'00' , #X'00' , #X'00' , #X'00' ,      ! 13 - ALL MULTICAST
: 2116 1      #X'AB' , #X'AA' , #X'AA' , #X'AA' , #X'AA' , #X'AA' ,      ! 14 - ALL MULTICAST
: 2117 1      #X'FF' , #X'00' , #X'01' , #X'02' , #X'03' , #X'04' ,      ! 15 - ALL MULTICAST
: 2118 1      #X'55' , #X'05' , #X'06' , #X'07' , #X'08' , #X'09' ,      ! 16 - ALL MULTICAST
: 2119 1      #X'CD' , #X'36' , #X'26' , #X'27' , #X'27' , #X'49' ,      ! 17
: 2120 1      #X'33' , #X'A1' , #X'67' , #X'BB' , #X'4C' , #X'9F' ,      ! 18
: 2121 1      #X'EB' , #X'BE' , #X'C7' , #X'8F' , #X'33' , #X'FF' ,      ! 19
: 2122 1      #X'FF' , #X'FF' , #X'FF' , #X'FF' , #X'FF' , #X'FF' )). ! 20 - STATION ADDR

```

```

: 2123 1
: 2124 1      BD_PROM_DESCR : VECTOR [ BD_D_SIZE, WORD ] INITIAL ( WORD (
: 2125 1
: 2126 1      NEWB,          ! BUFFER NOT USED IF 1
: 2127 1      V,            ! VALID ADDRESS IF 1
: 2128 1      RCV_BUFFER,   ! RCV BUFFER ADDRESS
: 2129 1      BYTE_COUNT,   ! 1/4 THE BYTE COUNT
: 2130 1      0,            ! STATUS WORD 1
: 2131 1      0,            ! STATUS WORD 2
: 2132 1
: 2133 1      NEWB,          ! BUFFER NOT USED IF 1
: 2134 1      V,            ! VALID ADDRESS IF 1
: 2135 1      XMIT_BUFFER,  ! XMIT BUFFER ADDRESS
: 2136 1      BYTE_COUNT,   ! 1/4 THE BYTE COUNT
: 2137 1      0,            ! STATUS WORD 1
: 2138 1      0,            ! STATUS WORD 2
: 2139 1
: 2140 1      NEWB,          ! BUFFER NOT USED IF 1
: 2141 1      E,            ! VALID ADDRESS IF 1
: 2142 1      0,            ! 2 EXTRA WORDS
: 2143 1      0 )),
: 2144 1
: 2145 1
: 2146 1      TD16: VECTOR [ 44, WORD ] INITIAL ( WORD (
: 2147 1
: 2148 1      NEWB, VL, XMIT_BUFFER      . -1 . 0, 0,    ! 1 BYTE DESCRIPTOR
: 2149 1      NEWB, VHL, XMIT_BUFFER     . -2 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2150 1      NEWB, VH, XMIT_BUFFER + 2  . -1 . 0, 0,    ! 1 BYTE DESCRIPTOR
: 2151 1      NEWB, VE, XMIT_BUFFER + 4  . 1 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2152 1      NEWB, E, XMIT_D_LIST + 60  . -1 . 0, 0,    ! END OF DESCRIPTOR
: 2153 1      NEWB, V, XMIT_D_LIST + 56  . 2 . 0, 0,    ! 4 BYTE DESCRIPTOR
: 2154 1      NEWB, VE, TARGET_ADR + 114 . -3 . 0, 0,    ! 6 BYTE DESCRIPTOR
: 2155 1      NEWB, E )),
: 2156 1
: 2157 1      TD13: VECTOR [ 34, WORD ] INITIAL ( WORD (
: 2158 1
: 2159 1      NEWB, V, XMIT_BUFFER      . -1 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2160 1      NEWB, V, XMIT_BUFFER + 2  . -127 . 0, 0,   ! 378 BYTE DESCRIPTOR
: 2161 1      NEWB, V, XMIT_BUFFER + 256 . 1 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2162 1      NEWB, C, XMIT_D_LIST + 48  . 1 . 0, 0,    ! CHAIN DESCRIPTOR
: 2163 1      NEWB, VE, XMIT_BUFFER + 258 . -63 . 0, 0,   ! 2 BYTE DESCRIPTOR
: 2164 1      NEWB, E )),
: 2165 1
: 2166 1      RD13: VECTOR [ 64, WORD ] INITIAL ( WORD (
: 2167 1
: 2168 1      NEWB, V, RCV_BUFFER      . -1 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2169 1      NEWB, V, RCV_BUFFER + 2  . 62 . 0, 0,    ! 124 BYTE DESCRIPTOR
: 2170 1      NEWB, V, RCV_BUFFER + 126 . -1 . 0, 0,    ! 2 BYTE DESCRIPTOR
: 2171 1      NEWB, V, RCV_BUFFER + 128 . 2 . 0, 0,    ! 4 BYTE DESCRIPTOR
: 2172 1      NEWB, V, RCV_BUFFER + 132 . 60 . 0, 0,    ! 120 BYTE DESCRIPTOR
: 2173 1      NEWB, V, RCV_BUFFER + 252 . -2 . 0, 0,    ! 4 BYTE DESCRIPTOR
: 2174 1      NEWB, VC, RCV_D_LIST + 84  . -1 . 0, 0,    ! CHAIN DESCRIPTOR
: 2175 1      NEWB, V, RCV_BUFFER + 256 . 3 . 0, 0,    ! 6 BYTE DESCRIPTOR

```

H2

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

SEQ 0020
Page 20
(18)

```
: 2176 1      NEWB. V . RCV_BUFFER * 262 . 60 . 0. 0. ! 120 BYTE DESCRIPTOR
: 2177 1      NEWB. V . RCV_BUFFER * 382 . -1 . 0. 0. ! 2 BYTE DESCRIPTOR
: 2178 1      NEWB. E ), ! END OF DESCRIPTOR
: 2179 1
```

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0021
Page 21
(19)

```

: 2180 1      :..
: 2181 1      :
: 2182 1      :..
: 2183 1      :
: 2184 1      HWP_TABLE : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
: 2185 1      SWP_TABLE : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),
: 2186 1
: 2187 1      REG_ADR   : REF REG_STR FIELD ( IOP_FIELDS ),
: 2188 1      IOP_DATA  : REF REG_STR FIELD ( IOP_FIELDS ),
: 2189 1      GET_ADR   : REF ADR_STR FIELD ( IOP_FIELDS ),
: 2190 1
: 2191 1      :..
: 2192 1      :
: 2193 1      : MISCELLANEOUS DATA DECLARATIONS
: 2194 1      :
: 2195 1      :..
: 2196 1
: 2197 1      XBUF_LENGTH : WORD,           ! XMIT BUFFER LENGTH IN WORDS
: 2198 1      RBUF_LENGTH : WORD,           ! RCV BUFFER LENGTH IN BYTES
: 2199 1      INTERRUPT_FLG : WORD,          ! 1 = INTERRUPT OCCURED
: 2200 1      DEQNA_NO     : WORD,           ! DEQNA UNDER TEST THIS PASS
: 2201 1      COUNTER      : WORD,           ! ITERATION COUNTER, INDEX
: 2202 1      UP_COUNTER   : WORD,           ! ITERATION COUNTER, INDEX
: 2203 1      DOWN_COUNTER : WORD,           ! ITERATION COUNTER, INDEX
: 2204 1      CHECKSUM     : WORD,           ! EXPECTED PROM CHECKSUM
: 2205 1      BUF_LENGTH   : WORD,           ! XMIT BUFFER SIZE IN WORDS
: 2206 1      CSR_WORD     : WORD,
: 2207 1      XC_FLAG      : WORD INITIAL (0),
: 2208 1      ERR_NUMBER   : WORD INITIAL (0),
: 2209 1      ERR_FLAG     : WORD INITIAL (0),
: 2210 1      ERR_COUNT    : WORD INITIAL (0),
: 2211 1

```

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

```

: 2212 1 : !**
: 2213 1 : !
: 2214 1 : ! TEMPORARY STORAGE DATA DECLARATIONS
: 2215 1 : !
: 2216 1 : !--
: 2217 1 :
: 2218 1 : TMP_IOP_ADR : WORD,
: 2219 1 : TMP_REG_DATA : WORD,
: 2220 1 : TEMP1 : WORD,
: 2221 1 : TEMP2 : WORD,
: 2222 1 : TEMP3 : WORD,
: 2223 1 : TEMP4 : WORD,
: 2224 1 : TEMP5 : WORD,
: 2225 1 : TEMP6 : WORD,
: 2226 1 : TEMP7 : WORD,
: 2227 1 : TEMP8 : WORD,
: 2228 1 : TEMP9 : WORD,
: 2229 1 : P1 : WORD,
: 2230 1 : P2 : WORD,
: 2231 1 : P3 : WORD,
: 2232 1 : P4 : WORD,
: 2233 1 : P5 : WORD,
: 2234 1 : TBYTE1 : BYTE,
: 2235 1 : TBYTE2 : BYTE,
: 2236 1 : TBYTE3 : BYTE,
: 2237 1 : TBYTE4 : BYTE,
: 2238 1 : TADR1 : WORD,
: 2239 1 : TADR2 : WORD,
: 2240 1 :

```

```

! I/O PAGE REGISTER ADDRESS
! I/O PAGE REG CONTENTS
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! TEMPORARY STORAGE LOCATION
! PARAMETER #1
! PARAMETER #2
! PARAMETER #3
! PARAMETER #4
! PARAMETER #5
!
!
!
!
!
!
!
!
!
!

```


ZQNA1
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL DATA SECTION5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0023
Page 23
(21)

```

: 2241 1
: 2242 1 *SBTTL 'GLOBAL TEXT SECTION'
: 2243 1
: 2244 1 !++
: 2245 1 ! THE GLOBAL TEXT SECTION CONTAINS FORMAT STATEMENTS, MESSAGES,
: 2246 1 ! AND ASCII INFORMATION THAT IS USED IN MORE THAN ONE TEST.
: 2247 1 !--
: 2248 1
: 2249 1 GLOBAL BIND
: 2250 1
: 2251 1     DESCR_LIST = RCV_D_LIST,
: 2252 1     DATA_BUFFER = RCV_BUFFER,
: 2253 1
: 2254 1 !++
: 2255 1 ! HARDWARE AND SOFTWARE QUESTIONS
: 2256 1 !--
: 2257 1
: 2258 1     QST01 = UPLIT (%ASCIZ'DEQNA I/O PAGE ADR '),
: 2259 1     QST02 = UPLIT (%ASCIZ'INTERRUPT VECTOR ADR '),
: 2260 1     QST03 = UPLIT (%ASCIZ'DO YOU WANT TO TEST SANITY TIMER '),
: 2261 1     QST04 = UPLIT (%ASCIZ'IS LOOPBACK CONNECTOR IN DEQNA '),
: 2262 1     QST05 = UPLIT (%ASCIZ'SANITY TIMER TIME-OUT VALUE '),
: 2263 1     QST06 = UPLIT (%ASCIZ'EXTERNAL LOOPBACK MODE '),
: 2264 1     QST07 = UPLIT (%ASCIZ'SYSTEM HAS BLOCK-MODE MEMORY '),
: 2265 1
: 2266 1
: 2267 1
: 2268 1 !++
: 2269 1 ! DEVICE ERROR MESSAGES
: 2270 1 !++
: 2271 1
: 2272 1     MSG00 = UPLIT (%ASCIZ' DEQNA FATAL ERROR DETECTED '),
: 2273 1     MSG01 = UPLIT (%ASCIZ'%N%A DEQNA ADDRESS: %06%A, STATION ADDRESS: '),
: 2274 1     MSG02 = UPLIT (%ASCIZ'%A ACTUAL DATA = %06%A, EXPECTED DATA = %06%A'),
: 2275 1     MSG03 = UPLIT (%ASCIZ'%A XMIT DESCRIPTOR RCV DESCRIPTOR %N'),
: 2276 1     MSG04 = UPLIT (%ASCIZ'%A FLAG WORD %06%A %06%A'),
: 2277 1     MSG05 = UPLIT (%ASCIZ'%A HIGH ORDER ADDR BITS %06%A %06%A'),
: 2278 1     MSG06 = UPLIT (%ASCIZ'%A LOW ORDER ADDR BITS %06%A %06%A'),
: 2279 1     MSG07 = UPLIT (%ASCIZ'%A PACKET LENGTH ( WD ) %06%A %06%A'),
: 2280 1     MSG08 = UPLIT (%ASCIZ'%A STATUS WORD 1 %06%A %06%A'),
: 2281 1     MSG09 = UPLIT (%ASCIZ'%A STATUS WORD 2 %06%A %06%A'),
: 2282 1     MSG10 = UPLIT (%ASCIZ'%A DEQNA CSR REGISTER %06%A'),
: 2283 1     MSG11 = UPLIT (%ASCIZ'%A DEQNA I/O PAGE ADR %06%A'),
: 2284 1     MSG12 = UPLIT (%ASCIZ'%A BAD CSR: ACT = %06%A EXP = %06%A'),
: 2285 1     MSG13 = UPLIT (%ASCIZ'%A BAD TRANSMIT FLAG WORD: ACT = %06%A EXP = %06%A'),
: 2286 1     MSG14 = UPLIT (%ASCIZ'%A BAD TRANSMIT STATUS WORD 1: ACT = %06%A EXP = %06%A'),
: 2287 1     MSG15 = UPLIT (%ASCIZ'%A BAD RECEIVE FLAG WORD: ACT = %06%A EXP = %06%A'),
: 2288 1     MSG16 = UPLIT (%ASCIZ'%A BAD RECEIVE STATUS WORD 1: ACT = %06%A EXP = %06%A'),
: 2289 1     MSG17 = UPLIT (%ASCIZ'%A BAD RECEIVE BUFFER LENGTH: ACT = %06%A EXP = %06%A'),
: 2290 1     MSG18 = UPLIT (%ASCIZ'%A BAD CSR = %06%A'),
: 2291 1     MSG19 = UPLIT (%ASCIZ'%A LOOPBACK PACKET UNABLE TO SET CA BIT, CSR = %06%A'),
: 2292 1     MSG20 = UPLIT (%ASCIZ'%A LOOPBACK PACKET UNABLE TO CLEAR CA BIT, CSR = %06%A'),
: 2293 1     MSG21 = UPLIT (%ASCIZ'%A CA BIT OK, BUT RI BIT IS NOT ON, CSR = %06%A'),

```

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL TEXT SECTION5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0024
Page 24
(21)

```

: 2294 1 MSG22 = UPLIT (ASCIZ' CA BIT IN THE CSR WAS SET TOO EARLY, CSR = 06N'),
: 2295 1 MSG23 = UPLIT (ASCIZ' XL AND RL ( BITS 4,5 ) TO BE RESET TO 0N'),
: 2296 1 MSG24 = UPLIT (ASCIZ' XL AND RL ( BITS 4,5 ) TO BE SET TO 1N'),
: 2297 1 MSG25 = UPLIT (ASCIZ' RI ( BIT 15 ) TO BE SET TO 1N'),
: 2298 1 MSG26 = UPLIT (ASCIZ' XI ( BIT 7 ) TO BE SET TO 1N'),
: 2299 1 MSG27 = UPLIT (ASCIZ' NI ( BIT 2 ) TO BE SET TO 1N'),
: 2300 1 MSG28 = UPLIT (ASCIZ' NI ( BIT 2 ) TO BE RESET TO 0N'),
: 2301 1 MSG29 = UPLIT (ASCIZ' BAD CSR, EXPECTED'),
: 2302 1 MSG30 = UPLIT (ASCIZ' CSR ADR = 06A ACTUAL = 06A EXPECTED = 06N'),
: 2303 1 MSG31 = UPLIT (ASCIZ' UNABLE TO RESET DEQNA: ADR: 06A CSR = 06N'),
: 2304 1 MSG32 = UPLIT (ASCIZ' WAIT ABOUT 02A SECOND(S) -'),
: 2305 1 MSG33 = UPLIT (ASCIZ' SANITY TIMER TIMED OUT AS EXPECTED N'),
: 2306 1 MSG34 = UPLIT (ASCIZ' NO SANITY TIMER INTERRUPT DETECTED N'),
: 2307 1 MSG35 = UPLIT (ASCIZ' DISCONNECT TRANSCEIVER CABLE FROM BULKHEAD ASSEMBLY AND'),
: 2308 1 MSG36 = UPLIT (ASCIZ' CONNECT LOOPBACK CONNECTOR TO BULKHEAD ASSEMBLY, THEN RETESTN'),
: 2309 1 MSG37 = UPLIT (ASCIZ' DISCONNECT BULKHEAD ASSEMBLY FROM DEQNA AND CONNECT'),
: 2310 1 MSG38 = UPLIT (ASCIZ' LOOPBACK CONNECTOR TO DEQNA, THEN RETESTN'),
: 2311 1 MSG39 = UPLIT (ASCIZ' CHECK FOR LOOSE WIRES IN A LOOPBACK CONNECTOR'),
: 2312 1 MSG40 = UPLIT (ASCIZ' OR USE DIFFERENT LOOPBACK CONNECTOR, THEN RETESTN'),
: 2313 1 MSG41 = UPLIT (ASCIZ' REPLACE DEQNA, THEN RETESTN'),
: 2314 1 MSG42 = UPLIT (ASCIZ' REPLACE BULKHEAD CONNECTOR, THEN RETESTN'),
: 2315 1 MSG43 = UPLIT (ASCIZ' DISCONNECT TRANSCEIVER CABLE FROM TRANSCEIVER'),
: 2316 1 MSG44 = UPLIT (ASCIZ' AND CONNECT IT TO LOOPBACK CONNECTOR AND BULKHEAD ASSEMBLYN'),
: 2317 1 MSG45 = UPLIT (ASCIZ' REPLACE TRANSCEIVER CABLE, THEN RETESTN'),
: 2318 1 MSG46 = UPLIT (ASCIZ' REPLACE TRANSCEIVER, THEN RETESTN'),
: 2319 1 MSG47 = UPLIT (ASCIZ' REPLACE THE FUSE IF BAD, THEN RETESTN'),
: 2320 1 MSG48 = UPLIT (ASCIZ' BAD RECEIVE DESCRIPTOR:'),
: 2321 1 MSG49 = UPLIT (ASCIZ' BAD TRANSMIT DESCRIPTOR:'),
: 2322 1 MSG50 = UPLIT (ASCIZ' ACTUAL = 06A EXPECTED = 06A INDEX = 04N'),
: 2323 1 MSG51 = UPLIT (ASCIZ' BAD RECEIVE BUFFER:'),
: 2324 1 MSG52 = UPLIT (ASCIZ' DMA OPERATION TAKES TOO LONGN'),
: 2325 1 MSG53 = UPLIT (ASCIZ' TOO MANY DEVICESN'),
: 2326 1 MSG54 = UPLIT (ASCIZ' THERE WAS A POWER FAIL - WAITINGN'),
: 2327 1 MSG55 = UPLIT (ASCIZ' WAIT ABOUT 02A MINUTE(S) -'),
: 2328 1 MSG56 = UPLIT (ASCIZ' WAIT ABOUT 02A HOUR -'),
: 2329 1 MSG57 = UPLIT (ASCIZ' IF NO RESET, TYPE ANY CHARACTER TO EXIT FROM TESTN'),
: 2330 1 MSG58 = UPLIT (ASCIZ' TDR VALUE IS EQUAL TO ZERO N'),
: 2331 1 MSG59 = UPLIT (ASCIZ' N-----N'),
: 2332 1 MSG60 = UPLIT (ASCIZ' BAD CSR, BITS STUCK AT 0:N'),
: 2333 1 MSG61 = UPLIT (ASCIZ' BAD CSR, BITS STUCK AT 1:N'),
: 2334 1 MSG62 = UPLIT (ASCIZ' SOFTWARE RESET UNABLE TO CLEAR CSR STATIC BITS:N'),
: 2335 1 MSG63 = UPLIT (ASCIZ' BAD STATION ADDRESS CHECKSUM: ACT = 06A EXP = 06N),
: 2336 1 MSG64 = UPLIT (ASCIZ' BAD STATION ADDRESS: '),
: 2337 1 MSG65 = UPLIT (ASCIZ' BAD DEQNA I/O PAGE REGISTER:N'),
: 2338 1 MSG66 = UPLIT (ASCIZ' BAD CSR, EXPECTED RL ( BIT 5 ) TO BE SET TO 0N'),
: 2339 1 MSG67 = UPLIT (ASCIZ' BAD B/D PROM CHECKSUM: INDEX = 06A ACT = 06A EXP = 06N'),
: 2340 1 MSG68 = UPLIT (ASCIZ' B/D PROM CHECKSUM OFFSET = 06A ACT = 06A EXP = 06N'),
: 2341 1 MSG69 = UPLIT (ASCIZ' BAD INTERRUPT: ADR = 06A ACT LEV = 06A EXP LEV = 06N'),
: 2342 1 MSG70 = UPLIT (ASCIZ' REGISTER FAILED TO RESPOND AT ADDRESS: 06N'),
: 2343 1 MSG71 = UPLIT (ASCIZ' BAD TRANSMIT STATUS, TOO MANY COLLISIONSN');
: 2344 1
: 2345 1
: 2346 1

```

```

ZQNA1          CZQNACO DEQNA FUNCTIONAL TEST          5-Jul-1984 14:03:26          VAX-11 Bliss-16 V4.0-579
VO1.0          DEFAULT HARDWARE P-TABLE              5-Jul-1984 14:00:51          [MAZURCZYK.DEQNA]ZQNA1.BLI;2
: 2347 1      *SBTTL 'DEFAULT HARDWARE P-TABLE'
: 2348 1
: 2349 1      BGNHW ( HP_TABLE );
: 2350 1
: 2351 1      !++
: 2352 1      ! THE DEFAULT HARDWARE P-TABLE CONTAINS DEFAULT VALUES OF THE
: 2353 1      ! TEST-DEVICE PARAMETERS. THE STRUCTURE OF THIS TABLE IS IDENTICAL TO
: 2354 1      ! THE STRUCTURE OF THE HARDWARE P-TABLES, AND IS USED AS A "TEMPLATE"
: 2355 1      ! FOR BUILDING THE P-TABLES.
: 2356 1      !
: 2357 1      !
: 2358 1      ! PLACE YOUR DEFAULT HARDWARE P-TABLE HERE. THE VALUES AND
: 2359 1      ! SIZE WILL BE USED AS A "TEMPLATE" FOR CREATING ACTUAL P-TABLE
: 2360 1      ! ENTRIES AND THE DEFAULT VALUES IN THE OPERATOR DIALOGUE.
: 2361 1      ! THE ACTUAL P-TABLE BUILT AT RUNTIME IS STORED IN SUPERVISOR
: 2362 1      ! SPACE.
: 2363 1      !--
: 2364 1
: 2365 1      GLOBAL
: 2366 1      DFSTBL : BLOCK [ HWP_SIZE, WORD ] INITIAL ( #0'174440', #0'700' );
: 2367 1      ENDHW;
: 2368 1
: 2369 1

```

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
SOFTWARE P-TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0026
Page 26
(23)

```

: 2370 1 *SBTTL 'SOFTWARE P-TABLE'
: 2371 1
: 2372 1 !**
: 2373 1 ! THE SOFTWARE TABLE CONTAINS VARIOUS DATA USED BY THE
: 2374 1 ! PROGRAM AS OPERATIONAL PARAMETERS. THESE PARAMETERS ARE
: 2375 1 ! SET UP AT ASSEMBLY TIME AND MAY BE VARIED BY THE OPERATOR
: 2376 1 ! AT RUN TIME.
: 2377 1 !
: 2378 1 !
: 2379 1 ! PLACE YOUR SOFTWARE P-TABLE HERE, USING GLOBAL OR OWN DECLARATIONS
: 2380 1 ! THIS TABLE IS NOT OPTIONAL. THIS TABLE, UNLIKE THE HARDWARE TABLE,
: 2381 1 ! WILL CONTAIN THE ACTUAL VALUES ENTERED BY THE OPERATOR.
: 2382 1 !--
: 2383 1
: 2384 1 BGNSW ( SP_TABLE );
: 2385 1
: 2386 1 GLOBAL
: 2387 1 SWP_TIMER : WORD INITIAL ( NO ), ! NO SANITY TIMER TEST
: 2388 1 SWP_LBC : WORD INITIAL ( NO ), ! NO LOOPBACK IN DEQNA
: 2389 1 SWP_TOUT_VAL : WORD INITIAL ( 3 ), ! TIMEOUT VALUE = 16 SEC.
: 2390 1 SWP_ILOOP : WORD INITIAL ( NO ), ! EXTERNAL LOOPBACK MODE
: 2391 1 SWP_BLOCK_MEM : WORD INITIAL ( YES ); ! BLOCK-MODE MEMORY PRESENT
: 2392 1
: 2393 1 ENDSW;
: 2394 1
: 2395 1

```

ZQNA1
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 B1'ss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

```

: 2396 1 *SBTTL 'PROTECTION TABLE'
: 2397 1
: 2398 1
: 2399 1
: 2400 1
: 2401 1
: 2402 1
: 2403 1
: 2404 1
: 2405 1
: 2406 1
: 2407 1
: 2408 1
: 2409 1
: 2410 1
: 2411 1
: 2412 1
: 2413 1
: 2414 1
: 2415 1
: 2416 1 BGNPROT (-1, -1, -1);
: 2417 1
: 2418 1 ENDPROT;
: 2419 1
: 2420 1
: 2421 1
: 2422 1 END
: 2423 0 ELUDOM

```

:..
THIS TABLE IS USED BY THE RUNTIME SERVICES TO PROTECT THE LOAD MEDIA.
1ST ARG = OFFSET INTO P-TABLE FOR CSR ADDRESS
2ND ARG = OFFSET INTO P-TABLE FOR MASSPUS ADDRESS
3RD ARG = OFFSET INTO P-TABLE FOR DRIVE NUMBER
INSERT BYTE OFFSET FOR DATA NOTED IN COMMENTS ABOVE. (OFFSET
REFERS TO THE NUMBER OF BYTES FROM THE BEGINNING OF A PTABLE
ENTRY TO THE ITEM IN QUESTION.) IF THE PARTICULAR
ITEM DOES NOT APPLY, LEAVE ENTRY AS -1. WHEN THE RUNTIME
SERVICES EXECUTES A GPARD, IT USES THESE OFFSETS (IF NOT
SET TO -1) TO GET THE ITEMS AND COMPARE WITH THOSE SAVED
IN THE XXDP+ MONITOR. IF THE UNIT BEING REQUESTED MATCHES THE
LOAD DEVICE, THE RUNTIME SERVICES RETURN AN INCOMPLETE FLAG ON
THE GPARD.
:--

```

.TITLE ZQNA1 CZQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

```

```

000000 .PSECT $CODE$, RO
000000 103 132 121 L$NAME::.ASCII /CZQ/
000003 116 101 040 .ASCII /NA /
000006 000 .BYTE 0
000007 000 .BYTE 0
000010 L$REV::
000010 103 .ASCII /C/
000011 060 .ASCII /O/
000012 000000G L$UNIT::.WORD T$PTHV
000014 000170 L$TIML::.WORD 170
000016 000000G L$MPCP::.WORD L$HARD
000020 000000G L$SPCP::.WORD L$SOFT
000022 000210' L$MPTP::.WORD L$HW
000024 000220' L$SPTP::.WORD L$SW
000026 000000G L$LADP::.WORD L$LAST
000030 000000 L$STA::.WORD 0
000032 000000 L$CO::.WORD 0
000034 000000 L$DTYP::.WORD 0

```

ZQNA1
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

000036	000000	L\$APT::	.WORD	0
000040	000124'	L\$DTP::	.WORD	L\$DISPATCH
000042	000000	L\$PRIO::	.WORD	0
000044	000000	L\$ENVI::	.WORD	0
000046	000000	L\$EXP1::	.WORD	0
000050		L\$MREV::		
000050	003		.BYTE	3
000051	003		.BYTE	3
000052	000000	L\$EF::	.WORD	0
000054	000000		.WORD	0
000056	000000	L\$SPC::	.WORD	0
000060	000000G	L\$DEVP::	.WORD	L\$DVTYP
000062	000000G	L\$REPP::	.WORD	L\$RPT
000064	000000	L\$EXP4::	.WORD	0
000066	000000	L\$EXP5::	.WORD	0
000070	000000G	L\$AUT::	.WORD	L\$AU
000072	000000G	L\$DUT::	.WORD	L\$DU
000074	000000	L\$LUN::	.WORD	0
000076	000000G	L\$DESP::	.WORD	L\$DESC
000100	104035	L\$LOAD::	.WORD	-73743
000102	000176'	L\$ETP::	.WORD	L\$ERRTBL
000104	000000G	L\$ICP::	.WORD	L\$INIT
000106	000000G	L\$CCP::	.WORD	L\$CLEAN
000110	000000G	L\$ACP::	.WORD	L\$AUTO
000112	000234'	L\$PRT::	.WORD	L\$PROT
000114	000000	L\$TEST::	.WORD	0
000116	000000	L\$DLY::	.WORD	0
000120	000000	L\$HIME::	.WORD	0
000122	000025	D\$PCNT::	.WORD	25
000124	000000G	L\$DISPATCH::		
			.WORD	T1
			.WORD	T2
			.WORD	T3
			.WORD	T4
			.WORD	T5
			.WORD	T6
			.WORD	T7
			.WORD	T8
			.WORD	T9
			.WORD	T10
			.WORD	T11
			.WORD	T12
			.WORD	T13
			.WORD	T14
			.WORD	T15
			.WORD	T16
			.WORD	T17
			.WORD	T18
			.WORD	T19
			.WORD	T20
			.WORD	T21
000126	000000G			
000130	000000G			
000132	000000G			
000134	000000G			
000136	000000G			
000140	000000G			
000142	000000G			
000144	000000G			
000146	000000G			
000150	000000G			
000152	000000G			
000154	000000G			
000156	000000G			
000160	000000G			
000162	000000G			
000164	000000G			
000166	000000G			
000170	000000G			
000172	000000G			
000174	000000G			
000176		ERRTYP::	.BLKW	1
000200		ERRNBR::	.BLKW	1

ZQNA1
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

000202		ERRMSG::	.BLKW	1
000204		ERRBLK::	.BLKW	1
000206	000000C	L\$HWLEN::	.WORD	<<L\$NDHW-L\$HWLEN>/2>
000210	174440	DFSTBL::	.WORD	-3340
000212	000700		.WORD	700
000214		L\$NDHW::	.BLKW	1
000216	000000C	L\$SWLEN::	.WORD	<<L\$NDSW-L\$SWLEN>/2>
000220	000000	SWP.TIMER::	.WORD	0
000222	000000	SWP.LBC::	.WORD	0
000224	000003	SWP.TOUT.VAL::	.WORD	3
000226	000000	SWP.ILOOP::	.WORD	0
000230	000001	SWP.BLOCK.MEM::	.WORD	1
000232		L\$NDSW::	.BLKW	1
000234	177777	L\$PROT::	.WORD	-1
000236	177777		.WORD	-1
000240	177777		.WORD	-1

000000				P.AAA:	.PSECT	\$PLIT\$, RO, D
000000	104	105	121		.ASCII	/DEQ/
000003	116	101	040		.ASCII	/NA /
000006	111	057	117		.ASCII	/I/<57>/0/
000011	040	120	101		.ASCII	/ PA/
000014	107	105	040		.ASCII	/GE /
000017	101	104	122		.ASCII	/ADR/
000022	040	040	040		.ASCII	/ /
000025	040	000	000		.ASCII	/ /<00><00>
000030	111	116	124	P.AAB:	.ASCII	/INT/
000033	105	122	122		.ASCII	/ERR/
000036	125	120	124		.ASCII	/UPT/
000041	040	126	105		.ASCII	/ VE/
000044	103	124	117		.ASCII	/CTO/
000047	122	040	101		.ASCII	/R A/
000052	104	122	040		.ASCII	/DR /
000055	040	000	000		.ASCII	/ /<00><00>
000060	104	117	040	P.AAC:	.ASCII	/DO /
000063	131	:17	125		.ASCII	/YOU/
000066	040	127	101		.ASCII	/ WA/
000071	116	124	040		.ASCII	/NT /
000074	124	117	040		.ASCII	/TO /
000077	124	105	123		.ASCII	/TES/
000102	124	040	123		.ASCII	/T S/
000105	101	116	111		.ASCII	/ANI/
000110	124	131	040		.ASCII	/TY /
000113	124	111	115		.ASCII	/TIM/

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-1: Bliss-16 V4.0-579
[MAZ(RCZYK. DEQNA)ZQNA1.BLI;2

000116	105	122	040		.ASCII /ER /
000121	000				.ASCII <00>
000122	111	123	040	P.AAD:	.ASCII /IS /
000125	114	117	117		.ASCII /LOO/
000130	120	102	101		.ASCII /PBA/
000133	103	113	040		.ASCII /CK /
000136	103	117	116		.ASCII /CON/
000141	116	105	103		.ASCII /NEC/
000144	124	117	122		.ASCII /TOR/
000147	040	111	116		.ASCII / IN/
000152	040	104	105		.ASCII / DE/
000155	121	116	101		.ASCII /QNA/
000160	040	040	040		.ASCII / /
000163	000				.ASCII <00>
000164	123	101	116	P.AAE:	.ASCII /SAN/
000167	111	124	131		.ASCII /ITY/
000172	040	124	111		.ASCII / TI/
000175	115	105	122		.ASCII /MER/
000200	040	124	111		.ASCII / TI/
000203	115	105	055		.ASCII /ME-/
000206	117	125	124		.ASCII /OUT/
000211	040	126	101		.ASCII / VA/
000214	114	125	105		.ASCII /LUE/
000217	040	040	040		.ASCII / /
000222	040	040	040		.ASCII / /
000225	000				.ASCII <00>
000226	105	130	124	P.AAF:	.ASCII /EXT/
000231	105	122	116		.ASCII /ERN/
000234	101	114	040		.ASCII /AL /
000237	114	117	117		.ASCII /LOO/
000242	120	102	101		.ASCII /PBA/
000245	103	113	040		.ASCII /CK /
000250	115	117	104		.ASCII /MOD/
000253	105	040	040		.ASCII /E /
000256	040	040	040		.ASCII / /
000261	040	040	040		.ASCII / /
000264	040	040	040		.ASCII / /
000267	000				.ASCII <00>
000270	123	131	123	P.AAG:	.ASCII /SYS/
000273	124	105	115		.ASCII /TEM/
000276	040	110	101		.ASCII / HA/
000301	123	040	102		.ASCII /S B/
000304	114	117	103		.ASCII /LOC/
000307	113	055	115		.ASCII /K-M/
000312	117	104	105		.ASCII /ODE/
000315	040	115	105		.ASCII / ME/
000320	115	117	122		.ASCII /MOR/
000323	131	040	040		.ASCII /Y /
000326	040	040	040		.ASCII / /
000331	000				.ASCII <00>
000332	040	104	105	P.AAH:	.ASCII / DE/
000335	121	116	101		.ASCII /QNA/
000340	040	106	101		.ASCII / FA/

ZGNA1
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZGNA1.BLI:2

000343	124	101	114	.ASCII	/TAL/
000346	040	105	122	.ASCII	/ER/
000351	122	117	122	.ASCII	/ROR/
000354	040	104	105	.ASCII	/DE/
000357	124	105	103	.ASCII	/TEC/
000362	124	105	104	.ASCII	/TED/
000365	040	000	000	.ASCII	/ /<00><00>
000370	045	116	045	P.AAI: .ASCII	/N#/
000373	116	045	101	.ASCII	/N#A/
000376	040	040	040	.ASCII	/ /
000401	104	105	121	.ASCII	/DEQ/
000404	116	101	040	.ASCII	/NA /
000407	101	104	104	.ASCII	/ADD/
000412	122	105	123	.ASCII	/RES/
000415	123	072	040	.ASCII	/S: /
000420	045	117	066	.ASCII	/#06/
000423	045	101	054	.ASCII	/#A, /
000426	040	040	123	.ASCII	/ S/
000431	124	101	124	.ASCII	/TAT/
000434	111	117	116	.ASCII	/ION/
000437	040	101	104	.ASCII	/AD/
000442	104	122	105	.ASCII	/DRE/
000445	123	123	072	.ASCII	/SS: /
000450	040	000		.ASCII	/ /<00>
000452	045	101	040	P.AAJ: .ASCII	/#A /
000455	040	040	040	.ASCII	/ /
000460	040	040	101	.ASCII	/ A/
000463	103	124	125	.ASCII	/CTU/
000466	101	114	040	.ASCII	/AL /
000471	104	101	124	.ASCII	/DAT/
000474	101	040	075	.ASCII	/A =/
000477	040	045	117	.ASCII	/ #0/
000502	066	045	101	.ASCII	/6#A/
000505	040	040	040	.ASCII	/ /
000510	040	040	105	.ASCII	/ E/
000513	130	120	105	.ASCII	/XPE/
000516	103	124	105	.ASCII	/CTE/
000521	104	040	104	.ASCII	/D D/
000524	101	124	101	.ASCII	/ATA/
000527	040	075	040	.ASCII	/ = /
000532	045	117	066	.ASCII	/#C5/
000535	045	116	000	.ASCII	/#N/<00>
000540	045	101	040	P.AAK: .ASCII	/#A /
000543	040	040	040	.ASCII	/ /
000546	040	040	040	.ASCII	/ /
000551	040	040	040	.ASCII	/ /
000554	040	040	040	.ASCII	/ /
000557	040	040	040	.ASCII	/ /
000562	040	040	040	.ASCII	/ /
000565	040	040	040	.ASCII	/ /
000570	040	040	040	.ASCII	/ /
000573	040	040	040	.ASCII	/ /
000576	130	115	111	.ASCII	/XMI/

ZQNA1
V01.0 CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

000601	124	040	104	.ASCII	/T D/
000604	105	123	103	.ASCII	/ESC/
000607	122	111	120	.ASCII	/RIP/
000612	124	117	122	.ASCII	/TOR/
000615	040	040	040	.ASCII	/ /
000620	040	122	103	.ASCII	/ RC/
000623	126	040	104	.ASCII	/V D/
000626	105	123	103	.ASCII	/ESC/
000631	122	111	120	.ASCII	/RIP/
000634	124	117	122	.ASCII	/TOR/
000637	040	045	116	.ASCII	/ #N/
000642	000	000		.ASCII	<00><00>
000644	045	101	040	P.AAL: .ASCII	/#A /
000647	040	040	040	.ASCII	/ /
000652	040	040	106	.ASCII	/ F/
000655	114	101	107	.ASCII	/LAG/
000660	040	127	117	.ASCII	/ WO/
000663	122	104	040	.ASCII	/RD /
000666	040	040	040	.ASCII	/ /
000671	040	040	040	.ASCII	/ /
000674	040	040	040	.ASCII	/ /
000677	040	040	040	.ASCII	/ /
000702	040	040	040	.ASCII	/ /
000705	040	040	045	.ASCII	/ #/
000710	117	066	045	.ASCII	/06#/
000713	101	040	040	.ASCII	/A /
000716	040	040	040	.ASCII	/ /
000721	040	040	040	.ASCII	/ /
000724	040	040	040	.ASCII	/ /
000727	040	045	117	.ASCII	/ #0/
000732	066	045	116	.ASCII	/6#N/
000735	000			.ASCII	<00>
000735	045	101	040	P.AAM: .ASCII	/#A /
000741	040	040	040	.ASCII	/ /
000744	040	040	110	.ASCII	/ H/
000747	111	107	110	.ASCII	/IGH/
000752	040	117	122	.ASCII	/ OR/
000755	104	105	122	.ASCII	/DER/
000760	040	101	104	.ASCII	/ AD/
000763	104	122	040	.ASCII	/DR /
000766	102	111	124	.ASCII	/BIT/
000771	123	040	040	.ASCII	/S /
000774	040	040	040	.ASCII	/ /
000777	040	040	045	.ASCII	/ #/
001002	117	066	045	.ASCII	/06#/
001005	101	040	040	.ASCII	/A /
001010	040	040	040	.ASCII	/ /
001013	040	040	040	.ASCII	/ /
001016	040	040	040	.ASCII	/ /
001021	040	045	117	.ASCII	/ #0/
001024	066	045	116	.ASCII	/6#N/
001027	000			.ASCII	<00>
001030	045	101	040	P.AAN: .ASCII	/#A /

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

001033	040	040	040	.ASCII	/ /
001036	040	040	114	.ASCII	/ L/
001041	117	127	040	.ASCII	/OW /
001044	040	117	122	.ASCII	/ OR/
001047	104	105	122	.ASCII	/DER/
001052	040	101	104	.ASCII	/ AD/
001055	104	122	040	.ASCII	/DR /
001060	102	111	124	.ASCII	/BIT/
001063	123	040	040	.ASCII	/S /
001066	040	040	040	.ASCII	/ /
001071	040	040	045	.ASCII	/ %/
001074	117	066	045	.ASCII	/06%/
001077	101	040	040	.ASCII	/A /
001102	040	040	040	.ASCII	/ /
001105	040	040	040	.ASCII	/ /
001110	040	040	040	.ASCII	/ /
001113	040	045	117	.ASCII	/ %0/
001116	066	045	116	.ASCII	/6%N/
001121	000			.ASCII	<00>
001122	045	101	040	P.AAO: .ASCII	/%A /
001125	040	040	040	.ASCII	/ /
001130	040	040	120	.ASCII	/ P/
001133	101	103	113	.ASCII	/ACK/
001136	105	124	040	.ASCII	/ET /
001141	114	105	116	.ASCII	/LEN/
001144	107	124	110	.ASCII	/GTH/
001147	040	050	040	.ASCII	/ (/
001152	127	104	040	.ASCII	/WD /
001155	051	040	040	.ASCII	/) /
001160	040	040	040	.ASCII	/ /
001163	040	040	045	.ASCII	/ %/
001166	117	066	045	.ASCII	/06%/
001171	101	040	040	.ASCII	/A /
001174	040	040	040	.ASCII	/ /
001177	040	040	040	.ASCII	/ /
001202	040	040	040	.ASCII	/ /
001205	040	045	117	.ASCII	/ %0/
001210	066	045	116	.ASCII	/6%N/
001213	000			.ASCII	<00>
001214	045	101	040	P.AAP: .ASCII	/%A /
001217	040	040	040	.ASCII	/ /
001222	040	040	123	.ASCII	/ S/
001225	124	101	124	.ASCII	/TAT/
001230	125	123	040	.ASCII	/US /
001233	127	117	122	.ASCII	/WOR/
001236	104	040	061	.ASCII	/D 1/
001241	040	040	040	.ASCII	/ /
001244	040	040	040	.ASCII	/ /
001247	040	040	040	.ASCII	/ /
001252	040	040	040	.ASCII	/ /
001255	040	040	045	.ASCII	/ %/
001260	117	066	045	.ASCII	/06%/
001263	101	040	040	.ASCII	/A /

ZQNA1 V01.0	CZQNAO DEQNA FUNCTIONAL TEST PROTECTION TABLE			5-Jul-1984 14:03:26	VAX-11 Bliss-16 V4.0-579
				5-Jul-1984 14:00:51	[MAZURCZYK.DEQNA]ZQNA1.BLI;2
001266	040	040	040	.ASCII	/ /
001271	040	040	040	.ASCII	/ /
001274	040	040	040	.ASCII	/ /
001277	040	045	117	.ASCII	/ #0/
001302	066	045	116	.ASCII	/6#N/
001305	000			.ASCII	<00>
001306	045	101	040	P.AAQ:	.ASCII /#A /
001311	040	040	040	.ASCII	/ /
001314	040	040	123	.ASCII	/ S/
001317	124	101	124	.ASCII	/TAT/
001322	125	123	040	.ASCII	/US /
001325	127	117	122	.ASCII	/WOR/
001330	104	040	062	.ASCII	/D 2/
001333	040	040	040	.ASCII	/ /
001336	040	040	040	.ASCII	/ /
001341	040	040	040	.ASCII	/ /
001344	040	040	040	.ASCII	/ /
001347	040	040	045	.ASCII	/ #/
001352	117	066	045	.ASCII	/06#/
001355	101	040	040	.ASCII	/A /
001360	040	040	040	.ASCII	/ /
001363	040	040	040	.ASCII	/ /
001366	040	040	040	.ASCII	/ /
001371	040	045	117	.ASCII	/ #0/
001374	066	045	116	.ASCII	/6#N/
001377	000			.ASCII	<00>
001400	045	101	040	P.AAR:	.ASCII /#A /
001403	040	040	040	.ASCII	/ /
001406	040	040	104	.ASCII	/ D/
001411	105	121	116	.ASCII	/EQN/
001414	101	040	103	.ASCII	/A C/
001417	123	122	040	.ASCII	/SR /
001422	122	105	107	.ASCII	/REG/
001425	111	123	124	.ASCII	/IST/
001430	105	122	040	.ASCII	/ER /
001433	040	040	040	.ASCII	/ /
001436	040	040	040	.ASCII	/ /
001441	040	040	040	.ASCII	/ /
001444	040	040	040	.ASCII	/ /
001447	040	040	040	.ASCII	/ /
001452	040	040	045	.ASCII	/ #/
001455	117	066	045	.ASCII	/06#/
001460	116	000		.ASCII	/N/<00>
001462	045	101	040	P.AAS:	.ASCII /#A /
001465	040	040	040	.ASCII	/ /
001470	040	040	104	.ASCII	/ D/
001473	105	121	116	.ASCII	/EQN/
001476	101	040	111	.ASCII	/A I/
001501	057	117	040	.ASCII	<57>/0 /
001504	120	101	107	.ASCII	/PAG/
001507	105	040	101	.ASCII	/E A/
001512	104	122	040	.ASCII	/DR /
001515	040	040	040	.ASCII	/ /

ZQNA1 V01.0	CZQNAO DEQNA FUNCTIONAL TEST PROTECTION TABLE			5-Jul-1984 14:03:26	VAX-11 Bliss-16 V4.0-579
				5-Jul-1984 14:00:51	[MAZURCZYK.DEQNA]ZQNA1.BLI;2
001520	040	040	040	.ASCII	/ /
001523	040	040	040	.ASCII	/ /
001526	040	040	040	.ASCII	/ /
001531	040	040	040	.ASCII	/ /
001534	040	040	045	.ASCII	/ #/
001537	117	066	045	.ASCII	/06#/
001542	116	045	116	.ASCII	/N#N/
001545	000			.ASCII	<00>
001546	045	101	040	P.AAT:	.ASCII /#A /
001551	102	101	104		.ASCII /BAD/
001554	040	103	123		.ASCII / CS/
001557	122	072	040		.ASCII /R: /
001562	101	103	124		.ASCII /ACT/
001565	040	075	040		.ASCII / = /
001570	045	117	066		.ASCII /#06/
001573	045	101	040		.ASCII /#A /
001576	105	130	120		.ASCII /EXP/
001601	040	075	040		.ASCII / = /
001604	045	117	066		.ASCII /#06/
001607	045	116	000	P.AAU:	.ASCII /#N/<00>
001612	045	101	040		.ASCII /#A /
001615	102	101	104		.ASCII /BAD/
001620	040	124	122		.ASCII / TR/
001623	101	116	123		.ASCII /ANS/
001626	115	111	124		.ASCII /MIT/
001631	040	106	114		.ASCII / FL/
001634	101	107	040		.ASCII /AG /
001637	127	117	122		.ASCII /WOR/
001642	104	072	040		.ASCII /D: /
001645	101	103	124		.ASCII /ACT/
001650	040	075	040		.ASCII / = /
001653	045	117	066		.ASCII /#06/
001656	045	101	040		.ASCII /#A /
001661	105	130	120		.ASCII /EXP/
001664	040	075	040		.ASCII / = /
001667	045	117	066		.ASCII /#06/
001672	045	116	000		.ASCII /#N/<00>
001675	000				.ASCII <00>
001676	045	101	040	P.AAV:	.ASCII /#A /
001701	102	101	104		.ASCII /BAD/
001704	040	124	122		.ASCII / TR/
001707	101	116	123		.ASCII /ANS/
001712	115	111	124		.ASCII /MIT/
001715	040	123	124		.ASCII / ST/
001720	101	124	125		.ASCII /ATU/
001723	123	040	127		.ASCII /S W/
001726	117	122	104		.ASCII /ORD/
001731	040	061	072		.ASCII / 1:/
001734	040	101	103		.ASCII / AC/
001737	124	040	075		.ASCII /T =/
001742	040	045	117		.ASCII / #0/
001745	066	045	101		.ASCII /6#A/
001750	040	105	130		.ASCII / EX/

ZQNA1 V01.0	CZQNA0 DEQNA FUNCTIONAL TEST PROTECTION TABLE			5-Jul-1984 14:03:26	VAX-11 Bliss-16 V4.0-579
				5-Jul-1984 14:00:51	[MAZURCZYK.DEQNA]ZQNA1.BLI;2
001753	120	040	075	.ASCII	/P =/
001756	040	045	117	.ASCII	/ #0/
001761	066	045	116	.ASCII	/6#N/
001764	000	000		.ASCII	<00><00>
001766	045	101	040	P.AAW:	.ASCII /#A /
001771	102	101	104	.ASCII	/BAD/
001774	040	122	105	.ASCII	/ RE/
001777	103	105	111	.ASCII	/CEI/
002002	126	105	040	.ASCII	/VE /
002005	106	114	101	.ASCII	/FLA/
002010	107	040	127	.ASCII	/G W/
002013	117	122	104	.ASCII	/ORD/
002016	072	040	101	.ASCII	/: A/
002021	103	124	040	.ASCII	/CT /
002024	075	040	045	.ASCII	/= #/
002027	117	066	045	.ASCII	/06#/
002032	101	040	105	.ASCII	/A E/
002035	130	120	040	.ASCII	/XP /
002040	075	040	045	.ASCII	/= #/
002043	117	066	045	.ASCII	/06#/
002046	116	000		.ASCII	/N/<00>
002050	045	101	040	P.AAX:	.ASCII /#A /
002053	102	101	104	.ASCII	/BAD/
002056	040	122	105	.ASCII	/ RE/
002061	103	105	111	.ASCII	/CEI/
002064	126	105	040	.ASCII	/VE /
002067	123	124	101	.ASCII	/STA/
002072	124	125	123	.ASCII	/TUS/
002075	040	127	117	.ASCII	/ WO/
002100	122	104	040	.ASCII	/RD /
002103	061	072	040	.ASCII	/1: /
002106	101	103	124	.ASCII	/ACT/
002111	040	075	040	.ASCII	/ = /
002114	045	117	066	.ASCII	/#06/
002117	045	101	040	.ASCII	/#A /
002122	105	130	120	.ASCII	/EXP/
002125	040	075	040	.ASCII	/ = /
002130	045	117	066	.ASCII	/#06/
002133	045	116	000	.ASCII	/#N/<00>
002136	045	101	040	P.AAY:	.ASCII /#A /
002141	102	101	104	.ASCII	/BAD/
002144	040	122	105	.ASCII	/ RE/
002147	103	105	111	.ASCII	/CEI/
002152	126	105	040	.ASCII	/VE /
002155	102	125	106	.ASCII	/BUF/
002160	106	105	122	.ASCII	/FER/
002163	040	114	105	.ASCII	/ LE/
002166	116	107	124	.ASCII	/NGT/
002171	110	072	040	.ASCII	/H: /
002174	101	103	124	.ASCII	/ACT/
002177	040	075	040	.ASCII	/ = /
002202	045	117	066	.ASCII	/#06/
002205	045	101	040	.ASCII	/#A /

ZQNA1
V01.0CZQNACO DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

002210	105	130	120	.ASCII	/EXP/
002213	040	075	040	.ASCII	/ = /
002216	045	117	066	.ASCII	/#06/
002221	045	116	000	.ASCII	/#N/<00>
002224	045	101	040	P.AAZ:	.ASCII /#A /
002227	102	101	104	.ASCII	/BAD/
002232	040	103	123	.ASCII	/ CS/
002235	122	040	075	.ASCII	/R =/
002240	040	045	117	.ASCII	/ #0/
002243	065	045	116	.ASCII	/6#N/
002246	000	000		.ASCII	<00><00>
002250	045	101	040	P.ABA:	.ASCII /#A /
002253	114	117	117	.ASCII	/LOO/
002256	120	102	101	.ASCII	/PBA/
002261	103	113	040	.ASCII	/CK /
002264	120	101	103	.ASCII	/PAC/
002267	113	105	124	.ASCII	/KET/
002272	040	125	116	.ASCII	/ UN/
002275	101	102	114	.ASCII	/ABL/
002300	105	040	124	.ASCII	/E T/
002303	117	040	123	.ASCII	/O S/
002306	105	124	040	.ASCII	/ET /
002311	103	101	040	.ASCII	/CA /
002314	102	111	124	.ASCII	/BIT/
002317	054	040	103	.ASCII	/. C/
002322	123	122	040	.ASCII	/SR /
002325	075	040	045	.ASCII	/= #/
002330	117	066	045	.ASCII	/06#/
002333	116	000	000	.ASCII	/N/<00><00>
002336	045	101	040	P.ABB:	.ASCII /#A /
002341	114	117	117	.ASCII	/LOO/
002344	120	102	101	.ASCII	/PBA/
002347	103	113	040	.ASCII	/CK /
002352	120	101	103	.ASCII	/PAC/
002355	113	105	124	.ASCII	/KET/
002360	040	125	116	.ASCII	/ UN/
002363	101	102	114	.ASCII	/ABL/
002366	105	040	124	.ASCII	/E T/
002371	117	040	103	.ASCII	/O C/
002374	114	105	101	.ASCII	/LEA/
002377	122	040	103	.ASCII	/R C/
002402	101	040	102	.ASCII	/A B/
002405	111	124	054	.ASCII	/IT./
002410	040	103	123	.ASCII	/ CS/
002413	122	040	075	.ASCII	/R =/
002416	040	045	117	.ASCII	/ #0/
002421	066	045	116	.ASCII	/6#N/
002424	000	000		.ASCII	<00><00>
002426	045	101	040	P.ABC:	.ASCII /#A /
002431	103	101	040	.ASCII	/CA /
002434	102	111	124	.ASCII	/BIT/
002437	040	117	113	.ASCII	/ OK/
002442	054	040	102	.ASCII	/. B/

ZQNA1
V01.0CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

002445	125	124	040	.ASCII	/UT /	
002450	122	111	040	.ASCII	/RI /	
002453	102	111	124	.ASCII	/BIT/	
002456	040	111	123	.ASCII	/ IS/	
002461	040	116	117	.ASCII	/ NO/	
002464	124	040	117	.ASCII	/T O/	
002467	116	054	040	.ASCII	/N, /	
002472	103	123	122	.ASCII	/CSR/	
002475	040	075	040	.ASCII	/ = /	
002500	045	117	066	.ASCII	/#06/	
002503	045	116	000	.ASCII	/#N/<00>	
002506	045	101	040	P.ABD:	.ASCII	/#A /
002511	103	101	040	.ASCII	/CA /	
002514	102	111	124	.ASCII	/BIT/	
002517	040	111	116	.ASCII	/ IN/	
002522	040	124	110	.ASCII	/ TH/	
002525	105	040	103	.ASCII	/E C/	
002530	123	122	040	.ASCII	/SR /	
002533	127	101	123	.ASCII	/WAS/	
002536	040	123	105	.ASCII	/ SE/	
002541	124	040	124	.ASCII	/T T/	
002544	117	117	040	.ASCII	/OO /	
002547	105	101	122	.ASCII	/EAR/	
002552	114	131	054	.ASCII	/LY, /	
002555	040	103	123	.ASCII	/ CS/	
002560	122	040	075	.ASCII	/R =/	
002563	040	045	117	.ASCII	/ #0/	
002566	066	045	116	.ASCII	/6#N/	
002571	000			.ASCII	<00>	
002572	045	101	040	P.ABE:	.ASCII	/#A /
002575	130	114	040	.ASCII	/XL /	
002600	101	116	104	.ASCII	/AND/	
002603	040	122	114	.ASCII	/ RL/	
002606	040	050	040	.ASCII	/ (/	
002611	102	111	124	.ASCII	/BIT/	
002614	123	040	064	.ASCII	/S 4/	
002617	054	065	040	.ASCII	/,5 /	
002622	051	040	124	.ASCII	/) T/	
002625	117	040	102	.ASCII	/O B/	
002630	105	040	122	.ASCII	/E R/	
002633	105	123	105	.ASCII	/ESE/	
002636	124	040	124	.ASCII	/T T/	
002641	117	040	060	.ASCII	/O O/	
002644	045	116	000	.ASCII	/#N/<00>	
002647	000			.ASCII	<00>	
002650	045	101	040	P.ABF:	.ASCII	/#A /
002653	130	114	040	.ASCII	/XL /	
002656	101	116	104	.ASCII	/AND/	
002661	040	122	114	.ASCII	/ RL/	
002664	040	050	040	.ASCII	/ (/	
002667	102	111	124	.ASCII	/BIT/	
002672	123	040	064	.ASCII	/S 4/	
002675	054	065	040	.ASCII	/,5 /	

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

002700	051	040	124	.ASCII	/) T/
002703	117	040	102	.ASCII	/O B/
002706	105	040	123	.ASCII	/E S/
002711	105	124	040	.ASCII	/ET /
002714	124	117	040	.ASCII	/TO /
002717	061	045	116	.ASCII	/1#N/
002722	000	000		.ASCII	<00><00>
002724	045	101	040	P.ABG:	.ASCII /#A /
002727	122	111	040	.ASCII	/RI /
002732	050	040	102	.ASCII	/(' B/
002735	111	124	040	.ASCII	/IT /
002740	061	065	040	.ASCII	/15 /
002743	051	040	124	.ASCII	/) T/
002746	117	040	102	.ASCII	/O B/
002751	105	040	123	.ASCII	/E S/
002754	105	124	040	.ASCII	/ET /
002757	124	117	040	.ASCII	/TO /
002762	061	045	116	.ASCII	/1#N/
002765	000			.ASCII	<00>
002766	045	101	040	P.ABH:	.ASCII /#A /
002771	130	111	040	.ASCII	/XI /
002774	050	040	102	.ASCII	/(' B/
002777	111	124	040	.ASCII	/IT /
003002	067	040	051	.ASCII	/7)/
003005	040	124	117	.ASCII	/ TO/
003010	040	102	105	.ASCII	/ BE/
003013	040	123	105	.ASCII	/ SE/
003016	124	040	124	.ASCII	/T T/
003021	117	040	061	.ASCII	/O 1/
003024	045	116	000	.ASCII	/#N/<00>
003027	000			.ASCII	<00>
003030	045	101	040	P.ABI:	.ASCII /#A /
003033	116	111	040	.ASCII	/NI /
003036	050	040	102	.ASCII	/(' B/
003041	111	124	040	.ASCII	/IT /
003044	062	040	051	.ASCII	/2)/
003047	040	124	117	.ASCII	/ TO/
003052	040	102	105	.ASCII	/ BE/
003055	040	123	105	.ASCII	/ SE/
003060	124	040	124	.ASCII	/T T/
003063	117	040	061	.ASCII	/O 1/
003066	045	116	000	.ASCII	/#N/<00>
003071	000			.ASCII	<00>
003072	045	101	040	P.ABJ:	.ASCII /#A /
003075	116	111	040	.ASCII	/NI /
003100	050	040	102	.ASCII	/(' B/
003103	111	124	040	.ASCII	/IT /
003106	062	040	051	.ASCII	/2)/
003111	040	124	117	.ASCII	/ TO/
003114	040	102	105	.ASCII	/ BE/
003117	040	122	105	.ASCII	/ RE/
003122	123	105	124	.ASCII	/SET/
003125	040	124	117	.ASCII	/ TO/

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

003130	040	060	045		.ASCII	/ 0# /
003133	116	000	000		.ASCII	/N/<00><00>
003136	045	101	040	P.ABK:	.ASCII	/#A /
003141	102	101	104		.ASCII	/BAD /
003144	040	103	123		.ASCII	/ CS /
003147	127	054	040		.ASCII	/R, /
003152	105	130	120		.ASCII	/EXP /
003155	105	103	124		.ASCII	/ECT /
003160	105	104	000		.ASCII	/ED/<00>
003163	000				.ASCII	<00>
003164	045	101	040	P.ABL:	.ASCII	/#A /
003167	103	123	122		.ASCII	/CSR /
003172	040	101	104		.ASCII	/ AD /
003175	122	040	075		.ASCII	/R = /
003200	040	045	117		.ASCII	/ #0 /
003203	066	045	101		.ASCII	/6#A /
003206	040	040	101		.ASCII	/ A /
003211	103	124	125		.ASCII	/CTU /
003214	101	114	040		.ASCII	/AL /
003217	075	040	045		.ASCII	/= # /
003222	117	066	045		.ASCII	/06# /
003225	101	040	040		.ASCII	/A /
003230	105	130	120		.ASCII	/EXP /
003233	105	103	124		.ASCII	/ECT /
003236	105	104	040		.ASCII	/ED /
003241	075	040	045		.ASCII	/= # /
003244	117	066	045		.ASCII	/06# /
003247	116	000	000		.ASCII	/N/<00><00>
003252	045	116	045	P.ABM:	.ASCII	/#N# /
003255	101	040	125		.ASCII	/A U /
003260	116	101	102		.ASCII	/NAB /
003263	114	105	040		.ASCII	/LE /
003266	124	117	040		.ASCII	/TO /
003271	122	105	123		.ASCII	/RES /
003274	105	124	040		.ASCII	/ET /
003277	104	105	121		.ASCII	/DEQ /
003302	116	101	072		.ASCII	/NA: /
003305	040	101	104		.ASCII	/ AD /
003310	122	072	040		.ASCII	/R: /
003313	045	117	066		.ASCII	/#06 /
003316	045	101	040		.ASCII	/#A /
003321	040	103	123		.ASCII	/ CS /
003324	122	040	075		.ASCII	/R = /
003327	040	045	117		.ASCII	/ #0 /
003332	066	045	116		.ASCII	/6#N /
003335	000				.ASCII	<00>
003336	045	116	045	P.ABN:	.ASCII	/#N# /
003341	101	040	127		.ASCII	/A W /
003344	101	111	124		.ASCII	/AIT /
003347	040	101	102		.ASCII	/ AB /
003352	117	125	124		.ASCII	/OUT /
003355	040	045	104		.ASCII	/ #D /
003360	062	045	101		.ASCII	/2#A /

ZQNA1
VOL.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

003363	040	123	105	.ASCII	/ SE/
003366	103	117	116	.ASCII	/CON/
003371	104	050	123	.ASCII	/D(S/
003374	051	040	055	.ASCII	/) -/
003377	000			.ASCII	<00>
003400	045	116	045	P.ABQ:	.ASCII /#N#/
003403	101	040	123	.ASCII	/A S/
003406	101	116	111	.ASCII	/ANI/
003411	124	131	040	.ASCII	/TY /
003414	124	111	115	.ASCII	/TIM/
003417	105	122	040	.ASCII	/ER /
003422	124	111	115	.ASCII	/TIM/
003425	105	104	040	.ASCII	/ED /
003430	117	125	124	.ASCII	/OUT/
003433	040	101	123	.ASCII	/ AS/
003436	040	105	130	.ASCII	/ EX/
003441	120	105	103	.ASCII	/PEC/
003444	124	105	104	.ASCII	/TED/
003447	040	045	116	.ASCII	/ #N/
003452	000	000		.ASCII	<00><00>
003454	045	116	045	P.ABP:	.ASCII /#N#/
003457	101	040	116	.ASCII	/A N/
003462	117	040	123	.ASCII	/O S/
003465	101	116	111	.ASCII	/ANI/
003470	124	131	040	.ASCII	/TY /
003473	124	111	115	.ASCII	/TIM/
003476	105	122	040	.ASCII	/ER /
003501	111	116	124	.ASCII	/INT/
003504	105	122	122	.ASCII	/ERR/
003507	125	120	124	.ASCII	/UPT/
003512	040	104	105	.ASCII	/ DE/
003515	124	105	103	.ASCII	/TEC/
003520	124	105	104	.ASCII	/TED/
003523	040	045	116	.ASCII	/ #N/
003526	000	000		.ASCII	<00><00>
003530	045	116	045	P.ABQ:	.ASCII /#N#/
003533	101	040	104	.ASCII	/A D/
003536	111	123	103	.ASCII	/ISC/
003541	117	116	116	.ASCII	/ONN/
003544	105	103	124	.ASCII	/ECT/
003547	040	124	122	.ASCII	/ TR/
003552	101	116	123	.ASCII	/ANS/
003555	103	105	111	.ASCII	/CEI/
003560	126	105	122	.ASCII	/VER/
003563	040	103	101	.ASCII	/ CA/
003566	102	114	105	.ASCII	/BLE/
003571	040	106	122	.ASCII	/ FR/
003574	117	115	040	.ASCII	/OM /
003577	102	125	114	.ASCII	/BUL/
003602	113	110	105	.ASCII	/KHE/
003605	101	104	040	.ASCII	/AD /
003610	101	123	123	.ASCII	/ASS/
003613	105	115	102	.ASCII	/EMB/

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

003616	114	131	040		.ASCII	/LY /
003621	101	116	104		.ASCII	/AND/
003624	000	000			.ASCII	<00><00>
003626	045	116	045	P.ABR:	.ASCII	/N# /
003631	101	040	103		.ASCII	/A C /
003634	117	116	116		.ASCII	/ONN/
003637	105	103	124		.ASCII	/ECT/
003642	040	114	117		.ASCII	/ LO/
003645	117	120	102		.ASCII	/OPB/
003650	101	103	113		.ASCII	/ACK/
003653	040	103	117		.ASCII	/ CO/
003656	116	116	105		.ASCII	/NNE/
003661	103	124	117		.ASCII	/CTO/
003664	122	040	124		.ASCII	/R T/
003667	117	040	102		.ASCII	/O B/
003672	125	114	113		.ASCII	/ULK/
003675	110	105	101		.ASCII	/HEA/
003700	104	040	101		.ASCII	/D A/
003703	123	123	105		.ASCII	/SSE/
003706	115	102	114		.ASCII	/MBL/
003711	131	054	040		.ASCII	/Y. /
003714	124	110	105		.ASCII	/THE/
003717	116	040	122		.ASCII	/N R/
003722	105	124	105		.ASCII	/ETE/
003725	123	124	045		.ASCII	/ST# /
003730	116	000			.ASCII	/N/<00>
003732	045	116	045	P.ABS:	.ASCII	/N# /
003735	101	040	104		.ASCII	/A D/
003740	111	123	103		.ASCII	/ISC/
003743	117	116	116		.ASCII	/ONN/
003746	105	103	124		.ASCII	/ECT/
003751	040	102	125		.ASCII	/ BU/
003754	114	113	110		.ASCII	/LKH/
003757	105	101	104		.ASCII	/EAD/
003762	040	101	123		.ASCII	/ AS/
003765	123	105	115		.ASCII	/SEM/
003770	102	114	131		.ASCII	/BLY/
003773	040	106	122		.ASCII	/ FR/
003776	117	115	040		.ASCII	/OM /
004001	104	105	121		.ASCII	/DEQ/
004004	116	101	040		.ASCII	/NA /
004007	101	116	104		.ASCII	/AND/
004012	040	103	117		.ASCII	/ CO/
004015	116	116	105		.ASCII	/NNE/
004020	103	124	000		.ASCII	/CT/<00>
004023	000				.ASCII	<00>
004024	045	116	045	P.ABT:	.ASCII	/N# /
004027	101	040	114		.ASCII	/A L/
004032	117	117	120		.ASCII	/OOP/
004035	102	101	103		.ASCII	/BAC/
004040	113	040	103		.ASCII	/K C/
004043	117	116	116		.ASCII	/ONN/
004046	105	103	124		.ASCII	/ECT/

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

004051	117	122	040	.ASCII	/OR /	
004054	124	117	040	.ASCII	/TO /	
004057	104	105	121	.ASCII	/DEQ/	
004062	116	101	054	.ASCII	/NA./	
004065	040	124	110	.ASCII	/ TH/	
004070	105	116	040	.ASCII	/EN /	
004073	122	105	124	.ASCII	/RET/	
004076	105	123	124	.ASCII	/EST/	
004101	045	116	000	.ASCII	/N/<00>	
004104	045	116	045	P.ABU:	.ASCII	/N# /
004107	101	040	103	.ASCII	/A C/	
004112	110	105	103	.ASCII	/HEC/	
004115	113	040	106	.ASCII	/K F/	
004120	117	122	040	.ASCII	/OR /	
004123	114	117	117	.ASCII	/LOO/	
004126	123	105	040	.ASCII	/SE /	
004131	127	111	122	.ASCII	/WIR/	
004134	105	123	040	.ASCII	/ES /	
004137	111	116	040	.ASCII	/IN /	
004142	101	040	114	.ASCII	/A L/	
004145	117	117	120	.ASCII	/OOP/	
004150	102	101	103	.ASCII	/BAC/	
004153	113	040	103	.ASCII	/K C/	
004156	117	116	116	.ASCII	/ONN/	
004161	105	103	124	.ASCII	/ECT/	
004164	117	122	000	.ASCII	/OR/<00>	
004167	000			.ASCII	<00>	
004170	045	116	045	P.ABV:	.ASCII	/N# /
004173	101	040	117	.ASCII	/A O/	
004176	122	040	125	.ASCII	/R U/	
004201	123	105	040	.ASCII	/SE /	
004204	104	111	106	.ASCII	/DIF/	
004207	106	105	122	.ASCII	/FER/	
004212	105	116	124	.ASCII	/ENT/	
004215	040	114	117	.ASCII	/ LO/	
004220	117	120	102	.ASCII	/OPB/	
004223	101	103	113	.ASCII	/ACK/	
004226	040	103	117	.ASCII	/ CO/	
004231	116	116	105	.ASCII	/NNE/	
004234	103	124	117	.ASCII	/CTO/	
004237	122	054	040	.ASCII	/R. /	
004242	124	110	105	.ASCII	/THE/	
004245	116	040	122	.ASCII	/N R/	
004250	105	124	105	.ASCII	/ETE/	
004253	123	124	045	.ASCII	/ST# /	
004256	116	000		.ASCII	/N/<00>	
004260	045	116	045	P.ABW:	.ASCII	/N# /
004263	101	040	122	.ASCII	/A R/	
004266	105	120	114	.ASCII	/EPL/	
004271	101	103	105	.ASCII	/ACE/	
004274	040	104	105	.ASCII	/ DE/	
004277	121	116	101	.ASCII	/QNA/	
004302	054	040	124	.ASCII	/ . T/	

ZQNA1
V01.0 CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

004305	110	105	116	.ASCII	/HEN/
004310	040	122	105	.ASCII	/RE/
004313	124	105	123	.ASCII	/TES/
004316	124	045	116	.ASCII	/T#N/
004321	000			.ASCII	<00>
004322	045	116	045	P.ABX: .ASCII	/#N#/
004325	101	040	122	.ASCII	/A R/
004330	105	120	114	.ASCII	/EPL/
004333	101	103	105	.ASCII	/ACE/
004336	040	102	125	.ASCII	/BU/
004341	114	113	110	.ASCII	/LKH/
004344	105	101	104	.ASCII	/EAD/
004347	040	103	117	.ASCII	/CO/
004352	116	116	105	.ASCII	/NNE/
004355	103	124	117	.ASCII	/CTO/
004360	122	054	040	.ASCII	/R, /
004363	124	110	105	.ASCII	/THE/
004366	116	040	122	.ASCII	/N R/
004371	105	124	105	.ASCII	/ETE/
004374	123	124	045	.ASCII	/ST#/
004377	116	000	000	.ASCII	/N/<00><00>
004402	045	116	045	P.ABY: .ASCII	/#N#/
004405	101	040	104	.ASCII	/A D/
004410	111	123	103	.ASCII	/ISC/
004413	117	116	116	.ASCII	/ONN/
004416	105	103	124	.ASCII	/ECT/
004421	040	124	122	.ASCII	/TR/
004424	101	116	123	.ASCII	/ANS/
004427	103	105	111	.ASCII	/CEI/
004432	126	105	122	.ASCII	/VER/
004435	040	103	101	.ASCII	/CA/
004440	102	114	105	.ASCII	/BLE/
004443	040	106	122	.ASCII	/FR/
004446	117	115	040	.ASCII	/OM /
004451	124	122	101	.ASCII	/TRA/
004454	116	123	103	.ASCII	/NSC/
004457	105	111	126	.ASCII	/EIV/
004462	105	122	000	.ASCII	/ER/<00>
004465	000			.ASCII	<00>
004466	045	116	045	P.ABZ: .ASCII	/#N#/
004471	101	040	101	.ASCII	/A A/
004474	116	104	040	.ASCII	/ND /
004477	103	117	116	.ASCII	/CON/
004502	116	105	103	.ASCII	/NEC/
004505	124	040	111	.ASCII	/T I/
004510	124	040	124	.ASCII	/T T/
004513	117	040	114	.ASCII	/O L/
004516	117	117	120	.ASCII	/OOP/
004521	102	101	103	.ASCII	/BAC/
004524	113	040	103	.ASCII	/K C/
004527	117	116	116	.ASCII	/ONN/
004532	105	103	124	.ASCII	/ECT/
004535	117	122	040	.ASCII	/OR /

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0045
Page 45
(24)ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

004540	101	116	104	.ASCII	/AND/
004543	040	102	125	.ASCII	/BU/
004546	114	113	110	.ASCII	/LKH/
004551	105	101	104	.ASCII	/EAD/
004554	040	101	123	.ASCII	/AS/
004557	123	105	115	.ASCII	/SEM/
004562	102	114	131	.ASCII	/BLY/
004565	045	116	000	.ASCII	/N/<00>
004570	045	116	045	P.ACA: .ASCII	/N#/
004573	101	040	122	.ASCII	/A R/
004576	105	120	114	.ASCII	/EPL/
004601	101	103	105	.ASCII	/ACE/
004604	040	124	122	.ASCII	/TR/
004607	101	116	123	.ASCII	/ANS/
004612	103	105	111	.ASCII	/CEI/
004615	126	105	122	.ASCII	/VER/
004620	040	103	101	.ASCII	/CA/
004623	102	114	105	.ASCII	/BLE/
004626	054	040	124	.ASCII	/T/
004631	110	105	116	.ASCII	/HEN/
004634	040	122	105	.ASCII	/RE/
004637	124	105	123	.ASCII	/TES/
004642	124	045	116	.ASCII	/T#N/
004645	000			.ASCII	<00>
004646	045	116	045	P.ACB: .ASCII	/N#/
004651	101	040	122	.ASCII	/A R/
004654	105	120	114	.ASCII	/EPL/
004657	101	103	105	.ASCII	/ACE/
004662	040	124	122	.ASCII	/TR/
004665	101	116	123	.ASCII	/ANS/
004670	103	105	111	.ASCII	/CEI/
004673	126	105	122	.ASCII	/VER/
004676	054	040	124	.ASCII	/T/
004701	110	105	116	.ASCII	/HEN/
004704	040	122	105	.ASCII	/RE/
004707	124	105	123	.ASCII	/TES/
004712	124	045	116	.ASCII	/T#N/
004715	000			.ASCII	<00>
004716	045	116	045	P.ACC: .ASCII	/N#/
004721	101	040	122	.ASCII	/A R/
004724	105	120	114	.ASCII	/EPL/
004727	101	103	105	.ASCII	/ACE/
004732	040	124	110	.ASCII	/TH/
004735	105	040	106	.ASCII	/E F/
004740	125	123	105	.ASCII	/USE/
004743	040	111	106	.ASCII	/IF/
004746	040	102	101	.ASCII	/BA/
004751	104	054	040	.ASCII	/D, /
004754	124	110	105	.ASCII	/THE/
004757	116	040	122	.ASCII	/N R/
004762	105	124	105	.ASCII	/ETE/
004765	123	124	045	.ASCII	/ST#/
004770	116	000		.ASCII	/N/<00>

ZQNA1
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA1ZQNA1.BLI;2

004772	045	116	045	P.ACD:	.ASCII	/#N#/ .ASCII /A B/ .ASCII /AD / .ASCII /REC/ .ASCII /EIV/ .ASCII /E D/ .ASCII /ESC/ .ASCII /RIP/ .ASCII /TOR/ .ASCII /: /<00><00>
004775	101	040	102			
005000	101	104	040			
005003	122	105	103	P.ACE:	.ASCII	/#N#/ .ASCII /A B/ .ASCII /AD / .ASCII /TRA/ .ASCII /NSM/ .ASCII /IT / .ASCII /DES/ .ASCII /CRI/ .ASCII /PTO/ .ASCII /R: /<00>
005006	105	111	126			
005011	105	040	104			
005014	105	123	103			
005017	122	111	120			
005022	124	117	122			
005025	072	000	000			
005030	045	116	045			
005033	101	040	102			
005036	101	104	040			
005041	124	122	101			
005044	116	123	115			
005047	111	124	040			
005052	104	105	123			
005055	103	122	111			
005060	120	124	117			
005063	122	072	000	P.ACF:	.ASCII	/#A / .ASCII /ACT/ .ASCII /UAL/ .ASCII / = / .ASCII /#C6/ .ASCII /#A / .ASCII /EXP/ .ASCII /ECT/ .ASCII /ED / .ASCII / = #/ .ASCII /06#/ .ASCII /A I/ .ASCII /NDE/ .ASCII /X =/ .ASCII / #D/ .ASCII /4#N/ .ASCII <00><00>
005066	045	101	040			
005071	101	103	124			
005074	125	101	114			
005077	040	075	040			
005102	045	117	066			
005105	045	101	040			
005110	105	130	120			
005113	105	103	124			
005116	105	104	040			
005121	075	040	045			
005124	117	066	045			
005127	101	040	111			
005132	116	104	105			
005135	130	040	075			
005140	040	045	104			
005143	064	045	116			
005146	000	000				
005150	045	116	045	P.ACG:	.ASCII	/#N#/ .ASCII /A B/ .ASCII /AD / .ASCII /REC/ .ASCII /EIV/ .ASCII /E B/ .ASCII /UFF/ .ASCII /ER: / .ASCII <00><00>
005153	101	040	102			
005156	101	104	040			
005161	122	105	103			
005164	105	111	126			
005167	105	040	102			
005172	125	106	106			
005175	105	122	072			
005200	000	000				
005202	045	116	045	P.ACH:	.ASCII	/#N#/ .ASCII /A D/ .ASCII /MA / .ASCII /OPE/ .ASCII /RAT/ .ASCII /ION/ .ASCII / TA/
005205	101	040	104			
005210	115	101	040			
005213	117	120	105			
005216	122	101	124			
005221	111	117	116			
005224	040	124	101			

ZQNA1
V0:0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

005227	113	105	123	.ASCII	/KES/
005232	040	124	117	.ASCII	/ TO/
005235	117	040	114	.ASCII	/O L/
005240	117	116	107	.ASCII	/ONG/
005243	045	116	000	.ASCII	/N/<00>
005246	045	116	045	P.ACI:	.ASCII /N/
005251	101	040	124	.ASCII	/A T/
005254	117	117	040	.ASCII	/OO /
005257	115	101	116	.ASCII	/MAN/
005262	131	040	104	.ASCII	/Y D/
005265	105	126	111	.ASCII	/EVI/
005270	103	105	123	.ASCII	/CES/
005273	045	116	000	.ASCII	/N/<00>
005276	045	116	045	P.ACJ:	.ASCII /N/
005301	101	040	124	.ASCII	/A T/
005304	110	105	122	.ASCII	/HER/
005307	105	040	127	.ASCII	/E W/
005312	101	123	040	.ASCII	/AS /
005315	101	040	120	.ASCII	/A P/
005320	117	127	105	.ASCII	/OWE/
005323	122	040	106	.ASCII	/R F/
005326	101	111	114	.ASCII	/AIL/
005331	040	055	040	.ASCII	/ - /
005334	127	101	111	.ASCII	/WAI/
005337	124	111	116	.ASCII	/TIN/
005342	107	045	116	.ASCII	/G#N/
005345	000			.ASCII	<00>
005346	045	116	045	P.ACK:	.ASCII /N/
005351	101	040	127	.ASCII	/A W/
005354	101	111	124	.ASCII	/AIT/
005357	040	101	102	.ASCII	/ AB/
005362	117	125	124	.ASCII	/OUT/
005365	040	045	104	.ASCII	/ #D/
005370	062	045	101	.ASCII	/2#A/
005373	040	115	111	.ASCII	/ MI/
005376	116	125	124	.ASCII	/NUT/
005401	105	050	123	.ASCII	/E(S/
005404	051	040	055	.ASCII	/) -/
005407	000			.ASCII	<00>
005410	045	116	045	P.ACL:	.ASCII /N/
005413	101	040	127	.ASCII	/A W/
005416	101	111	124	.ASCII	/AIT/
005421	040	101	102	.ASCII	/ AB/
005424	117	125	124	.ASCII	/OUT/
005427	040	045	104	.ASCII	/ #D/
005432	062	045	101	.ASCII	/2#A/
005435	040	110	117	.ASCII	/ HO/
005440	125	122	040	.ASCII	/UR /
005443	055	000	000	.ASCII	/-/<00><00>
005446	045	101	040	P.ACM:	.ASCII /#A /
005451	111	106	040	.ASCII	/IF /
005454	116	117	040	.ASCII	/NO /
005457	122	105	123	.ASCII	/RES/

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

005462	105	124	054	.ASCII	/ET/
005465	040	124	131	.ASCII	/TY/
005470	120	105	040	.ASCII	/PE/
005473	101	116	131	.ASCII	/ANY/
005476	040	103	110	.ASCII	/CH/
005501	101	122	101	.ASCII	/ARA/
005504	103	124	105	.ASCII	/CTE/
005507	122	040	124	.ASCII	/RT/
005512	117	040	105	.ASCII	/OE/
005515	130	111	124	.ASCII	/XIT/
005520	040	106	122	.ASCII	/FR/
005523	117	115	040	.ASCII	/OM/
005526	124	105	123	.ASCII	/TES/
005531	124	045	116	.ASCII	/TN/
005534	000	000		.ASCII	<00><00>
005536	045	116	045	P.ACN: .ASCII	/N#/
005541	101	040	124	.ASCII	/AT/
005544	104	122	040	.ASCII	/DR/
005547	126	101	114	.ASCII	/VAL/
005552	125	105	040	.ASCII	/UE/
005555	111	123	040	.ASCII	/IS/
005560	105	121	125	.ASCII	/EQU/
005563	101	114	040	.ASCII	/AL/
005566	124	117	040	.ASCII	/TO/
005571	132	105	122	.ASCII	/ZER/
005574	117	040	045	.ASCII	/O#/
005577	116	000	000	.ASCII	/N/<00><00>
005602	045	116	045	P.ACO: .ASCII	/N#/
005605	116	045	101	.ASCII	/NA/
005610	055	055	055	.ASCII	/---/
005613	055	055	055	.ASCII	/---/
005616	055	055	055	.ASCII	/---/
005621	055	055	055	.ASCII	/---/
005624	055	055	055	.ASCII	/---/
005627	055	055	055	.ASCII	/---/
005632	055	055	055	.ASCII	/---/
005635	055	055	055	.ASCII	/---/
005640	055	055	055	.ASCII	/---/
005643	055	055	055	.ASCII	/---/
005646	055	055	055	.ASCII	/---/
005651	055	055	055	.ASCII	/---/
005654	055	055	055	.ASCII	/---/
005657	055	055	055	.ASCII	/---/
005662	055	055	055	.ASCII	/---/
005665	055	055	055	.ASCII	/---/
005670	055	055	055	.ASCII	/---/
005673	055	055	055	.ASCII	/---/
005676	055	055	055	.ASCII	/---/
005701	055	055	055	.ASCII	/---/
005704	055	055	055	.ASCII	/---/
005707	055	055	045	.ASCII	/--#/
005712	116	000		.ASCII	/N/<00>
005714	045	116	045	P.ACP: .ASCII	/N#/

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI:2

005717	101	040	102	.ASCII	/A B/
005722	101	104	040	.ASCII	/AD /
005725	103	123	122	.ASCII	/CSR/
005730	054	040	102	.ASCII	/. B/
005733	111	124	123	.ASCII	/ITS/
005736	040	123	124	.ASCII	/ ST/
005741	125	103	113	.ASCII	/UCK/
005744	040	101	124	.ASCII	/ AT/
005747	040	060	072	.ASCII	/ 0:/
005752	045	116	000	.ASCII	/N/<00>
005755	000			.ASCII	<00>
005756	045	116	045	P.ACQ:	.ASCII /N/
005761	101	040	102	.ASCII	/A B/
005764	101	104	040	.ASCII	/AD /
005767	103	123	122	.ASCII	/CSR/
005772	054	040	102	.ASCII	/. B/
005775	111	124	123	.ASCII	/ITS/
006000	040	123	124	.ASCII	/ ST/
006003	125	103	113	.ASCII	/UCK/
006006	040	101	124	.ASCII	/ AT/
006011	040	061	072	.ASCII	/ 1:/
006014	045	116	000	.ASCII	/N/<00>
006017	000			.ASCII	<00>
006020	045	116	045	P.ACR:	.ASCII /N/
006023	101	040	123	.ASCII	/A S/
006026	117	106	124	.ASCII	/OFT/
006031	127	101	122	.ASCII	/WAR/
006034	105	040	122	.ASCII	/E R/
006037	105	123	105	.ASCII	/ESE/
006042	124	040	125	.ASCII	/T U/
006045	116	101	102	.ASCII	/NAB/
006050	114	105	040	.ASCII	/LE /
006053	124	117	040	.ASCII	/TO /
006056	103	114	105	.ASCII	/CLE/
006061	101	122	040	.ASCII	/AR /
006064	103	123	122	.ASCII	/CSR/
006067	040	123	124	.ASCII	/ ST/
006072	101	124	111	.ASCII	/ATI/
006075	103	040	102	.ASCII	/C B/
006100	111	124	123	.ASCII	/ITS/
006103	072	045	116	.ASCII	/:N/
006106	000	000		.ASCII	<00><00>
006110	045	116	045	P.ACS:	.ASCII /N/
006113	101	040	102	.ASCII	/A B/
006116	101	104	040	.ASCII	/AD /
006121	123	124	101	.ASCII	/STA/
006124	124	111	117	.ASCII	/TIO/
006127	116	040	101	.ASCII	/N A/
006132	104	104	122	.ASCII	/DDR/
006135	105	123	123	.ASCII	/ESS/
006140	040	103	110	.ASCII	/ CH/
006143	105	103	113	.ASCII	/ECK/
006146	123	125	115	.ASCII	/SUM/

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

006151	072	040	101	.ASCII	/: A/	
006154	103	124	040	.ASCII	/CT /	
006157	075	040	045	.ASCII	/= */	
006162	117	066	045	.ASCII	/06*/	
006165	101	040	105	.ASCII	/A E/	
006170	130	120	040	.ASCII	/XP /	
006173	075	040	045	.ASCII	/= */	
006176	117	066	045	.ASCII	/06*/	
006201	116	000	000	.ASCII	/N/<00><00>	
006204	045	116	045	P.ACT:	.ASCII	/N*/
006207	101	040	102	.ASCII	/A B/	
006212	101	104	040	.ASCII	/AD /	
006215	123	124	101	.ASCII	/STA/	
006220	124	111	117	.ASCII	/TIO/	
006223	116	040	101	.ASCII	/N A/	
006226	104	104	122	.ASCII	/DDR/	
006231	105	123	123	.ASCII	/ESS/	
006234	072	040	000	.ASCII	/: /<00>	
006237	000			.ASCII	<00>	
006240	045	116	045	P.ACU:	.ASCII	/N*/
006243	101	040	102	.ASCII	/A B/	
006246	101	104	040	.ASCII	/AD /	
006251	104	105	121	.ASCII	/DEQ/	
006254	116	101	040	.ASCII	/NA /	
006257	111	057	117	.ASCII	/I/<57>/0/	
006262	040	120	101	.ASCII	/ PA/	
006265	107	105	040	.ASCII	/GE /	
006270	122	105	107	.ASCII	/REG/	
006273	111	123	124	.ASCII	/IST/	
006276	105	122	072	.ASCII	/ER:/	
006301	045	116	000	.ASCII	/N/<00>	
006304	045	116	045	P.ACIV:	.ASCII	/N*/
006307	101	040	102	.ASCII	/A B/	
006312	101	104	040	.ASCII	/AD /	
006315	103	123	122	.ASCII	/CSR/	
006320	054	040	105	.ASCII	/, E/	
006323	130	120	105	.ASCII	/XPE/	
006326	103	124	105	.ASCII	/CTE/	
006331	104	040	122	.ASCII	/D R/	
006334	114	040	050	.ASCII	/L (/	
006337	040	102	111	.ASCII	/ BI/	
006342	124	040	065	.ASCII	/T 5/	
006345	040	051	040	.ASCII	/) /	
006350	124	117	040	.ASCII	/TO /	
006353	102	105	040	.ASCII	/BE /	
006356	123	105	124	.ASCII	/SET/	
006361	040	124	117	.ASCII	/ TO/	
005364	040	060	045	.ASCII	/ 0*/	
006367	116	000	000	.ASCII	/N/<00><00>	
006372	045	116	045	P.ACIV:	.ASCII	/N*/
006375	101	040	102	.ASCII	/A B/	
006400	101	104	040	.ASCII	/AD /	
006403	102	057	104	.ASCII	/B/<57>/D/	

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

006406	040	120	122	.ASCII	/ PR/
006411	117	115	040	.ASCII	/OM /
006414	103	110	105	.ASCII	/CHE/
006417	103	113	123	.ASCII	/CKS/
006422	125	115	072	.ASCII	/UM:/
006425	040	111	116	.ASCII	/ IN/
006430	104	105	130	.ASCII	/DEX/
006433	040	075	040	.ASCII	/ = /
006436	045	117	066	.ASCII	/#06/
006441	045	101	040	.ASCII	/#A /
006444	101	103	124	.ASCII	/ACT/
006447	040	075	040	.ASCII	/ = /
006452	045	117	066	.ASCII	/#06/
006455	045	101	040	.ASCII	/#A /
006460	105	130	120	.ASCII	/EXP/
006463	040	075	040	.ASCII	/ = /
006466	045	117	066	.ASCII	/#06/
006471	045	116	000	.ASCII	/#N/<00>
006474	045	116	045	P.ACX: .ASCII	/#N#/
006477	101	040	102	.ASCII	/A B/
006502	057	104	040	.ASCII	<57>/D /
006505	120	122	117	.ASCII	/PRO/
006510	115	040	103	.ASCII	/M C/
006513	110	105	103	.ASCII	/HEC/
006516	113	123	125	.ASCII	/KSU/
006521	115	040	117	.ASCII	/M O/
006524	106	106	123	.ASCII	/FFS/
006527	105	124	040	.ASCII	/ET /
006532	075	040	045	.ASCII	/= #/
006535	117	066	045	.ASCII	/06#/
006540	101	040	101	.ASCII	/A A/
006543	103	124	040	.ASCII	/CT /
006546	075	040	045	.ASCII	/= #/
006551	117	066	045	.ASCII	/06#/
006554	101	040	105	.ASCII	/A E/
006557	130	120	040	.ASCII	/XP /
006562	075	040	045	.ASCII	/= #/
006565	117	066	045	.ASCII	/06#/
006570	116	000		.ASCII	/N/<00>
006572	045	116	045	P.ACY: .ASCII	/#N#/
006575	101	040	102	.ASCII	/A B/
006600	101	104	040	.ASCII	/AD /
006603	111	116	124	.ASCII	/INT/
006606	105	122	122	.ASCII	/ERR/
006611	125	120	124	.ASCII	/UPT/
006614	072	040	101	.ASCII	/: A/
006617	104	122	040	.ASCII	/DR /
006622	075	040	045	.ASCII	/= #/
006625	117	066	045	.ASCII	/06#/
006630	101	040	101	.ASCII	/A A/
006633	103	124	040	.ASCII	/CT /
006636	114	105	126	.ASCII	/LEV/
006641	040	075	040	.ASCII	/ = /

ZQNA1
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI:2

006644	045	117	066	.ASCII	/#06/
006647	045	101	040	.ASCII	/#A /
006652	105	130	120	.ASCII	/EXP/
006655	040	114	105	.ASCII	/ LE/
006660	126	040	075	.ASCII	/V =/
006663	040	045	117	.ASCII	/ #0/
006666	066	045	116	.ASCII	/6#N/
006671	000			.ASCII	<00>
006672	045	116	045	P.ACZ: .ASCII	/#N#/
006675	101	040	122	.ASCII	/A R/
006700	105	107	111	.ASCII	/EGI/
006703	123	124	105	.ASCII	/STE/
006706	122	040	106	.ASCII	/R F/
006711	101	111	114	.ASCII	/AIL/
006714	105	104	040	.ASCII	/ED /
006717	124	117	040	.ASCII	/TO /
006722	122	105	123	.ASCII	/RES/
006725	120	117	116	.ASCII	/PON/
006730	104	040	101	.ASCII	/D A/
006733	124	040	101	.ASCII	/T A/
006736	104	104	122	.ASCII	/DDR/
006741	105	123	123	.ASCII	/ESS/
006744	072	040	040	.ASCII	/: /
006747	045	117	066	.ASCII	/#06/
006752	045	116	000	.ASCII	/#N/<00>
006755	000			.ASCII	<00>
006756	045	116	045	P.ADA: .ASCII	/#N#/
006761	101	040	102	.ASCII	/A B/
006764	101	104	040	.ASCII	/AD /
006767	124	122	101	.ASCII	/TRA/
006772	116	123	115	.ASCII	/NSM/
006775	111	124	040	.ASCII	/IT /
007000	123	124	101	.ASCII	/STA/
007003	124	125	123	.ASCII	/TUS/
007006	054	040	124	.ASCII	/, T/
007011	117	117	040	.ASCII	/00 /
007014	115	101	116	.ASCII	/MAN/
007017	131	040	103	.ASCII	/Y C/
007022	117	114	114	.ASCII	/OLL/
007025	111	123	111	.ASCII	/ISI/
007030	117	116	123	.ASCII	/ONS/
007033	045	116	000	.ASCII	/#N/<00>

000000	.PSECT	\$GLOB\$, D
000000	RCV.D.LIST::	
	.BLKW	100
000200	XMIT.D.LIST::	
	.BLKW	100
000400	RCV.BUFFER::	
	.BLKW	2000
004400	XMIT.BUFFER::	

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul 1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

		.BLKW	2000
010400		PHYS.ADR::	
		.BLKW	13
010426		SETUP.BUFFER::	
		.BLKW	400
011426		IOP.TABLE::	
		.BLKW	10
011446		ETH.STATION.ADR::	
		.BLKW	6
011462		STATION.ADR::	
		.BLKW	4
011472		PTRN.TABLE::	
011472	000	.BYTE	0
011473	377	.BYTE	377
011474	252	.BYTE	252
011475	125	.BYTE	125
011476	314	.BYTE	314
011477	063	.BYTE	63
011500	360	.BYTE	360
011501	017	.BYTE	17
011502		TARGET.ADR::	
011502	000	.BYTE	0
011503	000	.BYTE	0
011504	000	.BYTE	0
011505	000	.BYTE	0
011506	000	.BYTE	0
011507	000	.BYTE	0
011510	125	.BYTE	125
011511	125	.BYTE	125
011512	125	.BYTE	125
011513	125	.BYTE	125
011514	125	.BYTE	125
011515	125	.BYTE	125
011516	252	.BYTE	252
011517	252	.BYTE	252
011520	252	.BYTE	252
011521	252	.BYTE	252
011522	252	.BYTE	252
011523	252	.BYTE	252
011524	125	.BYTE	125
011525	125	.BYTE	125
011526	125	.BYTE	125
011527	125	.BYTE	125
011530	125	.BYTE	125
011531	125	.BYTE	125
011532	377	.BYTE	377
011533	377	.BYTE	377
011534	377	.BYTE	377
011535	377	.BYTE	377
011536	377	.BYTE	377
011537	377	.BYTE	377
011540	000	.BYTE	0
011541	364	.BYTE	364

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 5/9
[MAZURCZYK.DEQNA]ZQNA1.BLI:2

011542	372	.BYTE	372
011543	104	.BYTE	104
011544	104	.BYTE	104
011545	125	.BYTE	125
011546	252	.BYTE	252
011547	000	.BYTE	0
011550	000	.BYTE	0
011551	000	.BYTE	0
011552	000	.BYTE	0
011553	000	.BYTE	0
011554	252	.BYTE	252
011555	000	.BYTE	0
011556	002	.BYTE	2
011557	252	.BYTE	252
011560	252	.BYTE	252
011561	252	.BYTE	252
011562	252	.BYTE	252
011563	000	.BYTE	0
011564	005	.BYTE	5
011565	125	.BYTE	125
011566	125	.BYTE	125
011567	125	.BYTE	125
011570	252	.BYTE	252
011571	000	.BYTE	0
011572	004	.BYTE	4
011573	377	.BYTE	377
011574	377	.BYTE	377
011575	377	.BYTE	377
011576	252	.BYTE	252
011577	000	.BYTE	0
011600	004	.BYTE	4
011601	000	.BYTE	0
011602	000	.BYTE	0
011603	000	.BYTE	0
011604	252	.BYTE	252
011605	000	.BYTE	0
011606	004	.BYTE	4
011607	030	.BYTE	30
011610	201	.BYTE	201
011611	030	.BYTE	30
011612	001	.BYTE	1
011613	000	.BYTE	0
011614	000	.BYTE	0
011615	000	.BYTE	0
011616	000	.BYTE	0
011617	000	.BYTE	0
011620	253	.BYTE	253
011621	252	.BYTE	252
011622	252	.BYTE	252
011623	252	.BYTE	252
011624	252	.BYTE	252
011625	252	.BYTE	252
011626	377	.BYTE	377

ZQNA1
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

011627	000	.BYTE	0
011630	001	.BYTE	1
011631	002	.BYTE	2
011632	003	.BYTE	3
011633	004	.BYTE	4
011634	125	.BYTE	125
011635	005	.BYTE	5
011636	006	.BYTE	6
011637	007	.BYTE	7
011640	010	.BYTE	10
011641	011	.BYTE	11
011642	315	.BYTE	315
011643	066	.BYTE	66
011644	046	.BYTE	46
011645	047	.BYTE	47
011646	047	.BYTE	47
011647	111	.BYTE	111
011650	063	.BYTE	63
011651	241	.BYTE	241
011652	147	.BYTE	147
011653	273	.BYTE	273
011654	114	.BYTE	114
011655	237	.BYTE	237
011656	353	.BYTE	353
011657	276	.BYTE	276
011660	307	.BYTE	307
011661	217	.BYTE	217
011662	063	.BYTE	63
011663	377	.BYTE	377
011664	377	.BYTE	377
011665	377	.BYTE	377
011666	377	.BYTE	377
011667	377	.BYTE	377
011670	377	.BYTE	377
011671	377	.BYTE	377
011672		BD.PROM.DESCR::	
011672	100000	.WORD	-100000
011674	100000	.WORD	-100000
011676	000400	.WORD	RCV.BUFFER
011700	170000	.WORD	-2000
011702	000000	.WORD	0
011704	000000	.WORD	0
011706	100000	.WORD	-100000
011710	100000	.WORD	-100000
011712	004400	.WORD	XMIT.BUFFER
011714	176000	.WORD	-2000
011716	000000	.WORD	0
011720	000000	.WORD	0
011722	100000	.WORD	-100000
011724	020000	.WORD	20000
011726	000000	.WORD	0
011730	000000	.WORD	0
011732		TD16::	

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 B1'ss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0056
Page 56
(24)

011732	100000	.WORD	-100000
011734	100200	.WORD	-77600
011736	004400	.WORD	XMIT.BUFFER
011740	177777	.WORD	-1
011742	000000	.WORD	0
011744	000000	.WORD	0
011746	100000	.WORD	-100000
011750	100300	.WORD	-77500
011752	004400	.WORD	XMIT.BUFFER
011754	177776	.WORD	-2
011756	000000	.WORD	0
011760	000000	.WORD	0
011762	100000	.WORD	-100000
011764	100100	.WORD	-77700
011766	004402	.WORD	XMIT.BUFFER+2
011770	177777	.WORD	-1
011772	000000	.WORD	0
011774	000000	.WORD	0
011776	100000	.WORD	-100000
012000	120000	.WORD	-60000
012002	004404	.WORD	XMIT.BUFFER+4
012004	177777	.WORD	-1
012006	000000	.WORD	0
012010	000000	.WORD	0
012012	100000	.WORD	-100000
012014	020000	.WORD	20000
012016	000274	.WORD	XMIT.D.LIST+74
012020	177777	.WORD	-1
012022	000000	.WORD	0
012024	000000	.WORD	0
012026	100000	.WORD	-100000
012030	100000	.WORD	-100000
012032	000270	.WORD	XMIT.D.LIST+70
012034	177776	.WORD	-2
012036	000000	.WORD	0
012040	000000	.WORD	0
012042	100000	.WORD	-100000
012044	120000	.WORD	-60000
012046	011664	.WORD	TARGET.ADR+162
012050	177775	.WORD	-3
012052	000000	.WORD	0
012054	000000	.WORD	0
012056	100000	.WORD	-100000
012060	020000	.WORD	20000
012062			
012062	100000	.WORD	-100000
012064	100000	.WORD	-100000
012066	004400	.WORD	XMIT.BUFFER
012070	177777	.WORD	-1
012072	000000	.WORD	0
012074	000000	.WORD	0
012076	100000	.WORD	-100000
012100	100000	.WORD	-100000

TD13::

ZQNA1
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

012102	004402'	.WORD	XMIT.BUFFER+2
012104	177601	.WORD	-177
012106	000000	.WORD	0
012110	000000	.WORD	0
012112	100000	.WORD	-100000
012114	100000	.WORD	-100000
012116	005000'	.WORD	XMIT.BUFFER+400
012120	177777	.WORD	-1
012122	000000	.WORD	0
012124	000000	.WORD	0
012126	100000	.WORD	-100000
012130	040000	.WORD	40000
012132	000260'	.WORD	XMIT.D.LIST+60
012134	177777	.WORD	-1
012136	000000	.WORD	0
012140	000000	.WORD	0
012142	100000	.WORD	-100000
012144	120000	.WORD	-60000
012146	005002'	.WORD	XMIT.BUFFER+402
012150	177701	.WORD	-77
012152	000000	.WORD	0
012154	000000	.WORD	0
012156	100000	.WORD	-100000
012160	020000	.WORD	20000
012162		.BLKB	4
012166			
012166	100000	.WORD	-100000
012170	100000	.WORD	-100000
012172	000400'	.WORD	RCV.BUFFER
012174	177777	.WORD	-1
012176	000000	.WORD	0
012200	000000	.WORD	0
012202	100000	.WORD	-100000
012204	100000	.WORD	-100000
012206	000402'	.WORD	RCV.BUFFER+2
012210	177702	.WORD	-76
012212	000000	.WORD	0
012214	000000	.WORD	0
012216	100000	.WORD	-100000
012220	100000	.WORD	-100000
012222	000576'	.WORD	RCV.BUFFER+176
012224	177777	.WORD	-1
012226	000000	.WORD	0
012230	000000	.WORD	0
012232	100000	.WORD	-100000
012234	100000	.WORD	-100000
012236	000600'	.WORD	RCV.BUFFER+200
012240	177776	.WORD	-2
012242	000000	.WORD	0
012244	000000	.WORD	0
012246	100000	.WORD	-100000
012250	100000	.WORD	-100000
012252	000604'	.WORD	RCV.BUFFER+204

RD13::

ZQNA1
V01.0CZQNAO DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00.51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0058
Page 58
(24)

012254	177704	.WORD	-74
012256	000000	.WORD	0
012260	000000	.WORD	0
012262	100000	.WORD	-100000
012264	100000	.WORD	-100000
012266	000774	.WORD	RCV.BUFFER+374
012270	177776	.WORD	-2
012272	000000	.WORD	0
012274	000000	.WORD	0
012276	100000	.WORD	-100000
012300	140000	.WORD	-40000
012302	000124	.WORD	RCV.D.LIST+124
012304	177777	.WORD	-1
012306	000000	.WORD	0
012310	000000	.WORD	0
012312	100000	.WORD	-100000
012314	100000	.WORD	-100000
012316	001000	.WORD	RCV.BUFFER+400
012320	177775	.WORD	-3
012322	000000	.WORD	0
012324	000000	.WORD	0
012326	100000	.WORD	-100000
012330	100000	.WORD	-100000
012332	001006	.WORD	RCV.BUFFER+406
012334	177704	.WORD	-74
012336	000000	.WORD	0
012340	000000	.WORD	0
012342	100000	.WORD	-100000
012344	100000	.WORD	-100000
012346	001176	.WORD	RCV.BUFFER+576
012350	177777	.WORD	-1
012352	000000	.WORD	0
012354	000000	.WORD	0
012356	100000	.WORD	-100000
012360	020000	.WORD	20000
012362		.BLKB	4
012366		HWP.TABLE::	
		.BLKW	1
012370		SWP.TABLE::	
		.BLKW	1
012372		REG.ADR::	
		.BLKW	1
012374		IOP.DATA::	
		.BLKW	1
012376		GET.ADR::	
		.BLKW	1
012400		XBUF.LENGTH::	
		.BLKW	1
012402		RBUF.LENGTH::	
		.BLKW	1
012404		INTERRUPT.FLG::	
		.BLKW	1
012406		DEQNA.NO::	

ZQNA1
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
PROTECTION TABLE5-Jul-1984 14:03:26
5-Jul-1984 14:00:51VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2SEQ 0059
Page 59
(24)

012410		COUNTER::	.BLKW	1
012412		UP.COUNTER::	.BLKW	1
012414		DOWN.COUNTER::	.BLKW	1
012416		CHECKSUM::	.BLKW	1
012420		BUF.LENGTH::	.BLKW	1
012422		CSR.WORD::	.BLKW	1
012424	000000	XC.FLAG::	.WORD	0
012426	000000	ERR.NUMBER::	.WORD	0
012430	000000	ERR.FLAG::	.WORD	0
012432	000000	ERR.COUNT::	.WORD	0
012434		TMP.IOP.ADR::	.BLKW	1
012436		TMP.REG.DATA::	.BLKW	1
012440		TEMP1::	.BLKW	1
012442		TEMP2::	.BLKW	1
012444		TEMP3::	.BLKW	1
012446		TEMP4::	.BLKW	1
012450		TEMP5::	.BLKW	1
012452		TEMP6::	.BLKW	1
012454		TEMP7::	.BLKW	1
012456		TEMP8::	.BLKW	1
012460		TEMP9::	.BLKW	1
012462		P1::	.BLKW	1
012464		P2::	.BLKW	1
012466		P3::	.BLKW	1
012470		P4::	.BLKW	1
012472		P5::	.BLKW	1
012474		TBYTE1::	.BLKB	1
012475		TBYTE2::	.BLKB	1
012476		TBYTE3::	.BLKB	1
012477		TBYTE4::	.BLKB	1
012500		TADR1::	.BLKW	1
012502		TADR2::	.BLKW	1

```

.GLOBL L$SOFT, T$PTHV, L$RPT, L$INIT
.GLOBL L$CLEAN, L$LAST, L$HARD, L$DVTYP
.GLOBL L$DESC, L$DU, L$AU, L$AUTO, T1
.GLOBL T2, T3, T4, T5, T6, T7, T8, T9
.GLOBL T10, T11, T12, T13, T14, T15, T16
.GLOBL T17, T18, T19, T20, T21

```

100000	BIT15**	-100000
040000	BIT14**	40000
020000	BIT13**	20000
010000	BIT12**	10000
004000	BIT11**	4000
002000	BIT10**	2000
001000	BIT09**	1000
000400	BIT08**	400
000200	BIT07**	200
000100	BIT06**	100
000040	BIT05**	40
000020	BIT04**	20
000010	BIT03**	10
000004	BIT02**	4
000002	BIT01**	2
000001	BIT00**	1
001000	BIT9**	.000
000400	BIT8**	400
000200	BIT7**	200
000100	BIT6**	100
000040	BIT5**	40
000020	BIT4**	20
000010	BIT3**	10
000004	BIT2**	4
000002	BIT1**	2
000001	BIT0**	1
000040	EF.START**	40
000037	EF.RESTART**	37
000036	EF.CONTINUE**	36
000035	EF.NEW**	35
000034	EF.PWR**	34
000340	PRI07**	340
000300	PRI06**	300
000240	PRI05**	240
000200	PRI04**	200
000140	PRI03**	140
000100	PRI02**	100
000040	PRI01**	40
000000	PRI00**	0
000004	EVL**	4
000010	LOT**	10
000020	ADR**	20
000040	IDU**	40
000100	ISR**	100
000200	UAM**	200
000400	BOE**	400
001000	PNT**	1000
002000	PRI**	2000
004000	IXE**	4000
010000	IBE**	10000
020000	IER**	20000

040000	LOE==	40000
100000	MOE==	-100000
000176'	L\$ERRTBL==	ERRTYP
000220'	L\$SW==	L\$SWLEN+2
000210'	L\$HW==	L\$HWLEN+2
000011'	L\$DEPO==	L\$REV+1
000000'	DESCR.LIST==	RCV.D.LIST
000400'	DATA.BUFFER==	RCV.BUFFER
000000'	QST01==	P.AAA
000030'	QST02==	P.AAB
000060'	QST03==	P.AAC
000122'	QST04==	P.AAD
000164'	QST05==	P.AAE
000226'	QST06==	P.AAF
000270'	QST07==	P.AAG
000332'	MSG00==	P.AAH
000370'	MSG01==	P.AAI
000452'	MSG02==	P.AAJ
000540'	MSG03==	P.AAK
000644'	MSG04==	P.AAL
000736'	MSG05==	P.AAM
001030'	MSG06==	P.AAN
001122'	MSG07==	P.AAO
001214'	MSG08==	P.AAP
001306'	MSG09==	P.AAQ
001400'	MSG10==	P.AAR
001462'	MSG11==	P.AAS
001546'	MSG12==	P.AAT
001612'	MSG13==	P.AAU
001676'	MSG14==	P.AAV
001766'	MSG15==	P.AAW
002050'	MSG16==	P.AAX
002136'	MSG17==	P.AAY
002224'	MSG18==	P.AAZ
002250'	MSG19==	P.ABA
002336'	MSG20==	P.ABB
002426'	MSG21==	P.ABC
002506'	MSG22==	P.ABD
002572'	MSG23==	P.ABE
002650'	MSG24==	P.ABF
002724'	MSG25==	P.ABG
002766'	MSG26==	P.ABH
003030'	MSG27==	P.ABI
003072'	MSG28==	P.ABJ
003136'	MSG29==	P.ABK
003164'	MSG30==	P.ABL
003252'	MSG31==	P.ABM
003336'	MSG32==	P.ABN
003400'	MSG33==	P.ABO
003454'	MSG34==	P.ABP
003530'	MSG35==	P.ABQ
003626'	MSG36==	P.ABR
003732'	MSG37==	P.ABS

004024'	MSG38==	P.ABT
004104'	MSG39==	P.ABU
004170'	MSG40==	P.ABV
004260'	MSG41==	P.ABW
004322'	MSG42==	P.ABX
004402'	MSG43==	P.ABY
004466'	MSG44==	P.ABZ
004570'	MSG45==	P.ACA
004646'	MSG46==	P.ACB
004716'	MSG47==	P.ACC
004772'	MSG48==	P.ACD
005030'	MSG49==	P.ACE
005066'	MSG50==	P.ACF
005150'	MSG51==	P.ACG
005202'	MSG52==	P.ACH
005246'	MSG53==	P.ACI
005276'	MSG54==	P.ACJ
005346'	MSG55==	P.ACK
005410'	MSG56==	P.ACL
005446'	MSG57==	P.ACM
005536'	MSG58==	P.ACN
005602'	MSG59==	P.ACO
005714'	MSG60==	P.ACP
005756'	MSG61==	P.ACQ
006020'	MSG62==	P.ACR
006110'	MSG63==	P.ACS
006204'	MSG64==	P.ACT
006240'	MSG65==	P.ACU
006304'	MSG66==	P.ACV
006372'	MSG67==	P.ACW
006474'	MSG68==	P.ACX
006572'	MSG69==	P.ACY
006672'	MSG70==	P.ACZ
006756'	MSG71==	P.ADA
000210'	HP.TABLE==	L\$HWLEN+2
000220'	SP.TABLE==	L\$SWLEN+2

PSECT SUMMARY

:	Psect Name	Words	Attributes			
:	\$CODE\$	81	RO , I ,	LCL ,	REL ,	CON
:	\$GLOB\$	2722	RW , D ,	LCL ,	REL ,	CON
:	\$PLIT\$	1807	RO , D ,	LCL ,	REL ,	CON

Library Statistics

:	File	-----	-- Symbols	-----	Pages	Processing
:		Total	Loaded	Percent	Mapped	Time

L5

ZQNA1
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
PROTECTION TABLE

5-Jul-1984 14:03:26
5-Jul-1984 14:00:51

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA1.BLI;2

SEQ 0063
Page 63
(24)

:
: DISK\$USER2:[MAZURCZYK.DEQNA]QNALIB.LIF;2
: 223 88 39 14 00:00.1
:

:
: COMMAND QUALIFIERS

: BLISS/PDP1: ZQNA1.BLI/LIST=ZQNA1.LIS/OBJECT=ZQNA1.OBJ/SOURCE=PAGE:53

: Size: 0 code + 4610 data words
: Run Time: 00:24.1
: Elapsed Time: 01:02.2
: Lines/CPL Min: 6042
: Lexemes/CPU-Min: 38443
: Memory Used: 236 pages
: Compilation Complete

ZQNA2

CZQNA2 DEQNA FUNCTIONAL TEST

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```
: 0001 0  MODULE ZQNA2 (*TITLE 'CZQNA2 DEQNA FUNCTIONAL TEST'  
: 0002 0          IDENT = 'V01.0',  
: 0003 0          ADDRESSING_MODE(Absolute)  
: 0004 0          ) =  
: 0005 0  *SBTTL 'PROGRAM INIT MODULE'  
: 0006 0  
: 0007 1  BEGIN  
: 0008 1  
: 0009 1  LIBRARY 'QNALIB';          ! QNALIB LIBRARY  
: 0010 1  REQUIRE 'BLSMAC.REQ';    ! DIAGNOSTIC SUPERVISOR LIBRARY  
: 1500 1
```

ZQNA2
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
EXTERNAL DECLARATIONS

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```
: 1501 1  *SBTTL 'EXTERNAL DECLARATIONS'  
: 1502 1  !<BLF/FORMAT>  
: 1503 1  
: 1504 1  PSECT  
: 1505 1      CODE = AA$CODE$;  
: 1506 1  
: 1507 1  
: 1508 1  FORWARD ROUTINE  
: 1509 1      NXM_INT           : L$ISR NOVALUE;  
: 1510 1  
: 1511 1  EXTERNAL ROUTINE  
: 1512 1      RESET_DEQNA       : NOVALUE;  
: 1513 1
```

ZQNA2
V01.0CZQNA20 DEQNA FUNCTIONAL TEST
EXTERNAL DECLARATIONS5-Jul-1984 14:04:31
5-Jul-1984 14:01:26VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2SEQ 0066
Page 3
(3)

```

: 1514 1  EXTERNAL
: 1515 1
: 1516 1  !..
: 1517 1  !: COMMUNICATION AREA DECLARATIONS
: 1518 1  !:--
: 1519 1
: 1520 1  IOP_TABLE      : VECTOR [ 8, WORD ],
: 1521 1
: 1522 1
: 1523 1  !..
: 1524 1  !: HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS
: 1525 1  !:--
: 1526 1
: 1527 1  HWP_TABLE      : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
: 1528 1  SWP_TABLE      : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),
: 1529 1
: 1530 1  INTERRUPT_FLG   : WORD,                ! 1 = INTERRUPT OCCURED
: 1531 1
: 1532 1  REG_ADR        : REF REG_STR FIELD ( IOP_FIELDS ),
: 1533 1  IOP_DATA       : REF REG_STR FIELD ( IOP_FIELDS ),
: 1534 1  GET_ADR        : REF ADR_STR FIELD ( IOP_FIELDS ),
: 1535 1
: 1536 1  !..
: 1537 1  !: TEMPORARY STORAGE DATA DECLARATIONS
: 1538 1  !:--
: 1539 1
: 1540 1  TMP_IOP_ADR     : WORD,                ! I/O PAGE REGISTER ADDRESS
: 1541 1  TMP_REG_DATA    : WORD,                ! I/O PAGE REG CONTENTS
: 1542 1  TEMP1           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1543 1  TEMP2           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1544 1  TEMP3           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1545 1  TEMP4           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1546 1  TEMP5           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1547 1  TEMP6           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1548 1  TEMP7           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1549 1  TEMP8           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1550 1  TEMP9           : WORD,                ! TEMPORARY STORAGE LOCATION
: 1551 1
: 1552 1
: 1553 1  !..
: 1554 1  !: QUESTIONS AND ERROR MESSAGEES DECLARED EXTERNALLY
: 1555 1  !:--
: 1556 1
: 1557 1  QST01, QST02, QST03, QST04, QST05, QST06, QST07, MSG54;
: 1558 1

```

ZQNA2
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
TYPE AND DESCRIPTION

5-Jul-1984 14:04:31
5-Jul 1984 14:01:26

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```

: 1559 1 #SBTTL 'TYPE AND DESCRIPTION'
: 1560 1
: 1561 1 !..
: 1562 1 !   NAMES OF DEVICES SUPPORTED BY PROGRAM
: 1563 1 !..
: 1564 1
: 1565 1 EQUALS;
: 1566 1 DEVTYP (#ASCIZ'DEQNA/M7504');
: 1567 1
: 1568 1 !..
: 1569 1 !   TEST DESCRIPTION
: 1570 1 !..
: 1571 1
: 1572 1 DESCRIPT (#ASCIZ'DEQNA FUNCTIONAL TEST');
: 1573 1

```

ZQNA2
V01.0CZQNAO DEQNA FUNCTIONAL TEST
HARDWARE PARAMETER CODING SECTION5-Jul-1984 14:04:31
5-Jul-1984 14:01:26VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```

: 1574 1 #SBTTL 'HARDWARE PARAMETER CODING SECTION'
: 1575 1
: 1576 1 !..
: 1577 1 !
: 1578 1 ! THE HARDWARE PARAMETER CODING SECTION CONTAINS MACROS
: 1579 1 ! THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES. THE
: 1580 1 ! MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
: 1581 1 ! INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES. THE
: 1582 1 ! MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
: 1583 1 ! WITH THE OPERATOR.
: 1584 1 !
: 1585 1 ! THIS CODE IS USED BY THE SUPERVISOR TO INTERROGATE THE OPERATOR
: 1586 1 ! FOR DEVICE INFORMATION TO PUT IN THE P-TABLE. THIS CODE IS USED
: 1587 1 ! IN CONJUNCTION WITH THE DEFAULT P-TABLE TEMPLATE. THE MACROS
: 1588 1 ! USED IN THIS SECTION ARE "GPRMD", "GPRMA".
: 1589 1 !..
: 1590 1 BGNHRD;
: 1591 1 GPRMA (QST01, #0'0', 0, #0'174440', #0'174460', YES, 1); ! I/O PAGE ADDRESS ?
: 1592 1 GPRMA (QST02, #0'2', 0, #0'700', #0'704', YES, 1); ! INTERRUPT VECTOR ADDR ?
: 1593 1 ENDHRD;
: 1594 1
: 1595 1

```

ZQNA2
V01.0CZQNA20 DEQNA FUNCTIONAL TEST
SOFTWARE PARAMETER CODING SECTION5-Jul-1984 14:04:31
5-Jul-1984 14:01:26VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2SEQ 0069
Page 6
(6)

```

: 1596 1  *SBTTL 'SOFTWARE PARAMETER CODING SECTION'
: 1597 1
: 1598 1  !..
: 1599 1  !
: 1600 1  !   THE SOFTWARE PARAMETER CODING SECTION CONTAINS MACROS
: 1601 1  !   THAT ARE USED BY THE SUPERVISOR TO BUILD P-TABLES.  THE
: 1602 1  !   MACROS ARE NOT EXECUTED AS MACHINE INSTRUCTIONS BUT ARE
: 1603 1  !   INTERPRETED BY THE SUPERVISOR AS DATA STRUCTURES.  THE
: 1604 1  !   MACROS ALLOW THE SUPERVISOR TO ESTABLISH COMMUNICATIONS
: 1605 1  !   WITH THE OPERATOR.
: 1606 1  !..
: 1607 1  BGNSFT;
: 1608 1
: 1609 1  GPRML ( QST03, #0'0', -1, YES, 1);      ! DO YOU WANT TO TEST SANITY TIMER ?
: 1610 1  XFERF(NOTIMER);
: 1611 1  GPRMD ( QST05, #0'4', D, -1, 0, 7, YES, 1);
: 1612 1  ! SANITY TIMER TIME-OUT VALUE ?
: 1613 1  $L(NOTIMER);
: 1614 1
: 1615 1  GPRML ( QST06, #0'6', -1, YES, 1);      ! EXTERNAL LOOPBACK MODE ?
: 1616 1  GPRML ( QST07, #0'10', -1, YES, 1);      ! SYSTEM HAS BLOCK-MODE MEMORY ?
: 1617 1  GPRML ( QST04, #0'2', -1, YES, 1);      ! LOOPBACK CONNECTOR IN DEQNA ?
: 1618 1
: 1619 1  ENDSFT;
: 1620 1
: 1621 1

```

ZQNA2
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```

: 1622 1 #SBTTL 'REPORT CODING SECTION'
: 1623 1
: 1624 1 !..
: 1625 1 !
: 1626 1 ! THE REPORT CODING SECTION CONTAINS THE
: 1627 1 ! "PRINTS" CALLS THAT GENERATE STATISTICAL REPORTS.
: 1628 1 !
: 1629 1 ! THIS SECTION CONTAINS THE CODE FOR PRINTING
: 1630 1 ! STATISTICAL INFORMATION GATHERED BY THE DIAGNOSTIC. IT IS
: 1631 1 ! EXECUTED BY THE OPERATOR COMMAND "PRINT" OR BY THE MACRO CALL
: 1632 1 ! "DORPT". USE THE PRINTS MACRO TO PRINT THE INFORMATION.
: 1633 1 ! USE FORMAT STATEMENTS AS IN THE PRINTB/PRINTX MACROS. IT IS
: 1634 1 ! THE PROGRAMMER'S RESPONSIBILITY TO DEVISE AND IMPLEMENT THE
: 1635 1 ! FORM AND CONTENT OF THE STATISTICS.
: 1636 1 !..
: 1637 1
: 1638 1
: 1639 2 BGNRPT;
: 1640 2
: 1641 2 TEMP1 = 1;
: 1642 2
: 1643 1 ENDRPT;

```

```

.TITLE CZQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

```

```

000000 .PSECT $CODE$, RO
000000 104 105 121 L$DVTYP::
000003 116 101 057 .ASCII /DEQ/
000006 115 067 065 .ASCII /NA/<57>
000011 060 064 000 .ASCII /M75/
000014 .BLKB 2
000016 104 105 121 L$DESC::
000021 116 101 040 .ASCII /DEQ/
000024 106 125 116 .ASCII /NA /
000027 103 124 111 .ASCII /FUN/
000032 117 116 101 .ASCII /CTI/
000035 114 040 124 .ASCII /ONA/
000040 05 123 124 .ASCII /L T/
000043 000 .ASCII /EST/
000044 .BLKB 2
000046 000000 L$HRDLN::
000050 00003i GP$1:: .WORD <<<L$NDHRD-L$HRDLN>/2>-1>
000052 000000G .WORD 31
000054 17444C .WORD QST01
000056 174460 .WORD -3340
000060 001031 GP$2:: .WORD -3320
000062 000000G .WORD 1031
. WORD QST02

```


ZQNA2
V01.0

CZQNA20 DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI:2

```

000064 000700          .WORD 700
000066 000704          .WORD 704
000070          L$NDHRD: .BLKW 1
000072 000000C        L$SFTLN: .WORD <<<L$NDSFT-L$SFTLN>/2>-1>
000074 000130          GP$3: .WORD 130
000076 000000G        .WORD QST03
000100 177777          .WORD -1
000102 000000C        $NOTIMER: .WORD <<<<$LNOTIMER-$NOTIMER>*400>*4>*40>
000104 002052          GP$4: .WORD 2052
000106 000000G        .WORD QST05
000110 177777          .WORD -1
000112 000000        .WORD 0
000114 000007          .WORD 7
000116 001004          $LNOTIMER: .WORD 1004
000120 003130          GP$5: .WORD 3130
000122 000000G        .WORD QST06
000124 177777          .WORD -1
000126 004130          GP$6: .WORD 4130
000130 000000G        .WORD QST07
000132 177777          .WORD -1
000134 001130          GP$7: .WORD 1130
000136 000000G        .WORD QST04
000140 177777          .WORD -1
000142          L$NDSFT: .BLKW 1

```

```

.GLOBL RESET.DEQNA, IOP.TABLE, HWP.TABLE
.GLOBL SWP.TABLE, INTERRUPT.FLG, REG.ADR
.GLOBL IOP.DATA, GET.ADR, TMP.IOP.ADR
.GLOBL TMP.REG.DATA, TEMP1, TEMP2, TEMP3
.GLOBL TEMP4, TEMP5, TEMP6, TEMP7, TEMP8
.GLOBL TEMP9, QST01, QST02, QST03, QST04
.GLOBL QST05, QST06, QST07, MSG54

```

```

100000          BIT15== -100000
040000          BIT14== 40000
020000          BIT13 = 20000
010000          BIT12== 10000
004000          BIT11== 4000
002000          BIT10== 2000
001000          BIT09== 1000
000400          BIT08== 400
000200          BIT07== 200
000100          BIT06== 100
000040          BIT05== 40
000020          BIT04== 20
000010          BIT03== 10

```

000004	BIT02==	4
000002	BIT01==	2
000001	BIT00==	1
001000	BIT9==	1000
000400	BIT8==	400
000200	BIT7==	200
000100	BIT6==	100
000040	BIT5==	40
000020	BIT4==	20
000010	BIT3==	10
000004	BIT2==	4
000002	BIT1==	2
000001	BIT0==	1
000040	EF.START==	40
000037	EF.RESTART==	37
000036	EF.CONTINUE==	36
000035	EF.NEW==	35
000034	EF.PWR==	34
000340	PRI07==	340
000300	PRI06==	300
000240	PRI05==	240
000200	PRI04==	200
000140	PRI03==	140
000100	PRI02==	100
000040	PRI01==	40
000000	PRI00==	0
000004	EVL==	4
000010	LOT==	10
000020	ADR==	20
000040	IDU==	40
000100	ISR==	100
000200	UAM==	200
000400	BOE==	400
001000	PNT==	1000
002000	PRI==	2000
004000	IXE==	4000
010000	IBE==	10000
020000	IER==	20000
040000	LOE==	40000
100000	HOE==	-100000
000050	L\$HARD==	L\$HRDLN*2
000074	L\$SOFT==	L\$SFTLN*2

000000 .SBTTL LRPT REPORT CODING SECTION
.PSECT AA\$CODE\$, RO

000000 012737 000001 000000G LRPT: MOV #1,TEMP1 ; 1641
000006 000207 RTS PC ; 1619

; Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0000
; Maximum stack depth per invocation: 0 words

ZQNA2
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
REPORT CODING SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

000000	004737	000000'	L\$RPT::	.SBTTL	L\$RPT REPORT CODING SECTION		
000004	104425			JSR	PC,LRPT	:	1641
000006	000207			TRAP	25		
				RTS	PC		

; Routine Size: 4 words, Routine Base: AA\$CODE\$ + 0010
; Maximum stack depth per invocation: 2 words

: 1644 1
: 1645 1
: 1646 1
: 1647 1

```

: 1648 1 *SBTTL 'INITIALIZE SECTION'
: 1649 1
: 1650 1 !..
: 1651 1 ! THE INITIALIZE SECTION CONTAINS THE CODING THAT IS PERFORMED
: 1652 1 ! AT THE BEGINNING OF EACH PASS.
: 1653 1 !
: 1654 1 ! THE INITIALIZE CODE IS EXECUTED UNDER FIVE CONDITIONS. THERE
: 1655 1 ! ARE SUPERVISOR EVENT FLAGS THAT ARE USED TO LET THE
: 1656 1 ! DIAGNOSTIC KNOW UNDER WHICH CONDITION THE EXECUTION IS TAKING
: 1657 1 ! PLACE. THE EVENT FLAGS ARE READ USING THE "READEF" MACRO.
: 1658 1 ! THE CONDITIONS UNDER WHICH THE INIT CODE IS EXECUTED AND THE
: 1659 1 ! CORRESPONDING EVENT FLAGS ARE:
: 1660 1 ! START COMMAND EF.START
: 1661 1 ! RESTART COMMAND EF.RESTART
: 1662 1 ! CONTINUE COMMAND EF.CONTINUE
: 1663 1 ! POWERDOWN/POWERUP EF.PWR
: 1664 1 ! NEW PASS EF.NEW
: 1665 1 ! EXAMPLE OF EVENT FLAG USE:
: 1666 1 ! IF READEF(EF.START) THEN
: 1667 1 ! START_FLAG = 1;
: 1668 1 ! DURING THE INIT CODE, USE THE "GPHARD" MACRO TO OBTAIN P-TABLE
: 1669 1 ! INFORMATION FOR DEVICE TESTING. GET ONE UNIT'S INFORMATION IF
: 1670 1 ! THIS IS A SEQUENTIAL DIAGNOSTIC. NUMBER OF UNITS AVAILABLE IS IN
: 1671 1 ! A HEADER LOCATION: "L$UNIT".
: 1672 1 !..
: 1673 1
: 1674 2 BGNINIT;
: 1675 2
: 1676 2 LOCAL
: 1677 2 START_FLAG, ! SET IF THIS PASS IS A START
: 1678 2 DELAY_MULT; ! CONTAINS DELAY FACTOR
: 1679 2
: 1680 2 SETPRI (PRI07); ! PRIORITY 7 - NO INTERRUPTS ALLOWED
: 1681 2 START_FLAG = CLEAR_FLG; ! CLEAR FLAG BEFORE TESTING IT
: 1682 2
: 1683 2 IF READEF (EF_PWR) ! ARE WE HERE BECAUSE OF POWER FAIL?
: 1684 2 THEN
: 1685 3 BEGIN
: 1686 3 PRINTF ( MSG54 ); ! "THERE WAS POWER FAILURE - WAITING"
: 1687 3
: 1688 3 INCR COUNT FROM 0 TO 60 DO ! WAIT APPROX. 60 SECONDS
: 1689 4 BEGIN
: 1690 4 DELAY_MULT = 10000;
: 1691 4 DELAY (.DELAY_MULT);
: 1692 4 BREAK; ! BREAK FOR APT
: 1693 3 END;
: 1694 2 END;
: 1695 2
: 1696 2 IF READEF (EF_START) ! IS THIS A START ?
: 1697 2 THEN
: 1698 3 BEGIN
: 1699 3 START_FLAG = TRUE;
: 1700 2 END;

```

```

: 1701 2
: 1702 2      !**
: 1703 2      !-
: 1704 2      !-
: 1705 2
: 1706 2      IF .START_FLAG OR READEI (EF_NEW) OR READEI (EF_CONTINUE)
: 1707 2      THEN                                     ! IF THIS IS A START
: 1708 3      BEGIN
: 1709 3          LOCAL TABLE_POINTER;
: 1710 3
: 1711 3          INCR INDEX FROM 0 TO HWP_SIZE BY 2 DO      ! ZERO OUT THE TABLES
: 1712 3              (HWP_TABLE + .INDEX) = 0;
: 1713 3
: 1714 3      !**
: 1715 3      !- GET BASE ADDRESS OF HARDWARE P TABLE AND DEQNA I/O PAGE
: 1716 3      !-
: 1717 3
: 1718 3      IF GPWARD ( 0, TABLE_POINTER ) NEQU 0      ! GET P-TABLE ADDRESS
: 1719 3      THEN
: 1720 4          BEGIN
: 1721 4              IOP_DATA = .HWP_TABLE [ ADDR ];
: 1722 4              HWP_TABLE = .TABLE_POINTER;           ! SAVE HW P-TABLE ADDRESS
: 1723 4              REG_ADR  = .HWP_TABLE [ ADDR ];       ! SAVE I/O PAGE BASE ADDRESS
: 1724 4              GET_ADR  = .HWP_TABLE [ ADDR ];       ! SAVE I/O PAGE BASE ADDRESS
: 1725 4              TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1726 4              INCR INDEX FROM 0 TO 7 DO
: 1727 5                  BEGIN
: 1728 5                      IOP_TABLE [ .INDEX ] = .TMP_IOP_ADR;
: 1729 5                      TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1730 4                  END;
: 1731 3          END;
: 1732 2      END;
: 1733 2      RETURN;
: 1734 1      ENDINIT;

```

.GLOBL L\$DLY

000000	004137	000000G	LINIT:	.SBTTL	LINIT INITIALIZE SECTION		
000004	005746			JSR	R1,\$SAVE4	:	1643
000006	012700	000340		TST	-(SP)	:	
000012	104441			MOV	#340,R0	:	1680
000014	005004			TRAP	41	:	
000016	012700	000034		CLR	R4	:	1681
000022	104447			MOV	#34,R0	:	1683
000024	103027			TRAP	47	:	
000026	012746	000000G		BHIS	6\$:	
000032	012746	000001		MOV	#MSG54,-(SP)	:	1686
000036	010600			MOV	#1,-(SP)	:	
000040	104417			MOV	SP,R0	:	SP,*
000042	012702	000075		TRAP	17	:	
				MOV	#75,R2	:	*,COUNT
							1688

ZQNA2
V01.0

CZQNA20 DEQNA FUNCTIONAL TEST
INITIALIZE SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

000046	012703	023420	1\$:	MOV	#23420,R3	:	*,DELAY.MULT	1690
000052	010301			MOV	R3,R1	:	DELAY.MULT,\$\$TMP2	1691
000054	001410		2\$:	BEQ	5\$			
000056	013700	000000G		MOV	L\$DLY,R0	:	*,\$\$TMP1	
000062	001403			BEQ	4\$			
000064	005066	000004	3\$:	CLR	4(SP)	:	\$\$TMP	
000070	077003			SOB	R0,3\$:	\$\$TMP1,*	
000072	005301		4\$:	DEC	R1	:	\$\$TMP2	
000074	000767			BR	2\$			
000076	104422		5\$:	TRAP	22			
000100	077216			SOB	R2,1\$:	COUNT,*	1688
000102	022626			CMP	(SP),.(SP)+	:		1685
000104	012700	000040	6\$:	MOV	#40,R0	:		1696
000110	104447			TRAP	47			
000112	103002			BHIS	7\$			
000114	012704	000001		MOV	#1,R4	:	*,START.FLAG	1699
000120	006004		7\$:	ROR	R4	:	START.FLAG	1706
000122	103410			BLO	8\$			
000124	012700	000035		MOV	#35,R0			
000130	104447			TRAP	47			
000132	103404			BCS	8\$			
000134	012700	000036		MOV	#36,R0			
000140	104447			TRAP	47			
000142	103044			BHIS	11\$			
000144	005000		8\$:	CLR	R0	:	INDEX	1711
000146	005060	000000G	9\$:	CLR	HWP.TABLE(R0)	:	*(INDEX)	1712
000152	062700	000002		ADD	#2,R0	:	*,INDEX	1711
000156	020027	000002		CMP	R0,#2	:	INDEX,*	
000162	003771			BLE	9\$			
000164	005000			CLR	R0	:		1718
000166	104442			TRAP	42			
000170	005700			TST	R0	:	TABLE.POINTER	
000172	001430			BEQ	11\$			
000174	017737	000000G 000000G		MOV	#HWP.TABLE,IOP.DATA	:		1721
000202	010037	000000G		MOV	R0,HWP.TABLE	:	TABLE.POINTER,*	1722
000206	011000			MOV	(R0),R0	:	HWP.TABLE,*	1723
000210	010037	000000G		MOV	R0,REG.ADR			
000214	010037	000000G		MOV	R0,GET.ADR			1724
000220	010037	000000G		MOV	R0,TMP.IOP.ADR			1725
000224	005000			CLR	R0	:	INDEX	1726
000226	013760	000000G 000000G	10\$:	MOV	TMP.IOP.ADR,IOP.TABLE(R0)	:	*,*(INDEX)	1728
000234	062737	000002 000000G		ADD	#2,TMP.IOP.ADR	:		1729
000242	062700	000002		ADD	#2,R0	:	*,INDEX	1726
000246	020027	000016		CMP	R0,#16	:	INDEX,*	
000252	003765			BLE	10\$			
000254	005726		11\$:	TST	(SP)+	:		1643
000256	000207			RTS	PC			

; Routine Size: 88 words, Routine Base: AA\$CODE\$ + 0020
; Maximum stack depth per invocation: 10 words

ZQNA2
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
INITIALIZE SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

000000	004737	000020'	.SBTTL	L\$INIT INITIALIZE SECTION		
000004	104411		L\$INIT::JSR	PC,LINIT	:	1733
000006	000207		TRAP	11		
			RTS	PC		

: Routine Size: 4 words. Routine Base: AA\$CODE\$ + 0300
 : Maximum stack depth per invocation: 2 words

: 1735 1
 : 1736 1
 : 1737 1

ZQNA2
V01.0

CZQNA20 DEGNA FUNCTIONAL TEST
AUTODROP SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEGNA]ZQNA2.BLI;2

```

; 1738 1 #SBTTL 'AUTODROP SECTION'
; 1739 1
; 1740 1 !**
; 1741 1 !
; 1742 1 ! THIS CODE IS EXECUTED IMMEDIATELY AFTER THE INITIALIZE CODE IF
; 1743 1 ! THE "ADR" FLAG WAS SET. THE UNIT UNDER TEST IS CHECKED TO
; 1744 1 ! SEE IF IT WILL RESPOND. IF IT DOESN'T IT IS IMMEDIATELY
; 1745 1 ! DROPPED FROM TESTING.
; 1746 1 !
; 1747 1 !--
; 1748 1
; 1749 2 BGNAUTO;
; 1750 2
; 1751 2 RETURN;
; 1752 2
; 1753 1 ENDAUTO;
    
```

```

000000 000207          .SBTTL LAUTO AUTODROP SECTION          ;          1734
                      LAUTO: RTS PC
    
```

```

; Routine Size: 1 word,      Routine Base: AA$CODE$ + 0310
; Maximum stack depth per invocation: 0 words
    
```

```

000000 004737 000310'  .SBTTL L$AUTO AUTODROP SECTION          ;          1751
000004 104461          L$AUTO::JSR PC,LAUTO
000006 000207          TRAP 61
                      RTS PC
    
```

```

; Routine Size: 4 words,      Routine Base: AA$CODE$ + 0312
; Maximum stack depth per invocation: 2 words
    
```

```

; 1754 1
; 1755 1
    
```


ZQNA2
V01.0

CZQNA2 DEQNA FUNCTIONAL TEST
CLEANUP CODING SECTION

5-Jul 1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

SEQ 0079
Page 16
(10)

```

: 1756 1 #SBTTL 'CLEANUP CODING SECTION'
: 1757 1
: 1758 1 :..
: 1759 1 :
: 1760 1 : THE CLEANUP CODING SECTION CONTAINS THE CODING THAT IS PERFORMED
: 1761 1 : AFTER THE HARDWARE TESTS HAVE BEEN PERFORMED.
: 1762 1 :
: 1763 1 : INSERT YOUR CLEANUP CODING. THIS CODING SHOULD
: 1764 1 : RESTORE YOUR TEST-DEVICE TO A NEUTRAL STATE.
: 1765 1 : THIS CODE WILL BE EXECUTED AFTER EACH PASS AND AFTER THE
: 1766 1 : PROGRAM IS INTERRUPTED BY "C".
: 1767 1 :..
: 1768 1
: 1769 2 BGNCLN;
: 1770 2
: 1771 2 RETURN;
: 1772 2
: 1773 1 ENDCLN;

```

```

000000 000207 .SBTTL LCLEAN CLEANUP CODING SECTION ; 1753
LCLEAN: RTS PC

```

```

: Routine Size: 1 word, Routine Base: AA$CODE$ + 0322
: Maximum stack depth per invocation: 0 words

```

```

000000 004737 000322' .SBTTL L$CLEAN CLEANUP CODING SECTION ; 1771
L$CLEAN:: JSR PC,LCLEAN
000004 104412 TRAP 12
000006 000207 RTS PC

```

```

: Routine Size: 4 words, Routine Base: AA$CODE$ + 0324
: Maximum stack depth per invocation: 2 words

```

```

: 1774 1
: 1775 1

```

ZQNA2
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
DROP UNIT SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

SEQ 0080
Page 17
(11)

```

: 1776 1  *SBTTL 'DROP UNIT SECTION'
: 1777 1
: 1778 1  !..
: 1779 1  !
: 1780 1  !   THE DROP-UNIT SECTION CONTAINS THE CODING THAT CAUSES A DEVICE
: 1781 1  !   TO NO LONGER BE TESTED.
: 1782 1  !
: 1783 1  !   INSERT DROP CODE HERE. THIS CODE WILL BE EXECUTED AFTER
: 1784 1  !   A "DROP" COMMAND OR A "DODU" MACRO EXECUTION. THE PURPOSE
: 1785 1  !   OR THIS CODE IS TO DO ANY NECESSARY HOUSEKEEPING AFTER A
: 1786 1  !   UNIT HAS BEEN DROPPED.
: 1787 1  !
: 1788 1  !-
: 1789 1
: 1790 2  BGNDU;
: 1791 2
: 1792 2  RETURN;
: 1793 2
: 1794 1  ENDDU;

```

```

000000 000207          LDU:  .SBTTL LDU DROP UNIT SECTION          ;          1773
                        RTS      PC

```

```

; Routine Size: 1 word,      Routine Base: AA$CODE$ + 0334
; Maximum stack depth per invocation: 0 words

```

```

000000 004737 000334'  L$DU:: .SBTTL L$DU DROP UNIT SECTION          ;          1792
000004 104453          JSR      PC.LDU
000006 000207          TRAP    53
                        RTS      PC

```

```

; Routine Size: 4 words,      Routine Base: AA$CODE$ + 0336
; Maximum stack depth per invocation: 2 words

```

```

: 1795 1
: 1796 1

```

ZQNA2
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
ADD UNIT SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Blise-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```

: 1797 1  *SBTTL 'ADD UNIT SECTION'
: 1798 1
: 1799 1  !..
: 1800 1  !
: 1801 1  !   THE ADD-UNIT SECTION CONTAINS ANY CODE THE PROGRAMMER WISHES
: 1802 1  !   TO BE EXECUTED IN CONJUNCTION WITH THE ADDING OF A UNIT BACK
: 1803 1  !   TO THE TEST CYCLE.
: 1804 1  !
: 1805 1  !   INSERT ADD CODE HERE. THIS CODE WILL BE EXECUTED AFTER
: 1806 1  !   AN "ADD" COMMAND. THE PURPOSE OF THIS CODE IS TO DO ANY
: 1807 1  !   HOUSEKEEPING THAT MAY BE NECESSARY AFTER A UNIT HAS BEEN ADDED.
: 1808 1  !
: 1809 1  !--
: 1810 1
: 1811 2  BGNAU;
: 1812 2
: 1813 2  RETURN;
: 1814 2
: 1815 1  ENDAU;

```

```

000000 000207          LAU:  .SBTTL LAU ADD UNIT SECTION          ;          1794
                        RTS    PC

```

```

: Routine Size: 1 word.      Routine Base: AA$CODE$ + 0346
: Maximum stack depth per invocation: 0 words

```

```

000000 004737 000346'  L$AU:: .SBTTL L$AU ADD UNIT SECTION      ;          1813
000004 104452          JSR    PC,LAU
000006 000207          TRAP  52
                        RTS    PC

```

```

: Routine Size: 4 words.    Routine Base: AA$CODE$ + 0350
: Maximum stack depth per invocation: 2 words

```

```

: 1816 1
: 1817 1

```

ZQNA2
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
ADD UNIT SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

```

: 1818 1
: 1819 2   BGNSRV (NXM_INT);
: 1820 2
: 1821 2   !..
: 1822 2   !
: 1823 2   !   GLOBAL LOCATION "INTERRUPT_FLG" IS SET TO TRUE WHICH INDICATES
: 1824 2   !   THE INITIALIZATION SEQUENCE INTERRUPT OCCURED.
: 1825 2   !
: 1826 2   !..
: 1827 2
: 1828 2   INTERRUPT_FLG = #0'177777';
: 1829 2
: 1830 1   ENDSRV;

```

```

: .SBTTL NXM.INT ADD UNIT SECTION
0000C0 012737 177777 000000G   NXM.INT::
000006 000002                 MOV    # -1, INTERRUPT_FLG
:                               RTI
:

```

1828
1819

```

: Routine Size: 4 words,      Routine Base: AA$CODE$ + 0360
: Maximum stack depth per invocation: 0 words

```

```

: 1831 1
: 1832 1   END
: 1833 0   ELUDOM

```

```

:
:  OTS external references
:   .GLOBL $SAVE4

```

PSECT SUMMARY

Psect Name	Words	Attributes
\$CODE\$	50	RO . I . LCL. REL. CON
AA\$CODE\$	124	RO . I . LCL. REL. CON

Library Statistics

File	Symbols			Pages Mapped	Processing Time
	Total	Loaded	Percent		
DISK\$USER2:[MAZURCZYK.DEQNA]QNALIB.L16;2	223	48	21	14	00:00.1

F7

ZQNA2
V01.0

CZQNA20 DEQNA FUNCTIONAL TEST
ADD UNIT SECTION

5-Jul-1984 14:04:31
5-Jul-1984 14:01:26

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA2.BLI;2

SEQ 0083
Page 20
(13)

COMMAND QUALIFIERS

:
:
: BLISS/PDP11 ZQNA2.ELI/: IST=ZQNA2.LIS/OBJECT=ZQNA2.OBJ/SOURCE=PAGE:53
:
: Size: 124 code + 50 data words
: Run Time: 00:13.4
: Elapsed Time: 00:32.1
: Lines/CPU Min: 8225
: Lexemes/CPU-Min: 56172
: Memory Used: 175 pages
: Compilation Complete

ZQNA3

CZQNA3 DEQNA FUNCTIONAL TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 0001 0  MODULE ZQNA3 (TITLE 'CZQNA3 DEQNA FUNCTIONAL TEST'
: 0002 0          IDENT = 'V01.0',
: 0003 0          ADDRESSING_MODE(Absolute)
: 0004 0          ) =
: 0005 0  #SBTTL 'DEQNA TEST DEFINITION MODULE'
: 0006 1  BEGIN
: 0007 1  !<BLF/FORMAT>
: 0008 1
: 0009 1  LIBRARY 'QNALIB';           ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1

```

```

: 1501 1 PSECT
: 1502 1     CODE = AB$CODE$;
: 1503 1
: 1504 1     !..
: 1505 1     !..     EXTERNAL DATA USED BY THIS MODULE
: 1506 1     !..
: 1507 1
: 1508 1 EXTERNAL ROUTINE
: 1509 1
: 1510 1     CHK_CSR_STATUS      : NOVALUE.
: 1511 1     CHK_RIXI_STATUS     : NOVALUE.
: 1512 1     CHK_RCV_STATUS     : NOVALUE.
: 1513 1     CHK_XMIT_STATUS    : NOVALUE.
: 1514 1     CLR_BUFFERS       : NOVALUE.
: 1515 1     CLR_DESCR         : NOVALUE.
: 1516 1     COMPARE_PACKETS   : NOVALUE.
: 1517 1     E1$REPORT         : NOVALUE.           ! PRINT EXTENDED ERROR MESSAGE
: 1518 1     ERROR$REPORT      : NOVALUE.           ! PRINT EXTENDED ERROR MESSAGE
: 1519 1     FORM_HEX_ADR      : NOVALUE.
: 1520 1     KBD_INT           : NOVALUE.
: 1521 1     NXM_INT           : L$ISR NOVALUE.       ! NXM INTERRUPT SERVICE ROUTINE
: 1522 1     PREP_FOR_SETUP    : NOVALUE.
: 1523 1     PWR_INT           : NOVALUE.
: 1524 1     RESET_DEQNA      : NOVALUE.
: 1525 1     SEND_ELOOP_PACKET : NOVALUE.
: 1526 1     SEND_TEST_PACKET : NOVALUE.
: 1527 1     SET_XDESCR_LIST   : NOVALUE.
: 1528 1     SET_RDESCR_LIST   : NOVALUE.
: 1529 1     TURN_OFF_LED      : NOVALUE.
: 1530 1     VER_DESCR_STATUS   : NOVALUE.
: 1531 1     WAIT_FOR_TIMEOUT  : NOVALUE.
: 1532 1     WALKING_BIT       : NOVALUE.
: 1533 1     WRT_STATION_ADR    : NOVALUE.
: 1534 1     XMIT_AND_RCV_PACKET : NOVALUE.
: 1535 1     XMIT_ILOOP_PACKET : NOVALUE.
: 1536 1     XMIT_SETUP_PACKET : NOVALUE.
: 1537 1
: 1538 1

```

ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
DEQNA TEST DEFINITION MODULE5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0086
Page 3
(3)

```

: 1539 1
: 1540 1
: 1541 1
: 1542 1
: 1543 1
: 1544 1
: 1545 1
: 1546 1
: 1547 1
: 1548 1
: 1549 1
: 1550 1
: 1551 1
: 1552 1
: 1553 1
: 1554 1
: 1555 1
: 1556 1
: 1557 1
: 1558 1
: 1559 1
: 1560 1
: 1561 1
: 1562 1
: 1563 1
: 1564 1
: 1565 1
: 1566 1
: 1567 1
: 1568 1
: 1569 1
: 1570 1
: 1571 1
: 1572 1
: 1573 1

```

EXTERNAL

```

:***
: COMMUNICATION AREA DECLARATIONS
:--
RCV_D_LIST      : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
XMIT_D_LIST     : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
DESCR_LIST      : BLOCK [ DESCR_SIZE, WORD ] FIELD ( DL_FIELDS ),
RCV_BUFFER      : VECTOR [ B_SIZE, BYTE ],
XMIT_BUFFER     : VECTOR [ B_SIZE, BYTE ],
DATA_BUFFER     : VECTOR [ BUF_SIZE, BYTE ],
TARGET_ADR      : VECTOR [ T_SIZE, BYTE ],
PHYS_ADR        : VECTOR [ 22, BYTE ],
IOP_TABLE       : VECTOR [ 8, WORD ],
RD13            : VECTOR [ 64, WORD ],
TD13            : VECTOR [ 28, WORD ],
TD16            : VECTOR [ 44, WORD ],
BD_PROM_DESCR   : VECTOR [ BD_D_SIZE, WORD ],
STATION_ADR     : VECTOR [ 4, WORD ],
PTRN_TABLE      : VECTOR [ 8, BYTE ],

```

```

:***
: HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS
:--
HWP_TABLE       : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
SWP_TABLE       : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),
REG_ADR         : REF REG_STR FIELD ( IOP_FIELDS ),
GET_ADR        : REF ADR_STR FIELD ( IOP_FIELDS ),
IOP_DATA       : REF REG_STR FIELD ( IOP_FIELDS ),

```


! (0=NONE, -1=L-CLOCK, 1=P-CLOCK)

: 1574 1
: 1575 1
: 1576 1
: 1577 1
: 1578 1
: 1579 1
: 1580 1
: 1581 1
: 1582 1
: 1583 1
: 1584 1
: 1585 1
: 1586 1
: 1587 1
: 1588 1
: 1589 1
: 1590 1
: 1591 1
: 1592 1
: 1593 1
: 1594 1
: 1595 1
: 1596 1
: 1597 1

!..
! : MISCELLANEOUS DATA DECLARATIONS
!--

XBUF_LENGTH,	RBUF_LENGTH,	INTERRUPT_FLG,	COUNTER,
SWP_BLOCK_MEM,	SWP_TOUT_VAL,	SWP_ILOOP,	SWP_TIMER,
UP_COUNTER,	DOWN_COUNTER,	CHECKSUM,	ERR_NUMBER,
XC_FLAG,	SWP_LBC,		
ERR_COUNT,	ERR_FLAG,	CSP_WORD,	PRI00,
PRI01,	PRI02,	PRI03,	PRI04,
PRI05,	PRI06,	PRI07,	DEQNA_NO : WORD,

!..
! : TEMPORARY STORAGE DATA DECLARATIONS
!--

P1,	P2,	P3,	P4,
TMP_IOP_ADR,	TMP_REG_DATA,	TEMP1,	TEMP2,
TEMP3,	TEMP4,	TEMP5,	TEMP6,
TEMP7,	TEMP8,	TEMP9,	TADR1,
TADR2			: WORD,
TBYTE1,	TBYTE2,	TBYTE3,	TBYTE4 : BYTE,

: 1598 1
: 1599 1
: 1600 1
: 1601 1
: 1602 1
: 1603 1
: 1604 1
: 1605 1
: 1606 1
: 1607 1
: 1608 1
: 1609 1
: 1610 1
: 1611 1
: 1612 1
: 1613 1

!+!
! ERROR MESSAGES DEFINED EXTERNALLY
!--

MSG00, MSG71,
MSG01, MSG02, MSG03, MSG04, MSG05, MSG06, MSG07, MSG08, MSG09, MSG10,
MSG11, MSG12, MSG13, MSG14, MSG15, MSG16, MSG17, MSG18, MSG19, MSG20,
MSG21, MSG22, MSG23, MSG24, MSG25, MSG26, MSG27, MSG28, MSG29, MSG30,
MSG31, MSG32, MSG33, MSG34, MSG35, MSG36, MSG37, MSG38, MSG39, MSG40,
MSG41, MSG42, MSG43, MSG44, MSG45, MSG46, MSG47, MSG48, MSG49, MSG50,
MSG51, MSG52, MSG53, MSG54, MSG55, MSG56, MSG57, MSG58, MSG59, MSG60,
MSG61, MSG62, MSG63, MSG64, MSG65, MSG66, MSG67, MSG68, MSG69, MSG70;

ZQNA3
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 1614 1 *SBTTL 'TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST'
: 1615 1 :**
: 1616 1 :
: 1617 1 : TEST 1:      NON-EXISTANT I/O PAGE REGISTER TEST
: 1618 1 :
: 1619 1 : DESCRIPTION:
: 1620 1 :
: 1621 1 :     This test verifies that all the device registers residing in the
: 1622 1 :     I/O Page can be accessed without forcing a non-existent memory (NXM)
: 1623 1 :     interrupt. If the operator specifies loop on error, the program
: 1624 1 :     re-executes the code that detected the error until tC is entered.
: 1625 1 :
: 1626 1 :     Hardware tested:      Q-Bus to DEQNA Slave Registers Interface
: 1627 1 :
: 1628 1 :     Processing:
: 1629 1 :
: 1630 1 :         BEGIN
: 1631 1 :             get ready for NXM interrupt
: 1632 1 :             REPEAT for every I/O page register
: 1633 1 :                 read I/O page register
: 1634 1 :                 IF NXM occurred
: 1635 1 :                 THEN
: 1636 1 :                     print error message if not inhibited
: 1637 1 :                 ENDIF
: 1638 1 :             ENDREPEAT
: 1639 1 :
: 1640 1 :             write any data pattern into the first 2 I/O page
: 1641 1 :             registers
: 1642 1 :             IF NXM occurred
: 1643 1 :             THEN
: 1644 1 :                 print error message if not inhibited
: 1645 1 :             ENDIF
: 1646 1 :         END
: 1647 1 :     --

```

ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0090
Page 7
(7)

```

: 1648 3  BGNTST;
: 1649 3
: 1650 3  SETVEC (4, NXM_INT, PRI07);      ! SET UP FOR AN NXM INTERRUPT
: 1651 3  DELAY (MS_DELAY);              ! DELAY 50 x 100 us = 5 ms
: 1652 3  INTERRUPT_FLG = CLEAR_FLG;    ! CLEAR OUT NEX FLAG
: 1653 3
: 1654 3  TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1655 3  INCR INDEX FROM 0 TO 7 DO
: 1656 4    BEGIN
: 1657 6      BGNSUB;
: 1658 6        TEMP1 = ..TMP_IOP_ADR;
: 1659 6        DELAY(7);
: 1660 6        IF .INTERRUPT_FLG EQLU WORD_LIMIT      ! SEE IF WE GOT A NXM INTRT
: 1661 6          THEN
: 1662 7            BEGIN                      ! ADDRESS NOT THERE
: 1663 7              INTERRUPT_FLG = CLEAR_FLG;      ! CLEAR TRAP FLAG
: 1664 7              PRINTB ( MSG59 );
: 1665 7              PRINTB ( MSG70, .TMP_IOP_ADR );
: 1666 7              ERRDF (0101, MSG00, E1$REPORT); ! 'I/O PAGE REG. NOT PRESENT'
: 1667 7              DODU ( DEQNA_NO );
: 1668 7              DOCLN;
: 1669 6            END;
: 1670 4          ENDSUB;
: 1671 4          TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1672 3        END;
: 1673 3
: 1674 3  TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 1675 3  INCR INDEX FROM 0 TO 1 DO
: 1676 4    BEGIN
: 1677 6      BGNSUB;
: 1678 6        .TMP_IOP_ADR = %X'7F';          ! WRITE FIRST 2 LOCATIONS
: 1679 6        DELAY(7);
: 1680 6        IF .INTERRUPT_FLG EQLU WORD_LIMIT      ! SEE IF WE GOT A NXM INTRT
: 1681 6          THEN
: 1682 7            BEGIN                      ! ADDRESS NOT THERE
: 1683 7              INTERRUPT_FLG = CLEAR_FLG;      ! CLEAR TRAP FLAG
: 1684 7              PRINTB ( MSG59 );
: 1685 7              PRINTB ( MSG70, .TMP_IOP_ADR );
: 1686 7              ERRDF (0102, MSG00, E1$REPORT); ! 'I/O PAGE REG. NOT PRESENT'
: 1687 7              DODU ( DEQNA_NO );
: 1688 7              DOCLN;
: 1689 6            END;
: 1690 4          ENDSUB;
: 1691 4          TMP_IOP_ADR = .TMP_IOP_ADR + 2;
: 1692 3        END;
: 1693 3
: 1694 3  CLRVEC (4);                      ! CLEAR INTERRUPT VECTOR
: 1695 3
: 1696 1  ENDTST;

```

```

.TITLE  ZQNA3 CZQNA30 DEQNA FUNCTIONAL TEST
.IDENT  /V01.0/

```

```
.ENABL AMA

.GLOBL CHK.CSR.STATUS, CHK.RIXI.STATUS
.GLOBL CHK.RCV.STATUS, CHK.XMIT.STATUS
.GLOBL CLR.BUFFERS, CLR.DESCR, COMPARE.PACKETS
.GLOBL E1$REPORT, ERROR$REPORT, FORM.HEX.ADR
.GLOBL KBD.INT, NXM.INT, PREP.FOR.SETUP
.GLOBL PWR.INT, RESET.DEQNA, SEND.ELOOP.PACKET
.GLOBL SEND.TEST.PACKET, SET.XDESCR.LIST
.GLOBL SET.RDESCR.LIST, TURN.OFF.LED
.GLOBL VER.DESCR.STATUS, WAIT.FOR.TIMEOUT
.GLOBL WALKING.BIT, WRT.STATION.ADR, XMIT.AND.RCV.PACKET
.GLOBL XMIT.ILOOP.PACKET, XMIT.SETUP.PACKET
.GLOBL RCV.D.LIST, XMIT.D.LIST, DESCR.LIST
.GLOBL RCV.D$FFFF, XMIT.BUFFER, DATA.BUFFER
.GLOBL TARGET.ADR, PHYS.ADR, IOP.TABLE
.GLOBL RD13, TD13, TD16, BD.PROM.DESCR
.GLOBL STATION.ADR, PTRN.TABLE, HWP.TABLE
.GLOBL SWP.TABLE, REG.ADR, GET.ADR, IOP.DATA
.GLOBL XBUF.LENGTH, RBUF.LENGTH, INTERRUPT.FLG
.GLOBL COUNTER, SWP.BLOCK.MEM, SWP.TOUT.VAL
.GLOBL SWP.ILOOP, SWP.TIMER, UP.COUNTER
.GLOBL DOWN.COUNTER, CHECKSUM, ERR.NUMBER
.GLOBL XC.FLAG, SWP.LBC, ERR.COUNT, ERR.FLAG
.GLOBL CSR.WORD, PRI00, PRI01, PRI02
.GLOBL PRI03, PRI04, PRI05, PRI06, PRI07
.GLOBL DEQNA.NO, P1, P2, P3, P4, TMP.IOP.ADR
.GLOBL TMP.REG.DATA, TEMP1, TEMP2, TEMP3
.GLOBL TEMP4, TEMP5, TEMP6, TEMP7, TEMP8
.GLOBL TEMP9, TADR1, TADR2, TBYTE1, TBYTE2
.GLOBL TBYTE3, TBYTE4, MSG00, MSG71, MSG01
.GLOBL MSG02, MSG03, MSG04, MSG05, MSG06
.GLOBL MSG07, MSG08, MSG09, MSG10, MSG11
.GLOBL MSG12, MSG13, MSG14, MSG15, MSG16
.GLOBL MSG17, MSG18, MSG19, MSG20, MSG21
.GLOBL MSG22, MSG23, MSG24, MSG25, MSG26
.GLOBL MSG27, MSG28, MSG29, MSG30, MSG31
.GLOBL MSG32, MSG33, MSG34, MSG35, MSG36
.GLOBL MSG37, MSG38, MSG39, MSG40, MSG41
.GLOBL MSG42, MSG43, MSG44, MSG45, MSG46
.GLOBL MSG47, MSG48, MSG49, MSG50, MSG51
.GLOBL MSG52, MSG53, MSG54, MSG55, MSG56
.GLOBL MSG57, MSG58, MSG59, MSG60, MSG61
.GLOBL MSG62, MSG63, MSG64, MSG65, MSG66
.GLOBL MSG67, MSG68, MSG69, MSG70, L$DLY
```

```
000000 .SBTTL $T1 TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST
.PSECT AB$CODE$, RO

000000 004137 000000G $T1: JSR R1,$SAVE2 ; 1611
000004 005746 TST -(SP)
000006 012746 000000G MOV #PRI07,-(SP) ; 1650
```

ZQNA3 V01.0	CZQNA30 TEST 1	DEQNA NON-EXISTANT	FUNCTIONAL TEST I/O PAGE REGISTER TEST	5-Jul-1984 14:05:07 5-Jul-1984 14:02:06	VAX-11 B1:16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI:2	
000012	012746	000000G		MOV	#NXM.INT,-(SP)	
000016	012746	000004		MOV	#4,-(SP)	
000022	012746	000003		MOV	#3,-(SP)	
000026	104437			TRAP	37	
000030	012701	000062		MOV	#62,R1	: *,\$\$TMP2
000034	001410		1\$:	BEQ	4\$	
000036	013700	000000G		MOV	L\$DLY,RO	: *,\$\$TMP1
000042	001403			BEQ	3\$	
000044	005066	000010		CLR	10(SP)	: \$\$TMP
000050	077003			SOB	RO,2\$: \$\$TMP1,*
000052	005301		3\$:	DEC	R1	: \$\$TMP2
000054	000767			BR	1\$	
000056	005037	000000G		CLR	INTERRUPT.FLG	:
000062	017737	000000G 000000G		MOV	#HWP.TABLE,TMP.IOP.ADR	:
000070	012702	000010		MOV	#10,R2	: *,INDEX
000074	104402		5\$:	TRAP	2	:
000076	017737	000000G 000000G		MOV	#TMP.IOP.ADR,TEMP1	:
000104	012701	000007		MOV	#7,R1	: *,\$\$TMP2
000110	001410		6\$:	BEQ	9\$	
000112	013700	000000G		MOV	L\$DLY,RO	: *,\$\$TMP1
000116	001403			BEQ	8\$	
000120	005066	000010		CLR	10(SP)	: \$\$TMP
000124	077003		7\$:	SOB	RO,7\$: \$\$TMP1,*
000126	005301		8\$:	DEC	R1	: \$\$TMP2
000130	000767			BR	6\$	
000132	023727	000000G 177777		CMP	INTERRUPT.FLG,#-1	:
000140	001032		9\$:	BNE	10\$	
000142	005037	000000G		CLR	INTERRUPT.FLG	:
000146	012716	000000G		MOV	#MSG59,(SP)	:
000152	012746	000001		MOV	#1,-(SP)	:
000156	010600			MOV	SP,RO	: SP,*
000160	104414			TRAP	14	
000162	013716	000000G		MOV	TMP.IOP.ADR,(SP)	:
000166	012746	000000G		MOV	#MSG70,-(SP)	:
000172	012746	000002		MOV	#2,-(SP)	:
000176	010600			MOV	SP,RO	: SP,*
000200	104414			TRAP	14	
000202	104455			TRAP	55	:
000204	000145			.WORD	145	
000206	000000G			.WORD	MSG00	
000210	000000G			.WORD	E1\$REPORT	
000212	012700	000000G		MOV	#DEQNA.NO,RO	:
000216	104451			TRAP	51	
000220	104444			TRAP	44	
000222	062706	000006		ADD	#6,SP	:
000226	104467		10\$:	TRAP	67	:
000230	006000			ROR	RO	
000232	103720			BLO	5\$	
000234	062737	000002 000000G		ADD	#2,TMP.IOP.ADR	:
000242	077264			SOB	R2,5\$: INDEX,*
000244	017737	000000G 000000G		MOV	#HWP.TABLE,TMP.IOP.ADR	:
000252	012702	000002		MOV	#2,R2	: *,INDEX
000256	104402		11\$:	TRAP	2	:

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	
V01.0	TEST 1 - NON-EXISTANT	I/O PAGE REGISTER TEST	5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]	ZQNA3.BLI:2	

000260	012777	000177	000000G		MOV	@177,@TMP.IOP.ADR	:		1678
000266	012701	000007			MOV	@7,R1	:	*,**TMP2	1679
000272	001410			12:	BEQ	15:			
000274	013700	000000G			MOV	L\$DLY,RO	:	*,**TMP1	
000300	001403				BEQ	14:			
000302	005066	000010		13:	CLR	10(SP)	:	**TMP	
000306	077003				SOB	RO,13:	:	**TMP1,*	
000310	005301			14:	DEC	R1	:	**TMP2	
000312	000767				BR	12:			
000314	023727	000000G	177777	15:	CMP	INTERRUPT.FLG,@-1	:		1680
000322	001032				BNE	16:			
000324	005037	000000G			CLR	INTERRUPT.FLG	:		1683
000330	012716	000000G			MOV	@MSG59,(SP)	:		1684
000334	012746	000001			MOV	@1,-(SP)			
000340	010600				MOV	SP,RO	:	SP,*	
000342	104414				TRAP	14			
000344	013716	000000G			MOV	TMP.IOP.ADR,(SP)	:		1685
000350	012746	000000G			MOV	@MSG70,-(SP)			
000354	012746	000002			MOV	@2,-(SP)			
000360	010600				MOV	SP,RO	:	SP,*	
000362	104414				TRAP	14			
000364	104455				TRAP	55	:		1686
000366	000146				.WCRD	146			
000370	000000G				.WORD	MSG00			
000372	000000G				.WORD	E1\$REPORT			
000374	012700	000000G			MOV	@DEQNA.NO,RO	:		1687
000400	104451				TRAP	51			
000402	104444				TRAP	44			
000404	062706	000006			ADD	@6,SP	:		1682
000410	104467			16:	TRAP	67	:		1689
000412	006000				ROR	RO			
000414	103720				BLO	11:			
000416	062737	000002	000000G		ADD	@2,TMP.IOP.ADR	:		1691
000424	077264				SOB	R2,11:	:	INDEX,*	1675
000426	012700	000004			MOV	@4,RO	:		1694
000432	104436				TRAP	36			
000434	062706	000012			ADD	@12,SP	:		1611
000440	000207				RTS	PC			

: Routine Size: 145 words, Routine Base: AB\$CODE\$ * 0000
 : Maximum stack depth per invocation: 13 words

000000	004737	000000'		T1::	.SBTTL	T1 TEST 1 - NON-EXISTANT I/O PAGE REGISTER TEST			
000000				1:	JSR	PC,\$T1	:		1694
000004	104466				TRAP	66			
000006	006000				ROR	RO			
000010	103773				BLO	1:			
000012	000207				RTS	PC			

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2SEQ 0094
Page 12
(8)

```

: 1699 1 *SBTTL 'TEST 2 - CSR STATIC BIT TEST'
: 1700 1 !..
: 1701 1 !
: 1702 1 ! TEST 2:      CSR STATIC BIT TEST
: 1703 1 !
: 1704 1 ! DESCRIPTION:
: 1705 1 !
: 1706 1 !       This test verifies that the CSR register static bits can be set
: 1707 1 !       and cleared as specified.  The host writes data patterns to this
: 1708 1 !       register and reads them back verifying no static
: 1709 1 !       (stuck at 1 / stuck at 0) faults occur.  If the operator specifies
: 1710 1 !       loop on error, the program re-executes the code that detected the
: 1711 1 !       error until ^C is entered.
: 1712 1 !
: 1713 1 !       Hardware tested:      Q-Bus to DEQNA Slave Regs. Interface
: 1714 1 !
: 1715 1 !       Processing:
: 1716 1 !
: 1717 1 !           BEGIN
: 1718 1 !               check Software Reset ( SR ) bit in the CSR for stuck at 0
: 1719 1 !                   and 1
: 1720 1 !               IF error
: 1721 1 !                   THEN
: 1722 1 !                       print error message if not inhibited
: 1723 1 !               ENDIF
: 1724 1 !               set static bits ( 0,3,8,9 ) and check for expected CSR status
: 1725 1 !               IF error
: 1726 1 !                   THEN
: 1727 1 !                       print error message if not inhibited
: 1728 1 !               ENDIF
: 1729 1 !               clear static bits and check for expected CSR status
: 1730 1 !               IF error
: 1731 1 !                   THEN
: 1732 1 !                       print error message if not inhibited
: 1733 1 !               ENDIF
: 1734 1 !               set static bits ( 0,3,8,9 ) and check for expected CSR status
: 1735 1 !               IF error
: 1736 1 !                   THEN
: 1737 1 !                       print error message if not inhibited
: 1738 1 !               ENDIF
: 1739 1 !               reset DEQNA and check for expected CSR status
: 1740 1 !               IF error
: 1741 1 !                   THEN
: 1742 1 !                       print error message if not inhibited
: 1743 1 !               ENDIF
: 1744 1 !           END
: 1745 1 ! ..

```


ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0095
Page 13
(9)

```

: 1746 3  BGNTST;
: 1747 3
: 1748 5  BGNSUB;
: 1749 5
: 1750 5      !..
: 1751 5      ! CHECK IF CSR STATIC BITS (BIT 0,3,8 AND 9) ARE NOT STUCK AT 0
: 1752 5      !..
: 1753 5
: 1754 5      RESET_DEQNA ( );
: 1755 5      PUT_BIT ( CSR, ALL_BITS, PATRN1 );
: 1756 5      DELAY ( TIME6_LIMIT );
: 1757 5      TEMP1 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1758 5      IF .TEMP1 NEQU PATRN1
: 1759 5          THEN
: 1760 6          BEGIN
: 1761 6              PRINTB ( MSG59 );
: 1762 6              PRINTB ( MSG60 );
: 1763 6              PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, PATRN1 );
: 1764 6              ERRDF ( 0201, MSG00, E1$REPORT );
: 1765 5          END;
: 1766 3  ENDSUB;
: 1767 3
: 1768 3      !..
: 1769 3      ! CHECK IF CSR STATIC BITS (BIT 0,3,8 AND 9) ARE NOT STUCK AT 1
: 1770 3      !..
: 1771 3
: 1772 5  BGNSUB;
: 1773 5      PUT_BIT ( CSR, ALL_BITS, ZERO );
: 1774 5      DELAY ( TIME6_LIMIT );
: 1775 5      TEMP2 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1776 5      IF .TEMP2 NEQU ZERO
: 1777 5          THEN
: 1778 6          BEGIN
: 1779 6              PRINTB ( MSG59 );
: 1780 6              PRINTB ( MSG61 );
: 1781 6              PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP2, ZERO );
: 1782 6              ERRDF ( 0202, MSG00, E1$REPORT );
: 1783 5          END;
: 1784 3  ENDSUB;
: 1785 3
: 1786 5  BGNSUB;
: 1787 5      PUT_BIT ( CSR, ALL_BITS, PATRN1 );
: 1788 5      RESET_DEQNA ( );
: 1789 5      TEMP3 = GET_BIT [ CSR_ALL ] AND PATRN1;
: 1790 5      IF .TEMP3 NEQU ZERO
: 1791 5          THEN
: 1792 6          BEGIN
: 1793 6              PRINTB ( MSG59 );
: 1794 6              PRINTB ( MSG62 );
: 1795 6              PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP4, ZERO );
: 1796 6              ERRDF ( 0203, MSG00, E1$REPORT );
: 1797 5          END;
: 1798 3  ENDSUB;

```

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 B11gs-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

: 1799 3
: 1800 1

ENDTST:

000000	004137	000000G		.SBTTL	\$12 TEST 2 - CSR STATIC BIT TEST		
000004	162706	000016		\$T2:	JSR R1,\$SAVE2	:	1696
000010	104402			1\$:	SUB #16,SP	:	
000012	004737	000000G			TRAP 2	:	1746
000016	013701	000000G			JSR PC,RESET.DEQNA	:	1754
000022	012761	001411	000016		MOV REG.ADR,R1	:	1755
000030	012702	000001			MOV #1411,16(R1)	:	
000034	001410			2\$:	MOV #1,R2	: *,\$\$TMP2	1756
000036	013700	000000G			BEQ 5\$:	
000042	001403				MOV L\$DLY,RO	: *,\$\$TMP1	
000044	005066	000014		3\$:	BEQ 4\$:	
000050	077003				CLR 14(SP)	: \$\$TMP	
000052	005302			4\$:	SOB RO,3\$: \$\$TMP1,*	
000054	000767				DEC R2	: \$\$TMP2	
000056	016116	000016		5\$:	BR 2\$:	
000062	011637	000000G			MOV 16(R1),(SP)	: *.TMP.LOCATION	1757
000066	042737	176366	000000G		MOV (SP),TEMP1	: TMP.LOCATION,*	
000074	023727	000000G	001411		BIC #176366,TEMP1	:	
000102	001444				CMP TEMP1,#1411	:	1758
000104	012746	000000G			BEQ 6\$:	
000110	012746	000001			MOV #MSG59,-(SP)	:	1761
000114	010600				MOV #1,-(SP)	:	
000116	104414				MOV SP,RO	: SP,*	
000120	012716	000000G			TRAP 14	:	
000124	012746	000001			MOV #MSG60,(SP)	:	1762
000130	010600				MOV #1,-(SP)	:	
000132	104414				MOV SP,RO	: SP,*	
000134	012716	001411			TRAP 14	:	
000140	013746	000000G			MOV #1411,(SP)	:	1763
000144	013766	000000G	000012		MOV TEMP1,-(SP)	:	
000152	062766	000016	000012		MOV GET.ADR,12(SP)	: *.TMP.LOCATION	
000160	016646	000012			ADD #16,12(SP)	: *.TMP.LOCATION	
000164	012746	000000G			MOV 12(SP),-(SP)	: TMP.LOCATION,*	
000170	012746	000004			MOV #MSG30,-(SP)	:	
000174	010600				MOV #4,-(SP)	:	
000176	104414				MOV SP,RO	: SP,*	
000200	104455				TRAP 14	:	
000202	000311				TRAP 55	:	1764
000204	000000G				.WORD 311	:	
000206	000000G				.WORD MSG00	:	
000210	062706	000016			.WORD E1\$REPORT	:	
000214	104467			6\$:	ADD #16,SP	:	1760
000216	006000				TRAP 67	:	1765
000220	103673				ROR RO	:	
000222	104402			7\$:	BLO 1\$:	1766
000224	013701	000000G			TRAP 2	:	1773
000230	005061	000016			MOV REG.ADR,R1	:	
000234	012702	000001			CLR 16(R1)	:	
					MOV #1,R2	: *,\$\$TMP2	1774

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0097
Page 15
(9)

000240	001410			8\$:	BEQ	11\$				
000242	013700	000000G			MOV	L\$DLY,R0	:	*,\$\$TMP1		
000246	001403				BEQ	10\$				
000250	005066	000014		9\$:	CLR	14(SP)	:	\$\$TMP		
000254	077003				S0B	R0,9\$:	\$\$TMP1,*		
000256	005302			10\$:	DEC	R2	:	\$\$TMP2		
000260	000767				BR	8\$				
000262	016166	000016	000004	11\$:	MOV	16(R1),4(SP)	:	*,TMP.LOCATION		1775
000270	016637	000004	000000G		MOV	4(SP),TEMP2	:	TMP.LOCATION,*		
000276	042737	176366	000000G		BIC	#176366,TEMP2				
000304	001443				BEQ	12\$:			1776
000306	012746	000000G			MOV	#MSG59,-(SP)	:			1779
000312	012746	000001			MOV	#1,-(SP)				
000316	010600				MOV	SP,R0	:	SP,*		
000320	104414				TRAP	14				
000322	012716	000000G			MOV	#MSG61,(SP)	:			1780
000326	012746	000001			MOV	#1,-(SP)				
000332	010600				MOV	SP,R0	:	SP,*		
000334	104414				TRAP	14				
000336	005016				CLR	(SP)	:			1781
000340	013746	000000G			MOV	TEMP2,-(SP)				
000344	013766	000000G	000016		MOV	GET.ADR,16(SP)	:	*,TMP.LOCATION		
000352	062766	000016	000016		ADD	#16,16(SP)	:	*,TMP.LOCATION		
000360	016646	000016			MOV	16(SP),-(SP)	:	TMP.LOCATION,*		
000364	012746	000000G			MOV	#MSG30,-(SP)				
000370	012746	000004			MOV	#4,-(SP)				
000374	010600				MOV	SP,R0	:	SP,*		
000376	104414				TRAP	14				
000400	104455				TRAP	55	:			1782
000402	000312				.WORD	312				
000404	000000G				.WORD	MSG00				
000406	000000G				.WORD	E1\$REPORT				
000410	062706	000016			ADD	#16,SP	:			1778
000414	104467			12\$:	TRAP	67	:			1783
000416	006000				ROR	R0				
000420	103700				BLO	7\$				
000422	104402			13\$:	TRAP	2	:			1784
000424	013700	000000G			MOV	REG.ADR,R0	:			1787
000430	012760	001411	000016		MOV	#1411,16(R0)				
000436	004737	000000G			JSR	PC,RESET.DEQNA	:			1788
000442	013700	000000G			MOV	REG.ADR,R0	:			1789
000446	016066	000016	000010		MOV	16(R0),10(SP)	:	*,TMP.LOCATION		
000454	016637	000010	000000G		MOV	10(SP),TEMP3	:	TMP.LUCATION,*		
000462	042737	176366	000000G		BIC	#176366,TEMP3				
000470	001443				BEQ	14\$:			1790
000472	012746	000000G			MOV	#MSG59,-(SP)	:			1793
000476	012746	000001			MOV	#1,-(SP)				
000502	010600				MOV	SP,R0	:	SP,*		
000504	104414				TRAP	14				
000506	012716	000000G			MOV	#MSG62,(SP)	:			1794
000512	012746	000001			MOV	#1,-(SP)				
000516	010600				MOV	SP,R0	:	SP,*		
000520	104414				TRAP	14				

ZQNA3
V01.0

CZQNA0 DEGNA FUNCTIONAL TEST
TEST 2 - CSR STATIC BIT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX 11 Bliss-16 V4.0 579
[MAZURCZYK.DEGNA]ZQNA3.P I:2

```

000522 005016          CLR      (SP)          ;
000524 013746 000000G  MOV      TEMP4,-(SP)
000530 013766 000000G 000022  MOV      GET.ADR,22(SP) ; *.TMP.LOCATION
000536 062766 000016 000022  ADD      @16,22(SP)    ; *.TMP.LOCATION
000544 016646 000022      MOV      22(SP),-(SP)  ; TMP.LOCATION,*
000550 012746 000000G  MOV      @MSG30,-(SP)
000554 012746 000004      MOV      @4,-(SP)
000560 010600          MOV      SP,R0        ; SP,*
000562 104414          TRAP     14
000564 104455          TRAP     55
000566 000313          .WORD   313
000570 000000G        .WORD   MSG00
000572 000000G        .WORD   E1$REPORT
000574 062706 000016      ADD      @16,SP
000600 104467          14$: TRAP     67
000602 006000          ROR      R0
000604 103706          BLO     13$
000606 062706 000016      ADD      @16,SP
000612 000207          RTS      PC
    
```

; Routine Size: 198 words, Routine Base: AB\$CODE\$ + 0456
; Maximum stack depth per invocation: 19 words

```

000000 004737 000456'      T2::
000000 1$: JSR      PC,$T2
000004 104466          TRAP     66
000006 006000          ROR      R0
000010 103773          BLO     1$
000012 000207          RTS      PC
    
```

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 1272
; Maximum stack depth per invocation: 2 words

; 1801 1
; 1802 1

ZQNA3 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:05:07 VAX-11 Bliss-16 V4.0 579
 VO1.0 TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST 5-Jul-1984 14:02:06 [MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 1803 1 *SBTTL 'TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST'
: 1804 1 :**
: 1805 1 :
: 1806 1 : TEST 3: ETHERNET STATION ADDRESS VERIFY TEST
: 1807 1 :
: 1808 1 : DESCRIPTION:
: 1809 1 :
: 1810 1 : This test verifies that the Ethernet Station Address PROM can be
: 1811 1 : read and loaded to host memory correctly. Ethernet Station Address is
: 1812 1 : verified and checksum is computed from PROM data read and this checksum
: 1813 1 : is compared to the checksum stored in the Ethernet Station Address
: 1814 1 : PROM. Ethernet Station Address is always printed out on the console in
: 1815 1 : the Ethernet standard format. If the address is not proper, the error
: 1816 1 : is recorded and an appropriate error message is printed out on the
: 1817 1 : console. If the operator specifies loop on error, the program
: 1818 1 : re-executes the code that detected the error until ^C is entered.
: 1819 1 :
: 1820 1 : Hardware tested: Station Address PROM
: 1821 1 : Q-Bus DMA Interface
: 1822 1 : Processing:
: 1823 1 :
: 1824 1 : BEGIN
: 1825 1 :
: 1826 1 : read DEQNA Station Address PROM and checksum
: 1827 1 : save copy of Station Address PROM in host memory
: 1828 1 : print Station Address on the console in standard format
: 1829 1 : compute Station Address ROM checksum
: 1830 1 : IF checksum read not equal checksum computed
: 1831 1 : THEN
: 1832 1 : print error message if not inhibited
: 1833 1 : ENDIF
: 1834 1 : IF Station Address
: 1835 1 : [all 0's]
: 1836 1 : OR [all 1's]:
: 1837 1 : OR [multicast bit set]:
: 1838 1 : THEN
: 1839 1 : print error message if not inhibited
: 1840 1 : ENDIF
: 1841 1 :
: 1842 1 : END
: 1843 1 :--

```

```

: 1844 3  BGNTST;
: 1845 3
: 1846 5  BGNSUB;
: 1847 5  RESET_DEQNA ( );
: 1848 5  FORM_HEX_ADR ( PHA_INDEX );
: 1849 5
: 1850 5  !..
: 1851 5  ! COMPUTE EXPECTED CHECKSUM
: 1852 5  !..
: 1853 5
: 1854 5  CHECKSUM = 0;
: 1855 5
: 1856 5  INCR INDEX FROM 0 TO 5 BY 2 DO
: 1857 6  BEGIN
: 1858 6  IF ( .CHECKSUM AND #0'100000 ) NEQU ZERO
: 1859 6  THEN
: 1860 7  BEGIN
: 1861 7  CHECKSUM = .CHECKSUM + 1;
: 1862 7  CHECKSUM = .CHECKSUM + 1;
: 1863 7  END
: 1864 6  ELSE
: 1865 6  CHECKSUM = .CHECKSUM + 1;
: 1866 6
: 1867 6  CHECKSUM = .CHECKSUM + .STATION_ADR [ .COUNTER ];
: 1868 6
: 1869 6  IF .CHECKSUM GTRU WORD_LIMIT
: 1870 6  THEN
: 1871 6  CHECKSUM = .CHECKSUM + 1;
: 1872 6
: 1873 6  COUNTER = .COUNTER + 1;
: 1874 5  END;
: 1875 5
: 1876 5  !..
: 1877 5  ! PRINT PHYSICAL STATION ADDRESS
: 1878 5  !..
: 1879 5
: 1880 5  PRINTB ( MSG01, .HWP_TABLE [ ADDR ] );
: 1881 5  PRINTB ( PHYS_ADR );
: 1882 5
: 1883 5  !..
: 1884 5  ! READ ACTUAL CHECKSUM FROM DEQNA STATION ADDRESS PROM AND COMPARE IT TO
: 1885 5  ! THE EXPECTED CHECKSUM COMPUTED ABOVE.
: 1886 5  !..
: 1887 5
: 1888 5  PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 1889 5  DELAY ( 5 );
: 1890 5  TEMP1 = .REG_ADR [ 1, ALL_BITS ];
: 1891 5  TEMP1 = .TEMP1 + 8;
: 1892 5  TEMP2 = .REG_ADR [ 0, ALL_BITS ];
: 1893 5  STATION_ADR [ CHSUM ] = .TEMP1 OR ( .TEMP2 AND #0'000377' );
: 1894 5  PUT_BIT ( CSR, LB, ZERO );
: 1895 5  IF .CHECKSUM NEQU .STATION_ADR [ CHSUM ]
: 1896 5  THEN

```

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0101
Page 19
(11)

```

: 1897 6      BEGIN
: 1898 6      PRINTB ( MSG59 );
: 1899 6      PRINTB ( MSG63, .STATION_ADR [ CHSUM ], .CHECKSUM );
: 1900 6      ERRDF ( 0301, MSG00, E1$REPORT);
: 1901 5      END;
: 1902 3      ENDSUB;
: 1903 3
: 1904 3      TEMP3 = ZERO;
: 1905 3      TEMP4 = ZERO;
: 1906 3      INCn INDEX FROM 0 TO 2 DO
: 1907 4      BEGIN
: 1908 4      TEMP3 = .TEMP3 + .STATION_ADR [ .INDEX ];
: 1909 4      IF .STATION_ADR [ .INDEX ] EQLU #X'FFFF'
: 1910 4      THEN
: 1911 4      TEMP4 = .TEMP4 + 1;
: 1912 3      END;
: 1913 3
: 1914 4      IF ( .TEMP3 EQLU ZERO )
: 1915 4      OR ( .TEMP4 GTRU ZERO )
: 1916 4      OR ( ( .STATION_ADR [ ZERO ] AND #X'0100' ) EQLU #X'0100' )
: 1917 3      THEN
: 1918 4      BEGIN
: 1919 4      PRINTB ( MSG59 );
: 1920 4      PRINTB ( MSG64 );
: 1921 4      PRINTB ( PHYS_ADR );
: 1922 4      ERRDF ( 0302, MSG00, E1$REPORT);
: 1923 3      END;
: 1924 3
: 1925 1      ENDTST;

```

000000	004137	000000G		.SBTTL	\$T3 TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST		
000004	162706	000006	\$T3:	JSR	R1,\$SAVE2	:	1800
000010	104402		1\$:	SUB	#6,SP	:	
000012	004737	000000G		TRAP	2	:	1844
000016	012746	000023		JSR	PC,RESET.DEQNA	:	1847
000022	004737	000000G		MOV	#23,-(SP)	:	1848
000026	005037	000000G		JSR	PC,FORM.HEX.ADR	:	
000032	005001			CLR	CHECKSUM	:	1854
000034	013700	000000G	2\$:	CLR	R1	:	INDEX
000040	006300			MOV	CHECKSUM,R0	:	1861
000042	032737	100000 000000G		ASL	R0	:	
000050	001405			BIT	#-100000,CHECKSUM	:	1858
000052	010037	000000G		BEQ	3\$:	
000056	005237	000000G		MOV	R0,CHECKSUM	:	1861
000062	000402			INC	CHECKSUM	:	1862
000064	010037	000000G	3\$:	BR	4\$:	1858
000070	013700	000000G	4\$:	MOV	R0,CHECKSUM	:	1865
000074	006300			MOV	COUNTER,R0	:	1867
000076	066037	000000G 000000G		ASL	R0	:	
000104	005237	000000G		ADD	STATION_ADR(R0),CHECKSUM	:	
000110	062701	000002		INC	COUNTER	:	1873
				ADD	#2,R1	:	*.INDEX
							1856

ZQNA3
V01.C

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0102
Page 20
(11)

000114	020127	000005		CMP	R1,#5	:	INDEX,*		
000120	003745			BLE	2\$:			
000122	017716	000000G		MOV	#HWP.TABLE,(SP)	:		1880	
000126	012746	000000G		MOV	#MSG01,-(SP)	:			
000132	012746	000002		MOV	#2,-(SP)	:			
000136	010600			MOV	SP,R0	:	SP,*		
000140	104414			TRAP	14	:			
000142	012716	000000G		MOV	#PHYS.ADR,(SP)	:		1881	
000146	012746	000001		MOV	#1,-(SP)	:			
000152	010600			MOV	SP,R0	:	SP,*		
000154	104414			TRAP	14	:			
000156	013701	000000G		MOV	REG.ADR,R1	:		1888	
000162	052761	001400	000016	BIS	#1400,16(R1)	:			
000170	012702	000005		MOV	#5,R2	:	*,\$\$TMP2	1889	
000174	001410		5\$:	BEQ	8\$:			
000176	013700	000000G		MOV	L\$DLY,R0	:	*,'\$TMP1		
000202	001403			BEQ	7\$:			
000204	005066	000014	6\$:	CLR	14(SP)	:	\$\$TMP		
000210	077003			SOB	R0,6\$:	\$\$TMP1,*		
000212	005302		7\$:	DEC	R2	:	\$\$TMP2		
000214	000767			BR	5\$:			
000216	016166	000002	000010	8\$:	MOV	2(R1),10(SP)	:	*,TMP.LOCATION	1890
000224	016600	000010		MOV	10(SP),R0	:	TEMP1,*	1891	
000230	072027	000010		ASH	#10,R0	:			
000234	010037	000000G		MOV	RC,TEMP1	:			
000240	011166	000012		MOV	(R1),12(SP)	:	*,TMP.LOCATION	1892	
000244	011137	000000G		MOV	(R1),TEMP2	:	TMP.LOCATION,*		
000250	005037	000006G		CLR	STATION.ADR+6	:		1893	
000254	111137	000006G		MOV	(R1),STATION.ADR+6	:	TEMP2,*		
000260	050037	000006G		BIS	R0,STATION.ADR+6	:	TEMP1,*		
000264	042761	001400	000016	BIC	#1400,16(R1)	:		1894	
000272	023737	000000G	000006G	CMP	CHECKSUM,STATION.ADR+6	:		1895	
000300	001426			BEQ	9\$:			
000302	012716	000000G		MOV	#MSG59,(SP)	:		1898	
000306	012746	000001		MOV	#1,-(SP)	:			
000312	010600			MOV	SP,R0	:	SF,*		
000314	104414			TRAP	14	:			
000316	013716	000000G		MOV	CHECKSUM,(SP)	:		1899	
000322	013746	000006G		MOV	STATION.ADR+6,-(SP)	:			
000326	012746	000000G		MOV	#MSG63,-(SP)	:			
000332	012746	000003		MOV	#3,-(SP)	:			
000336	010600			MOV	SP,R0	:	SP,*		
000340	104414			TRAP	14	:			
000342	104455			TRAP	55	:		1900	
000344	000455			.WORD	455	:			
000346	000000G			.WORD	MSG00	:			
000350	000000G			.WORD	E1\$REPORT	:			
000352	062706	000010		ADD	#10,SP	:		1897	
000356	062706	000010	9\$:	ADD	#10,SP	:		1844	
000362	104467			TRAP	67	:		1901	
000364	006000			ROR	R0	:			
000366	103610			BLO	1\$:			
000370	005037	000000G		CLR	TEMP3	:		1904	

ZQNA3 V01.0	CZQNA30 DEQNA FUNCTIONAL TEST TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST	5-Jul-1984 14:05:07 5-Jul-1984 14:02:06	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2
----------------	--	--	--

000374	005037	000000G	CLR	TEMP4	:	1905
000400	005000		CLR	R0	: INDEX	1906
000402	066037	000000G 000000G	10\$:	ADD	STATION.ADR(R0),TEMP3	: *(INDEX),*
000410	026027	000000G 177777		CMP	STATION.ADR(R0),#-1	: *(INDEX),*
000416	001002			BNE	11\$	1909
000420	005237	000000G		INC	TEMP4	:
000424	062700	000002	11\$:	ADD	#2,R0	: *,INDFX
000430	020027	000004		CMP	R0,#4	: INDEX,*
000434	003762			BLE	10\$	
000436	005737	000000G		TST	TEMP3	:
000442	001407			BEQ	12\$	1914
000444	005737	000000G		TST	TEMP4	:
000450	001004			BNE	12\$	1915
000452	032737	000400 000000G		BIT	#400,STATION.ADR	:
000460	001430			BEQ	13\$	1916
000462	012746	000000G	12\$:	MOV	#MSG59,-(SP)	:
000466	012746	000001		MOV	#1,-(SP)	
000472	010600			MOV	SP,R0	: SP,*
000474	104414			TRAP	14	
000476	012716	000000G		MOV	#MSG64,(SP)	:
000502	012746	000001		MOV	#1,-(SP)	
000506	010600			MOV	SP,R0	: SP,*
000510	104414			TRAP	14	
000512	012716	000000G		MOV	#PHYS.ADR,(SP)	:
000516	012746	000001		MOV	#1,-(SP)	
000522	010600			MOV	SP,R0	: SP,*
000524	104414			TRAP	14	
000526	104455			TRAP	55	:
000530	000456			.WORD	456	1922
000532	000000G			.WORD	MSG00	
000534	000000G			.WORD	E1\$REPORT	
000536	062706	000010		ADD	#10,SP	:
000542	062706	000006	13\$:	ADD	#6,SP	:
000546	000207			RTS	PC	1800

: Routine Size: 180 words, Routine Base: AB\$CODE\$ + 1306
: Maximum stack depth per invocation: 16 words

			.SBTTL	T3 TEST 3 - ETHERNET STATION ADDRESS VERIFY TEST		
000000	004737	001306'	T3::			
000000			1\$:	JSR	PC,\$T3	: 1923
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 2056
: Maximum stack depth per invocation: 2 words

```

: 1928 1 *SBTTL 'TEST 4 - INTERRUPT VECTOR ADDRESS TEST'
: 1929 1 !**
: 1930 1 !
: 1931 1 ! TEST 4: INTERRUPT VECTOR ADDRESS TEST
: 1932 1 !
: 1933 1 ! DESCRIPTION:
: 1934 1 !
: 1935 1 ! This test verifies that all bits of the vector address register
: 1936 1 ! can be set and cleared as specified. The host writes data patterns
: 1937 1 ! to this register and reads them back verifying no static
: 1938 1 ! (stuck at 1 / stuck at 0) faults occur. If the operator specifies
: 1939 1 ! loop on error, the program re-executes the code that detected the
: 1940 1 ! error until tC is entered.
: 1941 1 !
: 1942 1 ! NOTE: Only bits 9:2 of the Interrupt Vector Address Register are
: 1943 1 ! valid, rest read as 0.
: 1944 1 !
: 1945 1 ! The following BINARY data patterns are used:
: 1946 1 !
: 1947 1 !           00000000           11111111
: 1948 1 !           10101010           01010101
: 1949 1 !           11001100           00110011
: 1950 1 !           11110000           00001111
: 1951 1 !           walking 1's, 1 propagating thru Vector Address Reg.
: 1952 1 !           walking 0's, 0 propagating thru Vector Address Reg.
: 1953 1 !
: 1954 1 ! Hardware tested: Device Vector Address Register
: 1955 1 !                   Slave Interface Registers
: 1956 1 !
: 1957 1 ! Processing:
: 1958 1 !
: 1959 1 !     BEGIN
: 1960 1 !
: 1961 1 !       reset device
: 1962 1 !       REPEAT for each pattern
: 1963 1 !         write pattern to Vector Address Register ( bits 9:2 )
: 1964 1 !         read pattern from Vector Address Register ( bits 9:2 )
: 1965 1 !         compare write pattern to read pattern (less noise bits)
: 1966 1 !         IF not equal
: 1967 1 !         THEN
: 1968 1 !           print error message if not inhibited
: 1969 1 !         ENDIF
: 1970 1 !
: 1971 1 !     ENDREPEAT
: 1972 1 !   END
: 1973 1 ! --

```

ZONA3
VOL.0CZONACO DEQNA FUNCTIONAL TEST
TEST 4 INTERRUPT VECTOR ADDRESS TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZONA3.BLI;2SEQ 0105
Page 24
(13)

```

: 1974 3  BGNTST;
: 1975 3
: 1976 3  RESET_DEQNA ( );
: 1977 3
: 1978 3  :..
: 1979 3  : WRITE ALTERNATING 0'S AND 1'S TO INTERRUPT VECTOR ADDRESS REGISTER
: 1980 3  : IN THE I/O PAGE, THEN READ AND COMPARE TO THE WRITE PATTERN
: 1981 3  :--
: 1982 3
: 1983 3  INCR INDEX FROM 0 TO 7 DO
: 1984 4      BEGIN
: 1985 4          TEMP1 = .PTRN_TABLE [ .INDEX ];
: 1986 6          BGNSUB;
: 1987 6              PUT_BIT [ INT_VEC, VEC_ADR, .TEMP1 ];
: 1988 6              IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 1989 6                  THEN
: 1990 7                      BEGIN
: 1991 7                          PRINTB ( MSG59 );
: 1992 7                          PRINTB ( MSG65 );
: 1993 7                          PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 1994 7                          ERRDF ( 0401, MSG00, E1$REPORT );
: 1995 6                      END;
: 1996 4                  ENDSUB;
: 1997 3              END;
: 1998 3  :..
: 1999 3  : WRITE WALKING 1 PATTERN INTO THE INTERRUPT VECTOR ADDRESS IN THE I/O PAGE
: 2000 3  : REGISTER THEN READ AND COMPARE TO THE WRITE PATTERN
: 2001 3  :--
: 2002 3
: 2003 3  TEMP1 = #B'00000001';
: 2004 3
: 2005 3  INCR INDEX FROM 0 TO 7 DO
: 2006 4      BEGIN
: 2007 6          BGNSUB;
: 2008 6              PUT_BIT [ INT_VEC, VEC_ADR, .TEMP1 ];
: 2009 6              IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 2010 6                  THEN
: 2011 7                      BEGIN
: 2012 7                          PRINTB ( MSG59 );
: 2013 7                          PRINTB ( MSG65 );
: 2014 7                          PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 2015 7                          ERRDF ( 0402, MSG00, E1$REPORT );
: 2016 6                      END;
: 2017 6                  TEMP1 = .TEMP1 + 1;
: 2018 4                  ENDSUB;
: 2019 3              END;
: 2020 3
: 2021 3  :..
: 2022 3  : WRITE WALKING 0 PATTERN INTO THE INTERRUPT VECTOR ADDRESS IN THE I/O PAGE
: 2023 3  : REGISTER THEN READ AND COMPARE TO THE WRITE PATTERN
: 2024 3  :--
: 2025 3
: 2026 3  TEMP1 = #B'11111110';

```

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

5 Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 2027 3
: 2028 3   INCR INDEX FROM 0 TO 7 DO
: 2029 4   BEGIN
: 2030 6   BGNSUB;
: 2031 6   PUT_BIT ( INT_VEC, VEC_ADR, .TEMP1 );
: 2032 6   IF GET_BIT [ INT_VEC, VEC_ADR ] NEQU .TEMP1
: 2033 6   THEN
: 2034 7     BEGIN
: 2035 7       PRINTB ( MSG59 );
: 2036 7       PRINTB ( MSG65 );
: 2037 7       PRINTB ( MSG30, .GET_ADR [ VEC_ALL ], .TEMP1, GET_BIT [ INT_VEC, VEC_ADR ] );
: 2038 7       FRRDF ( 0403, MSG00, E1$REPORT );
: 2039 6     END;
: 2040 6
: 2041 6   TEMP1 = ( ( .TEMP1 + 1 ) * 1 ) AND #0'000377' ;
: 2042 4   ENDSUB;
: 2043 3   END;
: 2044 3
: 2045 1   ENDTST;

```

Address	Hex	Hex	Label	Instruction	Comment	Address
000000	004137	000000G	\$T4:	.SBTTL	\$T4 TEST 4 - INTERRUPT VECTOR ADDRESS TEST	1925
000004	162706	000022		JSR	R1,\$SAVE2	
000010	004737	000000G		SUB	#22,SP	
000014	005001			JSR	PC,RESET.DEQNA	1976
000016	116137	000000G 000000G	1\$:	CLR	R1	; INDEX
000024	105037	000001G		MOV	PTRN.TABLE(R1),TEMP1	; *(INDEX),*
000030	104402		2\$:	CLRB	TEMP1+1	
000032	013700	000000G		TRAP	2	
000036	013702	000000G		MOV	REG.ADR,R0	; 1987
000042	006302			MOV	TEMP1,R2	
000044	006302			ASL	R2	
000046	042702	176003		ASL	R2	
000052	042760	001774 000014		BIC	#176003,R2	
000060	050260	000014		BIC	#1774,14(R0)	
000064	016016	000014		BIS	R2,14(R0)	
000070	013702	000000G		MOV	14(R0),(SP)	; *.TMP.LOCATION
000074	011600			MOV	TEMP1,R2	
000076	006200			MOV	(SP),R0	; TMP.LOCATION,*
000100	006200			ASR	R0	
000102	042700	177400		ASR	R0	
000106	020002			BIC	#177400,R0	
000110	001456			CMP	R0,R2	
000112	012746	000000G		BEQ	3\$	
000116	012746	000001		MOV	#MSG59,-(SP)	; 1991
000122	010600			MOV	#1,-(SP)	
000124	104414			MOV	SP,R0	; SP,*
000126	012716	000000G		TRAP	14	
000132	012746	000001		MOV	#MSG65,(SP)	; 1992
000136	010600			MOV	#1,-(SP)	
000140	104414			MOV	SP,R0	; SP,*
000142	013700	000000G		TRAP	14	
				MOV	REG.ADR,R0	; 1993

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX 11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

000146	016066	000014	000010	MOV	14(R0),10(SP)	; *.TMP.LOCATION	
000154	016600	000010		MOV	10(SP),R0	; TMP.LOCATION,*	
000160	006200			ASR	R0		
000162	006200			ASR	R0		
000164	042700	177400		BIC	#177400,R0		
000170	010016			MOV	R0,(SP)		
000172	013746	000000G		MOV	TEMP1,-(SP)		
000176	013766	000000G	000014	MOV	GET.ADR,14(SP)	; *.TMP.LOCATION	
000204	062766	000014	000014	ADD	#14,14(SP)	; *.TMP.LOCATION	
000212	016646	000014		MOV	14(SP),-(SP)	; TMP.LOCATION,*	
000216	012746	000000G		MOV	#MSG30,-(SP)		
000222	012746	000004		MOV	#4,-(SP)		
000226	010600			MOV	SP,R0	; SP,*	
000230	104414			TRAP	14		
000232	104455			TRAP	55		1994
000234	000621			.WORD	621		
000236	000000G			.WORD	MSG00		
000240	000000G			.WORD	E1\$REPORT		
000242	062706	00001F		ADD	#16,SP		1990
000246	104467		3\$:	TRAP	67		1995
000250	006000			ROR	R0		
000252	103666			BLO	2\$		
000254	005201			INC	R1	; INDEX	1983
000256	020127	000007		CMP	R1,#7	; INDEX,*	
000262	003655			BLE	1\$		
000264	012737	000001	000000G	MOV	#1,TEMP1		2003
000272	012701	000010		MOV	#10,R1	; *.INDEX	2005
000276	104402		4\$:	TRAP	2		2006
000300	013700	000000G		MOV	REG.ADR,R0		2008
000304	013702	000000G		MOV	TEMP1,R2		
000310	006302			ASL	R2		
000312	006302			ASL	R2		
000314	042702	176003		BIC	#176003,R2		
000320	042760	001774	000014	BIC	#1774,14(R0)		
000326	050260	000014		BIS	R2,14(R0)		
000332	016066	000014	000006	MOV	14(R0),6(SP)	; *.TMP.LOCATION	2009
000340	013702	000000G		MOV	TEMP1,R2		
000344	016600	000006		MOV	6(SP),R0	; TMP.LOCATION,*	
000350	006200			ASR	R0		
000352	006200			ASR	R0		
000354	042700	177400		BIC	#177400,R0		
000360	020002			CMP	R0,R2		
000362	001456			BEQ	5\$		
000364	012746	000000G		MOV	#MSG59,-(SP)		2012
000370	012746	000001		MOV	#1,-(SP)		
000374	010600			MOV	SP,R0	; SP,*	
000376	104414			TRAP	14		
000400	012716	000000G		MOV	#MSG65,(SP)		2013
000404	012746	000001		MOV	#1,(SP)		
000410	010600			MOV	SP,R0	; SP,*	
000412	104414			TRAP	14		
000414	013700	000000G		MOV	REG.ADR,R0		2014
000420	016066	000014	000016	MOV	14(R0),16(SP)	; *.TMP.LOCATION	

ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST5-Jul-1984 4:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0108
Page 27
(13)

000426	016600	000016		MOV	16(SP),R0	; TMP.LOCATION,*	
000432	006200			ASR	R0		
000434	006200			ASR	R0		
000436	042700	177400		BIC	#177400,R0		
000442	010016			MOV	R0,(SP)		
000444	013746	000000G		MOV	TEMP1,-(SP)		
000450	013766	000000G	000022	MOV	GET.ADR,22(SP)	; *,TMP.LOCATION	
000456	062766	000014	000022	ADD	#14,22(SP)	; *,TMP.LOCATION	
000464	016646	000022		MOV	22(SP),-(SP)	; TMP.LOCATION,*	
000470	012746	000000G		MOV	#MSG30,-(SP)		
000474	012746	000004		MOV	#4,-(SP)		
000500	010600			MOV	SP,R0	; SP,*	
000502	104414			TRAP	14		
000504	104455			TRAP	55		2015
000506	000622			.WORD	622		
000510	000000G			.WORD	MSG00		
000512	000000G			.WORD	E1\$REPORT		
000514	062706	000016		ADD	#16,SP		2011
000520	006337	000000G	5\$:	ASL	TEMP1		2017
000524	104467			TRAP	67		
000526	006000			ROR	R0		
000530	103662			BLO	4\$		
000532	005301			DEC	R1	; INDEX	2005
000534	001260			BNE	4\$		
000536	012737	000376	000000G	MOV	#376,TEMP1		2026
000544	012701	000010		MOV	#10,R1	; *,INDEX	2028
000550	104402		6\$:	TRAP	2		2029
000552	013700	000000G		MOV	REG.ADR,R0		2031
000556	013702	000000G		MOV	TEMP1,R2		
000562	006302			ASL	R2		
000564	006302			ASL	R2		
000566	042702	176003		BIC	#176003,R2		
000572	042760	001774	000014	BIC	#1774,14(R0)		
000600	050260	000014		BIS	R2,14(R0)		
000604	016066	000014	000014	MOV	14(R0),14(SP)	; *,TMP.LOCATION	2032
000612	013702	000000G		MOV	TEMP1,R2		
000616	016600	000014		MOV	14(SP),R0	; TMP.LOCATION,*	
000622	006200			ASR	R0		
000624	006200			ASR	R0		
000626	042700	177400		BIC	#177400,R0		
000632	020002			CMP	R0,R2		
000634	001456			BEQ	7\$		
000636	012746	000000G		MOV	#MSG59,-(SP)		2035
000642	012746	000001		MOV	#1,(SP)		
000646	010600			MOV	SP,R0	; SP,*	
000650	104414			TRAP	14		
000652	012716	000000G		MOV	#MSG65,(SP)		2036
000656	012746	000001		MOV	#1,-(SP)		
000662	010600			MOV	SP,R0	; SP,*	
000664	104414			TRAP	14		
000666	013700	000000G		MOV	REG.ADR,R0		2037
000672	016066	000014	000024	MOV	14(R0),24(SP)	; *,TMP.LOCATION	
000700	016600	000024		MOV	24(SP),R0	; TMP.LOCATION,*	

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 4 - INTERRUPT VECTOR ADDRESS TEST

5-Jul-1984 14:05:07
5-Jul 1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

000704	006200		ASR	R0		
000706	006200		ASR	R0		
000710	042700	177400	BIC	#177400,R0		
000714	010016		MOV	R0,(SP)		
000716	013746	000000G	MOV	TEMP1,-(SP)		
000722	013766	000000G 000030	MOV	GET.ADR,30(SP)		; *,TMP.LOCATION
000730	062766	000014 000030	ADD	#14,30(SP)		; *,TMP.LOCATION
000736	016646	000030	MOV	30(SP),-(SP)		; TMP.LOCATION,*
000742	012746	000000G	MOV	#MSG30,-(SP)		
000746	012746	000004	MOV	#4,-(SP)		
000752	010600		MOV	SP,R0		; SP,*
000754	104414		TRAP	14		
000756	104455		TRAP	55		; 2038
000760	000623		.WORD	623		
000762	000000G		.WORD	MSG00		
000764	000000G		.WORD	E1\$REPORT		
000766	062706	000016	ADD	#16,SP		; 2034
000772	013700	000000G 7\$:	MOV	TEMP1,R0		; 2041
000776	006300		ASL	R0		
001000	005200		INC	R0		
001002	005037	000000G	CLR	TEMP1		
001006	110037	000000G	MOVB	R0,TEMP1		
001012	104467		TRAP	67		
001014	006000		ROR	R0		
001016	103654		BLO	6\$		
001020	005301		DEC	R1		; INDEX 2028
001022	001252		BNE	6\$		
001024	062706	000022	ADD	#22,SP		; 1925
001030	000207		RTS	PC		

; Routine Size: 269 words, Routine Base: AB\$CODE\$ * 2072
; Maximum stack depth per invocation: 21 words

000000	004737	002072'	T4::	.SBTTL	T4 TEST 4 - INTERRUPT VECTOR ADDRESS TEST	
000000			1\$:	JSR	PC,\$T4	; 2043
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

; Routine Size: 6 words, Routine Base: AB\$CODE\$ * 3124
; Maximum stack depth per invocation: 2 words

; 2046 1

ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST5 Jul-1984 14:05:07
5 Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0110
Page 29
(14)

```

: 2047 1 #SBTTL 'TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST'
: 2048 1 :
: 2049 1 :
: 2050 1 : TEST 5: BOOT/DIAGNOSTIC PROM CHECKSUM TEST
: 2051 1 :
: 2052 1 : DESCRIPTION:
: 2053 1 :
: 2054 1 : This test verifies that the contents of the on-board ROM
: 2055 1 : (Boot/Diagnostic ROM) can be loaded to the host memory correctly.
: 2056 1 : Checksum is generated from the ROM data read and this checksum is
: 2057 1 : compared to the checksum stored in the last word location of the
: 2058 1 : on-board ROM. If the operator specifies loop on error, the program
: 2059 1 : re-executes the code that detected the error until ^C is entered.
: 2060 1 :
: 2061 1 :
: 2062 1 : Hardware tested: Q-Bus to DMA interface
: 2063 1 : I8051 microprocessor
: 2064 1 : I8051 ROM
: 2065 1 : CSR register
: 2066 1 : Receive FIFO
: 2067 1 :
: 2068 1 : Processing:
: 2069 1 : BEGIN
: 2070 1 : reset device
: 2071 1 : setup Receive Descriptor List(s)
: 2072 1 : set Boot/Diagnostic ROM and External loopback bits
: 2073 1 : This moves ROM boot code into receive FIFO
: 2074 1 : wait 10 msec. or until RL ( bit 5 in CSR ) = 0
: 2075 1 : check CSR status ( bit 5 ) and RCV Descriptor List status
: 2076 1 : IF error
: 2077 1 : THEN
: 2078 1 : print error message if not inhibited
: 2079 1 : ENDIF
: 2080 1 : clear Boot/Diagnostic ROM bit in CSR
: 2081 1 : This moves contents of FIFO to host memory
: 2082 1 : wait 10 msec. or until RCV Descriptor status changed
: 2083 1 : IF change in status
: 2084 1 : THEN
: 2085 1 : print error message if not inhibited
: 2086 1 : ENDIF
: 2087 1 : compute ROM checksum and compare to checksum read from ROM
: 2088 1 : IF not equal
: 2089 1 : THEN
: 2090 1 : print error message if not inhibited
: 2091 1 : ENDIF
: 2092 1 : END
: 2093 1 :

```


ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAY 11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0111
Page 30
(15)

```

: 2094 3  BGNTST;
: 2095 3
: 2096 3  RESET_DEQNA ( );
: 2097 3  CLR_BUFFERS ( 2 * K );
: 2098 3
: 2099 3  !..
: 2100 3  ! COPY BOOT/DIAGNOSTIC PROM DESCRIPTOR LIST INTO WORK AREA
: 2101 3  !..
: 2102 3
: 2103 3  INCR INDEX FROM 0 TO BD_D_SIZE - 1 DO
: 2104 3  DESCR_LIST [ .INDEX, W_LEN ] = .BD_PROM_DESCR [ .INDEX ];
: 2105 3
: 2106 3  .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 2107 3  .IOP_TABLE [ RHI_ADR ] = 0;
: 2108 3
: 2109 3  PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 2110 3  PUT_BIT ( CSR, BD, SET_IT );
: 2111 3
: 2112 3  DELAY ( K );
: 2113 3  INCR INDEX FROM 0 TO TIME3_LIMIT DO
: 2114 3  IF GET_BIT ( CSR, RL ) EQLU ZERO
: 2115 3  THEN
: 2116 4  BEGIN
: 2117 4  TEMP1 = .INDEX;
: 2118 4  EXITLOOP;
: 2119 4  END
: 2120 3  ELSE
: 2121 3  IF .INDEX EQLU TIME3_LIMIT
: 2122 3  THEN
: 2123 4  BEGIN
: 2124 4  PRINTB ( MSG59 );
: 2125 4  PRINTB ( MSG66, GET_BIT ( CSR_ALL ) );
: 2126 4  ERRDF ( 0501, MSG00, ERROR$REPORT );
: 2127 3  END;
: 2128 3
: 2129 3  VER_DESCR_STATUS ( );
: 2130 3
: 2131 3  !..
: 2132 3  ! FINISH BOOT/DIAGNOSTIC PROM UPLOAD
: 2133 3  !..
: 2134 3
: 2135 3  PUT_BIT ( CSR, BD, CLR_IT );
: 2136 3  DELAY ( K );
: 2137 3
: 2138 3  !..
: 2139 3  ! CHECK IF RECEIVE STATUS CHANGED
: 2140 3  !..
: 2141 3
: 2142 3  VER_DESCR_STATUS ( );
: 2143 3
: 2144 3  RESET_DEQNA ( );
: 2145 3
: 2146 3  TEMP3 = 0;

```

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 2147 3 TEMP3 = .DATA_BUFFER [ CHSUM_OFFSET + 1 ];
: 2148 3 TEMP3 = ( .TEMP3 + 8 ) AND #X'FF00';
: 2149 3 TEMP3 = .DATA_BUFFER [ CHSUM_OFFSET ] + .TEMP3;
: 2150 3
: 2151 3 TEMP2 = .DATA_BUFFER [ .TEMP3 + 1 ];
: 2152 3 TEMP2 = ( .TEMP2 + 8 ) AND #X'FF00';
: 2153 3 TEMP2 = .DATA_BUFFER [ .TEMP3 ] + .TEMP2;
: 2154 3
: 2155 3 COUNTER = 0;
: 2156 3 CHECKSUM = 0;
: 2157 3
: 2158 3 INCR INDEX FROM 0 TO PROM_SIZE - 2 DO
: 2159 3   IF .COUNTER EQLU .TEMP3
: 2160 3     THEN
: 2161 3       COUNTER = .COUNTER + 2
: 2162 3     ELSE
: 2163 4       BEGIN
: 2164 4         CHECKSUM = .CHECKSUM + ( .DATA_BUFFER [ .COUNTER ] AND #X'FF' );
: 2165 4         COUNTER = .COUNTER + 1;
: 2166 3       END;
: 2167 3
: 2168 4 IF ( .TEMP2 EQLU ZERO ) OR ( .TEMP2 NEQU .CHECKSUM )
: 2169 3 THEN
: 2170 4   BEGIN
: 2171 4     CSR_WORD = GET_BIT ( CSR_ALL );
: 2172 4     PRINTB ( MSG59 );
: 2173 4     PRINTB ( MSG67, .TEMP3, .TEMP2, .CHECKSUM );
: 2174 4     ERRDF ( 0502, MSG00, E1$REPORT);
: 2175 3   END;
: 2176 3
: 2177 1 ENDTST;

```

000000	004137	000000G	\$75:	.SBTTL \$T5 TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST	2045
000004	162706	000010		JSR R1,\$SAVE3	
000010	004737	000000G		SUB #10,SP	
000014	012746	004000		JSR PC,RESET.DEQNA	2096
000020	004737	000000G		MOV #4000,-(SP)	2097
000024	005000			JSR PC,CLR.BUFFERS	
000026	016060	000000G 000000G	1\$:	CLR R0	2103
000034	062700	000002		MOV BD.PROM.DESCR(R0),DESCR.LIST(R0); *(INDEX),*(INDEX)	2104
000040	020027	000036		ADD #2,R0	2103
000044	003770			CMP R0,#36	
000046	012777	000000G 000004G		BLE 1\$	
000054	005077	000006G		MOV #RCV.D.LIST,@IOP.TABLE+4	2106
000060	013700	000000G		CLR @IOP.TABLE+6	2107
000064	052760	001410 000016		MOV REG.ADR,R0	2109
000072	012701	002000		BIS #1410,16(R0)	2110
000076	001410		2\$:	MOV #2000,R1	2112
000100	013700	000000G		BEQ 5\$	
000104	001403			MOV L\$DLY,R0	*(,\$\$TMP1
000106	005066	000010	3\$:	BEQ 4\$	
				CLR 10(SP)	;\$TMP

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

5-Jul-1984 14:05:07
5-Jul 1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2

SEQ 0113
Page 32
(15)

000112	077003			SOB	RO,3\$:	\$\$TMP1,*	
000114	005301		4\$:	DEC	R1	:	\$\$TMP2	
000116	000767			BR	2\$			
000120	005001		5\$:	CLR	R1	:	INDEX	2113
000122	013700	000000G	6\$:	MOV	REG.ADR,RO	:		2114
000126	016066	000016 000002		MOV	16(RO),2(SP)	:	*,TMP.LOCATION	
000134	032766	000040 0C0002		BIT	440,2(SP)	:	*,TMP.LOCATION	
000142	001003			BNE	7\$			
000144	010137	000000G		MOV	R1,TEMP1	:	INDEX,*	2117
000150	000440			BR	9\$:		2116
000152	020127	002000	7\$:	CMP	R1,#2000	:	INDEX,*	2121
000156	001031			BNE	8\$			
000160	012716	000000G		MOV	#MSG59,(SP)	:		2124
000164	012746	000001		MOV	#1,-(SP)			
000170	010600			MOV	SP,RO	:	SP,*	
000172	104414			TRAP	14			
000174	013700	000000G		MOV	REG.ADR,RO	:		2125
000200	016066	000016 000006		MOV	16(RO),6(SP)	:	*,TMP.LOCATION	
000206	016616	000006		MOV	6(SP),(SP)	:	TMP.LOCATION,*	
000212	012746	000000G		MOV	#MSG66,-(SP)			
000216	012746	000002		MOV	#2,-(SP)			
000222	010600			MOV	SP,RO	:	SP,*	
000224	104414			TRAP	14			
000226	104455			TRAP	55	:		2126
000230	000765			.WORD	765			
000232	000000G			.WORD	MSG00			
000234	000000G			.WORD	ERROR\$REPORT			
000236	062706	000006		ADD	#6,SP	:		2123
000242	005201		8\$:	INC	R1	:	INDEX	2113
000244	020127	002000		CMP	R1,#2000	:	INDEX,*	
000250	003724			BLE	6\$			
000252	004737	000000G	9\$:	JSR	PC,VER.DESCR.STATUS	:		2129
000256	013700	000000G		MOV	REG.ADR,RO	:		2135
000262	142760	000010 000016		BICB	#10,16(RO)			
000270	012701	002000		MOV	#2000,R1	:	*,\$\$TMP2	2136
000274	001410		10\$:	BEG	13\$			
000276	013700	000000G		MOV	L\$DLY,RO	:	*,\$\$TMP1	
000302	001403			BEG	12\$			
000304	005066	000010	11\$:	CLR	10(SP)	:	\$\$TMP	
000310	077003			SOB	RO,11\$:	\$\$TMP1,*	
000312	005301		12\$:	DEC	R1	:	\$\$TMP2	
000314	000767			BR	10\$			
000316	004737	000000G	13\$:	JSR	PC,VER.DESCR.STATUS	:		2142
000322	004737	000000G		JSR	PC,RESET.DEQNA	:		2144
000326	005037	000000G		CLR	TEMP3	:		2147
000332	113737	000007G 000000G		MOVB	DATA.BUFFER+7,TEMP3			
000340	013700	000000G		MOV	TEMP3,RO	:		2148
000344	072027	000010		ASH	#10,RO			
000350	010037	000000G		MOV	RO,TEMP3			
000354	042737	000377 000000G		BIC	#377,TEMP3			
000362	005000			CLR	RO	:		2149
000364	153700	000006G		BISB	DATA.BUFFER+6,RO			
000370	060037	000000G		ADD	RO,TEMP3			

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAY-11 Bliss-16 V4.0-579	SEQ 0114	
V01.0	TEST 5 -	BOOT/DIAGNOSTIC	PROM CHECKSUM TEST	5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 33	
						(15)	
000374	013701	000000G		MOV	TEMP3,R1	;	2151
00040C	116137	000001G	000000G	MOV	DATA,BUFFER+1(R1),TEMP2	;	
000406	105037	000001G		CLRB	TEMP2+1	;	
000412	013700	000000G		MOV	TEMP2,R0	;	2152
000416	072027	00001C		ASH	#10,R0	;	
000422	010037	000000G		MOV	R0,TEMP2	;	
000426	042737	000377	000000G	BIC	#377,TEMP2	;	
000434	005000			CLR	R0	;	2153
000436	156100	000000G		BISB	DATA,BUFFER(R1),R0	;	
000442	060037	000000G		ADD	R0,TEMP2	;	
000446	005037	000000G		CLR	COUNTER	;	2155
000452	005037	000000G		CLR	CHECKSUM	;	2156
000456	012702	007777		MOV	#7777,R2	;	2158
000462	013700	000000G	14\$:	MOV	COUNTER,R0	;	2159
000466	020001			CMP	R0,R1	;	
000470	001004			BNE	15\$;	
000472	062737	000002	000000G	ADD	#2,COUNTER	;	2161
000500	000407			BR	16\$;	2159
000502	005003			CLR	R3	;	2164
000504	156003	000000G		BISB	DATA,BUFFER(R0),R3	;	
000510	060337	000000G		ADD	R3,CHECKSUM	;	
000514	005237	000000G		INC	COUNTER	;	2165
000520	077220			SQB	R2,14\$;	2158
000522	013700	000000G	16\$:	MOV	TEMP2,R0	;	INDEX,*
000526	001403			BEQ	17\$;	2168
000530	020037	000000G		CMP	R0,CHECKSUM	;	
000534	001440			BEQ	18\$;	
000536	013700	000000G	17\$:	MOV	REG.ADR,R0	;	2171
000542	016066	000016	000006	MOV	16(R0),6(SP)	;	*,TMP.LOCATION
000550	016637	000006	000000G	MOV	6(SP),CSR.WORD	;	TMP.LOCATION,*
000556	012716	000000G		MOV	#MSG59,(SP)	;	2172
000562	012746	000001		MOV	#1,-(SP)	;	
000566	010600			MOV	SP,R0	;	SP,*
000570	104414			TRAP	14	;	
000572	013716	000000G		MOV	CHECKSUM,(SP)	;	2173
000576	013746	000000G		MOV	TEMP2,-(SP)	;	
000602	013746	000000G		MOV	TEMP3,-(SP)	;	
000606	012746	000000G		MOV	#MSG67,-(SP)	;	
000612	012746	000004		MOV	#4,-(SP)	;	
000616	010600			MOV	SP,R0	;	SP,*
000620	104414			TRAP	14	;	
000622	104455			TRAP	55	;	2174
000624	000766			.WORD	766	;	
000626	000000G			.WORD	MSG00	;	
000630	000000G			.WORD	E1\$REPORT	;	
000632	062706	000012		ADD	#12,SP	;	2170
000636	062706	000012	18\$:	ADD	#12,SP	;	2045
000642	000207			RTS	PC	;	

; Routine Size: 210 words, Routine Base: AB\$CODE\$ + 314^
; Maximum stack depth per invocation: 16 words

ZQNA3
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX 11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

.SBTTL T5 TEST 5 - BOOT/DIAGNOSTIC PROM CHECKSUM TEST

000000 004737 003140'
000000
000004 104466
000006 006000
000010 103773
000012 000207

T5::
1\$: JSR PC,\$T5
TRAP 66
ROR R0
BLO 1\$
RTS PC

2175

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 4004
: Maximum stack depth per invocation: 2 words

: 2178 1

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 6 - INTERRUPT SANITY TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0116
Page 35
(16)

```

: 2179 1 *SBTTL 'TEST 6 - INTERRUPT SANITY TEST'
: 2180 1 !**
: 2181 1 !
: 2182 1 ! TEST 6: INTERRUPT SANITY TEST
: 2183 1 !
: 2184 1 ! DESCRIPTION:
: 2185 1 !
: 2186 1 ! This test verifies that DEQNA interrupts the processor only at
: 2187 1 ! the expected level ( 4 ) and not any other level. If the operator
: 2188 1 ! specifies loop on error, the program re-executes the code that
: 2189 1 ! detected the error until tC is entered.
: 2190 1 !
: 2191 1 ! Hardware tested: Q-Bus to QTDC interface
: 2192 1 ! CSR register
: 2193 1 ! Q-Bus timeout logic
: 2194 1 ! QTDC interrupt logic
: 2195 1 ! Processing:
: 2196 1 !
: 2197 1 ! BEGIN
: 2198 1 ! reset device
: 2199 1 ! set-up for NXM interrupt
: 2200 1 ! REPEAT for each processor priority level
: 2201 1 ! enable device interrupt (set CSR bit 6)
: 2202 1 ! force NXM interrupt
: 2203 1 ! check for expected CSR status
: 2204 1 ! IF error
: 2205 1 ! THEN
: 2206 1 ! print error message if not inhibited
: 2207 1 ! ENDIF
: 2208 1 ! ENDREPEAT
: 2209 1 ! END
: 2210 1 !--

```

```

: 2211 1
: 2212 3   BGNTST;
: 2213 3
: 2214 3   RESET_DEQNA ( );
: 2215 3   SETVEC ( .HWP_TABLE [ VEC ], NXM_INT, PRI07 ); ! SET UP FOR AN NYM INTERRUPT
: 2216 3   .IOP_TABLE [ INT_VEC ] = .HWP_TABLE [ VEC ];
: 2217 3   TMP_IOP_ADR = .HWP_TABLE [ ADDR ];
: 2218 3   COUNTER = 0;
: 2219 3
: 2220 3   INCR PRIORITY FROM PRI00 TO PRI07 BY #0'40' DO
: 2221 4       BEGIN
: 2222 4           SETPRI ( .PRIORITY ); ! SET PROCESSOR PRI LEVEL
: 2223 6           BGNSUB;
: 2224 6               PUT_BIT ( CSR, IE, SET_IT ); ! ENABLE INTERRUPTS
: 2225 6               DELAY ( 5 ); !
: 2226 6               INTERRUPT_FLG = CLEAR_FLG;
: 2227 6
: 2228 6               .IOP_TABLE [ XLO_ADR ] = NXM_LO_ADR; ! WRITE LOW ADDRESS
: 2229 6               .IOP_TABLE [ XHI_ADR ] = NXM_HI_ADR; ! WRITE HIGH ADDRESS
: 2230 6
: 2231 6               DELAY ( 2 );
: 2232 6               GETPRI ( TEMP1 );
: 2233 6               TEMP1 = .TEMP1 + ( - 5 );
: 2234 6
: 2235 6           IF .INTERRUPT_FLG EQLU WORD_LIMIT
: 2236 6               THEN ! INTERRUPT SHOULD NOT OCCUR
: 2237 6                   IF .PRIORITY GTRU PRI03
: 2238 6                       THEN
: 2239 7                           BEGIN
: 2240 7                               PRINTB ( MSG59 );
: 2241 7                               PRINTB ( MSG69, .TMP_IOP_ADR, .TEMP1, .COUNTER );
: 2242 7                               ERRDF ( 0601, MSG00, E1$REPORT );
: 2243 6                               END;
: 2244 6
: 2245 6           IF .INTERRUPT_FLG EQLU ZERO
: 2246 6               THEN ! INTERRUPT SHOULD OCCUR
: 2247 6                   IF .PRIORITY LEQU PRI03
: 2248 6                       THEN
: 2249 6                           IF ( .XMIT_D_LIST [ FLGWD ] AND XFLG_MASK ) NEQU XFLG_MASK
: 2250 6                               THEN
: 2251 7                                   BEGIN
: 2252 7                                       PRINTB ( MSG59 );
: 2253 7                                       PRINTB ( MSG69, .TMP_IOP_ADR, .TEMP1, .COUNTER );
: 2254 7                                       ERRDF ( 0602, MSG00, E1$REPORT );
: 2255 6                                       END;
: 2256 6               RESET_DEQNA ( );
: 2257 4           ENDSUB;
: 2258 4           COUNTER = .COUNTER + 1;
: 2259 3       END;
: 2260 3
: 2261 3   SETPRI ( PRI03 ); ! SET PROCESSOR PRI LEVEL
: 2262 3
: 2263 1   ENDTST;

```

ZQNA3
V01.0

CZQNAC0 DEQNA FUNCTIONAL TEST
TEST 6 INTERRUPT SANITY TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0118
Page 37
(17)

```

000000 004137 000000G          $T6:  .SBTTL  $T6 TEST 6 - INTERRUPT SANITY TEST
000004 005746                JSR    R1,$SAVE2                ;                2177
000006 004737 000000G          TST    -(SP)                    ;                2214
000012 012746 000000G          JSR    PC,RESET.DEQNA          ;                2215
000016 012746 000000G          MOV    @PRI07,-(SP)            ;
000022 013700 000000G          MOV    @NXM.INT,-(SP)         ;
000026 016046 000002          MOV    HWP.TABLE,R0           ;
000032 012746 000003          MOV    2(R0),-(SP)           ;
000036 104437                TRAP   37                       ;
000040 013700 000000G          MOV    HWP.TABLE,R0           ;                2216
000044 016077 000002 000014G  MOV    2(R0),@IOP.TABLE+14    ;
000052 017737 000000G 000000G  MOV    @HWP.TABLE,TMP.IOP.ADR ;                2217
000060 005037 000000G          CLR    COUNTER                ;                2218
000064 012702 000000G          MOV    @PRI00,R2              ; *.PRIORITY 2220
000070 000570                BR     13$                     ;
000072 010200                1$:  MOV    R2,R0                ; PRIORITY,* 2222
000074 104441                TRAP   41                       ;
000076 104402                2$:  TRAP   2                       ;
000100 013700 000000G          MOV    REG.ADR,R0             ;                2224
000104 152760 000100 000016  BI     8 @100,16(R0)           ;
000112 012701 000005          MOV    @5,R1                  ; *,$$TMP2 2225
000116 001410                3$:  BEQ    6$                       ;
000120 013700 000000G          MOV    L$DLY,R0              ; *,$$TMP1
000124 001403                BEQ    5$                       ;
000126 005066 000010          4$:  CLR    10(SP)                ; $$TMP
000132 077003                SOB    R0,4$                  ; $$TMP1,*
000134 005301                5$:  DEC    R1                      ; $$TMP2
000136 000767                BR     3$                       ;
000140 005037 000000G          6$:  CLR    INTERRUPT.FLG        ;                2226
000144 012777 160000 000010G  MOV    @-2000,@IOP.TABLE+10  ;                2228
000152 012777 000077 000012G  MOV    @77,@IOP.TABLE+12     ;                2229
000160 012701 000002          MOV    @2,R1                  ; *,$$TMP2 2231
000164 001410                7$:  BEQ    10$                      ;
000166 013700 000000G          MOV    L$DLY,R0              ; *,$$TMP1
000172 001403                BEQ    9$                       ;
000174 005066 000010          8$:  CLR    10(SP)                ; $$TMP
000200 077003                SOB    R0,8$                  ; $$TMP1,*
000202 005301                9$:  DEC    R1                      ; $$TMP2
000204 000767                3R    7$                       ;
000206 104440                10$: TRAP   40                    ;                2232
000210 072027 177773          ASH    @-5,R0                 ;                2233
000214 010037 000000G          MOV    R0,TEMP1              ;
000220 023727 000000G 177777  CMP    INTERRUPT.FLG,@-1     ;                2235
000226 001033                BNE    11$                     ;
000230 020227 000000G          CMP    R2,@PRI03             ; PRIORITY,* 2237
000234 101430                BLOS   11$                     ;
000236 012716 000000G          MOV    @MSG59,(SP)           ;                2240
000242 012746 000001          MOV    @1,(SP)               ;
000246 010600                MOV    SP,R0                  ; SP,*
000250 104414                TRAP   14                       ;

```


ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 6 - INTERRUPT SANITY TEST

5 Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

000252	013716	000000G		MOV	COUNTER,(SP)	:	2241
000256	013746	000000G		MOV	TEMP1,-(SP)	:	
000262	013746	000000G		MOV	TMP.IOP.ADR,-(SP)	:	
000266	012746	000000G		MOV	#MSG69,-(SP)	:	
000272	012746	0000004		MOV	#4,-(SP)	:	
000276	010600			MOV	SP,R0	: SP,*	
000300	104414			TRAP	14	:	
000302	104455			TRAP	55	:	2242
000304	001131			.WORD	1131	:	
000306	000000G			.WORD	MSG00	:	
000310	000000G			.WORD	E1\$REPORT	:	
000312	062706	000012		ADD	#12,SP	:	2239
000316	005737	000000G	11\$:	TST	INTERRUPT.FLG	:	2245
000322	001042			BNE	12\$:	
000324	020227	000000G		CMP	R2,#PRI03	: PRIORITY,*	2247
000330	101037			BHI	12\$:	
000332	013700	000000G		MOV	XMIT.D.LIST,R0	:	2249
000336	042700	037777		BIC	#37777,R0	:	
000342	020027	140000		CMP	R0,#-40000	:	
000346	001430			BEQ	12\$:	
000350	012'16	000000G		MOV	#MSG59,(SP)	:	2252
000354	012746	000001		MOV	#1,-(SP)	:	
000360	010600			MCV	SP,R0	: SP,*	
000362	104414			TRAP	14	:	
000364	013716	000000G		MOV	COUNTER,(SP)	:	2253
000370	013746	000000G		MOV	TEMP1,-(SP)	:	
000374	013746	000000G		MOV	TMP.IOP.ADR,-(SP)	:	
000400	012746	000000G		MOV	#MSG69,-(SP)	:	
000404	012746	0000004		MOV	#4,-(SP)	:	
000410	010600			MOV	SP,R0	: SP,*	
000412	104414			TRAP	14	:	
000414	104455			TRAP	55	:	2254
000416	001132			.WORD	1132	:	
000420	000000G			.WORD	MSG00	:	
000422	000000G			.WORD	E1\$REPORT	:	
000424	062706	000012		ADD	#12,SP	:	2251
000430	004737	000000G	12\$:	JSR	PC,RESET.DEQNA	:	2256
000434	104467			TRAP	67	:	
000436	006000			ROR	R0	:	
000440	103616			BLO	2\$:	
000442	005237	000000G		INC	COUNTER	:	2258
000446	062702	000040		ADD	#40,R2	: *,PRIORITY	2220
000452	020227	000000G	13\$:	CMP	R2,#PRIO1	: PRIORITY,*	
000456	003605			BLE	1\$:	
000460	012700	000000G		MOV	#PRI03,R0	:	2261
000464	104441			TRAP	41	:	
000466	062706	000012		ADD	#12,SP	:	2177
000472	000207			RTS	PC	:	

; Routine Size: 133 words, Routine Base: AB\$CODE\$ + 4020
; Maximum stack depth per invocation: 15 words

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 6 - INTERRUPT SANITY TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]:QNA3.BLI;2

```

000000 004737 004020'      T6::      .SBTTL T6 TEST 6 - INTERRUPT SANITY TEST
000000      1$:      JSR      PC,$T6      ;
000004 104466      TRAP     66
000006 006000      ROR      R0
000010 103773      BLO      1$
000012 000207      RTS      PC

```

2261

```

; Routine Size: 6 words,      Routine Base: AB$CODE$ + 4514
; Maximum stack depth per invocation: 2 words

```

; 2264 1

ZQNA3
VOL.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 2265 1 *SBTTL 'TEST 7 - ETHERNET CARRIER SENSE TEST'
: 2266 1 !..
: 2267 1 !
: 2268 1 ! TEST 7: ETHERNET CARRIER SENSE TEST
: 2269 1 !
: 2270 1 ! DESCRIPTION:
: 2271 1 !
: 2272 1 ! This test verifies that the DEQNA can transmit external loopback
: 2273 1 ! packets and if not faulty FRU is can be found by executing this
: 2274 1 ! by implementing the instructions printed on the operator's console.
: 2275 1 !
: 2276 1 ! In order to run this test successfully the operator has to make
: 2277 1 ! sure that DEQNA is connected to the transceiver. If the operator
: 2278 1 ! specifies loop on error, the program re-executes the code that detected
: 2279 1 ! the error until ^C is entered.
: 2280 1 !
: 2281 1 ! Hardware tested: Carrier Sense circuitry
: 2282 1 ! Encode/Decode ( ED ) chip
: 2283 1 !
: 2284 1 ! Processing:
: 2285 1 !
: 2286 1 ! BEGIN
: 2287 1 ! reset device
: 2288 1 ! select external loopback mode
: 2289 1 ! check external hardware
: 2290 1 ! IF bad hardware
: 2291 1 ! THEN
: 2292 1 ! print error message if not inhibited
: 2293 1 ! ENDIF
: 2294 1 ! read CSR
: 2295 1 ! IF Ethernet Carrier Sense bit ( bit 13 ) = 1
: 2296 1 ! THEN
: 2297 1 ! print error message if not inhibited
: 2298 1 ! ENDIF
: 2299 1 ! transmit longest unchained loopback packet ( ETHERNET format )
: 2300 1 ! read CSR while transmitting loopback packet
: 2301 1 ! IF Ethernet Carrier Sense bit (bit 13) = 0
: 2302 1 ! THEN
: 2303 1 ! print error message if not inhibited
: 2304 1 ! ELSE
: 2305 1 ! wait until Carrer Sense bit goes to 0
: 2306 1 ! ENDIF
: 2307 1 ! read CSR
: 2308 1 ! IF Ethernet Carrier Sense bit (bit 13) = 1
: 2309 1 ! THEN
: 2310 1 ! print error message if not inhibited
: 2311 1 ! ENDIF
: 2312 1 ! END
: 2313 1 !..

```

ZQNA3
VO1.0CZQVACO DEQNA FUNCTIONAL TEST
TES 7 - ETHERNET CARRIER SENSE TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0122
Page 41
(19)

```

: 2314 3  BGNTST;
: 2315 3
: 2316 3  IF .SWP_ILOOP
: 2317 3    THEN
: 2318 4      BEGIN
: 2319 4        RESET_DEQNA ( );
: 2320 5        IF ( NOT GET_BIT [ CSR, XC ] ) AND ( .SWP_LBC EQLU ZERO )
: 2321 4          THEN
: 2322 5            BEGIN
: 2323 5              CSR_WORD = GET_BIT [ CSR_ALL ];
: 2324 5              SELECTONE .XC_FLAG OF
: 2325 5                SET
: 2326 5                  [ 0 ]:
: 2327 6                    BEGIN
: 2328 6                      XC_FLAG = .XC_FLAG + 1;
: 2329 6                      PRINTB ( MSG59 );
: 2330 6                      PRINTB ( MSG47 );
: 2331 6                      ERRDF ( 0704, MSG00, ERROR$REPORT );
: 2332 5                    END;
: 2333 5                  [ 1 ]:
: 2334 6                    BEGIN
: 2335 6                      XC_FLAG = ZERO;
: 2336 6                      PRINTB ( MSG59 );
: 2337 6                      PRINTB ( MSG42 );
: 2338 6                      ERRDF ( 0705, MSG00, ERROR$REPORT );
: 2339 5                    END;
: 2340 5          TES;
: 2341 5          EXIT_TST;
: 2342 5        END
: 2343 4      ELSE
: 2344 4        XC_FLAG = ZERO;
: 2345 4
: 2346 4      !**
: 2347 4      ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 2348 4      ! TESTS IN EXTERNAL LOOPBACK MODE.
: 2349 4      !--
: 2350 4
: 2351 4      RESET_DEQNA ( );
: 2352 4      PREP_FOR_SETUP ( );
: 2353 4      INCR INDEX1 FROM 1 TO 14 DO
: 2354 4        WRT_STATION_HDR ( .INDEX1, PHA_INDEX );
: 2355 4
: 2356 6      BGNSUB;
: 2357 6        XMIT_SETUP_PACKET ( N_MODE );
: 2358 4      ENDSUB;
: 2359 4
: 2360 4      ERR_FLAG = ZERO;
: 2361 4      INCR INDEX2 FROM 0 TO 19 DO
: 2362 5        BEGIN
: 2363 5          SEND_TEST_PACKET ( );
: 2364 5          DELAY ( 100 );
: 2365 5          CSR_WORD = GET_BIT ( CSR_ALL );
: 2366 5          IF ( .CSR_WORD AND #0'100220' ) EQLU #0'100220'

```

ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST5-JUL-1984 14:05:07
5-JUL-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0123
Page 42
(19)

```

: 2367 5      THEN
: 2368 6      BEGIN
: 2369 6          ERR_FLAG = ZERO;
: 2370 6          EXITLOOP;
: 2371 6      END
: 2372 5      ELSE
: 2373 5          ERR_FLAG = ONE;
: 2374 4      END;
: 2375 4
: 2376 4      IF .ERR_FLAG
: 2377 4      THEN
: 2378 5          BEGIN
: 2379 5              SELECTONE .ERR_COUNT OF
: 2380 5              SET
: 2381 5              [ 0 ]:
: 2382 6                  BEGIN
: 2383 6                      ERR_COUNT = 1;
: 2384 6                      PRINTB ( MSG59 );
: 2385 6                      PRINTB ( MSG35 );
: 2386 6                      PRINTB ( MSG36 );
: 2387 6                      ERRDF ( 0706, MSG00, ERROR$REPORT );
: 2388 5                  END;
: 2389 5              [ 1 ]:
: 2390 6                  BEGIN
: 2391 6                      ERR_COUNT = 2;
: 2392 6                      PRINTB ( MSG59 );
: 2393 6                      PRINTB ( MSG37 );
: 2394 6                      PRINTB ( MSG38 );
: 2395 6                      ERRDF ( 0707, MSG00, ERROR$REPORT );
: 2396 5                  END;
: 2397 5              [ 2 ]:
: 2398 6                  BEGIN
: 2399 6                      ERR_COUNT = 3;
: 2400 6                      PRINTB ( MSG59 );
: 2401 6                      PRINTB ( MSG39 );
: 2402 6                      PRINTB ( MSG40 );
: 2403 6                      ERRDF ( 0708, MSG00, ERROR$REPORT );
: 2404 5                  END;
: 2405 5              [ 3 ]:
: 2406 6                  BEGIN
: 2407 6                      ERR_COUNT = 0;
: 2408 6                      PRINTB ( MSG59 );
: 2409 6                      PRINTB ( MSG41 );
: 2410 6                      ERRDF ( 0709, MSG00, ERROR$REPORT );
: 2411 5                  END;
: 2412 5              [ 4 ]:
: 2413 6                  BEGIN
: 2414 6                      ERR_COUNT = 0;
: 2415 6                      PRINTB ( MSG59 );
: 2416 6                      PRINTB ( MSG45 );
: 2417 6                      ERRDF ( 0710, MSG00, ERROR$REPORT );
: 2418 5                  END;
: 2419 5      TES;

```

```

ZQNA3          CZQNAO DEQNA FUNCTIONAL TEST          5-Jul-1984 14:05:07    VAX-11 Bliss-16 V4.0-579
V01.0          TEST 7 - ETHERNET CARRIER SENSE TEST 5-Jul-1984 14:02:06    [MAZURCZYK.DEQNA]ZQNA3.BLI;2
: 2420 5          EXIT_TST;
: 2421 5          END
: 2422 4          ELSE
: 2423 4          IF .ERR_COUNT GTRU ZERO
: 2424 4          THEN
: 2425 5          BEGIN
: 2426 5          CSR_WORD = GET_BIT ( CSR_ALL );
: 2427 5          SELECTONE .ERR_COUNT OF
: 2428 5          SET
: 2429 5          [ 1 ]:
: 2430 6          BEGIN
: 2431 6          ERR_COUNT = 4;
: 2432 6          PRINTB ( MSG59 );
: 2433 6          PRINTB ( MSG43 );
: 2434 6          PRINTB ( MSG44 );
: 2435 6          ERRDF ( 0711, MSG00, ERROR$REPORT );
: 2436 5          END;
: 2437 5          [ 2,3 ]:
: 2438 6          BEGIN
: 2439 6          ERR_COUNT = 0;
: 2440 6          PRINTB ( MSG59 );
: 2441 6          PRINTB ( MSG42 );
: 2442 6          ERRDF ( 0712, MSG00, ERROR$REPORT );
: 2443 5          END;
: 2444 5          [ 4 ]:
: 2445 6          BEGIN
: 2446 6          ERR_COUNT = 0;
: 2447 6          PRINTB ( MSG59 );
: 2448 6          PRINTB ( MSG46 );
: 2449 6          ERRDF ( 0713, MSG00, ERROR$REPORT );
: 2450 5          END;
: 2451 5          TES;
: 2452 5          EXIT_TST;
: 2453 4          END;
: 2454 4
: 2455 4          XC_FLAG = ZERO;
: 2456 4          ERR_COUNT = ZERO;
: 2457 4
: 2458 6          BGNSUB;
: 2459 6          INCR INDEX2 FROM 0 TO TIME1_LIMIT DO
: 2460 7          BEGIN
: 2461 7          RESET_DEQNA ( );
: 2462 7          TEMP5 = .INDEX2;
: 2463 7
: 2464 7          !..
: 2465 7          ! CHECK ETHERNET CARRIER SENSE BIT ( CA - BIT 13 ) IN THE CSR. CA SHOULD BE
: 2466 7          ! SET TO '1' WHILE THE DEQNA IS TRANSMITTING. IF CA ISN'T SET TO '1' WITHIN
: 2467 7          ! THE EXPECTED TIME LIMIT, ERROR MESSAGE IS PRINTED OUT.
: 2468 7          !..
: 2469 7
: 2470 7          SEND_TEST_PACKET ( );
: 2471 7
: 2472 7          INCR INDEX FROM 0 TO TIME1_LIMIT DO

```

ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0125
Page 44
(19)

```

: 2473 7      IF GET_BIT [ CSR, CA ] EQLU ONE
: 2474 7      THEN
: 2475 8      BEGIN
: 2476 8      TEMP2 = GET_BIT [ CSR_ALL ];
: 2477 8      EXITLOOP;
: 2478 8      END
: 2479 7      ELSE
: 2480 7      IF .INDEX EQLU TIME1_LIMIT
: 2481 7      THEN
: 2482 8      BEGIN
: 2483 8      PRINTB ( MSG59 );
: 2484 8      PRINTB ( MSG19, GET_BIT [ CSR_ALL ] );
: 2485 8      ERRDF ( 0701, MSG00, ERROR$REPORT );
: 2486 7      END;
: 2487 7
: 2488 7      !**
: 2489 7      ! NOW CHECK IF THE CA BIT RESETS TO '0' WHEN THE DEQNA COMPLETES TRANSMITTING
: 2490 7      ! LOOPBACK PACKET. PRINT ERROR MESSAGE IF LOOPBACK PACKET TRANSMISSION
: 2491 7      ! EXCEEDS SELECTED TIME LIMIT.
: 2492 7      !--
: 2493 7
: 2494 7      INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 2495 7      IF GET_BIT [ CSR, CA ] EQLU ZERO
: 2496 7      THEN
: 2497 8      BEGIN
: 2498 8      TEMP3 = GET_BIT [ CSR_ALL ];
: 2499 8      EXITLOOP;
: 2500 8      END
: 2501 7      ELSE
: 2502 7      IF .INDEX EQLU TIME2_LIMIT
: 2503 7      THEN
: 2504 8      BEGIN
: 2505 8      PRINTB ( MSG59 );
: 2506 8      PRINTB ( MSG20, GET_BIT [ CSR_ALL ] );
: 2507 8      ERRDF ( 0702, MSG00, ERROR$REPORT );
: 2508 7      END;
: 2509 7
: 2510 7      !**
: 2511 7      ! CHECK RECEIVE INTERRUPT REQUEST BIT ( RI - BIT 15 ) TO VERIFY THAT DEQNA
: 2512 7      ! ACTUALLY TRANSMITTED LOOPBACK PACKET.
: 2513 7      !--
: 2514 7
: 2515 7      DELAY ( 50 );
: 2516 7
: 2517 7      IF GET_BIT [ CSR, RI ] EQLU ONE
: 2518 7      THEN
: 2519 8      BEGIN
: 2520 8      TEMP4 = GET_BIT [ CSR_ALL ];
: 2521 8      EXITLOOP;
: 2522 7      END;
: 2523 6      END;
: 2524 6
: 2525 6      IF .TEMPS EQLU TIME1_LIMIT

```

```

: 2526 6      THEN
: 2527 7      BEGIN
: 2528 7      PRINTB ( MSG59 );
: 2529 7      PRINTB ( MSG21, GET_BIT [ CSR_ALL ] );
: 2530 7      ERRDF ( 0703, MSG00, ERROR$REPORT );
: 2531 6      END;
: 2532 6
: 2533 6
: 2534 7      IF ( .XMIT_D_LIST [ ERRSU ] EQLU 1 ) AND ( .XMIT_D_LIST [ ABORT ] EQLU 1 )
: 2535 6      THEN
: 2536 7      BEGIN
: 2537 7      PRINTB ( MSG59 );
: 2538 7      PRINTB ( MSG71 );
: 2539 7      ERRDF ( 0714, MSG00, ERROR$REPORT );
: 2540 6      END;
: 2541 6
: 2542 6      !**
: 2543 6      !* COMPARE STATUS REGISTERS TO EXPECTED VALUES
: 2544 6      !**
: 2545 6
: 2546 6      CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2547 6      XMIT_D_LIST [ STWD1 ] = .XMIT_D_LIST [ STWD1 ] AND #0'177377';
: 2548 6      CHK_XMIT_STATUS ( XFLG_STATUS, XWD1_STATUS ); ! 0'140000', 0'000000'
: 2549 6      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 2550 6
: 2551 6      IF .XMIT_D_LIST [ TDR ] EQLU ZERO
: 2552 6      THEN
: 2553 7      BEGIN
: 2554 7      PRINTB ( MSG59 );
: 2555 7      PRINTB ( MSG58 );
: 2556 7      ERRDF ( 0715, MSG00, ERROR$REPORT );
: 2557 6      END;
: 2558 6
: 2559 4      ENDSUB;
: 2560 3      END;
: 2561 1      ENDTST;

```

000000	004137	000000G		.SBTTL	\$T7 TEST 7 - ETHERNET CARRIER SENSE TEST	
000004	162706	000034	\$T7:	JSR	R1,\$SAVE2	2263
000010	032737	000001 000000G		SUB	#34,SP	
000016	001476			BIT	#1,SWP.ILOOP	2316
000020	004737	000000G		BEQ	4\$	
000024	013700	000000G		JSR	PC,RESET.DEQNA	2319
000030	016016	000016		MOV	REG.ADR,RO	2320
000034	032716	010000		MOV	16(RO),(SP)	; *,TMP.LOCATION
000040	001067			BIT	#10000,(SP)	; *,TMP.LOCATION
000042	005737	000000G		BNE	5\$	
000046	001064			TST	SWP.LBC	
000050	011666	000002		BNE	5\$	
000054	011637	000000G		MOV	(SP),2(SP)	; *,TMP.LOCATION
000060	013700	000000G		MOV	(SP),CSR.WORD	; TMP.LOCATION,*
				MOV	XC.FLAG,RO	2324

ZQNA3
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

5-Jul-1984 14:05:07
5-Jul 1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0127
Page 46
(19)

000064	001023		BNE	1\$:	2326
000066	005237	000000G	INC	XC.FLAG	:	2328
000072	012746	000000G	MOV	#MSG59,-(SP)	:	2329
000076	012746	000001	MOV	#1,-(SP)	:	
000102	010600		MOV	SP,R0	: SP,*	
000104	104414		TRAP	14	:	
000106	012716	000000G	MOV	#MSG47,(SP)	:	2330
000112	012746	000001	MOV	#1,-(SP)	:	
000116	010600		MOV	SP,R0	: SP,*	
000120	104414		TRAP	14	:	
000122	104455		TRAP	55	:	2331
000124	001300		.WORD	1300	:	
000126	000000G		.WORD	MSG00	:	
000130	000000G		.WORD	ERROR\$REPORT	:	
000132	000425		BR	2\$:	2327
000134	020027	000001	1\$: CMP	R0,#1	:	2333
000140	001024		BNE	3\$:	
000142	005037	000000G	CLR	XC.FLAG	:	2335
000146	012746	000000G	MOV	#MSG59,-(SP)	:	2336
000152	012746	000001	MOV	#1,-(SP)	:	
000156	010600		MOV	SP,R0	: SP,*	
000160	104414		TRAP	14	:	
000162	012716	000000G	MOV	#MSG42,(SP)	:	2337
000166	012746	000001	MOV	#1,-(SP)	:	
000172	010600		MOV	SP,R0	: SP,*	
000174	104414		TRAP	14	:	
000176	104455		TRAP	55	:	2338
000200	001301		.WORD	1301	:	
000202	000000G		.WORD	MSG00	:	
000204	000000G		.WORD	ERROR\$REPORT	:	
000206	062706	000006	2\$: ADD	#6,SP	:	2334
000212	104463		3\$: TRAP	63	:	2340
000214	000137	007046'	4\$: JMP	49\$:	2322
000220	005037	000000G	5\$: CLR	XC.FLAG	:	2344
000224	004737	000000G	JSR	PC,RESET.DEQNA	:	2351
000230	004737	000000G	JSR	PC,PREP.FOR.SETUP	:	2352
000234	012701	000001	MOV	#1,R1	: *,INDEX1	2353
000240	010146		6\$: MOV	R1,-(SP)	: INDEX1,*	2354
000242	012746	000023	MOV	#23,-(SP)	:	
000246	004737	000000G	JSR	PC,WRT.STATION.ADR	:	
000252	022626		CMP	(SP)*,(SP)*	:	
000254	005201		INC	R1	: INDEX1	2353
000256	020127	000016	CMP	R1,#16	: INDEX1,*	
000262	003766		BLE	6\$:	
000264	104402		7\$: TRAP	2	:	2354
000266	012746	000200	MOV	#200,-(SP)	:	2357
000272	004737	000000G	JSR	PC,XMIT.SETUP.PACKET	:	
000276	005726		TST	(SP)*	:	2354
000300	104467		TRAP	67	:	2357
000302	006000		ROR	R0	:	
000304	103767		BLO	7\$:	
000306	005037	000000G	CLR	ERR.FLAG	:	2360
000312	012702	000024	MOV	#24,R2	: *,INDEX2	2361

ZQNA3
V01.0CZQN'20 DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0128
Page 47
(19)

000316	004737	000000G		8\$:	JSR	PC,SEND.TEST.PACKET	:		2363
000322	012701	000144			MOV	#144,R1	:	*,\$\$TMP2	2364
000326	001410			9\$:	BEQ	12\$:		
000330	013700	000000G			MOV	L\$DLY,RO	:	*,\$\$TMP1	
000334	001403				BEQ	11\$:		
000336	005066	000000G		10\$:	CLR	32(SP)	:	\$\$TMP	
000342	077003				SOB	RO,10\$:	\$\$TMP1,*	
000344	005301			11\$:	DEC	R1	:	\$\$TMP2	
000346	000767				BR	9\$:		
000350	013700	000000G		12\$:	MOV	REG.ADR,RO	:		2365
000354	016066	000016	000004		MOV	16(RO),4(SP)	:	*,TMP.LOCATION	
000362	016637	000004	000000G		MOV	4(SP),CSR.WORD	:	TMP.LOCATION,*	
000370	016600	000004			MOV	4(SP),RO	:	CSR.WORD,*	2366
000374	042700	077557			BIC	#77557,RO	:		
000400	020027	100220			CMP	RO,#-77560	:		
000404	001003				BNE	13\$:		
000406	005037	000000G			CLR	ERR.FLAG	:		2369
000412	000404				BR	14\$:		2368
000414	012737	000001	000000G	13\$:	MOV	#1,ERR.FLAG	:		2373
000422	077243				SOB	R2,8\$:	INDEX2,*	2361
000424	013701	000000G		14\$:	MOV	ERR.COUNT,R1	:		2379
000430	032737	000001	000000G		BIT	#1,ERR.FLAG	:		2376
000436	001002				BNE	15\$:		
000440	000137	005612'			JMP	23\$:		
000444	005701			15\$:	TST	R1	:		2381
000446	001032				BNE	16\$:		
000450	012737	000001	000000G		MOV	#1,ERR.COUNT	:		2383
000456	012746	000000G			MOV	#MSG59,(SP)	:		2384
000462	012746	000001			MOV	#1,-(SP)	:		
000466	010600				MOV	SP,RO	:	SP,*	
000470	104414				TRAP	14	:		
000472	012716	000000G			MOV	#MSG35,(SP)	:		2385
000476	012746	000001			MOV	#1,-(SP)	:		
000502	010600				MOV	SP,RO	:	SP,*	
000504	104414				TRAP	14	:		
000506	012716	000000G			MOV	#MSG36,(SP)	:		2386
000512	012746	000001			MOV	#1,-(SP)	:		
000516	010600				MOV	SP,RO	:	SP,*	
000520	104414				TRAP	14	:		
000522	104455				TRAP	55	:		2387
000524	001302				.WORD	1302	:		
000526	000000G				.WORD	MSG00	:		
000530	000000G				.WORD	ERROR\$REPORT	:		
000532	000471				BR	18\$:		2382
000534	020127	000001		16\$:	CMP	R1,#1	:		2389
000540	001032				BNE	17\$:		
000542	012737	000002	000000G		MOV	#2,ERR.COUNT	:		2391
000550	012746	000000G			MOV	#MSG59,-(SP)	:		2392
000554	012746	000001			MOV	#1,-(SP)	:		
000560	010600				MOV	SP,RO	:	SP,*	
000562	104414				TRAP	14	:		
000564	012716	000000G			MOV	#MSG37,(SP)	:		2393
000570	012746	000001			MOV	#1,(SP)	:		

M10

ZQNA3 V01.0	CZQNA3 TEST 7 - ETHERNET CARRIER SENSE TEST	DEQNA TEST 7 - ETHERNET CARRIER SENSE TEST	5-Jul-1984 14:05:07	5-Jul-1984 14:02:06	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	
000574	010600		MOV	SP,R0	; SP,'	
000576	104414		TRAP	14		
000600	012716	000000G	MOV	#MSG38,(SP)	:	2394
000604	012746	000001	MOV	#1,-(SP)		
000610	010600		MOV	SP,R0	; SP,*	
000612	104414		TRAP	14		
000614	104455		TRAP	55	:	2395
000616	001303		.WORD	1303		
000620	000000G		.WORD	MSG00		
000622	000000G		.WORD	ERROR\$REPORT		
000624	000434		BR	18\$:	2390
000626	020127	000002	17\$: CMP	R1,#2	:	2397
000632	001034		BNE	19\$		
000634	012737	000003 0000COG	MOV	#3,ERR.COUNT	:	2399
000642	012746	000000G	MOV	#MSG59,-(SP)	:	2400
000646	012746	000001	MOV	#1,-(SP)		
000652	010600		MOV	SP,R0	; SP,*	
000654	104414		TRAP	14		
000656	012716	000000G	MOV	#MSG39,(SP)	:	2401
000662	012746	000001	MOV	#1,-(SP)		
000666	010600		MOV	SP,R0	; SP,*	
000670	104414		TRAP	14		
000672	012716	000000G	MOV	#MSG40,(SP)	:	2402
000675	012746	000001	MOV	#1,-(SP)		
000702	010600		MOV	SP,R0	; SP,*	
000704	104414		TRAP	14		
000706	104455		TRAP	55	:	2403
000710	001304		.WORD	1304		
000712	000000G		.WORD	MSG00		
000714	000000G		.WORD	ERROR\$REPORT		
000716	062706	000010	18\$: ADD	#10,SP	:	2398
000722	000455		BR	22\$:	2379
000724	020127	000003	19\$: CMP	R1,#3	:	2405
000730	001023		BNE	20\$		
000732	005037	000000G	CLR	ERR.COUNT	:	2407
000736	012746	000000G	MOV	#MSG59,-(SP)	:	2408
000742	012746	000001	MOV	#1,-(SP)		
000746	010600		MOV	SP,R0	; SP,*	
000750	104414		TRAP	14		
000752	012716	000000G	MOV	#MSG41,(SP)	:	2409
000756	012746	000001	MOV	#1,-(SP)		
000762	010600		MOV	SP,R0	; SP,*	
000764	104414		TRAP	14		
000766	104455		TRAP	55	:	2410
000770	001305		.WORD	1305		
000772	000000G		.WORD	MSG00		
000774	000000G		.WORD	ERROR\$REPORT		
000776	000425		BR	21\$:	2406
001000	020127	000004	20\$: CMP	R1,#4	:	2412
001004	001024		BNE	22\$		
001006	005037	000000G	CLR	ERR.COUNT	:	2414
001012	012746	000000G	MOV	#MSG59,-(SP)	:	2415
001016	012746	000001	MOV	#1,-(SP)		

N10

ZQNA3
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
TEST 7 - ETHERNET CARRIER SENSE TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0130
Page 49
(19)

001022	010600			MOV	SP,R0	;	SP,*	
001024	104414			TRAP	14			
001026	012716	000000G		MOV	#MSG45,(SP)			2416
001032	012746	000001		MOV	#1,-(SP)			
001036	010600			MOV	SP,R0		;	SP,*
001040	104414			TRAP	14			
001042	104455			TRAP	55		;	
001044	001306			.WORD	1306			2417
001046	000000G			.WORD	MSG00			
001050	000000G			.WORD	ERROR\$REPORT			
001052	062706	000006	21\$:	ADD	#6,SP		;	2413
001056	104463		22\$:	TRAP	63		;	2419
001060	000532			BR	28\$;	2378
001062	005701		23\$:	TST	R1		;	2423
001064	001532			BEQ	29\$			
001066	013700	000000G		MOV	REG.ADR,R0		;	2426
001072	016066	000016	000006	MOV	16(R0),6(SP)		;	*.TMP.LOCATION
001100	016637	000006	000000G	MOV	6(SP),CSR.WORD		;	TMP.LOCATION,*
001106	020127	000001		CMP	R1,#1		;	2429
001112	001034			BNE	24\$			
001114	012737	000004	000000G	MOV	#4,ERR.COUNT		;	2431
001122	012746	000000G		MOV	#MSG59,-(SP)		;	2432
001126	012746	000001		MOV	#1,-(SP)			
001132	010600			MOV	SP,R0		;	SP,*
001134	104414			TRAP	14			
001136	012716	000000G		MOV	#MSG43,(SP)		;	2433
001142	012746	000001		MOV	#1,-(SP)			
001146	010600			MOV	SP,R0		;	SP,*
001150	104414			TRAP	14			
001152	012716	000000G		MOV	#MSG44,(SP)		;	2434
001156	012746	000001		MOV	#1,-(SP)			
001162	010600			MOV	SP,R0		;	SP,*
001164	104414			TRAP	14			
001166	104455			TRAP	55		;	2435
001170	001307			.WORD	1307			
001172	000000G			.WORD	MSG00			
001174	000000G			.WORD	ERROR\$REPORT			
001176	062706	000010		ADD	#10,SP		;	2430
001202	000460			BR	27\$;	2427
001204	020127	000002	24\$:	CMP	R1,#2		;	2437
001210	002426			BLT	25\$			
001212	020127	000003		CMP	R1,#3			
001216	003023			BGT	25\$			
001220	005037	000000G		CLR	ERR.COUNT		;	2439
001224	012746	000000G		MOV	#MSG59,-(SP)		;	2440
001230	012746	000001		MOV	#1,-(SP)			
001234	010600			MOV	SP,R0		;	SP,*
001236	104414			TRAP	14			
001240	012716	000000G		MOV	#MSG42,(SP)		;	2441
001244	012746	000001		MOV	#1,-(SP)			
001250	010600			MOV	SP,R0		;	SP,*
001252	104414			TRAP	14			
001254	104455			TRAP	55		;	2442

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 7 ETHERNET CARRIER SENSE TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

001256	001310			.WORD	1310		
001260	000000G			.WORD	MSG00		
001262	000000G			.WORD	ERRCR\$REPORT		
001264	000425			BR	26\$:	2438
001266	020127	000004	25\$:	CMP	R1,#4	:	2444
001272	001024			BNE	27\$:	
001274	005037	000000G		CLR	ERR.COUNT	:	2446
001300	012746	000000G		MOV	#MSG59,-(SP)	:	2447
001304	012746	000001		MOV	#1,-(SP)	:	
001310	010600			MOV	SP,R0	: SP,*	
001312	104414			TRAP	14	:	
001314	012716	000000G		MOV	#MSG46,(SP)	:	2448
001320	012746	000001		MOV	#1,-(SP)	:	
001324	010600			MOV	SP,R0	: SP,*	
001326	104414			TRAP	14	:	
001330	104455			TRAP	55	:	2449
001332	001311			.WORD	1311		
001334	000000G			.WORD	MSG00		
001336	000000G			.WORD	ERROR\$REPORT		
001340	062706	000006	26\$:	ADD	#6,SP	:	2445
001344	104463			TRAP	63	:	2451
001346	000137	007046'	28\$:	JMP	49\$:	2425
001352	005037	000000G	29\$:	CLR	XC.FLAG	:	2455
001356	005037	000000G		CLR	ERR.COUNT	:	2456
001362	104402		30\$:	TRAP	2	:	
001364	005002			CLR	R2	: INDEX2	2459
001366	004737	000000G	31\$:	JSR	PC,RESET.DEQNA	:	2461
001372	010237	000000G		MOV	R2,TEMPS	: INDEX2,*	2462
001376	004737	000000G		JSR	PC,SEND.TEST.PACKET	:	2470
001402	005001			CLR	R1	: INDEX	2472
001404	013700	000000G	32\$:	MOV	REG.ADR,R0	:	2473
001410	016066	000016 000010		MOV	16(R0),10(SP)	: *,TMP.LOCATION	
001416	032766	020000 000010		BIT	#20000,10(SP)	: *,TMP.LOCATION	
001424	001407			BEQ	33\$:	
001426	016666	000010 000012		MOV	10(SP),12(SP)	: *,TMP.LOCATION	2476
001434	016637	000012 000000G		MOV	12(SP),TEMP2	: TMP.LOCATION,*	
001442	000440			BR	35\$:	2475
001444	020127	000200	33\$:	CMP	R1,#200	: INDEX,*	2480
001450	001031			BNE	34\$:	
001452	012746	000000G		MOV	#MSG59,-(SP)	:	2483
001456	012746	000001		MOV	#1,-(SP)	:	
001462	010600			MOV	SP,R0	: SP,*	
001464	104414			TRAP	14	:	
001466	013700	000000G		MOV	REG.ADR,R0	:	2484
001472	016066	000016 000020		MOV	16(R0),20(SP)	: *,TMP.LOCATION	
001500	016616	000020		MOV	20(SP),(SP)	: TMP.LOCATION,*	
001504	012746	000000G		MOV	#MSG19,-(SP)	:	
001510	012746	000002		MOV	#2,-(SP)	:	
001514	010600			MOV	SP,R0	: SP,*	
001516	104414			TRAP	14	:	
001520	104455			TRAP	55	:	2485
001522	001275			.WORD	1275		
001524	000000G			.WORD	MSG00		

ZQNA3 VC1.0	CZQNA30 DEQNA FUNCTIONAL TEST TEST 7 - ETHERNET CARRIFR SENSE TEST	5-Jul-1984 14:05:07 5-Jul 1984 14:02:06	VAX-11 Bliss-16 V4.0 579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	SEQ 0132 Page 51 (19)		
001526	000000G		.WORD	ERROR\$REPORT		
001530	062706 000010		ADD	#10,SP	:	2482
001534	005201	34\$:	INC	R1	: INDEX	2472
001536	020127 000200		CMP	R1,#200	: INDEX,*	
001542	003720		BLE	32\$		
001544	005001	35\$:	CLR	R1	: INDEX	2494
001546	013700 000000G	36\$:	MOV	REG.ADR,R0	:	2495
001552	016066 000016 000016		MOV	16(R0),16(SP)	: *,TMP.LOCATION	
001560	032766 020000 000016		BIT	#20000,16(SP)	: *,TMP.LOCATION	
001566	001007		BNE	37\$		
001570	016666 000016 000020		MOV	16(SP),20(SP)	: *,TMP.LOCATION	2498
001576	016637 000020 000000G		MOV	20(SP),TEMP3	: TMP.LOCATION,*	
001604	000440		BR	39\$:	2497
001606	020127 002000	37\$:	CMP	R1,#2000	: INDEX,*	2502
001612	001031		BNE	38\$		
001614	012746 000000G		MOV	#MSG59,-(SP)	:	2505
001620	012746 000001		MOV	#1,-(SP)		
001624	010600		MOV	SP,R0	: SP,*	
001626	104414		TRAP	14		
001630	013700 000000G		MOV	REG.ADR,R0	:	2506
001634	016066 000016 000026		MOV	16(R0),26(SP)	: *,TMP.LOCATION	
001642	016616 000026		MOV	26(SP),(SP)	: TMP.LOCATION,*	
001646	012746 000000G		MOV	#MSG20,-(SP)		
001652	012746 000002		MOV	#2,-(SP)		
001656	010600		MOV	SP,R0	: SP,*	
001660	104414		TRAP	14		
001662	104455		TRAP	55	:	2507
001664	001276		.WORD	1276		
001666	000000G		.WORD	MSG00		
001670	000000G		.WORD	ERROR\$REPORT		
001672	062706 000010		ADD	#10,SP	:	2504
001676	005201	38\$:	INC	R1	: INDEX	2494
001700	020127 002000		CMP	R1,#2000	: INDEX,*	
001704	003720		BLE	36\$		
001706	012701 000062	39\$:	MOV	#62,R1	: *,\$\$TMP2	2515
001712	001410	40\$:	BEQ	43\$		
001714	013700 000000G		MOV	L\$DLY,R0	: *,\$\$TMP1	
001720	001403		BEQ	42\$		
001722	005066 000032	41\$:	CLR	32(SP)	: \$\$TMP	
001726	077003		S08	R0,41\$: \$\$TMP1,*	
001730	005301	42\$:	DEC	R1	: \$\$TMP2	
001732	000757		BR	40\$		
001734	013700 000000G	43\$:	MOV	REG.ADR,R0	:	2517
001740	016066 000016 000024		MOV	16(R0),24(SP)	: *,TMP.LOCATION	
001746	100007		BPL	44\$		
001750	016666 000024 000026		MOV	24(SP),26(SP)	: *,TMP.LOCATION	2520
001756	016637 000026 000000G		MOV	26(SP),TEMP4	: TMP.LOCATION,*	
001764	000406		BR	45\$:	2519
001766	005202	44\$:	INC	P2	: INDEX2	2459
001770	020227 000200		CMP	R2,#200	: INDEX2,*	
001774	003002		BGT	45\$		
001776	000137 006116'		JMP	31\$		
002002	023727 000000G 000200	45\$:	CMP	TEMP5,#200	:	2525

ZQNA3 V01.0	CZQNA3 001031	DEQNA 012746	FUNCTIONAL TEST 000000G	TEST 000001	ETHERNET CARRIER SENSE TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0 579	[MAZURCZYK.DEQNA]ZQNA3.BLI;2
002010	001031							
002012	012746	000000G						2528
002016	012746	000001						
002022	010600							
002024	104414							
002026	013700	000000G						2529
002032	016066	000016	000034					
002040	016616	000034						
002044	012746	000000G						
002050	012746	000002						
002054	010600							
002056	104414							
002060	104455							2530
002062	001277							
002064	000000G							
002066	000000G							
002070	062706	000010						2527
002074	032737	040000	000010G	46\$:				2534
002102	001426							
002104	032737	001000	000010G					
002112	001422							
002114	012746	000000G						2537
002120	012746	000001						
002124	010600							
002126	104414							
002130	012716	000000G						2538
002134	012746	000001						
002140	010600							
002142	104414							
002144	104455							2539
002146	001312							
002150	000000G							
002152	000000G							
002154	062706	000006						2536
002160	012746	100220		47\$:				2546
002164	011646							
002166	004737	000000G						
002172	042737	000400	000010G					2547
002200	012716	140000						2548
002204	005046							
002206	004737	000000G						
002212	012716	140000						2549
002216	012746	020000						
002222	004737	000000G						
002226	032737	037777	000012G					2551
002234	001021							
002236	012716	000000G						2554
002242	012746	000001						
002246	010600							
002250	104414							
002252	012716	000000G						2555
002256	012746	000001						
002262	010600							

ZQNA3 VO1.0 CZQNAO DEQNA FUNCTIONAL TEST TEST 7 - ETHERNET CARRIER SENSE TEST 5-Jul-1984 14:05:07 VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2 5-Jul-1984 14:02:06

002264	104414			TRAP	14		
002266	104455			TRAP	55	:	2556
002270	001313			.WORD	1313		
002272	000000G			.WORD	MSG00		
002274	000000G			.WORD	ERROR\$REPORT		
002276	022625			CMP	(SP), (SP)	:	2553
002300	062706	000010	48\$:	ADD	#10, SP	:	2456
002304	104467			TRAP	67	:	2557
002306	006000			ROR	R0		
002310	103002			BHIS	49\$		
002312	000137	006112'		JMP	30\$		
002316	062706	000034	49\$:	ADD	#34, SP	:	2263
002322	000207			RTS	PC		

: Routine Size: 618 words, Routine Base: AB\$CODE\$ + 4530
: Maximum stack depth per invocation: 25 words

				.SBTTL	T7 TEST 7 - ETHERNET CARRIER SENSE TEST		
000000	004737	004530'	T7::				
000000			1\$:	JSR	PC, \$T7	:	2560
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 7054
: Maximum stack depth per invocation: 2 words

: 2562 1
: 2563 1

ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 8 - STATION ADDRESS RAM TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0135
Page 54
(20)

```

: 2564 1 *SBTTL 'TEST 8 - STATION ADDRESS RAM TEST'
: 2565 1 !**
: 2566 1 !
: 2567 1 ! TEST 8: STATION ADDRESS RAM TEST
: 2568 1 !
: 2569 1 ! DESCRIPTION:
: 2570 1 !
: 2571 1 ! This test verifies that Station Address RAM has no static faults.
: 2572 1 ! The host writes and then reads data patterns to all of the
: 2573 1 ! addressable RAM ( 128 decimal bytes ). The data is checked to see
: 2574 1 ! that the data pattern received is the same as the data pattern
: 2575 1 ! transmitted. This test continues until all the data patterns are
: 2576 1 ! exhausted. If the operator specifies loop on error, the program
: 2577 1 ! re-executes the code that detected the error until ^C is entered.
: 2578 1 !
: 2579 1 ! The following BINARY patterns are used:
: 2580 1 !
: 2581 1 ! 11111111 00000000
: 2582 1 ! 10101010 01010101
: 2583 1 ! 11001100 00110011
: 2584 1 ! 11110000 00001111
: 2585 1 ! marching 1's, propagating 1's through the RAM
: 2586 1 ! marching 0's, propagating 0's through the RAM
: 2587 1 !
: 2588 1 ! Hardware tested: Station Address RAM
: 2589 1 ! Q-Bus to QTDC interface
: 2590 1 ! CSR register - Receiver Enable (bit 0)
: 2591 1 ! Portion of Receive and Transmit FIFO
: 2592 1 !
: 2593 1 ! Processing:
: 2594 1 ! BEGIN
: 2595 1 ! reset device
: 2596 1 ! select Setup mode
: 2597 1 ! REPEAT for each pattern
: 2598 1 ! load transmit packet with data pattern
: 2599 1 ! transmit loopback packet (fill all of the RAM)
: 2600 1 ! receive packet
: 2601 1 ! check for expected loopback status
: 2602 1 ! IF error
: 2603 1 ! THEN
: 2604 1 ! print error message if not inhibited
: 2605 1 ! ENDF
: 2606 1 ! call compare_packets
: 2607 1 ! ENDREPEAT
: 2608 1 ! END
: 2609 1 !--

```

ZQNA3
VOL.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 8 - STATION ADDRESS RAM TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQN13.BLI;2SEQ 0136
Page 55
(21)

```

: 2610 3  BGNTST;
: 2611 3
: 2612 3      RESET_DEQNA ( );
: 2613 3
: 2614 3      DECR INDEX1 FROM 7 TO 0 DO
: 2615 4          BEGIN
: 2616 4              INCR INDEX2 FROM 0 TO 127 DO
: 2617 4                  XMIT_BUFFER [ .INDEX2 ] = .PTRN_TABLE [ .INDEX1 ];
: 2618 4
: 2619 6              BGNSUB;
: 2620 6                  XMIT_SETUP_PACKET ( N_MODE );
: 2621 4              ENDSUB;
: 2622 3          END;
: 2623 3
: 2624 3      !
: 2625 3      ! TEMP3 = ( N_MODE * 8 ) - 1;
: 2626 3      ! INCR INDEX1 FROM 0 TO .TEMP3 DO
: 2627 3      !     BEGIN
: 2628 3      !         P1 = ZERO;
: 2629 3      !         P2 = .INDEX1;
: 2630 3      !         WALKING_BIT ( );
: 2631 3      !         P1 = N_MODE;
: 2632 3      !         XMIT_SETUP_PACKET ( );
: 2633 3      !
: 2634 3      !         INCR INDEX FROM 0 TO .P3 DO
: 2635 3      !             XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;
: 2636 3      !         P1 = N_MODE;
: 2637 3      !         XMIT_SETUP_PACKET ( );
: 2638 3      !     END;
: 2639 3      !
: 2640 4      ! INCR INDEX1 FROM 0 TO N_MODE - 1 DO
: 2641 4      !     BEGIN
: 2642 4      !         INCR INDEX FROM 0 TO N_MODE - 1 DO
: 2643 4      !             XMIT_BUFFER [ .INDEX ] = ZERO;
: 2644 4      !             XMIT_BUFFER [ .INDEX1 ] = #X'FF';
: 2645 4      !
: 2646 6      !         BGNSUB;
: 2647 6      !             XMIT_SETUP_PACKET ( N_MODE );
: 2648 4      !         ENDSUB;
: 2649 4      !
: 2650 4      !         INCR INDEX FROM 0 TO .P3 DO
: 2651 4      !             XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;
: 2652 4      !
: 2653 6      !         BGNSUB;
: 2654 6      !             XMIT_SETUP_PACKET ( N_MODE );
: 2655 4      !         ENDSUB;
: 2656 3      !     END;
: 2657 1  ! ENDTST;

```

```

000000 004137 000000G
000004 004737 000000G

```

```

          .SBTTL  $T8 TEST 8 - STATION ADDRESS RAM TEST
          JSR     R1,$SAVE3
          JSR     PC,RESET.DEQNA

```

```

2561
2612

```

ZQNA3	CZQNA30	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX 11 Bliss-16 V4.0-579	
V01.0	TEST 8	-	STATION ADDRESS RAM TEST	5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	

000010	012701	000007			MOV	#7,R1	:	*,INDEX1	2614
000014	005000		1\$:		CLR	R0	:	INDEX2	2616
000016	116160	000000G 000000G	2\$:		MOV	PTRN.TABLE(R1),XMIT.BUFFER(R0)	:	*(INDEX1),*(INDEX2)	2617
000024	005200				INC	R0	:	INDEX2	2616
000026	020027	000177			CMP	R0,#177	:	INDEX2,*	
000032	003771				BLE	2\$			
000034	104402		3\$:		TRAP	2	:		2617
000036	012746	000200			MOV	#200,-(SP)	:		2620
000042	004737	000000G			JSR	PC,XMIT.SETUP.PACKET			
000046	005726				TST	(SP),*	:		2617
000050	104467				TRAP	67	:		2620
000052	006000				ROR	R0			
000054	103767				BLO	3\$			
000056	005301				DEC	R1	:	INDEX1	2614
000060	002355				BGE	1\$			
000062	005001				CLR	R1	:	INDEX1	2639
000064	005000		4\$:		CLR	R0	:	INDEX	2641
000066	105060	000000G	5\$:		CLRB	XMIT.BUFFER(R0)	:	*(INDEX)	2642
000072	005200				INC	R0	:	INDEX	2641
000074	020027	000177			CMP	R0,#177	:	INDEX,*	
000100	003772				BLE	5\$			
000102	112761	000377 000000G			MOVB	#377,XMIT.BUFFER(R1)	:	*,*(INDEX1)	2643
000110	104402		6\$:		TRAP	2			
000112	012746	000200			MOV	#200,-(SP)	:		2646
000116	004737	000000G			JSR	PC,XMIT.SETUP.PACKET			
000122	005726				TST	(SP),*	:		2643
000124	104467				TRAP	67	:		2646
000126	006000				ROR	R0			
000130	103767				BLO	6\$			
000132	005000				CLR	R0	:	INDEX	2649
000134	000411				BR	8\$			
000136	012702	177777	7\$:		MOV	#-1,R2	:		2650
000142	005003				CLR	R3			
000144	156003	000000G			BISB	XMIT.BUFFER(R0),R3	:	*(INDEX),*	
000150	160302				SUB	R3,R2			
000152	110260	000000G			MOVB	R2,XMIT.BUFFER(R0)	:	*,*(INDEX)	
000156	005200				INC	R0	:	INDEX	2649
000160	020037	000000G	8\$:		CMP	R0,P3	:	INDEX,*	
000164	003764				BLE	7\$			
000166	104402		9\$:		TRAP	2	:		2650
000170	012746	000200			MOV	#200,-(SP)	:		2653
000174	004737	000000G			JSR	PC,XMIT.SETUP.PACKET			
000200	005726				TST	(SP),*	:		2650
000202	104467				TRAP	67	:		2653
000204	006000				ROR	R0			
000206	103767				BLO	9\$			
000210	005201				INC	R1	:	INDEX1	2639
000212	020127	000177			CMP	R1,#177	:	INDEX1,*	
000216	003722				BLE	4\$			
000220	000207				RTS	PC	:		2561

; Routine Size: 73 words, Routine Base: AB\$CODE\$ + 7070
; Maximum stack depth per invocation: 6 words

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 8 - STATION ADDRESS RAM TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

V# 1: Bliss-16 V4.0-579
(MAZURCZYK.DEQNA)ZQNA3.BLI;2

000000	004737	007070'	T8::	.SBTTL	T8 TEST 8 - STATION ADDRESS RAM TEST	
000000			1\$:	JSR	PC,\$T8	
000004	104466			TRAP	66	
000006	006000			ROR	RC	
000010	103773			BLO	1\$	
000012	000207			RTS	PC	

2656

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 7312
: Maximum stack depth per invocation: 2 words

: 2658 1

```

: 2659 1 *SBTTL 'TEST 9 - PROMISCUOUS STATION ADDRESS TEST'
: 2660 1 :**
: 2661 1 :
: 2662 1 : TEST 9: PROMISCUOUS STATION ADDRESS TEST
: 2663 1 :
: 2664 1 : DESCRIPTION:
: 2665 1 :
: 2666 1 : This test verifies that DEQNA promiscuous addressing mode functions
: 2667 1 : as specified. Bit patterns and addresses in and out of the range of
: 2668 1 : setup addresses are used to assure that there is true promiscuity.
: 2669 1 : If the operator specifies loop on error, the program re-executes the
: 2670 1 : code that detected the error until ^C is entered
: 2671 1 :
: 2672 1 : Hardware tested: Promiscuous addressing mode logic
: 2673 1 :
: 2674 1 : Set of Target Addresses in HEXADECIMAL:
: 2675 1 :
: 2676 1 : 00-00-00-00-00-00
: 2677 1 : AA-AA-AA-AA-AA-AA
: 2678 1 : 55-55-55-55-55-55
: 2679 1 : FF-FF-FF-FF-FF-FF
: 2680 1 : Walking 1, shifting 1 across the Target Station Address
: 2681 1 : Walking 0, shifting 0 across the Target Station Address
: 2682 1 :
: 2683 1 : Processing:
: 2684 1 :
: 2685 1 : BEGIN
: 2686 1 : reset device
: 2687 1 : select internal loopback mode
: 2688 1 : set mode to Setup
: 2689 1 : set 'promiscuous' addressing mode bit
: 2690 1 : REPEAT for each Target Address
: 2691 1 : load Target Address of the packet
: 2692 1 : disable receiver
: 2693 1 : transmit loopback packet
: 2694 1 : enable receiver
: 2695 1 : check for expected loopback status
: 2696 1 : IF error
: 2697 1 : THEN
: 2698 1 : print error message if not inhibited
: 2699 1 : ENDF
: 2700 1 : call compare_packets
: 2701 1 : ENDREPEAT
: 2702 1 : END
: 2703 1 :--

```

```

: 2704 3  BGNTST;
: 2705 3
: 2706 3      !**
: 2707 3      ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 2708 3      ! TESTS IN EXTERNAL LOOPBACK MODE.
: 2709 3      !--
: 2710 3
: 2711 3      RESET_DEQNA ( );
: 2712 3      PREP_FOR_SETUP ( );
: 2713 3      INCR INDEX1 FROM 1 TO 14 DO
: 2714 3          WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 2715 3
: 2716 5      BGNSUB;
: 2717 5          XMIT_SETUP_PACKET ( P_MODE );
: 2718 3      ENDSUB;
: 2719 3
: 2720 3      !**
: 2721 3      ! NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 2722 3      !--
: 2723 3
: 2724 3      RBUF_LENGTH = 6;
: 2725 3      XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2726 3
: 2727 3      INCR INDEX1 FROM 0 TO 99 DO
: 2728 4          BEGIN
: 2729 4              SELECTONE .INDEX1 OF
: 2730 4                  SET
: 2731 4                      [ 0 TO 3 ]:
: 2732 4                          WRT_STATION_ADR ( ZERO, .INDEX1 );
: 2733 4                      [ 4 TO 51 ]:
: 2734 4                          WALKING_BIT ( ZERO, .INDEX1 - 4, 5 );
: 2735 4                      [ 52 TO 99 ]:
: 2736 4                          WALKING_BIT ( ONE, .INDEX1 - 52, 5 );
: 2737 4                  TES;
: 2738 4
: 2739 4              WRT_STATION_ADR ( ZERO, ZERO );
: 2740 4
: 2741 6              BGNSUB;
: 2742 6                  XMIT_ILOOP_PACKET ( ZERO );
: 2743 4              ENDSUB;
: 2744 4
: 2745 3          END;
: 2746 3
: 2747 3      INCR INDEX FROM 0 TO 5 DO
: 2748 3          TARGET_ADR [ .INDEX ] = ZERO;
: 2749 1  ENDTST;

```

000000	010146		.SBTTL	\$T9 TEST 9 PROMISCUOUS STATION ADDRESS TEST	
000002	004737	000000G	\$T9:	MOV R1, (SP)	2657
000006	004737	000000G		JSR PC, RESET.DEQNA	2711
000012	012701	000001		JSR PC, PREP.FOR.SETUP	2712
				MOV #1, R1	2713

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 9 - PROMISCUOUS STATION ADDRESS TEST

5-Jul-1984 14:05:07
5-Jul 1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0141
Page 60
(23)

000016	010146		1\$:	MOV	R1,-(SP)	:	INDEX1,*	2714
000020	012746	000023		MOV	#23,-(SP)			
000024	004737	000000G		JSR	PC,WRT.STATION.ADR			
000030	022626			CMP	(SP)+,(SP)+			
000032	005201			INC	R1	:	INDEX1	2713
000034	020127	000016		CMP	R1,#16	:	INDEX1,*	
000040	003766			BLE	1\$			
000042	104402		2\$:	TRAP	2	:		2714
000044	012746	000202		MOV	#202,-(SP)	:		2717
000050	004737	000000G		JSR	PC,XMIT.SETUP.PACKET			
000054	005726			TST	(SP)+	:		2714
000056	104467			TRAP	67	:		2717
000060	006000			ROR	RC			
000062	103767			BLO	2\$			
000064	012737	000006 000000G		MOV	#6,RBUF.LENGTH	:		2724
000072	012700	000006		MOV	#6,R0	:		2725
000076	006200			ASR	R0			
000100	005400			NEG	R0			
000102	010037	000000G		MOV	R0,XBUF.LENGTH			
000106	005001			CLR	R1	:	INDEX1	2727
000110	005701		3\$:	TST	R1	:	INDEX1	2731
000112	002411			BLT	4\$			
000114	020127	000003		CMP	R1,#3	:	INDEX1,*	
000120	003006			BGT	4\$			
000122	005046			CLR	-(SP)			2732
000124	010146			MOV	R1,-(SP)	:	INDEX1,*	
000126	004737	000000G		JSR	PC,WRT.STATION.ADR			
000132	022626			CMP	(SP)+,(SP)+			
000134	000434			BR	7\$:		2729
000136	020127	000004	4\$:	CMP	R1,#4	:	INDEX1,*	2733
000142	002410			BLT	5\$			
000144	020127	000063		CMP	R1,#63	:	INDEX1,*	
000150	003005			BGT	5\$			
000152	005046			CLR	-(SP)	:		2734
000154	010146			MOV	R1,-(SP)	:	INDEX1,*	
000156	162716	000004		SUB	#4,(SP)			
000162	000413			BR	6\$			
000164	020127	000064	5\$:	CMP	R1,#64	:	INDEX1,*	2735
000170	002416			BLT	7\$			
000172	020127	000143		CMP	R1,#143	:	INDEX1,*	
000176	003013			BGT	7\$			
000200	012746	000001		MOV	#1,-(SP)	:		2736
000204	010146			MOV	R1,-(SP)	:	INDEX1,*	
000206	162716	000064		SUB	#64,(SP)			
000212	012746	000005	6\$:	MOV	#5,-(SP)			
000216	004737	000000G		JSR	PC,WALKING.BIT			
000222	062706	000006		ADD	#6,SP			
000226	005046		7\$:	CLR	-(SP)	:		2739
000230	005046			CLR	-(SP)			
000232	004737	000000G		JSR	PC,WRT.STATION.ADR			
000236	104402		8\$:	TRAP	2			
000240	005016			CLR	(SP)	:		2742
000242	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET			

M11

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 9 - PROMISCUOUS STATION ADDRESS TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0142
Page 51
(23)

000246	104467		TRAP	67		
000250	006000		ROR	R0		
000252	103771		BLO	8\$		
000254	022626		CMP	(SP)+,(SP)+	:	2728
000256	005201		INC	R1	:	INDEX1 2727
000260	020127	000143	CMP	R1,#143	:	INDEX1,*
000264	003711		BLE	3\$		
000266	005000		CLR	R0	:	INDEX 2747
000270	105060	000000G	CLRB	TARGET.ADR(R0)	:	*(INDEX) 2748
000274	005200		INC	R0	:	INDEX 2747
000276	020027	000005	CMP	R0,#5	:	INDEX,*
000302	00372		BLE	9\$		
000304	012f01		MOV	(SP)+,R1	:	
000306	00G207		RTS	PC		2657

; Routine Size: 100 words, Routine Base: AB\$CODE\$ + 7326
; Maximum stack depth per invocation: 5 words

			.SBTTL	T9 TEST 9 - PROMISCUOUS STATION ADDRESS TEST		
000000	004737	007326'	T9::			
000000			1\$:	JSR PC,\$T9	:	2708
000004	104466		TRAP	66		
000006	006000		ROR	R0		
000010	103773		BLO	1\$		
000012	000207		RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 7636
; Maximum stack depth per invocation: 2 words

; 2750 1


```

: 2751 1 *SBTTL 'TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST'
: 2752 1 !**
: 2753 1 !
: 2754 1 ! TEST 10: TRANSMIT AND RECEIVE FIFO MEMORY TEST
: 2755 1 !
: 2756 1 ! DESCRIPTION:
: 2757 1 !
: 2758 1 ! This test verifies that link memory (receive FIFO and transmit
: 2759 1 ! buffer) has no static faults. The host writes and then reads
: 2760 1 ! a sequence of data patterns to the link memory. The data is then
: 2761 1 ! checked to see that the data pattern received is the same as the
: 2762 1 ! data pattern transmitted. This test continues until all the data
: 2763 1 ! patterns are exhausted. If the operator specifies loop on error, the
: 2764 1 ! program re-executes the code that detected the error until tC is
: 2765 1 ! entered.
: 2766 1 !
: 2767 1 ! Hardware tested: Transmit buffer address logic
: 2768 1 ! Transmit buffer memory ( first 1512 bytes )
: 2769 1 ! Receive FIFO address logic
: 2770 1 ! Receive FIFO memory ( first 1512 bytes )
: 2771 1 !
: 2772 1 ! The following BINARY patterns are used:
: 2773 1 !
: 2774 1 ! 11111111 00000000
: 2775 1 ! 10101010 01010101
: 2776 1 ! 11001100 00110011
: 2777 1 ! 11110000 00001111
: 2778 1 !
: 2779 1 ! Processing:
: 2780 1 !
: 2781 1 ! BEGIN
: 2782 1 ! reset device
: 2783 1 ! select internal/extended loopback mode
: 2784 1 ! REPEAT for each pattern
: 2785 1 ! write link memory with pattern - transmit loopback packet
: 2786 1 ! read link memory with pattern - receive loopback packet
: 2787 1 ! check for expected loopback status
: 2788 1 ! IF error
: 2789 1 ! THEN
: 2790 1 ! print error message if not inhibited
: 2791 1 ! ENDIF
: 2792 1 ! call compare_packets
: 2793 1 ! ENDREPEAT
: 2794 1 ! END
: 2795 1 ! --

```

ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0144
Page 53
(25)

```

: 2796 3  BGNTST;
: 2797 3
: 2798 3  !..
: 2799 3  ! LOOPBACK 1514 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 2800 3  !--
: 2801 3
: 2802 3  RBUF_LENGTH = LONGEST_PACKET;
: 2803 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2804 3
: 2805 3  INCR INDEX FROM 0 TO 7 DO
: 2806 4  BEGIN
: 2807 4  RESET_DEQNA ( );
: 2808 4  TEMP1 = 0;
: 2809 4  INCR INDEX1 FROM 0 TO 189 DO
: 2810 4  INCR INDEX2 FROM 0 TO 7 DO
: 2811 5  BEGIN
: 2812 5  XMIT_BUFFER [ .TEMP1 ] = .PTRN_TABLE [ .INDEX2 ];
: 2813 5  TEMP1 = .TEMP1 + 1;
: 2814 4  END;
: 2815 4
: 2816 4  !..
: 2817 4  ! ROTATE PATTERN TABLE
: 2818 4  !--
: 2819 4
: 2820 4  TEMP2 = .PTRN_TABLE [ 0 ];
: 2821 4  INCR INDEX3 FROM 0 TO 6 DO
: 2822 4  PTRN_TABLE [ .INDEX3 ] = .PTRN_TABLE [ .INDEX3 + 1 ];
: 2823 4  PTRN_TABLE [ 7 ] = .TEMP2;
: 2824 4
: 2825 6  BGNSUB;
: 2826 6  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2827 6  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2828 6  SEND_ELOOP_PACKET ( ZERO );
: 2829 6  COMPARE_PACKETS ( );
: 2830 4  ENDSUB;
: 2831 4
: 2832 3  END;
: 2833 3
: 2834 3  ! INCR INDEX1 FROM 0 TO LONGEST_PACKET - 1 DO
: 2835 3  ! BEGIN
: 2836 3  ! INCR INDEX FROM 0 TO LONGEST_PACKET - 1 DO
: 2837 3  ! XMIT_BUFFER [ .INDEX ] = ZERO;
: 2838 3  ! XMIT_BUFFER [ .INDEX1 ] = #X'FF';
: 2839 3  !
: 2840 3  ! BGNSUB;
: 2841 3  ! SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2842 3  ! SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2843 3  ! SEND_ELOOP_PACKET ( ZERO );
: 2844 3  ! COMPARE_PACKETS ( );
: 2845 3  ! ENDSUB;
: 2846 3  !
: 2847 3  ! INCR INDEX FROM 0 TO .P3 DO
: 2848 3  ! XMIT_BUFFER [ .INDEX ] = ( - .XMIT_BUFFER [ .INDEX ] ) - 1;

```

ZQNA3
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
(MAZURCZYK.DEQNA)ZQNA3.BLI;2

```

: 2849 3  :
: 2850 3  :
: 2851 3  :
: 2852 3  :
: 2853 3  :
: 2854 3  :
: 2855 3  :
: 2856 3  :
: 2857 3  :
: 2858 3  :
: 2859 1  :

```

```

:
: BGNSUB;
:   SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
:   SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
:   SEND_ELOOP_PACKET ( ZERO );
:   COMPARE_PACKETS ( );
: ENDSUB;
:
: END;
:
END*ST;

```

```

000000 004137 000000G          $T10: .SBITL $T10 TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST
000004 012737 002752 000000G      JSR   R1,$SAVE3 ;
000012 012700 002752          MOV   #2752,RBUF.LENGTH ;
000016 006200          MOV   #2752,R0 ;
000020 005400          ASR   R0 ;
000022 010037 000000G      NEG   R0 ;
000026 012703 000010          MOV   R0,XBUF.LENGTH ;
000032 004737 000000G      1$: JSR   PC,RESET.DEQNA ;
000036 005037 000000G      CLR   TEMP1 ;
000042 012702 000276          MOV   #276,R2 ;
000046 005000          2$: CLR   R0 ;
000050 013701 000000G      3$: MOV   TEMP1,R1 ;
000054 116061 000000G 000000G  MOVB  PTRN.TABLE(R0),XMIT.BUFFER(R1) ;
000062 005237 000000G      INC   TEMP1 ;
000066 005200          INC   R0 ;
000070 020027 000007          CMP   R0,#7 ;
000074 003765          BLE   3$ ;
000076 077215          SOB   R2,2$ ;
000100 005037 000000G      CLR   TEMP2 ;
000104 113737 000000G 000000G  MOVB  PTRN.TABLE,TEMP2 ;
000112 005000          CLR   R0 ;
000114 116060 000001G 000000G  4$: MOVB  PTRN.TABLE+1(R0),PTRN.TABLE(R0) ;
000122 005200          INC   R0 ;
000124 020027 000006          CMP   R0,#6 ;
000130 003771          BLE   4$ ;
000132 113737 000000G 000007G  MOVB  TEMP2,PTRN.TABLE+7 ;
000140 104402          5$: TRAP 2 ;
000142 013746 000000G      MOV   XBUF.LENGTH,-(SP) ;
000146 012746 120000          MOV   #-60000,-(SP) ;
000152 004737 000000G      JSR   PC,SET.RDESCR.LIST ;
000156 013716 000000G      MOV   XBUF.LENGTH,(SP) ;
000162 012746 120000          MOV   #-60000,-(SP) ;
000166 004737 000000G      JSR   PC,SET.XDESCR.LIST ;
000172 005016          CLR   (SP) ;
000174 004737 000000G      JSR   PC,SEND.ELOOP.PACKET ;
000200 004737 000000G      JSR   PC,COMPARE.PACKETS ;
000204 062706 000006          ADD   #6,SP ;
000210 104467          TRAP 67 ;
000212 006000          ROR   R0 ;

```

ZQNA3 CZQNA3 DEQNA FUNCTIONAL TEST 5-Jul-1984 14:05:07 VAX-11 Bliss 16 V4.0 579
V01.0 TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST 5-Jul 1984 14:02:06 [MAZURCZYK.DEQNA]ZQNA3.BLI;2

000214 103751 BLO S;
000216 077373 SOB R3.1;
000220 000207 RTS PC ; INDEX,* 2805
; 2749

; Routine Size: 73 words, Routine Base: AB\$CODE\$ + 7652
; Maximum stack depth per invocation: 8 words

.SBTTL T10 TEST 10 - TRANSMIT AND RECEIVE FIFO MEMORY TEST
000000 004737 007652' T10::
000000 1\$: JSR PC,\$T10 ; 2832
000004 104466 TRAP 66
000006 006000 ROR R0
000010 103773 BLO 1\$
000012 000207 RTS PC

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 10074
; Maximum stack depth per invocation: 2 words

; 2860 1

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 11 - PACKET LENGTH TEST5-Jul-1984 14:05:07
5-Jul 1984 14:02:06VAX 11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA1ZQNA3.BLI;2SEQ 0147
Page 66
(26)

```

: 2861 1 *SBTTL 'TEST 11 - PACKET LENGTH TEST'
: 2862 1 :
: 2863 1 :
: 2864 1 : TEST 11: PACKET LENGTH TEST
: 2865 1 :
: 2866 1 : DESCRIPTION:
: 2867 1 :
: 2868 1 : This test verifies that DEQNA can transmit and receive variable
: 2869 1 : length packets ( equal to or greater than 60 bytes and equal to or
: 2870 1 : less than 1514 bytes without the CRC ) without losing any data
: 2871 1 : in the process. This test also verifies that the 9th bit of the
: 2872 1 : FIFO memory is not static (stuck at 1/stuck at 0). If the operator
: 2873 1 : specifies loop on error, the program re-executes the code that
: 2874 1 : detected the error until ^C is entered.
: 2875 1 :
: 2876 1 : Hardware tested: Transmit and Receive RAM
: 2877 1 :
: 2878 1 : Processing:
: 2879 1 :
: 2880 1 : BEGIN
: 2881 1 : reset device
: 2882 1 : select internal/extended loopback mode
: 2883 1 : set down_count to max. packet length
: 2884 1 : set up_count to min. packet length
: 2885 1 : REPEAT until down_count = min. packet length
: 2886 1 : transmit loopback packet (packet length = down_count)
: 2887 1 : check for expected loopback status and packet length
: 2888 1 : IF error
: 2889 1 : THEN
: 2890 1 : print error message if not inhibited
: 2891 1 : ENDIF
: 2892 1 : call compare_packets
: 2893 1 : transmit loopback packet (packet length = up_count)
: 2894 1 : check for expected loopback status and packet length
: 2895 1 : IF error
: 2896 1 : THEN
: 2897 1 : print error message if not inhibited
: 2898 1 : ENDIF
: 2899 1 : call compare_packets
: 2900 1 : decrement down_count by 2
: 2901 1 : increment up_count by 2
: 2902 1 : ENDREPEAT
: 2903 1 : END
: 2904 1 :

```

ZQNA3
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
TEST 11 - PACKET LENGTH TEST

5 Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 2905 3  BGNTST;
: 2906 3
: 2907 3
: 2908 3  !..
: 2909 3  ! LOOPBACK PACKETS OF INCREASING AND DECREASING LENGTH THEN CHECK IF PROPERLY
: 2910 3  ! RECEIVED
: 2911 3  !..
: 2912 3  COUNTER      = ZERO;
: 2913 3  UP_COUNTER   = SHORTEST_PACKET;
: 2914 3  DOWN_COUNTER = LONGEST_PACKET;
: 2915 3
: 2916 3  INCR INDEX1 FROM SHORTEST_PACKET TO MAX_LENGTH BY STEP1 DO
: 2917 4      BEGIN
: 2918 4          RESET_DEQNA ( );
: 2919 4          IF .COUNTER EQLU ZERO
: 2920 4              THEN
: 2921 5              BEGIN
: 2922 5                  RBUF_LENGTH = .UP_COUNTER;
: 2923 5                  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2924 5                  INCR INDEX FROM 0 TO .UP_COUNTER - 1 DO
: 2925 5                      XMIT_BUFFER [ .INDEX ] = .INDEX;
: 2926 5                  INCR INDEX FROM .UP_COUNTER TO MAX_LENGTH - 1 DO
: 2927 5                      XMIT_BUFFER [ .INDEX ] = ZERO;
: 2928 5                  UP_COUNTER = .UP_COUNTER + STEP1;
: 2929 5                  COUNTER = ONE;
: 2930 5              END
: 2931 4          ELSE
: 2932 5              BEGIN
: 2933 5                  RBUF_LENGTH = .DOWN_COUNTER;
: 2934 5                  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2935 5                  INCR INDEX FROM 0 TO .DOWN_COUNTER - 1 DO
: 2936 5                      XMIT_BUFFER [ .INDEX ] = .INDEX;
: 2937 5                  INCR INDEX FROM .DOWN_COUNTER TO MAX_LENGTH - 1 DO
: 2938 5                      XMIT_BUFFER [ .INDEX ] = ZERO;
: 2939 5                  DOWN_COUNTER = .DOWN_COUNTER - STEP1;
: 2940 5                  COUNTER = ZERO;
: 2941 4              END;
: 2942 4
: 2943 6      BGNSUB;
: 2944 6          SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2945 6          SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2946 6          SEND_ELOOP_PACKET ( ZERO );
: 2947 6          COMPARE_PACKETS ( );
: 2948 4      ENDSUB;
: 2949 4
: 2950 3  END;
: 2951 1  ENDTST;

```

000000	004137	000000G		.SBTTL	\$T11 TEST 11 - PACKET LENGTH TEST	
000004	005037	000000G	\$T11:	JSR	R1,\$SAVE2	2859
000010	012737	000074 000000G		CLR	COUNTER	2912
				MOV	#74,UP.COUNTER	2913

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST		5 Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	SEQ 0149
V01.0	TEST 11	-	PACKET LENGTH TEST		5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 68
							(27)
000016	012737	002752	000000G		MOV	02752,DOWN.COUNTER	2914
000024	012702	000074			MOV	074,R2	2916
000030	004737	000000G		1\$:	JSR	PC,RESET.DEQNA	2918
000034	005737	000000G			TST	COUNTER	2919
000040	001032				BNE	6\$	
000042	013700	000000G			MOV	UP.COUNTER,RO	2922
000046	010037	000000G			MOV	RO,RBUF.LENGTH	
000052	005001				CLR	R1	2924
000054	000403				BR	3\$	
000056	110161	000000G		2\$:	MOVB	R1,XMIT.BUFFER(R1)	2925
000062	005201				INC	R1	2924
000064	020100			3\$:	CMP	R1,RO	
000066	002773				BLT	2\$	
000070	005300				DEC	RO	2926
000072	000402				BR	5\$	
000074	105060	000000G		4\$:	CLRB	XMIT.BUFFER(RO)	2927
000100	005200			5\$:	INC	RO	2926
000102	020027	002775			CMP	RO,02775	
000106	003772				BLE	4\$	
000110	062737	000002	000000G		ADD	02,UP.COUNTER	2928
000116	012737	000001	000000G		MOV	01,COUNTER	2929
000124	000430				BR	11\$	2919
000126	013700	000000G		6\$:	MOV	DOWN.COUNTER,RO	2933
000132	010037	000000G			MOV	RO,RBUF.LENGTH	
000136	005001				CLR	R1	2935
000140	000403				BR	8\$	
000142	110161	000000G		7\$:	MOVB	R1,XMIT.BUFFER(R1)	2936
000146	005201				INC	R1	2935
000150	020100			8\$:	CMP	R1,RO	
000152	002773				BLT	7\$	
000154	005300				DEC	RO	2937
000156	000402				BR	10\$	
000160	105060	000000G		9\$:	CLRB	XMIT.BUFFER(RO)	2938
000164	005200			10\$:	INC	RO	2937
000166	020027	002775			CMP	RO,02775	
000172	003772				BLE	9\$	
000174	162737	000002	000000G		SUB	02,DOWN.COUNTER	2939
000202	005037	000000G			CLR	COUNTER	2940
000206	013700	000000G		11\$:	MOV	RBUF.LENGTH,RO	2923
000212	006200				ASR	RO	
000214	005400				NEG	RO	
000216	010037	000000G			MOV	RO,XBUF.LENGTH	
000222	104402			12\$:	TRAP	2	2941
000224	013746	000000G			MOV	XBUF.LENGTH,-(SP)	2944
000230	012746	120000			MOV	0-60000,-(SP)	
000234	004737	000000G			JSR	PC,SET.RDESCR.LIST	
000240	013716	000000G			MOV	XBUF.LENGTH,(SP)	2945
000244	012746	120000			MOV	0-60000,-(SP)	
000250	004737	000000G			JSR	PC,SET.XDESCR.LIST	
000254	005016				CLR	(SP)	2946
000256	004737	000000G			JSR	PC,SEND.ELOOP.PACKET	
000262	004737	000000G			JSR	PC,COMPARE.PACKETS	2947
000266	062706	000006			ADD	06,SP	2941

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 11 - PACKET LENGTH TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0150
Page 69
(27)

000272	104467		TRAP	67			2947
000274	006000		ROR	R0			
000276	103751		BLO	12\$			
000300	062702	000002	ADD	02,R2	:	*,INDEX1	2916
000304	020227	002776	CMP	R2,02776	:	INDEX1,*	
000310	003647		BLE	1\$			
000312	000207		RTS	PC	:		2859

: Routine Size: 102 words, Routine Base: AB\$CODE\$ * 10110
 : Maximum stack depth per invocation: 7 words

000000	004737	010110'		.SBTTL	T11 TEST 11 - PACKET LENGTH TEST		
000000			T11::				
000004	104466		1\$:	JSR	PC,\$T11	:	2950
000006	006000			TRAP	66		
000010	103773			ROR	R0		
000012	000207			BLO	1\$		
				RTS	PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ * 10424
 : Maximum stack depth per invocation: 2 words

: 2952 1

: 2953 1
: 2954 1
: 2955 1
: 2956 1
: 2957 1
: 2958 1
: 2959 1
: 2960 1
: 2961 1
: 2962 1
: 2963 1
: 2964 1
: 2965 1
: 2966 1
: 2967 1
: 2968 1
: 2969 1
: 2970 1
: 2971 1
: 2972 1
: 2973 1
: 2974 1
: 2975 1
: 2976 1
: 2977 1
: 2978 1
: 2979 1
: 2980 1
: 2981 1
: 2982 1
: 2983 1
: 2984 1
: 2985 1
: 2986 1
: 2987 1
: 2988 1
: 2989 1
: 2990 1
: 2991 1
: 2992 1
: 2993 1
: 2994 1
: 2995 1
: 2996 1
: 2997 1
: 2998 1
: 2999 1
: 3000 1
: 3001 1

*SBTTL 'TEST 12 - NXM INTERRUPT TEST'

TEST 12: NXM INTERRUPT TEST

DESCRIPTION:

This test verifies that Transmit and Receive List Invalid bits (CSR bits 4 and 5) can be set and reset as specified and that both, Transmit and Receive Descriptor List addresses in the I/O page have to be valid to successfully loopback a packet.

After a software reset Transmit and Receive List Invalid bits are checked for their initial condition state (both set). Then these bits are cleared by writing Transmit and Receive Descriptor List addresses into Transmit and Receive Buffer Descriptor Registers.

First, valid loopback packet is sent to verify that UUT properly transmits and receives loopback packets. Then, a Non-Existant Memory Access (NI) bit is forced to " 1 " each time an invalid loopback packet is sent.

If the operator specifies loop on error, the program re executes the code that detected the error until IC is entered.

Hardware tested: Q-Bus to QTDC interface
- Valid and invalid host memory address processing
CSR register - NXM access (bit 2)
- Interrupt Enable (bit 6)
- XMIT List Invalid (bit 4)
- RCV List Invalid (bit 5)

Use following Descriptor List and buffer addresses:

TRANSMIT *****		RECEIVE *****	
DESCR LIST ADR	BUFFER ADR	DESCR LIST ADR	BUFFER ADR
-----	-----	-----	-----
VALID	VALID	VALID	VALID
INVALID	DON'T CARE	DON'T CARE	DON'T CARE
VALID	INVALID	DON'T CARE	DON'T CARE
VALID	VALID	INVALID	DON'T CARE
VALID	VALID	VALID	INVALID
-----	-----	-----	-----

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0152
Page 71
(29)

```

: 3002 1  :
: 3003 1  : Processing:
: 3004 1  :
: 3005 1  : BEGIN
: 3006 1  :   reset device ( disables device interrupt )
: 3007 1  :   select internal loopback mode
: 3008 1  :   read CSR
: 3009 1  :   IF XMIT and RCV List Invalid bits not = 1
: 3010 1  :   THEN
: 3011 1  :     print error message if not inhibited
: 3012 1  :   ENDIF
: 3013 1  :   enable device interrupt (set CSR bit 6)
: 3014 1  :   transmit valid loopback packet
: 3015 1  :   check for expected loopback status
: 3016 1  :   IF error
: 3017 1  :   THEN
: 3018 1  :     print error message if not inhibited
: 3019 1  :   ENDIF
: 3020 1  :   call compare_packets
: 3021 1  :   REPEAT for each set of addresses in the set
: 3022 1  :     transmit invalid loopback packet
: 3023 1  :     IF NXM interrupt didn't occur
: 3024 1  :     THEN
: 3025 1  :       print error message if not inhibited
: 3026 1  :     ENDIF
: 3027 1  :     check for expected loopback status
: 3028 1  :     IF error
: 3029 1  :     THEN
: 3030 1  :       print error message if not inhibited
: 3031 1  :     ENDIF
: 3032 1  :   ENDREPEAT
: 3033 1  : END
: 3034 1  : --

```

```

: 3035 3  BGNTST;
: 3036 3
: 3037 3  !**
: 3038 3  ! RESET DEQNA AND SELECT LOOPBACK MODE
: 3039 3  !--
: 3040 3
: 3041 3  RESET_DEQNA ( );
: 3042 3
: 3043 3  PREP_FOR_SETUP ( );
: 3044 3  INCR INDEX FROM 1 TO 14 DO
: 3045 3    WRT_STATION_ADR ( .INDEX, PHA_INDEX );
: 3046 3
: 3047 5  BGNSUB;
: 3048 5    XMIT_SETUP_PACKET ( N_MODE );
: 3049 3  ENDSUB;
: 3050 3
: 3051 3  RBUF_LENGTH = 6;
: 3052 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3053 3
: 3054 3  CLR_BUFFERS ( B_SIZE );
: 3055 3  ERR_NUMBER = ZERO;
: 3056 3
: 3057 3  !**
: 3058 3  ! LOOPBACK A PACKET, VALID DESCRIPTORS AND BUFFER ADDRESSES, THEN CHECK IF
: 3059 3  ! LOOPBACK PACKET WAS PROPERLY RECEIVED AND NI BIT IN CSR = 0
: 3060 3  !--
: 3061 3
: 3062 3  RESET_DEQNA ( );
: 3063 3  WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 3064 3
: 3065 5  BGNSUB;
: 3066 5    XMIT_ILOOP_PACKET ( ZERO );
: 3067 5    IF GET_BIT ( CSR, NI )
: 3068 5      THEN
: 3069 6        BEGIN
: 3070 6          CSR_WORD = GET_BIT ( CSR_ALL );
: 3071 6          PRINTB ( MSG59 );
: 3072 6          PRINTB ( MSG29 );
: 3073 6          PRINTB ( MSG28 );
: 3074 6          ERRDF ( 1201, MSG00, ERROR$REPORT );
: 3075 5        END;
: 3076 3  ENDSUB;
: 3077 3
: 3078 3  !**
: 3079 3  ! TRY TO LOOPBACK A PACKET WITH INVALID TRANSMIT DESCRIPTOR ADDRESS,
: 3080 3  ! THEN CHECK FOR NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3081 3  !--
: 3082 3
: 3083 5  BGNSUB;
: 3084 5    RESET_DEQNA ( );
: 3085 5    .IOP_TABLE [ XLO_ADR ] = NXM_LO_ADR;
: 3086 5    .ICP_TABLE [ XHI_ADR ] = NXM_HI_ADR;
: 3087 5    IF NOT GET_BIT ( CSR, NI )

```

```

: 3088 5      THEN
: 3089 5      IF ( .XMIT_D_LIST [ FLGWD ] AND XFLG_MASK ) NEQU XFLG_MASK
: 3090 5      THEN
: 3091 6      BEGIN
: 3092 6      CSR_WORD = GET_BIT ( CSR_ALL );
: 3093 6      PRINTB ( MSG59 );
: 3094 6      PRINTB ( MSG29 );
: 3095 6      PRINTB ( MSG27 );
: 3096 6      ERRDF ( 1202, MSG00, ERROR$REPORT );
: 3097 5      END;
: 3098 3  ENDSUB;
: 3099 3
: 3100 3  !..
: 3101 3  ! TRY TO LOOPBACK A PACKET WITH INVALID RECEIVE DESCRIPTOR ADDRESS,
: 3102 3  ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3103 3  !..
: 3104 3
: 3105 5  BGNSUB;
: 3106 5  RESET_DEQNA ( );
: 3107 5  WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 3108 5
: 3109 5  .IOP_TABLE [ RLO_ADR ] = NXM_LO_ADR;
: 3110 5  .IOP_TABLE [ RHI_ADR ] = NXM_HI_ADR;
: 3111 5
: 3112 5  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3113 5  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 3114 5  .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3115 5
: 3116 5  CHK_RIXI_STATUS ( ONE );
: 3117 5
: 3118 5  CHK_CSR_STATUS ( #0'000220', #0'000220' );
: 3119 5  CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS );      ! 0'140000', 0'000400'
: 3120 5
: 3121 5  .IOP_TABLE [ CSR ] = EENABLE;
: 3122 5
: 3123 5  DELAY ( 20 );
: 3124 5  IF NOT GET_BIT ( CSR, NI )
: 3125 5  THEN
: 3126 5      IF ( .RCV_D_LIST [ FLGWD ] AND RFLG_MASK ) NEQU RFLG_MASK
: 3127 5      THEN
: 3128 6      BEGIN
: 3129 6      .IOP_TABLE [ CSR ] = DISABLE;
: 3130 6      CSR_WORD = GET_BIT ( CSR_ALL );
: 3131 6      PRINTB ( MSG59 );
: 3132 6      PRINTB ( MSG29 );
: 3133 6      PRINTB ( MSG27 );
: 3134 6      ERRDF ( 1203, MSG00, ERROR$REPORT );
: 3135 5      END;
: 3136 5  .IOP_TABLE [ CSR ] = DISABLE;
: 3137 3  ENDSUB;
: 3138 3
: 3139 3  !..
: 3140 3  ! TRY TO LOOPBACK A PACKET WITH INVALID TRANSMIT BUFFER ADDRESS,

```

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0155
Page 74
(30)

```

: 3141 3 ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3142 3 !--
: 3143 3
: 3144 5 BGNSUB;
: 3145 5 RESET_DEQNA ( );
: 3146 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VENXM );
: 3147 5 XMIT_D_LIST [ LOADR ] = NXM_LO_ADR;
: 3148 5 .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 3149 5 .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3150 5 DELAY ( 20 );
: 3151 5 IF NOT GET_BIT ( CSR, NI )
: 3152 5 THEN
: 3153 5 IF ( .XMIT_D_LIST [ FLGWD ] AND XFLG_MASK ) NEQU XFLG_MASK
: 3154 5 THEN
: 3155 6 BEGIN
: 3156 6 CSR_WORD = GET_BIT ( CSR_ALL );
: 3157 6 PRINTB ( MSG59 );
: 3158 6 PRINTB ( MSG29 );
: 3159 6 PRINTB ( MSG27 );
: 3160 6 ERRDF ( 1204, MSG00, ERROR$REPORT );
: 3161 5 END;
: 3162 3 ENDSUB;
: 3163 3
: 3164 3 !**
: 3165 3 ! TRY TO LOOPBACK A PACKET WITH INVALID RECEIVE BUFFER ADDRESS,
: 3166 3 ! THEN CHECK IF NON-EXISTANT MEMORY INTERRUPT ( NI ) BIT IS SET TO 1
: 3167 3 !--
: 3168 3
: 3169 5 BGNSUB;
: 3170 5 RESET_DEQNA ( );
: 3171 5
: 3172 5 SET_RDESCR_LIST ( .XBUF_LENGTH, VENXM );
: 3173 5 RCV_D_LIST [ LOADR ] = NXM_LO_ADR;
: 3174 5 .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 3175 5 .IOP_TABLE [ RHI_ADR ] = ZERO;
: 3176 5
: 3177 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3178 5 .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 3179 5 .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3180 5
: 3181 5 CHK_RIXI_STATUS ( ONE );
: 3182 5
: 3183 5 CHK_CSR_STATUS ( #0'000220', #0'000220' );
: 3184 5 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 3185 5
: 3186 5 .IOP_TABLE [ CSR ] = EENABLE;
: 3187 5
: 3188 5 DELAY ( 20 );
: 3189 5 IF NOT GET_BIT ( CSR, NI )
: 3190 5 THEN
: 3191 5 IF ( .RCV_D_LIST [ FLGWD ] AND RFLG_MASK ) NEQU RFLG_MASK
: 3192 5 THEN
: 3193 6 BEGIN

```

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 12 NXM INTERRUPT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

```

: 3194 6      CSR_WORD = GET_BIT ( CSR_ALL );
: 3195 6      .IOP_TABLE [ CSR ] = DISABLE;
: 3196 6      PRINTB ( MSG59 );
: 3197 6      PRINTB ( MSG29 );
: 3198 6      PRINTB ( MSG27 );
: 3199 6      ERRDF ( 1205, MSG00, ERROR$REPORT );
: 3200 5      END;
: 3201 5      .IOP_TABLE [ CSR ] = DISABLE;
: 3202 3      ENDSUB;
: 3203 3
: 3204 1      ENDTST;
    
```

```

000000 010146          $T12: .SBTTL $T12 TEST 12 - NXM INTERRUPT TEST
000002 162706 000026   MOV      R1,-(SP)
000006 004737 000000G  SUB      #26,SP
000012 004737 000000G  JSR      PC,RESET.DEQNA
000016 012701 000001   JSR      PC,PREP.FOR.SETUP
000022 010146          1$:  MOV      #1,R1
000024 012746 000023   MOV      R1,-(SP)
000030 004737 000000G  MOV      #23,-(SP)
000034 022626          JSR      PC,WRT.STATION.ADR
000036 005201          CMP      (SP)+,(SP)+
000040 020127 000016   INC      R1
000044 003766          CMP      R1,#16
000046 104402          BLE      1$
000050 012746 000200   2$:  TRAP    2
000054 004737 000000G  MOV      #200,-(SP)
000060 005726          JSR      PC,XMIT.SETUP.PACKET
000062 104467          TST      (SP)+
000064 006000          TRAP    67
000066 103767          ROR      R0
000070 012737 000006 000000G  BLO      2$
000076 012700 000006   MOV      #6,RBUF.LENGTH
000102 006200          MOV      #6,R0
000104 005400          ASR      R0
000106 010037 000000G  NEG      R0
000112 012746 004000   MOV      R0,XBUF.LENGTH
000116 004737 000000G  MOV      #4000,-(SP)
000122 005037 000000G  JSR      PC,CLR.BUFFERS
000126 004737 000000G  CLR      ERR.NUMBER
000132 005016          JSR      PC,RESET.DEQNA
000134 012746 000023   CLR      (SP)
000140 004737 000000G  MOV      #23,-(SP)
000144 104402          3$:  TRAP    2
000146 005016          CLR      (SP)
000150 004737 000000G  JSR      PC,XMIT.ILOOP.PACKET
000154 013700 000000G  MOV      REG.ADR,R0
000160 016066 000016 000004   MOV      16(R0),4(SP)
000166 031766 000004   BIT      (PC),4(SP)
000172 001436          BEQ      4$
000174 016666 000004 000006   MOV      4(SP),6(SP)
    
```

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZUPCZYK.DEQNA]ZQNA3.BLI;2

000202	016637	000006	000000G		MOV	6(SP),CSR.WORD	:	TMP.LOCATION,*	
000210	012716	000000G			MOV	@MSG59,(SP)	:		3071
000214	012746	000001			MOV	@1,(SP)	:		
000220	010600				MOV	SP,R0	:	SP,*	
000222	104414				TRAP	14	:		
000224	012716	000000G			MOV	@MSG29,(SP)	:		3072
000230	012746	000001			MOV	@1,-(SP)	:		
000234	010600				MOV	SP,R0	:	SP,*	
000236	104414				TRAP	14	:		
000240	012716	000000G			MOV	@MSG28,(SP)	:		3073
000244	012746	000001			MOV	@1,(SP)	:		
000250	010600				MOV	SP,R0	:	SP,*	
000252	104414				TRAP	14	:		
000254	104455				TRAP	55	:		3074
000256	002261				.WORD	2261	:		
000260	000000G				.WORD	MSG00	:		
000262	000000G				.WORD	ERROR\$REPORT	:		
000264	062706	000006			ADD	@6,SP	:		3069
000270	104467			4\$:	TRAP	67	:		3075
000272	006000				ROR	R0	:		
000274	103723				BLO	3\$:		
000276	104402			5\$:	TRAP	2	:		3076
000300	004737	000000G			JSR	PC,RESET.DEQNA	:		3084
000304	012777	160000	000010G		MOV	@-20000,@IOP.TABLE*10	:		3085
000312	012777	000077	000012G		MOV	@77,@IOP.TABLE*12	:		3086
000320	013700	000000G			MOV	REG.ADR,R0	:		3087
000324	016066	000016	000010		MOV	16(R0),10(SP)	:	*.TMP.LOCATION	
000332	032766	000004	000010		BIT	@4,10(SP)	:	*.TMP.LOCATION	
000340	001045				BNE	6\$:		
000342	013701	000000G			MOV	XMIT.D.LIST,R1	:		3089
000346	042701	037777			BIC	@37777,R1	:		
000352	020127	140000			CMP	R1,@-40000	:		
000356	001436				BEQ	6\$:		
000360	016666	000010	000012		MOV	10(SP),12(SP)	:	*.TMP.LOCATION	3092
000366	016637	000012	000000G		MOV	12(SP),CSR.WORD	:	TMP.LOCATION,*	
000374	012716	000000G			MOV	@MSG59,(SP)	:		3093
000400	012746	000001			MOV	@1,-(SP)	:		
000404	010600				MOV	SP,R0	:	SP,*	
000406	104414				TRAP	14	:		
000410	012716	000000G			MOV	@MSG29,(SP)	:		3094
000414	012746	000001			MOV	@1,-(SP)	:		
000420	010600				MOV	SP,R0	:	SP,*	
000422	104414				TRAP	14	:		
000424	012716	000000G			MOV	@MSG27,(SP)	:		3095
000430	012746	000001			MOV	@1,-(SP)	:		
000434	010600				MOV	SP,R0	:	SP,*	
000436	104414				TRAP	14	:		
000440	104455				TRAP	55	:		3096
000442	002262				.WORD	2262	:		
000444	000000G				.WORD	MSG00	:		
000446	000000G				.WORD	ERROR\$REPORT	:		
000450	062706	000006			ADD	@6,SP	:		3091
000454	104467			6\$:	TRAP	67	:		3097

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

5-Jul-1984 14:05:07
5-Jul 1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0158
Page 77
(30)

000456	006000			ROR	R0		
000460	103706			BLO	5\$		
000462	104402		7\$:	TRAP	2		3098
000464	004737	000000G		JSR	PC,RESET.DEQNA		3106
000470	005016			CLR	(SP)		3107
000472	012746	000023		MOV	#23,-(SP)		
000476	004737	000000G		JSR	PC,WRT.STATION.ADR		
000502	012777	160000	C00004G	MOV	#20000,@IOP.TABLE+4		3109
000510	012777	000077	000006G	MOV	#77,@IOP.TABLE+6		3110
000516	013716	000000G		MOV	XBUF.LENGTH,(SP)		3112
000522	012746	120000		MOV	#-60000,-(SP)		
000526	004737	000000G		JSR	PC,SET.XDESCR.LIST		
000532	012777	000000G	000010G	MOV	#XMIT.D.LIST,@IOP.TABLE+10		3113
000540	005077	000012G		CLR	@IOP.TABLE+12		3114
000544	012716	000001		MOV	#1,(SP)		3116
000550	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000554	012716	000220		MOV	#220,(SP)		3118
000560	011646			MOV	(SP),-(SP)		
000562	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000566	012716	140000		MOV	#-40000,(SP)		3119
000572	012746	C00400		MOV	#400,-(SP)		
000576	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
000602	012777	000001	000016G	MOV	#1,@IOP.TABLE+16		3121
000610	012701	000024		MOV	#24,R1	: *,\$\$TMP2	3123
000614	001410		8\$:	BEQ	11\$		
000616	013700	000000G		MOV	L\$DLY,R0	: *,\$\$TMP1	
000622	001403			BEQ	10\$		
000624	005066	000040	9\$:	CLR	40(SP)	: \$\$TMP	
000630	077003			S0B	R0,9\$: \$\$TMP1,*	
000632	005301		10\$:	DEC	R1	: \$\$TMP2	
000634	000767			BR	8\$		
000636	013700	000000G	11\$:	MOV	REG.ADR,R0		3124
000642	016066	000016	000024	MOV	16(R0),24(SP)	: *.TMP.LOCATION	
000650	032766	000004	000024	BIT	#4,24(SP)	: *.TMP.LOCATION	
000656	001047			BNE	12\$		
000660	013701	000000G		MOV	RCV.D.LIST,R1		3126
000664	042701	037777		BIC	#37777,R1		
000670	020127	140000		CMP	R1,#-40000		
000674	001440			BEQ	12\$		
000676	005077	000016G		CLR	@IOP.TABLE+16		3129
000702	016666	000024	000026	MOV	24(SP),26(SP)	: *.TMP.LOCATION	3130
000710	016637	000026	000000G	MOV	26(SP),CSR.WORD	: TMP.LOCATION,*	
000716	012716	000000G		MOV	#MSG59,(SP)		3131
000722	012746	000001		MOV	#1,(SP)		
000726	010600			MOV	SP,R0	: SP,*	
000730	104414			TRAP	14		
000732	012716	000000G		MOV	#MSG29,(SP)		3132
000736	012746	000001		MOV	#1,-(SP)		
000742	010600			MOV	SP,R0	: SP,*	
000744	104414			TRAP	14		
000746	012716	000000G		MOV	#MSG27,(SP)		3133
000752	012746	000001		MOV	#1,-(SP)		
000756	010600			MOV	SP,R0	: SP,*	

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0159
Page 78
(30)

000760	104414			TRAP	14				
000762	104455			TRAP	55	:			3134
000764	002263			.WORD	2263				
000766	000000G			.WORD	MSG00				
000770	000000G			.WORD	ERROR\$REPORT				
000772	062706	000006		ADD	#6,SP	:			3128
000776	005077	000016G	12\$:	CLR	@IOP.TABLE+16	:			3136
001002	062706	000010		ADD	#10,SP	:			3098
001006	104467			TRAP	67	:			3136
001010	006000			ROR	RO				
001012	103623			BLO	7\$				
001014	104402		13\$:	TRAP	2	:			3137
001016	004737	000000G		JSR	PC,RESET.DEQNA	:			3145
001022	013716	000000G		MOV	XBUF.LENGTH,(SP)	:			3146
001026	012746	120077		MOV	#-57701,-(SP)				
001032	004737	000000G		JSR	PC,SET.XDESCR.LIST				
001036	012737	160000	000004G	MOV	#-20000,XMIT.D.LIST+4	:			3147
001044	012777	000000G	000010G	MOV	@XMIT.D.LIST,@IOP.TABLE+10	:			3148
001052	005077	000012G		CLR	@IOP.TABLE+12	:			3149
001056	012701	000024		MOV	#24,R1	:	*,\$\$TMP2		3150
001062	001410		14\$:	BEQ	17\$				
001064	013700	000000G		MOV	L\$DLY,RO	:	*,\$\$TMP1		
001070	001403			BEQ	16\$				
001072	005066	000032	15\$:	CLR	32(SP)	:	\$\$TMP		
001076	077003			SOS	RO,15\$:	\$\$TMP1,*		
001100	005301		16\$:	DEC	R1	:	\$\$TMP2		
001102	000767			BR	14\$				
001104	013700	000000G	17\$:	MOV	REG.ADR,RO	:			3151
001110	016066	000016	000022	MOV	16(RO),22(SP)	:	*,TMP.LOCATION		
001116	032766	000004	000022	BIT	#4,22(SP)	:	*,TMP.LOCATION		
001124	001045			BNE	18\$				
001126	013701	000000G		MOV	XMIT.D.LIST,R1	:			3153
001132	042701	037777		BIC	#37777,R1				
001136	020127	140000		CMP	R1,#-40000				
001142	001436			BEQ	18\$				
001144	016666	000022	000024	MOV	22(SP),24(SP)	:	*,TMP.LOCATION		3156
001152	016637	000024	000000G	MOV	24(SP),CSR.WORD	:	TMP.LOCATION,*		
001160	012716	000000G		MOV	@MSG59,(SP)	:			3157
001164	012746	000001		MOV	#1,-(SP)				
001170	010600			MOV	SP,RO	:	SP,*		
001172	104414			TRAP	14				
001174	012716	000000G		MOV	@MSG29,(SP)	:			3158
001200	012746	000001		MOV	#1,(SP)				
001204	010600			MOV	SP,RO	:	SP,*		
001206	104414			TRAP	14				
001210	012716	000000G		MOV	@MSG27,(SP)	:			3159
001214	012746	000001		MOV	#1,-(SP)				
001220	010600			MOV	SP,RO	:	SP,*		
001222	104414			TRAP	14				
001224	104455			TRAP	55	:			3160
001226	002264			.WORD	2264				
001230	000000G			.WORD	MSG00				
001232	000000G			.WORD	ERROR\$REPORT				

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	SEQ 0160	
V01.0	TEST 12	- NXM	INTERRUPT TEST	5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 79	
						(30)	
001234	062706	000006		ADD	06,SP	:	3155
001240	005726		18\$:	TST	(SP).	:	3137
001242	104467			TRAP	67	:	3161
001244	006000			ROR	RO	:	
001246	103662			BLO	13\$:	
001250	104402		19\$:	TRAP	2	:	3162
001252	004737	000000G		JSR	PC,RESET.DEQNA	:	3170
001256	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3172
001262	012746	120077		MOV	0-57701,-(SP)	:	
001266	004737	000000G		JSR	PC,SET.RDESCR.LIST	:	
001272	012737	160000	000004G	MOV	0-20000,RCV.D.LIST+4	:	3173
001300	012777	000000G	000004G	MOV	0RCV.D.LIST,@IOP.TABLE+4	:	3174
001306	005077	000006G		CLR	@IOP.TABLE+6	:	3175
001312	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3177
001316	012746	120000		MOV	0-60000,-(SP)	:	
001322	004737	000000G		JSR	PC,SET.XDESCR.LIST	:	
001326	012777	000000G	000010G	MOV	0XMIT.D.LIST,@IOP.TABLE+10	:	3178
001334	005077	000012G		CLR	@IOP.TABLE+12	:	3179
001340	012716	000001		MOV	01,(SP)	:	3181
001344	004737	000000G		JSR	PC,CHK.RIXI.STATUS	:	
001350	012716	000220		MOV	0220,(SP)	:	3183
001354	011646			MOV	(SP),-(SP)	:	
001356	004737	000000G		JSR	PC,CHK.CSR.STATUS	:	
001362	012716	140000		MOV	0-40000,(SP)	:	3184
001366	012746	000400		MOV	0400,-(SP)	:	
001372	004737	000000G		JSR	PC,CHK.XMIT.STATUS	:	
001376	012777	000001	000015G	MOV	01,@IOP.TABLE+16	:	3186
001404	012701	000024		MOV	024,R1	:	3188
001410	001410		20\$:	BEQ	23\$:	
001412	013700	000000G		MOV	L\$DLY,RO	:	
001416	001403			BEQ	22\$:	
001420	005066	00004G		CLR	40(SP)	:	
001424	077003			SOB	RO,21\$:	
001426	005301		22\$:	DEC	R1	:	
001430	000767			BR	20\$:	
001432	013700	000000G		MOV	REG.ADR,RO	:	3189
001436	016066	000016	000034	MOV	16(RO),34(SP)	:	
001444	032766	000004	000034	BIT	04,34(SP)	:	
001452	001047			BNE	24\$:	
001454	013701	000000G		MOV	RCV.D.LIST,R1	:	3191
001460	042701	037777		BIC	037777,R1	:	
001464	020127	140000		CMP	R1,0-40000	:	
001470	001440			BEQ	24\$:	
001472	016666	000034	000036	MOV	34(SP),36(SP)	:	3194
001500	016637	000036	000000G	MOV	36(SP),CSR.WOFD	:	
001506	005077	000016G		CLR	@IOP.TABLE+16	:	3195
001512	012716	000000G		MOV	0MSG59,(SP)	:	3196
001516	012746	000001		MOV	01,-(SP)	:	
001522	010600			MOV	SP,RO	:	
001524	104414			TRAP	14	:	
001526	012716	000000G		MOV	0MSG29,(SP)	:	3197
001532	012746	000001		MOV	01,-(SP)	:	
001536	010600			MOV	SP,RO	:	

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 12 - NXM INTERRUPT TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0161
Page 80
(30)

001540	104414			TRAP	14		
001542	012716	000000G		MOV	#MSG27,(SP)	:	3198
001546	012746	000001		MOV	#1,-(SP)		
001552	010600			MOV	SP,R0	: SP,*	
001554	104414			TRAP	14		
001556	104455			TRAP	55	:	3199
001560	002265			.WORD	2265		
001562	000000G			.WORD	MSG00		
001564	000000G			.WORD	ERROR\$REPORT		
001566	062706	000006		ADD	#6,SP	:	3193
001572	005077	000016G	24\$:	CLR	@IOP.TABLE+16	:	3201
001576	062706	000010		ADD	#10,SP	:	3162
001602	104467			TRAP	67	:	3201
001604	006000			ROR	R0		
001606	103620			BLO	19\$		
001610	062706	000032		ADD	#32,SP	:	2951
001614	012601			MOV	(SP)+,R1		
001616	000207			RTS	PC		

; Routine Size: 456 words, Routine Base: AB\$CODE\$ + 10440
; Maximum stack depth per invocation: 23 words

				.SBTTL	T12 TEST 12 - NXM INTERRUPT TEST		
000000	004737	010440'	T12::				
000000			1\$:	JSR	PC,\$T12	:	3202
000004	104466			TRAP	56		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 12260
; Maximum stack depth per invocation: 2 words

; 3205 1

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST5-Jul-1984 14:05:07
5-Jul 1984 14:02:00VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2SEQ 0162
Page 81
(31)

```

: 3206 1 #SBTTL 'TEST 13 - MULTIPLE AND CHAINED PACKET TEST'
: 3207 1 :..
: 3208 1 :
: 3209 1 : TEST 13: MULTIPLE AND CHAINED PACKET TEST
: 3210 1 :
: 3211 1 : DESCRIPTION:
: 3212 1 :
: 3213 1 : This test verifies that the DEQNA can transmit and receive multiple,
: 3214 1 : linked and chained loopback packets.
: 3215 1 :
: 3216 1 : If the operator specifies loop on error, the program re-executes the
: 3217 1 : code that detected the error until ^C is entered.
: 3218 1 :
: 3219 1 : Hardware tested:
: 3220 1 :
: 3221 1 : Processing:
: 3222 1 :
: 3223 1 : BEGIN
: 3224 1 : reset device
: 3225 1 : select internal/extended loopback mode
: 3226 1 : transmit simple loopback packet
: 3227 1 : check for expected loopback status
: 3228 1 : IF error
: 3229 1 : THEN
: 3230 1 : print error message if not inhibited
: 3231 1 : ENDIF
: 3232 1 : call compare_packets
: 3233 1 :
: 3234 1 : transmit multiple, linked and chained loopback packet
: 3235 1 : check for expected loopback status
: 3236 1 : IF error
: 3237 1 : THEN
: 3238 1 : print error message if not inhibited
: 3239 1 : ENDIF
: 3240 1 : call compare_packets
: 3241 1 : END
: 3242 1 :..

```

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0163
Page 82
(32)

```

: 3243 3  BGNTST;
: 3244 3
: 3245 3  RBUF_LENGTH = 64;
: 3246 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3247 3
: 3248 3  !..
: 3249 3  ! LOOPBACK UNCHAINED PACKET, THEN CHECK IF IT WAS PROPERLY RECEIVED
: 3250 3  !..
: 3251 3
: 3252 3  RESET_DEQNA ( );
: 3253 3  INCR INDEX FROM 0 TO 63 DO
: 3254 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3255 3
: 3256 5  BGNSUB;
: 3257 5    SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3258 5    SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3259 5    SEND_ELOOP_PACKET ( ZERO );
: 3260 5    COMPARE_PACKETS ( );
: 3261 3  ENDSUB;
: 3262 3
: 3263 3  RESET_DEQNA ( );
: 3264 3  CLR_BUFFERS ( 512 );
: 3265 3  INCR INDEX FROM 0 TO 383 DO
: 3266 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3267 3
: 3268 3
: 3269 5  BGNSUB;
: 3270 5    INCR INDEX FROM 0 TO 63 DO
: 3271 5      RCV_D_LIST [ .INDEX, W_LEN ] = .RD13 [ .INDEX ];
: 3272 5    INCR INDEX FROM 0 TO 31 DO
: 3273 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD13 [ .INDEX ];
: 3274 5
: 3275 5    XMIT_D_LIST [ 7, W_LEN ] = VE;
: 3276 5    XMIT_D_LIST [ 13, W_LEN ] = E;
: 3277 5
: 3278 5    PUT_BIT [ CSR, LB, INX_LOOPBACK ];
: 3279 5    XMIT_AND_RCV_PACKET ( );
: 3280 5    CHK_RIXI_STATUS ( ZERO );
: 3281 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3282 5
: 3283 5    XMIT_D_LIST [ 7, W_LEN ] = V;
: 3284 5    XMIT_D_LIST [ 12, W_LEN ] = NEWB;
: 3285 5    XMIT_D_LIST [ 13, W_LEN ] = V;
: 3286 5
: 3287 5    .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST + 24;
: 3288 5    .IOP_TABLE [ XHI_ADR ] = ZERO;
: 3289 5
: 3290 5    CHK_RIXI_STATUS ( ZERO );
: 3291 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3292 5
: 3293 5  !..
: 3294 5  ! CHECK IF RECEIVE BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
: 3295 5  !..

```

ZQNA3
V01.0CZQNAO DEGNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST5-Jul-1984 14:05:07
5-Jul 1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEGNA]ZQNA3.BLI;2SEQ 0164
Page 83
(32)

```

: 3296 5
: 3297 5      INCR INDEX FROM 0 TO 53 DO
: 3298 5      IF .RCV_D_LIST [ .INDEX, W_LEN ] NEQU .RD13 [ .INDEX ]
: 3299 5      AND ( .RCV_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000'
: 3300 5      AND .RCV_D_LIST [ .INDEX, W_LEN ] NEQU #0'020600'
: 3301 5      THEN
: 3302 6      BEGIN
: 3303 6      CSR_WORD = GET_BIT ( CSR_ALL );
: 3304 6      PRINTB ( MSG59 );
: 3305 6      PRINTB ( MSG48 );
: 3306 6      PRINTB ( MSG50, .RCV_D_LIST [ .INDEX, W_LEN ], .RD13 [ .INDEX ], .INDEX );
: 3307 6      ERRDF ( 1301, MSG00, ERROR$REPORT );
: 3308 5      END;
: 3309 5
: 3310 5      !..
: 3311 5      ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
: 3312 5      !..
: 3313 5
: 3314 5      INCR INDEX FROM 0 TO 23 DO
: 3315 5      IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD13 [ .INDEX ]
: 3316 5      AND ( .XMIT_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000'
: 3317 5      AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'020414'
: 3318 5      AND .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU #0'004140'
: 3319 5      THEN
: 3320 6      BEGIN
: 3321 6      CSR_WJRD = GET_BIT ( CSR_ALL );
: 3322 6      PRINTB ( MSG59 );
: 3323 6      PRINTB ( MSG49 );
: 3324 6      PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD13 [ .INDEX ], .INDEX );
: 3325 6      ERRDF ( 1302, MSG00, ERROR$REPORT );
: 3326 5      END;
: 3327 5
: 3328 5      INCR INDEX FROM 0 TO 5 DO
: 3329 6      BEGIN
: 3330 6      XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 24, W_LEN ];
: 3331 6      RCV_D_LIST [ .INDEX, W_LEN ] = .RCV_D_LIST [ .INDEX + 54, W_LEN ];
: 3332 5      END;
: 3333 5
: 3334 5      CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 3335 5      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 3336 5
: 3337 5      INCR INDEX FROM 0 TO 383 DO
: 3338 5      IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 3339 5      THEN
: 3340 6      BEGIN
: 3341 6      CSR_WORD = GET_BIT ( CSR_ALL );
: 3342 6      PRINTB ( MSG59 );
: 3343 6      PRINTB ( MSG51 );
: 3344 6      PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3345 6      ERRDF ( 1303, MSG00, ERROR$REPORT );
: 3346 5      END;
: 3347 3      ENDSUB;
: 3348 3

```

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

; 3349 1 ENDTST;

				.SBTTL	\$T13 TEST 13 - MULTIPLE AND CHAINED PACKET TEST		
000000	004137	000000G		\$T13:	JSR	R1,\$SAVE3	3204
000004	162706	000006			SUB	#6,SP	
000010	012737	000100	000000G		MOV	#100,RBUF.LENGTH	3245
000016	012700	000100			MOV	#100,R0	3246
000022	006200				ASR	R0	
000024	005400				NEG	R0	
000026	010037	000000G			MOV	R0,XBUF.LENGTH	
000032	004737	000000G			JSR	PC,RESET.DEQNA	
000036	005000				CLR	R0	; INDEX
000040	110060	000000G		1\$:	MOVB	R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX) 3253
000044	005200				INC	R0	; INDEX 3254
000046	020027	000077			CMP	R0,#77	; INDEX,* 3253
000052	003772				BLE	1\$	
000054	104402			2\$:	TRAP	2	; 3254
000056	013746	000000G			MOV	XBUF.LENGTH, -(SP)	; 3257
000062	012746	120000			MOV	#-60000, -(SP)	
000066	004737	000000G			JSR	PC,SET.RDESCR.LIST	
000072	013716	000000G			MOV	XBUF.LENGTH, (SP)	; 3258
000076	012746	120000			MOV	#-60000, (SP)	
000102	004737	000000G			JSR	PC,SET ^DESCR.LIST	
000106	005016				CLR	(SP)	; 3259
000110	004737	000000G			JSR	PC,SEND.ELOOP.PACKET	
000114	004737	000000G			JSR	PC,COMPARE.PACKETS	; 3260
000120	062706	000006			ADD	#6,SP	; 3254
000124	104467				TRAP	67	; 3260
000126	006000				ROR	R0	
000130	103751				BLO	2\$	
000132	004737	000000G			JSR	PC,RESET.DEQNA	; 3263
000136	012746	001000			MOV	#1000, -(SP)	; 3264
000142	004737	000000G			JSR	PC,CLR.BUFFERS	
000146	005000				CLR	R0	; INDEX
000150	110060	000000G		3\$:	MOVB	R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX) 3265
000154	005200				INC	R0	; INDEX 3266
000156	020027	000577			CMP	R0,#577	; INDEX,* 3265
000162	003772				BLE	3\$	
000164	104402			4\$:	TRAP	2	; 3266
000166	005000				CLR	R0	; INDEX 3270
000170	016060	000000G	000000G	5\$:	MOV	RD13(R0),RCV.D.LIST(R0)	; *(INDEX),*(INDEX) 3271
000176	062700	000002			ADD	#2,R0	; *,INDEX 3270
000202	020027	000176			CMP	R0,#176	; INDEX,*
000206	003770				BLE	5\$	
000210	005000				CLR	R0	; INDEX
000212	016060	000000G	000000G	6\$:	MOV	TD13(R0),XMIT.D.LIST(R0)	; *(INDEX),*(INDEX) 3272
000220	062700	000002			ADD	#2,R0	; *,INDEX 3273
000224	020027	000076			CMP	R0,#76	; INDEX,* 3272
000230	003770				BLE	6\$	
000232	012737	120000	000016G		MOV	#-60000,XMIT.D.LIST+16	; 3275
000240	012737	020000	000032G		MOV	#20000,XMIT.D.LIST+32	; 3276
000246	013700	000000G			MOV	REG.ADR,R0	; 3278

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0166
Page 85
(32)

000252	042760	001400	000016	BIC	#1400,16(R0)		
000260	052760	001000	000016	BIS	#1000,16(R0)		
000266	004737	000000G		JSR	PC,XMIT.AND.RCV.PACKET	:	3279
000272	005016			CLR	(SP)	:	3280
000274	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000300	012716	100220		MOV	#-77560,(SP)	:	3281
000304	011646			MOV	(SP),-(SP)		
000306	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000312	012737	100000	000016G	MOV	#-100000,XMIT.D.LIST+16	:	3283
000320	012737	100000	000030G	MOV	#-100000,XMIT.D.LIST+30	:	3284
000326	012737	100000	000032G	MOV	#-100000,XMIT.D.LIST+32	:	3285
000334	012777	000030G	000010G	MOV	#XMIT.D.LIST+30,@IOP.TABLE+10	:	3287
000342	005077	000012G		CLR	@IOP.TABLE+12	:	3288
000346	005016			CLR	(SP)	:	3290
000350	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
000354	012716	100220		MOV	#-77560,(SP)	:	3291
000360	011646			MOV	(SP),-(SP)		
000362	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000366	005003			CLR	R3	:	INDEX 3297
000370	010301			MOV	R3,R1	:	INDEX,* 3298
000372	006301			ASL	R1		
000374	016100	000000G		MOV	RCV.D.LIST(R1),R0		
000400	020061	000000G		CMP	R0,RD13(R1)		
000404	001456			BEQ	B#		
000406	010002			MOV	R0,R2	:	3299
000410	042702	037777		BIC	#37777,R2		
000414	020227	140000		CMP	R2,#-40000		
000420	001450			BEQ	B#		
000422	020027	020600		CMP	R0,#20600	:	3300
000426	001445			BEQ	B#		
000430	013700	000000G		MOV	REG.ADR,R0	:	3303
000434	016066	000016	000006	MOV	16(R0),6(SP)	:	*.TMP.LOCATION
000442	016637	000006	000000G	MOV	6(SP),CSR.WORD	:	TMP.LOCATION,*
000450	012716	000000G		MOV	#MSG59,(SP)	:	3304
000454	012746	000001		MOV	#1,-(SP)		
000460	010600			MOV	SP,R0	:	SP,*
000462	104414			TRAP	14		
000464	012716	000000G		MOV	#MSG48,(SP)	:	3305
000470	012746	000001		MOV	#1,-(SP)		
000474	010600			MOV	SP,R0	:	SP,*
000476	104414			TRAP	14		
000500	010316			MOV	R3,(SP)	:	INDEX,* 3306
000502	016146	000000G		MOV	RD13(R1),-(SP)		
000506	016146	000000G		MOV	RCV.D.LIST(R1),-(SP)		
000512	012746	000000G		MOV	#MSG50,-(SP)		
000516	012746	000004		MOV	#4,-(SP)		
000522	010600			MOV	SP,R0	:	SP,*
000524	104414			TRAP	14		
000526	104455			TRAP	55	:	3307
000530	002425			.WORD	2425		
000532	000000G			.WORD	MSG00		
000534	000000G			.WORD	ERROR\$REPORT		
000536	062706	000014		ADD	#14,SP	:	3302

7\$:

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	SEQ 0167
V01.0	TEST 13	- MULTIPLE AND CHAINED	PACKET TEST	5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 86 (32)
000542	005203		8\$: INC R3		; INDEX	3297
000544	020327	000065	CMP R3,#65		; INDEX,*	
000550	003707		BLE 7\$			
000552	005003		CLR R3		; INDEX	3314
000554	010301		9\$: MOV R3,R1		; INDEX,*	3315
000556	006301		ASL R1			
000560	016100	000000G	MOV XMIT.D.LIST(R1),R0			
000564	020061	000000G	CMP R0,TD13(R1)			
000570	001461		BEQ 10\$			
000572	010002		MOV R0,R2			3316
000574	042702	037777	BIC #37777,R2			
000600	020227	140000	CMP R2,#-40000			
000604	001453		BEQ 10\$			
000606	020027	020414	CMP R0,#20414			3317
000612	001450		BEQ 10\$			
000614	020027	004140	CMP R0,#4140			3318
000620	001445		BEQ 10\$			
000622	013700	000000G	MOV REG.ADR,R0			3321
000626	016066	000016 000010	MOV 16(R0),10(SP)		; *.TMP.LOCATION	
000634	016637	000010 000000G	MOV 10(SP),CSR.WORD		; TMP.LOCATION,*	
000642	012716	000000G	MOV #MSG59,(SP)			3322
000646	012746	000001	MOV #1,-(SP)			
000652	010600		MOV SP,R0		; SP,*	
000654	104414		TRAP 14			
000656	012716	000000G	MOV #MSG49,(SP)			3323
000662	012746	000001	MOV #1,-(SP)			
000666	010600		MOV SP,R0		; SP,*	
000670	104414		TRAP 14			
000672	010316		MOV R3,(SP)		; INDEX,*	3324
000674	016146	000000G	MOV TD13(R1),-(SP)			
000700	016146	000000G	MOV XMIT.D.LIST(R1),-(SP)			
000704	012746	000000G	MOV #MSG50,-(SP)			
000710	012746	000004	MOV #4,-(SP)			
000714	010600		MOV SP,R0		; SP,*	
000716	104414		TRAP 14			
000720	104455		TRAP 55			3325
000722	002426		.WORD 2426			
000724	000000G		.WORD MSG00			
000726	000000G		.WORD ERROR\$REPORT			
000730	062706	000014	ADD #14,SP			3320
000734	005203		10\$: INC R3		; INDEX	3314
000736	020327	000027	CMP R3,#27		; INDEX,*	
000742	003704		BLE 9\$			
000744	005002		CLR R2		; INDEX	3328
000746	010200		11\$: MOV R2,R0		; INDEX,*	3330
000750	006300		ASL R0			
000752	010201		MOV R2,R1		; INDEX,*	
000754	006301		ASL R1			
000756	016160	000060G 000000G	MOV XMIT.D.LIST+60(R1),XMIT.D.LIST(R0)			
000764	010201		MOV R2,R1		; INDEX,*	3331
000766	006301		ASL R1			
000770	016160	000154G 000000G	MOV RCV.D.LIST+154(R1),RCV.D.LIST(R0)			
000776	005202		INC R2		; INDEX	3328

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0168
Page 87
(32)

001000	020227	000005		CMP	R2,#5	:	INDEX,*	
001004	003760			BLE	11\$			
001006	012716	140000		MOV	#-40000,(SP)	:		3334
001012	012746	000400		MOV	#400,-(SP)			
001016	004737	000000G		JSR	PC,CHK.XMIT.STATUS			
001022	012716	140000		MOV	#-40000,(SP)	:		3335
001026	012746	020000		MOV	#20000,-(SP)			
001032	004737	000000G		JSR	PC,CHK.RCV.STATUS			
001036	005001			CLR	R1	:	INDEX	3337
001040	126161	000000G	000000G	12\$: CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	:	*(INDEX),*(INDEX)	3338
001046	001447			BEQ	13\$			
001050	013700	000000G		MOV	REG.ADR,R0	:		3341
001054	016066	000016	000016	MOV	16(R0),16(SP)	:	*,TMP.LOCATION	
001062	016637	000016	000000G	MOV	16(SP),CSR.WORD	:	TMP.LOCATION,*	
001070	012716	000000G		MOV	#MSG59,(SP)			3342
001074	012746	000001		MOV	#1,-(SP)			
001100	010600			MOV	SP,R0	:	SP,*	
001102	104414			TRAP	14			
001104	012716	000000G		MOV	#MSG51,(SP)	:		3343
001110	012746	000001		MOV	#1,-(SP)			
001114	010600			MOV	SP,R0	:	SP,*	
001116	104414			TRAP	14			
001120	010116			MOV	R1,(SP)	:	INDEX,*	3344
001122	005046			CLR	-(SP)			
001124	116116	000000G		MOV	XMIT.BUFFER(R1),(SP)	:	*(INDEX),*	
001130	005046			CLR	-(SP)			
001132	116116	000000G		MOV	RCV.BUFFER(R1),(SP)	:	*(INDEX),*	
001136	012746	000000G		MOV	#MSG50,-(SP)			
001142	012746	000004		MOV	#4,-(SP)			
001146	010600			MOV	SP,R0	:	SP,*	
001150	104414			TRAP	14			
001152	104455			TRAP	55	:		3345
001154	002427			.WORD	2427			
001156	000000G			.WORD	MSG00			
001160	000000G			.WORD	ERROR\$REPORT			
001162	062706	000014		ADD	#14,SP	:		3340
001166	005201		13\$:	INC	R1	:	INDEX	3337
001170	020127	000577		CMP	R1,#577	:	INDEX,*	
001174	003721			BLE	12\$			
001176	062706	000010		ADD	#10,SP	:		3266
001202	104467			TRAP	67	:		3346
001204	006000			ROR	R0			
001206	103002			BHIS	14\$			
001210	000137	012460'		JMP	4\$			
001214	062706	000010	14\$:	ADD	#10,SP	:		3204
001220	000207			RTS	PC			

; Routine Size: 329 words, Routine Base: AB\$CODE\$ + 12274
; Maximum stack depth per invocation: 20 words

N13

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 13 - MULTIPLE AND CHAINED PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0169
Page 88
(32)

```
000000 004737 012274'          T13::  
000000          1$:          JSR    PC,$T13  
000004 104466          TRAP   66  
000006 006000          ROR    R0  
000010 103773          BI 0   1$  
000012 000207          RTS    PC
```

3347

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 13516
; Maximum stack depth per invocation: 2 words

; 3350 1

```

: 3351 1 *SBTTL 'TEST 14 - DMA TIMING TEST'
: 3352 1 :**
: 3353 1 :
: 3354 1 : TEST 14: DMA TIMING TEST
: 3355 1 :
: 3356 1 : DESCRIPTION:
: 3357 1 :
: 3358 1 : This test verifies that the DMA transfer completes within 'X' msec.
: 3359 1 : Chained and linked 1514 byte loopback packet is used to accomplish
: 3360 1 : this test. If the operator specifies loop on error, the program
: 3361 1 : re-executes the code that detected the error until ^C is entered.
: 3362 1 :
: 3363 1 : NOTE: An answer to the following software question
: 3364 1 :
: 3365 1 : SYSTEM HAS BLOCK MODE MEMORY (L)?
: 3366 1 :
: 3367 1 : determines the value for 'X'.
: 3368 1 :
: 3369 1 : Hardware tested: Internal/Extended loopback
: 3370 1 : Transmit status - last descriptor in chain (bit 15)
: 3371 1 : Receive status - last descriptor in chain (bit 15)
: 3372 1 : - error summary (bit 14)
: 3373 1 :
: 3374 1 : Processing:
: 3375 1 : BEGIN
: 3376 1 : reset device
: 3377 1 : select internal/extended loopback mode
: 3378 1 : set the timeout timer to 'X' msec
: 3379 1 : transmit chained loopback packet
: 3380 1 : start the timer
: 3381 1 : IF timeout
: 3382 1 : THEN
: 3383 1 : print error message if not inhibited
: 3384 1 : ENDIF
: 3385 1 : check for expected loopback status
: 3386 1 : IF error
: 3387 1 : THEN
: 3388 1 : print error message if not inhibited
: 3389 1 : ENDIF
: 3390 1 : call compare_packets
: 3391 1 : END
: 3392 1 :--

```

```

: 3393 3  BGNTST;
: 3394 3
: 3395 3  RBUF_LENGTH = LEGAL_LENGTH;
: 3396 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3397 3  INCR INDEX FROM 0 TO LEGAL_LENGTH - 1 DO
: 3398 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3399 3
: 3400 5  BGNSUB;
: 3401 5    RESET_DEQNA ( );
: 3402 5    INCR INDEX FROM 0 TO 63 DO
: 3403 5      RCV_D_LIST [ .INDEX, W_LEN ] = .RD13 [ .INDEX ];
: 3404 5    INCR INDEX FROM 0 TO 31 DO
: 3405 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD13 [ .INDEX ];
: 3406 5
: 3407 5    TEMP5 = .XMIT_D_LIST [ 27, W_LEN ];
: 3408 5    TEMP6 = .RCV_D_LIST [ 51, W_LEN ];
: 3409 5    TEMP7 = .RCV_D_LIST [ 56, W_LEN ];
: 3410 5
: 3411 5    XMIT_D_LIST [ 27, W_LEN ] = -628;
: 3412 5    RCV_D_LIST [ 51, W_LEN ] = -625;
: 3413 5    RCV_D_LIST [ 56, W_LEN ] = RCV_BUFFER + LEGAL_LENGTH - 2;
: 3414 5
: 3415 5    PUT_BIT [ CSR, LB, INX_LOOPBACK ];
: 3416 5    XMIT_AND_RCV_PACKET ( );
: 3417 5
: 3418 5    CHK_RIXI_STATUS ( ONE );
: 3419 5
: 3420 5    IF .SWP_BLOCK_MEM EQLU ONE
: 3421 5      THEN
: 3422 5        TEMP4 = #0'305'
: 3423 5      ELSE
: 3424 5        TEMP4 = 4 * #0'305';
: 3425 5
: 3426 5    IF .TEMP1 GTRU .TEMP4
: 3427 5      THEN
: 3428 5        BEGIN
: 3429 5          CSR_WORD = GET_BIT ( CSR_ALL );
: 3430 5          PRINTB ( MSG59 );
: 3431 5          PRINTB ( MSG52 );
: 3432 5          ERRDF ( 1401, MSG00, ERROR$REPORT );
: 3433 5        END;
: 3434 5
: 3435 5    CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3436 5
: 3437 5    XMIT_D_LIST [ 27, W_LEN ] = .TEMP5;
: 3438 5    RCV_D_LIST [ 51, W_LEN ] = .TEMP6;
: 3439 5    RCV_D_LIST [ 56, W_LEN ] = .TEMP7;
: 3440 5
: 3441 5    !**
: 3442 5    ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
: 3443 5    !--
: 3444 5    INCR INDEX FROM 0 TO 23 DO
: 3445 5      IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD13 [ .INDEX ]

```

```

: 3446 5      AND ( .XMIT_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000'
: 3447 5      THEN
: 3448 6      BEGIN
: 3449 6          CSR_WORD = GET_BIT ( CSR_ALL );
: 3450 6          PRINTB ( MSG59 );
: 3451 6          PRINTB ( MSG49 );
: 3452 6          PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD13 [ .INDEX ], .INDEX );
: 3453 6          ERRDF ( 1402, MSG00, ERROR$REPORT );
: 3454 5      END;
: 3455 5
: 3456 5      !..
: 3457 5      ! CHECK IF RECEIVE BUFFER DESCRIPTOR LISTS PROPERLY VOLIDATED
: 3458 5      !..
: 3459 5      INCR INDEX FROM 0 TO 53 DO
: 3460 5          IF .RCV_D_LIST [ .INDEX, W_LEN ] NEQU .RD13 [ .INDEX ]
: 3461 5              AND ( .RCV_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000'
: 3462 5              THEN
: 3463 6                  BEGIN
: 3464 6                      CSR_WORD = GET_BIT ( CSR_ALL );
: 3465 6                      PRINTB ( MSG59 );
: 3466 6                      PRINTB ( MSG48 );
: 3467 6                      PRINTB ( MSG50, .RCV_D_LIST [ .INDEX, W_LEN ], .RD13 [ .INDEX ], .INDEX );
: 3468 6                      ERRDF ( 1403, MSG00, ERROR$REPORT );
: 3469 5                  END;
: 3470 5
: 3471 5      INCR INDEX FROM 0 TO 5 DO
: 3472 6          BEGIN
: 3473 6              TEMP1 = .INDEX + 24;
: 3474 6              TEMP2 = .INDEX + 54;
: 3475 6              XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .TEMP1, W_LEN ];
: 3476 6              RCV_D_LIST [ .INDEX, W_LEN ] = .RCV_D_LIST [ .TEMP2, W_LEN ];
: 3477 5          END;
: 3478 5
: 3479 5      RBUF_LENGTH = 1514;
: 3480 5      CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 3481 5      CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 3482 5
: 3483 5      INCR INDEX FROM 0 TO LEGAL_LENGTH - 1 DO
: 3484 5          IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 3485 5              THEN
: 3486 6                  BEGIN
: 3487 6                      CSR_WORD = GET_BIT ( CSR_ALL );
: 3488 6                      PRINTB ( MSG59 );
: 3489 6                      PRINTB ( MSG51 );
: 3490 6                      PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3491 6                      ERRDF ( 1404, MSG00, ERROR$REPORT );
: 3492 5                  END;
: 3493 3      ENDSUB;
: 3494 3
: 3495 1      ENDTST;

```

.SBTTL \$T14 TEST 14 - DMA TIMING TEST

ZQNA3 V01.0	CZQNA30 TEST 14	DEQNA - DMA	FUNCTIONAL TEST TIMING TEST	5-Jul-1984 14:05:07 5-Jul-1984 14:02:06	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	SEQ 0173 Page 92 (34)
000000	004137	000000G		\$T14:	JSR R1,\$SAVE2	3349
000004	62706	000010			SUB #10,SP	
000010	112737	002752	000000G		MOV #2752,RBUF.LENGTH	3395
000016	012700	002752			MOV #2752,R0	3396
000022	006200				ASR R0	
000024	005400				NEG R0	
000026	010037	000000G			MOV R0,XBUF.LENGTH	
000032	005000				CLR R0	; INDEX 3397
000034	110060	000000G		1\$:	MOVB R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX) 3398
000040	005200				INC R0	; INDEX 3397
000042	020027	002751			CMP R0,#2751	; INDEX,*
000046	003772				BLE 1\$	
000050	104402			2\$:	TRAP 2	; 3398
000052	004737	000000G			JSR PC,RESET.DEQNA	; 3401
000056	005000				CLR R0	; INDEX 3402
000060	016060	000000G	000000G	3\$:	MOV RD13(R0),RCV.D.LIST(R0)	; *(INDEX),*(INDEX) 3403
000066	062700	000002			ADD #2,R0	; *,INDEX 3402
000072	020027	000176			CMP R0,#176	; INDEX,*
000076	003770				BLE 3\$	
000100	005000				CLR R0	; INDEX 3404
000102	016060	000000G	000000G	4\$:	MOV TD13(R0),XMIT.D.LIST(R0)	; *(INDEX),*(INDEX) 3405
000110	062700	000002			ADD #2,R0	; *,INDEX 3404
000114	020027	000076			CMP R0,#76	; INDEX,*
000120	003770				BLE 4\$	
000122	013737	000066G	000000G		MOV XMIT.D.LIST+66,TEMP5	; 3407
000130	013737	000146G	000000G		MOV RCV.D.LIST+146,TEMP6	; 3408
000136	013737	000160G	000000G		MOV RCV.D.LIST+160,TEMP7	; 3409
000144	012737	176614	000066G		MOV #-1164,XMIT.D.LIST+66	; 3411
000152	012737	176617	000146G		MOV #-1161,RCV.D.LIST+146	; 3412
000160	012737	002750G	000160G		MOV #RCV.BUFFER+2750,RCV.D.LIST+160	; 3413
000166	013700	000000G			MOV REG.ADR,R0	; 3415
000172	042760	001400	000016		BIC #1400,16(R0)	
000200	052760	001000	000016		BIS #1000,16(R0)	
000206	004737	000000G			JSR PC,XMIT.AND.RCV.PACKET	; 3416
000212	012746	000001			MOV #1,-(SP)	; 3418
000216	004737	000000G			JSR PC,CHK.RIXI.STATUS	
000222	023727	000000G	000001		CMP SWP.BLOCK.MEM,#1	; 3420
000230	001004				BNE 5\$	
000232	012737	000305	000000G		MOV #305,TEMP4	; 3422
000240	000403				BR 6\$; 3420
000242	012737	001424	000000G	5\$:	MOV #1424,TEMP4	; 3424
000250	023737	000000G	000000G	6\$:	CMP TEMP1,TEMP4	; 3426
000256	101431				BLOS 7\$	
000260	013700	000000G			MOV REG.ADR,R0	; 3429
000264	016066	000016	000002		MOV 16(R0),2(SP)	; *,TMP.LOCATION
000272	016637	000002	000000G		MOV 2(SP),CSR.WORD	; TMP.LOCATION,*
000300	012716	000000G			MOV #MSG59,(SP)	; 3430
000304	012746	000001			MOV #1,-(SP)	
000310	010600				MOV SP,R0	; SP,*
000312	104414				TRAP 14	
000314	012716	000000G			MOV #MSG52,(SP)	; 3431
000320	012746	000001			MOV #1,-(SP)	
000324	010600				MOV SP,R0	; SP,*

000326	104414			TRAP	14		
000330	104455			TRAP	55	:	3432
000332	002571			.WORD	2571		
000334	000000G			.WORD	MSG00		
000336	000000G			.WORD	ERROR\$REPORT		
000340	022626			CMP	(SP),-(SP)	:	3428
000342	012716	100220		7\$: MOV	#-77560,(SP)	:	3435
000346	011646			MOV	(SP),-(SP)		
000350	004737	000000G		JSR	PC,CHK.CSR.STATUS		
000354	013737	000000G	000066G	MOV	TEMP5,XMIT.D.LIST+66	:	3437
000362	013737	000000G	000146G	MOV	TEMP6,RCV.D.LIST+146	:	3438
000370	013737	000000G	000160G	MOV	TEMP7,RCV.D.LIST+160	:	3439
000376	005002			CLR	R2	:	INDEX
000400	010201			8\$: MOV	R2,R1	:	INDEX,*
000402	006301			ASL	R1		
000404	026161	000000G	000000G	CMP	XMIT.D.LIST(R1),TD13(R1)		
000412	001454			BEQ	9\$		
000414	016100	000000G		MOV	XMIT.D.LIST(R1),R0	:	3446
000420	042700	037777		BIC	#37777,R0		
000424	020027	140000		CMP	R0,#-40000		
000430	001445			BEQ	9\$		
000432	013700	000000G		MOV	REG.ADR,R0	:	3449
000436	016066	000016	000006	MOV	16(R0),6(SP)	:	*.TMP.LOCATION
000444	016637	000006	000000G	MOV	6(SP),CSR.WORD	:	TMP.LOCATION,*
000452	012716	000000G		MOV	#MSG59,(SP)	:	3450
000456	012746	000001		MOV	#1,-(SP)		
000462	010600			MOV	SP,R0	:	SP,*
000464	104414			TRAP	14		
000466	012716	000000G		MOV	#MSG49,(SP)	:	3451
000472	012746	000001		MOV	#1,-(SP)		
000476	010600			MOV	SP,R0	:	SP,*
000500	104414			TRAP	14		
000502	010216			MOV	R2,(SP)	:	INDEX,*
000504	016146	000000G		MOV	TD13(R1),-(SP)		
000510	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)		
000514	012746	000000G		MOV	#MSG50,-(SP)		
000520	012746	000004		MOV	#4,-(SP)		
000524	010600			MOV	SP,R0	:	SP,*
000526	104414			TRAP	14		
000530	104455			TRAP	55	:	3453
000532	002572			.WORD	2572		
000534	000000G			.WORD	MSG00		
000536	000000G			.WORD	ERROR\$REPORT		
000540	062706	000014		ADD	#14,SP	:	3448
000544	005202			9\$: INC	R2	:	INDEX
000546	020227	000027		CMP	R2,#27	:	INDEX,*
000552	003712			BLE	8\$		
000554	005002			CLR	R2	:	INDEX
000556	010201			10\$: MOV	R2,R1	:	INDEX,*
000560	006301			ASL	R1		
000562	026161	000000G	000000G	CMP	RCV.D.LIST(R1),R0+13(R1)		
000570	001454			BEQ	11\$		
000572	016100	000000G		MOV	RCV.D.LIST(R1),R0	:	3461

ZQNA3
V01.0 CZQNA0 DEQNA FUNCTIONAL TEST
TEST 14 - DMA TIMING TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2

SEQ 0175
Page 94
(34)

000576	042700	037777		BIC	#37777,R0		
000602	020027	140000		CMP	R0,#-40000		
000606	001445			BEG	11\$		
000610	013700	000000G		MOV	REG.ADR,R0	:	3464
000614	016066	000016	000010	MOV	16(R0),10(SP)	: *,TMP.LOCATION	
000622	016637	000010	000000G	MOV	10(SP),CSR.WORD	: TMP.LOCATION,*	
000630	012716	000000G		MOV	#MSG59,(SP)	:	3465
000634	012746	000001		MOV	#1,-(SP)	:	
000640	010600			MOV	SP,R0	: SP,*	
000642	104414			TRAP	14		
000644	012716	000000G		MOV	#MSG48,(SP)	:	3466
000650	012746	000001		MOV	#1,-(SP)	:	
000654	010600			MOV	SP,R0	: SP,*	
000656	104414			TRAP	14		
000660	010216			MOV	R2,(SP)	: INDEX,*	3467
000662	016146	000000G		MOV	RD13(R1),-(SP)		
000666	016146	000000G		MOV	RCV.D.LIST(R1),-(SP)		
000672	012746	000000G		MOV	#MSG50,-(SP)		
000676	012746	000004		MOV	#4,-(SP)		
000702	010600			MOV	SP,R0	: SP,*	
000704	104414			TRAP	14		
000706	104455			TRAP	55	:	3468
000710	002573			.WORD	2573		
000712	000000G			.WORD	MSG00		
000714	000000G			.WORD	ERROR\$REPORT		
000716	062706	000014		ADD	#14,SP	:	3463
000722	005202		11\$:	INC	R2	: INDEX	3459
000724	020227	000065		CMP	R2,#65	: INDEX,*	
000730	003712			BLE	10\$		
000732	005002			CLR	R2	: INDEX	3471
000734	010237	000000G	12\$:	MOV	R2,TEMP1	: INDEX,*	3473
000740	062737	000030	000000G	ADD	#30,TEMP1		
000746	010237	000000G		MOV	R2,TEMP2	: INDEX,*	3474
000752	062737	000066	000000G	ADD	#66,TEMP2		
000760	010200			MOV	R2,R0	: INDEX,*	3475
000762	006300			ASL	R0		
000764	013701	000000G		MOV	TEMP1,R1		
000770	006301			ASL	R1		
000772	016160	000000G	000000G	MOV	XMIT.D.LIST(R1),XMIT.D.LIST(R0)		
001000	013701	000000G		MOV	TEMP2,R1	:	3476
001004	006301			ASL	R1		
001006	016160	000000G	000000G	MOV	RCV.D.LIST(R1),RCV.D.LIST(R0)		
001014	005202			INC	R2	: INDEX	3471
001016	020227	000005		CMP	R2,#5	: INDEX,*	
001022	003744			BLE	12\$		
001024	012737	002752	000000G	MOV	#2752,RBUF.LENGTH	:	3479
001032	012716	140000		MOV	#-40000,(SP)	:	3480
001036	012746	000400		MOV	#400,-(SP)		
001042	004737	000000G		JSR	PC,CHK.XMIT.STATUS		
001046	012716	140000		MOV	#-40000,(SP)	:	3481
001052	012746	020000		MOV	#20000,-(SP)		
001056	004737	000000G		JSR	PC,CHK.RCV.STATUS		
001062	005001			CLR	R1	: INDEX	3483

ZQNA3 CZQNA CO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:05:07 VAX-11 Bliss-16 V4.0-579
VO1.0 TEST 14 - DMA TIMING TEST 5-Jul-1984 14:02:06 [MAZURCZYK.DEQNA]ZQNA3.BLI;2

001064	126161	000000G	000000G	13\$:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	: *(INDEX),*(INDEX)	3484
001072	001447				BEQ	14\$		
001074	013700	000000G			MOV	REG.ADR,R0	:	3487
001100	016066	000016	000016		MOV	16(R0),16(SP)	: *,TMP.LOCATION	
001106	016637	000016	000000G		MOV	16(SP),CSR.WORD	: TMP.LOCATION,*	
001114	012716	000000G			MOV	#MSG59,(SP)	:	3488
001120	012746	000001			MOV	#1,-(SP)		
001124	010600				MOV	SP,R0	: SP,*	
001126	104414				TRAP	14		
001130	012716	000000G			MOV	#MSG51,(SP)	:	3489
001134	012746	000001			MOV	#1,-(SP)		
001140	010600				MOV	SP,R0	: SP,*	
001142	104414				TRAP	14		
001144	010116				MOV	R1,(SP)	: INDEX,*	3490
001146	005046				CLR	-(SP)		
001150	116116	000000G			MOVB	XMIT.BUFFER(R1),(SP)	: *(INDEX),*	
001154	005046				CLR	-(SP)		
001156	116116	000000G			MOVB	RCV.BUFFER(R1),(SP)	: *(INDEX),*	
001162	012746	000000G			MOV	#MSG50,-(SP)		
001166	012746	000004			MOV	#4,-(SP)		
001172	010600				MOV	SP,R0	: SP,*	
001174	104414				TRAP	14		
001176	104455				TRAP	55	:	3491
001200	002574				.WORD	2574		
001202	000000G				.WORD	MSG00		
001204	000000G				.WORD	ERROR\$REPORT		
001206	062706	000014			ADD	#14,SP	:	3486
001212	005201			14\$:	INC	R1	: INDEX	3483
001214	020127	002751			CMP	R1,#2751	: INDEX,*	
001220	003721				BLE	13\$		
001222	062706	000010			ADD	#10,SP	:	3398
001226	104467				TRAP	67	:	3492
001230	006000				ROR	R0		
001232	103002				BHIS	15\$		
001234	000137	013602'			JMP	2\$		
001240	062706	000010		15\$:	ADD	#10,SP	:	3349
001244	000207				RTS	PC		

; Routine Size: 339 words, Routine Base: AB\$CODE\$ + 13532
; Maximum stack depth per invocation: 19 words

000000	004737	013532'		T14::	.SBTTL	T14 TEST 14 - DMA TIMING TEST		
000000				1\$:	JSR	PC,\$T14	:	3493
000004	104466				TRAP	66		
000006	006000				ROR	R0		
000010	103773				BLO	1\$		
000012	000207				RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 15000

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 15 - LONG PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2SEQ 0177
Page 97
(35)

```

: 3497 1 *SBTTL 'TEST 15 - LONG PACKET TEST'
: 3498 1 !**
: 3499 1 !
: 3500 1 ! TEST 15: LONG PACKET TEST
: 3501 1 !
: 3502 1 ! DESCRIPTION:
: 3503 1 !
: 3504 1 ! This test verifies that DEQNA can detect long packets ( 1600 bytes
: 3505 1 ! or more with the CRC ) when transmitted in internal/extended
: 3506 1 ! loopback mode. If the operator specifies loop on error, the
: 3507 1 ! program re-executes the code that detected the error until ^C is
: 3508 1 ! entered.
: 3509 1 !
: 3510 1 ! Hardware tested: RCV Status - error summary (long packet-bit 14)
: 3511 1 !
: 3512 1 ! Processing:
: 3513 1 !
: 3514 1 ! BEGIN
: 3515 1 ! reset device
: 3516 1 ! select internal/extended loopback mode
: 3517 1 ! transmit loopback packet (legal packet length)
: 3518 1 ! check for expected loopback status
: 3519 1 ! IF error
: 3520 1 ! THEN
: 3521 1 ! print error message if not inhibited
: 3522 1 ! ENDIF
: 3523 1 ! call compare_packets
: 3524 1 ! transmit loopback packet ( packet length > legal max. )
: 3525 1 ! IF Error Summary bit ( Receive Status Word 1, bit 14 ) = 1
: 3526 1 ! AND ( receive packet length is truncated )
: 3527 1 ! THEN
: 3528 1 ! print error message if not inhibited
: 3529 1 ! ENDIF
: 3530 1 ! END
: 3531 1 !--

```

```

: 3532 3 BGNTST;
: 3533 3
: 3534 3 !**
: 3535 3 ! LOOPBACK 1534 BYTE PACKET AND THEN CHECK IF PROPERLY RECEIVED.
: 3536 3 ! THIS IS THE LONGEST PACKET LENGTH WHICH DOESN'T SET 'LONGP' BIT IN
: 3537 3 ! THE RECEIVE STATUS WORD 1 ( BIT 14 ).
: 3538 3 ! --
: 3539 3
: 3540 3 RBUF_LENGTH = 1534;
: 3541 3 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3542 3
: 3543 5 BGNSUB;
: 3544 5 RESET_DEQNA ( );
: 3545 5 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3546 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3547 5 SEND_ELOOP_PACKET ( ZERO );
: 3548 5 COMPARE_PACKETS ( );
: 3549 3 ENDSUB;
: 3550 3
: 3551 3 !**
: 3552 3 ! LOOPBACK 1536 BYTE PACKET AND THEN CHECK IF BITS 13 AND 14 ARE SET IN
: 3553 3 ! --
: 3554 3
: 3555 3
: 3556 3 RBUF_LENGTH = 1536;
: 3557 3 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3558 3
: 3559 5 BGNSUB;
: 3560 5 RESET_DEQNA ( );
: 3561 5 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3562 5 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 3563 5 SEND_ELOOP_PACKET ( ONE );
: 3564 5 COMPARE_PACKETS ( );
: 3565 3 ENDSUB;
: 3566 3
: 3567 1 ENDTST;

```

000000	012737	002776	000000G	\$T15:	.SBTTL \$T15 TEST 15 - LONG PACKET TEST		
000006	012700	002776			MOV #2776,RBUF.LENGTH	:	3540
000012	006200				MOV #2776,R0	:	3541
000014	005400				ASR R0		
000016	010037	000000G			NEG R0		
000022	104402			1\$:	MOV R0,XBUF.LENGTH		
000024	004737	000000G			TRAP 2		
000030	013746	000000G			JSR PC,RESET.DEQNA	:	3544
000034	012746	120000			MOV XBUF.LENGTH,-(SP)	:	3545
000040	004737	000000G			MOV #-60000,-(SP)		
000044	013716	000000G			JSR PC,SET.RDESCR.LIST		
000050	012746	120000			MOV XBUF.LENGTH,(SP)	:	3546
000054	004737	000000G			MOV #-60000,-(SP)		
000060	005016				JSR PC,SET.XDESCR.LIST		
					CLR (SP)	:	3547

ZQNA3
V01.0

CZQNA3 DEGNA FUNCTIONAL TEST
TEST 15 - LONG PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEGNA]ZQNA3.BLI;2

SEQ 0179
Page 99
(36)

000062	004737	000000G		JSR	PC,SEND.ELOOP.PACKET		
000066	004737	000000G		JSR	PC,COMPARE.PACKETS	:	3548
000072	062706	000000G		ADD	#6,SP	:	3541
000076	104467			TRAP	67	:	3548
000100	006000			ROR	RO		
000102	103747			BLO	1#		
000104	012737	003000	000000G	MOV	#3000,RBUF.LENGTH	:	3556
000112	012700	003000		MOV	#3000,RO	:	3557
000116	006200			A??	RO		
000120	005400			NEG	RO		
000122	010037	000000G		MOV	RO,XBUF.LENGTH		
000126	104402		2#:	TRAP	2		
000130	004737	000000G		JSR	PC,RESET.DEGNA	:	3560
000134	013746	000000G		MOV	XBUF.LENGTH,-(SP)	:	3561
000140	012746	120000		MOV	#-60000,-(SP)		
000144	004737	000000G		JSR	PC,SET.RDESCR.LIST		
000150	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3562
000154	012746	120000		MOV	#-60000,-(SP)		
000160	004737	000000G		JSR	PC,SET.XDESCR.LIST		
000164	012716	000001		MOV	#1,(SP)	:	3563
000170	004737	000000G		JSR	PC,SEND.ELOOP.PACKET		
000174	004737	000000G		JSR	PC,COMPARE.PACKETS	:	3564
000200	062706	000000G		ADD	#6,SP	:	3557
000204	104467			TRAP	67	:	3564
000206	006000			ROR	RO		
000210	103746			BLO	2#		
000212	000207			RTS	PC	:	3495

; Routine Size: 70 words, Routine Base: AB\$CODE\$ + 15014
; Maximum stack depth per invocation: 4 words

				.SBTTL	T15 TEST 15 - LONG PACKET TEST		
000000	004737	015014'	T15::				
000000			1#:	JSR	PC,\$T15	:	3565
000004	104466			TRAP	66		
000006	006000			ROR	RO		
000010	103773			BLO	1#		
000012	000207			RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 15230
; Maximum stack depth per invocation: 2 words

; 3568 1
; 3569 1

```

: 3570 1 *SBTTL 'TEST 16 - ODD PACKET TEST'
: 3571 1 :**
: 3572 1 :
: 3573 1 : TEST 16: ODD PACKET TEST
: 3574 1 :
: 3575 1 : DESCRIPTION:
: 3576 1 :
: 3577 1 : This test verifies that DEQNA can transmit and receive odd length
: 3578 1 : packets and packets starting and/or ending on odd addresses. Chained
: 3579 1 : and unchained descriptor lists are used to verify this. If the operator
: 3580 1 : specifies loop on error, the program re-executes the code that detected
: 3581 1 : the error until fC is entered.
: 3582 1 :
: 3583 1 : Hardware tested: CSR register - XMIT List Invalid (bit 4)
: 3584 1 : - RCV List Invalid (bit 5)
: 3585 1 : Transmit Descriptor bits
: 3586 1 : - XMIT buffer ends on odd byte
: 3587 1 : - XMIT buffer ends on even byte
: 3588 1 :
: 3589 1 : Set of addresses and packet lengths:
: 3590 1 :
: 3591 1 : PACKET ADDRESS PACKET LENGTH
: 3592 1 : -----
: 3593 1 :
: 3594 1 : odd begin odd
: 3595 1 : odd begin and end even
: 3596 1 : odd end odd
: 3597 1 :
: 3598 1 : Processing:
: 3599 1 :
: 3600 1 : BEGIN
: 3601 1 : reset device
: 3602 1 : REPEAT for internal and internal/extended loopback mode
: 3603 1 : REPEAT for each packet address and length from set
: 3604 1 : check for expected loopback status
: 3605 1 : IF error
: 3606 1 : THEN
: 3607 1 : print error message if not inhibited
: 3608 1 : ENDIF
: 3609 1 : call compare_packets
: 3610 1 : ENDREPEAT
: 3611 1 : ENDREPEAT
: 3612 1 : END
: 3613 1 :!--

```

```

: 3614 3  BGNTST;
: 3615 3
: 3616 3  !**
: 3617 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM
: 3618 3  !--
: 3619 3
: 3620 3  RESET_DEQNA ( );
: 3621 3  PREP_FOR_SETUP ( );
: 3622 3  INCR INDEX1 FROM 1 TO 14 DO
: 3623 3    WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 3624 3
: 3625 5  BGNSUB;
: 3626 5    XMIT_SETUP_PACKET ( P_MODE );
: 3627 3  ENDSUB;
: 3628 3
: 3629 3  RBUF_LENGTH = 6;
: 3630 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3631 3
: 3632 3  !**
: 3633 3  ! LOOPBACK A PACKET, THEN CHECK IF LOOPBACK PACKET WAS PROPERLY
: 3634 3  ! RECEIVED
: 3635 3  !--
: 3636 3
: 3637 3  CLR_BUFFERS ( 32 );
: 3638 3  CLR_DESCR ( );
: 3639 3  INCR INDEX FROM 0 TO 5 DO
: 3640 3    XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3641 3
: 3642 5  BGNSUB;
: 3643 5    INCR INDEX FROM 0 TO 43 DO
: 3644 5      XMIT_D_LIST [ .INDEX, W_LEN ] = .TD16 [ .INDEX ];
: 3645 5      SET_RDSCR_LIST ( .XBUF_LENGTH, VE );
: 3646 5      PUT_BIT [ CSR, LB, INT_LOOPBACK ];
: 3647 5
: 3648 5      XMIT_AND_RCV_PACKET ( );
: 3649 5      CHK_RIXI_STATUS ( ONE );
: 3650 5      .IOP_TABLE [ CSR ] = ONE;
: 3651 5      CHK_RIXI_STATUS ( ZERO );
: 3652 5      .IOP_TABLE [ CSR ] = ZERO;
: 3653 5
: 3654 5      CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );      ! 0'100220', 0'100220'
: 3655 5
: 3656 5  !**
: 3657 5  ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
: 3658 5  !--
: 3659 5
: 3660 5  INCR INDEX FROM 0 TO 17 DO
: 3661 5    IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD16 [ .INDEX ]
: 3662 5      AND ( .XMIT_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000'
: 3663 5      THEN
: 3664 6        BEGIN
: 3665 6          CSR_WORD = GET_BIT ( CSR_ALL );
: 3666 6          PRINTB ( MSG59 );

```

ZQNA3
V01.0CZQNACO DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0182
Page 102
38)

```

: 3667 6          PRINTB ( MSG49 );
: 3668 6          PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD16 [ .INDEX ], .INDEX );
: 3669 6          ERRDF ( 1602, MSG00, ERROR$REPORT );
: 3670 5          END;
: 3671 5
: 3672 5
: 3673 5          INCR INDEX FROM 0 TO 5 DO
: 3674 5              XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 18, W_LEN ];
: 3675 5
: 3676 5          CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 3677 5          CHK_RCV_STATUS ( RFLG_STATUS, RWD13_STATUS ); ! 0'140000', 0'000000'
: 3678 5
: 3679 5          INCR INDEX FROM 0 TO 5 DO
: 3680 5              IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 3681 5                  THEN
: 3682 6                      BEGIN
: 3683 6                          CSR_WORD = GET_BIT ( CSR_ALL );
: 3684 6                          PRINTB ( MSG59 );
: 3685 6                          PRINTB ( MSG51 );
: 3686 6                          PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3687 6                          ERRDF ( 1603, MSG00, ERROR$REPORT );
: 3688 5                      END;
: 3689 3          ENDSUB;
: 3690 3
: 3691 3          RESET_DEQNA ( );
: 3692 3          CLR_BUFFERS ( 32 );
: 3693 3          RBUF_LENGTH = 16;
: 3694 3          XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3695 3          INCR INDEX FROM 0 TO 19 DO
: 3696 3              XMIT_BUFFER [ .INDEX ] = .INDEX;
: 3697 3
: 3698 5          BGNSUB;
: 3699 5              INCR INDEX FROM 0 TO 43 DO
: 3700 5                  XMIT_D_LIST [ .INDEX, W_LEN ] = .TD16 [ .INDEX ];
: 3701 5
: 3702 5              XMIT_D_LIST [ 19, W_LEN ] = V;
: 3703 5              XMIT_D_LIST [ 25, W_LEN ] = C;
: 3704 5
: 3705 5              SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 3706 5              PUT_BIT [ CSR, LB, INX_LOOPBACK ];
: 3707 5              XMIT_AND_RCV_PACKET ( );
: 3708 5              CHK_RIXI_STATUS ( ZERO );
: 3709 5
: 3710 5              CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 3711 5
: 3712 5              XMIT_D_LIST [ 19, W_LEN ] = VE;
: 3713 5              XMIT_D_LIST [ 25, W_LEN ] = E;
: 3714 5
: 3715 5              !++
: 3716 5              ! CHECK IF TRANSMIT BUFFER DESCRIPTOR LISTS PROPERLY VALIDATED
: 3717 5              !--
: 3718 5
: 3719 5          INCR INDEX FROM 0 TO 35 DO

```


ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0183
Page 103
(38)

```

: 3720 5      IF .XMIT_D_LIST [ .INDEX, W_LEN ] NEQU .TD16 [ .INDEX ]
: 3721 5      AND ( .XMIT_D_LIST [ .INDEX, W_LEN ] AND #0'140000' ) NEQU #0'140000
: 3722 5      THEN
: 3723 6          BEGIN
: 3724 6              CSR_WORD = GET_BIT ( CSR_ALL );
: 3725 6              PRINTB ( MSG59 );
: 3726 6              PRINTB ( MSG49 );
: 3727 6              PRINTB ( MSG50, .XMIT_D_LIST [ .INDEX, W_LEN ], .TD16 [ .INDEX ], .INDEX );
: 3728 6              ERRDF ( 1604, MSG00, ERROR$REPORT );
: 3729 5          END;
: 3730 5
: 3731 5      INCR INDEX FROM 0 TO 5 DO
: 3732 5          XMIT_D_LIST [ .INDEX, W_LEN ] = .XMIT_D_LIST [ .INDEX + 36, W_LEN ];
: 3733 5
: 3734 5      CHK_XMIT_STATUS ( XFLG_STATUS, XWD%2_STATUS ); ! 0'140000', 0'000400'
: 3735 5      CHK_RCV_STATUS ( RFLG_STATUS, RWD%1_STATUS ); ! 0'140000', 0'020000'
: 3736 5
: 3737 5
: 3738 5      INCR INDEX FROM 0 TO 5 DO
: 3739 5          IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 3740 5          THEN
: 3741 6              BEGIN
: 3742 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3743 6                  PRINTB ( MSG59 );
: 3744 6                  PRINTB ( MSG51 );
: 3745 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3746 6                  ERRDF ( 1605, MSG00, ERROR$REPORT );
: 3747 5              END;
: 3748 5
: 3749 5      INCR INDEX FROM 6 TO 9 DO
: 3750 5          IF .RCV_BUFFER [ .INDEX ] NEQU ZERO
: 3751 5          THEN
: 3752 6              BEGIN
: 3753 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3754 6                  PRINTB ( MSG59 );
: 3755 6                  PRINTB ( MSG51 );
: 3756 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3757 6                  ERRDF ( 1606, MSG00, ERROR$REPORT );
: 3758 5              END;
: 3759 5
: 3760 5      INCR INDEX FROM 0 TO 5 DO
: 3761 5          IF .RCV_BUFFER [ .INDEX + 10 ] NEQU .TARGET_ADR [ .INDEX + 114 ]
: 3762 5          THEN
: 3763 6              BEGIN
: 3764 6                  CSR_WORD = GET_BIT ( CSR_ALL );
: 3765 6                  PRINTB ( MSG59 );
: 3766 6                  PRINTB ( MSG51 );
: 3767 6                  PRINTB ( MSG50, .RCV_BUFFER [ .INDEX ], .XMIT_BUFFER [ .INDEX ], .INDEX );
: 3768 6                  ERRDF ( 1607, MSG00, ERROR$REPORT );
: 3769 5              END;
: 3770 3      ENDSUB;
: 3771 3
: 3772 1      ENDTST;

```

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2

SEQ 0184
Page 104
(38)

Address	OpCode	OpCode	OpCode	Instruction	Comment	Address
000000	004137	000000G		.SBTTL \$T16 TEST 16 - ODD PACKET TEST		
000004	162706	000014	\$T16:	JSR R1,\$SAVE2	:	3567
000010	004737	000000G		SUB #14,SP	:	
000014	004737	000000G		JSR PC,RESET.DEQNA	:	3620
000020	012701	000001		JSR PC,PREP.FOR.SETUP	:	3621
000024	010146		1\$:	MOV #1,R1	: *.INDEX1	3622
000026	012746	000023		MOV R1,-(SP)	: INDEX1,*	3623
000032	004737	000000G		MOV #23,-(SP)		
000036	022626			JSR PC,WRT.STATION.ADR		
000040	005201			CMP (SP)*,(SP)*		
000042	020127	000016		INC R1	: INDEX1	3622
000046	003766			CMP R1,#16	: INDEX1,*	
000050	104402		2\$:	BLE 1\$		
000052	012746	000202		TRAP 2	:	3623
000056	004737	000000G		MOV #202,-(SP)	:	3626
000062	005726			JSR PC,XMIT.SETUP.PACKET		
000064	104467			TST (SP)*	:	3623
000066	006000			TRAP 67	:	3626
000070	103767			ROR R0		
000072	012737	000006 000000G		BLO 2\$		
000100	012700	000006		MOV #6,RBUF.LENGTH	:	3629
000104	006200			MOV #6,R0	:	3630
000106	005400			ASR R0		
000110	010037	000000G		NEG R0		
000114	012746	000040		MOV R0,XBUF.LENGTH		
000120	004737	000000G		MOV #40,-(SP)	:	3637
000124	004737	000000G		JSR PC,CLR.BUFFERS		
000130	005000			JSR PC,CLR.DESCR	:	3638
000132	110060	000000G	3\$:	CLR R0	: INDEX	3639
000136	005200			MOVB RC,XMIT.BUFFER(R0)	: INDEX,*(INDEX)	3640
000140	020027	000005		INC R0	: INDEX	3639
000144	003772			CMP R0,#5	: INDEX,*	
000146	104402		4\$:	BLE 3\$		
000150	005000			TRAP 2	:	3640
000152	016060	000000G 000000G	5\$:	CLR R0	: INDEX	3643
000160	062700	000002		MOV TD16(R0),XMIT.D.LIST(R0)	: *(INDEX),*(INDEX)	3644
000164	020027	000126		ADD #2,R0	: *.INDEX	3643
000170	003770			CMP R0,#126	: INDEX,*	
000172	013716	000000G		BLE 5\$		
000176	012746	120000		MOV XBUF.LENGTH,(SP)	:	3645
000202	004737	000000G		MOV #60000,-(SP)		
000206	013700	000000G		JSR PC,SET.RDESCR.LIST		
000212	042760	001400 000016		MOV REG.ADR,R0	:	3646
000220	004737	000000G		BIC #1400,16(R0)		
000224	012716	000001		JSR PC,XMIT.AND.RCV.PACKET	:	3648
000230	004737	000000G		MOV #1,(SP)	:	3649
000234	012777	000001 000016G		JSR PC,CHK.RIXI.STATUS		
000242	005016			MOV #1,@IOP.TABLE+16	:	3650
000244	004737	000000G		CLR (SP)	:	3651
000250	005077	000016G		JSR PC,CHK.RIXI.STATUS		
				CLR @IOP.TABLE+16	:	3652

ZQNA3 V01.0	CZQNA3 TEST 16 - ODD PACKET TEST	DEQNA TEST 16 - ODD PACKET TEST	FUNCTIONAL TEST	5-Jul-1984 14:05:07 5-Jul-1984 14:02:06	VAX-11 Bliss-16 V4.0 579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	SEQ 0185 Page 105 (38)
000254	012716	100220		MOV	0-77560,(SP)	3654
000260	011646			MOV	(SP),-(SP)	
000262	004737	000000G		JSR	PC,CHK.CSR.STATUS	
000266	005002			CLR	R2	; INDEX
000270	010201		6\$:	MOV	R2,R1	; INDEX,*
000272	006301			ASL	R1	
000274	026161	000000G	000000G	CMP	XMIT.D.LIST(R1),TD16(R1)	
000302	001454			BEQ	7\$	
000304	016100	000000G		MOV	XMIT.D.LIST(R1),R0	3662
000310	042700	037777		BIC	037777,R0	
000314	020027	140000		CMP	R0,0-40000	
000320	001445			BEQ	7\$	
000322	013700	000000G		MOV	REG.ADR,R0	3665
000326	016066	000016	000006	MOV	16(R0),6(SP)	; *,TMP.LOCATION
000334	016637	000006	000000G	MOV	6(SP),CSR.WORD	; TMP.LOCATION,*
000342	012716	000000G		MOV	0MSG59,(SP)	
000346	012746	000001		MOV	01,-(SP)	
000352	010600			MOV	SP,R0	; SP,*
000354	104414			TRAP	14	
000356	012716	000000G		MOV	0MSG49,(SP)	3667
000362	012746	000001		MOV	01,-(SP)	
000366	010600			MOV	SP,R0	; SP,*
000370	104414			TRAP	14	
000372	010216			MOV	R2,(SP)	; INDEX,*
000374	016146	000000G		MOV	TD16(R1),-(SP)	
000400	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)	
000404	012746	000000G		MOV	0MSG50,-(SP)	
000410	012746	000004		MOV	04,-(SP)	
000414	010600			MOV	SP,R0	; SP,*
000416	104414			TRAP	14	
000420	104455			TRAP	55	3669
000422	003102			.WORD	3102	
000424	000000G			.WORD	MSG00	
000426	000000G			.WORD	ERROR\$REPORT	
000430	062706	000014		ADD	014,SP	3664
000434	005202		7\$:	INC	R2	; INDEX
000436	020227	000021		CMP	R2,021	; INDEX,*
000442	003712			BLE	6\$	
000444	005002			CLR	R2	; INDEX
000446	010201		8\$:	MOV	R2,R1	; INDEX,*
000450	006301			ASL	R1	
000452	010200			MOV	R2,R0	; INDEX,*
000454	006300			ASL	R0	
000456	016061	000044G	000000G	MOV	XMIT.D.LIST+44(R0),XMIT.D.LIST(R1)	3673
000464	005202			INC	R2	; INDEX
000466	020227	000005		CMP	R2,05	; INDEX,*
000472	003765			BLE	8\$	
000474	012716	140000		MOV	0-40000,(SP)	3676
000500	012746	000400		MOV	0400,-(SP)	
000504	004737	000000G		JSR	PC,CHK.XMIT.STATUS	
000510	012716	140000		MOV	0-40000,(SP)	3677
000514	005046			CLR	-(SP)	
000516	004737	000000G		JSR	PC,CHK.RCV.STATUS	

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	SEQ 0186		
V01.0	TEST 16 - ODD PACKET TEST			5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 106		
						(38)		
000522	005001			CLR	R1	; INDEX	3679	
000524	126161	000000G	000000G	9\$:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	; *(INDEX),*(INDEX)	3680
000532	001447				BEQ	10\$		
000534	013700	000000G			MOV	REG.ADR,R0		3683
000540	016066	000016	000014		MOV	16(R0),14(SP)	; *.TMP.LOCATION	
000546	016637	000014	000000G		MOV	14(SP),CSR.WORD	; TMP.LOCATION,*	
000554	012716	000000G			MOV	#MSG59,(SP)		3684
000560	012746	000001			MOV	#1,-(SP)		
000564	010600				MOV	SP,R0	; SP,*	
000566	104414				TRAP	14		
000570	012716	000000G			MOV	#MSG51,(SP)		3685
000574	012746	000001			MOV	#1,-(SP)		
000600	010600				MOV	SP,R0	; SP,*	
000602	104414				TRAP	14		
000604	010116				MOV	R1,(SP)	; INDEX,*	3686
000606	005046				CLR	-(SP)		
000610	116116	000000G			MOV	XMIT.BUFFER(R1),(SP)	; *(INDEX),*	
000614	005046				CLR	-(SP)		
000616	116116	000000G			MOV	RCV.BUFFER(R1),(SP)	; *(INDEX),*	
000622	012746	000000G			MOV	#MSG50,-(SP)		
000626	012746	000004			MOV	#4,-(SP)		
000632	010600				MOV	SP,R0	; SP,*	
000634	104414				TRAP	14		
000636	104455				TRAP	55		3687
000640	003103				.WORD	3103		
000642	000000G				.WORD	MSG00		
000644	000000G				.WORD	ERROR\$REPORT		
000646	062706	000014			ADD	#14,SP		3682
000652	005201			10\$:	INC	R1	; INDEX	3679
000654	020127	000005			CMP	R1,#5	; INDEX,*	
000660	003721				BLE	9\$		
000662	062706	000010			ADD	#10,SP		3640
000666	104467				TRAP	67		3688
000670	006000				ROR	R0		
000672	103002				BHIS	11\$		
000674	000137	015412'			JMP	4\$		
000700	004737	000000G		11\$:	JSR	PC,RESET.DEQNA		3691
000704	012716	000040			MOV	#40,(SP)		3692
000710	004737	000000G			JSR	PC,CLR.BUFFERS		
000714	012737	000020	000000G		MOV	#20,RBUF.LENGTH		3693
000722	012700	000020			MOV	#20,R0		3694
000726	006200				ASR	R0		
000730	005400				NEG	R0		
000732	010037	000000G			MOV	R0,XBUF.LENGTH		
000736	005000				CLR	R0	; INDEX	3695
000740	110060	000000G		12\$:	MOV	R0,XMIT.BUFFER(R0)	; INDEX,*(INDEX)	3696
000744	005200				INC	R0	; INDEX	3695
000746	020027	000023			CMP	R0,#23	; INDEX,*	
000752	003772				BLE	12\$		
000754	104402			13\$:	TRAP	2		3696
000756	005000				CLR	R0	; INDEX	3699
000760	016060	000000G	000000G	14\$:	MOV	TD16(R0),XMIT.D.LIST(R0)	; *(INDEX),*(INDEX)	3700
000766	062700	000002			ADD	#2,R0	; *.INDEX	3699

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

000772	020027	000126		CMP	R0,#126	; INDEX,*	
000776	003770			BLE	14\$		
001000	012737	100000	000046G	MOV	#-100000,XMIT.D.LIST+46	:	3702
001006	012737	040000	000062G	MOV	#40000,XMIT.D.LIST+62	:	3703
001014	013716	000000G		MOV	XBUF.LENGTH,(SP)	:	3705
001020	012746	120000		MOV	#-60000,-(SP)		
001024	004737	000000G		JSR	PC,SET.RDESCR.LIST		
001030	013700	000000G		MOV	REG.ADR,R0	:	3706
001034	042760	001400	000016	BIC	#1400,16(R0)		
001042	052760	001000	000016	BIS	#1000,16(R0)		
001050	004737	000000G		JSR	PC,XMIT.AND.RCV.PACKET	:	3707
001054	005016			CLR	(SP)	:	3708
001056	004737	000000G		JSR	PC,CHK.RIXI.STATUS		
001062	012716	100220		MOV	#-77560,(SP)	:	3710
001066	011646			MOV	(SP),-(SP)		
001070	004737	000000G		JSR	PC,CHK.CSR.STATUS		
001074	012737	120000	000046G	MOV	#-60000,XMIT.D.LIST+46	:	3712
001102	012737	020000	000062G	MOV	#20000,XMIT.D.LIST+62	:	3713
001110	005002			CLR	R2	; INDEX	3719
001112	010201			MOV	R2,R1	; INDEX,*	3720
001114	006301			ASL	R1		
001116	026161	000000G	000000G	CMP	XMIT.D.LIST(R1),TD16(R1)		
001124	001454			BEQ	16\$		
001126	016100	000000G		MOV	XMIT.D.LIST(R1),R0	:	3721
001132	042700	037777		BIC	#37777,R0		
001136	020027	140000		CMP	R0,#-40000		
001142	001445			BEQ	16\$		
001144	013700	000000G		MOV	REG.ADR,R0	:	3724
001150	016066	000016	000012	MOV	16(R0),12(SP)	; *,TMP.LOCATION	
001156	016637	000012	000000G	MOV	12(SP),CSR.WORD	; TMP.LOCATION,*	
001164	012716	000000G		MOV	#MSG59,(SP)	:	3725
001170	012746	000001		MOV	#1,-(SP)		
001174	010600			MOV	SP,R0	; SP,*	
001176	104414			TRAP	14		
001200	012716	000000G		MOV	#MSG49,(SP)	:	3726
001204	012746	000001		MOV	#1,-(SP)		
001210	010600			MOV	SP,R0	; SP,*	
001212	104414			TRAP	14		
001214	010216			MOV	R2,(SP)	; INDEX,*	3727
001216	016146	000000G		MOV	TD16(R1),-(SP)		
001222	016146	000000G		MOV	XMIT.D.LIST(R1),-(SP)		
001226	012746	000000G		MOV	#MSG50,-(SP)		
001232	012746	000004		MOV	#4,-(SP)		
001236	010600			MOV	SP,R0	; SP,*	
001240	104414			TRAP	14		
001242	104455			TRAP	55	:	3728
001244	003104			.WCRD	3104		
001246	000000G			.WORD	MSG00		
001250	000000G			.WORD	ERROR\$REPORT		
001252	062706	000014		ADD	#14,SP	:	3723
001256	005202			INC	R2	; INDEX	3719
001260	020227	000043		CMP	R2,#43	; INDEX,*	
001264	003712			BLE	15\$		

15\$:

16\$:

ZQNA3 V01.0	CZQNA0 DEQNA FUNCTIONAL TEST TEST 16 - ODD PACKET TEST	5-Jul-1984 14:05:07 5-Jul-1984 14:02:06	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	SEQ 0188 Page 108 (38)
001266	005002		CLR R2	: INDEX 3731
001270	010201	17:	MOV R2,R1	: INDEX,* 3732
001272	006301		ASL R1	
001274	010200		MOV R2,R0	: INDEX,*
001276	006300		ASL R0	
001300	016061	000110G 000000G	MOV XMIT.D.LIST+110(R0),XMIT.D.LIST(R1) ;	
001306	005202		INC R2	: INDEX 3731
001310	020227	000005	CMP R2,#5	: INDEX,*
001314	003765		BLE 17:	
001316	012716	140000	MOV #40000,(SP)	: 3734
001322	012746	000400	MOV #400,-(SP)	
001326	004737	000000G	JSR PC,CHK.XMIT.STATUS	
001332	012716	140000	MOV #40000,(SP)	: 3735
001336	012746	020000	MOV #20000,-(SP)	
001342	004737	000000G	JSR PC,CHK.RCV.STATUS	
001346	005001		CLR R1	: INDEX 3738
001350	126161	000000G 000000G	(MPB XMIT.BUFFER(R1),RCV.BUFFER(R1) ; *(INDEX),*(INDEX)	3739
001356	001447		BEQ 19:	
001360	013700	000000G	MOV REG.ADR,R0	: 3742
001364	016066	000016 000020	MOV 16(R0),20(SP)	: *,TMP.LOCATION
001372	016637	000020 000000G	MOV 20(SP),CSR.WORD	: TMP.LOCATION,*
001400	012716	000000G	MOV #MSG59,(SP)	: 3743
001404	012746	000001	MOV #1,-(SP)	
001410	010600		MOV SP,R0	: SP,*
001412	104414		TRAP 14	
001414	012716	000000G	MOV #MSG51,(SP)	: 3744
001420	012746	000001	MOV #1,-(SP)	
001424	010600		MOV SP,R0	: SP,*
001426	104414		TRAP 14	
001430	010116		MOV R1,(SP)	: INDEX,* 3745
001432	005046		CLR -(SP)	
001434	116116	000000G	MOV XMIT.BUFFER(R1),(SP)	: *(INDEX),*
001440	005046		CLR -(SP)	
001442	116116	000000G	MOV RCV.BUFFER(R1),(SP)	: *(INDEX),*
001446	012746	000000G	MOV #MSG50,-(SP)	
001452	012746	000004	MOV #4,-(SP)	
001456	010600		MOV SP,R0	: SP,*
001460	104414		TRAP 14	
001462	104455		TRAP 55	: 3746
001464	003105		.WORD 3105	
001466	000000G		.WORD MSG00	
001470	000000G		.WORD ERROR\$REPORT	
001472	062706	000014	ADD #14,SP	: 3741
001476	005201	19:	INC R1	: INDEX 3738
001500	020127	000005	CMP R1,#5	: INDEX,*
001504	003721		BLE 18:	
001506	012701	000006	MOV #6,R1	: *,INDEX 3749
001512	105761	000000G	TSTB RCV.BUFFER(R1)	: *(INDEX) 3750
001516	001447		BEQ 21:	
001520	013700	000000G	MOV REG.ADR,R0	: 3753
001524	016066	000016 000022	MOV 16(R0),22(SP)	: *,TMP.LOCATION
001532	016637	000022 000000G	MOV 22(SP),CSR.WORD	: TMP.LOCATION,*
001540	012716	000000G	MOV #MSG59,(SP)	: 3754

001544	012746	000001		MOV	#1,-(SP)		
001550	010600			MOV	SP,RO	; SP,*	
001552	104414			TRAP	14		
001554	012716	000000G		MOV	#MSG51,(SP)		3755
001560	012746	000001		MOV	#1,-(SP)		
001564	010600			MOV	SP,RO	; SP,*	
001566	104414			TRAP	14		
001570	010116			MOV	R1,(SP)	; INDEX,*	3756
001572	005046			CLR	-(SP)		
001574	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*	
001600	005046			CLR	-(SP)		
001602	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*	
001606	012746	000000G		MOV	#MSG50,-(SP)		
001612	012746	000004		MOV	#4,-(SP)		
001616	010600			MOV	SP,RO	; SP,*	
001620	104414			TRAP	14		
001622	104455			TRAP	55		3757
001624	003106			.WORD	3106		
001626	000000G			.WORD	MSG00		
001630	000000G			.WORD	ERROR\$REPORT		
001632	062706	000014		ADD	#14,SP		3752
001636	005201		21\$:	INC	R1	; INDEX	3749
001640	020127	000011		CMP	R1,#11	; INDEX,*	
001644	003722			BLE	20\$		
001646	005001			CLR	R1	; INDEX	3760
001650	126161	000012G	000162G	22\$:	CMPB	RCV.BUFFER+12(R1),TARGET.ADR+162(R1);	
						; *(INDEX),*(INDEX)	3761
001656	001447			BEQ	23\$		
001660	013700	000000G		MOV	REG.ADR,RO		3764
001664	016066	000016	000024	MOV	16(RO),24(SP)	; *,TMP.LOCATION	
001672	016637	000024	000000G	MOV	24(SP),CSR.WORD	; TMP.LOCATION,*	
001700	012716	000000G		MOV	#MSG59,(SP)		3765
001704	012746	000001		MOV	#1,-(SP)		
001710	010600			MOV	SP,RO	; SP,*	
001712	104414			TRAP	14		
001714	012716	000000G		MOV	#MSG51,(SP)		3766
001720	012746	000001		MOV	#1,-(SP)		
001724	010600			MOV	SP,RO	; SP,*	
001726	104414			TRAP	14		
001730	010116			MOV	R1,(SP)	; INDEX,*	3767
001732	005046			CLR	-(SP)		
001734	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	; *(INDEX),*	
001740	005046			CLR	-(SP)		
001742	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	; *(INDEX),*	
001746	012746	000000G		MOV	#MSG50,-(SP)		
001752	012746	000004		MOV	#4,-(SP)		
001756	010600			MOV	SP,RO	; SP,*	
001760	104414			TRAP	14		
001762	104455			TRAP	55		3768
001764	003107			.WORD	3107		
001766	000000G			.WORD	MSG00		
001770	000000G			.WORD	ERROR\$REPORT		
001772	062706	000014		ADD	#14,SP		3763

ZQNA3
V01.0

CZQNA3 DEGNA FUNCTIONAL TEST
TEST 16 - ODD PACKET TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEGNA]ZQNA3.BLI;2

SEU 0190
Page 110
(38)

001776	005201		23\$:	INC	R1	:	INDEX	3760
002000	020127	000005		CMP	R1,05	:	INDEX,*	
002004	003721			BLE	22\$			
002006	062706	000010		ADD	010.SP	:		3696
002012	104467			TRAP	67	:		3769
002014	006000			ROR	R0			
002016	103002			BHIS	24\$			
002020	000137	016220'		JMP	13\$			
002024	062706	000016	24\$:	ADD	016.SP	:		3567
002030	000207			RTS	PC			

: Routine Size: 525 words. Routine Base: AB\$CODE\$ + 15244
: Maximum stack depth per invocation: 22 words

				.SBTTL	T16 TEST 16 - ODD PACKET TEST			
000000	004737	015244'	T16::					
000000			1\$:	JSR	PC,\$T16	:		3770
000004	104466			TRAP	66			
000006	006000			ROR	R0			
000010	103773			BLO	1\$			
000012	000207			RTS	PC			

: Routine Size: 6 words. Routine Base: AB\$CODE\$ + 17276
: Maximum stack depth per invocation: 2 words

: 3773 1


```

: 3774 1 *SBTTL 'TEST 17 - STATION ADDRESS TEST'
: 3775 1 :**
: 3776 1 :
: 3777 1 : TEST 17: STATION ADDRESS TEST
: 3778 1 :
: 3779 1 : DESCRIPTION:
: 3780 1 :
: 3781 1 : This test verifies that DEQNA accepts only packets with legitimate
: 3782 1 : 'multicast' and 'non-multicast' addresses and discards those with
: 3783 1 : illegitimate 'multicast' and 'non-multicast' addresses.
: 3784 1 :
: 3785 1 : Station Address RAM is loaded with a set of Target Addresses and
: 3786 1 : Mode bits. Target Addresses in and out of the set are used to
: 3787 1 : loopback packets. If the operator specifies loop on error, the
: 3788 1 : program re-executes the code that detected the error until TC is
: 3789 1 : entered.
: 3790 1 :
: 3791 1 : Hardware tested: Address Filter Circuitry
: 3792 1 :
: 3793 1 : Set of 'multicast' addresses in HEXADECIMAL:
: 3794 1 :
: 3795 1 : 01-00-00-00-00-00
: 3796 1 : AB-AA-AA-AP-AA-AA
: 3797 1 : 55-55-55-55-55-55
: 3798 1 : FF-FF-FF-FF-FF-FF
: 3799 1 : Walking 1
: 3800 1 :
: 3801 1 : Processing:
: 3802 1 :
: 3803 1 : BEGIN
: 3804 1 : reset device
: 3805 1 : select internal loopback mode
: 3806 1 : set mode to Setup
: 3807 1 : load Station Address RAM with 'multicast' addresses
: 3808 1 : REPEAT for each complemented and uncomplemented 'multicast'
: 3809 1 : address in the set
: 3810 1 : load address
: 3811 1 : disable receiver
: 3812 1 : transmit loopback packet
: 3813 1 : enable receiver
: 3814 1 : check for expected loopback status
: 3815 1 : IF error
: 3816 1 : THEN
: 3817 1 : print error message if not inhibited
: 3818 1 : ENDIF
: 3819 1 : call compare_packets
: 3820 1 : ENDREPEAT
: 3821 1 : END
: 3822 1 : --

```

```

: 3823 3  BGNTST;
: 3824 3
: 3825 3      !**
: 3826 3      !  RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM TO ALL MULTICAST
: 3827 3      !  MODE.
: 3828 3      !--
: 3829 3
: 3830 3  RESET_DEQNA ( );
: 3831 3  PREP_FOR_SETUP ( );
: 3832 3  INCR INDEX1 FROM 6 TO 19 DO
: 3833 3      WRT_STATION_ADR ( .INDEX1 - 5, .INDEX1 );
: 3834 3
: 3835 5  BGNSUB;
: 3836 5      XMIT_SETUP_PACKET ( N_MODE );
: 3837 3  ENDSUB;
: 3838 3
: 3839 3      !**
: 3840 3      !  NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 3841 3      !--
: 3842 3
: 3843 3  RBUF_LENGTH = 6;
: 3844 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3845 3
: 3846 3  INCR INDEX1 FROM 6 TO 19 DO
: 3847 4      BEGIN
: 3848 4          WRT_STATION_ADR ( ZERO, .INDEX1 );
: 3849 4
: 3850 6          BGNSUB;
: 3851 6              XMIT_ILOOP_PACKET ( ZERO );
: 3852 4          ENDSUB;
: 3853 4
: 3854 4          INCR INDEX2 FROM 0 TO 5 DO
: 3855 5              BEGIN
: 3856 5                  XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3857 5                  TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3858 4              END;
: 3859 4
: 3860 6          BGNSUB;
: 3861 6              XMIT_ILOOP_PACKET ( ONE );
: 3862 4          ENDSUB;
: 3863 3      END;
: 3864 3
: 3865 3  TEMP4 = 14;
: 3866 3  INCR INDEX3 FROM 0 TO 3 DO
: 3867 4      BEGIN
: 3868 4          IF .INDEX3 EQLU 3
: 3869 4              THEN
: 3870 4                  TEMP4 = 6;
: 3871 4          RESET_DEQNA ( );
: 3872 4          PREP_FOR_SETUP ( );
: 3873 4          INCR INDEX4 FROM 1 TO .TEMP4 DO
: 3874 5              BEGIN
: 3875 5                  WALKING_BIT ( ZERO, .INDEX4 + ( .INDEX3 * 14 ) - 1, 5 );

```

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 17 - STATION ADDRESS TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0193
Page 113
(40)

```

: 3876 5      WRT_STATION_ADR ( .INDEX4, ZERO );
: 3877 4      END;
: 3878 4
: 3879 6      BGNSUB;
: 3880 6      XMIT_SETUP_PACKET ( N_MODE );
: 3881 4      ENDSUB;
: 3882 4
: 3883 4      RBUF_LENGTH = 6;
: 3884 4      XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3885 4
: 3886 4      INCR INDEX4 FROM 1 TO .TEMP4 DO
: 3887 5      BEGIN
: 3888 5      WALKING_BIT ( ZERO, .INDEX4 * ( .INDEX3 * 14 ) - 1, 5 );
: 3889 5      WRT_STATION_ADR ( ZERO, ZERO );
: 3890 5
: 3891 7      BGNSUB;
: 3892 7      XMIT_ILOOP_PACKET ( ZERO );
: 3893 5      ENDSUB;
: 3894 4      END;
: 3895 4
: 3896 4      INCR INDEX2 FROM 0 TO 5 DO
: 3897 5      BEGIN
: 3898 5      XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3899 5      TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3900 5
: 3901 7      BGNSUB;
: 3902 7      XMIT_ILOOP_PACKET ( ONE );
: 3903 5      ENDSUB;
: 3904 4      END;
: 3905 5      END;
: 3906 3
: 3907 3      INCR INDEX2 FROM 0 TO 5 DO
: 3908 3      TARGET_ADR [ .INDEX2 ] = ZERO;
: 3909 3
: 3910 1      ENDTST;

```

000000	004137	000000G		.SBTTL	\$T17 TEST 17 - STATION ADDRESS TEST		
000004	004737	000000G	\$T17:	JSR	R1,\$SAVE4	:	3772
000010	004737	000000G		JSR	PC,RESET.DEQNA	:	3830
000014	012701	0000006		JSR	PC,PREP.FOR.SETUP	:	3831
000020	010146	0000005	1\$:	MOV	#6,R1	: *,INDEX1	3832
000022	162716	0000005		MOV	R1,-(SP)	: INDEX1,*	3833
000026	010146			SUB	#5,(SP)		
000030	004737	000000G		MOV	R1,-(SP)	: INDEX1,*	
000034	022626			JSR	PC,WRT.STATION.ADR		
000036	005201			CMP	(SP)+,(SP)+		
000040	020127	000023		INC	R1	: INDEX1	3832
000044	003765			CMP	R1,#23	: INDEX1,*	
000046	104402		2\$:	BLE	1\$		
000050	012746	000200		TRAP	2	:	3833
000054	004737	000000G		MOV	#200,-(SP)	:	3836
				JSR	PC,XMIT.SETUP.PACKET		

000060	005726			TST	(SP)+	:		3833
000062	104467			TRAP	67	:		3836
000064	006000			ROR	R0	:		
000066	103767			BLO	2\$:		
000070	012737	000006	000000G	MOV	#6,RBUF.LENGTH	:		3843
000076	012700	000006		MOV	#6,R0	:		3844
000102	006200			ASR	R0	:		
000104	005400			NEG	R0	:		
000106	010037	000000G		MOV	R0,XBUF.LENGTH	:		
000112	012702	000006		MOV	#6,R2	:	*,INDEX1	3846
000116	005046			3\$: CLR	-(SP)	:		3848
000120	010246			MOV	R2,-(SP)	:	INDEX1,*	
000122	004737	000000G		JSR	PC,WRT.STATION.ADR	:		
000126	104402			4\$: TRAP	2	:		
000130	005016			CLR	(SP)	:		3851
000132	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	:		
000136	104467			TRAP	67	:		
000140	006000			ROR	R0	:		
000142	103771			BLO	4\$:		
000144	005000			CLR	R0	:	INDEX2	3854
000146	012701	000000G		5\$: MOV	#XMIT.BUFFER,R1	:		3856
000152	060001			ADD	R0,R1	:	INDEX2,*	
000154	012703	177777		MOV	#-1,R3	:		
000160	005004			CLR	#4	:		
000162	151' J4			BISB	(R1),R4	:		
000164	160403			SUB	R4,R3	:		
000166	110311			MOVB	R3,(R1)	:		
000170	110360	000000G		MOVB	R3,TARGET.ADR(R0)	:	*,*(INDEX2)	3857
000174	005200			INC	R0	:	INDEX2	3854
000176	020027	000005		CMP	R0,#5	:	INDEX2,*	
000202	003761			BLE	5\$:		
000204	104402			6\$: TRAP	2	:		3858
000206	012716	000001		MOV	#1,(SP)	:		3861
000212	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	:		
000216	104467			TRAP	67	:		
000220	006000			ROR	R0	:		
000222	103770			BLO	6\$:		
000224	022626			CMP	(SP)+,(SP)+	:		3847
000226	005202			INC	R2	:	INDEX1	3846
000230	020227	000023		CMP	R2,#23	:	INDEX1,*	
000234	003730			BLE	3\$:		
000236	012737	000016	000000G	MOV	#16,TEMP4	:		3865
000244	005004			CLR	R4	:	INDEX3	3866
000246	022727	000000	000003	CMP	#0,#3	:		3868
000254	001003			7\$: BNE	8\$:		
000256	012737	000006	000000G	MOV	#6,TEMP4	:		3870
000264	004737	000000G		8\$: JSR	PC,RESET.DEQNA	:		3871
000270	004737	000000G		JSR	PC,PREP.FOR.SETUP	:		3872
000274	013702	000000G		MOV	TEMP4,R2	:		3873
000300	010401			MOV	R4,R1	:	INDEX3,*	3875
000302	070127	000016		MUL	#16,R1	:		
000306	005003			CLR	R3	:	INDEX4	3873
000310	000417			BR	10\$:		

N15

ZQNA3
V01.0CZQNA30 DEQNA FUNCTIONAL TEST
TEST 17 - STATION ADDRESS TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0195
Page 115
(40)

000312	005046		9\$:	CLR	-(SP)	:	3875
000314	010100			MOV	R1,R0		
000316	060300			ADD	R3,R0	: INDEX4,*	
000320	010046			MOV	R0,-(SP)		
000322	005316			DEC	(SP)		
000324	012746	000005		MOV	#5,-(SP)		
000330	004737	000000G		JSR	PC,WALKING.BIT		
000334	010316			MOV	R3,(SP)	: INDEX4,*	3876
000336	005046			CLR	-(SP)		
000340	004737	000000G		JSR	PC,WRT.STATION.ADR		
000344	062706	000010		ADD	#10,SP	:	3874
000350	005203		10\$:	INC	R3	: INDEX4	3873
000352	020302			CMP	R3,R2	: INDEX4,*	
000354	003756			BLE	9\$		
000356	104402		11\$:	TRAP	2	:	3877
000360	012746	000200		MOV	#200,-(SP)	:	3880
000364	004737	000000G		JSR	PC,XMIT.SETUP.PACKET		
000370	005726			TST	(SP)+	:	3877
000372	104467			TRAP	67	:	3880
000374	006000			ROR	R0		
000376	103767			BLO	11\$		
000400	012737	000006 000000G		MOV	#6,RBUF.LENGTH	:	3883
000406	012700	000006		MOV	#6,R0	:	3884
000412	006200			ASR	R0		
000414	005400			NEG	R0		
000416	010037	000000G		MOV	R0,XBUF.LENGTH		
000422	013703	000000G		MOV	TEMP4,R3	:	3886
000426	005002			CLR	R2	: INDEX4	
000430	000426			BR	14\$		
000432	005046		12\$:	CLR	-(SP)	:	3888
000434	010100			MOV	R1,R0		
000436	060200			ADD	R2,R0	: INDEX4,*	
000440	010046			MOV	R0,-(SP)		
000442	005316			DEC	(SP)		
000444	012746	000005		MOV	#5,-(SP)		
000450	004737	000000G		JSR	PC,WALKING.BIT		
000454	005016			CLR	(SP)	:	3889
000456	005046			CLR	-(SP)		
000460	004737	000000G		JSR	PC,WRT.STATION.ADR		
000464	104402		13\$:	TRAP	2	:	3892
000466	005016			CLR	(SP)	:	
000470	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET		
000474	104467			TRAP	67		
000476	006000			ROR	R0		
000500	103771			BLO	13\$		
000502	062706	000010		ADD	#10,SP	:	3887
000506	005202		14\$:	INC	R2	: INDEX4	3886
000510	020203			CMP	R2,R3	: INDEX4,*	
000512	003747			BLE	12\$		
000514	005001			CLR	R1	: INDEX2	3896
000516	012700	000000G	15\$:	MOV	#XMIT.BUFFER,R0	:	3898
000522	060100			ADD	R1,R0	: INDEX2,*	
000524	012702	177777		MOV	#-1,R2		

ZQNA3
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
TEST 17 - STATION ADDRESS TEST

5-Jul-1964 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0196
Page 116
(40)

000530	005003		CLR	R3			
000532	151003		BISB	(R0),R3			
000534	160302		SUB	R3,R2			
000536	110210		MOVB	R2,(R0)			
000540	110261	000000G	MOVB	R2,TARGET.ADR(R1)		; *,*(INDEX2)	3899
000544	104402		TRAP	2			
000546	012746	000001	MOV	#1,-(SP)			3902
000552	004737	000000G	JSR	PC,XMIT.ILOOP.PACKET			
000556	005726		TST	(SP),			3899
000560	104467		TRAP	67			3902
000562	006000		ROR	R0			
000564	103767		BLO	16\$			
000566	005201		INC	R1		; INDEX2	3896
000570	020127	000005	CMP	R1,#5		; INDEX2,*	
000574	003750		BLE	15\$			
000576	005204		INC	R4		; INDEX3	3866
000600	020427	000003	CMP	R4,#3		; INDEX3,*	
000604	003623		BLE	7\$			
000606	005000		CLR	R0		; INDEX2	3907
000610	105060	000000G	CLRB	TARGET.ADR(R0)		; *(INDEX2)	3908
000614	005200		INC	R0		; INDEX2	3907
000616	020027	000005	CMP	R0,#5		; INDEX2,*	
000622	003772		BLE	17\$			
000624	000207		RTS	PC			3772

; Routine Size: 203 words, Routine Base: AB\$CODE\$ * 17312
; Maximum stack depth per invocation: 11 words

000000	004737	017312'			.SBTTL' T17 TEST 17 - STATION ADDRESS TEST		
000000			T17::				
000004	104466		1\$:	JSR	PC,\$T17		3908
000006	006000			TRAP	66		
000010	103773			ROR	R0		
000012	000207			BLO	1\$		
				RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ * 20140
; Maximum stack depth per invocation: 2 words

; 3911 1
; 3912 1

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 18 - ALL MULTICAST STATION ADDRESS TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA?.BLI;2SEQ 0197
Page 117
(41)

```

: 3913 1 : #SBTTL 'TEST 18 - ALL MULTICAST STATION ADDRESS TEST'
: 3914 1 : :..
: 3915 1 : :
: 3916 1 : TEST 18: ALL MULTICAST STATION ADDRESS TEST
: 3917 1 : :
: 3918 1 : DESCRIPTION:
: 3919 1 : :
: 3920 1 : This test verifies that DEQNA recognizes 'all multicast' addresses of
: 3921 1 : the node and discards loopback packets with non-enabled addresses.
: 3922 1 : If the operator specifies loop on error, the program re executes the
: 3923 1 : code that detected the error until ^C is entered.
: 3924 1 : :
: 3925 1 : Hardware tested: All Multicast Addressing
: 3926 1 : I8051 Microprocessor
: 3927 1 : Address Filter Circuitry
: 3928 1 : :
: 3929 1 : Set of 'all multicast' addresses:
: 3930 1 : :
: 3931 1 : DEQNA Physical Addr FF-FF-FF-FF-FF-FF
: 3932 1 : AA-00-00-00-00-00 55-55-55-55-55-55
: 3933 1 : AA-00-02-AA-AA-AA AA-AA-AA-AA-AA-AA
: 3934 1 : AA-00-05-55-55-55 01-00-00-00-00-00
: 3935 1 : AA-00-04-FF-FF-FF AB-AA-AA-AA-AA-AA
: 3936 1 : AA-00-04-00-00-00 FF-00-01-02-03-04
: 3937 1 : AA-00-04-18-81-18 00-F4-FA-44-44-55
: 3938 1 : :
: 3939 1 : Processing:
: 3940 1 : :
: 3941 1 : BEGIN
: 3942 1 : reset device
: 3943 1 : select internal loopback mode
: 3944 1 : set mode to Setup
: 3945 1 : load Station Address RAM with 'all multicast' addresses
: 3946 1 : REPEAT for 'all multicast' addresses in and out of set
: 3947 1 : load 'all multicast' address of the packet
: 3948 1 : disable receiver
: 3949 1 : transmit loopback packet
: 3950 1 : enable receiver
: 3951 1 : check for expected loopback status
: 3952 1 : IF error
: 3953 1 : THEN
: 3954 1 : print error message if not inhibited
: 3955 1 : ENDIF
: 3956 1 : call compare_packets
: 3957 1 : ENDREPEAT
: 3958 1 : END
: 3959 1 : :..

```

ZQNA3
V01.0CZQIACO DEQNA FUNCTIONAL TEST
TEST 18 - ALL MULTICAST STATION ADDRESS TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0198
Page 118
(42)

```

: 3960 3  BGNTST;
: 3961 3
: 3962 3  !..
: 3963 3  ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 3964 3  ! TESTS IN EXTERNAL LOOPBACK MODE.
: 3965 3  !..
: 3966 3
: 3967 3  RESET_DEQNA ( );
: 3968 3  PREP_FOR_SETUP ( );
: 3969 3  INCR INDEX1 FROM 1 TO 13 DO
: 3970 3      WRT_STATION_ADR ( .INDEX1, .INDEX1 );
: 3971 3  WRT_STATION_ADR ( 14, PHA_INDEX );
: 3972 3
: 3973 5  BGNSUB;
: 3974 5      XMIT_SETUP_PACKET ( A_MODE );
: 3975 3  ENDSUB;
: 3976 3
: 3977 3  !..
: 3978 3  ! NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 3979 3  !..
: 3980 3
: 3981 3  RBUF_LENGTH = 6;
: 3982 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 3983 3
: 3984 3  INCR INDEX FROM 6 TO 19 DO
: 3985 4      BEGIN
: 3986 4          WRT_STATION_ADR ( ZERO, .INDEX );
: 3987 4
: 3988 6          BGNSUB;
: 3989 6              XMIT_ILOOP_PACKET ( ZERO );
: 3990 4          ENDSUB;
: 3991 4
: 3992 4          INCR INDEX2 FROM 0 TO 5 DO
: 3993 5              BEGIN
: 3994 5                  XMIT_BUFFER [ .INDEX2 ] = ( -.XMIT_BUFFER [ .INDEX2 ] ) - 1;
: 3995 5                  TARGET_ADR [ .INDEX2 ] = .XMIT_BUFFER [ .INDEX2 ];
: 3996 4              END;
: 3997 4
: 3998 4          XMIT_BUFFER [ ZERO ] = .XMIT_BUFFER [ ZERO ] AND #0'17774';
: 3999 4          TARGET_ADR [ ZERO ] = .XMIT_BUFFER [ ZERO ];
: 4000 4
: 4001 6          BGNSUB;
: 4002 6              XMIT_ILOOP_PACKET ( ONE );
: 4003 4          ENDSUB;
: 4004 4
: 4005 3          END;
: 4006 3
: 4007 3          INCR INDEX2 FROM 0 TO 5 DO
: 4008 3              TARGET_ADR [ .INDEX2 ] = ZERO;
: 4009 3
: 4010 1  ENDTST;

```


ZQNA3 V01.0	CZQNA3 TEST 18 - ALL MULTICAST STATION ADDRESS TEST	DEQNA TEST 18 - ALL MULTICAST STATION ADDRESS TEST	FUNCTIONAL TEST	TEST	5 Jul-1984 14:05:07	VAX-11 B1:ss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI;2	
				.SBTTL \$T18 TEST 18 - ALL MULTICAST STATION ADDRESS TEST			
000000	004137	000000G	\$T18:	JSR R1,\$SAVE4	:		3910
000004	004737	000000G		JSR PC,RESET.DEQNA	:		3967
000010	004737	000000G		JSR PC,PREP.FOR.SETUP	:		3968
000014	012701	00000C1		MOV #1,R1	:	*,INDEX1	3969
000020	010146		1\$:	MOV R1,-(SP)	:	INDEX1,*	3970
000022	010146			MOV R1,-(SP)	:	INDEX1,*	
000024	004737	JC0000G		JSR PC,WRT.STATION.ADR			
000030	022626			CMP (SP)+,(SP)+			
000032	005201			INC R1	:	INDEX1	3969
000034	020127	000015		CMP R1,#15	:	INDEX1,*	
000040	003767			BLE 1\$			
000042	012746	000016		MOV #16,-(SP)	:		3971
000046	012746	000023		MOV #23,-(SP)			
000052	004737	000000G		JSR PC,WRT.STATION.ADR			
000056	104402		2\$:	TRAP 2			
000060	012716	000201		MOV #201,(SP)	:		3974
000064	004737	000000G		JSR PC,XMIT.SETUP.PACKET			
000070	104467			TRAP 67			
000072	006000			ROR R0			
000074	103770			BLO 2\$			
000076	012737	000006 000000G		MOV #6,RBUF.LENGTH	:		3981
000104	012700	000006		MOV #6,R0	:		3982
000110	006200			ASR R0			
000112	005400			NEG R0			
000114	010037	000000G		MOV R0,XBUF.LENGTH			
000120	012702	000006		MOV #6,R2	:	*,INDEX	3984
000124	005016		3\$:	CLR (SP)	:		3986
000126	010246			MOV R2,-(SP)	:	INDEX,*	
000130	004737	000000G		JSR PC,WRT.STATION.ADR			
000134	104402		4\$:	TRAP 2			
000136	005016			CLR (SP)	:		3989
000140	004737	000000G		JSR PC,XMIT.ILOOP.PACKET			
000144	104467			TRAP 67			
000146	006000			ROR R0			
000150	103771			BLO 4\$			
000152	005000			CLR R0	:	INDEX2	3992
000154	012701	000000G	5\$:	MOV #XMIT.BUFFER,R1	:		3994
000160	060001			ADD R0,R1	:	INDEX2,*	
000162	012703	177777		MOV #-1,R3			
000166	005004			CLR R4			
000170	151104			BISB (R1),R4			
000172	160403			SUB R4,R3			
000174	110311			MOVB R3,(R1)			
000176	110360	000000G		MOVB R3,TARGET.ADR(R0)	:	*,*(INDEX2)	3995
000202	005200			INC R0	:	INDEX2	3992
000204	020027	000005		CMP R0,#5	:	INDEX2,*	
000210	003761			BLE 5\$			
000212	142737	000003 000000G		BICB #3,XMIT.BUFFER	:		3998
000220	113737	000000G 000000G		MOVB XMIT.BUFFER,TARGET.ADR	:		3999
000226	104402		6\$:	TRAP 2			
000230	012716	000001		MOV #1,(SP)	:		4002
000234	004737	000000G		JSR PC,XMIT.ILOOP.PACKET			

ZQNA3 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:05:07 VAX-11 Bliss-16 V4.0-579
V01.0 TEST 18 - ALL MULTICAST STATION ADDRESS TEST 5-Jul-1984 14:02:06 [MAZURCZYK.DEQNA]ZQNA3.BLI;2

000240	104467		TRAP	67			
000242	006000		ROR	R0			
000244	103770		BLO	6\$			
000246	005726		TST	(SP)+			3985
000250	005202		INC	R2		; INDEX	3984
000252	020227	000023	CMP	R2,#23		; INDEX,+	
000256	003722		BLE	3\$			
000260	005000		CLR	R0		; INDEX2	4007
000262	105060	000000G	CLRB	TARGET.ADR(R0)		; *(INDEX2)	4008
000266	005200		INC	R0		; INDEX2	4007
000270	020027	000005	CMP	R0,#5		; INDEX2,+	
000274	003772		BLE	7\$			
000276	022626		CMP	(SP)+,(SP)+			3910
000300	000207		RTS	PC			

; Routine Size: 97 words, Routine Base: AB\$CODE\$ + 20154
; Maximum stack depth per invocation: 10 words

			.SBTTL	T18 TEST 18 - ALL MULTICAST STATION ADDRESS TEST			
000000	004737	020154'	T16::				
000000			1\$:	JSR	PC,\$T18		4008
000004	104466			TRAP	66		
000006	006000			ROR	R0		
000010	103773			BLO	1\$		
000012	000207			RTS	PC		

; Routine Size: 6 words, Routine Base: AB\$CODE\$ + 20456
; Maximum stack depth per invocation: 2 words

; 4011 1
; 4012 1

ZQNA3
V01.0CZQNAO DEQNA FUNCTIONAL TEST
TEST 19 - RUNT PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0201
Page 121
(43)

```

: 4013 1 *SBTTL 'TEST 19 - RUNT PACKET TEST'
: 4014 1 :
: 4015 1 :
: 4016 1 : TEST 19: RUNT PACKET TEST
: 4017 1 :
: 4018 1 : DESCRIPTION:
: 4019 1 :
: 4020 1 : This test verifies that the DEQNA can detect runt packets in FIFO.
: 4021 1 : If the operator specifies loop on error, the program re-executes the
: 4022 1 : code that detected the error until tC is entered.
: 4023 1 :
: 4024 1 : Hardware tested: EPP
: 4025 1 : Address Filter Circuitry
: 4026 1 :
: 4027 1 : Station Address table:
: 4028 1 :
: 4029 1 : DEQNA Physical Addr
: 4030 1 : AA-00-00-00-00-00
: 4031 1 : AA-00-02-AA-AA-AA
: 4032 1 : AA-00-05-55-55-55
: 4033 1 : AA-00-04-FF-FF-FF
: 4034 1 : AA-00-04-00-00-00
: 4035 1 : AA-00-04-18-81-18
: 4036 1 :
: 4037 1 : Processing:
: 4038 1 :
: 4039 1 : BEGIN
: 4040 1 : reset device
: 4041 1 : select internal loopback mode
: 4042 1 : load Station Address RAM with Station Addresses from table
: 4043 1 : load packet with valid Station Address
: 4044 1 : disable receiver
: 4045 1 : transmit loopback packet
: 4046 1 : enable receiver
: 4047 1 : check for expected loopback status
: 4048 1 : IF error
: 4049 1 : THEN
: 4050 1 : print error message if not inhibited
: 4051 1 : ENDIF
: 4052 1 : load packet with invalid Station Address
: 4053 1 : disable receiver
: 4054 1 : transmit loopback packet
: 4055 1 : enable receiver
: 4056 1 : check for expected loopback status
: 4057 1 : IF error
: 4058 1 : THEN
: 4059 1 : print error message if not inhibited
: 4060 1 : ENDIF
: 4061 1 : END
: 4062 1 :

```

ZQNA3
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
TEST 19 - RUNT PACKET TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI:2SEQ 0202
Page 122
(44)

```

: 4063 3  BGNTST;
: 4064 3
: 4065 3      !..
: 4066 3      ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM IF EXECUTING
: 4067 3      ! TESTS IN EXTERNAL LOOPBACK MODE.
: 4068 3      !--
: 4069 3
: 4070 3  RESET_DEQNA ( );
: 4071 3  PREP_FOR_SETUP ( );
: 4072 3  INCR_INDEX1 FROM 6 TO 19 DO
: 4073 3    WRT_STATION_ADR ( .INDEX1 - 5, PHA_INDEX );
: 4074 3
: 4075 5  BGNSUB;
: 4076 5    XMIT_SETUP_PACKET ( N_MODE );
: 4077 5  ENDSUB;
: 4078 3
: 4079 3      !..
: 4080 3      ! NOW LOOPBACK 6 BYTE PACKETS AND CHECK IF THEY ARE RECEIVED PROPERLY
: 4081 3      !--
: 4082 3
: 4083 3  RBUF_LENGTH = 6;
: 4084 3  XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 4085 3
: 4086 3  WRT_STATION_ADR ( ZERO, PHA_INDEX );
: 4087 3
: 4088 5  BGNSUB;
: 4089 5    XMIT_ILOOP_PACKET ( ZERO );
: 4090 5  ENDSUB;
: 4091 3
: 4092 5  BGNSUB;
: 4093 5    WRT_STATION_ADR ( ZERO, 2 );
: 4094 5
: 4095 5    .IOP_TABLE [ CSR ] = ONE;
: 4096 5
: 4097 5  SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 4098 5  .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 4099 5  .IOP_TABLE [ RHI_ADR ] = ZERO;
: 4100 5
: 4101 5  SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4102 5  .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4103 5  .IOP_TABLE [ XHI_ADR ] = ZERO;
: 4104 5
: 4105 5  CHK_RIXI_STATUS ( ZERO );
: 4106 5  CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK );           ! 0'100220', 0'100220'
: 4107 5  CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS );   ! 0'140000', 0'000400'
: 4108 5  CHK_RCV_STATUS ( RFLG_STATUS, RWD16_STATUS );    ! 0'140000', 0'044000'
: 4109 5
: 4110 5  .IOP_TABLE [ CSR ] = ZERO;
: 4111 3  ENDSUB;
: 4112 3
: 4113 1  ENDTST;

```

ZQNA3 V01.0	CZQNA3 TEST 19 - RUNT PACKET TEST	DEQNA TEST 19 - RUNT PACKET TEST	5-JUL-1984 14:05:07 5-JUL-1984 14:02:06	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEQNA]ZQNA3.BLI:2	
			.SBTTL	\$T19 TEST 19 - RUNT PACKET TEST	
000000	010146		\$T19:	MOV R1,-(SP)	4010
000002	004737	000000G		JSR PC,RESET.DEQNA	4070
000006	004737	000000G		JSR PC,PREP.FOR.SETUP	4071
000012	012701	000006		MOV #6,R1	4072
000016	010146		1\$:	MOV R1,-(SP)	4073
000020	162716	000005		SUB #5,(SP)	
000024	012746	000023		MOV #23,-(SP)	
000030	004737	000000G		JSR PC,WRT.STATION.ADR	
000034	022626			CMP (SP),.(SP)	
000036	005201			INC R1	4072
000040	020127	000023		CMP R1,#23	4072
000044	003764			BLE 1\$	
000046	104402		2\$:	TRAP 2	4073
000050	012746	000200		MOV #200,-(SP)	4076
000054	004737	000000G		JSR PC,XMIT.SETUP.PACKET	
000060	005726			TST (SP)	4073
000062	104467			TRAP 67	4076
000064	006000			ROR R0	
000066	103767			BLO 2\$	
000070	012737	000006 000000G		MOV #6,RBUF.LENGTH	4083
000076	012700	000006		MOV #6,R0	4084
000102	006200			ASR R0	
000104	005400			NEG R0	
000106	010037	000000G		MOV R0,XBUF.LENGTH	
000112	005046			CLR -(SP)	4086
000114	012746	000023		MOV #23,-(SP)	
000120	004737	000000G		JSR PC,WRT.STATION.ADR	
000124	104402		3\$:	TRAP 2	
000126	005016			CLR (SP)	4089
000130	004737	000000G		JSR PC,XMIT.ILOOP.PACKET	
000134	104467			TRAP 67	
000136	006000			ROR R0	
000140	103771			BLO 3\$	
000142	104402		4\$:	TRAP 2	4090
000144	005016			CLR (SP)	4093
000146	012746	000002		MOV #2,-(SP)	
000152	004737	000000G		JSR PC,WRT.STATION.ADR	
000156	012777	000001 000016G		MOV #1,@IOP.TABLE+16	4095
000164	013716	000000G		MOV XBUF.LENGTH,(SP)	4097
000170	012746	120000		MOV #-60000,-(SP)	
000174	004737	000000G		JSR PC,SET.RDESCR.LIST	
000200	012777	000000G 000004G		MOV #RCV.D.LIST,@IOP.TABLE+4	4098
000206	005077	000006G		CLR @IOP.TABLE+6	4099
000212	013716	000000G		MOV XBUF.LENGTH,(SP)	4101
000216	012746	120000		MOV #-60000,(SP)	
000222	004737	000000G		JSR PC,SET.XDESCR.LIST	
000226	012777	000000G 000010G		MOV #XMIT.D.LIST,@IOP.TABLE+10	4102
000234	005077	000012G		CLR @IOP.TABLE+12	4103
000240	005016			CLR (SP)	4105
000242	004737	000000G		JSR PC,CHK.RIXI.STATUS	
000246	012716	100220		MOV #-77560,(SP)	4106
000252	011646			MOV (SP),-(SP)	

ZQNA3 CZQNAO DEQNA FUNCTIONAL TEST
 V01.0 TEST 19 - RUNT PACKET TEST

5-Jul-1984 14:05:07
 5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
 [MAZURCZYK.DEQNA]ZQNA3.BLI;2

000254	004737	000000G	JSR	PC,CHK.CSR.STATUS		
000260	012716	140000	MOV	4-40000,(SP)	:	4107
000264	012746	000400	MOV	400,-(SP)		
000270	004737	000000G	JSR	PC,CHK.XMIT.STATUS		
000274	012716	140000	MOV	4-40000,(SP)	:	4108
000300	012746	044000	MOV	44000,-(SP)		
000304	004737	000000G	JSR	PC,CHK.RCV.STATUS		
000310	005077	000016G	CLR	@IOP.TABLE+16	:	4110
000314	062706	000014	ADD	414,SP	:	4090
000320	104467		TRAP	67	:	4110
000322	006000		ROR	R0		
000324	103706		BLO	44		
000326	022626		CMP	(SP)+,(SP)+	:	4010
000330	012601		MOV	(SP)+,R1		
000332	000207		RTS	PC		

: Routine Size: 110 words, Routine Base: AB\$CODE\$ + 20472
 : Maximum stack depth per invocation: 10 words

			.SBTTL	T19 TEST 19 - RUNT PACKET TEST		
000000	004737	020472'	T19::			
000000			14:	JSR	PC,\$T19	4111
000004	104466			TRAP	66	
000006	006000			ROR	R0	
000010	103773			BLO	14	
000012	000207			RTS	PC	

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 21026
 : Maximum stack depth per invocation: 2 words

: 4114 1
 : 4115 1

```

: 4116 1 *SBTTL 'TEST 20 - FIFO OVERFLOW TEST'
: 4117 1 !**
: 4118 1 !
: 4119 1 ! TEST 20: FIFO OVERFLOW TEST
: 4120 1 !
: 4121 1 ! DESCRIPTION:
: 4122 1 !
: 4123 1 ! This test verifies that the Ethernet Protocol Processor can
: 4124 1 ! detect receive FIFO overflow condition. If the operator specifies
: 4125 1 ! loop on error, the program re-executes the code that detected the
: 4126 1 ! error until ^C is entered.
: 4127 1 !
: 4128 1 ! Hardware tested: RCV Status wd 1 - error summary (bit 14),
: 4129 1 ! FIFO overflow (bit 0),
: 4130 1 ! Byte FIFO in the EDLC,
: 4131 1 ! and discard packet (bit 12)
: 4132 1 !
: 4133 1 ! Processing:
: 4134 1 ! BEGIN
: 4135 1 ! reset device
: 4136 1 ! select loopback mode
: 4137 1 ! enable receiver ( set CSR bit 0)
: 4138 1 ! transmit loopback packet
: 4139 1 ! transmit another loopback packet
: 4140 1 ! check for expected loopback status
: 4141 1 ! IF error
: 4142 1 ! THEN
: 4143 1 ! print error message if not inhibited
: 4144 1 ! ENDIF
: 4145 1 !
: 4146 1 ! reset device
: 4147 1 ! transmit loopback packet
: 4148 1 ! transmit a packet
: 4149 1 ! setup Receive Descriptor List
: 4150 1 ! enable receiver (set CSR BIT 0)
: 4151 1 ! check for expected loopback status
: 4152 1 ! IF error
: 4153 1 ! THEN
: 4154 1 ! print error message if not inhibited
: 4155 1 ! ENDIF
: 4156 1 ! turn of 3 LED's on the module
: 4157 1 ! END
: 4158 1 !--

```

```

: 4159 3  BGNTST;
: 4160 3
: 4161 3      !**
: 4162 3      ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM
: 4163 3      !--
: 4164 3
: 4165 3      RESET_DEQNA ( );
: 4166 3      PREP_FOR_SETUP ( );
: 4167 3      INCR_INDEX1 FROM 1 TO 14 DO
: 4168 3          WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 4169 3
: 4170 5      BGNSUB;
: 4171 5          XMIT_SETUP_PACKET ( P_MODE );
: 4172 3      ENDSUB;
: 4173 3
: 4174 3      !**
: 4175 3      ! LOOPBACK 2 6-BYTE PACKETS IN INTERNAL LOOPBACK MODE CHECK IF PACKETS
: 4176 3      ! WERE RECEIVED PROPERLY, SHOULD TRANSMIT AND RECEIVE PROPERLY.
: 4177 3      !--
: 4178 3
: 4179 3      RBUF_LENGTH = 6;
: 4180 3      XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 4181 3
: 4182 3      INCR_INDEX FROM 2 TO 3 DO
: 4183 4          BEGIN
: 4184 4              WRT_STATION_ADR ( ZERO, .INDEX );
: 4185 4
: 4186 6              BGNSUB;
: 4187 6                  XMIT_ILOOP_PACKET ( ZERO );
: 4188 4              ENDSUB;
: 4189 3          END;
: 4190 3
: 4191 3      !**
: 4192 3      ! FORCE RECEIVE FIFO OVERFLOW ( RCV STATUS WD 1 - BIT 0 ) BY TRANSMITTING
: 4193 3      ! 2 ND 6-BYTE PACKET IN INTERNAL LOOPBACK MODE BEFORE RECEIVING FIRST PACKET
: 4194 3      !--
: 4195 3
: 4196 5      BGNSUB;
: 4197 5          .IOP_TABLE [ CSR ] = ZERO;
: 4198 5
: 4199 5          WRT_STATION_ADR ( ZERO, 2 );
: 4200 5
: 4201 5          SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4202 5          .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4203 5          .IOP_TABLE [ XHI_ADR ] = ZERO;
: 4204 5
: 4205 5          CHK_RIXI_STATUS ( ONE );
: 4206 5          WRT_STATION_ADR ( ZERO, 3 );
: 4207 5
: 4208 5          SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 4209 5          .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 4210 5          .IOP_TABLE [ XHI_ADR ] = ZERO;
: 4211 5

```



```

: 4212 5 SET_RDFSCR_LIST ( .XBUF_LENGTH, VE );
: 4213 5 .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 4214 5 .IOP_TABLE [ RHI_ADR ] = ZERO;
: 4215 5
: 4216 5 .IOP_TABLE [ CSR ] = ONE;
: 4217 5
: 4218 5
: 4219 5 CHK_RIXI_STATUS ( ZERO );
: 4220 5 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); : 0'100220', 0'100220'
: 4221 5 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); : 0'140000', 0'000400'
: 4222 5 CHK_RCV_STATUS ( RFLG_STATUS, RWD15_STATUS ); : 0'140000', 0'000001'
: 4223 5
: 4224 3 .IOP_TABLE [ CSR ] = ZERO;
: 4225 3 ENDSUB;
: 4226 3
: 4227 3
: 4228 3 RESET_DEQNA ( );
: 4229 3
: 4230 3 TURN_OFF_LED ( N_MODE );
: 4231 3 TURN_OFF_LED ( LED1 );
: 4232 3 TURN_OFF_LED ( LED2 );
: 4233 1 TURN_OFF_LED ( LED3 );
: 4233 1 ENDTST;

```

Address	Offset	Label	Instruction	Comment	Address
000000	010146		.SBTTL \$T20 TEST 20 - FIFO OVERFLOW TEST		
000002	004737	000000G	\$T20: MOV R1, -(SP)		4113
000006	004737	000000G	JSR PC, RESET.DEQNA		4165
000012	012701	000001	JSR PC, PREP.FOR.SETUP		4166
000016	010146		MOV #1, R1	: *, INDEX1	4167
000020	012746	000023	1\$: MOV R1, -(SP)	: INDEX1, *	4168
000024	004737	000000G	MOV #23, -(SP)		
000030	022626		JSR PC, WRT.STATION.ADR		
000032	005201		CMP (SP)+, (SP)+		
000034	020127	000016	INC R1	: INDEX1	4167
000040	003766		CMP R1, #16	: INDEX1, *	
000042	104402		2\$: BLE 1\$		
000044	012746	000202	TRAP 2		4168
000050	004737	000000G	MOV #202, -(SP)		4171
000054	005726		JSR PC, XMIT.SETUP.PACKET		
000056	104467		TST (SP)+		4168
000060	006000		TRAP 67		4171
000062	103767		ROR R0		
000064	012737	000006 000000G	BLO 2\$		
000072	012700	000006	MOV #6, RBUF.LENGTH		4179
000076	006200		MOV #6, R0		4180
000100	005400		ASR R0		
000102	010037	000000G	NEG R0		
000106	012701	000002	MOV R0, XBUF.LENGTH		
000112	005046		MOV #2, R1	: *, INDEX	4182
000114	010146		3\$: CLR -(SP)		4184
000116	004737	000000G	MOV R1, -(SP)	: INDEX, *	
000122	104402		4\$: JSR PC, WRT.STATION.ADR		
			TRAP 2		

B1

ZQNA3	CZQNA3	DEQNA	FUNCTIONAL TEST	5-Jul-1984 14:05:07	VAX-11 Bliss-16 V4.0-579	SEQ 0208
V01.0	TEST 20	FIFO OVERFLOW TEST		5-Jul-1984 14:02:06	[MAZURCZYK.DEQNA]ZQNA3.BLI;2	Page 128 (46)
000124	005016			CLR	(SP)	4187
000126	004737	000000G		JSR	PC,XMIT.ILOOP.PACKET	
000132	104467			TRAP	67	
000134	006000			ROR	R0	
000136	103771			BLO	4\$	
000140	022626			CMP	(SP)..(SP).	4183
000142	005201			INC	R1	4182
000144	020127	000003		CMP	R1,#3	
000150	003760			BLE	3\$	
000152	104402		5\$:	TRAP	2	4189
000154	005077	000016G		CLR	@IOP.TABLE+16	4197
000160	005046			CLR	-(SP)	4199
000162	012746	000002		MOV	#2, -(SP)	
000166	004737	000000G		JSR	PC,WRT.STATION.ADR	
000172	013716	000000G		MOV	XBUF.LENGTH,(SP)	4201
000176	012746	120000		MOV	#-60000, -(SP)	
000202	004737	000000G		JSR	PC,SET.XDESCR.LIST	
000206	012777	000000G	000010G	MOV	@XMIT.D.LIST,@IOP.TABLE+10	4202
000214	005077	000012G		CLR	@IOP.TABLE+12	4203
000220	012716	000001		MOV	#1,(SP)	4205
000224	004737	000000G		JSR	PC,CHK.RIXI.STATUS	
000230	005016			CLR	(SP)	4206
000232	012746	000003		MOV	#3, -(SP)	
000236	004737	000000G		JSR	PC,WRT.STATION.ADR	
000242	013716	000000G		MOV	XBUF.LENGTH,(SP)	4208
000246	012746	120000		MOV	#-60000, -(SP)	
000252	004737	000000G		JSR	PC,SET.XDESCR.LIST	
000256	012777	000000G	000010G	MOV	@XMIT.D.LIST,@IOP.TABLE+10	4209
000264	005077	000012G		CLR	@IOP.TABLE+12	4210
000270	013716	000000G		MOV	XBUF.LENGTH,(SP)	4212
000274	012746	120000		MOV	#-60000, -(SP)	
000300	004737	000000G		JSR	PC,SET.RDESCR.LIST	
000304	012777	000000G	000004G	MOV	@RCV.D.LIST,@IOP.TABLE+4	4213
000312	005077	000006G		CLR	@IOP.TABLE+6	4214
000316	012777	000001	000016G	MOV	#1,@IOP.TABLE+16	4216
000324	005016			CLR	(SP)	4218
000326	004737	000000G		JSR	PC,CHK.RIXI.STATUS	
000332	012716	100220		MOV	#-77560,(SP)	4219
000336	011646			MOV	(SP), -(SP)	
000340	004737	000000G		JSR	PC,CHK.CSR.STATUS	
000344	012716	140000		MOV	#-40000,(SP)	4220
000350	012746	000400		MOV	#400, -(SP)	
000354	004737	000000G		JSR	PC,CHK.XMIT.STATUS	
000360	012716	140000		MOV	#-40000,(SP)	4221
000364	012746	000001		MOV	#1, -(SP)	
000370	004737	000000G		JSR	PC,CHK.RCV.STATUS	
000374	005077	000016G		CLR	@IOP.TABLE+16	4223
000400	062706	000022		ADD	#22,SP	4189
000404	104467			TRAP	67	4223
000406	006000			ROR	R0	
000410	103660			BLO	5\$	
000412	004737	000000G		JSR	PC,RESET.DEQNA	4226
000416	012746	000200		MOV	#200, -(SP)	4228

C1

ZQNA3 CZQNA3 DEGNA FUNCTIONAL TEST 5-Jul-1984 14:05:07 VAX-11 Bliss-16 V4.0-579
 V01.0 TEST 20 - FIFO OVERFLOW TEST 5-Jul-1984 14:02:06 [MAZURCZYK.DEGNA]ZQNA3.BLI;2

SEQ 0209
 Page 129
 (46)

000422	004737	000000G	JSR	PC,TURN.OFF.LED		
000426	012716	000204	MOV	#204,(SP)	:	4229
000432	004737	000000G	JSR	PC,TURN.OFF.LED		
000436	012716	000210	MOV	#210,(SP)	:	4230
000442	004737	000000G	JSR	PC,TURN.OFF.LED		
000446	012716	000214	MOV	#214,(SP)	:	4231
000452	004737	000000G	JSR	PC,TURN.OFF.LED		
000456	005726		TST	(SP)+	:	4113
000460	012601		MOV	(SP)+,R1		
000462	000207		RTS	PC		

: Routine Size: 154 words, Routine Base: AB\$CODE\$ + 21042
 : Maximum stack depth per invocation: 11 words

			.SBTTL	T20 TEST 20 - FIFO OVERFLOW TEST		
000000	004737	021042'	T20::			
000000			1\$:	JSR PC,\$T20	:	4231
000004	104466			TRAP 66		
000006	006000			ROR R0		
000010	103773			BLO 1\$		
000012	000207			RTS PC		

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 21526
 : Maximum stack depth per invocation: 2 words

: 4234 1

```

: 4235 1 *SBTTL 'TEST 21 - SANITY TIMER TEST'
: 4236 1 !**
: 4237 1 !
: 4238 1 ! TEST 21: SANITY TIMER TEST
: 4239 1 !
: 4240 1 ! DESCRIPTION:
: 4241 1 !
: 4242 1 ! This test verifies that the Sanity Timer times out after a pre-set
: 4243 1 ! ( supplied by the operator ) timeout period. The Sanity Timer uses
: 4244 1 ! DCOK line on the Q-Bus to force the power_fail interrupt of the
: 4245 1 ! processor which in turn causes the processor to reboot itself.
: 4246 1 !
: 4247 1 ! Hardware tested: Sanity Timer Logic
: 4248 1 !
: 4249 1 ! Processing:
: 4250 1 !
: 4251 1 ! BEGIN
: 4252 1 ! reset device
: 4253 1 ! store Console Terminal and Power_fail interrupt vectors
: 4254 1 ! ( location 24 and 60 octal )
: 4255 1 ! enable Console Terminal interrupt
: 4256 1 ! arm for Power_fail interrupt
: 4257 1 ! inform the operator about the test procedure
: 4258 1 ! set the Sanity Timer to timeout value supplied by the
: 4259 1 ! operator
: 4260 1 ! enable the Sanity Timer
: 4261 1 ! wait
: 4262 1 ! IF Power-fail interrupt occurred
: 4263 1 ! THEN
: 4264 1 ! print 'SANITY TIMER TIMED OUT AS EXPECTED'
: 4265 1 ! ELSE
: 4266 1 ! force Console Terminal input interrupt by typing "Q"
: 4267 1 ! print error message if not inhibited
: 4268 1 ! ENDF
: 4269 1 ! disable Sanity Timer
: 4270 1 ! restore Console Terminal and Power fail interrupt vectors
: 4271 1 ! ( location 24 and 60 octal )
: 4272 1 ! END
: 4273 1 !--

```

ZQNA3
V01.0CZQNA3 DEQNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0211
Page 131
(48)

```

: 4274 3  BGNTST;
: 4275 3
: 4276 3  IF .SWP_TIMER
: 4277 3  THEN
: 4278 4    BEGIN
: 4279 4
: 4280 4      !**
: 4281 4      ! RESET DEQNA AND INITIALIZE ETHERNET STATION ADDRESS RAM
: 4282 4      !--
: 4283 4
: 4284 4      RESET_DEQNA ( );
: 4285 4      !**
: 4286 4      ! SETUP FOR POWER FAIL AND CONSOLE TERMINAL INTERRUPTS
: 4287 4      !--
: 4288 4
: 4289 4      SETVEC ( PF_VEC_LOC, PWR_INT, PRI07 );           ! POWER FAIL
: 4290 4      SETVEC ( KB_VEC_LOC, KBD_INT, PRI05 );           ! CONSOLE TERMINAL
: 4291 4      SETPRI ( PRI00 );                                 ! SET PROCESSOR PRI LEVEL
: 4292 4      PREP_FOR_SETUP ( );
: 4293 4      INCR_INDEX1 FROM 1 TO 14 DO
: 4294 4          WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 4295 4
: 4296 6  BGNSUB;
: 4297 6      PUT_BIT [ CSR, SE, EENABLE ];
: 4298 6      XMIT_SETUP_PACKET ( #0'200' * ( .SWP_TOUT_VAL + 4 ) );
: 4299 6
: 4300 6  SELECTONE .SWP_TOUT_VAL OF
: 4301 6  SET
: 4302 6  [ 0,1 ]:
: 4303 7      BEGIN
: 4304 7          TEMP1 = 1;
: 4305 7          PRINTB ( MSG32, .TEMP1 );
: 4306 6      END;
: 4307 6  [ 2 ]:
: 4308 7      BEGIN
: 4309 7          TEMP1 = 4;
: 4310 7          PRINTB ( MSG32, .TEMP1 );
: 4311 6      END;
: 4312 6  [ 3 ]:
: 4313 7      BEGIN
: 4314 7          TEMP1 = 16;
: 4315 7          PRINTB ( MSG32, .TEMP1 );
: 4316 6      END;
: 4317 6  [ 4 ]:
: 4318 7      BEGIN
: 4319 7          TEMP1 = 1;
: 4320 7          PRINTB ( MSG55, .TEMP1 );
: 4321 6      END;
: 4322 6  [ 5 ]:
: 4323 7      BEGIN
: 4324 7          TEMP1 = 4;
: 4325 7          PRINTB ( MSG55, .TEMP1 );
: 4326 6      END;

```

ZQNA3
V01.0CZQNACO DEQNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2SEQ 0212
Page 132
(48)

```

: 4327 6      [ 6 ]:
: 4328 7      BEGIN
: 4329 7      TEMP1 = 16;
: 4330 7      PRINTB ( MSG55, .TEMP1 );
: 4331 6      END;
: 4332 6      [ 7 ]:
: 4333 7      BEGIN
: 4334 7      TEMP1 = 1;
: 4335 7      PRINTB ( MSG56, .TEMP1 );
: 4336 6      END;
: 4337 6      TES;
: 4338 6
: 4339 6      PRINTB ( MSG57 );
: 4340 6      INTERRUPT_FLG = -1;
: 4341 6      WAIT_FOR_TIMEOUT ( );
: 4342 6
: 4343 6      !**
: 4344 6      ! PUT DEQNA IN NORMAL MODE AND CHECK STATUS
: 4345 6      !--
: 4346 6
: 4347 6      PUT_BIT [ CSR, SE, DISABLE ];
: 4348 6      PREP_FOR_SETUP ( );
: 4349 6      INCR_INDEX1 FROM 1 TO 14 DO
: 4350 6      WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 4351 6
: 4352 8      BGNSEG;
: 4353 8      XMIT_SETUP_PACKET ( N_MODE );
: 4354 6      ENDSEG;
: 4355 6
: 4356 6      CLRVEC ( PF_VEC_LOC );
: 4357 6      CLRVEC ( KB_VEC_LOC );
: 4358 6
: 4359 6      IF .INTERRUPT_FLG
: 4360 6      THEN
: 4361 7      BEGIN
: 4362 8      PRINTB ( MSG33 )
: 4363 7      END
: 4364 6      ELSE
: 4365 7      BEGIN
: 4366 7      CSR_WORD = GET_BIT ( CSR_ALL );
: 4367 7      PRINTB ( MSG59 );
: 4368 7      PRINTB ( MSG34 );
: 4369 7      ERRDF ( 2101, MSG00, ERROR$REPORT );
: 4370 6      END;
: 4371 4      ENDSUB;
: 4372 3      END;
: 4373 3
: 4374 1      ENDTST;

```

000000 010146
000002 005746

```

.SBTTL $T21 TEST 21 - SANITY TIMER TEST
$T21: MOV R1, -(SP) ;
      TST -(SP)

```

4233

G1

ZQNA3
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0213
Page 133
(48)

000004	032737	000001	000000G	BIT	#1,SWP.TIMER	:	4276
000012	001002			BNE	1\$		
000014	000137	022542'		JMP	17\$		
000020	004737	000000G		1\$: JSR	PC,RESET.DEQNA	:	4284
000024	012746	000000G		MOV	#PRI07,-(SP)	:	4289
000030	012746	000000G		MOV	#PWR.INT,-(SP)		
000034	012746	000024		MOV	#24,-(SP)		
000040	012746	000003		MOV	#3,-(SP)		
0J0044	104437			TRAP	37		
000046	012716	000000G		MOV	#PRI05,(SP)	:	4290
000052	012746	000000G		MOV	#KBD.INT,-(SP)		
000056	012746	000060		MOV	#60,-(SP)		
000062	012746	000003		MOV	#3,-(SP)		
000066	104437			TRAP	37		
000070	012700	000000G		MOV	#PRI00,RO	:	4291
000074	104441			TRAP	41		
000076	004737	000000G		JSR	PC,PREP.FOR.SETUP	:	4292
000102	012701	000001		MOV	#1,R1	: *.INDEX1	4293
000106	010116			2\$: MOV	R1,(SP)	: INDEX1,*	4294
000110	012746	000023		MOV	#23,-(SP)		
000114	004737	000000G		JSR	PC,WRT.STATION.ADR		
000120	005726			TST	(SP),*		
000122	005201			INC	R1	: INDEX1	4293
000124	020127	000016		CMP	R1,#16	: INDEX1,*	
000130	003766			BLE	2\$		
000132	104402			3\$: TRAP	2	:	4294
000134	013700	000000G		MOV	REG.ADR,RO	:	4297
000140	052760	002000	000016	BIS	#2000,16(RO)		
000146	013700	000000G		MOV	#P.TOUT.VAL,RO	:	4298
000152	072027	000004		ASH	#4,RO		
000156	010016			MOV	RO,(SP)		
000160	062716	000200		ADD	#200,(SP)		
000164	004737	000000G		JSR	PC,XMIT.SETUP.PACKET		
000170	013701	000000G		MOV	SWP.TOUT.VAL,R1	:	4300
000174	002417			BLT	4\$:	4302
000176	020127	000001		CMP	R1,#1		
000202	003014			BGT	4\$		
000204	012737	000001	000000G	MOV	#1,TEMP1	:	4304
000212	012716	000001		MOV	#1,(SP)	:	4305
000216	012746	000000G		MOV	#MSG32,-(SP)		
000222	012746	000002		MOV	#2,-(SP)		
000226	010600			MOV	SP,RO	: SP,*	
000230	104414			TRAP	14		
000232	000531			BR	10\$:	4303
000234	020127	000002		4\$: CMP	R1,#2	:	4307
000240	001014			BNE	5\$		
000242	012737	000004	000000G	MOV	#4,TEMP1	:	4309
000250	012716	000004		MOV	#4,(SP)	:	4310
000254	012746	000000G		MOV	#MSG32,-(SP)		
000260	012746	000002		MOV	#2,-(SP)		
000264	010600			MOV	SP,RO	: SP,*	
000266	104414			TRAP	14		
000270	000512			BR	10\$:	4308

H1

ZQNA3
V01.0

CZQNA3 DEQNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0214
Page 134
(48)

000272	020127	000003		5\$:	CMP	R1,#3	:	4312
000276	001014				BNE	6\$:	
000300	012737	000020	000000G		MOV	#20,TEMP1	:	4314
000306	012716	000020			MOV	#20,(SP)	:	4315
000312	012746	000000G			MOV	#MSG32,-(SP)		
000316	012746	000002			MOV	#2,-(SP)		
000322	010600				MOV	SP,R0	: SP,*	
000324	104414				TRAP	14		
000326	000473				BR	10\$:	4313
000330	020127	000004		6\$:	CMP	R1,#4	:	4317
000334	001014				BNE	7\$:	
000336	012737	000001	000000G		MOV	#1,TEMP1	:	4319
000344	012716	000001			MOV	#1,(SP)	:	4320
000350	012746	000000G			MOV	#MSG55,-(SP)		
000354	012746	000002			MOV	#2,-(SP)		
000360	010600				MOV	SP,R0	: SP,*	
000362	104414				TRAP	14		
000364	000454				BR	10\$:	4318
000366	020127	000005		7\$:	CMP	R1,#5	:	4322
000372	001014				BNE	8\$:	
000374	012737	000004	000000G		MOV	#4,TEMP1	:	4324
000402	012716	000004			MOV	#4,(SP)	:	4325
000406	012746	000000G			MOV	#MSG55,-(SP)		
000412	012746	000002			MOV	#2,-(SP)		
000416	010600				MOV	SP,R0	: SP,*	
000420	104414				TRAP	14		
000422	000435				BR	10\$:	4323
000424	020127	000006		8\$:	CMP	R1,#6	:	4327
000430	001014				BNE	9\$:	
000432	012737	000020	000000G		MOV	#20,TEMP1	:	4329
000440	012716	000020			MOV	#20,(SP)	:	4330
000444	012746	000000G			MOV	#MSG55,-(SP)		
000450	012746	000002			MOV	#2,-(SP)		
000454	010600				MOV	SP,R0	: SP,*	
000456	104414				TRAP	14		
000460	000416				BR	10\$:	4328
000462	020127	000007		9\$:	CMP	R1,#7	:	4332
000466	001014				BNE	11\$:	
000470	012737	000001	000000G		MOV	#1,TEMP1	:	4334
000476	012716	000001			MOV	#1,(SP)	:	4335
000502	012746	000000G			MOV	#MSG56,-(SP)		
000506	012746	000002			MOV	#2,-(SP)		
000512	010600				MOV	SP,R0	: SP,*	
000514	104414				TRAP	14		
000516	022626			10\$:	CMP	(SP)*,(SP)*	:	4333
000520	012716	000000G		11\$:	MOV	#MSG57,(SP)	:	4339
000524	012746	000001			MOV	#1,-(SP)		
000530	010600				MOV	SP,R0	: SP,*	
000532	104414				TRAP	14		
000534	012737	177777	000000G		MOV	#-1,INTERRUPT.FLG	:	4340
000542	004737	000000G			JSR	PC,WAIT.FOR.TIMEOUT	:	4341
000546	013700	000000G			MOV	REG.ADR,R0	:	4347
000552	042760	002000	000016		BIC	#2000,16(R0)		

ZQNA3
V01.0CZQNA3 DEGNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST5-Jul-1984 14:05:07
5-Jul-1984 14:02:06VAX-11 B1'ss-16 V4.0-579
[MAZURCZYK.DEGNA]ZQNA3.BLI;2SEQ 0215
Page 135
(48)

000560	004737	000000G		JSR	PC,PREP.FOR.SETUP	:	4348
000564	012701	000001		MOV	#1,R1	: *,INDEX1	4349
000570	010116		12\$:	MOV	R1,(SP)	: INDEX1,*	4350
000572	012746	000023		MOV	#23,-(SP)		
000576	004737	000000G		JSR	PC,WRT.STATION.ADR		
000602	005726			TST	(SP)+		
000604	005201			INC	R1	: INDEX1	4349
000606	020127	000016		CMP	R1,#16	: INDEX1,*	
000612	003766			BLE	12\$		
000614	104404		13\$:	TRAP	4	:	4350
000616	012716	000200		MOV	#200,(SP)	:	4353
000622	004737	000000G		JSR	PC,XMIT.SETUP.PACKET		
000626	104470			TRAP	70		
000630	006000			ROR	R0		
000632	103770			BLO	13\$		
000634	012700	000024		MOV	#24,R0	:	4356
000640	104436			TRAP	36		
000642	012700	000060		ML	#60,R0	:	4357
000646	104436			TRAP	36		
000650	032737	000001 000000G		BIT	#1,INTERRUPT.FLG	:	4359
000656	001407			BEQ	14\$		
000660	012716	0000^0G		MOV	#MSG33,(SP)	:	4362
000664	012746	0000u1		MOV	#1,-(SP)		
000670	010600			MOV	SP,R0	: SP,*	
000672	104414			TRAP	14		
000674	000431			BR	15\$:	4359
000676	013700	000000G	14\$:	MOV	REG.ADR,R0	:	4366
000702	016066	000016 000020		MOV	16(R0),20(SP)	: *,TMP.LOCATION	
000710	016637	000020 000000G		MOV	20(SP),CSR.WORD	: TMP.LOCATION,*	
000716	012716	000000G		MOV	#MSG59,(SP)	:	4367
000722	012746	000001		MOV	#1,-(SP)		
000726	010600			MOV	SP,R0	: SP,*	
000730	104414			TRAP	14		
000732	012716	000000G		MOV	#MSG34,(SP)	:	4368
000736	012746	000001		MOV	#1,-(SP)		
000742	010600			MOV	SP,R0	: SP,*	
000744	104414			TRAP	14		
000746	104455			TRAP	55	:	4369
000750	004065			.WORD	4065		
000752	000000G			.WORD	MSG00		
000754	000000G			.WORD	ERROR\$REPORT		
000756	005726			TST	(SP)+	:	4365
000760	022626		15\$:	CMP	(SP)+,(SP)+	:	4294
000762	104467			TRAP	67	:	4370
000764	006000			ROR	R0		
000766	103002			BHIS	16\$		
000770	000137	021674'		JMP	3\$		
000774	062706	000016	16\$:	ADD	#16,SP	:	4278
001000	005726		17\$:	TST	(SP)+	:	4233
001002	012601			MOV	(SP)+,R1		
001004	000207			RTS	PC		

; Routine Size: 259 words, Routine Base: AB\$CODE\$ + 21542

ZQNA3
V01.0

CZQNA30 DEQNA FUNCTIONAL TEST
TEST 21 - SANITY TIMER TEST

5-Jul-1984 14:05:07
5-Jul-1984 14:02:06

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA3.BLI;2

SEQ 0216
Page 136
(48)

: Maximum stack depth per invocation: 14 words

```

000000 004737 021542'      T21::      .SBTTL  T21 TEST 21 - SANITY TIMER TEST
000000      1$:      JSR    PC,$T21      ;      4372
000004 104466      TRAP   66
000006 006000      RCR    R0
000010 103773      BLO   1$
000012 000207      RTS   PC

```

: Routine Size: 6 words, Routine Base: AB\$CODE\$ + 22550
: Maximum stack depth per invocation: 2 words

```

: 4375 1
: 4376 1 END
: 4377 0 ELUDDM

```

: OTS external references
: .GLOBL \$SAVE4, \$SAVE3, \$SAVE2

```

: PSECT SUMMARY
:
: Psect Name      Words      Attributes
: AB$CODE$      4794      RO , I , LCL, REL, CGN

```

```

: Library Statistics
:
: File              Total      Symbols      Pages      Processing
:                   Total      Loaded      Percent     Mapped      Time
:
: DISK$USER2:[MAZURCZYK.DEQNA]QNALIB.L16;2      223      142      63      14      00:00.1

```

```

: COMMAND QUALIFIERS
:
: BLISS/PDP11 ZQNA3.BLI/LIST=ZQNA3.LIS/OBJECT=ZQNA3.OBJ/SOURCE=PAGE:53

```

K1

ZQNA3
V01.0

CZQNA30 DEQNA FUNC, JNAL TEST
TEST 21 - SANITY TIMER TEST

5-Jul-1984 14:05:07

VAX-11 Bliss-16 V4.0-579

SEQ 0217
Page 137

: Size: 4794 code + 0 data words
: Run Time: 02:12.1
: Elapsed Time: 08:39.0
: Lines/CPU Min: 1988
: Lexemes/CPU-Min: 23670
: Memory Used: 437 pages
: Compilation Complete

ZQNA4

CZQNACO DEQNA FUNCTIONAL TEST

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 0001 0  MODULE ZQNA4 (*TITLE 'CZQNACO DEQNA FUNCTIONAL TEST'
: 0002 0          IDENT = 'V01.0',
: 0003 0          ADDRESSING_MODE(Absolute)
: 0004 0          ) =
: 0005 0  *SBTTL 'GLOBAL ROUTINE DECLARATION MODULE'
: 0006 0
: 0007 1  BEGIN
: 0008 1
: 0009 1  LIBRARY 'QNALIB';          ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';    ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1  !<BLF/NOFORMAT>
: 1501 1

```

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE DECLARATION MODULE5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0219
Page 2
(2)

```

: 1502 1 PSECT
: 1503 1 CODE = AC$CODE$;
: 1504 1
: 1505 1 FORWARD ROUTINE
: 1506 1 XMIT_AND_RCV_PACKET : NOVALUE;
: 1507 1
: 1508 1 !++
: 1509 1 ! EXTERNAL DATA USED BY THIS MODULE
: 1510 1 !--
: 1511 1
: 1512 1 EXTERNAL
: 1513 1
: 1514 1 !++
: 1515 1 ! COMMUNICATION AREA DECLARATIONS
: 1516 1 !--
: 1517 1
: 1518 1 RCV_D_LIST : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 1519 1 XMIT_D_LIST : BLOCK [ D_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 1520 1 DESCR_LIST : BLOCK [ DESCR_SIZE, WORD ] FIELD ( DL_FIELDS ),
: 1521 1 RCV_BUFFER : VECTOR [ B_SIZE, BYTE ],
: 1522 1 XMIT_BUFFER : VECTOR [ B_SIZE, BYTE ],
: 1523 1 DATA_BUFFER : VECTOR [ BUF_SIZE, BYTE ],
: 1524 1 SETUP_BUFFER : VECTOR [ SETUP_SIZE, WORD ],
: 1525 1 IOP_TABLE : VECTOR [ 8, WORD ],
: 1526 1 BD_PROM_DESCR : VECTOR [ BD_D_SIZE, WORD ],
: 1527 1 STATION_ADR : VECTOR [ 4, WORD ],
: 1528 1 TARGET_ADR : VECTOR [ T_SIZE, BYTE ],
: 1529 1 PHYS_ADR : VECTOR [ 22, BYTE ],
: 1530 1
: 1531 1 !++
: 1532 1 ! HARDWARE AND SOFTWARE P-TABLE STORAGE DECLARATIONS
: 1533 1 !--
: 1534 1
: 1535 1 HWP_TABLE : REF BLOCK [ HWP_SIZE, WORD ] FIELD ( HWP_FIELDS ),
: 1536 1 SWP_TABLE : REF BLOCK [ SWP_SIZE, WORD ] FIELD ( SWP_FIELDS ),
: 1537 1
: 1538 1 REG_ADR : REF REG_STR FIELD ( IOP_FIELDS ),
: 1539 1 GET_ADR : REF ADR_STR FIELD ( IOP_FIELDS ),
: 1540 1 IOP_DATA : REF REG_STR FIELD ( IOP_FIELDS ),
: 1541 1

```

```

: 1542 1
: 1543 1
: 1544 1
: 1545 1
: 1546 1
: 1547 1
: 1548 1
: 1549 1
: 1550 1
: 1551 1
: 1552 1
: 1553 1
: 1554 1
: 1555 1
: 1556 1
: 1557 1
: 1558 1
: 1559 1
: 1560 1
: 1561 1
: 1562 1
: 1563 1
: 1564 1
: 1565 1
: 1566 1
: 1567 1
: 1568 1
: 1569 1
: 1570 1
: 1571 1
: 1572 1
: 1573 1
: 1574 1
: 1575 1
: 1576 1
: 1577 1

```

```

!++
!
!--
      MISCELLANEOUS DATA DECLARATIONS
!
XBUF_LENGTH,      RBUF_LENGTH,      INTERRUPT_FLG,      COUNTER,
SWP_BLOCK_MEM,    SWP_TOUT_VAL,      SWP_ILOOP,          SWP_TIMER,
UP_COUNTER,        DOWN_COUNTER,      CHECKSUM,            ERR_NUMBER,
ERR_COUNT,         ERR_FLAG,          CSR_WORD,            PRI00,
PRI01,             PRI02,             PRI03,               PRI04,
PRI05,             PRI06,             PRI07,               DEQNA_NO  : WORD,

```

```

!++
!
!--
      TEMPORARY STORAGE DATA DECLARATIONS
!
P1,                P2,                P3,                P4,
TMP_IOP_ADR,        TMP_REG_DATA,      TEMP1,             TEMP2,
TEMP3,              TEMP4,              TEMP5,             TEMP6,
TEMP7,              TEMP8,              TEMP9,             TADR1,
TADR2,              TBYTE1,             TBYTE2,            TBYTE3,            TBYTE4      : WORD,
: BYTE,

```

```

!++
!
!--
      DIAGNOSTIC ERROR MESSAGES DECLARED EXTERNALLY
!
MSG00,
MSG01, MSG02, MSG03, MSG04, MSG05, MSG06, MSG07, MSG08, MSG09, MSG10,
MSG11, MSG12, MSG13, MSG14, MSG15, MSG16, MSG17, MSG18, MSG19, MSG20,
MSG21, MSG22, MSG23, MSG24, MSG25, MSG26, MSG27, MSG28, MSG29, MSG30,
MSG31, MSG32, MSG33, MSG34, MSG35, MSG36, MSG37, MSG38, MSG39, MSG40,
MSG41, MSG42, MSG43, MSG44, MSG45, MSG46, MSG47, MSG48, MSG49, MSG50,
MSG51, MSG52, MSG53, MSG54, MSG55, MSG56, MSG57, MSG58, MSG59, MSG60,
MSG61, MSG62, MSG63, MSG64, MSG65, MSG66, MSG67, MSG68, MSG69, MSG70;

```

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - ERROR\$REPORT ()5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0221
Page 4
(4)

```

: 1578 1 #SBTTL 'GLOBAL ROUTINE - ERROR$REPORT ( )'
: 1579 1
: 1580 1 !..
: 1581 1 !
: 1582 1 ! GLOBAL ROUTINE : ERROR$REPORT
: 1583 1 !
: 1584 1 ! DESCRIPTION:
: 1585 1 !
: 1586 1 ! This routine reports errors to the operator
: 1587 1 !
: 1588 1 !--
: 1589 1
: 1590 1 #SBTTL 'GLOBAL ROUTINE - ERROR$REPORT ( )'
: 1591 1
: 1592 1 BGNMSG (ERROR$REPORT);

```

```

.TITLE CZQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

.GLOBL RCV.D.LIST, XMIT.D.LIST, DESCR.LIST
.GLOBL RCV.BUFFER, XMIT.BUFFER, DATA.BUFFER
.GLOBL SETUP.BUFFER, IOP.TABLE, BD.PROM.DESCR
.GLOBL STATION.ADR, TARGET.ADR, PHYS.ADR
.GLOBL HWP.TABLE, SWP.TABLE, REG.ADR
.GLOBL GET.ADR, IOP.DATA, XBUF.LENGTH
.GLOBL RBUF.LENGTH, INTERRUPT.FLG, COUNTER
.GLOBL SWP.BLOCK.MEM, SWP.TOUT.VAL, SWP.ILOOP
.GLOBL SWP.TIMER, UP.COUNTER, DOWN.COUNTER
.GLOBL CHECKSUM, ERR.NUMBER, ERR.COUNT
.GLOBL ERR.FLAG, CSR.WORD, PRI00, PRI01
.GLOBL PRI02, PRI03, PRI04, PRI05, PRI06
.GLOBL PRI07, DEQNA.NO, P1, P2, P3, P4
.GLOBL TMP.IOP.ADR, TMP.REG.DATA, TEMP1
.GLOBL TEMP2, TEMP3, TEMP4, TEMP5, TEMP6
.GLOBL TEMP7, TEMP8, TEMP9, TADR1, TADR2
.GLOBL TBYTE1, TBYTE2, TBYTE3, TBYTE4
.GLOBL MSG00, MSG01, MSG02, MSG03, MSG04
.GLOBL MSG05, MSG06, MSG07, MSG08, MSG09
.GLOBL MSG10, MSG11, MSG12, MSG13, MSG14
.GLOBL MSG15, MSG16, MSG17, MSG18, MSG19
.GLOBL MSG20, MSG21, MSG22, MSG23, MSG24
.GLOBL MSG25, MSG26, MSG27, MSG28, MSG29
.GLOBL MSG30, MSG31, MSG32, MSG33, MSG34
.GLOBL MSG35, MSG36, MSG37, MSG38, MSG39
.GLOBL MSG40, MSG41, MSG42, MSG43, MSG44
.GLOBL MSG45, MSG46, MSG47, MSG48, MSG49
.GLOBL MSG50, MSG51, MSG52, MSG53, MSG54
.GLOBL MSG55, MSG56, MSG57, MSG58, MSG59
.GLOBL MSG60, MSG61, MSG62, MSG63, MSG64
.GLOBL MSG65, MSG66, MSG67, MSG68, MSG69
.GLOBL MSG70

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - ERROR\$REPORT ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

000000          .SBTTL  ERROR$REPORT GLOBAL ROUTINE - ERROR$REPORT ( )
                .PSECT  AC$CODE$, RO
000000 004737 000000V          ERROR$REPORT::
000004 104423          JSR   PC,M$ERROR$REPORT          ;          1592
000006 000207          TRAP 23
                                RTS   PC

```

```

; Routine Size: 4 words,      Routine Base: AC$CODE$ + 0000
; Maximum stack depth per invocation: 2 words

```

```

; 1593 2
; 1594 2 PRINTB ( MSG03 );
; 1595 2 PRINTB ( MSG04, .XMIT_D_LIST [ FLGWD ], .RCV_D_LIST [ FLGWD ] );
; 1596 2 PRINTB ( MSG05, .XMIT_D_LIST [ DBITS ], .RCV_D_LIST [ DBITS ] );
; 1597 2 PRINTB ( MSG06, .XMIT_D_LIST [ LOADR ], .RCV_D_LIST [ LOADR ] );
; 1598 2 PRINTB ( MSG07, .XMIT_D_LIST [ TWDL ], .RCV_D_LIST [ TWDL ] );
; 1599 2 PRINTB ( MSG08, .XMIT_D_LIST [ STWD1 ] AND XWD1_MASK, .RCV_D_LIST [ STWD1 ] AND RWD2_MASK );
; 1600 2 PRINTB ( MSG09, .XMIT_D_LIST [ STWD2 ] AND XWD2_MASK, .RCV_D_LIST [ STWD2 ] AND RLL_MASK );
; 1601 2 PRINTB ( MSG10, .CSR_WORD AND #0'133777' );
; 1602 2 PRINTB ( MSG11, .HWP_TABLE [ ADDR ] );
; 1603 2
; 1604 1 ENDMSG;

```

```

000000 012746 000000G          .SBTTL  M$ERROR$REPORT GLOBAL ROUTINE - ERROR$REPORT ( )
                                M$ERROR$REPORT:
000004 012746 000001          MOV   #MSG03, -(SP)          ;          1594
000010 010600          MOV   #1, -(SP)
000012 104414          MOV   SP,RO          ; SP,*
                                TRAP 14
000014 013716 000000G          MOV   RCV.D.LIST,(SP)          ;          1595
000020 013746 000000G          MOV   XMIT.D.LIST,-(SP)
000024 012746 000000G          MOV   #MSG04, -(SP)
000030 012746 000003          MOV   #3, -(SP)
000034 010600          MOV   SP,RO          ; SP,*
                                TRAP 14
000040 013716 000002G          MOV   RCV.D.LIST+2,(SP)          ;          1596
000044 013746 000002G          MOV   XMIT.D.LIST+2,-(SP)
000050 012746 000000G          MOV   #MSG05, -(SP)
000054 012746 000003          MOV   #3, -(SP)
000060 010600          MOV   SP,RO          ; SP,*
                                TRAP 14
000064 013716 000004G          MOV   RCV.D.LIST+4,(SP)          ;          1597
000070 013746 000004G          MOV   XMIT.D.LIST+4,-(SP)
000074 012746 000000G          MOV   #MSG06, -(SP)
000100 012746 000003          MOV   #3, -(SP)
000104 010600          MOV   SP,RO          ; SP,*
000106 104414          TRAP 14
000110 013716 000006G          MOV   RCV.D.LIST+6,(SP)          ;          1598

```


ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - ERROR\$REPORT ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0223
Page 6
(4)

000114	013746	000006G	MOV	XMIT.D.LIST+6,-(SP)		
000120	012746	000000G	MOV	0MSG07,-(SP)		
000124	012746	000003	MOV	03,-(SP)		
000130	010600		MOV	SP,R0	; SP,*	
000132	104414		TRAP	14		
000134	013716	000010G	MOV	RCV.D.LIST+10,(SP)	:	1599
000140	042716	000360	BIC	0360,(SP)		
000144	013746	000010G	MOV	XMIT.D.LIST+10,-(SP)		
000150	042716	020017	BIC	020017,(SP)		
000154	012746	000000G	MOV	0MSG08,-(SP)		
000160	012746	000003	MOV	03,-(SP)		
000164	010600		MOV	SP,R0	; SP,*	
000166	104414		TRAP	14		
000170	005016		CLR	(SP)	:	1600
000172	113716	000012G	MOV	RCV.D.LIST+12,(SP)		
000176	013746	000012G	MOV	XMIT.D.LIST+12,-(SP)		
000202	042716	140000	BIC	0140000,(SP)		
000206	012746	000000G	MOV	0MSG09,-(SP)		
000212	012746	000003	MOV	03,-(SP)		
000216	010600		MOV	SP,R0	; SP,*	
000220	104414		TRAP	14		
000222	013716	000000G	MOV	CSR.WORD,(SP)	:	1601
000226	042716	044000	BIC	044000,(SP)		
000232	012746	000000G	MOV	0MSG10,-(SP)		
000236	012746	000002	MOV	02,-(SP)		
000242	010600		MOV	SP,R0	; SP,*	
000244	104414		TRAP	14		
000246	017716	000000G	MOV	0HWP.TABLE,(SP,	:	1602
000252	012746	000000G	MOV	0MSG11,-(SP)		
000256	012746	000002	MOV	02,-(SP)		
000262	010600		MOV	SP,R0	; SP,*	
000264	104414		TRAP	14		
000266	062706	000060	ADD	060,SP	:	1592
000272	000207		RTS	PC		

: Routine Size: 94 words, Routine Base: AC\$CODE\$ + 0010
: Maximum stack depth per invocation: 26 words

: 1605 1
: 1606 1

ZQNA4 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:13:51 VAX-11 Bliss-16 V4.0-579
V01.0 GLOBAL ROUTINE - E1\$REPORT () 5-Jul-1984 14:02:25 [MAZURCZYK.DEQNA]ZQNA4.BLI;2

```
: 1607 1 #SBTTL 'GLOBAL ROUTINE - E1$REPORT ( )'  
: 1608 1  
: 1609 1 !**  
: 1610 1 !  
: 1611 1 ! GLOBAL ROUTINE : E1$REPORT  
: 1612 1 !  
: 1613 1 ! DESCRIPTION:  
: 1614 1 !  
: 1615 1 ! This routine reports errors to the operator  
: 1616 1 !  
: 1617 1 !--  
: 1618 1  
: 1619 1 #SBTTL 'GLOBAL ROUTINE - E1$REPORT ( )'  
: 1620 1  
: 1621 1 BGNMSG ( E1$REPORT );
```

```
000000 004737 000000V .SBTTL E1$REPORT GLOBAL ROUTINE - E1$REPORT ( )  
E1$REPORT:: JSR PC,M$E1$REPORT ; 1621  
000004 104423 TRAP 23  
000006 000207 RTS PC
```

: Routine Size: 4 words, Routine Base: AC\$CODE\$ + 0304
: Maximum stack depth per invocation: 2 words

```
: 1622 2  
: 1623 2 TEMP1 = 1;  
: 1624 2  
: 1625 1 ENDMSG;
```

```
000000 012737 000001 000000G .SBTTL M$E1$REPORT GLOBAL ROUTINE - E1$REPORT ( )  
M$E1$REPORT: MOV #1,TEMP1 ; 1623  
000006 000207 RTS PC ; 1621
```

: Routine Size: 4 words, Routine Base: AC\$CODE\$ + 0314
: Maximum stack depth per invocation: 0 words

```
: 1626 1  
: 1627 1
```

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - RESET_DEQNA ()5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0225
Page 8
(6)

```

: 1628 1 *SBTTL 'GLOBAL ROUTINE - RESET_DEQNA ( )'
: 1629 1
: 1630 1 GLOBAL ROUTINE RESET_DEQNA : NOVALUE =
: 1631 1
: 1632 1 !**
: 1633 1 !
: 1634 1 ! GLOBAL ROUTINE : RESET_DEQNA
: 1635 1 !
: 1636 1 ! DESCRIPTION:
: 1637 1 !
: 1638 1 ! This routine verifies that DEQNA can be reset by setting bit 1 in the
: 1639 1 ! CSR register. After the reset, CSR is checked for nominal
: 1640 1 ! status.
: 1641 1 !
: 1642 1 ! Hardware tested: Q-Bus DMA Interface
: 1643 1 !
: 1644 1 ! Processing:
: 1645 1 !
: 1646 1 ! BEGIN
: 1647 1 ! set Software Reset (SR) bit in CSR and check for
: 1648 1 ! expected CSR status
: 1649 1 ! IF error
: 1650 1 ! THEN
: 1651 1 ! print error message if not inhibited
: 1652 1 ! ENDIF
: 1653 1 ! clear SR bit in CSR and check for expected CSR status
: 1654 1 ! IF error
: 1655 1 ! THEN
: 1656 1 ! print error message if not inhibited
: 1657 1 ! ENDIF
: 1658 1 ! END
: 1659 1 !
: 1660 1 ! INPUT PARAMETERS:
: 1661 1 !
: 1662 1 !--

```

```

: 1663 1
: 1664 1 !..
: 1665 1 !
: 1666 1 ! RESET THE DEVICE AND CHECK CONTENTS OF CSR FOR NOMINAL STATUS
: 1667 1 !
: 1668 1 !--
: 1669 1
: 1670 2 BEGIN
: 1671 2
: 1672 2 PUT_BIT ( CSR, ALL_BITS, ZERO );
: 1673 2 PUT_BIT ( CSR, SR, SET_IT );
: 1674 2
: 1675 2 DELAY ( TIME6_LIMIT );
: 1676 2 TEMP1 = GET_BIT [ CSR_ALL ] AND CSR2_MASK;
: 1677 2
: 1678 2 IF .TEMP1 NEQU CSR1_STATUS
: 1679 2 THEN
: 1680 3 BEGIN
: 1681 3 ERR_FLAG = ONE;
: 1682 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1683 3 PRINTB ( MSG59 );
: 1684 3 PRINTB ( MSG31 );
: 1685 3 PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, CSR2_STATUS );
: 1686 3 ERRDF ( 0001, MSG00, E1$REPORT );
: 1687 2 END;
: 1688 2
: 1689 2 !..
: 1690 2 !
: 1691 2 ! CLEAR SOFTWARE RESET BIT IN THE CSR AND CHECK FOR EXPECTED STATUS
: 1692 2 !
: 1693 2 !--
: 1694 2
: 1695 2 PUT_BIT ( CSR, SR, CLR_IT );
: 1696 2 DELAY ( TIME6_LIMIT );
: 1697 2 TEMP2 = GET_BIT [ CSR_ALL ] AND CSR2_MASK;
: 1698 2 IF .TEMP2 NEQU CSR2_STATUS
: 1699 2 THEN
: 1700 3 BEGIN
: 1701 3 ERR_FLAG = ONE;
: 1702 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1703 3 PRINTB ( MSG59 );
: 1704 3 PRINTB ( MSG31 );
: 1705 3 PRINTB ( MSG30, .GET_ADR [ CSR_ALL ], .TEMP1, CSR2_STATUS );
: 1706 3 ERRDF ( 0002, MSG00, E1$REPORT );
: 1707 2 END;
: 1708 2
: 1709 1 END;

```

```

.GLOBL L$DLY

```

```

.SBTTL RESET.DEQNA GLOBAL ROUTINE - RESET DEQNA ( )

```

H2

ZQNA4
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - RESET_DEQNA ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0227
Page 10
(7)

```

000000 004137 000000G          RESET.DEQNA::
                                JSR    R1,$SAVE2          ;
000004 162706 000016          SUB    #16,SP          ;
000010 013700 000000G          MOV    REG.ADR,R0     ;
000014 012702 000016          MOV    #16,R2         ;
000020 060002          ADD    R0,R2          ;
000024 005012          CLR    (R2)          ;
000028 152712 000002          BISB  #2,(R2)        ;
000030 012701 000001          MOV    #1,R1         ; *,$$TMP2
000034 001410          1$: BEQ    4$          ;
000036 013700 000000G          MOV    L$DLY,R0      ; *,$$TMP1
000042 001403          BEQ    3$          ;
000044 005066 000014          2$: CLR    14(SP)    ; $$TMP
000050 077003          SOB   R0,2$         ; $$TMP1,*
000052 005301          3$: DEC    R1         ; $$TMP2
000054 000767          BR    1$           ;
000056 011216          4$: MOV    (R2),(SP)  ; *,TMP.LOCATION
000060 011637 000000G          MOV    (SP),TEMP1    ;
000064 042737 010000 000000G    BIC    #10000,TEMP1  ;
000072 023727 000000G 000062    CMP    TEMP1,#62     ;
000100 001453          BEQ    5$          ;
000102 012737 000001 000000G    MOV    #1,ERR.FLAG  ;
000110 011666 000002          MOV    (SP),2(SP)   ; *,TMP.LOCATION
000114 011637 000000G          MOV    (SP),CSR.WORD ;
000120 012746 000000G          MOV    #MSG59,-(SP) ;
000124 012746 000001          MOV    #1,-(SP)    ;
000130 010600          MOV    SP,R0       ; SP,*
000132 104414          TRAP  14          ;
000134 012716 000000G          MOV    #MSG31,(SP)  ;
000140 012746 000001          MOV    #1,-(SP)    ;
000144 010600          MOV    SP,R0       ; SP,*
000146 104414          TRAP  14          ;
000150 012716 000060          MOV    #60,(SP)    ;
000154 013746 000000G          MOV    TEMP1,-(SP) ;
000160 013766 000000G 000014    MOV    GET.ADR,14(SP) ; *,TMP.LOCATION
000166 062766 000016 000014    ADD    #16,14(SP)  ; *,TMP.LOCATION
000174 016646 000014          MOV    14(SP),-(SP) ; TMP.LOCATION,*
000200 012746 000000G          MOV    #MSG30,-(SP) ;
000204 012746 000004          MOV    #4,(SP)     ;
000210 010600          MOV    SP,R0       ; SP,*
000212 104414          TRAP  14          ;
000214 104455          TRAP  55         ;
000216 000001          .WORD 1           ;
000220 000000G          .WORD MSG00       ;
000222 000304'          .WORD E1$REPORT   ;
000224 062706 000016          ADD    #16,SP       ;
000230 013700 000000G          5$: MOV    REG.ADR,R0 ;
000234 142760 000002 000016    BICB  #2,16(R0)    ;
000242 012702 000001          MOV    #1,R2       ; *,$$TMP2
000246 001410          6$: BEQ    9$          ;
000250 013701 000000G          MOV    L$DLY,R1    ; *,$$TMP1
000254 001403          BEQ    8$          ;
000256 005066 000014          7$: CLR    14(SP)   ; $$TMP

```

ZQNA4
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - RESET_DEQNA ()5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0228
Page 11
(7)

000262	077103			S08	R1,7\$; \$\$TMP1,*	
000264	005302			8\$: DEC	R2		; \$\$TMP2	
000266	000767			BR	6\$			
000270	016066	000016	000006	9\$: MOV	16(R0),6(SP)		; *,TMP.LOCATION	1697
000276	016637	000006	000000G	MOV	6(SP),TEMP2		; TMP.LOCATION,*	
000304	042737	010000	000000G	BIC	#10000,TEMP2			
000312	023727	000000G	000060	CMP	TEMP2,#60			1698
000320	001455			BEQ	10\$			
000322	012737	000001	000000G	MOV	#1,ERR.FLAG			1701
000330	016666	000006	000010	MOV	6(SP),10(SP)		; *,TMP.LOCATION	1702
000336	016637	000010	000000G	MOV	10(SP),CSR.WORD		; TMP.LOCATION,*	
000344	012746	000000G		MOV	#MSG59,-(SP)			1703
000350	012746	000001		MOV	#1,-(SP)			
000354	010600			MOV	SP,R0		; SP,*	
000356	104414			TRAP	14			
000360	012716	000000G		MOV	#MSG31.(SP)			1704
000364	012746	000001		MOV	#1,-(SP)			
000370	010600			MOV	SP,R0		; SP,*	
000372	104414			TRAP	14			
000374	012716	000060		MOV	#60,(SP)			1705
000400	013746	000000G		MOV	TEMP1,-(SP)			
000404	013766	000000G	000022	MOV	GET.ADR,22(SP)		; *,TMP.LOCATION	
000412	062766	000016	000022	ADD	#16,22(SP)		; *,TMP.LOCATION	
000420	016646	000022		MOV	22(SP),-(SP)		; TMP.LOCATION,*	
000424	012746	000000G		MOV	#MSG30,-(SP)			
000430	012746	000004		MOV	#4,-(SP)			
000434	010600			MOV	SP,R0		; SP,*	
000436	104414			TRAP	14			
000440	104455			TRAP	55			1706
000442	000002			.WORD	2			
000444	000000G			.WORD	MSG00			
000446	000304'			.WORD	E1\$REPORT			
000450	062706	000016		ADD	#16,SP			1700
000454	062706	000016		10\$: ADD	#16,SP			1630
000460	000207			RTS	PC			

; Routine Size: 153 words, Routine Base: AC\$CODE\$ + 0324
; Maximum stack depth per invocation: 19 words

; 1710 1

```

: 1711 1 *SBTTL 'GLOBAL ROUTINE - VER_DESCR_STATUS ( )'
: 1712 1
: 1713 1 GLOBAL ROUTINE VER_DESCR_STATUS : NOVALUE =
: 1714 1
: 1715 1 !**
: 1716 1 !
: 1717 1 ! GLOBAL ROUTINE : VER_DESCR_STATUS
: 1718 1 !
: 1719 1 ! DESCRIPTION:
: 1720 1 !
: 1721 1 ! This routine compares expected receive descriptor to actual receive
: 1722 1 ! descriptor.
: 1723 1 !
: 1724 1 ! INPUT PARAMETERS:
: 1725 1 !
: 1726 1 ! TEST_NO - test number in which error occurred.
: 1727 1 !
: 1728 1 !--
: 1729 1
: 1730 1
: 1731 2 BEGIN
: 1732 2
: 1733 2 INCR INDEX FROM 0 TO BD_D_SIZE - 1 DO
: 1734 3 BEGIN
: 1735 3 TEMP1 = .DESCR_LIST [ .INDEX, W_LEN ];
: 1736 3 TEMP2 = .DESCR_LIST [ .INDEX, W_LEN ] AND RFLG_MASK;
: 1737 4 IF ( .TEMP2 NEQU RFLG_MASK ) AND ( .TEMP1 NEQU .BD_PROM_DESCR [ .INDEX ] )
: 1738 3 THEN
: 1739 4 BEGIN
: 1740 4 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1741 4 PRINTB ( MSG59 );
: 1742 4 PRINTB ( MSG48 );
: 1743 4 PRINTB ( MSG50, .TEMP1, .BD_PROM_DESCR [ .INDEX ], .INDEX );
: 1744 4 ERRDF ( 0003, MSG00, ERROR$REPORT );
: 1745 3 END;
: 1746 2 END;
: 1747 2
: 1748 1 END;

```

000000	004137	000000G	.SBTTL VER_DESCR.STATUS GLOBAL ROUTINE - VER_DESCR_STATUS ()	
			VER_DESCR.STATUS::	
000004	005746		JSR R1,\$SAVE2	1713
000006	005002		TST -(SP)	
000010	010201		CLR R2	: INDEX 1733
000012	006301		1\$: MOV R2,R1	: INDEX,* 1735
000014	016137	000000G 000000G	ASL R1	
000022	016137	000000G 000000G	MOV DESCR_LIST(R1),TEMP1	
000030	042737	037777 000000G	MOV DESCR_LIST(R1),TEMP2	: 1736
000036	023727	000000G 140000	BIC #37777,TEMP2	
000044	001447		CMP TEMP2,#-40000	: 1737
000046	026161	000000G 000000G	BEQ 2\$	
			CMP DESCR_LIST(R1),BD.PROM.DESCR(R1)	

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - VER_DESCR_STATUS ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0230
Page 13
(8)

000054	001443		BEG	2\$			
000056	013700	000000G	MOV	REG.ADR,R0	:		1740
000062	016016	000016	MOV	16(R0),(SP)	:	*.TMP.LOCATION	
000066	011637	000000G	MOV	(SP),CSR.WORD	:	TMP.LOCATION,*	
000072	012746	000000G	MOV	#MSG59,-(SP)	:		1741
000076	012746	000001	MOV	#1,-(SP)	:		
000102	010600		MOV	SP,R0	:	SP,*	
000104	104414		TRAP	14	:		
000106	012716	000000G	MOV	#MSG48,(SP)	:		1742
000112	012746	000001	MOV	#1,-(SP)	:		
000116	010600		MOV	SP,R0	:	SP,*	
000120	104414		TRAP	14	:		
000122	010216		MOV	R2,(SP)	:	INDEX,*	1743
000124	016146	000000G	MOV	BD.PROM.DESCR(R1),-(SP)	:		
000130	013746	000000G	MOV	TEMP1,-(SP)	:		
000134	012746	000000G	MOV	#MSG50,-(SP)	:		
000140	012746	000004	MOV	#4,-(SP)	:		
000144	010600		MOV	SP,R0	:	SP,*	
000146	104414		TRAP	14	:		
000150	104455		TRAP	55	:		1744
000152	000003		.WORD	3	:		
000154	000000G		.WORD	MSG00	:		
000156	000000'		.WORD	ERROR\$REPORT	:		
000160	062706	000016	ADD	#16,SP	:		1739
000164	005202		INC	R2	:	INDEX	1733
000166	020227	000017	CMP	R2,#17	:	INDEX,*	
000172	003706		BLE	1\$:		
000174	005726		TST	(SP)+	:		1713
000176	000207		RTS	PC	:		

: Routine Size: 64 words, Routine Base: AC\$CODE\$ + 1006
: Maximum stack depth per invocation: 13 words

: 1749 1

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CLR_DESCR ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 1750 1 *SBTTL 'GLOBAL ROUTINE - CLR_DESCR ( )'
: 1751 1
: 1752 1 GLOBAL ROUTINE CLR_DESCR : NOVALUE =
: 1753 1
: 1754 1 !**
: 1755 1 !
: 1756 1 ! GLOBAL ROUTINE : CLR_DESCR
: 1757 1 !
: 1758 1 ! DESCRIPTION:
: 1759 1 !
: 1760 1 ! This routine initializes transmit and receive descriptor lists to 0.
: 1761 1 !--
: 1762 1
: 1763 1
: 1764 2 BEGIN
: 1765 2
: 1766 2 INCR INDEX FROM 0 TO D_SIZE - 1 DO
: 1767 3 BEGIN
: 1768 3 XMIT_D_LIST [ .INDEX, W_LEN ] = 0;
: 1769 3 RCV_D_LIST [ .INDEX, W_LEN ] = 0;
: 1770 2 END;
: 1771 2
: 1772 1 END;

```

000000	005000		.SBTTL CLR_DESCR GLOBAL ROUTINE - CLR_DESCR ()		
			CLR_DESCR::		
			CLR R0	: INDEX	1766
000002	005060	000000G	1\$: CLR XMIT.D.LIST(R0)	: *(INDEX)	1768
000006	005060	000000G	CLR RCV.D.LIST(R0)	: *(INDEX)	1769
000012	062700	000002	ADD #2,R0	: *,INDEX	1766
000016	020027	000176	CMP R0,#176	: INDEX,*	
000022	003767		BLE 1\$		
000024	000207		RTS PC	:	1752

```

: Routine Size: 11 words, Routine Base: AC$CODE$ + 1206
: Maximum stack depth per invocation: 0 words

```

```

: 1773 1
: 1774 1

```

ZQNA4
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CLR_BUFFERS (P1)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 1775 1 *SBTTL 'GLOBAL ROUTINE - CLR_BUFFERS ( P1 )'
: 1776 1
: 1777 1 GLOBAL ROUTINE CLR_BUFFERS ( P1 ) : NOVALUE =
: 1778 1
: 1779 1 !++
: 1780 1 !
: 1781 1 ! GLOBAL ROUTINE : CLR_BUFFERS
: 1782 1 !
: 1783 1 ! DESCRIPTION:
: 1784 1 !
: 1785 1 ! This routine initializes transmit and receive buffers to 0.
: 1786 1 !
: 1787 1 ! INPUT PARAMETERS:
: 1788 1 !
: 1789 1 ! P1 - number of bytes to clear.
: 1790 1 !
: 1791 1 !--
: 1792 1
: 1793 1
: 1794 2 BEGIN
: 1795 2
: 1796 2 INCR INDEX FROM 0 TO .P1 - 1 DO
: 1797 3 BEGIN
: 1798 3 RCV_BUFFER [ .INDEX ] = 0;
: 1799 3 XMIT_BUFFER [ .INDEX ] = 0;
: 1800 2 END;
: 1801 2
: 1802 1 END;

```

000000	005000		.SBTTL CLR.BUFFERS GLOBAL ROUTINE - CLR_BUFFERS (P1)		
			CLR.BUFFERS::		
			CLR	R0	; INDEX 1796
000002	000405		BR	2\$	
000004	105060	000000G	1\$: CLRB	RCV_BUFFER(R0)	; *(INDEX) 1798
000010	105060	000000G	CLR	XMIT_BUFFER(R0)	; *(INDEX) 1799
000014	005200		INC	R0	; INDEX 1796
000016	020066	000002	2\$: CMP	R0,2(SP)	; INDEX,P1
000022	002770		BLT	1\$	
000024	000207		RTS	PC	; 1777

: Routine Size: 11 words, Routine Base: AC\$CODE\$ + 1234
: Maximum stack depth per invocation: 0 words

: 1803 1
: 1804 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEG 0233
Page 16
(11)

```

: 1805 1  *SBTTL 'GLOBAL ROUTINE - CHK_RIXI_STATUS ( P1 )'
: 1806 1
: 1807 1  GLOBAL ROUTINE CHK_RIXI_STATUS ( P1 ) : NOVALUE =
: 1808 1
: 1809 1  !++
: 1810 1  !
: 1811 1  ! GLOBAL ROUTINE :      CHK_RIXI_STATUS
: 1812 1  !
: 1813 1  ! DESCRIPTION:
: 1814 1  !
: 1815 1  !     This routine verifies that XI ( bit 7 ) and RI ( bit 15 )
: 1816 1  !     of the CSR status word are set to 1 shortly after transmission of a
: 1817 1  !     loopback packet is complete. If either bit isn't set, an error
: 1818 1  !     message is printed.
: 1819 1  !
: 1820 1  ! INPUT PARAMETERS:
: 1821 1  !
: 1822 1  !     P1 - 0: check XI and RI
: 1823 1  !         - 1: ckeck XI
: 1824 1  !         - 2: check RI
: 1825 1  !
: 1826 1  !     TEST_NO - test number in which error occurred.
: 1827 1  ! --
: 1828 1
: 1829 2  BEGIN
: 1830 2
: 1831 2  !++
: 1832 2  ! CHECK TRANSMIT INTERRUPT REQUEST BIT ( XI - BIT 7 ) TO VERIFY THAT DEQNA
: 1833 2  ! ACTUALLY COMPLETED TRANSMISSION OF A LOOPBACK PACKET.
: 1834 2  ! --
: 1835 2
: 1836 3  IF ( .P1 EQLU 0 ) OR ( .P1 EQLU 1 )
: 1837 2  THEN
: 1838 2  INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 1839 2  IF GET_BIT [ CSR, XI ] EQLU ONE
: 1840 2  THEN
: 1841 3  BEGIN
: 1842 3  TEMP1 = .INDEX;
: 1843 3  EXITLOOP;
: 1844 3  END
: 1845 2  ELSE
: 1846 2  IF .INDEX EQLU TIME3_LIMIT
: 1847 2  THEN
: 1848 3  BEGIN
: 1849 3  ERR_FLAG = ONE;
: 1850 3  CSR_WORD = GET_BIT [ CSR_ALL ];
: 1851 3  PRINTB ( MSG59 );
: 1852 3  PRINTB ( MSG29 );
: 1853 3  PRINTB ( MSG26 );
: 1854 3  ERRDF ( 0004, MSG00, ERROR$REPORT );
: 1855 2  END;
: 1856 2
: 1857 2  !++

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0234
Page 17
(11)

```

: 1858 2 ! CHECK RECEIVE INTERRUPT REQUEST BIT ( RI - BIT 15 ) TO VERIFY THAT DEQNA
: 1859 2 ! ACTUALLY RECEIVED TRANSMITTED LOOPBACK PACKET.
: 1860 2 !--
: 1861 2
: 1862 3 IF ( .P1 EQLU 0 ) OR ( .P1 EQLU 2 )
: 1863 2 THEN
: 1864 2 INCR INDEX FROM 0 TO TIME2_LIMIT DO
: 1865 2 IF GET_BIT [ CSR, RI ] EQLU ONE
: 1866 2 THEN
: 1867 3 BEGIN
: 1868 3 TEMP2 = .INDEX;
: 1869 3 EXITLOOP;
: 1870 3 END
: 1871 2 ELSE
: 1872 2 IF .INDEX EQLU TIME2_LIMIT
: 1873 2 THEN
: 1874 3 BEGIN
: 1875 3 ERR_FLAG = ONE;
: 1876 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1877 3 PRINTB ( MSG59 );
: 1878 3 PRINTB ( MSG29 );
: 1879 3 PRINTB ( MSG25 );
: 1880 3 ERRDF ( 0005, MSG00, ERROR$REPORT );
: 1881 2 END;
: 1882 1 END;

```

```

                                .SBTTL  CHK.RIXI.STATUS GLOBAL ROUTINE - CHK_RIXI_STATUS ( P1 )
000000 004137 000000G          CHK.RIXI.STATUS:
                                JSR      R1,$SAVE3                ; 1807
000004 162706 000010          SUB      #10,SP
000010 016602 000022          MOV      22(SP),R2                ; P1.* 1836
000014 005003          CLR      R3
000016 005702          TST      R2
000020 001002          BNE     1$
000022 005203          INC      R3
000024 000403          BR      2$
000026 020227 000001          1$:  CMP      R2,#1
000032 001062          BNE     6$
000034 005001          2$:  CLR      R1                ; INDEX 1838
000036 013700 000000G          3$:  MOV      REG.ADR,R0                ; 1839
000042 016016 000016          MOV      16(R0),(SP)                ; *.TMP.LOCATION
000046 105716          TSTB   (SP)                ; TMP.LOCATION
000050 100003          BPL     4$
000052 010137 000000G          MOV      R1,TEMP1                ; INDEX.* 1842
000056 000450          BR      6$                ; 1841
000060 020127 002000          4$:  CMP      R1,#2000                ; INDEX.* 1846
000064 001041          BNE     5$
000066 012737 000001 000000G  MOV      #1,ERR.FLAG                ; 1849
000074 016066 000016 000002  MOV      16(R0),2(SP)                ; *.TMP.LOCATION 1850
000102 016637 000002 000000G  MOV      2(SP),CSR.WORD                ; TMP.LOCATION.*
000110 012746 000000G          MOV      #MSG59,-(SP)                ; 1851
000114 012746 000001          MOV      #1,-(SP)

```

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RIXI_STATUS (P1)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZGNA4.BLI;2SEQ 0235
Page 18
(11)

000120	010600			MOV	SP,R0		; SP,*	
000122	104414			TRAP	14			
000124	012716	000000G		MOV	#MSG29,(SP)			1852
000130	012746	000001		MOV	#1,-(SP)			
000134	010600			MOV	SP,R0		; SP,*	
000136	104414			TRAP	14			
000140	012716	000000G		MOV	#MSG26,(SP)			1853
000144	012746	000001		MOV	#1,-(SP)			
000150	010600			MOV	SP,R0		; SP,*	
000152	104414			TRAP	14			
000154	104455			TRAP	55			1854
000156	000004			.WORD	4			
000160	000000G			.WORD	MSG00			
000162	000000'			.WORD	ERROR\$REPORT			
000164	062706	000010		ADD	#10,SP			1848
000170	005201		5\$:	INC	R1		; INDEX	1838
000172	020127	002000		CMP	R1,#2000		; INDEX,*	
000176	003717			BLE	3\$			
000200	006003		6\$:	ROR	R3			1862
000202	103403			BLO	7\$			
000204	020227	000002		CMP	R2,#2			
000210	001062			BNE	11\$			
000212	005001		7\$:	CLR	R1		; INDEX	1864
000214	013700	000000G		MOV	REG.ADR,R0			1865
000220	016066	000016	000004	MOV	16(R0),4(SP)		; *.TMP.LOCATION	
000226	100003			BPL	9\$			
000230	010137	000000G		MOV	R1,TEMP2		; INDEX,*	1868
000234	000450			BR	11\$			1867
000236	020127	002000		CMP	R1,#2000		; INDEX,*	1872
000242	001041			BNE	10\$			
000244	012737	000001	000000G	MOV	#1,ERR.FLAG			1875
000252	016066	000016	000006	MOV	16(R0),6(SP)		; *.TMP.LOCATION	1876
000260	016637	000006	000000G	MOV	6(SP),CSR.WORD		; TMP.LOCATION,*	
000266	012746	000000G		MOV	#MSG59,-(SP)			1877
000272	012746	000001		MOV	#1,-(SP)			
000276	010600			MOV	SP,R0		; SP,*	
000300	104414			TRAP	14			
000302	012716	000000G		MOV	#MSG29,(SP)			1878
000306	012746	000001		MOV	#1,-(SP)			
000312	010600			MOV	SP,R0		; SP,*	
000314	104414			TRAP	14			
000316	012716	000000G		MOV	#MSG25,(SP)			1879
000322	012746	000001		MOV	#1,-(SP)			
000326	010600			MOV	SP,R0		; SP,*	
000330	104414			TRAP	14			
000332	104455			TRAP	55			1880
000334	000005			.WORD	5			
000336	000000G			.WORD	MSG00			
000340	000000'			.WORD	ERROR\$REPORT			
000342	062706	000010		ADD	#10,SP			1874
000346	005201		10\$:	INC	R1		; INDEX	1864
000350	020127	002000		CMP	R1,#2000		; INDEX,*	
000354	003717			BLE	8\$			

D3

ZQNA4 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:13:51 VAX-11 Bliss-16 V4.0-579
V01.0 GLOBAL ROUTINE - CHK_RIXI_STATUS (P1) 5-Jul-1984 14:02:25 [MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0236
Page 19
(11)

000356 062706 000010 11\$: ADD #10,SP
000362 000207 RTS PC

1807

: Routine Size: 122 words, Routine Base: AC\$CODE\$ + 1262
: Maximum stack depth per invocation: 14 words

: 1883 1

ZQNA4 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:13:51 VAX-11 Bliss-16 V4.0-579
VO1.0 GLOBAL ROUTINE - CHK_CSR_STATUS (P1, P2) 5-Jul-1984 14:02:25 [MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 1884 1 *SBTTL 'GLOBAL ROUTINE - CHK_CSR_STATUS ( P1, P2 )'
: 1885 1
: 1886 1 GLOBAL ROUTINE CHK_CSR_STATUS ( P1, P2 ) : NOVALUE *
: 1887 1
: 1888 1 !..
: 1889 1 !
: 1890 1 GLOBAL ROUTINE : CHK_CSR_STATUS
: 1891 1 !
: 1892 1 DESCRIPTION:
: 1893 1 !
: 1894 1 This routine checks CSR status words for expected status.
: 1895 1 !
: 1896 1 INPUT PARAMETERS:
: 1897 1 !
: 1898 1 P1 expected CSR status
: 1899 1 P2 - CSR mask
: 1900 1 TEST_NO - test number in which error occurred.
: 1901 1 !
: 1902 1 !..
: 1903 1
: 1904 2 BEGIN
: 1905 2
: 1906 2 !..
: 1907 2 ! SAVE CSR, RESET TRANSMIT AND RECEIVE REQUEST BITS IN THE CSR
: 1908 2 !..
: 1909 2
: 1910 2 DELAY ( 5 );
: 1911 2
: 1912 2 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1913 2
: 1914 2 PUT_BIT [ CSR, RI, ONE ];
: 1915 2 PUT_BIT [ CSR, XI, ONE ];
: 1916 2
: 1917 2 TEMP1 = .CSR_WORD AND .P2;
: 1918 2
: 1919 2 IF .TEMP1 NEQU .P1
: 1920 2 THEN
: 1921 3 BEGIN
: 1922 3 ERR_FLAG = ONE;
: 1923 3 PRINTB ( MSG59 );
: 1924 3 PRINTB ( MSG12, .TEMP1, .P1 );
: 1925 3 ERRDF ( 0006, MSG00, ERROR$REPORT );
: 1926 2 END;
: 1927 1 END;

```

000000	010146		.SBTTL	CHK_CSR.STATUS GLOBAL ROUTINE - CHK_CSR_STATUS (P1, P2)	
			CHK_CSR.STATUS::		
			MOV	R1, -(SP)	1886
000002	024646		CMP	-(SP), -(SP)	
000004	012701	000005	MOV	#5, R1	1910
000010	001410		BEQ	4\$	
000012	013700	000000G	MOV	L\$DLY, R0	

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_CSR_STATUS (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

000016 001403          BEQ      3$
000020 005066 000002  2$:    CLR      2(SP)          ; $$TMP
000024 077003          SOB      R0,2$          ; $$TMP1,*
000026 005301          3$:    DEC      R1              ; $$TMP2
000030 000767          BR       1$
000032 013700 000000G  4$:    MOV      REG.ADR,R0      ;
000036 062700 000016  ADD      #16,R0          ;
000042 011016          MOV      (R0),(SP)        ; *,TMP.LOCATION
000044 011637 000000G  MOV      (SP),CSR.WORD    ;
000050 052710 100200  BIS      #100200,(R0)     ;
000054 011637 000000G  MOV      (SP),TEMP1       ; CSR.WORD,*
000060 016600 000010  MOV      10(SP),R0        ; P2,*
000064 005100          COM      R0
000066 040037 000000G  BIC      R0,TEMP1
000072 023766 000000G 000012  CMP      TEMP1,12(SP)     ; *,P1
000100 001431          BEQ      5$
000102 012737 000001 000000G  MOV      #1,ERR.FLAG      ;
000110 012746 000000G  MOV      #MSG59,-(SP)     ;
000114 012746 000001  MOV      #1,-(SP)
000120 010600          MOV      SP,R0           ; SP,*
000122 104414          TRAP    14
000124 016616 000016  MOV      16(SP),(SP)     ; P1,*
000130 013746 000000G  MOV      TEMP1,-(SP)
000134 012746 000000G  MOV      #MSG12,-(SP)
000140 012746 000003  MOV      #3,-(SP)
000144 010600          MOV      SP,R0           ; SP,*
000146 104414          TRAP    14
000150 104455          TRAP    55
000152 000006          .WORD   6
000154 000000G  .WORD   MSG00
000156 000000'  .WORD   ERROR$REPORT
000160 062706 000012  ADD      #12,SP          ;
000164 022626          5$:    CMP      (SP)+,(SP)+    ;
000166 012601          MOV      (SP)+,R1
000170 000207          RTS     PC
    
```

: Routine Size: 61 words. Routine Base: AC\$CODE\$ + 1646
: Maximum stack depth per invocation: 10 words

: 1928 1
: 1929 1

ZQNA4
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_XMIT_STATUS (P1, P2)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VA 11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0239
Page 22
(13)

```

: 1930 1 *SBTTL 'GLOBAL ROUTINE - CHK_XMIT_STATUS ( P1, P2 )'
: 1931 1
: 1932 1 GLOBAL ROUTINE CHK_XMIT_STATUS ( P1, P2 ) : NOVALUE =
: 1933 1
: 1934 1 !**
: 1935 1 !
: 1936 1 ! GLOBAL ROUTINE :      CHK_XMIT_STATUS
: 1937 1 !
: 1938 1 ! DESCRIPTION:
: 1939 1 !
: 1940 1 !       This routine checks transmit status words for expected status.
: 1941 1 !
: 1942 1 ! INPUT PARAMETERS:
: 1943 1 !
: 1944 1 !     P1      - XMIT flag word
: 1945 1 !     P2      - expected XMIT status word 1
: 1946 1 !     TEST_NO - test number in which error occurred.
: 1947 1 !
: 1948 1 !
: 1949 1 !--
: 1950 1
: 1951 2 BEGIN
: 1952 2
: 1953 2 !**
: 1954 2 ! MASK OUT DON'T CARE BITS IN THE XMIT FLAG WORD AND COMPARE TO EXPECTED
: 1955 2 ! XMIT FLAG STATUS. IF STATUS NOT EQUAL THEN PRINT 'BAD XMIT FLAG WORD
: 1956 2 ! STATUS'
: 1957 2 !--
: 1958 2
: 1959 2 TEMP2 = .XMIT_D_LIST [ FLGWD ] AND XFLG_MASK;           ! 0'140000'
: 1960 2
: 1961 2 IF .TEMP2 NEQU .P1
: 1962 2 THEN
: 1963 3 BEGIN
: 1964 3     ERR_FLAG = ONE;
: 1965 3     CSR_WORD = GET_BIT [ CSR_ALL ];
: 1966 3     PRINTB ( MSG59 );
: 1967 3     PRINTB ( MSG13, .TEMP2, XFLG_MASK );
: 1968 3     ERRDF ( 0007, MSG00, ERROR$REPORT );
: 1969 2     END;
: 1970 2
: 1971 2 !**
: 1972 2 ! MASK OUT DON'T CARE BITS IN THE XMIT STATUS WD1 AND COMPARE TO EXPECTED
: 1973 2 ! XMIT STATUS WD1. IF STATUS NOT EQUAL THEN PRINT 'BAD XMIT STATUS WORD 1'
: 1974 2 !--
: 1975 2
: 1976 2 IF .XMIT_D_LIST [ STWD1 ] GTRU ZERO
: 1977 2 THEN
: 1978 2     TEMP3 = .XMIT_D_LIST [ STWD1 ] AND XWD1_MASK           ! 0'157760'
: 1979 2 ELSE
: 1980 2     TEMP3 = .XMIT_D_LIST [ STWD1 ] AND X1_MASK;           ! 0'100000'
: 1981 2
: 1982 2 IF .TEMP3 NEQU .P2

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_XMIT_STATUS (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0 579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 1983 2 THEN
: 1984 3 BEGIN
: 1985 3 ERR_FLAG = ONE;
: 1986 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 1987 3 PRINTB ( MSG59 );
: 1988 3 PRINTB ( MSG14, .TEMP3, .P2 );
: 1989 3 ERRDF ( 0008, MSG00, ERROR$REPORT );
: 1990 2 END;
: 1991 2
: 1992 1 END;

```

```

000000 024646 .SBTTL CHK.XMIT.STATUS GLOBAL ROUTINE - CHK_XMIT_STATUS ( P1, P2 )
CHK.XMIT.STATUS::
000002 013737 000000G 000000G CMP -(SP),-(SP) ; 1932
000010 042737 037777 000000G MOV XMIT.D.LIST,TEMP2 ; 1959
000016 023766 000000G 000010 BIC #37777,TEMP2
000024 001437 CMP TEMP2,10(SP) ; *,P1 1961
000026 012737 000001 000000G BEQ 1$
000034 013700 000000G MOV #1,ERR.FLAG ; 1964
000040 016016 000016 MOV REG.ADR,RO ; 1965
000044 011637 000000G MOV 16(RO),(SP) ; *,TMP.LOCATION
000050 012746 000000G MOV (SP),CSR.WORD ; TMP.LOCATION,*
000054 012746 000001 MOV #MSG59,-(SP) ; 1966
000060 010600 MOV #1,-(SP)
000062 104414 MOV SP,RO ; SP,*
000064 012716 140000 TRAP 14
000070 013746 000000G MOV #-40000,(SP) ; 1967
000074 012746 000000G MOV TEMP2,-(SP)
000100 012746 000003 MOV #MSG13,-(SP)
000104 010600 MOV SP,RO ; SP,*
000106 104414 TRAP 14
000110 104455 TRAP 55 ; 1968
000112 000007 .WORD 7
000114 000000G .WORD MSG00
000116 000000' .WORD ERROR$REPORT
000120 062706 000012 ADD #12,SP ; 1963
000124 013700 000010G 1$: MOV XMIT.D.LIST+10,RO ; 1976
000130 001406 BEQ 2$
000132 010037 000000G MOV RO,TEMP3 ; 1978
000136 042737 020017 000000G BIC #20017,TEMP3
000144 000405 BR 3$ ; 1976
000146 010037 000000G 2$: MOV RO,TEMP3 ; 1980
000152 042737 077777 000000G BIC #77777,TEMP3
000160 023766 000000G 000006 3$: CMP TEMP3,6(SP) ; *,P2 1982
000166 001441 BEQ 4$
000170 012737 000001 000000G MOV #1,ERR.FLAG ; 1985
000176 013700 000000G MOV REG.ADR,RO ; 1986
000202 016066 000016 000002 MOV 16(RO),2(SP) ; *,TMP.LOCATION
000210 016637 000002 000000G MOV 2(SP),CSR.WORD ; TMP.LOCATION,*
000216 012746 000000G MOV #MSG59,-(SP) ; 1987
000222 012746 000001 MOV #1,-(SP)

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_XMJI_STATUS (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0241
Page 24
(13)

000226	010600		MOV	SP,R0	:	SP,*	
000230	104414		TRAP	14			
000232	016616	000012	MOV	12(SP),(SP)	:	P2,*	1988
000236	013746	000000G	MOV	TEMP3,-(SP)			
000242	012746	000000G	MOV	#MSG14,-(SP)			
000246	012746	000003	MOV	#3,-(SP)			
000252	010600		MOV	SP,R0	:	SP,*	
000254	104414		TRAP	14			
000256	104455		TRAP	55	:		1989
000260	000010		.WORD	10			
000262	000000G		.WORD	MSG00			
000264	000000'		.WORD	ERROR\$REPORT			
000266	062706	000012	ADD	#12,SP	:		1984
000272	022626		4\$: CMP	(SP)+,(SP)+	:		1932
000274	000207		RTS	PC			

: Routine Size: 95 words, Routine Base: AC\$CODE\$ + 2040
: Maximum stack depth per invocation: 9 words

: 1993 1
: 1994 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RCV_STATUS (P1, P2)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0242
Page 25
(14)

```

: 1995 1 *SBTTL 'GLOBAL ROUTINE - CHK_RCV_STATUS ( P1, P2 )'
: 1996 1
: 1997 1 GLOBAL ROUTINE CHK_RCV_STATUS ( P1, P2 ) : NOVALUE =
: 1998 1
: 1999 1 !**
: 2000 1 !
: 2001 1 ! GLOBAL ROUTINE : CHK_RCV_STATUS
: 2002 1 !
: 2003 1 ! DESCRIPTION:
: 2004 1 !
: 2005 1 ! This routine checks receive status words for expected status.
: 2006 1 !
: 2007 1 ! INPUT PARAMETERS:
: 2008 1 !
: 2009 1 ! P1 - expected RCV flag word
: 2010 1 ! P2 - expected RCV status word 1
: 2011 1 ! TEST_NO - test number in which error occurred.
: 2012 1 !
: 2013 1 !--
: 2014 1
: 2015 2 BEGIN
: 2016 2
: 2017 2 !**
: 2018 2 ! MASK OUT DON'T CARE BITS IN THE RCV FLAG WORD AND COMPARE TO EXPECTED
: 2019 2 ! RCV FLAG STATUS. IF STATUS NOT EQUAL THEN PRINT 'BAD RCV FLAG WORD
: 2020 2 ! STATUS'
: 2021 2 !--
: 2022 2
: 2023 2 TEMP1 = .RCV_D_LIST [ FLGWD ] AND RFLG_MASK; ! 0'140000'
: 2024 2
: 2025 2 IF .TEMP1 NEQU .P1
: 2026 2 THEN
: 2027 3 BEGIN
: 2028 3 ERR_FLAG = ONE;
: 2029 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 2030 3 PRINTB ( MSG59 );
: 2031 3 PRINTB ( MSG15, .TEMP1, RFLG_MASK );
: 2032 3 ERRDF ( 0009, MSG00, ERROR$REPORT );
: 2033 2 END;
: 2034 2
: 2035 2 !**
: 2036 2 ! MASK OUT DON'T CARE BITS IN THE RCV STATUS WD1 AND COMPARE TO EXPECTED
: 2037 2 ! RCV STATUS WD1. IF STATUS NOT EQUAL THEN PRINT 'BAD RCV STATUS WORD 1'
: 2038 2 !--
: 2039 2
: 2040 2 IF .RCV_D_LIST [ STWD1 ] GEQU ZERO
: 2041 2 THEN
: 2042 2 TEMP2 = .RCV_D_LIST [ STWD1 ] AND R2_MASK ! 0'174017'
: 2043 2 ELSE
: 2044 2 TEMP2 = .RCV_D_LIST [ STWD1 ] AND .P2;
: 2045 2
: 2046 2 IF .TEMP2 NEQU .P2
: 2047 2 THEN

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RCV_STATUS (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0243
Page 26
(14)

```

: 2048 3 BEGIN
: 2049 3 ERR_FLAG = ONE;
: 2050 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 2051 3 PRINTB ( MSG59 );
: 2052 3 PRINTB ( MSG16, .TEMP2, .P2 );
: 2053 3 ERRDF ( 0010, MSG00, ERROR$REPORT );
: 2054 2 END;
: 2055 2
: 2056 1 END;

```

```

000000 024546 .SBTTL CHK.RCV.STATUS GLOBAL ROUTINE - CHK_RCV_STATUS ( P1, P2 )
CHK.RCV.STATUS::
000002 013737 000000G 000000G CMP -(SP),-(SP) ; 1997
000010 042737 037777 000000G MOV RCV.D.LIST,TEMP1 ; 2023
000016 023766 000000G 000010 BIC #37777,TEMP1 ;
000024 001437 BEQ 1$ ; *,P1 2025
000026 012737 000001 000000G MOV #1,ERR.FLAG ; 2028
000034 013700 000000G MOV REG.ADR,R0 ; 2029
000040 016016 000016 MOV 16(R0),(SP) ; *,TMP.LOCATION
000044 011637 000000G MOV (SP),CSR.WORD ; TMP.LOCATION,*
000050 012746 000000G MOV #MSG59,-(SP) ; 2030
000054 012746 000001 MOV #1,-(SP)
000060 010600 MOV SP,R0 ; SP,*
000062 104414 TRAP 14
000064 012716 140000 MOV #-40000,(SP) ; 2031
000070 013746 000000G MOV TEMP1,-(SP)
000074 012746 000000G MOV #MSG15,-(SP)
000100 012746 000003 MOV #3,-(SP)
000104 010600 MOV SP,R0 ; SP,*
000106 104414 TRAP 14
000110 104455 TRAP 55 ; 2032
000112 000011 .WORD 11
000114 000000G .WORD MSG00
000116 000000' .WORD ERROR$REPORT
000120 062706 000012 ADD #12,SP ; 2027
000124 013700 000010G 1$: MOV RCV.D.LIST+10,R0 ; 2040
000130 010037 000000G MOV R0,TEMP2 ; 2042
000134 042737 003760 000000G BIC #3760,TEMP2
000142 023766 000000G 000006 CMP TEMP2,6(SP) ; *,P2 2046
000150 001441 BEQ 2$
000152 012737 000001 000000G MOV #1,ERR.FLAG ; 2049
000160 013700 000000G MOV REG.ADR,R0 ; 2050
000164 016066 000016 000002 MOV 16(R0),2(SP) ; *,TMP.LOCATION
000172 016637 000002 000000G MOV 2(SP),CSR.WORD ; TMP.LOCATION,*
000200 012746 000000G MOV #MSG59,-(SP) ; 2051
000204 012746 000001 MOV #1,-(SP)
000210 010600 MOV SP,R0 ; SP,*
000212 104414 TRAP 14
000214 016616 000012 MOV 12(SP),(SP) ; P2,* 2052
000220 013746 000000G MOV TEMP2,-(SP)
000224 012746 000000G MOV #MSG16,-(SP)

```

L3

ZQNA4
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - CHK_RCV_STATUS (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0244
Page 27
(14)

000230	012746	000003		MOV	#3,-(SP)		
000234	010600			MOV	SP,R0	;	SP,+
000236	104414			TRAP	14		
000240	104455			TRAP	55	;	
000242	000012			.WORD	12		
000244	000000G			.WORD	MSG00		
000246	000000'			.WORD	ERROR\$REPORT		
000250	062706	000012		ADD	#12,SP	;	
000254	022626		2\$:	CMP	(SP)+,(SP)+	;	
000256	000207			RTS	PC		

2053

2048
1997

: Routine Size: 88 words, Routine Base: AC\$CODE\$ + 2336
: Maximum stack depth per invocation: 9 words

: 2057 1

ZQNA4
V01.0CZQNA40 DEGNA FUNCTIONAL TEST
GLOBAL ROUTINE - COMPARE_PACKETS ()5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEGNA]ZQNA4.BLI;2SEQ 0245
Page 28
(15)

```

: 2058 1 *SBTTL 'GLOBAL ROUTINE - COMPARE_PACKETS ( )'
: 2059 1
: 2060 1 GLOBAL ROUTINE COMPARE_PACKETS : NOVALUE =
: 2061 1
: 2062 1 !**
: 2063 1 !
: 2064 1 ! GLOBAL ROUTINE : COMPARE_PACKETS
: 2065 1 !
: 2066 1 ! DESCRIPTION:
: 2067 1 !
: 2068 1 ! This routine compares contents of transmit packet to the contents
: 2069 1 ! of receive packet and prints an error message if the don't compare.
: 2070 1 !--
: 2071 1
: 2072 2 BEGIN
: 2073 2
: 2074 2 !**
: 2075 2 ! GET RECEIVE BYTE LENGTH ( RBL ) FROM RCV DISCRIPTOR AND COMPUTE WORD
: 2076 2 ! LENGTH. THEN COMPARE ACTUAL TO EXPECTED RCV WORD LENGTH.
: 2077 2 !--
: 2078 2
: 2079 2 TEMP3 = 0;
: 2080 2
: 2081 2 IF GET_BIT [ CSR, LB ] GTRU ZERO
: 2082 2 THEN
: 2083 2 TEMP3 = .RCV_D_LIST [ STWD1 ] AND RHL_MASK; ! 0'003400'
: 2084 2
: 2085 2 IF ( .CSR_WORD AND #0'01' ) EQLU ZERO
: 2086 2 THEN
: 2087 3 TEMP3 = .TEMP3 + ( .RCV_D_LIST [ STWD2 ] AND RLL_MASK ) ! 0'000377'
: 2088 2 ELSE
: 2089 2 TEMP3 = 6;
: 2090 2
: 2091 2 IF .TEMP3 NEQU .RBUF_LENGTH
: 2092 2 THEN
: 2093 3 BEGIN
: 2094 3 ERR_FLAG = ONE;
: 2095 3 CSR_WORD = GET_BIT [ CSR_ALL ];
: 2096 3 PRINTB ( MSG59 );
: 2097 3 PRINTB ( MSG17, .TEMP3, .RBUF_LENGTH );
: 2098 3 ERRDCF ( 0011, MSG00, ERROR$REPORT );
: 2099 2 END;
: 2100 2
: 2101 2 INCR INDEX FROM 0 TO .TEMP3 - 1 DO
: 2102 3 BEGIN
: 2103 3 IF .RCV_D_LIST [ STWD1 ] EQLU NEWS
: 2104 3 THEN
: 2105 3 RCV_BUFFER [ .INDEX ] = ZERO;
: 2106 3
: 2107 3 IF .XMIT_BUFFER [ .INDEX ] NEQU .RCV_BUFFER [ .INDEX ]
: 2108 3 THEN
: 2109 3 IF .RCV_D_LIST [ LONGP ] EQLU ONE
: 2110 3 THEN

```


ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - COMPARE_PACKETS ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
(MAZURCZYK.DEQNA)ZQNA4.BLI;2

SEQ 0247
Page 30
(15)

000176	000000'			.WORD	ERROR\$REPORT		
000200	062706	000012		ADD	012.SP	:	2093
000204	013702	000000G	4\$:	MOV	TEMP3,R2	:	2101
000210	005001			CLR	R1	: INDEX	
000212	000474			BR	9\$		
000214	023727	000010G	5\$:	CMP	RCV.D.LIST*10,0-100000	:	2103
000222	001002			BNE	6\$		
000224	105061	000000G		CLRB	RCV.BUFFER(R1)	: *(INDEX)	2105
000230	126161	000000G	6\$:	CMPB	XMIT.BUFFER(R1),RCV.BUFFER(R1)	: *(INDEX),*(INDEX)	2107
000236	001461			BEQ	8\$		
000240	032737	040000	000010G	BIT	040000,RCV.D.LIST*10	:	2109
000246	001403			BEQ	7\$		
000250	010137	000000G		MOV	R1,TEMP5	: INDEX,*	2112
000254	000455			BR	10\$:	2111
000256	012737	000001	000000G	7\$:	MOV	01,ERR.FLAG	2117
000264	013700	000000G		MOV	REG.ADR,R0	:	2118
000270	016066	000016	000004	MOV	16(R0),4(SP)	: *,TMP.LOCATION	
000276	016637	000004	000000G	MOV	4(SP),CSR.WORD	: TMP.LOCATION,*	
000304	012746	000000G		MOV	0MSG59,-(SP)	:	2119
000310	012746	000001		MOV	01,-(SP)		
000314	010600			MOV	SP,R0	: SP,*	
000316	104414			TRAP	14		
000320	012716	000000G		MOV	0MSG51,(SP)	:	2120
000324	012746	000001		MOV	01,-(SP)		
000330	010600			MOV	SP,R0	: SP,*	
000332	104414			TRAP	14		
000334	010116			MOV	R1,(SP)	: INDEX,*	2121
000336	005046			CLR	-(SP)		
000340	116116	000000G		MOVB	XMIT.BUFFER(R1),(SP)	: *(INDEX),*	
000344	005046			CLR	-(SP)		
000346	116116	000000G		MOVB	RCV.BUFFER(R1),(SP)	: *(INDEX),*	
000352	012746	000000G		MOV	0MSG50,-(SP)		
000356	012746	000004		MOV	04,-(SP)		
000362	010600			MOV	SP,R0	: SP,*	
000364	104414			TRAP	14		
000366	104455			TRAP	55	:	2122
000370	000014			.WORD	14		
000372	000000G			.WORD	MSG00		
000374	000000'			.WORD	ERROR\$REPORT		
000376	062706	000016		ADD	016.SP	:	2116
000402	005201		8\$:	INC	R1	: INDEX	2101
000404	020102		9\$:	CMP	R1,R2	: INDEX,*	
000406	002702			BLT	5\$		
000410	062706	000006	10\$:	ADD	06.SP	:	2060
000414	000207			RTS	PC		

: Routine Size: 135 words, Routine Base: AC\$CODE\$ + 2616
: Maximum stack depth per invocation: 15 words

: 2126 1
: 2127 1

ZQNA4 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:13:51 VAX-11 Bliss-16 V4.0-579
V01.0 GLOBAL ROUTINE - SET_RDESCR_LIST (P1, P2) 5-Jul-1984 14:02:25 [MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2128 1 #SBTTL 'GLOBAL ROUTINE - SET_RDESCR_LIST ( P1, P2)'  

: 2129 1  

: 2130 1 GLOBAL ROUTINE SET_RDESCR_LIST ( P1, P2 ) : NOVALUE =  

: 2131 1  

: 2132 1 !**  

: 2133 1 !  

: 2134 1 ! GLOBAL ROUTINE : SET_RDESCR_LIST  

: 2135 1 !  

: 2136 1 ! DESCRIPTION:  

: 2137 1 !  

: 2138 1 ! This routine initializes receive descriptor list.  

: 2139 1 !  

: 2140 1 ! INPUT PARAMETERS:  

: 2141 1 !  

: 2142 1 ! P1 - expected Ethernet packet length in words  

: 2143 1 ! P2 - expected RCV Descriptor List settings  

: 2144 1 !  

: 2145 1 !--  

: 2146 1  

: 2147 2 BEGIN  

: 2148 2  

: 2149 2 RCV_D_LIST [ FLGWD ] = NEWS;  

: 2150 2 RCV_D_LIST [ DBITS ] = .P2;  

: 2151 2 RCV_D_LIST [ LOADR ] = RCV_BUFFER;  

: 2152 2 RCV_D_LIST [ TWDL ] = .P1;  

: 2153 2 RCV_D_LIST [ STWD1 ] = 0;  

: 2154 2 RCV_D_LIST [ STWD2 ] = 0;  

: 2155 2 RCV_D_LIST [ DLINK ] = V;  

: 2156 2 RCV_D_LIST [ BSTAT ] = E;  

: 2157 2  

: 2158 1 END;

```

```

                                .SBTTL SET.RDESCR.LIST GLOBAL ROUTINE - SET_RDESCR_LIST ( P1, P2)
000000 012737 100000 000000G      SET.RDESCR.LIST::
                                MOV      @-100000,RCV.D.LIST          ;
000006 016637 000002 000002G      MOV      2(SP),RCV.D.LIST+2      ; P2.*
000014 012737 000000G 000004G      MOV      @RCV.BUFFER,RCV.D.LIST+4 ;
000022 016637 000004 000006G      MOV      4(SP),RCV.D.LIST+6      ; P1.*
000030 005037 000010G              CLR      RCV.D.LIST+10          ;
000034 005037 000012G              CLR      RCV.D.LIST+12          ;
000040 012737 100000 000014G      MOV      @-100000,RCV.D.LIST+14 ;
000046 012737 020000 000016G      MOV      @20000,RCV.D.LIST+16   ;
000054 000207              RTS      PC                      ;

```

: Routine Size: 23 words, Routine Base: AC\$CODE\$ + 3234
: Maximum stack depth per invocation: 0 words

: 2159 1

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SET_XDESCR_LIST (P1, P2)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2160 1  *SBTTL 'GLOBAL ROUTINE - SET_XDESCR_LIST ( P1, P2 )'
: 2161 1
: 2162 1  GLOBAL ROUTINE SET_XDESCR_LIST ( P1, P2 ) : NOVALUE =
: 2163 1
: 2164 1  !**
: 2165 1  !
: 2166 1  ! GLOBAL ROUTINE : SET_XDESCR_LIST
: 2167 1  !
: 2168 1  ! DESCRIPTION:
: 2169 1  !
: 2170 1  ! This routine initializes transmit descriptor list.
: 2171 1  !
: 2172 1  ! INPUT PARAMETERS:
: 2173 1  !
: 2174 1  ! P1 - expected Ethernet packet length in words
: 2175 1  ! P2 - expected XMIT Descriptor List settings
: 2176 1  !
: 2177 1  !--
: 2178 1
: 2179 2  BEGIN
: 2180 2
: 2181 2  XMIT_D_LIST [ FLGWD ] = NEWB;
: 2182 2  XMIT_D_LIST [ DBITS ] = .P2;
: 2183 2  XMIT_D_LIST [ LOADR ] = XMIT_BUFFER;
: 2184 2  XMIT_D_LIST [ TWDL ] = .P1;
: 2185 2  XMIT_D_LIST [ STWD1 ] = 0;
: 2186 2  XMIT_D_LIST [ STWD2 ] = 0;
: 2187 2  XMIT_D_LIST [ DLINK ] = V;
: 2188 2  XMIT_D_LIST [ BSTAT ] = E;
: 2189 2
: 2190 1  END;

```

```

000000 012737 100000 000000G      .SBTTL SET.XDESCR.LIST GLOBAL ROUTINE - SET_XDESCR_LIST ( P1, P2 )
                                SET.XDESCR.LIST::
000006 016637 000002 000002G      MOV      @-100000,XMIT.D.LIST      ;
000014 012737 000000G 000004G      MOV      2(SP),XMIT.D.LIST+2    ; P2.*
000022 016637 000004 000006G      MOV      @XMIT.BUFFER,XMIT.D.LIST+4 ;
000030 005037 000010G      MOV      4(SP),XMIT.D.LIST+6    ; P1.*
000034 005037 000012G      CLR      XMIT.D.LIST+10        ;
000040 012737 100000 000014G      CLR      XMIT.D.LIST+12        ;
000046 012737 020000 000016G      MOV      @-100000,XMIT.D.LIST+14 ;
000054 000207      MOV      @20000,XMIT.D.LIST+16  ;
                                RTS      PC      ;
                                2181
                                2182
                                2183
                                2184
                                2185
                                2186
                                2187
                                2188
                                2162

```

: Routine Size: 23 words, Routine Base: AC\$CODE\$ + 12
: Maximum stack depth per invocation: 0 words

: 2191 1

ZQNA4
V01.0CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0250
Page 33
(18)

```

: 2192 1  *SBTTL 'GLOBAL ROUTINE - WALKING_BIT ( P1, P2, P3 )'
: 2193 1
: 2194 1  GLOBAL ROUTINE WALKING_BIT ( P1, P2, P3 ) : NOVALUE  *
: 2195 1
: 2196 1  !..
: 2197 1  !
: 2198 1  ! GLOBAL ROUTINE :      WALKING_BIT
: 2199 1  !
: 2200 1  ! DESCRIPTION:
: 2201 1  !
: 2202 1  !     This routine sets bit to 0 or 1 in a specified bit position of the
: 2203 1  !     Ethernet Station Address. For example,
: 2204 1  !
: 2205 1  !     if
: 2206 1  !         .P1 = 0 and .P2 = 15 .P3 = 5
: 2207 1  !     then
: 2208 1  !         Ethernet Station Address = FF-FF-FF-FF-7F-FF
: 2209 1  !
: 2210 1  ! INPUT PARAMETERS:
: 2211 1  !
: 2212 1  !     P1 - bit ( 0 or 1 )
: 2213 1  !     P2 - bit position from base address
: 2214 1  !     P3 - # of bytes to be tested using this pattern
: 2215 1  !
: 2216 1  ! ---
: 2217 1
: 2218 2  BEGIN
: 2219 2
: 2220 2  SELECTONE .P2 OF
: 2221 2  SET
: 2222 2  [ 0 TO 7 ]:
: 2223 2  TEMP1 = 0;
: 2224 2  [ 8 TO ( .P3 - 1 ) * 8 ]:
: 2225 2  TEMP1 = .P2 / 8;
: 2226 2  YES;
: 2227 2
: 2228 2  TEMP2 = .P2 MOD 8;
: 2229 2
: 2230 2  IF .P1 EQLU ZERO
: 2231 2  THEN
: 2232 3  BEGIN
: 2233 3  TBYTE1 = #B'00000000';
: 2234 3  SELECTONE .TEMP2 OF
: 2235 3  SET
: 2236 3  [ 0 ]: TBYTE3 = #0'001';
: 2237 3  [ 1 ]: TBYTE3 = #0'002';
: 2238 3  [ 2 ]: TBYTE3 = #0'004';
: 2239 3  [ 3 ]: TBYTE3 = #0'010';
: 2240 3  [ 4 ]: TBYTE3 = #0'020';
: 2241 3  [ 5 ]: TBYTE3 = #0'040';
: 2242 3  [ 6 ]: TBYTE3 = #0'100';
: 2243 3  [ 7 ]: TBYTE3 = #0'200';
: 2244 3  YES;

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0251
Page 34
(18)

```

: 2245 3      END
: 2246 2      ELSE
: 2247 3      BEGIN
: 2248 3      TBYTE1 = #B'11111111';
: 2249 3      SELECTONE .TEMP2 OF
: 2250 3      SET
: 2251 3      [ 0 ]: TBYTE3 = #0'376';
: 2252 3      [ 1 ]: TBYTE3 = #0'375';
: 2253 3      [ 2 ]: TBYTE3 = #0'373';
: 2254 3      [ 3 ]: TBYTE3 = #0'367';
: 2255 3      [ 4 ]: TBYTE3 = #0'357';
: 2256 3      [ 5 ]: TBYTE3 = #0'337';
: 2257 3      [ 6 ]: TBYTE3 = #0'277';
: 2258 3      [ 7 ]: TBYTE3 = #0'177';
: 2259 3      TES;
: 2260 2      END;
: 2261 2
: 2262 2      INCR INDEX FROM 0 TO .P3 DO
: 2263 2      TARGET_ADR [ .INDEX ] = .TBYTE1;
: 2264 2
: 2265 2      TEMP3 = .P3 - .TEMP1;
: 2266 2      TARGET_ADR [ .TEMP3 ] = .TBYTE3;
: 2267 2
: 2268 1      END;

```

			.SBTTL	WALKING.BIT GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)	
000000	004137	000000G	WALKING_BIT::		
			JSR	R1,\$SAVE2	; 2194
000004	016602	000012	MOV	12(SP),R2	; P2,* 2220
000010	002406		BLT	1\$; 2222
000012	020227	000007	CMP	R2,#7	
000016	003003		BGT	1\$	
000020	005037	000000G	CLR	TEMP1	; 2223
000024	000421		BR	2\$; 2220
000026	020227	000010	1\$: CMP	R2,#10	; 2224
000032	002416		BLT	2\$	
000034	016600	000010	MOV	10(SP),R0	; P3,*
000040	072027	000003	ASH	#3,R0	
000044	062700	000010	ADD	#10,R0	
000050	020200		CMP	R2,R0	
000052	003006		BGT	2\$	
000054	010201		MOV	R2,R1	; 2225
000056	006700		SXT	R0	
000060	071027	000010	DIV	#10,R0	
000064	010037	000000G	MOV	R0,TEMP1	
000070	010201		2\$: MOV	R2,R1	; 2228
000072	006700		SXT	R0	
000074	071027	000010	DIV	#10,R0	
000100	010137	000000G	MOV	R1,TEMP2	
000104	010100		MOV	R1,R0	; TEMP2,* 2234
000106	005766	000014	TST	14(SP)	; P1 2230
000112	001071		BNE	10\$	

ZQNA4 V01.0	CZQNA0 DEGNA FUNCTIONAL TEST GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)		5-Jul-1984 14:13:51 5-Jul-1984 14:02:25	VAX-11 Bliss-16 V4.0-579 [MAZURCZYK.DEGNA]ZQNA4.BLI;2	SEQ 0252 Page 35 (18)
000114	005037	000000G	CLR	TBYTE1	2233
000120	005700		TST	R0	2236
000122	001004		BNE	3\$	
000124	012737	000001 000000G	MOV	#1,TBYTE3	
000132	000552		BR	18\$	2234
000134	020027	000001	3\$: CMP	R0,#1	2237
000140	001004		BNE	4\$	
000142	012737	000002 000000G	MOV	#2,TBYTE3	
000150	000543		BR	18\$	2234
000152	020027	000002	4\$: CMP	R0,#2	2238
000156	001004		BNE	5\$	
000160	012737	000004 000000G	MOV	#4,TBYTE3	
000166	000534		BR	18\$	2234
000170	020027	000003	5\$: CMP	R0,#3	2239
000174	001004		BNE	6\$	
000176	012737	000010 000000G	MOV	#10,TBYTE3	
000204	000525		BR	18\$	2234
000206	020027	000004	6\$: CMP	R0,#4	2240
000212	001004		BNE	7\$	
000214	012737	000020 000000G	MOV	#20,TBYTE3	
000222	000516		BR	18\$	2234
000224	020027	000005	7\$: CMP	R0,#5	2241
000230	001004		BNE	8\$	
000232	012737	000040 000000G	MOV	#40,TBYTE3	
000240	000507		BR	18\$	2234
000242	020027	000006	8\$: CMP	R0,#6	2242
000246	001004		BNE	9\$	
000250	012737	000100 000000G	MOV	#100,TBYTE3	
000256	000500		BR	18\$	2234
000260	020027	000007	9\$: CMP	R0,#7	2243
000264	001075		BNE	18\$	
000266	012737	000200 000000G	MOV	#200,TBYTE3	
000274	000471		BR	18\$	2230
000276	012737	000377 000000G	10\$: MOV	#377,TBYTE1	2248
000304	005700		TST	R0	2251
000306	001004		BNE	11\$	
000310	012737	000376 000000G	MOV	#376,TBYTE3	
000316	000460		BR	18\$	2249
000320	020027	000001	11\$: CMP	R0,#1	2252
000324	001004		BNE	12\$	
000326	012737	000375 000000G	MOV	#375,TBYTE3	
000334	000451		BR	18\$	2249
000336	020027	000002	12\$: CMP	R0,#2	2253
000342	001004		BNE	13\$	
000344	012737	000373 000000G	MOV	#373,TBYTE3	
000352	000442		BR	18\$	2249
000354	020027	000003	13\$: CMP	R0,#3	2254
000360	001004		BNE	14\$	
000362	012737	000367 000000G	MOV	#367,TBYTE3	
000370	000433		BR	18\$	2249
000372	020027	000004	14\$: CMP	R0,#4	2255
000376	001004		BNE	15\$	
000400	012737	000357 000000G	MOV	#357,TBYTE3	

H4

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - WALKING_BIT (P1, P2, P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0253
Page 36
(18)

000406	000424			BR	18\$:		2249
000410	020027	000005	15\$:	CMP	R0,#5	:		2256
000414	001004			BNE	16\$:		
000416	012737	000337	000000G	MOV	#337,TBYTE3	:		
000424	000415			BR	18\$:		2249
000426	020027	000006	16\$:	CMP	R0,#6	:		2257
000432	001004			BNE	17\$:		
000434	012737	000277	000000G	MOV	#277,TBYTE3	:		
000442	000406			BR	18\$:		2249
000444	020027	000007	17\$:	CMP	R0,#7	:		2258
000450	001003			BNE	18\$:		
000452	012737	000177	000000G	MOV	#177,TBYTE3	:		
000460	005000		18\$:	CLR	R0	:	INDEX	2262
000462	000404			BR	20\$:		
000464	113760	000000G	000000G	MOVB	TBYTE1,TARGET.ADR(R0)	:	*,*(INDEX)	2263
000472	005200			INC	R0	:	INDEX	2262
000474	020066	000010	20\$:	CMP	R0,10(SP)	:	INDEX,P3	
000500	003771			BLE	19\$:		
000502	016637	000010	000000G	MOV	10(SP),TEMP3	:	P3,*	2265
000510	163737	000000G	000000G	SUB	TEMP1,TEMP3	:		
000516	013700	000000G		MOV	TEMP3,R0	:		2266
000522	113760	000000G	000000G	MOVB	TBYTE3,TARGET.ADR(R0)	:		
000530	000207			RTS	PC	:		2194

: Routine Size: 173 words, Routine Base: AC\$CODE\$ + 3370
: Maximum stack depth per invocation: 4 words

: 2269 1

ZQNA4 CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:13:51 VAX-11 Bliss-16 V4.0-579
V01.0 GLOBAL ROUTINE - WRT_STATION_ADR (P1, P2) 5-Jul-1984 14:02:25 [MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2270 1 *SBTTL 'GLOBAL ROUTINE WRT_STATION_ADR ( P1, P2 )'
: 2271 1
: 2272 1 GLOBAL ROUTINE WRT_STATION_ADR ( P1, P2 ): NOVALUE *
: 2273 1
: 2274 1 !**
: 2275 1 !
: 2276 1 ! GLOBAL ROUTINE : WRT_STATION_ADR
: 2277 1 !
: 2278 1 ! DESCRIPTION:
: 2279 1 !
: 2280 1 ! This routine writes Station Address to XMIT_BUFFER.
: 2281 1 !
: 2282 1 ! INPUT PARAMETERS:
: 2283 1 !
: 2284 1 ! P1 - Ethernet Station Address index (1:14) in Station Address RAM
: 2285 1 ! P2 - Ethernet Station Address index ( 0:19 ) in the TARGET_ADR table
: 2286 1 !
: 2287 1 !--
: 2288 1
: 2289 2 BEGIN
: 2290 2
: 2291 2 TEMP1 = .P2 * 6;
: 2292 2
: 2293 2 SELECTONE .P1 OF
: 2294 2 SET
: 2295 2 [ 0 TO 7 ]:
: 2296 2 TEMP2 = .P1;
: 2297 2 [ 8 TO 14 ]:
: 2298 2 TEMP2 = .P1 * 57;
: 2299 2 TES;
: 2300 2
: 2301 2 IF .TEMP2 EQLU ZERO
: 2302 2 THEN
: 2303 2 INCR INDEX FROM 0 TO 5 DO
: 2304 3 BEGIN
: 2305 3 XMIT_BUFFER [ .INDEX , = .TARGET_ADR [ .INDEX + .TEMP1 ];
: 2306 3 END
: 2307 2 ELSE
: 2308 2 INCR INDEX FROM 0 TO 5 DO
: 2309 3 BEGIN
: 2310 3 TEMP3 = .INDEX * 8 + .TEMP2;
: 2311 3 XMIT_BUFFER [ .TEMP3 ] = .TARGET_ADR [ .INDEX + .TEMP1 ];
: 2312 2 END;
: 2313 1 END;

```

000000	004137	000000G	.SBTTL WRT.STATION.ADR GLOBAL ROUTINE - WRT_STATION_ADR (P1, P2)	
			WRT.STATION.ADR::	
			JSR R1,\$SAVE3	2272
000004	016601	000012	MOV 12(SP),R1	2291
000010	070127	000006	MUL #6,R1	
000014	010137	000000G	MOV R1,TEMP1	
000020	016600	000014	MOV 14(SP),R0	2293


```

ZQNA4      CZQNACO DEQNA FUNCTIONAL TEST      5-Jul-1984 14:13:51      VAX-11 Bliss-16 V4.0-579
V01.0      GLOBAL ROUTINE - WRT_STATION_ADR ( P1, P2 ) 5-Jul-1984 14:02:25      [MAZURCZYK.DEQNA]ZQNA4.BLI;2
000024 002406          BLT      1$          ;
000026 020027 000007    CMP      R0,#7      ;
000032 003003          BGT      1$          ;
000034 010037 000000G   MOV      R0,TEMP2    ;
000040 000413          BR       2$          ;
000042 020027 000010    1$:    CMP      R0,#10   ;
000046 002410          BLT      2$          ;
000050 020027 000016    CMP      R0,#16     ;
000054 003005          BGT      2$          ;
000056 010037 000000G   MOV      R0,TEMP2    ;
000062 062737 000071 000000G   ADD      #71,TEMP2   ;
000070 013703 000000G   2$:    MOV      TEMP2,R3 ;
000074 001014          BNE      4$          ;
000076 005000          CLR      R0          ; INDEX
000100 010001          3$:    MOV      R0,R1      ; INDEX,*
000102 063701 000000G   ADD      TEMP1,R1   ;
000106 116160 000000G 000000G   MOVB     TARGET.ADR(R1),XMIT.BUFFER(R0) ; *,*(INDEX)
000114 005200          INC      R0          ; INDEX
000116 020027 000005    CMP      R0,#5      ; INDEX,*
000122 003766          BLE      3$          ;
000124 000207          RTS     PC          ;
000126 005002          4$:    CLR      R2          ; INDEX
000130 010200          5$:    MOV      R2,R0      ; INDEX,*
000132 072027 000003    ASH     #3,R0
000136 060300          ADD     R3,R0
000140 010037 000000G   MOV     R0,TEMP3
000144 010201          MOV     R2,R1        ; INDEX,*
000146 063701 000000G   ADD     TEMP1,R1
000152 116160 000000G 000000G   MOVB     TARGET.ADR(R1),XMIT.BUFFER(R0) ; INDEX
000160 005202          INC     R2          ; INDEX,*
000162 020227 000005    CMP     R2,#5
000166 003760          BLE     5$
000170 000207          RTS     PC          ;

```

```

; Routine Size: 61 words,      Routine Base: AC$CODE$ + 4122
; Maximum stack depth per invocation: 5 words

```

```

; 2314 1

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - PREP_FOR_SETUP ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4 0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2315 1 #SBTTL 'GLOBAL ROUTINE - PREP_FOR_SETUP ( ) '
: 2316 1
: 2317 1 GLOBAL ROUTINE PREP_FOR_SETUP : NOVALUE =
: 2318 1
: 2319 1 !**
: 2320 1 !
: 2321 1 ! GLOBAL ROUTINE : PREP_FOR_SETUP
: 2322 1 !
: 2323 1 ! DESCRIPTION:
: 2324 1 !
: 2325 1 ! This routine retrieves Ethernet Station Address from the Ethernet's
: 2326 1 ! Station Address PROM, saves copy of Ethernet Station Address PROM
: 2327 1 ! in the TARGET_ADR vector, initializes transmit and receive buffers
: 2328 1 ! to zero and finally sets buffer length to select promiscuous mode.
: 2329 1 !
: 2330 1 ! INPUT PARAMETERS:
: 2331 1 !
: 2332 1 ! none
: 2333 1 !--
: 2334 1
: 2335 2 BEGIN
: 2336 2
: 2337 2 !**
: 2338 2 ! RETRIEVE ETHERNET PHYSICAL STATION ADDRESS AND SAVE A COPY OF IT IN THE
: 2339 2 ! 'TARGET_ADR' VECTOR.
: 2340 2 !--
: 2341 2
: 2342 2 INCR INDEX FROM 0 TO 5 DO
: 2343 3 BEGIN
: 2344 3 TBYTE1 = .REG_ADR [ .INDEX, ST_ADDR ];
: 2345 3 TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ] = .TBYTE1;
: 2346 2 END;
: 2347 2
: 2348 2 CLR_BUFFERS ( 256 );
: 2349 2
: 2350 1 END;

```

000000	010146	.SBTTL PREP.FOR.SETUP GLOBAL ROUTINE - PREP_FOR_SETUP ()	
		PREP.FOR.SETUP::	
000002	005746	MOV R1, -(SP)	2317
000004	005001	TST -(SP)	
000006	010100	CLR R1	; INDEX 2342
000010	006300	1\$: MOV R1, R0	; INDEX, * 2344
000012	063700	ASL R0	
000016	011016	000000G ADD REG.ADR, R0	
000020	005037	MOV (R0), (SP)	; *, TMP.LOCATION
000024	111637	000000G CLR TBYTE1	
000030	111661	000162G MOV B (SP), TBYTE1	
000034	005201	MOV B (SP), TARGET.ADR+162(R1)	; *, *(INDEX) 2345
000036	020127	000005 INC R1	; INDEX 2342
000042	003761	CMP R1, #5	; INDEX, *
		BLE 1\$	

L4

ZQNA4
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - PREP_FOR_SETUP ()

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0257
Page 40
(20)

000044	012746	000400	MOV	#400,-(SP)	:	2348
000050	004737	001234'	JSR	PC,CLR,BUFFERS	:	
000054	022626		CMP	(SP)+,(SP)+	:	2317
000056	012601		MOV	(SP)+,R1	:	
000060	000207		RTS	PC	:	

: Routine Size: 25 words, Routine Base: AC\$CODE\$ + 4314
: Maximum stack depth per invocation: 4 words

: 2351 1
: 2352 1
: 2353 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0258
Page 41
(21)

```

: 2354 1 *SBTTL 'GLOBAL ROUTINE - FORM_HEX_ADR ( P3 ) '
: 2355 1
: 2356 1 GLOBAL ROUTINE FCRM_HEX_ADR ( P3 ) : NOVALUE =
: 2357 1
: 2358 1 !**
: 2359 1 !
: 2360 1 ! GLOBAL ROUTINE : FORM_HEX_ADR
: 2361 1 !
: 2362 1 ! DESCRIPTION:
: 2363 1 !
: 2364 1 ! This routine retrieves Ethernet Station Address from the Ethernet's
: 2365 1 ! Station Address PROM, saves its copy in the TARGET_ADR vector.
: 2366 1 !
: 2367 1 ! INPUT PARAMETERS:
: 2368 1 !
: 2369 1 ! P3 - Index to Station Address in the TARGET_ADR vector
: 2370 1 !--
: 2371 1
: 2372 2 BEGIN
: 2373 2
: 2374 2 !**
: 2375 2 ! RETRIEVE ETHERNET PHYSICAL STATION ADDRESS AND SAVE A COPY OF IT IN THE
: 2376 2 ! 'TARGET_ADR' AND 'STATION_ADR' VECTORS.
: 2377 2 !--
: 2378 2
: 2379 2 IF .P3 EQLU ZERO
: 2380 2 THEN
: 2381 2 TEMP5 = 0
: 2382 2 ELSE
: 2383 2 TEMP5 = .P3 * 6;
: 2384 2
: 2385 2 INCR INDEX5 FROM 0 TO 5 DO
: 2386 3 BEGIN
: 2387 3 TBYTE1 = .REG_ADR [ .INDEX5, ST_ADDR ];
: 2388 3 TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX5 ] = .TBYTE1;
: 2389 2 END;
: 2390 2
: 2391 2 COUNTER = ZERO;
: 2392 2
: 2393 2 INCR INDEX5 FROM 0 TO 5 BY 2 DO
: 2394 3 BEGIN
: 2395 3 TEMP1 = .TARGET_ADR [ .TEMPS + .INDEX5 ];
: 2396 3 TEMP1 = .TEMP1 + 8;
: 2397 3 TEMP2 = .TARGET_ADR [ .TEMPS + .INDEX5 + 1 ];
: 2398 3 STATION_ADR [ .COUNTER ] = .TEMP1 OR ( .TEMP2 AND #0'000377' );
: 2399 3 COUNTER = .COUNTER + 1;
: 2400 2 END;
: 2401 2
: 2402 2 !**
: 2403 2 ! PRINT ETHERNET STATION ADDRESS ON THE CONSOLE
: 2404 2 !--
: 2405 2
: 2406 2 COUNTER = 18;

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0259
Page 42
(21)

```

: 2407 2   PHYS_ADR [ 0 ] = #C' ';
: 2408 2   PHYS_ADR [ 1 ] = #C'A';
: 2409 2   PHYS_ADR [ 19 ] = #C' ';
: 2410 2   PHYS_ADR [ 20 ] = #C' ';
: 2411 2   PHYS_ADR [ 21 ] = #C'N';
: 2412 2
: 2413 2   DECR INDEX1 FROM 2 TO 0 DO
: 2414 3     BEGIN
: 2415 3       TEMP3 = .STATION_ADR [ .INDEX1 ];
: 2416 3       INCR INDEX2 FROM 0 TO 1 DO
: 2417 4         BEGIN
: 2418 4           INCR INDEX3 FROM 0 TO 1 DO
: 2419 5             BEGIN
: 2420 5               TEMP1 = .TEMP3 AND #X'F';
: 2421 5               IF .TEMP1 LEQU #DECIMAL'9'
: 2422 5                 THEN
: 2423 5                   TBYTE1 = #C'0' + .TEMP1
: 2424 5                   ELSE
: 2425 5                     TBYTE1 = #C'A' + ( .TEMP1 - #DECIMAL'10' );
: 2426 5                   PHYS_ADR [ .COUNTER ] = .TBYTE1;
: 2427 5                   COUNTER = .COUNTER - 1;
: 2428 5                   TEMP3 = .TEMP3 + ( -4 );
: 2429 4             END;
: 2430 4
: 2431 4           IF .COUNTER GTRU 2
: 2432 4             THEN
: 2433 4               PHYS_ADR [ .COUNTER ] = #C'-' ;
: 2434 4
: 2435 4           COUNTER = .COUNTER - 1;
: 2436 4
: 2437 3         END;
: 2438 2       END;
: 2439 2     END;
: 2440 1   END;

```

000000	004137	000000G	.SBTTL	FORM.HEX.ADR GLOBAL ROUTINE - FORM_HEX_ADR (P3)	
			FORM.HEX.ADR::		
000004	005746		JSR	R1,#SAVE3	2356
000006	016600	000014	TST	-(SP)	
000012	001003		MOV	14(SP),R0	2379
000014	005037	000000G	BNE	1\$	
000020	000405		CLR	TEMP5	2381
000022	010001		BR	2\$	2379
000024	070127	000006	1\$: MOV	R0,R1	2383
000024	070127	000006	MUL	#6,R1	
000030	010137	000000G	MOV	R1,TEMP5	
000034	005000		2\$: CLR	R0	2385
000036	010001		3\$: MOV	R0,R1	2387
000040	006301		ASL	R1	
000042	063701	000000G	ADD	REG.ADR,R1	
000046	011116		MOV	(R1),(SP)	
000050	005037	000000G	CLR	TBYTE1	; *,TMP.LOCATION

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0260
Page 43
(21)

000054	111637	000000G		MOVB	(SP),TBYTE1			
000060	111660	000162G		MOVB	(SP),TARGET.ADR+162(R0)	:	*,*(INDEX5)	2388
000064	005200			INC	R0	:	INDEX5	2385
000066	020027	000005		CMP	R0,#5	:	INDEX5,*	
000072	003761			BLE	3\$			
000074	005037	000000G		CLR	COUNTER	:		2391
000100	005002			CLR	R2	:	INDEX5	2393
000102	010201		4\$:	MOV	R2,R1	:	INDEX5,*	2395
000104	063701	000000G		ADD	TEMP5,R1			
000110	116137	000000G	000000G	MOVB	TARGET.ADR(R1),TEMP1			
000116	105037	000001G		CLRB	TEMP1+1			
000122	013700	000000G		MOV	TEMP1,R0	:		2396
000126	072027	000010		ASH	#10,R0			
000132	010037	000000G		MOV	R0,TEMP1			
000136	116137	000001G	000000G	MOVB	TARGET.ADR+1(R1),TEMP2	:		2397
000144	105037	000001G		CLRB	TEMP2+1			
000150	013701	000000G		MOV	COUNTER,R1	:		2398
000154	006301			ASL	R1			
000156	005000			CLR	R0			
000160	153700	000000G		BISB	TEMP2,R0			
000164	053700	000000G		BIS	TEMP1,R0			
000170	010061	000000G		MOV	R0,STATION.ADR(R1)			
000174	005237	000000G		INC	COUNTER	:		2399
000200	062702	000002		ADD	#2,R2	:	*,INDEX5	2393
000204	020227	000005		CMP	R2,#5	:	INDEX5,*	
000210	003734			BLE	4\$			
000212	012737	000022	000000G	MOV	#22,COUNTER	:		2406
000220	112737	000045	000000G	MOVB	#45,PHYS.ADR	:		2407
000226	112737	000101	000001G	MOVB	#101,PHYS.ADR+1	:		2408
000234	112737	000040	000023G	MOVB	#40,PHYS.ADR+23	:		2409
000242	112737	000045	000024G	MOVB	#45,PHYS.ADR+24	:		2410
000250	112737	000116	000025G	MOVB	#116,PHYS.ADR+25	:		2411
000256	012701	000004		MOV	#4,R1	:	*,INDEX1	2413
000262	016137	000000G	000000G	MOV	STATION.ADR(R1),TEMP3	:	*(INDEX1),*	2415
000270	012703	000002		MOV	#2,R3	:	*,INDEX2	2416
000274	012702	000002		MOV	#2,R2	:	*,INDEX3	2418
000300	013737	000000G	000000G	MOV	TEMP3,TEMP1	:		2420
000306	042737	177760	000000G	BIC	#177760,TEMP1			
000314	013700	000000G		MOV	TEMP1,R0	:		2421
000320	020027	000011		CMP	R0,#11			
000324	101006			BHI	8\$			
000326	010037	000000G		MOV	R0,TBYTE1	:		2423
000332	062737	000060	000000G	ADD	#60,TBYTE1			
000340	000405			BR	9\$:		2421
000342	010037	000000G		MOV	R0,TBYTE1	:		2425
000346	062737	000067	000000G	ADD	#67,TBYTE1			
000354	013700	000000G		MOV	COUNTER,R0	:		2426
000360	113760	000000G	000000G	MOVB	TBYTE1,PHYS.ADR(R0)			
000366	005337	000000G		DEC	COUNTER	:		2427
000372	013700	000000G		MOV	TEMP3,R0	:		2428
000376	072027	177774		ASH	#-4,R0			
000402	010037	000000G		MOV	R0,TEMP3			
000406	077244			S0B	R2,7\$:	INDEX3,*	2418

C5

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - FORM_HEX_ADR (P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0261
Page 44
(21)

000410	013702	000000G		MOV	COUNTER,R2	:		2431
000414	020227	000002		CMP	R2,02	:		
000420	101403			BLOS	10\$:		
000422	112762	000055	000000G	MOVB	055,PHYS.ADR(R2)	:		2433
000430	005337	000000G	10\$:	DEC	COUNTER	:		2435
000434	077361			S0B	R3,6\$:	INDEX2,*	2416
000436	162701	000002		SUB	02,R1	:	*,INDEX1	2413
000442	100307			BPL	5\$:		
000444	005726			TST	(SP).	:		2356
000446	000207			RTS	PC	:		

: Routine Size: 148 words, Routine Base: AC\$CODE\$ + 4376
: Maximum stack depth per invocation: 6 words

: 2441 1
: 2442 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_SETUP_PACKET (P1)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0262
Page 45
(22)

```

: 2443 1 *SBTTL 'GLOBAL ROUTINE - XMIT_SETUP_PACKET ( P1 )'
: 2444 1
: 2445 1 GLOBAL ROUTINE XMIT_SETUP_PACKET ( P1 ) : NOVALUE =
: 2446 1
: 2447 1 !..
: 2448 1 !
: 2449 1 ! GLOBAL ROUTINE : XMIT_SETUP_PACKET
: 2450 1 !
: 2451 1 ! DESCRIPTION:
: 2452 1 !
: 2453 1 ! This routine initializes descriptor lists to transmit and receive
: 2454 1 ! unchained Setup loopback packet. After loopback packet has been
: 2455 1 ! received DEQNA CSR, transmit and receive status registers are
: 2456 1 ! checked for proper status. Finally, transmit and receive packets
: 2457 1 ! are compared to verify that they are identical.
: 2458 1 !
: 2459 1 ! XMIT_D_LIST [ 0 ] = NEWB RCV_D_LIST [ 0 ] = NEWB
: 2460 1 ! XMIT_D_LIST [ 1 ] = VSE RCV_D_LIST [ 1 ] = VE
: 2461 1 ! XMIT_D_LIST [ 2 ] = XMIT_BUFFER RCV_D_LIST [ 2 ] = RCV_BUFFER
: 2462 1 ! XMIT_D_LIST [ 3 ] = .XBUF_LENGTH RCV_D_LIST [ 3 ] = .XBUF_LENGTH
: 2463 1 ! XMIT_D_LIST [ 4 ] = 0 RCV_D_LIST [ 4 ] = 0
: 2464 1 ! XMIT_D_LIST [ 5 ] = 0 RCV_D_LIST [ 5 ] = 0
: 2465 1 ! XMIT_D_LIST [ 6 ] = V RCV_D_LIST [ 6 ] = V
: 2466 1 ! XMIT_D_LIST [ 7 ] = E RCV_D_LIST [ 7 ] = E
: 2467 1 !
: 2468 1 !
: 2469 1 ! INPUT PARAMETERS:
: 2470 1 !
: 2471 1 ! P1 - transmit buffer length in bytes
: 2472 1 !
: 2473 1 !..
: 2474 1 !
: 2475 2 BEGIN
: 2476 2
: 2477 2 CLR_DESCR ( );
: 2478 2 RBUF_LENGTH = .P1;
: 2479 2 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );
: 2480 2 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2481 2 SET_XDESCR_LIST ( .XBUF_LENGTH, VSE );
: 2482 2
: 2483 2 IF .P1 EQLU A_MODE
: 2484 2 THEN
: 2485 3 BEGIN
: 2486 3 XBUF_LENGTH = - ( ( .RBUF_LENGTH + -1 ) + 1 );
: 2487 3 SET_XDESCR_LIST ( .XBUF_LENGTH, VSEL );
: 2488 3 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2489 2 END;
: 2490 2
: 2491 2 XMIT_AND_RCV_PACKET ( );
: 2492 2
: 2493 2 !..
: 2494 2 ! COMPARE STATUS REGISTERS TO EXPECTED VALUES
: 2495 2 !..

```


ZQNA4	CZQNAO DEQNA FUNCTIONAL TEST	5-Jul-1984 14:13:51	VAX-11 Bliss-16 V4.0-579
V01.0	GLOBAL ROUTINE - XMIT_SETUP_PACKET (P1)	5-Jul-1984 14:02:25	[MAZURCZYK.DEQNA]ZQNA4.BLI;2

000174	012737	000400	000000G	MOV	#400,TEMP1	:	2501
000202	032737	002000	000010G	BIT	#2000,XMIT.D.LIST+10	:	2502
000210	001403			BEQ	2‡		
000212	012737	002400	000000G	MOV	#2400,TEMP1	:	2504
000220	012716	140000		2‡: MOV	#-40000,(SP)	:	2505
000224	013746	000000G		MOV	TEMP1,-(SP)		
000230	004737	002040'		JSR	PC,CHK.XMIT.STATUS		
000234	004737	002616'		JSR	PC,COMPARE.PACKETS	:	2507
000240	062706	000014		ADD	#14,SP	:	2475
000244	000207			RTS	PC	:	2445

: Routine Size: 83 words, Routine Base: AC‡CODE‡ + 5046
: Maximum stack depth per invocation: 7 words

: 2510 1
: 2511 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_ELOOP_PACKET (P3)5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0265
Page 48
(23)

```

: 2512 1 *SBTTL 'GLOBAL ROUTINE - SEND_ELOOP_PACKET ( P3 ) '
: 2513 1
: 2514 1 GLOBAL ROUTINE SEND_ELOOP_PACKET ( P3 ) : NOVALUE =
: 2515 1
: 2516 1 !**
: 2517 1 !
: 2518 1 ! GLOBAL ROUTINE : SEND_ELOOP_PACKET
: 2519 1 !
: 2520 1 ! DESCRIPTION:
: 2521 1 !
: 2522 1 ! This routine initializes transmit and receive descriptor lists and
: 2523 1 ! then initiates transmissin of a loopback packet. After
: 2524 1 ! loopback packet is received DEQNA CSR, transmit and receive status r
: 2525 1 ! egisters are checked for proper status. Finally, transmit and receive
: 2526 1 ! packets are compared to verify that they are identical.
: 2527 1 !
: 2528 1 ! XMIT_D_LIST [ 0 ] = NEWB RCV_D_LIST [ 0 ] = NEWB
: 2529 1 ! XMIT_D_LIST [ 1 ] = VE RCV_D_LIST [ 1 ] = VE
: 2530 1 ! XMIT_D_LIST [ 2 ] = XMIT_BUFFER RCV_D_LIST [ 2 ] = RCV_BUFFER
: 2531 1 ! XMIT_D_LIST [ 3 ] = .XBUF_LENGTH RCV_D_LIST [ 3 ] = .XBUF_LENGTH
: 2532 1 ! XMIT_D_LIST [ 4 ] = 0 RCV_D_LIST [ 4 ] = 0
: 2533 1 ! XMIT_D_LIST [ 5 ] = 0 RCV_D_LIST [ 5 ] = 0
: 2534 1 ! XMIT_D_LIST [ 6 ] = V RCV_D_LIST [ 6 ] = V
: 2535 1 ! XMIT_D_LIST [ 7 ] = E RCV_D_LIST [ 7 ] = E
: 2536 1 !
: 2537 1 ! INPUT PARAMETERS:
: 2538 1 !
: 2539 1 ! P3 -
: 2540 1 !
: 2541 1 !--
: 2542 1 !
: 2543 2 BEGIN
: 2544 2
: 2545 2 PUT_BIT ( CSR, LB, INX_LOOPBACK );
: 2546 2 XMIT_AND_RCV_PACKET ( );
: 2547 2
: 2548 2 !**
: 2549 2 ! COMPARE STATUS REGISTERS TO EXPECTED VALUES
: 2550 2 !--
: 2551 2
: 2552 2 CHK_RIXI_STATUS ( ZERO );
: 2553 2 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2554 2 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 2555 2
: 2556 2 IF .P3 EQLU ZERO
: 2557 2 THEN
: 2558 3 BEGIN
: 2559 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD1_STATUS ); ! 0'140000', 0'020000'
: 2560 3 END
: 2561 2 ELSE
: 2562 3 BEGIN
: 2563 3 TEMP1 = RWD14_STATUS; ! 0'060000'
: 2564 3 IF .RCV_D_LIST [ STWD1 ] AND #0'070001' EQLU #0'070001'

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_ELOOP_PACKET (P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2565 3      THEN
: 2566 3      TEMP1 = #0'070001';
: 2567 3      CHK_RCV_STATUS ( RFLG_STATUS, .TEMP1 );      ! 0'140000', ??????
: 2568 2      END;
: 2569 1      END;

```

```

      BTTL SEND.ELOOP.PACKET GLOBAL ROUTINE - SEND_ELOOP_PACKET ( P3 )
000000 013700 000000C      SEND.ELOOP.PACKET::
                                MOV      REG.ADR,RO      ;      2545
000004 042760 001400 000016      BIC      #1400,16(RO)
000012 052760 001000 000016      BIS      #1000,16(RO)
000020 004737 000000V      JSR      PC,XMIT.AND.RCV.PACKET      ;      2546
000024 005046      CLR      -(SP)      ;      2552
000026 004737 001262'      JSR      PC,CHK.RIXI.STATUS
000032 012716 100220      MOV      #-77560,(SP)      ;      2553
000036 011646      MOV      (SP),-(SP)
000040 004737 001646'      JSR      PC,CHK.CSR.STATUS
000044 012716 140000      MOV      #-40000,(SP)      ;      2554
000050 012746 000400      MOV      #400,-(SP)
000054 004737 002040'      JSR      PC,CHK.XMIT.STATUS
000060 005766 000010      TST      10(SP)      ; P3      2556
000064 001005      BNE      1$
000066 012716 140000      MOV      #-40000,(SP)      ;      2559
000072 012746 020000      MOV      #20000,-(SP)
000076 000416      BR      3$
000100 012737 060000 000000G      1$: MOV      #60000,TEMP1      ;      2563
000106 032737 000001 000010G      BIT      #1,RCV.D.LIST+10      ;      2564
000114 001403      BEQ      2$
000116 012737 070001 000000G      MOV      #70001,TEMP1      ;      2566
000124 012716 140000      2$: MOV      #-40000,(SP)      ;      2567
000130 013746 000000G      MOV      TEMP1,-(SP)
000134 004737 002336'      3$: JSR      PC,CHK.RCV.STATUS
000140 062706 000010      ADD      #10,SP      ;      2543
000144 000207      RTS      PC      ;      2514

```

```

: Routine Size: 51 words,      Routine Base: AC$CODE$ + 5314
: Maximum stack depth per invocation: 5 words

```

: 2570 1

ZQNA4
V01.0CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_TEST_PACKET5-Jul-1984 14:13:51
5-Jul-1984 14:02:25VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2SEQ 0267
Page 50
(24)

```

: 2571 1 *SBTTL 'GLOBAL ROUTINE - SEND_TEST_PACKET '
: 2572 1
: 2573 1 GLOBAL ROUTINE SEND_TEST_PACKET : NOVALUE =
: 2574 1
: 2575 1 !**
: 2576 1 !
: 2577 1 GLOBAL ROUTINE : SEND_TEST_PACKET
: 2578 1 !
: 2579 1 DESCRIPTION:
: 2580 1 !
: 2581 1 This routine initializes transmit and receive descriptor lists and
: 2582 1 then initiates transmissin of an external loopback packet.
: 2583 1 !
: 2584 1 XMIT_D_LIST [ 0 ] = NEWB RCV_D_LIST [ 0 ] = NEWB
: 2585 1 XMIT_D_LIST [ 1 ] = VE RCV_D_LIST [ 1 ] = VE
: 2586 1 XMIT_D_LIST [ 2 ] = XMIT_BUFFER RCV_D_LIST [ 2 ] = RCV_BUFFER
: 2587 1 XMIT_D_LIST [ 3 ] = .XBUF_LENGTH RCV_D_LIST [ 3 ] = .XBUF_LENGTH
: 2588 1 XMIT_D_LIST [ 4 ] = 0 RCV_D_LIST [ 4 ] = 0
: 2589 1 XMIT_D_LIST [ 5 ] = 0 RCV_D_LIST [ 5 ] = 0
: 2590 1 XMIT_D_LIST [ 6 ] = V RCV_D_LIST [ 6 ] = V
: 2591 1 XMIT_D_LIST [ 7 ] = E RCV_D_LIST [ 7 ] = E
: 2592 1 !
: 2593 1 !
: 2594 1 INPUT PARAMETERS:
: 2595 1 !
: 2596 1 None
: 2597 1 !--
: 2598 1 !
: 2599 2 BEGIN
: 2600 2 !
: 2601 2 !**
: 2602 2 ! WRITE ETHERNET STATION ADDRESS AND DATA PATTERN INTO THE TRANSMIT BUFFER
: 2603 2 !--
: 2604 2 !
: 2605 2 RESET_DEQNA ( );
: 2606 2 !
: 2607 2 INCR INDEX FROM 0 TO 5 DO
: 2608 3 BEGIN
: 2609 3 XMIT_BUFFER [ .INDEX ] = .TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ];
: 2610 3 XMIT_BUFFER [ .INDEX + 6 ] = .TARGET_ADR [ ( PHA_INDEX * 6 ) + .INDEX ];
: 2611 2 END;
: 2612 2 !
: 2613 2 XMIT_BUFFER [ PKT_TYPE ] = LPB_PKT;
: 2614 2 XMIT_BUFFER [ PKT_TYPE + 1 ] = SKIP_CNT;
: 2615 2 XMIT_BUFFER [ PKT_TYPE + 2 ] = RFC;
: 2616 2 !
: 2617 2 !**
: 2618 2 ! CONVERT SETUP PACKET SIZE FROM BYTE COUNT TO WORD COUNT AND SET UP
: 2619 2 ! DESCRIPTOR LISTS
: 2620 2 !--
: 2621 2 !
: 2622 2 RBUF_LENGTH = PKT_LENGTH + 14;
: 2623 2 XBUF_LENGTH = - ( .RBUF_LENGTH + -1 );

```

ZQNA4
V01.0

CZQNACO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - SEND_TEST_PACKET

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0268
Page 51
(24)

```

: 2624 2
: 2625 2   SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2626 2   SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2627 2
: 2628 2   !**
: 2629 2   ! SET DEQNA TO EXTERNAL LOOPBACK MODE AND SEND LOOPBACK PACKET
: 2630 2   !--
: 2631 2
: 2632 2   PUT_BIT ( CSR, LB, EXT_LOOPBACK );
: 2633 2   XMIT_AND_RCV_PACKET ( );
: 2634 2
: 2635 1   END;

```

```

000000 004737 000324'          .SBTTL SEND.TEST.PACKET GLOBAL ROUTINE - SEND_TEST_PACKET
                                SEND.TEST.PACKET::
000004 005000                JSR    PC,RESET.DEQNA                ; INDEX 2605
000006 116060 000162G 000000G 1$:  MOVB  TARGET.ADR+162(R0),XMIT.BUFFER(R0) ; INDEX 2607
                                ; *(INDEX),*(INDEX)
000014 116060 000162G 000006G    MOVB  TARGET.ADR+162(R0),XMIT.BUFFER-6(R0) ; INDEX 2609
                                ; *(INDEX),*(INDEX)
000022 005200                INC    RO                ; INDEX 2610
000024 020027 000005          CMP    RO,#5                ; INDEX,* 2607
000030 003766                BLE    1$
000032 112737 000220 000014G    MOVB  #220,XMIT.BUFFER+14 ; 2613
000040 105037 000015G          CLRB  XMIT.BUFFER+15 ; 2614
000044 112737 000001 000016G    MOVB  #1,XMIT.BUFFER+16 ; 2615
000052 012737 002752 000000G    MOV   #2752,RBUF.LENGTH ; 2622
000060 012700 002752          MOV   #2752,R0 ; 2623
000064 006200                ASR   RO
000066 005400                NEG   RO
000070 010037 000000G          MOV   RO,XBUF.LENGTH
000074 010046                MOV   RO,-(SP) ; XBUF.LENGTH,* 2625
000076 012746 120000          MOV   #-60000,-(SP)
000102 004737 003234'          JSR   PC,SET.RDESCR.LIST
000106 013716 000000G          MOV   XBUF.LENGTH,(SP) ; 2626
000112 012746 120000          MOV   #-60000,-(SP)
000116 004737 003312'          JSR   PC,SET.XDESCR.LIST
000122 013700 000000G          MOV   REG.ADR,R0 ; 2632
000126 052760 001400 000016    BIS   #1400,16(R0)
000134 004737 000000V          JSR   PC,XMIT.AND.RCV.PACKET ; 2633
000140 062706 000006          ADD   #6,SP ; 2599
000144 000207                RTS   PC ; 2573

```

```

: Routine Size: 51 words, Routine Base: AC$CODE$ + 5462
: Maximum stack depth per invocation: 4 words

```

```

: 2636 1

```

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_AND_RCV_PACKET

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2637 1 *SBTTL 'GLOBAL ROUTINE - XMIT_AND_RCV_PACKET '
: 2638 1
: 2639 1 GLOBAL ROUTINE XMIT_AND_RCV_PACKET : NOVALUE =
: 2640 1
: 2641 1 !**
: 2642 1 !
: 2643 1 ! GLOBAL ROUTINE : XMIT_AND_RCV_PACKET
: 2644 1 !
: 2645 1 ! DESCRIPTION:
: 2646 1 !
: 2647 1 ! This routine initiates transmit and receive operations.
: 2648 1 !
: 2649 1 ! INPUT PARAMETERS:
: 2650 1 !
: 2651 1 !
: 2652 1 !
: 2653 1 !
: 2654 1 !--
: 2655 1
: 2656 2 BEGIN
: 2657 2
: 2658 2 .IOP_TABLE [ RLO_ADR ] = RCV_D_LIST;
: 2659 2 .IOP_TABLE [ RHI_ADR ] = 0;
: 2660 2
: 2661 2 .IOP_TABLE [ XLO_ADR ] = XMIT_D_LIST;
: 2662 2 .IOP_TABLE [ XHI_ADR ] = 0;
: 2663 2
: 2664 1 END;

```

```

                                .SBTTL XMIT.AND.RCV.PACKET GLOBAL ROUTINE - XMIT_AND_RCV_PACKET
000000 012777 000000G 000004G      XMIT.AND.RCV.PACKET::
                                MOV      @RCV.D.LIST,@IOP.TABLE+4      ; 2658
000006 005077 000006G              CLR      @IOP.TABLE+6              ; 2659
000012 012777 000000G 000010G      MOV      @XMIT.D.LIST,@IOP.TABLE+10 ; 2661
000020 005077 000012G              CLR      @IOP.TABLE+12              ; 2662
000024 000207              RTS      PC              ; 2639

```

```

: Routine Size: 11 words,      Routine Base: AC$CODE$ + 5630
: Maximum stack depth per invocation: 0 words

```

```

: 2665 1
: 2666 1

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - XMIT_ILOOP_PACKET (P3)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

```

: 2667 1 *SBTTL 'GLOBAL ROUTINE - XMIT_ILOOP_PACKET ( P3 ) '
: 2668 1
: 2669 1 GLOBAL ROUTINE XMIT_ILOOP_PACKET ( P3 ) : NOVALUE
: 2670 1
: 2671 1 !..
: 2672 1 !..
: 2673 1 ! GLOBAL ROUTINE : XMIT_ILOOP_PACKET
: 2674 1 !
: 2675 1 ! DESCRIPTION:
: 2676 1 !
: 2677 1 ! This routine
: 2678 1 !
: 2679 1 ! INPUT PARAMETERS:
: 2680 1 !
: 2681 1 ! P3 - selector
: 2682 1 !
: 2683 1 !..
: 2684 1
: 2685 2 BEGIN
: 2686 2
: 2687 2 CLR_DESCR ( );
: 2688 2
: 2689 2 SET_RDESCR_LIST ( .XBUF_LENGTH, VE );
: 2690 2 SET_XDESCR_LIST ( .XBUF_LENGTH, VE );
: 2691 2
: 2692 2 XMIT_AND_RCV_PACKET ( );
: 2693 2
: 2694 2 .IOP_TABLE [ CSR ] = EENABLE;
: 2695 2
: 2696 2 IF .P3 EQLU ONE
: 2697 2 THEN
: 2698 3 BEGIN
: 2699 3 CHK_RIXI_STATUS ( ONE );
: 2700 3 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2701 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD16_STATUS ); ! 0'140000', 0'044000'
: 2702 3 END
: 2703 2 ELSE
: 2704 3 BEGIN
: 2705 3 CHK_RIXI_STATUS ( ZERO );
: 2706 3 CHK_CSR_STATUS ( CSR_STATUS, CSR_MASK ); ! 0'100220', 0'100220'
: 2707 3 CHK_RCV_STATUS ( RFLG_STATUS, RWD13_STATUS ); ! 0'140000', 0'000000'
: 2708 2 END;
: 2709 2
: 2710 2 CHK_XMIT_STATUS ( XFLG_STATUS, XWD12_STATUS ); ! 0'140000', 0'000400'
: 2711 2 COMPARE_PACKETS ( );
: 2712 2 .IOP_TABLE [ CSR ] = DISABLE;
: 2713 2
: 2714 1 END;

```

000000 004737 00:206'

.SBTTL XMIT.ILOOP.PACKET GLOBAL ROUTINE - XMIT_ILOOP_PACKET (P3)
XMIT.ILOOP.PACKET::
JSR PC,CLR.DESCR ;

ZQNA4 V01.0	CZQNA0 DEQNA FUNCTIONAL TEST GLOBAL ROUTINE - XMIT_ILOOP_PACKET (P3)	5-Jul-1984 14:13:51 5-Jul-1984 14:02:25	VAX-11 Bliss-16 V4.0 579 [MAZURCZYK.DEQNA]ZQNA4.BLI;2	
000004	013746 000000G		MOV XBUF.LENGTH, -(SP)	2689
000010	012746 120000		MOV #60000, -(SP)	
000014	004737 003234'		JSR PC, SET.RDESCR.LIST	
000020	013716 000000G		MOV XBUF.LENGTH, (SP)	2690
000024	012746 120000		MOV #60000, -(SP)	
000030	004737 003312'		JSR PC, SET.XDESCR.LIST	
000034	004737 005630'		JSR PC, XMIT.AND.RCV.PACKET	2692
000040	012777 000001 000016G		MOV #1, @IOP.TABLE+16	2694
000046	066627 000010 000001		CMP 10(SP), #1	2696
000054	01016		BNE 1\$	
000056	012716 000001		MOV #1, (SP)	2699
000062	004737 001262'		JSR PC, CHK.RIXI.STATUS	
000066	012716 100220		MOV #77560, (SP)	2700
000072	011646		MOV (SP), -(SP)	
000074	004737 001646'		JSR PC, CHK.CSR.STATUS	
000100	012716 140000		MOV #40000, (SP)	2701
000104	012746 044000		MOV #44000, -(SP)	
000110	000413		BR 2\$	
000112	005016	1\$:	CLR (SP)	2705
000114	004737 001262'		JSR PC, CHK.RIXI.STATUS	
000120	012716 100220		MOV #77560, (SP)	2706
000124	011646		MOV (SP), -(SP)	
000126	004737 001646'		JSR PC, CHK.CSR.STATUS	
000132	012716 140000		MOV #40000, (SP)	2707
000136	005046		CLR -(SP)	
000140	004737 002336'	2\$:	JSR PC, CHK.RCV.STATUS	
000144	012716 140000		MOV #40000, (SP)	2710
000150	012746 000400		MOV #400, -(SP)	
000154	004737 002040'		JSR PC, CHK.XMIT.STATUS	
000160	004737 002616'		JSR PC, COMPARE.PACKETS	2711
000164	005077 000016G		CLR @IOP.TABLE+16	2712
000170	062706 000014		ADD #14, SP	2685
000174	000207		RTS PC	2669

: Routine Size: 63 words, Routine Base: AC\$CODE\$ + 5656
: Maximum stack depth per invocation: 7 words

: 2715 1
: 2716 1

ZQNA4
V01.0

CZQNA0 DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - TURN_OFF_LED (P1)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

SEQ 0272
Page 55
(27)

```

: 2717 1 #SBTTL 'GLOBAL ROUTINE - TURN_OFF_LED ( P1 )'
: 2718 1
: 2719 1 GLOBAL ROUTINE TURN_OFF_LED ( P1 ) : NOVALUE *
: 2720 1
: 2721 1 !**
: 2722 1 !
: 2723 1 ! GLOBAL ROUTINE : TURN_OFF_LED
: 2724 1 !
: 2725 1 ! DESCRIPTION:
: 2726 1 !
: 2727 1 ! This routine
: 2728 1 !
: 2729 1 ! INPUT PARAMETERS:
: 2730 1 !
: 2731 1 ! P1 -
: 2732 1 !
: 2733 1 !--
: 2734 1
: 2735 2 BEGIN
: 2736 2
: 2737 2 PREP_FOR_SETUP ( );
: 2738 2
: 2739 2 INCR INDEX1 FROM 1 TO 14 DO
: 2740 2 WRT_STATION_ADR ( .INDEX1, PHA_INDEX );
: 2741 2
: 2742 2 XMIT_SETUP_PACKET ( .P1 );
: 2743 2
: 2744 2
: 2745 1 END;

```

```

000000 010146 .SBTTL TURN.OFF.LED GLOBAL ROUTINE - TURN_OFF_LED ( P1 )
TURN.OFF.LED::
000002 004737 004314' MOV R1,-(SP) ; 2719
000006 012701 000001 JSR PC,PREP.FOR.SETUP ; 2737
000012 010146 1$: MOV #1,R1 ; *,INDEX1 2739
000014 012746 000023 MOV R1,-(SP) ; INDEX1,* 2740
000020 004737 004122' JSR PC,WRT.STATION.ADR
000024 022626 CMP (SP)*,(SP)*
000026 005201 INC R1 ; INDEX1 2739
000030 020127 000016 CMP R1,#16 ; INDEX1,*
000034 003766 BLE 1$
000036 016646 000004 MOV 4(SP),-(SP) ; P1,* 2742
000042 004737 005046' JSR PC,XMIT.SETUP.PACKET
000046 005726 TST (SP)* ; 2735
000050 012601 MOV (SP)*,R1 ; 2719
000052 000207 RTS PC

```

```

: Routine Size: 22 words, Routine Base: AC$CODE$ + 6054
: Maximum stack depth per invocation: 4 words

```

ZQNA4
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
GLOBAL ROUTINE - TURN_OFF_LED (P1)

5-Jul-1984 14:13:51
5-Jul-1984 14:02:25

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA4.BLI;2

: 2746 1
: 2747 1
: 2748 1 END
: 2749 0 ELUDDM

: OTS external references
 .GLOBL \$SAVE3, \$SAVE2

: PSECT SUMMARY

: Psect Name Words Attributes
: AC\$CODE\$ 1580 RO , I , LCL, REL, CON

: Library Statistics

File	Total	----- Symbols Loaded	----- Percent	Pages Mapped	Processing Time
DISK\$USER2:[MAZURCZYK.DEQNA]QNALIB.L16;2	223	133	59	14	00:00.0

: CGMMAND QUALIFIERS

: BLISS/PDP11 ZQNA4.BLI/LIST=ZQNA4.LIS/OBJECT=ZQNA4.OBJ/SOURCE=PAGE:53

: Size: 1580 code + 0 data words
: Run Time: 00:48.5
: Elapsed Time: 04:48.1
: Lines/CPU Min: 3402
: Lexemes/CPU Min: 24486
: Memory Used: 236 pages
: Compilation Complete

ZQNAS

CZQNACO DEQNA FUNCTIONAL TEST

5-Jul-1984 14:18:44
5-Jul-1984 14:02:44

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNAS.BLI;2

```

: 0001 0  MODULE ZQNAS (*TITLE 'CZQNACO DEQNA FUNCTIONAL TEST'
: 0002 0          IDENT = 'V01.0',
: 0003 0          ADDRESSING_MODE(ABSOLUTE)
: 0004 0          ) =
: 0005 0  *SBTTL 'LAST ADDRESS AND SETUP SECTION'
: 0006 0
: 0007 1  BEGIN
: 0008 1
: 0009 1  LIBRARY 'QNALIB';           ! QNALIB LIBRARY
: 0010 1  REQUIRE 'BLSMAC.REQ';     ! DIAGNOSTIC SUPERVISOR LIBRARY
: 1500 1  !<BLF/NOFORMAT>
: 1501 1

```

ZQNAS CZQNAO DEQNA FUNCTIONAL TEST 5-Jul-1984 14:18:44 VAX-11 Bliss-16 V4.0-579
V01.0 LAST ADDRESS AND SETUP SECTION 5-Jul-1984 14:02:44 [MAZURCZYK.DEQNA]ZQNAS.BLI;2

: 1502 2 LASTAD
: 1503 2 BGNSETUP(1); ! NUMBER OF P-TABLES
: P 1504 2 BGNPTAB
: 1505 2 ENDPTAB
: 1506 1 ENDSETUP

.TITLE ZQNAS CZQNAO DEQNA FUNCTIONAL TEST
.IDENT /V01.0/
.ENABL AMA

000000 .PSECT \$XYZ\$, RO
000000 0C0004' BL\$LAS::.WORD T\$FREE
000002 000000C .WORD <<T\$FREE-<BL\$LAS+4>>/2>
000004 000000 T\$FREE::.WORD 0

000004' L\$LAST== BL\$LAS+4
000001 T\$PTHV== 1

000000 000207 .SBTTL \$END.LINK LAST ADDRESS AND SETUP SECTION
\$END.LINK::
RTS PC ;

1499

: Routine Size: 1 word. Routine Base: \$XYZ\$ + 0006
: Maximum stack depth per invocation: 0 words

: 1507 1
: 1508 1 END
: 1509 0 ELUDOM

PSECT SUMMARY

: Psect Name Words Attributes
: \$XYZ\$ 4 RO, I, LCL, REL, CON

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
DISK\$USER2:[MAZURCZYK.DEQNA]QNALIB.L16;2	223	3	1	14	00:00.1

E6

ZQNA5
V01.0

CZQNAO DEQNA FUNCTIONAL TEST
LAST ADDRESS AND SETUP SECTION

5-Jul-1984 14:18:44
5-Jul 1984 14:02:44

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]ZQNA5.BLI;2

SEQ 0276
Page 3
(2)

COMMAND QUALIFIERS

:
:
: BLISS/PDP11 ZQNA5.BLI/LIST=ZQNA5.LIS/OBJECT=ZQNA5.OBJ/SOURCE=PAGE:53
:
: Size: 1 code + 3 data words
: Run Time: 00:06.3
: Elapsed Time: 00:20.2
: Lines/CPU Min: 14486
: Lexemes/CPU-Min: 76252
: Memory Used: 101 pages
: Compilation Complete

```

: 0001 0      !**
: 0002 0      !
: 0003 0      ! DEFINE DATA STRUCTURES IN THIS SECTION
: 0004 0      !
: 0005 0      !--
: 0006 0
: 0007 0      STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0008 0      REG_STR [ O, P, S, E ]=
: 0009 1      BEGIN
: 0010 1      LOCAL TMP_LOCATION;
: 0011 1      TMP_LOCATION = .(REG_STR * #UPVAL * 0) <0, #BPVAL, 0>;
: 0012 1      TMP_LOCATION
: 0013 0      END < F, S, E >;
: 0014 0
: 0015 0
: 0016 0      STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0017 0      ADR_STR [ O, P, S, E ]=
: 0018 1      BEGIN
: 0019 1      LOCAL TMP_LOCATION;
: 0020 1      TMP_LOCATION = (ADR_STR * #UPVAL * 0) <0, #BPVAL, 0>;
: 0021 1      TMP_LOCATION
: 0022 0      END < P, S, E >;
: 0023 0
: 0024 0      STRUCTURE                                ! DEFINE ACCESS ALGORITHM
: 0025 0      LBLOCK [ O, P, S, E, I ]=
: 0026 1      BEGIN
: 0027 1      CASE I FROM 0 TO 2 OF
: 0028 1      SET
: 0029 1      [ 0 ]:
: 0030 1      ( LBLOCK * 0 * #UPVAL );
: 0031 1      [ 1 ]:
: 0032 1      ( .LBLOCK * 0 * #UPVAL );
: 0033 1      [ 2 ]:
: 0034 1      ( .LBLOCK * 0 * #UPVAL );
: 0035 1      TES;
: 0036 0      END < P, S, E >;

```

```

: 0037 0      :
: 0038 0      :
: 0039 0      :
: 0040 0      :
: 0041 0      :
: 0042 0      :
: 0043 0      :
: 0044 0      :
: M 0045 0      :
: M 0046 0      :
: M 0047 0      :
: M 0048 0      :
: M 0049 0      :
: 0050 0      :
: 0051 0      :
: 0052 0      :
: M 0053 0      :
: M 0054 0      :
: M 0055 0      :
: 0056 0      :
: 0057 0      :
: M 0058 0      :
: M 0059 0      :
: M 0060 0      :
: 0061 0      :
: 0062 0      :
: 0063 0      :
: 0064 0      :
: 0065 0      :
: 0066 0      :
: 0067 0      :
: 0068 0      :
: 0069 0      :
: 0070 0      :
: M 0071 0      :
: M 0072 0      :
: 0073 0      :
: 0074 0      :

```

```

!..
!
! MACRO DEFINITIONS
!
!--
MACRO
    TST_BIT ( ADDR, EXPECTED ) =
        ( IF ( .ADDR AND EXPECTED ) EQLU EXPECTED
          THEN
            TRUE
          ELSE
            FALSE )#.
    PUT_BIT ( OFFSET, POSITION, IMAGE ) =
        BEGIN
        ( .REG_ADR * #UPVAL * OFFSET ) < #FIELDEXPAND ( POSITION ) > = IMAGE;
        END#.
    GET_STATION_ADR ( OFFSET, POSITION, IMAGE ) =
        BEGIN
        ( .STATION_ADR * OFFSET ) < #FIELDEXPAND ( POSITION ) > = IMAGE;
        END#.
!..
!
! THIS MACRO GETS BITS SPECIFIED BY THE FIELD NAME " POSITION "
! AND MEMORY LOC SPECIFIED BY ( .REG_ADR * #UPVAL * OFFSET )
!
!--
    GET_BIT ( OFFSET, POSITION ) =
        .REG_ADR [ OFFSET, POSITION ] #;

```



```

: 0075 0
: 0076 0
: 0077 0
: 0078 0
: 0079 0
: 0080 0
: 0081 0
: 0082 0
: 0083 0
: 0084 0
: 0085 0
: 0086 0
: 0087 0
: 0088 0
: 0089 0
: 0090 0
: 0091 0
: 0092 0
: 0093 0
: 0094 0
: 0095 0
: 0096 0
: 0097 0
: 0098 0
: 0099 0
: 0100 0
: 0101 0
: 0102 0
: 0103 0
: 0104 0
: 0105 0
: 0106 0
: 0107 0
: 0108 0
: 0109 0
: 0110 0
: 0111 0
: 0112 0
: 0113 0
: 0114 0
: 0115 0
: 0116 0
: 0117 0
: 0118 0
: 0119 0
: 0120 0
: 0121 0
: 0122 0
: 0123 0
: 0124 0
: 0125 0
: 0126 0
: 0127 0

```

!..*
 !
 ! PROGRAM LITERALS
 !
 !--
 LITERAL

NO	= 0.	!
YES	= 1.	!
FALSE	= 0.	!
TRUE	= 1.	!
ZERO	= 0.	!
ONE	= 1.	!
DISABLE	= 0.	!
EENABLE	= 1.	!
P_CLOCK	= 1.	!
L_CLOCK	= 1.	!
NO_CLOCK	= 0.	!
CLEAR_FLG	= 0.	!
SET_FLG	= 1.	!
PWR_DELAY	= 10000.	!
M1_DELAY	= 10.	!
M2_DELAY	= 20.	!
M3_DELAY	= 30.	!
M4_DELAY	= 40.	!
M5_DELAY	= 50.	!
K	= 1024.	!
TIME1_LIMIT	= 128.	! DELAY - LOOP ITERATION COUNT
TIME2_LIMIT	= 1 * K.	! DELAY - LOOP ITERATION COUNT
TIME3_LIMIT	= 1 * K.	! DELAY - LOOP ITERATION COUNT
TIME4_LIMIT	= 512.	! DELAY - LOOP ITERATION COUNT
TIME5_LIMIT	= 16 * K.	! DELAY - 16K LOOP ITERATION COUNT
TIME6_LIMIT	= 1.	! DELAY - LOOP ITERATION COUNT
TIME7_LIMIT	= 10.	! DELAY - LOOP ITERATION COUNT
TIME8_LIMIT	= 50.	! DELAY - LOOP ITERATION COUNT
TIME9_LIMIT	= 100.	! DELAY - LOUP ITERATION COUNT
STEP1	= 2.	!
RLO_ADR	= 2.	!
RHI_ADR	= 3.	!
XLO_ADR	= 4.	!
XHI_ADR	= 5.	!
IOP_LO_ADR	= 2.	!
IOP_HI_ADR	= 3.	!
IOP_SIZE	= #0'16'.	! I/O PAGE REGISTER SIZE
IOP_ADR	= 0.	! OFFSET TO DEVICE ADDRESS
IOP_VEC	= 2.	! OFFSET TO DEVICE VECTOR ADDRESS

I6

5-Jul-1984 14:03:17
2-Jul-1984 17:11:54

VAX-11 Bliss-16 V4.0-579
[MAZURCZYK.DEQNA]QNALIB.R16;1

```
: 0128 0      IOP_BRL      = 4.      : OFFSET TO DEVICE BR LEVEL
: 0129 0      INT_VEC      = 6.      :
: 0130 0
: 0131 0      CSR          = 7.      :
: 0132 0      WORD_LIMIT   = '0'177777'. :
: 0133 0
```



```

: 0185 0 :++
: 0186 0 :
: 0187 0 : TRANSMIT, RECEIVE AND CSR STATUS AND MASK WORD DEFINITIONS
: 0188 0 :
: 0189 0 : --
: 0190 0 :
: 0191 0 : CSR_STATUS      = %0'100220' .
: 0192 0 : CSR1_STATUS     = %0'000062' .
: 0193 0 : CSR2_STATUS     = %0'000060' .
: 0194 0 : CSR_MASK        = %0'100220' .
: 0195 0 : CSR1_MASK       = %0'010376' .
: 0196 0 : CSR2_MASK       = %0'167777' .
: 0197 0 : CSR3_MASK       = %0'010000' .
: 0198 0 :
: 0199 0 : PATRN1          = %0'001411' .
: 0200 0 : PATRN2          = %0'001471' .
: 0201 0 :
: 0202 0 : NXM_LO_ADR      = %0'160000' .
: 0203 0 : NXM_HI_ADR      = %0'000077' .
: 0204 0 :
: 0205 0 : XFLG_MASK       = %0'140000' .
: 0206 0 : X1_MASK         = %0'100000' .
: 0207 0 : XWD1_MASK       = %0'157760' .
: 0208 0 : XWD2_MASK       = %0'037777' .
: 0209 0 : XFLG_STATUS     = %0'140000' .
: 0210 0 : XWD11_STATUS    = %0'000000' .
: 0211 0 : XWD12_STATUS    = %0'000400' .
: 0212 0 :
: 0213 0 :
: 0214 0 : XWD14_STATUS    = %0'047600' .
: 0215 0 :
: 0216 0 : RFLG_MASK       = %0'140000' .
: 0217 0 : R1_MASK         = %0'100000' .
: 0218 0 : R2_MASK         = %0'174017' .
: 0219 0 : RWD1_MASK       = %0'140000' .
: 0220 0 : RWD2_MASK       = %0'177417' .
: 0221 0 : RWD1_STATUS     = %0'020000' .
: 0222 0 : RWD11_STATUS    = %0'100000' .
: 0223 0 : RWD12_STATUS    = %0'160000' .
: 0224 0 : RWD13_STATUS    = %0'000000' .
: 0225 0 : RWD14_STATUS    = %0'060000' .
: 0226 0 : RWD15_STATUS    = %0'000001' .
: 0227 0 : RWD16_STATUS    = %0'044000' .
: 0228 0 :
: 0229 0 : RFLG_STATUS     = %0'140000' .
: 0230 0 :
: 0231 0 :
: 0232 0 : RHL_MASK        = %0'003400' .
: 0233 0 : RLL_MASK        = %0'000377' .

```

```

:
:
: TRANSCEIVER POWER ( XC - BIT 12 )
: TRANSCEIVER POWER ( XC - BIT 12 )

```

```

: CSR STATIC BITS
: CSR STATIC BITS

```

```

: NXM ADDRESS - LOW ORDER BITS
: NXM ADDRESS - HIGH ORDER BITS

```

```

: TRANSMIT FLAG WORD MASK BITS
: TRANSMIT STATUS WD 1 MASK BITS
: TRANSMIT STATUS WD 1 MASK BITS
: TRANSMIT STATUS WD 2 MASK BITS
: EXPECTED TRANSMIT FLAG WORD

```

```

: EXPECTED TRANSMIT STATUS WD 1
: BIT 8 IS SET IN INTERNAL LOOPBACK MODES
: BIT 8 IS RESET IN EXTERNAL LOOPBACK MODES
: EXPECTED TRANSMIT STATUS WD 1

```

```

: RECEIVE FLAG WORD MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: RECEIVE STATUS WD 1 MASK BITS
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1
: EXPECTED RECEIVE STATUS WD 1

```

```

: EXPECTED RECEIVE FLAG WORD

```

```

: RCV HIGH ORDER LENGTH BITS
: RCV LOW ORDER LENGTH BITS

```

```

: 0234 0      :...
: 0235 0      :
: 0236 0      : BUFFER DESCRIPTOR / CHAIN DESCRIPTOR BIT DEFINITIONS
: 0237 0      :
: 0238 0      :
: 0239 0      :
: 0240 0      : V          = %0'100000' : ! VALID ADDRESS IF 1
: 0241 0      : C          = %0'040000' : ! CHAIN ADDRESS IF 1
: 0242 0      : E          = %0'020000' : ! END OF MESSAGE IF 1
: 0243 0      : S          = %0'010000' : ! SETUP MODE PACKET IF 1
: 0244 0      :
: 0245 0      : NEWB       = %0'100000' : ! BUFFER NOT USED IF 1
: 0246 0      : LASTD      = %0'100000' : ! LAST DESCRIPTOR IN CHAIN
: 0247 0      : VE         = %0'120000' :
: 0248 0      : VL         = %0'100200' :
: 0249 0      : VH         = %0'100100' :
: 0250 0      : VC         = %0'140000' :
: 0251 0      : VHL        = %0'100300' :
: 0252 0      : VSE        = %0'130000' :
: 0253 0      : VSEL       = %0'130200' :
: 0254 0      : VENXM      = %0'120077' :
: 0255 0      :
: 0256 0      : XLRL_SET   = %8'11' : ! XMIT AND RCV LISTS INVALID
: 0257 0      : ILEL_SET   = %8'11' : ! INTERNAL AND EXTERNAL LOOPBACK BITS
: 0258 0      : ILEL_CLR   = %8'00' : ! INTERNAL AND EXTERNAL LOOPBACK BITS
: 0259 0      :
: 0260 0      : INT_LOOPBACK = %8'00' : ! INTERNAL LOOPBACK MODE
: 0261 0      : INX_LOOPBACK = %8'10' : ! INTERNAL/EXTENDED LOOPBACK MODE
: 0262 0      : EXT_LOOPBACK = %8'11' : ! EXTERNAL LOOPBACK MODE
: 0263 0      :
: 0264 0      : N_MODE     = %0'000200' : ! ENABLE NORMAL MODE OF OPERATION
: 0265 0      : P_MODE     = %0'000202' : ! ENABLE PROMISCUOUS MODE OF OPERATION
: 0266 0      : A_MODE     = %0'000201' : ! ENABLE ALL MULTICAST MODE OF OPERATION
: 0267 0      : LED1       = %0'000204' : ! TURN OFF LED 1
: 0268 0      : LED2       = %0'000210' : ! TURN OFF LED 2
: 0269 0      : LED3       = %0'000214' : ! TURN OFF LED 3
: 0270 0

```

```
: 0271 0      : **
: 0272 0      : STATION ADDRESS CONSTANTS
: 0273 0      : --
: 0274 0
: 0275 0      SADR1 = 0.          ! HIGH STATION ADDRESS BITS
: 0276 0      SADR2 = 1.          ! MIDDLE BITS
: 0277 0      SADR3 = 2.          ! LOW STATION ADDRESS BITS
: 0278 0      CHSUM = 3.         ! ACTUAL CHECKSUM INDEX
: 0279 0
: 0280 0      : **
: 0281 0      : HARDWARE AND SOFTWARE P-TABLE EQUATES
: 0282 0      : --
: 0283 0
: 0284 0      SWP_SIZE   = 5.      ! SOFTWARE P-TABLE SIZE ( WORDS )
: 0285 0      HWP_SIZE   = 2.      ! HARDWARE P-TABLE SIZE ( WORDS )
: 0286 0
: 0287 0
: 0288 0      SET_IT    = 1.
: 0289 0      CLR_IT    = 0;
: 0290 0
```

```

: 0291 0      :++
: 0292 0      :
: 0293 0      : THE CONTROL AND STATUS REGISTER BIT DEFINITIONS
: 0294 0      :
: 0295 0      : ---
: 0296 0
: 0297 0      FIELD
: 0298 0      IOP_FIELDS =
: 0299 0      SET
: 0300 0      RE      = [ 0, 1, 0 ], ! RECEIVER ENABLE      R/W ( ACTIVE HIGH )
: 0301 0      SR      = [ 1, 1, 0 ], ! SOFTWARE RESET      R/W ( ACTIVE HIGH )
: 0302 0      NI      = [ 2, 1, 0 ], ! NXM INTERRUPT      R ( ACTIVE HIGH )
: 0303 0      BD      = [ 3, 1, 0 ], ! BOOT/DIAGNOSTIC ROM R/W ( ACTIVE HIGH )
: 0304 0      XL      = [ 4, 1, 0 ], ! XMIT LIST INVALID   R ( ACTIVE HIGH )
: 0305 0      RL      = [ 5, 1, 0 ], ! RCV LIST INVALID   R ( ACTIVE HIGH )
: 0306 0      IE      = [ 6, 1, 0 ], ! INTERRUPT ENABLE    R/W ( ACTIVE HIGH )
: 0307 0      XI      = [ 7, 1, 0 ], ! XMIT INTERRUPT REQUEST R/W ( ACTIVE HIGH )
: 0308 0      IL      = [ 8, 1, 0 ], ! INTERNAL LOOPBACK MODE R/W ( ACTIVE LOW )
: 0309 0      EL      = [ 9, 1, 0 ], ! EXTERNAL LOOPBACK MODE R/W ( ACTIVE HIGH )
: 0310 0      SE      = [10, 1, 0 ], ! SANITY TIMER ENABLE R/W ( ACTIVE HIGH )
: 0311 0      X1      = [11, 1, 0 ], ! RESERVED, UNUSABLE
: 0312 0      XC      = [12, 1, 0 ], ! TRANSCEIVER PWR    R ( ACTIVE HIGH )
: 0313 0      CA      = [13, 1, 0 ], ! CARRIER            R ( ACTIVE HIGH )
: 0314 0      X2      = [14, 1, 0 ], ! RESERVED, UNUSABLE
: 0315 0      RI      = [15, 1, 0 ], ! RCV INTERRUPT REQUEST R/W ( ACTIVE HIGH )
: 0316 0
: 0317 0      LB      = [ 8, 2, 0 ], ! LOOPBACK BITS
: 0318 0      XLRL    = [ 4, 2, 0 ], ! XMIT AND RCV LISTS INVALID BITS
: 0319 0      ALL_BITS = [ 0,16, 0 ], ! FETCH WHOLE WORD
: 0320 0
: 0321 0      LO_NIBBLE = [ 0, 0, 0 ], !
: 0322 0      HI_NIBBLE = [ 0, 4, 0 ], !
: 0323 0      LO_BYTE   = [ 0, 8, 0 ], !
: 0324 0      HI_BYTE   = [ 0,16, 0 ], ! GET WORD, ALL BITS
: 0325 0      ST_ADDR   = [ 0, 8, 0 ], ! STATION ADDRESS LOW BYTE
: 0326 0      ST_WORD   = [ 0,16, 0 ], ! GET WORD, ALL BITS
: 0327 0
: 0328 0      RCV_LO    = [ 2, 0,16, 0 ], ! RCV BUFFER DESCRIPTOR LIST LOW ADDRESS
: 0329 0      RCV_HI    = [ 3, 0, 8, 0 ], ! RCV BUFFER DESCRIPTOR LIST HIGH ADDRESS
: 0330 0      XMIT_LO   = [ 4, 0,16, 0 ], ! XMIT BUFFER DESCRIPTOR LIST LOW ADDRESS
: 0331 0      XMIT_HI   = [ 5, 0, 8, 0 ], ! XMIT BUFFER DESCRIPTOR LIST HIGH ADDRESS
: 0332 0      VEC_ADR   = [ 2, 8, 0 ], ! INTERRUPT VECTOR ADDRESS
: 0333 0      VEC_ALL   = [ 6, 0,16, 0 ], ! INTERRUPT VECTOR ADDRESS
: 0334 0      CSR_ALL   = [ 7, 0,16, 0 ], ! CONTROL AND STATUS REGISTER
: 0335 0      TES;

```

```

: 0336 0      :...
: 0337 0      :
: 0338 0      : TRANSMIT AND RECEIVE DESCRIPTOR LIST FIELDS
: 0339 0      :
: 0340 0      : ---
: 0341 0      :
: 0342 0      : FIELD
: 0343 0      : DL_FIELDS -
: 0344 0      : SET
: 0345 0      : FLGWD      = [ 0. 0. 16. 0 ].      ! XMIT OF RCV FLAG WORD
: 0346 0      :
: 0347 0      : DBITS      = [ 1. 0. 16. 0 ].      ! DESCRIPTOR BITS
: 0348 0      : H_BIT      = [ 1. 6. 1. 0 ].      ! XMIT BUFFER BEGINS ON BYTE BOUNDARY
: 0349 0      : L_BIT      = [ 1. 7. 1. 0 ].      ! XMIT BUFFER ENDS ON BYTE BOUNDARY
: 0350 0      : S_BIT      = [ 1. 12. 1. 0 ].     ! SET-UP PACKET IF 1
: 0351 0      : E_BIT      = [ 1. 13. 1. 0 ].     ! LAST DESCRIPTOR IN CHAIN ( END )
: 0352 0      : C_BIT      = [ 1. 14. 1. 0 ].     ! DESCRIPTOR HAS CHAIN ADDRESS IF 1
: 0353 0      : V_BIT      = [ 1. 15. 1. 0 ].     ! VALID ADDRESS IF 1
: 0354 0      :
: 0355 0      : LOADR      = [ 2. 0. 16. 0 ].     ! LOW 16 BITS OF XMIT OR RCV BUFFER ADDRESS
: 0356 0      :
: 0357 0      : TWDL       = [ 3. 0. 16. 0 ].     ! XMIT OR RCV PACKET WORD LENGTH
: 0358 0      :
: 0359 0      : STWD1      = [ 4. 0. 16. 0 ].     ! XMIT OR RCV STATUS WORD 1
: 0360 0      : OVF        = [ 4. 0. 1. 0 ].      ! FIFO BUFFER OVERFLOW
: 0361 0      : ABORT      = [ 4. 9. 1. 0 ].      :
: 0362 0      : STE16      = [ 4. 10. 1. 0 ].     ! SANITY TIMER ON AT POWER_UP
: 0363 0      : NOCAR      = [ 4. 11. 1. 0 ].     ! NO CARRIER
: 0364 0      : RUNT       = [ 4. 11. 1. 0 ].     ! RUNT PACKET IN FIFO
: 0365 0      : ESETUP     = [ 4. 13. 1. 0 ].     ! CONTROL SET_UP OR LOOPBACK PACKET
: 0366 0      : LONGP      = [ 4. 14. 1. 0 ].     ! LONG PACKET
: 0367 0      : ERRSU      = [ 4. 14. 1. 0 ].     ! ERROR SUMMARY
: 0368 0      : LSTD       = [ 4. 15. 1. 0 ].     ! LAST DESCRIPTOR LIST IN CHAIN
: 0369 0      :
: 0370 0      : STWD2      = [ 5. 0. 16. 0 ].     ! XMIT OR RCV STATUS WORD 2
: 0371 0      : TDR        = [ 5. 0. 14. 0 ].     !
: 0372 0      : RBLL       = [ 5. 0. 8. 0 ].      ! RECEIVE BYTE LENGTH ( LOW 8 BITS )
: 0373 0      :
: 0374 0      : DLINK      = [ 6. 0. 16. 0 ].     ! DESCRIPTOR LINK PRE-FILL STATUS WD
: 0375 0      :
: 0376 0      : BSTAT      = [ 7. 0. 16. 0 ].     ! BUFFER STATE ! XMIT ODD/EVEN ! HIGH ORDER ADR
: 0377 0      :
: 0378 0      : B_LEN      = [ 0. 8. 0 ].         !
: 0379 0      : W_LEN      = [ 0.16. 0 ]         !
: 0380 0      : TES;

```



```

: 0381 0    :..
: 0382 0    :
: 0383 0    :   HARDWARE P-TABLE FIELD DEFINITIONS
: 0384 0    :
: 0385 0    :   ..
: 0386 0    :
: 0387 0    : FIELD
: 0388 0    :   HWP_FIELDS =
: 0389 0    :   SET
: 0390 0    :   ADDR   = [ 0. 0. 16. 0 ],   ! I/O PAGE BASE ADDRESS
: 0391 0    :   VEC    = [ 1. 0. 16. 0 ],   ! INTERRUPT VECTOR ADDRESS
: 0392 0    :   BRL    = [ 2. 0. 16. 0 ]   ! BR LEVEL
: 0393 0    :   TES;
: 0394 0    :
: 0395 0    :
: 0396 0    :   ..
: 0397 0    :   :
: 0398 0    :   : SOFTWARE P-TABLE FIELD DEFINITIONS
: 0399 0    :   :
: 0400 0    :   : ..
: 0401 0    :   :
: 0402 0    :   : FIELD
: 0403 0    :   :   SWP_FIELDS =
: 0404 0    :   :   SET
: 0405 0    :   :   ERR_CNT = [0.0.16.0]   ! # OF ERRORS BEFORE DROPPING DEQNA
: 0406 0    :   :   TES;
: 0407 0    :
: 0408 0

```

COMMAND QUALIFIERS

```

:
: BLISS/PDP11 QNALIB.R16/LIST=QNALIB.LIS/LIBRARY=QNALIB.L16/SOURCE=PAGE:53

```

```

: Run Time:      00:03.6
: Elapsed Time: 00:06.9
: Lines/CPU Min: 6837
: Lexemes/CPU-Min: 32681
: Memory Used: 46 pages
: Library Precompilation Complete

```

ZQNACO.EXE Memory allocation map TKB M40.02
5-JUL-84 14:19

Page 1

Partition name : DUMMY
Identification : V01.0
Task UIC : [202,22]
Task attributes: -HD
Total address windows: 1.
Task image size : 11232. words
Task address limits: 002000 055677
R-W disk blk limits: 000002 000055 000054 00044.

*** Root segment: ZQNA1

R/W mem limits: 002000 055677 053700 22464.
Disk blk limits: 000002 000055 000054 00044.

Memory allocation synopsis:

Section	Title	Ident	File
\$CODE\$:(RO,I,LCL,REL,CON)	002000 000406 00262.		
	002000 000242 00162.	ZQNA1	V01.0 ZQNA1.OBJ;2
	002242 000144 00100.	ZQNA2	V01.0 ZQNA2.OBJ;2
\$GLOB\$:(RW,D,LCL,REL,CON)	002406 012504 05444.		
	002406 012504 05444.	ZQNA1	V01.0 ZQNA1.OBJ;2
\$PLIT\$:(RO,D,LCL,REL,CON)	015112 007036 03614.		
	015112 007036 03614.	ZQNA1	V01.0 ZQNA1.OBJ;2
AA\$COD:(RO,I,LCL,REL,CON)	024150 000370 00248.		
	024150 000370 00248.	ZQNA2	V01.0 ZQNA2.OBJ;2
AB\$COD:(RO,I,LCL,REL,CON)	024540 022564 09588.		
	024540 022564 09588.	ZQNA3	V01.0 ZQNA3.OBJ;2
AC\$COD:(RO,I,LCL,REL,CON)	047324 006130 03160.		
	047324 006130 03160.	ZQNA4	V01.0 ZQNA4.OBJ;2
. BLK.:(RW,I,LCL,REL,CON)	055454 000000 00000.		
\$XYZ\$:(RO,I,LCL,REL,CON)	055454 000224 00148.		
	055454 000214 00140.	CZQNAA	2.4 B16SAV.OBJ;2
	055670 000010 00008.	ZQNA5	V01.0 ZQNA5.OBJ;2

Global symbols:

ADR 000020	BIT1 000002	BIT8 000400	COUNTE 015016-R	ERRBLK 002204-R	GP\$1 002312-R	INTERR 015012-R
BD.PRO 014300-R	BIT10 002000	BIT9 001000	CSR.WO 015030-R	ERRMSG 002202-R	GP\$2 002322-R	IOP.DA 015002-R
BIT0 000001	BIT11 004000	BL\$LAS 055670-R	DATA.B 003006-R	ERRNBR 002200-R	GP\$3 002336-R	IOP.TA 014034 R
BIT00 000001	BIT12 010000	BOE 000400	DEQNA. 015014-R	ERROR\$ 047324-R	GP\$4 002346-R	ISR 000100
BIT01 000002	BIT13 020000	BUF.LE 015026-R	DESCR. 002406-R	ERRTYP 002176-R	GP\$5 002362-R	IXE 004000
BIT02 000004	BIT14 040000	CHECKS 015024-R	DFSTBL 002210-R	ERR.CO 015040-R	GP\$6 002370-R	KBD.IN 055642-R
BIT03 000010	BIT15 100000	CHK.CS 051172-R	DOWN.C 015022-R	ERR.FL 015036-R	GP\$7 002376-R	LOE 040000
BIT04 000020	BIT2 000004	CHK.RC 051662-R	D\$PCNT 002122-R	ERR.NU 015034-R	HOE 100000	LOT 000010
BIT05 000040	BIT3 000010	CHK.RI 050606-R	EF.CON 000036	ETH.ST 014054-R	HP.TAB 002210-R	L\$ACP 002110-R
BIT06 000100	BIT4 000020	CHK.XM 051364-R	EF.NEW 000035	EVL 000004	HWP.TA 014774 R	L\$APT 002036-R
BIT07 000200	BIT5 000040	CLR.BU 050560-R	EF.PWR 000034	E1\$REP 047630-R	IBE 010000	L\$AU 024520-R
BIT08 000400	BIT6 000100	CLR.DE 050532-R	EF.RES 000037	FORM.H 053722-R	IDU 000040	L\$AUT 002070-R
BIT09 001000	BIT7 000200	COMPAR 052142-R	EF.STA 000040	GET.AD 015004-R	IER 020000	L\$AUTO 024462-R

ZQNACO.EXE Memory allocation map TKB M40.02 Page 2
 ZQNA1 5-JUL-84 14:19

L\$CCP	002106-R	L\$MREV	002050-R	MSG11	016574-R	MSG45	021702-R	PRI02	000100	SWP.IL	002226-R	T15	041770-R
L\$CLEA	024474 R	L\$NAME	002000-R	MSG12	016660-R	MSG46	021760-R	PRI03	000140	SWP.LB	002222-R	T16	044036-R
L\$CO	002032-R	L\$NDHR	002332-R	MSG13	016724-R	MSG47	022030-R	PRI04	000200	SWP.TA	014776-R	T17	044700-R
L\$DEPO	002011-R	L\$NDHW	002214-R	MSG14	017010-R	MSG48	022104-R	PRI05	000240	SWP.TI	002220-R	T18	045216-R
L\$DESC	002260-R	L\$NDSF	002404-R	MSG15	017100-R	MSG49	022142-R	PRI06	000300	SWP.TO	002224-R	T19	045566-R
L\$DESP	002076 R	L\$NDSW	002232-R	MSG16	017162-R	MSG50	022200-R	PRI07	000340	TADR1	015106-R	T2	026032-R
L\$DEVP	002060-R	L\$PRIO	002042-R	MSG17	017250-R	MSG51	022262-R	PTRN.T	014100-R	TADR2	015110-R	T20	046266-R
L\$DISP	002124-R	L\$PROT	002234-R	MSG18	017336-R	MSG52	022314-R	FWR.IN	055600-R	TARGET	014110-R	T21	047310-R
L\$DLY	002116-R	L\$PRF	002112-R	MSG19	017362-R	MSG53	022360-R	P1	015070-R	TBYTE1	015102-R	T3	026616-R
L\$DTP	002040-R	L\$REPP	002062-R	MSG20	017450-R	MSG54	022410-R	P2	015072-R	TBYTE2	015103-R	T4	027664-R
L\$DTYP	002034-R	L\$REV	002010-R	MSG21	017540-R	MSG55	022460-R	P3	015074-R	TBYTE3	015104-R	T5	030544-R
L\$DU	024506-R	L\$RPT	024160-R	MSG22	017620-R	MSG56	022522-R	P4	015076-R	TBYTE4	015105-R	T6	031254-R
L\$DUT	002072-R	L\$SFTL	002334-R	MSG23	017704-R	MSG57	022560-R	P5	015100-R	TD13	014470-R	T7	033614-R
L\$DVTY	002242-R	L\$SOFT	002336-R	MSG24	017762-R	MSG58	022650-R	QST01	015112-R	TD16	014340-R	T8	034052-R
L\$EF	002052-R	L\$SPC	002056-R	MSG25	020036-R	MSG59	022714-R	QST02	015142-R	TEMP1	015046-R	T9	034376-R
L\$ENVI	002044-R	L\$SPCP	002020-R	MSG26	020100-R	MSG60	023026-R	QST03	015172-R	TEMP2	015050-R	UAM	000200
L\$ERRT	002176-R	L\$SPTP	002024-R	MSG27	020142-R	MSG61	023070-R	QST04	015234-R	TEMP3	015052-R	UP.COU	015020-R
L\$ETP	002102-R	L\$STA	002030-R	MSG28	020204-R	MSG62	023132-R	QST05	015276-R	TEMP4	015054-R	VER.DE	050332-R
L\$EXP1	002046-R	L\$SW	002220-R	MSG29	020250-R	MSG63	023222-R	QST06	015340-R	TEMP5	015056-R	WAIT.F	055562-R
L\$EXP4	002064-R	L\$SWLE	002216-R	MSG30	020276-R	MSG64	023316-R	QST07	015402-R	TEMP6	015060-R	WALKIN	052714-R
L\$EXP5	002066-R	L\$TEST	002114-R	MSG31	020364-R	MSG65	023352-R	RBUF.L	015010-R	TEMP7	015062-R	WRT.ST	053446-R
L\$HARD	002312-R	L\$TIML	002014-R	MSG32	020450-R	MSG66	023416-R	RCV.BU	003006-R	TEMP8	015064-R	XBUF.L	015006-R
L\$HIME	002120-R	L\$UNIT	002012-R	MSG33	020512-R	MSG67	023504-R	RCV.D.	002406-R	TEMP9	015066-R	XC.FLA	015032-R
L\$HPCP	002016-R	MSG00	015444-R	MSG34	020566-R	MSG68	023606-R	RD13	014574-R	TMP.IO	015042-R	XMIT.A	055154-R
L\$HPTP	002022-R	MSG01	015502-R	MSG35	020642-R	MSG69	023704-R	REG.AD	015000-R	TMP.RE	015044-R	XMIT.B	007006-R
L\$HRDL	002310-R	MSG02	015564-R	MSG36	020740-R	MSG70	024004-R	RESET.	047650-R	TURN.O	055400-R	XMIT.D	002606-R
L\$HW	002210-R	MSG03	015652-R	MSG37	021044-R	MSG71	024070-R	SEND.E	054640-R	T\$FREE	055674-R	XMIT.I	055202-R
L\$HWLE	002206-R	MSG04	015756-R	MSG38	021136-R	NXM.IN	024530-R	SEND.T	055006-R	T\$PTHV	000001	XMIT.S	054372-R
L\$ICP	002104-R	MSG05	016050-R	MSG39	021216-R	PHYS.A	013006-R	SETUP.	013034-R	T1	025202-R	\$END.L	055676-R
L\$INJT	024450-R	MSG06	016142-R	MSG40	021302-R	PNT	001000	SET.RD	052560-R	T10	034634-R	\$SAVE2	055454-R
L\$LADP	002026-R	MSG07	016234-R	MSG41	021372-R	PREP.F	053640-R	SET.XD	052636-R	T11	035164-R	\$SAVE3	055470-R
L\$LAST	055674-R	MSG08	016326-R	MSG42	021434-R	PRI	002000	SP.TAB	002220-R	T12	037020-R	\$SAVE4	055506-R
L\$LOAD	002100-R	MSG09	016420-R	MSG43	021514-R	PRI00	000000	STATIO	014070-R	T13	040256-R	\$SAVE5	055526-R
L\$LUN	002074 R	MSG10	016512-R	MSG44	021600-R	PRI01	000040	SWP.BL	002230-R	T14	041540-R		

*** Task builder statistics:

Total work file references: 87137.
 Work file reads: 0.
 Work file writes: 0.
 Size of core pool: 4016. words (15. pages)
 Size of work file: 3328. words (13. pages)

Elapsed time:00:00:39

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAGE 1

GLOBAL CROSS REFERENCE CREF V02

SYMBOL	VALUE	REFERENCES...
ADR	000020	@ ZQNA1 @ ZQNA2
BD.PRO	014300-R	@ ZQNA1 ZQNA3 ZQNA4
BIT0	000001	@ ZQNA1 @ ZQNA2
BIT00	000001	@ ZQNA1 @ ZQNA2
BIT01	000002	@ ZQNA1 @ ZQNA2
BIT02	000004	@ ZQNA1 @ ZQNA2
BIT03	000010	@ ZQNA1 @ ZQNA2
BIT04	000020	@ ZQNA1 @ ZQNA2
BIT05	000040	@ ZQNA1 @ ZQNA2
BIT06	000100	@ ZQNA1 @ ZQNA2
BIT07	000200	@ ZQNA1 @ ZQNA2
BIT08	000400	@ ZQNA1 @ ZQNA2
BIT09	001000	@ ZQNA1 @ ZQNA2
BIT1	000002	@ ZQNA1 @ ZQNA2
BIT10	002000	@ ZQNA1 @ ZQNA2
BIT11	004000	@ ZQNA1 @ ZQNA2
BIT12	010000	@ ZQNA1 @ ZQNA2
BIT13	020000	@ ZQNA1 @ ZQNA2
BIT14	040000	@ ZQNA1 @ ZQNA2
BIT15	100000	@ ZQNA1 @ ZQNA2
BIT2	000004	@ ZQNA1 @ ZQNA2
BIT3	000010	@ ZQNA1 @ ZQNA2
BIT4	000020	@ ZQNA1 @ ZQNA2
BIT5	000040	@ ZQNA1 @ ZQNA2
BIT6	000100	@ ZQNA1 @ ZQNA2
BIT7	000200	@ ZQNA1 @ ZQNA2
BIT8	000400	@ ZQNA1 @ ZQNA2
BIT9	001000	@ ZQNA1 @ ZQNA2
BL\$LAS	055670-R	@ ZQNA5
BOE	000400	@ ZQNA1 @ ZQNA2
BUF.LE	015026-R	@ ZQNA1
CHECKS	015024-R	@ ZQNA1 ZQNA3 ZQNA4
CHK.CS	051172-R	ZQNA3 @ ZQNA4
CHK.RC	051662-R	ZQNA3 @ ZQNA4
CHK.RI	050606-R	ZQNA3 @ ZQNA4
CHK.XM	051364-R	ZQNA3 @ ZQNA4
CLR.BU	050560-R	ZQNA3 @ ZQNA4
CLR.DE	050532-R	ZQNA3 @ ZQNA4
COMPAR	052142-R	ZQNA3 @ ZQNA4
COUNTE	015016-R	@ ZQNA1 ZQNA3 ZQNA4
CSR.WO	015030-R	@ ZQNA1 ZQNA3 ZQNA4
DATA.B	003006-R	@ ZQNA1 ZQNA3 ZQNA4
DEQNA.	015014-R	@ ZQNA1 ZQNA3 ZQNA4
DESCR.	002406-R	@ ZQNA1 ZQNA3 ZQNA4
DFSTBL	002210-R	@ ZQNA1
DOWN.C	015022-R	@ ZQNA1 ZQNA3 ZQNA4
D\$PCNT	002122-R	@ ZQNA1
EF.CON	000036	@ ZQNA1 @ ZQNA2
EF.NEW	000035	@ ZQNA1 @ ZQNA2
EF.PWR	000034	@ ZQNA1 @ ZQNA2
EF.RES	000037	@ ZQNA1 @ ZQNA2
EF.STA	000040	@ ZQNA1 @ ZQNA2

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAGE 2

GLOBAL CROSS REFERENCE

CREF V02

SYMBOL	VALUE	REFERENCES...
ERRBLK	002204-R	⊕ ZQNA1
ERRMSG	002202-R	⊕ ZQNA1
ERRNBR	002200-R	⊕ ZQNA1
ERROR\$	047324-R	ZQNA3 ⊕ ZQNA4
ERRTYP	002176-R	⊕ ZQNA1
ERR.CO	015040-R	⊕ ZQNA1 ZQNA3 ZQNA4
ERR.FL	015036-R	⊕ ZQNA1 ZQNA3 ZQNA4
ERR.NU	015034-R	⊕ ZQNA1 ZQNA3 ZQNA4
ETH.ST	014054-R	⊕ ZQNA1
EVL	000004	⊕ ZQNA1 ⊕ ZQNA2
E1\$REP	047630-R	ZQNA3 ⊕ ZQNA4
FORM.H	053722-R	ZQNA3 ⊕ ZQNA4
GET.AD	015004-R	⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
GP\$1	002312-R	⊕ ZQNA2
GP\$2	002322-R	⊕ ZQNA2
GP\$3	002336-R	⊕ ZQNA2
GP\$4	002346-R	⊕ ZQNA2
GP\$5	002362-R	⊕ ZQNA2
GP\$6	002370-R	⊕ ZQNA2
GP\$7	002376-R	⊕ ZQNA2
HOE	100000	⊕ ZQNA1 ⊕ ZQNA2
HP.TAB	002210-R	⊕ ZQNA1
HWP.TA	014774-R	⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
IBE	010000	⊕ ZQNA1 ⊕ ZQNA2
IDU	000040	⊕ ZQNA1 ⊕ ZQNA2
IER	020000	⊕ ZQNA1 ⊕ ZQNA2
INTERR	015012-R	CZQNAA ⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
IOP.DA	015002-R	⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
IOP.TA	014034-R	⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
ISR	000100	⊕ ZQNA1 ⊕ ZQNA2
IXE	004000	⊕ ZQNA1 ⊕ ZQNA2
KBD.IN	055642-R	⊕ CZQNAA ZQNA3
LOE	040000	⊕ ZQNA1 ⊕ ZQNA2
LOT	000010	⊕ ZQNA1 ⊕ ZQNA2
L\$ACP	002110-R	⊕ ZQNA1
L\$APT	002036-R	⊕ ZQNA1
L\$AU	024520-R	ZQNA1 ⊕ ZQNA2
L\$AUT	002070-R	⊕ ZQNA1
L\$AUTO	024462-R	ZQNA1 ⊕ ZQNA2
L\$CCP	002106-R	⊕ ZQNA1
L\$CLEA	024474-R	ZQNA1 ⊕ ZQNA2
L\$CO	002032-R	⊕ ZQNA1
L\$DEPO	002011-R	⊕ ZQNA1
L\$DESC	002260-R	ZQNA1 ⊕ ZQNA2
L\$DESP	002076-R	⊕ ZQNA1
L\$DEVP	002060-R	⊕ ZQNA1
L\$DISP	002124-R	⊕ ZQNA1
L\$DLY	002116-R	⊕ ZQNA1 ZQNA2 ZQNA3 ZQNA4
L\$DTP	002040-R	⊕ ZQNA1
L\$DTYP	002034-R	⊕ ZQNA1
L\$DU	024506-R	ZQNA1 ⊕ ZQNA2
L\$DJT	002072-R	⊕ ZQNA1

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAGE 3

GLOBAL CROSS REFERENCE

CREF V02

SYMBOL	VALUE	REFERENCES...
L\$DVTY	002242-R	ZQNA1 ♦ ZQNA2
L\$EF	002052-R	♦ ZQNA1
L\$ENVI	002044-R	♦ ZQNA1
L\$ERRT	002176-R	♦ ZQNA1
L\$ETP	002102-R	♦ ZQNA1
L\$EXP1	002046-R	♦ ZQNA1
L\$EXP4	002064-R	♦ ZQNA1
L\$EXP5	002066-R	♦ ZQNA1
L\$HARD	002312-R	ZQNA1 ♦ ZQNA2
L\$HIME	002120-R	♦ ZQNA1
L\$HPCP	002016-R	♦ ZQNA1
L\$HPTP	002022-R	♦ ZQNA1
L\$HRDL	002310-R	♦ ZQNA2
L\$HW	002210-R	♦ ZQNA1
L\$HWLE	002206-R	♦ ZQNA1
L\$ICP	002104-R	♦ ZQNA1
L\$INIT	024450-R	ZQNA1 ♦ ZQNA2
L\$LADP	002026-R	♦ ZQNA1
L\$LAST	055674-R	ZQNA1 ♦ ZQNA5
L\$LOAD	002100-R	♦ ZQNA1
L\$LUN	002074-R	♦ ZQNA1
L\$MREV	002050-R	♦ ZQNA1
L\$NAME	002000-R	♦ ZQNA1
L\$NDHR	002332-R	♦ ZQNA2
L\$NDHW	002214-R	♦ ZQNA1
L\$NDSF	002404-R	♦ ZQNA2
L\$NDSW	002232-R	♦ ZQNA1
L\$PRIO	002042-R	♦ ZQNA1
L\$PROT	002234-R	♦ ZQNA1
L\$PRT	002112-R	♦ ZQNA1
L\$REPP	002062-R	♦ ZQNA1
L\$REV	002010-R	♦ ZQNA1
L\$RPT	024160-R	ZQNA1 ♦ ZQNA2
L\$SFTL	002334-R	♦ ZQNA2
L\$SOFT	002336-R	ZQNA1 ♦ ZQNA2
L\$SPC	002056-R	♦ ZQNA1
L\$SPCP	002020-R	♦ ZQNA1
L\$SPTP	002024-R	♦ ZQNA1
L\$STA	002030-R	♦ ZQNA1
L\$SW	002220-R	♦ ZQNA1
L\$SWLE	002216-R	♦ ZQNA1
L\$TEST	002114-R	♦ ZQNA1
L\$TIML	002014-R	♦ ZQNA1
L\$UNIT	002012-R	♦ ZQNA1
MSG00	015444-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG01	015502-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG02	015564-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG03	015652-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG04	015756-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG05	016050-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG06	016142-R	♦ ZQNA1 ZQNA3 ZQNA4
MSG07	016234-R	♦ ZQNA1 ZQNA3 ZQNA4

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAGE 4

GLOBAL CROSS REFERENCE

CREF V02

SYMBOL	VALUE	REFERENCES...		
MSG08	016326-R	• ZQNA1	ZQNA3	ZQNA4
MSG09	016420-R	• ZQNA1	ZQNA3	ZQNA4
MSG10	016512-R	• ZQNA1	ZQNA3	ZQNA4
MSG11	016574-R	• ZQNA1	ZQNA3	ZQNA4
MSG12	016660-R	• ZQNA1	ZQNA3	ZQNA4
MSG13	016724-R	• ZQNA1	ZQNA3	ZQNA4
MSG14	017010-R	• ZQNA1	ZQNA3	ZQNA4
MSG15	017100-R	• ZQNA1	ZQNA3	ZQNA4
MSG16	017162-R	• ZQNA1	ZQNA3	ZQNA4
MSG17	017250-R	• ZQNA1	ZQNA3	ZQNA4
MSG18	J17336-R	• ZQNA1	ZQNA3	ZQ:JA4
MSG19	017362-R	• ZQNA1	ZQNA3	ZQ:JA4
MSG20	017450-R	• ZQNA1	ZQNA3	ZQNA4
MSG21	017540-R	• ZQNA1	ZQNA3	ZQNA4
MSG22	017620-R	• ZQNA1	ZQNA3	ZQNA4
MSG23	017704-R	• ZQNA1	ZQNA3	ZQNA4
MSG24	017762-R	• ZQNA1	ZQNA3	ZQNA4
MSG25	020036-R	• ZQNA1	ZQNA3	ZQNA4
MSG26	020100-R	• ZQNA1	ZQNA3	ZQNA4
MSG27	020142-R	• ZQNA1	ZQNA3	ZQNA4
MSG28	020204-R	• ZQNA1	ZQNA3	ZQNA4
MSG29	020250-R	• ZQNA1	ZQNA3	ZQNA4
MSG30	J0276-R	• ZQNA1	ZQNA3	ZQNA4
MSG31	020364-R	• ZQNA1	ZQNA3	ZQNA4
MSG32	C20450-R	• ZQNA1	ZQNA3	ZQNA4
MSG33	020512-R	• ZQNA1	ZQNA3	ZQNA4
MSG34	020566-R	• ZQNA1	ZQNA3	ZQNA4
MSG35	020642-R	• ZQNA1	ZQNA3	ZQNA4
MSG36	020740-R	• ZQNA1	ZQNA3	ZQNA4
MSG37	021044-R	• ZQNA1	ZQNA3	ZQNA4
MSG38	021136-R	• ZQNA1	ZQNA3	ZQNA4
MSG39	021216-R	• ZQNA1	ZQNA3	ZQNA4
MSG40	021302-R	• ZQNA1	ZQNA3	ZQNA4
MSG41	021372-R	• ZQNA1	ZQNA3	ZQNA4
MSG42	021434-R	• ZQNA1	ZQNA3	ZQNA4
MSG43	021514-R	• ZQNA1	ZQNA3	ZQNA4
MSG44	021600-R	• ZQNA1	ZQNA3	ZQNA4
MSG45	021702-R	• ZQNA1	ZQNA3	ZQNA4
MSG46	021760-R	• ZQNA1	ZQNA3	ZQNA4
MSG47	022030-R	• ZQNA1	ZQNA3	ZQNA4
MSG48	022104-R	• ZQNA1	ZQNA3	ZQNA4
MSG49	022142-R	• ZQNA1	ZQNA3	ZQNA4
MSG50	022200-R	• ZQNA1	ZQNA3	ZQNA4
MSG51	022262-R	• ZQNA1	ZQNA3	ZQNA4
MSG52	022314-R	• ZQNA1	ZQNA3	ZQNA4
MSG53	022360-R	• ZQNA1	ZQNA3	ZQNA4
MSG54	022410-R	• ZQNA1	ZQNA2	ZQNA3 ZQNA4
MSG55	022460-R	• ZQNA1	ZQNA3	ZQNA4
MSG56	022522-R	• ZQNA1	ZQNA3	ZQNA4
MSG57	022560-R	• ZQNA1	ZQNA3	ZQNA4
MSG58	022650-R	• ZQNA1	ZQNA3	ZQNA4
MSG59	022714-R	• ZQNA1	ZQNA3	ZQNA4

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAGE 5

GLOBAL CROSS REFERENCE CREF V02

SYMBOL	VALUE	REFERENCES...			
MSG60	023026-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG61	023070-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG62	023132-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG63	023222-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG64	023316-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG65	023352-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG66	023416-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG67	023504-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG68	023606-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG69	023704-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG70	024004-R	@ ZQNA1	ZQNA3	ZQNA4	
MSG71	024070-R	@ ZQNA1	ZQNA3		
NXM.IN	024530-R	@ ZQNA2	ZQNA3		
PHYS.A	013006-R	@ ZQNA1	ZQNA3	ZQNA4	
PNT	001000	@ ZQNA1	@ ZQNA2		
PREP.F	053640-R	ZQNA3	@ ZQNA4		
PRI	002000	@ ZQNA1	@ ZQNA2		
PRI00	000000	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI01	000040	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI02	000100	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI03	000140	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI04	000200	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI05	000240	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI06	000300	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PRI07	000340	@ ZQNA1	@ ZQNA2	ZQNA3	ZQNA4
PTRN.T	014100-R	@ ZQNA1	ZQNA3		
PWR.IN	055600-R	@ CZQNAA	ZQNA3		
P1	015070-R	@ ZQNA1	ZQNA3	ZQNA4	
P2	015072-R	@ ZQNA1	ZQNA3	ZQNA4	
P3	015074-R	@ ZQNA1	ZQNA3	ZQNA4	
P4	015076-R	@ ZQNA1	ZQNA3	ZQNA4	
P5	015100-R	@ ZQNA1			
QST01	015112-R	@ ZQNA1	ZQNA2		
QST02	015142-R	@ ZQNA1	ZQNA2		
QST03	015172-R	@ ZQNA1	ZQNA2		
QST04	015234-R	@ ZQNA1	ZQNA2		
QST05	015276-R	@ ZQNA1	ZQNA2		
QST06	015340-R	@ ZQNA1	ZQNA2		
QST07	015402-R	@ ZQNA1	ZQNA2		
RBUF.L	015010-R	@ ZQNA1	ZQNA3	ZQNA4	
RCV.BU	003006-R	@ ZQNA1	ZQNA3	ZQNA4	
RCV.D.	002406-R	@ ZQNA1	ZQNA3	ZQNA4	
RD13	014574-R	@ ZQNA1	ZQNA3		
REG.AD	015000-R	@ ZQNA1	ZQNA2	ZQNA3	ZQNA4
RESET.	047650-R	ZQNA2	ZQNA3	@ ZQNA4	
SEND.E	054640-R	ZQNA3	@ ZQNA4		
SEND.T	055006-R	ZQNA3	@ ZQNA4		
SETUP.	013034-R	@ ZQNA1	ZQNA4		
SET.RD	052560-R	ZQNA3	@ ZQNA4		
SET.XD	052636-R	ZQNA3	@ ZQNA4		
SP.TAB	002220-R	@ ZQNA1			
STATIO	014070-R	@ ZQNA1	ZQNA3	ZQNA4	

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19 PAG. 6

GLOBAL CROSS REFERENCE CRE# V02

SYMBOL	VALUE	REFERENCES...
SWP.BL	002230-R	@ ZQNA1 ZQNA3 ZQNA4
SWP.IL	002226-R	@ ZQNA1 ZQNA3 ZQNA4
SWP.LB	002222-R	@ ZQNA1 ZQNA3
SWP.TA	014776-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
SWP.TI	002220-R	@ ZQNA1 ZQNA3 ZQNA4
SWP.TO	002224-R	@ ZQNA1 ZQNA3 ZQNA4
TADR1	015106-R	@ ZQNA1 ZQNA3 ZQNA4
TADR2	015110-R	@ ZQNA1 ZQNA3 ZQNA4
TARGET	014110-R	@ ZQNA1 ZQNA3 ZQNA4
TBYTE1	015102-R	@ ZQNA1 ZQNA3 ZQNA4
TBYTE2	015103-R	@ ZQNA1 ZQNA3 ZQNA4
TBYTE3	015104-R	@ ZQNA1 ZQNA3 ZQNA4
TBYTE4	015105-R	@ ZQNA1 ZQNA3 ZQNA4
TD13	014470-R	@ ZQNA1 ZQNA3
TD16	014340-R	@ ZQNA1 ZQNA3
TEMP1	015046-R	CZQNAA @ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP2	015050-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP3	015052-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP4	015054-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP5	015056-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP6	015060-R	CZQNAA @ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP7	015062-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP8	015064-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TEMP9	015066-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TMP.IO	015042-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TMP.RE	015044-R	@ ZQNA1 ZQNA2 ZQNA3 ZQNA4
TURN.O	055400-R	ZQNA3 @ ZQNA4
T\$FREE	055674-R	@ ZQNA5
T\$PTHV	000001	ZQNA1 @ ZQNA5
T1	025202-R	ZQNA1 @ ZQNA3
T10	034634-R	ZQNA1 @ ZQNA3
T11	035164-R	ZQNA1 @ ZQNA3
T12	037020-R	ZQNA1 @ ZQNA3
T13	040256-R	ZQNA1 @ ZQNA3
T14	041540-R	ZQNA1 @ ZQNA3
T15	041770-R	ZQNA1 @ ZQNA3
T16	044036-R	ZQNA1 @ ZQNA3
T17	044700-R	ZQNA1 @ ZQNA3
T18	045216-R	ZQNA1 @ ZQNA3
T19	045566-R	ZQNA1 @ ZQNA3
T2	026032-R	ZQNA1 @ ZQNA3
T20	046266-R	ZQNA1 @ ZQNA3
T21	047310-R	ZQNA1 @ ZQNA3
T3	026615-R	ZQNA1 @ ZQNA3
T4	027664-R	ZQNA1 @ ZQNA3
T5	030544-R	ZQNA1 @ ZQNA3
T6	031254-R	ZQNA1 @ ZQNA3
T7	033614-R	ZQNA1 @ ZQNA3
T8	034052-R	ZQNA1 @ ZQNA3
T9	034376-R	ZQNA1 @ ZQNA3
UAM	000200	@ ZQNA1 @ ZQNA2
UP.COU	015020-R	@ ZQNA1 ZQNA3 ZQNA4

ZQNACO CREATED BY TKB ON 5-JUL-84 AT 14:19

PAGE 7

GLOBAL CROSS REFERENCE

CRE# V02

SYMBOL	VALUE	REFERENCES...
VER.DE	050332-R	ZQNA3 @ ZQNA4
WAIT.F	055562-R	@ CZQNAA ZQNA3
WALKIN	052714-R	ZQNA3 @ ZQNA4
WRT.ST	053446-R	ZQNA3 @ ZQNA4
XBUF.L	015006-R	@ ZQNA1 ZQNA3 ZQNA4
XC.FLA	015032-R	@ ZQNA1 ZQNA3
XMIT.A	055154-R	ZQNA3 @ ZQNA4
XMIT.B	007006-R	@ ZQNA1 ZQNA3 ZQNA4
XMIT.D	002606-R	@ ZQNA1 ZQNA3 ZQNA4
XMIT.I	055202-R	ZQNA3 @ ZQNA4
XMIT.S	054372-R	ZQNA3 @ ZQNA4
\$END.L	055676-R	@ ZQNA5
\$SAVE2	055454-R	@ CZQNAA ZQNA3 ZQNA4
\$SAVE3	055470-R	@ CZQNAA ZQNA3 ZQNA4
\$SAVE4	055506-R	@ CZQNAA ZQNA2 ZQNA3
\$SAVE5	055526-R	@ CZQNAA