

# *1 Information for the System Engineer*

---

This Section provides an overview of basic equipment operation and philosophy. You are advised to read this before moving on to specific topics.

This manual treats the following subjects:

- ◆ *General Technical Characteristics*
  - ◆ *Equipment Description*
  - ◆ *Network Applications*
  - ◆ *Equipment Composition*
  - ◆ *Technical Specification*
  - ◆ *Attached Documents*
-

PAGE INTENTIONALLY LEFT BLANK

# Description Index

<b>General Technical Characteristics</b> .....	<b>1.1-1</b>
General Information .....	1.1-1
Configuration .....	1.1-3
Equipment Structure .....	1.1-3
<i>Subrack</i> .....	1.1-3
<i>Common Part Units</i> .....	1.1-5
<i>Interchangeable Traffic Units</i> .....	1.1-6
Transmitted Streams .....	1.1-7
<i>Interfaces</i> .....	1.1-7
<i>Transmission Media</i> .....	1.1-7
Automatic Laser Shutdown .....	1.1-8
Cross Connection Function .....	1.1-10
<i>Unidirectional Cross Connections</i> .....	1.1-11
<i>Bidirectional Cross Connections</i> .....	1.1-12
<i>Broadcast Cross Connections</i> .....	1.1-13
<i>Concatenated Cross Connections</i> .....	1.1-14
<i>Monitor Connections</i> .....	1.1-15
<i>Loop Back Connections</i> .....	1.1-16
<i>Split Access Connections</i> .....	1.1-17
<i>Dropped Connections</i> .....	1.1-18
Synchronisation .....	1.1-21
<i>MOST Unit Type 2, MOST Unit Type 2S and MOST Unit Type 3</i>	
<i>Internal Sources</i> .....	1.1-21
<i>MOST Unit Type 2</i> .....	1.1-21
<i>MOST Unit Type 2S</i> .....	1.1-23
<i>MOST Unit Type 3</i> .....	1.1-25
<i>Selection of Synchronisation Sources</i> .....	1.1-27
<i>Timing Configurations</i> .....	1.1-28
<i>External Synchronisation Output</i> .....	1.1-28
Protection .....	1.1-29
<i>Equipment Protection</i> .....	1.1-29
<i>Network Protection</i> .....	1.1-36
Services .....	1.1-42
<i>Overheads (OH)</i> .....	1.1-42
<i>Engineering Order Wire (EOW)</i> .....	1.1-45
<i>Data Channels</i> .....	1.1-46
Equipment Management .....	1.1-47
<i>General</i> .....	1.1-47
<i>Network Management Centre Connection</i> .....	1.1-49
<i>Local Controller Connection</i> .....	1.1-50
Configuration Management .....	1.1-51
Maintenance .....	1.1-52
<i>Alarms</i> .....	1.1-52
<i>Alarm Report</i> .....	1.1-52
<i>Indication on LC and NMC</i> .....	1.1-57
<i>Diagnostic</i> .....	1.1-58
Performance Monitoring .....	1.1-62
Security and Access Control .....	1.1-63
Power Supply .....	1.1-63

<b>Equipment Description</b> .....	<b>1.2-1</b>
<i>STM-1 Line Signal Interface</i> .....	1.2-1
<i>STM-1 (VC-12) Tributary Signal Interface</i> .....	1.2-2
<i>140Mbit/s Plesiochronous Tributary Signal Interface</i> .....	1.2-2
<i>34 and 45Mbit/s Plesiochronous Tributary Signal Interface</i> .....	1.2-2
<i>1.5/2Mbit/s Plesiochronous Tributary Signal Interface</i> .....	1.2-3
<i>STM-1 Signal Processing and Routing of the Single TU</i> .....	1.2-4
<i>Overhead Extraction</i> .....	1.2-5
<i>DCC Processing</i> .....	1.2-6
<i>Auxiliary Services Processing</i> .....	1.2-7
<i>MS Switching</i> .....	1.2-7
<i>Clock References Extraction</i> .....	1.2-11
<i>Synchronization Signal Generation</i> .....	1.2-11
<i>Fault Detection</i> .....	1.2-14
<i>Protection</i> .....	1.2-15
<b>Network Applications</b> .....	<b>1.3-1</b>
Terminal .....	1.3-2
Add/Drop .....	1.3-3
Regenerator .....	1.3-4
DXC-1 .....	1.3-5
Synchronization Master .....	1.3-6
Ring Master .....	1.3-6
Gateway .....	1.3-7
Network Configurations .....	1.3-7
<b>Equipment Composition</b> .....	<b>1.4-1</b>
Introduction .....	1.4-1
Composition Rules .....	1.4-3
<i>Common Parts</i> .....	1.4-3
<i>MOST Unit</i> .....	1.4-4
<i>Tributary Interface Units</i> .....	1.4-6
<i>Optional Units</i> .....	1.4-6
<i>Tributary Termination Units</i> .....	1.4-7
<i>Connector Sets</i> .....	1.4-10
<i>Accessories</i> .....	1.4-11
<i>Dummy Panels</i> .....	1.4-13
<i>Software Kit – Rel. 3.2</i> .....	1.4-13
<i>MSH11C Hardware / Firmware / Software Compatibility Table</i> .....	1.4-15
<b>Technical Specifications</b> .....	<b>1.5-1</b>
Electromagnetic Compatibility .....	1.5-1
Environmental Condition .....	1.5-1
<i>Storage Endurance</i> .....	1.5-1
<i>Transport Endurance</i> .....	1.5-1
<i>Environmental Endurance for Indoor Operation</i> .....	1.5-2
Mechanical Features and Power Consumption .....	1.5-3
<i>Subrack</i> .....	1.5-3
<i>Units</i> .....	1.5-4
Power Supply .....	1.5-5
Equipment Power Consumption .....	1.5-5
Frame Structure and Multiplexing Methods .....	1.5-5
Physical/Electrical Characteristics of Hierarchical Digital Interfaces .....	1.5-6

Ground Contact and Two-wire Characteristics .....	1.5-6
<i>Output Relay Ground Contact and Two-wire</i> .....	1.5-6
<i>Output Electronic Ground Contact</i> .....	1.5-6
<i>Input Electronic Ground Contact</i> .....	1.5-7
Equipment Electrical Characteristics .....	1.5-9
Optical Performances .....	1.5-10
<b>Attached Documents .....</b>	<b>1.6-1</b>
<b>Appendix AN</b>	
<b>Summary of ITU-T-Recommendations and Standards ...</b>	<b>AN-1</b>
<i>ITU-T-Recommendations:</i> .....	AN-1
<i>DIN-Standards:</i> .....	AN-3
<i>IEC-Standards:</i> .....	AN-3
<b>Appendix AO</b>	
<b>Abbreviations .....</b>	<b>A0-1</b>
<b>Appendix AV</b>	
<b>V Interface Signals .....</b>	<b>AV-1</b>
Circuit 107 .....	AV-1
Circuit 108 .....	AV-2
Circuit 105 .....	AV-2
Circuit 106 .....	AV-2
Circuit 109 .....	AV-3
Circuit 141 .....	AV-3
Circuit 140 .....	AV-3
Circuit 142 .....	AV-3
Circuit 103 .....	AV-3
Circuit 104 .....	AV-4
Circuit 114 .....	AV-4
Circuit 115 .....	AV-4
Correspondence of V.11 signals with CCITT circuits .....	AV-4
Circuit used by the V.11, V.28, V.35, V.36 interfaces .....	AV-5
<b>Appendix ET</b>	
<b>Notes On The Ethernet Thin And Thick Base Band Local</b>	
<b>Networks (802.3 10BASE2 And 802.3 10BASE5) .....</b>	<b>ET-1</b>
General Information .....	ET-1
Ethernet Thin Network (802.3 10BASE2) .....	ET-3
Ethernet Thick Network (802.3 10BASE5) .....	ET-4
Characteristics Of Ethernet Networks .....	ET-5
<b>Appendix MN</b>	
<b>Synchronous Digital Multiplexing Operation Principle ....</b>	<b>MN-1</b>
Signal of the Synchronous Digital Hierarchy .....	MN-1
<i>Electrical and Optical Signals</i> .....	MN-1
<i>Plesiochronous Signals</i> .....	MN-10
<b>Appendix PF</b>	
<b>Performance Monitoring .....</b>	<b>PF-1</b>
General .....	PF-1
Definition and Measurement of the Block .....	PF-1
<i>Regenerator section</i> .....	PF-1
<i>Multiplex section</i> .....	PF-2
<i>SDH path</i> .....	PF-2
<i>PDH path</i> .....	PF-2

SDH Performance Parameters .....	PF-3
PDH Performance Parameters .....	PF-4
Event Description .....	PF-5
Performance Data Recording .....	PF-6
<b>Appendix SH</b>	
<b>SDH Principles .....</b>	<b>SH-1</b>
General .....	SH-1
Synchronous Transport Module of Level 1 .....	SH-2
Parameters of STM-1 Frame .....	SH-4
Containers .....	SH-5
Virtual Containers .....	SH-6
Mapping of tributaries into VCs .....	SH-9
Tributary Units .....	SH-21
Tributary Unit Group (TUG) .....	SH-25
Higher Level Virtual Containers (45 and 140Mbit/s) .....	SH-25
Administrative Unit (AU) .....	SH-26
Administrative Unit Group (AUG) .....	SH-29
155Mbit/s Synchronous Frame (STM-1) .....	SH-29
Multiplexing Structure .....	SH-31
SDH Equipment Block Diagram .....	SH-43
<i>Signal Flow: Multiplexing (G.703 input – STM-N output)</i> .....	SH-43
<i>Signal Flow: Demultiplexing (STM-N input – G.703 output)</i> .....	SH-45
<i>Management Access</i> .....	SH-46
<i>Overhead Management</i> .....	SH-47
<i>Timing</i> .....	SH-48
<b>Appendix SY</b>	
<b>Synchronization in SDH Equipments .....</b>	<b>SY-1</b>
Synchronization Sources .....	SY-1
Selection of Synchronization Sources .....	SY-2
<i>Priority Table</i> .....	SY-2
<i>Quality Table (Algorithm based on SSM)</i> .....	SY-3
Timing configurations .....	SY-5
Network Synchronization Example .....	SY-7
<i>MASTER Equipment</i> .....	SY-7
<i>SLAVE Equipment</i> .....	SY-7
<i>Ring Synchronization Example</i> .....	SY-8
<b>Appendix TS</b>	
<b>Technical Specifications for Physical/Electrical Interfaces .....</b>	<b>TS-1</b>
Physical/Electrical Characteristics of Hierarchical Digital Interfaces (ITU-T Recommendation G.703) .....	TS-1
<i>1544kbit/s Interface</i> .....	TS-1
<i>2048kbit/s Interface</i> .....	TS-3
<i>34368kbit/s Interface</i> .....	TS-5
<i>44736kbit/s Interface</i> .....	TS-7
<i>139264kbit/s Interface</i> .....	TS-8
<i>155520kbit/s Interface</i> .....	TS-11
<i>2048kHz Synchronization interface</i> .....	TS-14
Control of Jitter in Hierarchical Digital Interface (ITU-T Recommendation G.823, G.824, G.783) .....	TS-15
<i>Input Jitter Tolerance</i> .....	TS-15
<i>Jitter transfer function</i> .....	TS-16
<i>Maximum Output Jitter</i> .....	TS-18