



CONTENTS >

FNH USA is a global company with a proud, long-standing transatlantic heritage through FN Herstal. We are passionately committed to providing dependable, innovative firearms of the highest quality to our customers who rely upon us to enhance their performance and safeguard their lives.

THE FN AMERICAN HERITAGE

TECHNOLOGY, PROCESS & DESIGN 98

108

COMMERCIAL PRODUCTS

» HANDGUNS

FNS-9	102	FNX-40
FNS-40	102	FNX-45
Five-seveN®	104	FNX-45 COMPACT
FNX-9	106	FNX-45 TACTICAL

» SHOTGUNS

SLP	114	SLP TACTICAL	116
SLP MK I	114	SLP MK I TACTICAL	116

» RIFLES

TSR XP	120	SPR A5M	124
TSR XP USA	120	SPR A5M TBM	124
SPR A1	122	SPR A3G	126
SPR A1a	122	BALLISTA™	128

Some products shown in action photos in this catalog may be equipped with user-supplied, optional accessories.





1897-1926

FN's unique transatlantic relationship begins in 1897 through its longstanding partnership with John Moses Browning, who made 122 trips (over 61 round-trips) between the United States and Europe (Herstal) prior to his death in Belgium in 1926. Through Browning's collaboration with FN, the company produces legendary products, such as the 7.65 Auto Pistol (1897), the Auto-5® autoloading shotgun (1902), the .30-caliber machine gun (1919), the Browning Automatic Rifle (BAR, 1921), and the Hi Power™ (1923) auto pistol.

1944-1946

Post World War II: Once Belgium was liberated from German occupation, FN rebuilds more than 2 million U.S. small arms from the European Theater of Operation, and resumes manufacturing.

1953-1976

FN produces the GP 35, (an updated edition of the Browning Hi Power[™]), FAL, FNC and M2HB QCB for the Western world and soon earns the reputation as the "right arm of the free world." The GP 35 remains the benchmark against which all other 9mm autoloading service pistols are measured. Through this same period, FN also develops the 7.62x51mm cartridge that was approved by NATO in 1957.

1977-1980s

1977: FN acquires Browning Arms.

1977-1982: The U.S. military adopts both the FN MINIMI Squad Automatic Weapon (M249) and the FN MAG 58 General Purpose Machine Gun (M240). FN opens FN Manufacturing, LLC. (FNM), in Columbia, South Carolina, to build small arms for the U.S. military.

1982: FN's SS109, 5.56x45mm caliber cartridge becomes the NATO standard.

1989: FN becomes The Herstal Group.

1990s

1990: FN's 5.7x28mm caliber P90° submachine gun, soon followed by the Five-seveN® pistol, are introduced to military, elite law enforcement and security forces around the globe.

1998: The Herstal Group establishes FNH USA, LLC to manage U.S. government relations as well as military new business development, marketing, sales and service for law enforcement and commercial markets of FN firearms in the U.S.

Our commercial and sporting firearms benefit from FN's long-standing legacy of quality and reliability.



2001

The FN 303 Less Lethal Launcher is introduced as the premier less lethal system for law enforcement and is adopted by the U.S. Department of Homeland Security (2008). In addition, the 303 is put into use by the U.S. Army in multiple units through the fielding of the Rapid Equipping Force (REF).

2003

The FN SPR A3G precision bolt-action rifle becomes available to U.S. law enforcement. It is one of two rifles that were selected by the FBI for its precision tactical rifle program. FN also expands upon the success of the Browning M2 and M3AN with the GAU-21 (M3M), which fires from the open bolt with twice the rate of fire of the M2 and offers the ability to fire at extreme angles.

2004-2008

2004: The FN P90® and FN FiveseveN® pistol are introduced into the U.S. market.

2007-2008: FN introduces the large caliber FNP-45 polymer-framed autoloading pistol and the selectivefire FN SCAR® 16 and SCAR® 17 to the U.S. law enforcement market.

2008-2010

2008-2010: FN develops a family of remotely operated weapon stations capable of providing protective fire when mounted on tactical vehicles and deployed on stationary positions. The FN deFNder™ Light is developed in 2008 and is optimized to handle 7.62x51mm and 5.56x45mm belt-fed machine guns. The FN deFNder™ Medium is developed in 2010 and is designed to mount .50-caliber machine guns and 40mm grenade launchers for deployment on tactical vehicles.

2010: The FN SCAR®—designated as the MK 16 and MK 17-is operationally deployed around the globe to U.S. special operators and other agencies, along with the MK 13 EGLM (Enhanced Grenade Launcher Module).

TODAY

2011-2012: FN launches the FNS, a new polymer, striker-fired pistol developed for law enforcement and available to both military and commercial markets. The company also launches the 303P Less Lethal Pistol for military, law enforcement. corrections, and security duty. Additionally, the FN SCAR® PDW (Personal Defense Weapon) and the FN HAMR (Heat Adaptive Modular Rifle) are launched to the U.S. market.



THE HISTORY OF FN

TECHNOLOGY, PROCESS & DESIGN



Two words have always been synonymous with the leading edge of firearms design and manufacturing—Fabrique National (FN).

For more than a century, FN has been at the forefront of every aspect of firearm innovation. From the legendary Hi Power™ and FAL to today's innovative FN Five-seveN® and SCAR®, the path forward has been blazed by FN. You might even say that innovation is in our DNA. Let's look at some of the things that set FN apart from other gunmakers.

Today's FN firearms represent the end product of some of the most sophisticated technology available anywhere in the world. Every aspect, from the initial conceptual design through engineering, manufacturing, final assembly and testing all benefit from our investment in advanced technology.



Every FN firearm begins with a detailed analysis of the end user's needs. These user needs drive every aspect of the design process. How will the firearm ultimately be used and under which environments? How can FN design the firearm to be more operator friendly? How can the ergonomics be improved to allow the firearm to fit a wider variety of operators and be more adaptable to their individual needs?

These user-defined criteria are then applied to the basic design and to the initial selection of materials. Which components of the new firearm design would be best executed in forged steel, aircraft-grade alloy or a high-performance polymer? What interior and exterior finishes will improve the durability and reliability of the firearm under all conditions?

Each FN firearm design is carefully developed with the aid of state-of-the-art Computer-Aided Design and Manufacturing systems (CAD/CAM) to allow the design engineer to see how each part interacts with every other component. Each aspect of the firearm design is meticulously refined, computer-modeled and tested. Functional prototypes

are developed and rigorously tested through hundreds of thousands of rounds so the design can be further refined. The end result is an FN firearm design that is precise, accurate, durable and reliable.

As the design moves into the manufacturing phase, these computer-designed components are fabricated on state-of-the-art machinery that's capable of holding tolerances to mere fractions of an inch. FN rifle and pistol barrels are cold hammer-forged from ordnance-grade steel on the same production lines used to build the machine guns that protect America's warriors. Barrel interiors are polished to a mirror finish, and are often hard-chromed for longer life. Internal parts are fashioned with precision surfaces to ensure smooth function and flawless reliability for tens of thousands of rounds. Internal and external surfaces receive highly-advanced protective coatings that are able to shrug off the effects of the most adverse environmental conditions.

While FN firearms are manufactured on stateof-the-art multi-axis CNC machinery, it is the human touch of a highly skilled craftsman in final assembly that ultimately brings them to life. Each component is assembled with precision and pride. Every mechanical function and operating control is tested, double-checked and re-tested. Nothing is left to chance. When an FN firearm is placed in its box or case, it is ready for action.

Through every step of the process, a dedicated group of FN quality control engineers monitor each of the endless production details to create a product that meets and exceeds our customers' exacting standards. Our investment in advanced technology, in systems like our multi-point, laser-guided quality control instrumentation helps ensure this level of perfection in our products. That's why every FN firearm proudly displays the ISO 9001 Quality seal, the highest international standard for manufacturing quality.

When you choose an FN firearm, you can be confident that its design, manufacture and assembly are done right. It is a quality firearm you can depend on, day in and day out, for many years to come. We call it total confidence, and it is only available from FN.



DISTINCT

RELIABLE... ANYTIME AND ANYWHERE

America's most celebrated gun designer John M. Browning forged a lasting relationship with FN at the close of the 19th century. From 1898 to the time of his death in 1926 Browning and FN shaped the direction of firearms design for decades to come.

What was old is new again. FN is no stranger to building "striker-fired" pistols. Beginning in 1898 FN brought the world the Model 1898/1900 pistol, producing more than 700,000 units. Following that success FN created the M1910 and its variant the M1922. With an unquestioned reputation for reliability and accuracy FN pistols were in demand. In 1955 another variant was built expressly for the American market. The M1955 and later the M1971 were both built to serve the needs of the American public. With more than 70 years of experience in building some of the finest striker-fired pistols, FN introduces its latest: the FNS.

FN has a stable of hammer-driven pistols, too. From the unique and flat shooting FN Five-seveN®, to the FNX-9 and FNX-40, and moving up to their big brothers the FNX-45 and versatile "optic-ready" FNX-45 Tactical. It is said that the greatest source of knowledge is experience, and with more than a century of experience, FN knows pistols.



COMMERCIAL: HANDGUNS »

FNS-9/FNS-40





GENERAL SPECIFICATIONS

- AVAILABLE IN 9MM, 40 S&W, AND A COMPACT VERSION
- STRIKER-FIRED AUTOLOADER
- 1 DOUBLE-ACTION OPERATION WITH MANUAL SAFETY LEVERS
- 5.5 TO 7.7 LBS. TRIGGER PULL
- LENGTH: 7.25"
- HEIGHT: 5.5"
- WIDTH: 1.35"

SLIDE

• ALL STAINLESS STEEL CONSTRUCTION

- 2 EXTERNAL EXTRACTOR WITH LOADED CHAMBER INDICATOR
- 3 FRONT AND REAR COCKING SERRATIONS
- THREE-DOT NIGHT SIGHTS

BARREL

- 4 HAMMER-FORGED STAINLESS STEEL
- POLISHED CHAMBER AND FEED RAMP
- FNS-9: 4.0" LONG (BORE AND CHAMBER);
 FNS-40: 4.0" LONG (BORE AND CHAMBER)

• TWIST AND DIRECTION: FNS-9: 1:10" RH FNS-40: 1:16" RH

FRAME

- RUGGED POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAME/SLIDE RAILS
- 5 TWO INTERCHANGEABLE BACKSTRAP INSERTS WITH LANYARD EYELETS
- 6 MIL-STD 1913 ACCESSORY MOUNTING RAIL
- SERRATED TRIGGER GUARD

OPERATING CONTROLS

 FULLY-AMBIDEXTROUS SAFETY LEVERS, SLIDE STOP LEVERS, AND MAGAZINE RELEASE BUTTON

MAGAZINE

FNS-9: 17-ROUNDS;
 FNS-40: 14-ROUNDS



THE FN FNS REAR SIGHT ALLOWS COMPLETE VISIBILITY OF THE FRONT DOT WITH A THREE-DOT SIGHT SYSTEM, OR THE TRADITIONAL METHOD OF ALIGNING THE TOP EDGES OF THE SIGHTS CAN BE USED.



The manual safety levers, slide stop levers and magazine release buttons are all fully ambidextrous for ease of operation with either hand from any firing position.

STRIKE FIRST, HARD AND **FAST WITH THE FN FNS**

The FN FNS is an all new autoloading service pistol design introduced to law enforcement in 2011. The FNS offers the simplicity of doubleaction striker-fired operation combined with the proven ergonomics of the FNX platform. The manual safety levers, slide stop levers and magazine release buttons are all fully ambidextrous for ease of operation with either hand and from any firing position. Both the slide and barrel are stainless steel, and the checkered polymer frame has two interchangeable backstraps with lanyard eyelets. A MIL-STD 1913 mounting rail on the underside accepts tactical lights and lasers.

DESIGNATION	• FNS-9	FNS-40 (NOT SHOWN)
CALIBER	9MM	40 S&W
OPERATION	DAMS	DA MS
FRAME COLOR	BLACK	BLACK
SLIDE FINISH	MATTE BLACK OR MATTE SILVER	MATTE BLACK OR MATTE SILVER
SIGHTS	FIXED 3-DOT NIGHT	FIXED 3-DOT NIGHT
MAGAZINE	17-ROUND	14-ROUND
WEIGHT	25.2 OZ.	27.5 OZ.

COMMERCIAL: HANDGUNS »

Five-seveN°

JSO 9001 OUALITY





GENERAL SPECIFICATIONS

- 5.7x28MM
- MATTE BLACK POLYMER SLIDE COVER
- SINGLE-ACTION OPERATION WITH AMBIDEXTROUS MANUAL SAFETY LEVERS
- INTERNAL HAMMER SLIDE
- POLYMER SLIDE COVER
- REAR COCKING SERRATIONS
- ADJUSTABLE THREE-DOT TARGET SIGHTS OR FIXED THREE-DOT **COMBAT SIGHTS**

BARREL

- 2 COLD HAMMER-FORGED STEEL WITH CHROME-LINED BORE
- CHROME-PLATED CHAMBER AND BORE
- 4.75" BARREL ON ALL MODELS

FRAME

- FLAT DARK EARTH (FDE) OR MATTE BLACK ERGONOMIC POLYMER FRAME
- **RUGGED POLYMER** CONSTRUCTION
- CHECKERED GRIP
- UNDER FRAME ACCESSORY **MOUNTING RAIL**
- SERRATED TRIGGER GUARD

OPERATION CONTROLS

- 5 FULLY-AMBIDEXTROUS MANUAL SAFETY LEVERS
- **6 REVERSIBLE MAGAZINE RELEASE BUTTON**

MAGAZINE

- POLYMER MAGAZINE BODY
- LOW-FRICTION FOLLOWER
- POLYMER BASEPAD



THE **REAR SIGHT** ALLOWS **COMPLETE VISIBILITY OF** THE FRONT DOT WITH A THREE-DOT SIGHT SYSTEM, OR THE TRADITIONAL METHOD OF ALIGNING THE TOP EDGES OF THE SIGHTS CAN BE USED.

NON-ADJUSTABLE SIGHT VERSIONS OF THE PISTOL ARE DESIGNED TO BE USED WITH SS195LF (LEAD FREE) AMMUNITION.





THE MOST UNIQUE AND **VERSATILE CENTER-FIRE PISTOL ON THE MARKET**

The FN Five-seveN® autoloading pistol was developed for NATO in the early 1990s as the sidearm component of the integrated 5.7x28mm Weapon System. The cold hammer-forged barrel is chrome-lined for extended service life. The polymer-framed FN Five-seveN® offers single-action operation, low felt recoil, 20-round magazine capacity and is equipped with ambidextrous forward-mounted manual safety levers and an accessory rail that accepts tactical lights and lasers.

See page 149 for 5.7x28mm ammunition information.

DESIGNATION	• FN Five-seven
CALIBER	5.7x28MM
OPERATION	SA
FRAME COLOR	MATTE BLACK OR FLAT DARK EARTH (FDE)
SLIDE FINISH	MATTE BLACK
SIGHTS	ADJUSTABLE OR FIXED 3-DOT
MAGAZINES	10 OR 20-ROUND
WEIGHT	20.8 OZ.

COMMERCIAL: HANDGUNS »

FNX-9/FNX-40

JSO 9001 OUALITY





GENERAL SPECIFICATIONS

- 9MM OR 40 S&W
- 1. DOUBLE-ACTION/SINGLE-ACTION (DA/SA) OPERATION WITH AMBIDEXTROUS DECOCKING/ MANUAL SAFETY LEVERS

SLIDE

- ALL STAINLESS STEEL CONSTRUCTION
- 2. EXTERNAL EXTRACTOR WITH LOADED CHAMBER INDICATOR
- 3. FRONT AND REAR COCKING **SERRATIONS**
- 4. LOW-PROFILE FIXED **COMBAT SIGHTS**

BARREL

- 5. HAMMER-FORGED, STAINLESS STEEL
- POLISHED CHAMBER AND FEED RAMP
- 4" BARREL ON ALL MODELS

FRAME

- 6. RUGGED MATTE BLACK POLYMER CONSTRUCTION WITH REPLACEABLE STEEL FRAMES/SLIDE RAILS
- 7. FOUR INTERCHANGEABLE **BACKSTRAP INSERTS** WITH LANYARD EYELETS

- 8. MIL-STD 1913 ACCESSORY MOUNTING RAIL
- SERRATED TRIGGER GUARD

OPERATING CONTROLS

- 9. AMBIDEXTROUS MAGAZINE **RELEASE BUTTON**
- RING-STYLE **EXTERNAL HAMMER**

MAGAZINE

- POLISHED STEEL BODY
- LOW-FRICTION FOLLOWER
- POLYMER BASEPAD WITH ROUND INDICATOR



THE FN FNX-9 AND FNX-40 **REAR SIGHT** ALLOWS YOU TO HAVE COMPLETE VISIBILITY OF THE FRONT DOT WITH A THREE-DOT SIGHT SYSTEM OR TO USE THE TRADITIONAL METHOD OF ALIGNING THE TOP EDGES OF THE SIGHTS.



...fully ambidextrous for ease of operation with either hand from any firing position.

GET THE LATEST IN PISTOL PERFORMANCE

The FN FNX service pistol was introduced in 2009 and incorporates many of the ergonomic improvements initially developed under the U.S. DoD's Joint Combat Pistol Program (JCP) for the FNP-45 USG. The FN FNX is a double-action/single-action hammer-driven pistol optimized for the 9mm and 40 S&W. Its manual safety/decocking levers, slide stop levers and magazine release buttons are all fully ambidextrous for ease of operation with either hand and from any firing position. Both the slide and barrel are stainless steel, and the checkered polymer frame has four interchangeable backstraps with lanyard eyelets. A MIL-STD 1913 mounting rail on the underside accepts tactical lights and lasers.

DESIGNATION	• FNX-9	FNX-40 (NOT SHOWN)
CALIBER	9MM	40 S&W
OPERATION	DA/SA	DA/SA
FRAME COLOR	BLACK	BLACK
SLIDE FINISH	MATTE BLACK OR MATTE SILVER	MATTE BLACK OR MATTE SILVER
SIGHTS	FIXED 3-DOT	FIXED 3-DOT
MAGAZINE	17-ROUND	14-ROUND
WEIGHT	21.9 OZ.	24.4 OZ.

COMMERCIAL: HANDGUNS »

FNX-45/ FNX-45 COMPACT

NEW ITEM

ISO 9001 QUALITY





MADE IN THE USA * * *

GENERAL SPECIFICATIONS

- 45 ACP
- DOUBLE-ACTION/SINGLE-ACTION (DA/SA) OPERATION WITH DECOCKING/MANUAL SAFETY LEVERS

SLIDE

- ALL STAINLESS STEEL CONSTRUCTION
- 1 EXTERNAL EXTRACTOR WITH LOADED CHAMBER INDICATOR
- 2 FRONT AND REAR COCKING SERRATIONS
- 3 LOW-PROFILE FIXED COMBAT SIGHTS

BARREL

- 4 HAMMER-FORGED, STAINLESS STEEL BARREL FOR EXTENDED SERVICE LIFE
- POLISHED CHAMBER
 AND FEED RAMP

FRAME

- RUGGED POLYMER
 CONSTRUCTION WITH
 REPLACEABLE STEEL
 FRAMES/SLIDE RAILS
- 5 FOUR INTERCHANGEABLE BACKSTRAPS WITH LANYARD EYELETS
- 6 MIL-STD 1913 ACCESSORY MOUNTING RAIL

- SERRATED TRIGGER GUARD
- 7 POLYMER FRAME WITH ERGONOMIC LOW-BORE AXIS

OPERATING CONTROLS

- 8 FULLY AMBIDEXTROUS DECOCKING/SAFETY LEVERS, SLIDE STOP LEVERS AND MAGAZINE RELEASE BUTTON
- RING-STYLE
 EXTERNAL HAMMER

MAGAZINE

- STAINLESS STEEL MAGAZINE BODY
- LOW-FRICTION FOLLOWER
- POLYMER BASEPAD



THE FN FNX-45 REAR SIGHT ALLOWS YOU TO HAVE COMPLETE VISIBILITY OF THE FRONT DOT WITH A THREE-DOT SIGHT SYSTEM OR TO USE THE TRADITIONAL METHOD OF ALIGNING THE TOP EDGES OF THE SIGHTS.



SERIOUS BIG BORE PERFORMANCE

The new FN FNX-45 is the result of years of innovative product development and advanced engineering techniques. Modeled after the FN FNP-45 service pistol introduced in 2007 under the U.S. Joint Combat Pistol Program (JCP) the FNX-45 is a double-action/singleaction hammer-driven pistol with highly enhanced ergonomics. Its manual safety/decocking levers, slide stop levers and magazine release buttons are all fully ambidextrous for ease of operation with either hand and from any firing position. Both the slide and barrel are stainless steel. The FNX-45's checkered polymer frame has multiple interchangeable backstraps with lanyard eyelets. A MIL-STD 1913 mounting rail on the underside accepts tactical lights and lasers.

DESIGNATION	• FNX-45	FNX-45 COMPACT (NOT SHOWN)
CALIBER	45 ACP	45 ACP
OPERATION	DA/SA	DA/SA
FRAME COLOR	FLAT DARK EARTH (FDE) OR BLACK	FLAT DARK EARTH (FDE) OR BLACK
SLIDE FINISH	MATTE BLACK OR MATTE SILVER	MATTE BLACK OR MATTE SILVER
SIGHTS	FIXED 3-DOT	FIXED 3-DOT
MAGAZINE	10 OR 15 ROUNDS	10 OR 12 ROUNDS
WEIGHT	33.2 OZ.	30 OZ.

COMMERCIAL: HANDGUNS »

FNX-45 TACTICAL

X 2 **USO 9001 NEW ITEM OUALITY** X5 X6



- 45 ACP
- DOUBLE-ACTION/SINGLE-ACTION (DA/SA) OPERATION WITH DECOCKING/MANUAL SAFETY LEVERS

SLIDE

- ALL STAINLESS STEEL CONSTRUCTION
- **EXTERNAL EXTRACTOR WITH** LOADED CHAMBER INDICATOR
- 2 FRONT AND REAR **COCKING SERRATIONS**
- **ENHANCED HIGH-PROFILE COMBAT NIGHT SIGHTS**
- SLIDE CUT AND THREADED FOR OPTIONAL ELECTRONIC **RED-DOT SIGHT (NOT INCLUDED)**

BARREL

- HAMMER-FORGED, STAINLESS STEEL, THREADED
- POLISHED CHAMBER AND FEED RAMP
- 6 0.578x28 TPI WITH THREAD PROTECTOR

FRAME

- **RUGGED POLYMER CONSTRUCTION WITH REPLACEABLE STEEL** FRAMES/SLIDE RAILS
- 7 FOUR INTERCHANGEABLE **BACKSTRAPS WITH LANYARD EYELETS**
- 8 MIL-STD 1913 ACCESSORY MOUNTING RAIL
- SERRATED TRIGGER GUARD

9 FLAT DARK EARTH (FDE) OR MATTE BLACK POLYMER FRAME WITH ERGONOMIC LOW-BORE AXIS

OPERATING CONTROLS

- 10 FULLY AMBIDEXTROUS DECOCKING/SAFETY LEVERS, SLIDE STOP LEVERS AND MAGAZINE RELEASE BUTTON
- RING-STYLE **EXTERNAL HAMMER**

MAGAZINE

- POLISHED STEEL BODY
- LOW-FRICTION FOLLOWER
- POLYMER BASEPAD



MADE IN THE



SOME OPTIONAL ELECTRONIC SIGHTS **CO-WITNESS WITH THE HIGH-PROFILE** COMBAT NIGHT SIGHTS.



THE SLIDE PLATE COVERS THE MOUNTING HOLES FOR THE OPTIONAL ELECTRONIC SIGHT AND ENABLES UNOBSTRUCTED USE OF THE HIGH-PROFILE COMBAT NIGHT SIGHTS.





THE FN FNX-45 TACTICAL COMES STANDARD WITH A FITTED, CORDURA® NYLON SOFT CASE.



MAKE A BOLD STATEMENT ON THE FIRING RANGE

Improving on the FNP-45 Tacticat, developed for the U.S. Joint Combat Pistol Program (JCP), the FN FNX-45 Tactical is the latest in technological advancements in handgun engineering, offering 45 ACP performance and a host of unique features no other handgun can match. The checkered polymer frame is offered in Flat Dark Earth (FDE) and black and has a low-bore axis for reduced felt recoil and enhanced operator controls. Four interchangeable backstraps—two arched and two flat—come standard to quickly customize the grip feel. All operating controls are fully ambidextrous for ease of use. The 5.3" hammer-forged, stainless steel barrel has a threaded muzzle to accept sound suppressors, compensators and other accessories. The stainless steel slide has high-profile combat night sights and includes two mounting bases to accept multiple styles of optional red-dot electronic sights.

SPECS:

P	-	P 1	GN	A.	-	-	B.H.	

• FNX-45 TACTICAL

OPERATION DA/SA

FRAME COLOR FLAT DARK EARTH (FDE) OR BLACK

SLIDE FINISH FLAT DARK EARTH (FDE) OR BLACK

SIGHTS HIGH-PROFILE NIGHT SIGHTS

MAGAZINE 15-ROUND

WEIGHT 33.6 0Z.

THE WORLD'S FASTEST

TACTICAL SHOTGUNS

A milestone was created more than 110 years ago when John M. Browning brought to FN the world's first successful self-loading shotgun design: the Auto-5°. Browning was so pleased with his design and sure that this shotgun would be a success, that he "steamed across the pond" to FN bringing the Auto-5® with him. The rest, as they say, is history. The attributes designed into the Auto-5® are present in FN's latest self-loading shotgun, the FN SLP. Available in several configurations, this workhorse commands attention wherever it goes. Incredibly fast, sure in its reliability and built to run, if you are up to the task the FN SLP is your gun. For personal defense, tactical matches or full-blown 3-gun competitions, the FN SLP will keep you in the lead. Browning had to go to Europe to have his shotgun built to his exacting standards; FN is proud to bring the best in self-loading shotguns back to you.



COMMERCIAL: SHOTGUNS »

SLP/SLP MK I





NRA AMERICAN RIFLEMAN MAGAZINE GOLDEN BULLSEYE AWARD 2009 SHOTGUN OF THE YEAR



GENERAL SPECIFICATIONS

- 12-GAUGE 3" MAGNUM
- 1 MATTE BLACK FINISH ON ALL METAL SURFACES
- GAS-OPERATED SEMI-AUTOMATIC
- ACTIVE VALVE GAS SYSTEM
- TWO-PIECE BOLT
- 2 GAS-OPERATED ACTION WITH TWO INTERCHANGEABLE GAS PISTONS
- 3 STEEL SLING SWIVEL STUDS
- 4 MATTE BLACK SYNTHETIC STOCK WITH CHECKERED GRIPPING SURFACE

RECEIVER

- 5 AIRCRAFT-GRADE ALUMINUM ALLOY RECEIVER
- TOP-MOUNTED CANTILEVER
 WEAVER-PATTERN ACCESSORY
 RAIL ON FN SLP MK I MODELS
- TOP-MOUNTED ONE-PIECE MIL-STD 1913 ACCESSORY RAIL ON FN SLP STANDARD MODEL

BARREL

- HARD-CHROMED BORE
 AND 3" CHAMBER
- STANDARD INVECTOR™ INTERCHANGEABLE CHOKE TUBES
- ACCESSORY SPORTING BARRELS ARE AVAILABLE

STOCK

- MATTE BLACK SYNTHETIC
- CHECKERED GRIPPING PANELS ON FOREARM AND GRIP
- 6 PREMIUM NON-SLIP RECOIL PAD
- TWO STEEL SLING SWIVEL STUDS

OPERATING CONTROLS

- RECEIVER-MOUNTED BOLT RELEASE BUTTON
- CURVED OPERATING HANDLE
- 7 CROSSBOLT SAFETY BUTTON ON REAR OF TRIGGER GUARD

MAGAZINE

- EXTENDED MAGAZINE TUBE
- ALUMINUM MAGAZINE TUBE COVER

SIGHTS

- 8 LOW-PROFILE, ADJUSTABLE FOLDING REAR SIGHT BLADE AND RED FIBER-OPTIC FRONT SIGHT ON FN SLP MK I MODELS
- HIGH-PROFILE, ADJUSTABLE GHOST RING REAR SIGHT AND WING PROTECTED FRONT SIGHT ON FN SLP STANDARD MODELS



FN SLP autoloading shotguns come standard with **two pistons** for a wider range of functional reliability. The black piston is optimized for heavy tactical and field loads, while the red piston is intended for lighter target loads. The FN SLP cycles everything from light target and field loads to the heaviest 3" magnum buckshot and slug loads with incredible reliability.



The FN SLP features ultrareliable gas operation, a durable, matte black aircraft grade alloy receiver, and fullyadjustable rifle sights.

THE MOST VERSATILE **SELF-LOADING SHOTGUN EVER MADE—PERIOD**

Leveraging more than 100 years of autoloading shotgun engineering, the FN SLP was introduced in 2008 and was instantly recognized for performance and ingenuity as the 2009 Shotgun of the Year by The American Rifleman. Capable of firing eight rounds in less than one second, the FN SLP features ultra-reliable gas operation, a durable, matte black aircraft-grade alloy receiver, synthetic stock, an extended magazine tube and fully-adjustable rifle sights.

DESIGNATION	SLP (NOT SHOWN)	• SLP MK 1
BBL./CHOKE	18" STD. INV.	22" STD. INV.
OVERALL LENGTH	38.75"	43"
SIGHTS	HIGH/ADJ. REAR	LOW/ADJ. RÉAR
AMMO CAPACITY	6+1	8+1
WEIGHT	7.7 LBS.	8.2 LBS.

COMMERCIAL: SHOTGUNS »

SLP TACTICAL/ SLP MK I TACTICAL





GENERAL SPECIFICATIONS

- 12-GAUGE 3" MAGNUM
- GAS-OPERATED SEMI-AUTOMATIC
- **ACTIVE VALVE GAS SYSTEM**
- TWO-PIECE BOLT
- **GAS-OPERATED ACTION** WITH TWO INTERCHANGEABLE GAS PISTONS
- INTERCHANGEABLE RECOIL PADS FOR CUSTOM FIT

RECEIVER

- AIRCRAFT-GRADE ALUMINUM **ALLOY RECEIVER**
- TOP-MOUNTED CANTILEVER WEAVER-PATTERN ACCESSORY RAIL ON FN SLP MK I TACTICAL MODELS
- TOP-MOUNTED ONE-PIECE MIL-STD 1913 ACCESSORY RAIL ON FN SLP TACTICAL MODEL

- HARD-CHROMED BORE AND 3" CHAMBER
- STANDARD INVECTOR™ INTERCHANGEABLE **CHOKE TUBES**
- ACCESSORY SPORTING BARRELS ARE AVAILABLE

STOCK

- MATTE BLACK SYNTHETIC STOCK WITH CHECKERED **GRIPPING SURFACE**
- CHECKERED GRIPPING PANELS ON FOREARM AND GRIP
- 5 INTERCHANGEALE COMB **INSERTS FOR PROPER SIGHT** ALIGNMENT WITH A RANGE OF OPTICAL SYSTEMS
- 6 TWO STEEL SLING SWIVEL STUDS

OPERATING CONTROLS

- RECEIVER-MOUNTED BOLT **RELEASE BUTTON**
- CURVED OPERATING HANDLE

MAGAZINE

- EXTENDED MAGAZINE TUBE
- FORWARD MOUNTED THREE-POSITION ACCESSORY RAIL

SIGHTS

- LOW-PROFILE ADJUSTABLE RIFLE SIGHTS AND WEAVER-STYLE CANTILEVER RAIL
- LOW-PROFILE, ADJUSTABLE FOLDING REAR SIGHT BLADE AND RED FIBER-OPTIC FRONT SIGHT ON FN SLP MK I TACTICAL MODELS
- HIGH-PROFILE, ADJUSTABLE GHOST RING REAR SIGHT AND WING PROTECTED FRONT SIGHT ON FN SLP TACTICAL STANDARD MODELS



FN SLP autoloading shotguns come standard with two pistons for a wider range of functional reliability. The black piston is optimized for heavy tactical and field loads, while the red piston is intended for lighter target loads. The FN SLP cycles everything from light target and field loads to the heaviest 3" magnum buckshot and slug loads with incredible reliability.



...the FN SLP Tactical and FN SLP MK I Tactical models... [are] the perfect choice for home security and for practical competition.

THE MOST VERSATILE **SELF-LOADING SHOTGUNS** MADE, AND NOW THEY'RE **EVEN BETTER**

Introduced in 2011 both the FN SLP Tactical and FN SLP MK I Tactical models offer a highly ergonomic pistol grip synthetic stock and multiple MIL-STD 1913 rails, making them the perfect choice for home security and for practical competition. Like all FN SLPs, these tactical models feature ultra-reliable gas operation, a durable, matte black aircraft grade alloy receiver, an extended magazine tube and fully-adjustable rifle sights.

DESIGNATION	SLP MK1 TACTICAL	SLP TACTICAL
BBL./CHOKE	22" STD. INV.	18" STD. INV.
OVERALL LENGTH	43"	39"
SIGHTS	LOW/ADJ. REAR	HIGH/ADJ. REAR
AMMO	8+1	6+1
WEIGHT	7.9 LBS.	7.4 LBS.



Much of what goes into an FN rifle comes from our long history as an arms manufacturer. FN began as an association of gunsmiths that answered the Belgian military's call for 150,000 Mauser rifles. It was this alliance of highly skilled craftsmen that ultimately formed FN. More than 120 years later we still rely on highly skilled craftsmen to build rifles worthy of our heritage.

The words "pre-64" and BAR® both evoke images of great guns: guns used by sportsmen and carried into harm's way by those in uniform. FN bolt action rifles for 2012 range from the TSR XP through multiple variations of the SPR. All FN rifles feature a forged steel "pre-64" style receiver and an external claw extractor with true controlled round feeding. All are fitted with hammer-forged barrels, in both fluted and non-fluted. The top-of-the-line FN SPR A3G is designed and manufactured to achieve and maintain a sub-½ MOA standard, the same performance that the FBI demands.



COMMERCIAL: RIFLES »

ISO 9001 OUALITY

X 11

TSR XP/TSR XP USA

X 16

X 17

X 14





- 223 REM., 308 WIN. OR 300 WSM
- BOLT-ACTION

RECEIVER

- 1 FORGED STEEL CONSTRUCTION WITH FLAT BOTTOM PROFILE
- 2 CONTROLLED ROUND FEED (CRF) EXTERNAL CLAW EXTRACTOR; CONTROLLED ROUND PUSH FEED (CRPF) EXTRACTOR ON TSR XP USA MODELS
- INTEGRAL RECOIL LUG
- 3 ONE-PIECE STEEL MIL-STD 1913 OPTICS RAIL WITH ADDITIONAL 20 MOA BUILT IN
- 4 BLADE EJECTOR

5 OVERSIZE 8-40 MOUNTING SCREWS

BARREL

- 6 HAMMER-FORGED, FREE-FLOATING
- 7 MEDIUM CONTOUR AND FLUTED
- 8 RECESSED TARGET CROWN

STOCK

- 9 FN/HOGUE® SYNTHETIC STOCK WITH OVER MOLDED OLIVE DRAB GREEN RUBBER SURFACE
- 10 MOLDED-IN ALUMINUM BEDDING BLOCK
- 11 PREMIUM RECOIL PAD
- 12 HEX HEAD ACTION SCREWS
- 13 MULTIPLE SLING/BIPOD MOUNTING STUDS

14 TEXTURED GRIPPING SURFACES

× 13

OPERATING CONTROLS

- 15 THREE-LEVER ADJUSTABLE TACTICAL SPORT TRIGGER SYSTEM™
- 16 THREE-POSITION SAFETY
- 17 KNURLED BOLT HANDLE

MAGAZINE

X4 X2 X3 X5

× 12 × 10

18 HINGED FLOORPLATE MAGAZINE (FLP) OR DETACHABLE BOX MAGAZINE (DBM) DEPENDING ON MODEL




TACTICAL RIFLES BUILT FOR **EXTREME PERFORMANCE**

Introduced in 2009, the FN TSR XP series is based on the FN Special Police Rifle (SPR) bolt-action design, a rifle renowned around the world for its rugged reliability and pinpoint accuracy. The FN TSR XP uses the same forged receiver with integral recoil lug and flat bottom profile as the heavyweight FN SPRs. The FN TSR XP's free-floating fluted barrel is hammer-forged and target crowned for enhanced accuracy. These rifles are fitted into a sleek FN/Hogue® synthetic stock to create the ideal light rifle for precision shooting and sporter-class high power competition.

ESIGNATION	• TSR XP	• TSR XP USA
CALIBER	308 WIN. OR 300 WSM	223 REM.
ACTION LENGTH	SHORT MAGNUM	ULTRA SHORT
BARREL	20" OR 24" FLUTED	20" FLUTED
OVERALL LENGTH	40.5" OR 44.5"	39.5"
MAGAZINE	4-ROUND DBM (308 WIN.) OR 3-ROUND FLP (300 WSM)	6-ROUND FLP
WEIGHT	9.375 LBS. (20" FLUTED), 9.75 LBS. (24" FLUTED), 9.75 LBS. (300 WSM)	8.25 LBS.

COMMERCIAL: RIFLES »

SPR A1/A1a



GENERAL SPECIFICATIONS

- 308 WIN.
- BOLT-ACTION
- 1 MOA ACCURACY STANDARD

RECEIVER

- 1 FORGED STEEL CONSTRUCTION WITH FLAT BOTTOM PROFILE
- SHORT MAGNUM ACTION LENGTH
- 2 CONTROLLED ROUND FEED (CRF) WITH EXTERNAL CLAW EXTRACTOR
- 3 OVERSIZE 8-40 MOUNTING SCREWS
- 4 BLADE EJECTOR
- INTEGRAL RECOIL LUG

5 ONE-PIECE STEEL MIL-STD 1913 OPTICS RAIL WITH AN ADDITIONAL 20 MOA ELEVATION BUILT IN

BARREL

- 6 HAMMER-FORGED, CHROME-LINED, FREE-FLOATING
- 7 RECESSED TARGET CROWN
- 8 MATTE BLACK FINISH ON ALL METAL PARTS

STOCK

- 9 MCMILLAN™ FIBERGLASS TACTICAL
- 10 TEXTURED GRIPPING SURFACES
- 11 MULTIPLE SLING/BIPOD MOUNTING STUDS


- 12 PREMIUM RECOIL PAD
- 13 HEX HEAD ACTION SCREWS

OPERATING CONTROLS

- 14 CLASSIC TWO-LEVER MODEL 70-STYLE TRIGGER
- 15 THREE-POSITION SAFETY
- 16 KNURLED BOLT KNOB

MAGAZINE

17 4-ROUND DETACHABLE BOX MAGAZINE (DBM)



For more information, see page 147.



Used by law enforcement and elite long-range competitors, the FN A1 and A1a SPRs are equal to any task requiring absolute precision from every shot.

ACCURACY DELIVERED WITH EVERY SHOT

Introduced in 2002 and 2003, respectively, the FN Special Police Rifle (SPR) models A1 and A1a are based on the legendary Pre-'64 Model-70 bolt-action design with a forged steel receiver and an integral recoil lug for greater accuracy. The flat bottom profile gives increased bedding stability for a non-shifting zero. The FN SPR A1 and A1a's free-floating barrels are hammer-forged, chrome-lined and target crowned and all models are fitted with McMillan™ fiberglass tactical stocks. Used by law enforcement and elite long-range competitors, the FN A1 and A1a SPRs are equal to any marksmanship task requiring absolute precision from every shot.

DESIGNATION	• SPR A1	• SPR A1a
CALIBER	308 WIN.	308 WIN.
ACTION LENGTH	SHORT MAGNUM	SHORT MAGNUM
BARREL	24" NON-FLUTED	20" FLUTED
OVERALL LENGTH	44"	40"
MAGAZINES	4-ROUND/DBM	4-ROUND/DBM
WEIGHT	11.6 LBS.	11.875 LBS.

COMMERCIAL: RIFLES »

SPR A5M/A5M TBM



JSO 9001 OUALITY



MADE IN THE

X 10

× 8

GENERAL SPECIFICATIONS

- 308 WIN.
- **BOLT-ACTION**
- 1 MOA ACCURACY STANDARD

RECEIVER

- 1 FORGED STEEL CONSTRUCTION WITH FLAT BOTTOM PROFILE
- SHORT MAGNUM ACTION LENGTH
- CONTROLLED ROUND FEED (CRF) WITH EXTERNAL CLAW **EXTRACTOR**
- **OVERSIZE 8-40** MOUNTING SCREWS
- 4 BLADE EJECTOR
- INTEGRAL RECOIL LUG

5 ONE-PIECE STEEL MIL-STD 1913 OPTICS RAIL WITH AN ADDITIONAL 20 MOA ELEVATION BUILT IN

BARREL

- 6 HAMMER-FORGED, CHROME-LINED, FREE-FLOATING
- 7 RECESSED TARGET CROWN
- 8 MATTE BLACK FINISH ON ALL METAL PARTS

- MCMILLAN™ FIBERGLASS STOCK WITH ADJUSTABLE LENGTH-**OF-PULL AND CHEEKPIECE TEXTURED GRIPPING SURFACES**
- 10 MULTIPLE SLING/BIPOD MOUNTING STUDS
- 11 PREMIUM RECOIL PAD
- 12 HEX HEAD ACTION SCREWS

OPERATING CONTROLS

- 13 CLASSIC TWO-LEVER MODEL 70-STYLE TRIGGER
- 14 THREE-POSITION SAFETY
- 15 KNURLED BOLT KNOB

MAGAZINE

16 5 OR 10-ROUND TACTICAL BOX MAGAZINE (TBM) IN 308 WIN.



THE FN SPR A5M COMES WITH A TACTICAL BOX MAGAZINE (TBM)



THE RIFLE YOU REACH FOR WHEN YOU NEED ABSOLUTE PRECISION

Based on the FN Special Police Rifle (SPR) A1, the FN SPR A5M series was originally introduced in 2006. Every FN SPR has a forged receiver with an integral recoil lug for greater accuracy, as well as a flat bottom profile resulting in improved bedding stability. The FN SPR A5M's free-floating barrel is hammerforged, chrome-lined and target crowned for greater accuracy. Models are available with tactical box magazines. All FN SPR A5Ms are fitted with McMillan™ fiberglass stocks that are fully adjustable for length-of-pull and cheekpiece height to fit the individual shooter. Used by numerous law enforcement and security services and popular with demanding long range marksmen, the FN SPR A5M is equal to any competition task requiring every shot made with absolute precision.

SPECS:

DESIGNATION • SPR A5M TBM

> CALIBER 308 WIN.

SHORT MAGNUM ACTION LENGTH

20" OR 24" FLUTED BARREL

OVERALL 39.5" TO 41" (20" BARREL); 43.5" TO 45" (24" BARREL) LENGTH

5-ROUND/TBM MAGAZINES

> WEIGHT 11.5 LBS.

COMMERCIAL: RIFLES »

SPR A3G

ISO 9001 QUALITY



GENERAL SPECIFICATIONS

- 308 WIN.
- BOLT-ACTION
- 1/2 MOA ACCURACY STANDARD

RECEIVER

- 1 FORGED STEEL CONSTRUCTION WITH FLAT BOTTOM PROFILE, HAND BEDDED WITH MARINE-TEX® EPOXY
- SHORT MAGNUM ACTION LENGTH
- INTEGRAL RECOIL LUG
- 2 ONE-PIECE TITANIUM MIL-STD 1913 MOUNTING RAIL WITH AN 20 MOA ADDITIONAL ELEVATION BUILT IN
- 3 BLADE EJECTOR
- 4 OVERSIZE 8-40 MOUNTING SCREWS

5 CONTROLLED ROUND FEED (CRF) EXTERNAL CLAW EXTRACTOR

BARREL

- 6 HAMMER-FORGED, CHROME-LINED, FREE-FLOATING
- 7 RECESSED TARGET CROWN
- 8 PHOSPHATE FINISH ON ALL METAL PARTS

STOCK

- 9 MCMILLAN™ OLIVE DRAB GREEN (ODG) FIBERGLASS STOCK WITH ADJUSTABLE CHEEKPIECE
- 10 FULLY ADJUSTABLE FOR LENGTH-OF-PULL AND COMB HEIGHT

- 11 TEXTURED GRIPPING SURFACES
- 12 MULTIPLE STEEL SLING/BIPOD MOUNTING STUDS
- 13 HEX HEAD ACTION SCREWS

OPERATING CONTROLS

- 14 CLASSIC MODEL 70-STYLE TWO-LEVER TRIGGER
- 15 THREE-POSITION SAFETY
- 16 KNURLED BOLT HANDLE

MAGAZINE

17 HINGED FLOORPLATE MAGAZINE (FLP)



THE FN SPR A3G IS DESIGNED AND MANUFACTURED TO ACHIEVE AND MAINTAIN A SUB-1/2 MOA STANDARD. THERE IS NO FINER PRECISION RIFLE AVAILABLE THAN THE FN SPR A3G.



GET THE SAME PERFORMANCE AS SELECTED BY THE FBI

Adopted by the FBI in 2005 and used by numerous other law enforcement and security services the FN Special Police Rifle (SPR) A3G is popular with demanding long-range marksmen and is equal to any competition task requiring every shot made with absolute precision. The FN SPR A3G is the pinnacle of reliability and accuracy built on a solid foundation with a forged steel receiver. The integral recoil lug and flat bottom profile are hand-bedded with Marine-Tex® epoxy to ensure a stable, reliable zero. The FN SPR A3G's free-floating fluted barrel is hammer-forged, chrome-lined and target crowned for greater accuracy. All FN A3G SPRs are fitted with McMillan™ fiberglass stocks that are fully adjustable for length-of-pull and cheekpiece height to fit the individual shooter.

SPECS:

DESIGNATION • SPR A3G

CALIBER 308 WIN.

ACTION SHORT MAGNUM LENGTH

BARREL 24" FLUTED

OVERALL 44" (ADJUSTABLE)
LENGTH

MAGAZINE 5-ROUND/FLP

WEIGHT 11.5 LBS.

COMMERCIAL: RIFLES »

BALLISTA







OPTICS AND BIPOD NOT INCLUDED

GENERAL SPECIFICATIONS

- CALIBERS: 338 LAPUA MAG.; 300 WIN. MAG., 308 WIN. (7.62x51MM NATO)
- MANUAL BOLT-ACTION ONLY
- 20 MOA AND MIL-STD 1913 SIGHT RAIL, 30 MOA RAIL IS AVAILABLE AS AN ACCESSORY

RECEIVER

- 1 HIGH-STRENGTH ALUMINUM ALLOY RECEIVER WITH TOP MOUNTED MIL-STD 1913 RAIL
- 2 BARRELED RECEIVER IS VIBRATION ISOLATED FROM THE ALUMINUM AND POLYMER STOCK VIA ELASTOMERIC CUSHIONS

3 THE MAGAZINE WELL ACCEPTS MAGAZINES FOR MULTIPLE CALIBERS WITHOUT FURTHER **MODIFICATION**

BARREL

- 4 BUTTON-BROACH PRECISION STAINLESS STEEL
- **OPERATOR CHANGEABLE IN** LESS THAN TWO MINUTES
- HEADSPACE IS PRESET WITHIN THE BARREL EXTENSION
- RETAINS CENTERLINE ALIGNMENT WITH RECEIVER
- 338 LAPUA MAG, AND 300 WIN. MAG. BARRELS AVAILABLE IN 24" OR 26" FLUTED BARREL WITH POLYGONAL RIFLING AND PROGRESSIVE TWIST

• 308 WIN./7.62x51 NATO BARREL UTILIZES CONVENTIONAL RIFLING PROFILE AND CONSTANT TWIST RATE TO INTEGRATE WITH **EXISTING AMMUNITION**

STOCK

- 5 AMBIDEXTROUS FOLDING STOCK IS FULLY OPERATOR ADJUSTABLE FOR LENGTH-OF-PULL, BUTT-PLATE HEIGHT, COMB HEIGHT, CAST-ON AND CAST-OFF
- INTEGRATED REAR MONOPOD **ALLOWS PRECISE ADJUSTMENT** OF RIFLE ELEVATION
- SINGLE LEVER SIDE FOLDING STOCK TO MINIMIZE OVERALL RIFLE LENGTH

OPERATING CONTROLS

X 2

- AMBIDEXTROUS MAGAZINE RELEASE FORWARD OF TRIGGER GUARD
- TRIGGER SYSTEM IS FULLY ADJUSTABLE FOR SINGLE-OR TWO-STAGE RELEASE BETWEEN 2 AND 5 LBS.
- **MULTIPLE SAFETY SYSTEMS INCLUDE MANUAL THUMB** SAFETY, GRIP SAFETY AND DROP SAFETY SYSTEM

MAGAZINE

- 338 LAPUA MAG.: 6/9 ROUNDS
- 300 WIN. MAG.: 8/12 ROUNDS
- 308 WIN. (7.62x51MM NATO): 9/13 ROUNDS



ONE RIFLE. THREE CALIBERS. MANY MISSIONS. PICK THE RIGHT RIFLE...

Designed and built by Unique Alpine AG and commercialized by FNH USA, the FN/Unique Alpine Ballista™ represents the next generation of fully modular, multi-caliber bolt-action rifles designed to bring surgically precise fire at extended ranges. At the heart of the multi-caliber Ballista™ (338 Lapua Mag., 300 Win. Mag. and 308 Win.) is a high-strength, vibration-isolated aluminum alloy receiver with a top mounted MIL-STD 1913 rail plus multiple rail segments for slings, bipod, lasers, lights and other accessories. The Ballista's™ trigger system is fully adjustable for single-stage or two-stage release between 2 and 5 pounds. The 26″ fluted barrel may be changed in less than two minutes and each barrel remains true to the receiver's centerline. The Ballista™ ambidextrous folding stock is fully adjustable for length-of-pull, buttplate height, comb height, cast-on and cast-off, and includes an integrated folding rear monopod. The detachable box magazine is fitted with caliber-specific interior assemblies to ensure reliable feeding under all conditions.

SPECS:

DESIGNATION • BALLISTA™

EFFECTIVE	1,500 METERS1, POINT TARGET;
RANGE	1,800 METERS, AREA TARGET

DADDEL	0/0"	
BARREL	26.0"	
200 Sept. 100 100 100 100 100 100 100 100 100 10		

	The state of the s
OVERALL	49.0"2
LENGTH	47.75
	37.0"4

WEIGHT	15.0 LBS. EMPTY,		
	15.8 LBS. LOADED		

- 1. MAXIMUM EFFECTIVE RANGE WITH MAGNIFIED OPTICS
 - 2. WITH STOCK FULLY EXTENDED
 - 3. WITH STOCK FULLY COLLAPSED
 - 4. WITH STOCK FOLDED

AUTOLOADING


AUTOLOADING SPEED— **BOLT-ACTION ACCURACY**

"As fast as an autoloader and as accurate as a bolt gun" is an apt description of the FN FNAR series of rifles. Inspired by the legendary BAR®, these self-loading rifles chambered in 7.62x51mm (308 Win.) bring a whole new meaning to "fast and accurate". With a fully adjustable pistol grip stock and fluted hammer-forged barrel (in either a 16" standard or 20" heavy contour), the FN FNAR is quick to get and stay on target: shot to shot to shot. Looking for the "last word" in bolt-gun performance from a rifle that loads itself? Look no further than the synthetic stocked FNAR. This precision shooting instrument was designed from the ground up to deliver performance. Guaranteed. If you were to own but one self-loading 308 rifle, this should be it.



FNAR STANDARD/ FNAR HEAVY





GENERAL SPECIFICATIONS

- 7.62x51MM (308 WIN.)
- SEMI-AUTOMATIC
- GAS-OPERATED, ROTATING **BOLT LOCK-UP**

RECEIVER

- 1 AIRCRAFT-GRADE **ALUMINUM ALLOY**
- 2 ONE-PIECE MIL-STD 1913 OPTICS RAIL

BARREL

- 3 HAMMER-FORGED, CHROME-LINED, FLUTED
- TARGET CROWN

STOCK

- 5 SYNTHETIC PISTOL GRIP STOCK
- CHECKERED GRIPPING SURFACES
- THREE INTERCHANGEABLE RECOIL PADS
- 8 THREE INTERCHANGEABLE **COMB INSERTS**
- **MULTIPLE MIL-STD 1913 MOUNTING RAILS**

OPERATING CONTROLS

- 10 FULLY-AMBIDEXTROUS MAGAZINE RELEASE BUTTON
- 11 CROSSBOLT SAFETY BUTTON
- 12 EXTENDED BOLT LOCK LEVER
- 13 GAS-OPERATED, ROTATING

MAGAZINE

- STEEL BODY
- LOW-FRICTION FOLLOWER
- 10 OR 20-ROUND CAPACITY



The FN FNAR provides the operator with a highly ergonomic platform, a boltaction level of accuracy and outstanding reliability.

BOLT-ACTION ACCURACY IN AN AUTOLOADING RIFLE

The FN FNAR was introduced in 2008, originally conceived from the Browning BAR® system. This FN autoloading rifle boasts an enhanced receiver and operating system built to withstand more than 10,000 rounds. The FN FNAR provides the operator with a highly ergonomic platform, a bolt-action level of accuracy and outstanding reliability. The FN FNAR's hammer-forged barrel is chrome-lined for ease of cleaning and extended service life. Multiple MIL-STD 1913 rails allow mounting of optical or electronic sights, tactical lights or lasers as well as slings or bipods.

SPECS:

DESIGNATION	• FNAR STANDARD	• FNAR HEAVY
CALIBER	7.62x51MM (308 WIN.)	7.62x51MM (308 WIN.)
BARREL	16" STANDARD FLUTED	20" HEAVY FLUTED
OVERALL LENGTH	37.25"	41.25"
MAGAZINE	10 OR 20-ROUND DBM	10 OR 20-ROUND DBM
WEIGHT	8.2 OR 8.75 LBS.	9.9 OR 10 LBS.

MATCH-WINNING CARBINES FROM FN

Historically, "carbines" were little more than "cut-down" versions of their rifle counterparts, a compromise created to improve portability. FN has moved well beyond history and into the future, building carbines without compromise. FN offers two innovative and highly flexible bullpup designs that support different ballistic requirements. The easy-to-shoot FN PS90 (chambered in 5.7x28mm) is ideal for personal security *and general sporting use, while the more powerful FN FS2000 (chambered in 5.56x45mm) represents the best in high performance bullpup carbines. The FN SCAR® series of carbines are proven performers both in the crucible of 3-gun competition and in U.S military trials. The FN SCAR® embodies what every carbine should be: unfailingly reliable, light in weight, fast to shoulder, quick to target and capable of accuracy rivaled only by our own FN bolt-action rifles. The FN SCAR® is designed and built to adapt to the user, incorporating fully ambidextrous controls and a folding stock, adjustable for comb height and length-ofpull. Pick your SCAR® (the 16S in 5.56x45mm or the 17S in 7.62x51mm) and name the task. What ever the mission or game, your FN SCAR® will exceed your expectations on command, every time.



COMMERCIAL: **CARBINES** »

SCAR 165/17S





NRA AMERICAN RIFLEMAN MAGAZINE **GOLDEN BULLSEYE AWARD:** FN SCAR® 165 2010 TACTICAL RIFLE OF THE YEAR



GENERAL SPECIFICATIONS

- FN SCAR® 16S: 5.56x45MM NATO (223 REM.)
- FN SCAR® 17S: 7.62x51MM NATO (308 WIN.)
- SEMI-AUTO ONLY
- SHORT-STROKE GAS PISTON
- ROTATING, LOCKING BOLT
- MATTE BLACK OR FLAT DARK EARTH (FDE) COLOR

BARREL

- HAMMER-FORGED, CHROME-LINED, FULLY FREE-FLOATING
- 2 COMPENSATOR

STOCK

- 3 TELESCOPING SIDE-FOLDING **POLYMER STOCK**
- ADJUSTABLE CHEEKPIECE
- 5 A2-STYLE PISTOL GRIP

OPERATING CONTROLS

- 6 AMBIDEXTROUS SAFETY LEVER AND MAGAZINE RELEASE
- CHARGING HANDLE MAY BE MOUNTED ON RIGHT OR LEFT SIDE
- 8 ENLARGED TRIGGER GUARD FOR EASIER ACCESS WHEN **WEARING GLOVES**
- COMPOSITE POLYMER TRIGGER MODULE

MAGAZINE

× 6 × 9 × 8

- FN SCAR® 16S: 10 OR 30-ROUND CAPACITY
- FN SCAR® 17S: 10 OR 20-ROUND CAPACITY
- STEEL OR ALUMINUM BODY
- LOW FRICTION FOLLOWER

RECEIVER

- 10 HARD-ANODIZED MONOLITHIC
- 11 MIL-STD 1913 ACCESSORY RAILS AT THE 3, 6, 9 AND 12 O'CLOCK **POSITIONS**
- 12 ADJUSTABLE FOLDING FRONT AND FOLDING/REMOVABLE REAR **BACK-UP IRON SIGHTS**



COMPETITION READY, COMBAT PROVEN

The FN SCAR® is the semi-auto only version of the newest service rifle of U.S. special operators. Light, fast-handling and quick shooting, the FN SCAR® 16S is chambered in 5.56x45mm NATO (223 Rem.) and features a free-floating, cold hammer-forged MIL-SPEC barrel with chrome-lined bore. The FN SCAR® 17S is chambered in 7.62x51mm NATO (308 Win.) and features a free-floating, cold hammer-forged MIL-SPEC barrel with chrome-lined bore. Fully-ambidextrous operating controls on both models instantly adapt to any shooter and any shooting position. The receiver-integrated MIL-STD 1913 optical rail and three accessory rails enable mounting scopes or electronic sights, plus tactical lights and lasers. The telescoping, side-folding polymer stock is fully adjustable for comb height and length-of-pull, and is available in Flat Dark Earth (FDE) or matte black.

SPECS:

DESIGNATION	• SCAR® 16S	• SCAR® 175		
STOCK COLOR FLAT DARK EARTH (FDE OR MATTE BLACK.		FLAT DARK EARTH (FDE) OR MATTE BLACK		
CALIBER 5.56x45MM (223 REM.)		7.62x51MM (308 WIN.)		
BARREL	16.25"	16.25"		
OVERALL LENGTH	27.5" TO 37.5"	28.5" TO 38.5"		
MAGAZINE	10 OR 30-ROUND	10 OR 20-ROUND		
WEIGHT	7.25 LBS.	8.0 LBS.		
		Charles State State State State		

COMMERCIAL: **CARBINES** »



X 5

GENERAL SPECIFICATIONS

- 5.7x28MM
- SEMI-AUTO ONLY
- CLOSED BOLT, BLOWBACK **OPERATION**

BARREL

- 1 HAMMER-FORGED. CHROME-LINED BARREL
- 2 PORTED MUZZLE BRAKE

RECEIVER

- 3 BOTTOM EJECTION PORT
- **BLOWBACK OPERATED ACTION**
- 5 ALLOY UPPER RECEIVER AND **BARREL SUPPORT**

STOCK

- SYNTHETIC THUMBHOLE **BULLPUP DESIGN**
- 7 FORWARD HANDSTOP
- 8 MOLDED-IN REAR SLING ATTACHMENT POINT

OPERATION CONTROLS

- 9 AMBIDEXTROUS CHARGING HANDLES
- 10 SLIDING TRIGGER
- 11 AMBIDEXTROUS SAFETY SWITCH INSIDE TRIGGER GUARD
- 12 ENLARGED TRIGGER GUARD
- 13 AMBIDEXTROUS MAGAZINE RELEASE

MAGAZINE

- 14 TRANSLUCENT POLYMER **MAGAZINE BODY**
- 10 OR 30-ROUND CAPACITY

SIGHTS

15 MIL-STD 1913 ACCESSORY RAIL AND BACK-UP IRON SIGHT



LOCK AND LOAD THE MOST **INNOVATIVE CARBINE EVER**

The easy-to-shoot FN PS90 represents a flexible, compact bullpup carbine design that's ideal for personal security and sporting use. Chambered in the high-velocity 5.7x28mm cartridge, the FN PS90 utilizes a closed-bolt blowback operation and fixed barrel for greater accuracy and reliability. The FN PS90's 16" cold hammer-forged, chrome-lined MIL-SPEC barrel is equipped with an integrated muzzle brake to reduce recoil and comes with a 10 or 30-round polymer detachable magazine. The FN PS90's safety switch is located inside the trigger guard for easy access. Dual magazine latches, cocking handles and an innovative synthetic thumbhole stock with a molded-in sling attachment point help make the FN PS90 fully ambidextrous.

See page 149 for 5.7x28mm ammunition information.

SPECS.

4 may 19	0.000	100	- X	
	1			

DESIGNATION PS90 STANDARD

STOCK COLOR	MATTE BLACK OR OLIVE DRAB GREEN (ODG)	
CALIBER	5.7x28MM	
BARREL	16.04"	
OVERALL LENGTH	26.23"	
MAGAZINE	10 OR 30-ROUND	
WEIGHT	6.28 LBS.	

COMMERCIAL: **CARBINES** »

FS2000

ISO 9001 OUALITY





GENERAL SPECIFICATIONS

- 5.56X45MM (223 REM.)
- SEMI-AUTO ONLY
- GAS-OPERATED, ROTATING BOLT

RECEIVER

- 1 AIRCRAFT-GRADE ALUMINUM **ALLOY RECEIVER**
- BULLPUP DESIGN REDUCES OVERALL LENGTH
- 2 FORWARD-FIRED EJECTION PORT
- REAR CHAMBER ACCESS COVER
- ROTATING BOLT, GAS-OPERATED ACTION

- 5 LEFT-SIDE FOLDING **CHARGING HANDLE**
- SHORT-STROKE GAS **PISTON SYSTEM**

BARREL

- 7 HAMMER-FORGED, CHROME-LINED BORE
- 8 PORTED MUZZLE BRAKE
- NON-REFLECTIVE **BLACK OXIDE FINISH**

STOCK

- 9 MATTE BLACK OR OLIVE DRAB GREEN (ODG) SYNTHETIC AMBIDEXTROUS THUMBHOLE **DESIGN**
- LARGE BUTTPLATE
- 10 MOLDED-IN SLING ATTACHMENT POINTS

OPERATING CONTROLS

- LEFT-SIDE CHARGING HANDLE
- SAFETY SWITCH INSIDE TRIGGER GUARD
- 11 AMBIDEXTROUS MAGAZINE RELEASE AND SAFETY SWITCH

MAGAZINE

- 12 DETACHABLE BOX MAGAZINE (DBM)
- AVAILABLE WITH 10 OR 30-ROUND CAPACITY

SIGHTS

13 TOP-MOUNTED ONE-PIECE MIL-STD 1913 ACCESSORY RAIL AND **FOLDING BACK-UP IRON SIGHTS**



THE BEST IN SEMI-AUTO **BULLPUP PERFORMANCE**

Chambered in 5.56x45mm NATO (223 Rem.), the FN FS2000 is a semi-auto only variant of the proven FN F2000 selective-fire bullpup carbines. It is gas-operated, uses a rotating bolt lock-up for reliability and greater accuracy and has a 17.44" cold hammer-forged, chromelined MIL-SPEC barrel and muzzle brake. Fired cases are ejected through a forward port away from the operator. The FN FS2000 Tactical offers an integrated MIL-STD 1913 top-mounting rail and emergency backup folding sights and is available with 10 or 30-round Detachable Box Magazines (DBM). The polymer stock is fully-ambidextrous. An accessory fore-end is also available that provides three MIL-STD 1913 forward mounting rails.

SPECS:

DESIGNATION	• FS2000 CQB	• FS2000 TACTICAL
STOCK COLOR	MATTE BLACK	MATTE BLACK OR OLIVE DRAB GREEN (ODG)
CALIBER	5.56x45MM (223 REM.)	5.56x45MM (223 REM.)
BARREL	17.44"	17.44"
OVERALL LENGTH	29.25"	29.25"
MAGAZINE	10 OR 30-ROUND	10 OR 30-ROUND
WEIGHT	7.58 LBS.	7.58 LBS.

DEMAND THE BEST WITH GENUINE FN ACCESSORIES Every serious shooter knows that nothing stops first class performance faster than the failure of a second-rate accessory at a critical moment. That's why FNH USA offers a complete line of top quality accessories to help you maximize the performance of your FN firearm. Never settle for second best; keep your FN firearm All-FN! 142 FNHUSA.COM



COMMERCIAL: **ACCESSORIES** »

HANDGUNS







A. 5.7x29MM OTIS™ CLEANING KIT

FEATURES A MEMORY-FLEX **CLEANING ROD, SOLID BRASS** SLOTTED TIPS, 100% COTTON CLEANING PATCHES, BORE BRUSHES, AND AN ALL-IN-ONE CLEANER, LUBRICANT, AND PRESERVATIVE, A BRASS **OBSTRUCTION REMOVER,** BRASS SCRAPER TOOL SET, PICS AND END BRUSH ALSO COME STANDARD. ALL PACKAGED IN A POCKET-SIZED SOFT PACK NYLON CASE.

PRODUCT NO: 3819999997

B. FN SHOOTER'S PACK

INCLUDES A MOLDED BLADE-TECH™ POLYMER BELT HOLSTER, DOUBLE MAGAZINE POUCH, ADJUSTABLE **BELT LOOPS AND A YELLOW** POLYMER TRAINING BARREL.

PRODUCT NO: 47500 (FNP/FNX/FNS; NOT SHOWN) PRODUCT NO: 47520 (FNP-45/FNX-45)

C. FIVE-SEVEN® MAGAZINE

FEATURES A POLYMER BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 3866100320 (10-ROUND) PRODUCT NO: 3866100030 (20-ROUND; NOT SHOWN)

D. FNX-9, 9MM MAGAZINE

FEATURES A POLISHED, DARKENED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47694-2 (17-ROUND)

E. FNX-40, 40 S&W MAGAZINE

FEATURES A POLISHED, DARKENED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47695-2 (14-ROUND)

F. FNP-9, 9MM MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47104 (10-ROUND) **PRODUCT NO: 47103** (16-ROUND; NOT SHOWN)

CHECK OUT FNH USA'S E-STORE TO FIND CERTIFIED FN ACCESSORIES AS WELL AS FNH USA APPAREL AND COLLECTIBLES. WWW.FNHUSAESTORE.COM



G. FNP-9M, 9MM MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47009 (10-ROUND) **PRODUCT NO: 47008** (15-ROUND; NOT SHOWN)

H. FNP-40, 40 S&W MAGAZINE

FEATURE A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47306 (10-ROUND) **PRODUCT NO: 47305** (14-ROUND; NOT SHOWN)

I. FNP-45, .45 ACP MAGAZINE

FEATURE A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47526-2 (10-ROUND; NOT SHOWN) PRODUCT NO: 47456-2 (15-ROUND)

J. HP-SA, 9MM MAGAZINE

FOR THE HI POWER™ SINGLE-**ACTION PISTOL. FEATURES** A MATTE BLACK BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 3740100393 (10-ROUND) PRODUCT NO: 3740100493 (13-ROUND; NOT SHOWN) THIS MAGAZINE ALSO FITS THE HP-SFS.

K. HP-SA, 40 S&W MAGAZINE

FOR THE HI POWER™ SINGLE-**ACTION PISTOL. FEATURES A** POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 3740100293 (10-ROUND) THIS MAGAZINE ALSO FITS THE HP-SFS.

L. FORTY-NINE, 9MM MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 112056193 (10-ROUND) PRODUCT NO: 112056493 (16-ROUND; NOT SHOWN)

M. FORTY-NINE, 40 S&W MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 112056194 (10-ROUND) PRODUCT NO: 112056394 (14-ROUND; NOT SHOWN)

N. FN FNS-9 MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 66330-2 (17-ROUND; NOT SHOWN) PRODUCT NO: 66330-4 (10-ROUND; NOT SHOWN)

O. FN FNS-40 MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD.

PRODUCT NO: 47695-2 (14-ROUND; NOT SHOWN) PRODUCT NO: 47695-4 (10-ROUND; NOT SHOWN)

P. FN FNS COMPACT MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD. (NOT SHOWN)

Q. FN FNX-45 MAGAZINE

FEATURES A POLISHED STEEL BODY, LOW-FRICTION FOLLOWER AND POLYMER BASE PAD. (NOT SHOWN)

SHOTGUNS





A. FNH USA EZ SLING™

STANDARD 2-POINT BLACK NYLON SLING. MADE IN THE USA.

PRODUCT NO: 50001

B. FNH USA UNIVERSAL TACTICAL SLING

3-POINT TACTICAL SLING DESIGN. **BLACK NYLON WITH QUICK** RELEASE BUCKLE ALLOWS FOR **GREATER FLEXIBILITY IN FIREARM** RETENTION. INCLUDES SWIVELS, J-HOOKS AND SHOTGUN SADDLE. DOES NOT FIT FN PS90 OR FN FS2000 TACTICAL. MADE IN THE USA.

PRODUCT NO: 50002

C. SLP CHOKE TUBES -STANDARD INVECTOR™

POLISHED STAINLESS STEEL CONSTRUCTION WITH BLUE ANODIZED ACCENT IDENTIFICATION RING. FOR USE WITH THE FN SLP SHOTGUN AND THE FN SLP MK I SHOTGUN WITH 12-GAUGE, NON-BACK-BORED BARRELS ONLY. CHOKE TUBES MARKED.

PRODUCT NO: 3088929711 (CYLINDER) PRODUCT NO: 3088929712 (SKEET) PRODUCT NO: 3088929713 (IMPROVED) PRODUCT NO: 3088929714 (LIGHT MOD.) PRODUCT NO: 3088929715 (MODIFIED) PRODUCT NO: 3088929716 (IMP. MOD.) PRODUCT NO: 3088929717 (LIGHT FULL*) PRODUCT NO: 3088929718 (FULL*) PRODUCT NO: 3088929719 (EXTRA FULL*) * NOT FOR USE WITH STEEL SHOT.

--X

D. SLP CHOKE TUBES -INVECTOR-PLUS™

POLISHED STAINLESS STEEL CONSTRUCTION WITH BLUE ANODIZED ACCENT IDENTIFI-CATION RING. ONLY FOR USE WITH THE 24", 26", 28" AND 30" ACCESSORY 12-GAUGE, BACK-BORED BARRELS FOR THE FN SLP AND SC 1 0/U CHOKE TUBES MARKED.

PRODUCT NO: 3088929720 (CYLINDER) PRODUCT NO: 3088929721 (SKEET) PRODUCT NO: 3088929722 (IMPROVED) PRODUCT NO: 3088929723 (LIGHT MOD.) PRODUCT NO: 3088929724 (MODIFIED) PRODUCT NO: 3088929725 (IMP. MOD.) PRODUCT NO: 3088929726 (LIGHT FULL*) PRODUCT NO: 3088929727 (FULL*) PRODUCT NO: 3088929728 (EXTRA FULL*) * NOT FOR USE WITH STEEL SHOT.

E. SLP AUTOLOADING SHOTGUN **ACCESSORY BARRELS**

STEEL CONSTRUCTION WITH MATTE BLACK FINISH. FOR USE WITH THE 12-GAUGE FN SLP SHOTGUN AND THE FN SLP MK I SHOTGUN ONLY. TWO FLEXIBLE MAGAZINE CAPACITY REDUCERS ARE INCLUDED WITH EACH BARREL.

E1. PRODUCT NO: 3088929510

22" FN SLP MK I RIFLED BARREL WITH 3" CHAMBER, WEAVER-PATTERN CANTILEVER SCOPE MOUNT, ADJUSTABLE RIFLE SIGHTS PRODUCT NO: 3088929500 (NOT SHOWN) 22" FN SLP MK I NON-BACK-BORED BARREL WITH 3" CHAMBER, WEAVER-PATTERN CANTILEVER SCOPE MOUNT, ADJUSTABLE RIFLE SIGHTS, ONE STANDARD INVECTOR™ IMPROVED CHOKE TUBE.

PRODUCT NO: 3088929530 (NOT SHOWN) 24" FN SLP BARREL WITH 3" CHAMBER, VENT RIB, FRONT BEAD SIGHT, BACK-BORED, INCLUDES ONE INVECTOR-PLUS™ MODIFIED CHOKE TUBE.

E2. PRODUCT NO: 3088929540

26" FN SLP BARREL WITH 3" CHAMBER. VENT RIB, FRONT BEAD SIGHT, BACK-BORED. INCLUDES ONE INVECTOR-PLUS" MODIFIED CHOKE TUBE.

PRODUCT NO: 3088929550 (NOT SHOWN) 28" FN SLP BARREL WITH 3" CHAMBER. VENT RIB. FRONT-BEAD SIGHT, BACK-BORED, INCLUDES ONE INVECTOR-PLUST MODIFIED CHOKE TUBE.

PRODUCT NO: 3088929560 (NOT SHOWN) 30" FN SLP BARREL WITH 3" CHAMBER. VENT RIB. FRONT-BEAD SIGHT, BACK-BORED, INCLUDES ONE INVECTOR-PLUST MODIFIED CHOKE TUBE.

F. TRI-RAIL EXTENSION

ALLOY CONSTRUCTION WITH DURABLE MATTE BLACK FINISH. **PROVIDES THREE MIL-STD 1913** MOUNTING RAILS FOR TACTICAL LIGHTS AND LASERS. INSTALLS WITHOUT TOOLS OVER EXISTING MAGAZINE TUBE.

PRODUCT NO: 3088929876 (NOT SHOWN) (FITS FN SLP SHOTGUNS) PRODUCT NO: 3088929878 (FITS FN SLP MK I SHOTGUNS)

CHECK OUT FNH USA'S E-STORE TO FIND CERTIFIED FN ACCESSORIES AS WELL AS FNH USA APPAREL AND COLLECTIBLES. WWW.FNHUSAESTORE.COM





A. FNAR STEEL MAGAZINES

PRODUCT NO: 3108929300 (5-ROUND; NOT SHOWN) PRODUCT NO: 3108929200 (10-ROUND) PRODUCT NO: 3108929210 (20-ROUND) EXTRA 5-, 10-AND 20-ROUND MAGAZINES ARE AVAILABLE.

B. FNH USA SHOOTING MAT

FIVE-SECTION FOLDING DESIGN OPENS TO 82"LENGTH X.36"
WIDTH. OLIVE DRAB GREEN CORDURA NYLON SHELL WITH CLOSED CELL FOAM PADDING. NON-SLIP QUILTED UPPER ELBOW PANE. THREE QUICK-RELEASE POLYMER CLOSURE BUCKLES, TWO ACCESSORY/DATA BOOK POCKETS, WEB CARRY HANDLE AND ADJUSTABLE WEB SHOULDER STRAP WITH NON-SLIP PAD. IMPORTED.

PRODUCT NO: P20300

C. TSR XP/SPR 308 WIN. DETACHABLE BOX MAGAZINE

FITS ALL FN TSR XP, PBR AND SPR RIFLES WITH DETACHABLE BOX MAGAZINES (DBM) CHAMBERED IN 308 WIN.

PRODUCT NO: 62614-01 (4-ROUND)

D. SPR A5M TACTICAL BOX MAGAZINE

FITS THE FN SPR A5M RIFLE CHAMBERED IN 308 WIN.

PRODUCT NO: 62635-01 (TBM 5-ROUND) PRODUCT NO: 62635-02 (TBM 10-ROUND)

PRODUCT NO: 75538 (NOT SHOWN)
PRODUCT NO: 75540 (NOT SHOWN)
WILL ONLY FIT TBM
OUTFITTED SPR A5Ms.

E. TACTICAL BOX MAGAZINE KIT

THE TBM KIT IS AN UPGRADE KIT THAT ALLOWS OWNERS OF SPRS WITH THE STANDARD DBM MAGAZINE ASSEMBLY (.308 ONLY) TO UPGRADE TO THE TBM MAGAZINE ASSEMBLY WITH 5 AND 10-ROUND MAGAZINES (DBM IS ONLY 4-ROUND CAPACITY). KIT REPLACES THE TRIGGER GUARD ASSEMBLY. DOES NOT REQUIRE MODIFICATION OF OR FITTING TO THE RIFLE. DOES NOT FIT SPRS WITH HINGED FLOORPLATE. TSRS OR PBRS WITH DBM EQUIPMENT MIGHT REQUIRE FITTING BY A GUNSMITH. RETROFIT ON SPRS CAN BE ACCOMPLISHED IN MINUTES AND REQUIRES FEW TOOLS (TORQUE WRENCH IS REQUIRED). COMES WITH **NEW TRIGGER GUARD/BOTTOM** METAL, 5 AND 10-ROUND TBM MAGAZINES, NEW ACTION SCREWS AND INSTRUCTIONS.

PRODUCT NO: 62655-01

F. PS90/P90® MIL-STD 1913 ACCESSORY RAIL

PRODUCT NO: 3819400120

G. PS90 3-POINT TACTICAL SLING WITH BARREL ATTACHMENT

BLACK NYLON WITH QUICK RELEASE BUCKLE ALLOWS FOR GREATER FLEXIBILITY IN FIREARM RETENTION. IMPORTED:

PRODUCT NO: 50003 (PS90)

H. FS2000 3-POINT NYLON TACTICAL SLING

BLACK NYLON WITH QUICK RELEASE BUCKLE ALLOWS GREATER FLEXIBILITY IN FIREARM RETENTION. IMPORTED.

PRODUCT NO: 3830147520

I. FNH USA TACTICAL SLING

TAN NYLON WEBBING WITH BLACK METAL LADDER-LOCK ADJUSTMENTS AND ELASTIC-PROTECTED QUICK-ATTACH METAL SNAP SLIPS. FITS ALL SCAR® MODELS. MADE IN THE USA.

PRODUCT NO: 98824

CARBINES





J. PS90/P90® SIGHT **ADJUSTMENT TOOL**

PRODUCT NO: 3058490010

K. 5.7x28MM MAGAZINE

PRODUCT NO: 3810110093 (50-ROUND) PRODUCT NO: 3816101050 (30-ROUND) PRODUCT NO: 3816101040 (10-ROUND)

L. FS2000/F2000 TACTICAL FORE-END

> REPLACEMENT FORE-END WITH THREE MIL-STD 1913 RAIL SECTIONS FOR MOUNTING TACTICAL LIGHTS AND LASERS. ALUMINUM ALLOY CONSTRUCTION.

PRODUCT NO: 3830500

M. PS90/P90® BARREL SIDE RAIL PRODUCT NO: 3849999998

N. PS90/P90® FIRED CASE COLLECTOR

> PRODUCT NO: 3819820010 WIRE FRAME WITH FABRIC BAG, IMPORTED.

(SIGHT WITH SCREWS)

O. 5.7x28MM OTIS™ CLEANING KIT PRODUCT NO: 3819999997

P. PS90/P90® BLACK RETICLE SIGHT PRODUCT NO: 3817100030

Q. PS90/P90® MAGAZINE POUCH

PRODUCT NO: 3819999999 (NOT SHOWN)

R. FNC MAGAZINE, 5.56x45MM NATO

PRODUCT NO: 3906010119 (30-ROUND) THIS MAGAZINE ALSO FITS THE F2000, FS2000 AND SCAR® 16.

SCAR® 16/SCAR® 16S MAGAZINE, 5.56x45MM NATO

FEATURES AN ALUMINUM BODY WITH FLAT DARK EARTH COLORED COATING AND LOW-FRICTION FOLLOWER. MADE IN THE USA.

PRODUCT NO: 98880

T. SCAR® 17/SCAR® 175 MAGAZINE, 7.62x51MM NATO

FEATURES A METAL BODY WITH ANODIZED COATING, CHROME SILICON SPRING AND LOW-FRICTION FOLLOWER. MADE IN THE USA.

PRODUCT NO: 98890 (20-ROUND, FLAT DARK EARTH) **PRODUCT NO: 98892** (20-ROUND, BLACK: NOT SHOWN)

U. FNH USA ARW SIGHT

ADVANCED RED-DOT REFLEX SIGHT WITH POLYMER BODY. FITS MIL-STD 1913 RAILS.

PRODUCT NO: 1897851240

V. PS90 RED-DOT SIGHT

FITS FN PS90 STANDARD AND USG MODELS.

PRODUCT NO: 11010138

W. FNH USA PS90/P90® GREEN-DOT **FIBER-OPTIC SIGHT**

FITS MIL-STD 1913 AND WEAVER PATTERN RAILS. ADVANCED GREEN-DOT FIBER-OPTIC SIGHT FOR THE PS90/P90® WITH RUGGED ALLOY BODY FOR TACTICAL USE.

PRODUCT NO: 1897851240

X. SCAR® EXTENDED FORE-END

ALUMINUM EXTENDED RAIL ADDS ADDITIONAL LENGTH FOR ACCESSORY ATTACHMENTS AND FORWARD HAND PLACEMENT.

PRODUCT NO: 98800

CHECK OUT FNH USA'S E-STORE TO FIND CERTIFIED FN ACCESSORIES AS WELL AS FNH USA APPAREL AND COLLECTIBLES. WWW.FNHUSAESTORE.COM


5.7×28MM AMMUNITION




X FEDERAL CARTRIDGE COMPANY IS THE LICENSED DISTRIBUTOR OF SS197SR AMMUNITION IN THE U.S. FOR FNH USA.



ISO 9001 OUALITY





Cross-section of the unrestricted SS195LF round. The hollow point jacket contains a lead free metal core. The primer compound is also lead free, making this round ideal for any location where lead contamination is to be avoided.

THE NEW BENCHMARK IN **AMMUNITION PERFORMANCE**

Fully compatible with the FN Five-seveN® pistol and FN PS90 carbine, the 5.7x28mm cartridge has been specifically tailored to excel in several sport shooting roles. The SS195LF Lead Free cartridge is ideal for any situation where lead contamination must be minimized. The SS197SR Sporting round features a polymer tip jacketed bullet and is distributed in the USA by Federal Cartridge Company. 5.7x28mm Dummy rounds for training are also available.

PRODUCT	• 10700012¹	● 10700005¹	• 10700016 ²
DESIGNATION	SS195LF	DUMMY	SS197SR
TYPE	SPORTING	TRAINING	SPORTING
AVAILABILITY	UNRESTRICTED	UNRESTRICTED	UNRESTRICTED
INTENDED PURPOSE	CIVILIAN/TARGET/ SPORTING	INERT TRAINING ROUND	CIVILIAN/TARGET/ SPORTING
CASE	2,000	50	2,000

- 1. DISTRIBUTED IN THE USA BY FNH USA
- 2. FEDERAL CARTRIDGE COMPANY IS THE LICENSED DISTRIBUTOR OF THIS PRODUCT FOR FNH USA

FN

TURN UP THE HEAT!

There are two great proving grounds for firearms—the heat of battle and the heat of competition. FN's legendary battlefield performance needs no further introduction. Today FNH USA leads the field with pistols, shotguns, rifles and carbines that are optimized for virtually any competition format from run-and-gun practical matches to high precision long-range target events. FN firearms are proven in the uncompromising crucible of elite competition. When you bring your FN to the firing line, you're bringing some serious heat to the competition.

FNH USA continues its sponsorship of competitive shooting with "FNH USA 3-Gun Nation" that airs weekly on the Versus Channel (NBC Sports). The show takes you around the United States on the 3-gun practical shooting circuit as competitors face some of the most difficult stages of fire found anywhere in the shooting sports.

Shooters accumulate points during the 3-Gun Nation series. In 2011, the top eight shooters were determined during the Veteran's Day 3-Gun Championship; those eight shooters will square off to determine the overall 3-Gun Champion in a televised finale on January 18, 2012 during SHOT Show.



NRA AMERICAN RIFLEMAN MAGAZIN



FROM THE FIRING LINE



Serious marksmen know that competitive shooting demands the utmost in skill, mental focus and a lifelong dedication to personal excellence. It also requires top-level accuracy and absolute reliability from every item of the shooter's equipment. Like auto racing, competitive shooting provides a proving ground for new ideas and new technologies.

CORPORATE SUPPORT

Corporate support for the shooting sports is important to help recognize competitive excellence, build the sport and bring new participants into organized programs around the country. Programs like these are key to improving shooting skills as well as promoting the safe and responsible ownership and use of firearms. FNH USA is proud to be involved in supporting marksmanship at the highest levels of national competition.

DOMINATING 3-GUN COMPETITION WITH FIREARMS FROM FNH USA

3-gun practical shooting competition is quickly becoming one of the most popular shooting sports in America, and FNH USA is the ONLY company that makes guns that are ideal for all three stages: pistol (FNS), rifle(SCAR®) and shotgun (SLP). Absolute reliability, smooth handling and pin-point accuracy are critical to success in practical shooting. FN firearms give you absolute confidence that your equipment is going to perform when you step to the firing line. FN firearms are made to help you win.

VISIT OUR WEBSITE TO SEE THE LATEST VIDEOS ON 3-GUN PRACTICAL SHOOTING:

FNHUSA.COM

SUPPORTING SHOOTING SPORTS

FNH USA has a long tradition of offering corporate support to many dedicated organizations and worthy causes related to the shooting sports. Along with numerous other corporate and organizational partners, FNH USA is proud to do its part to help build the shooting sports and to give back to those who have given the most in support of freedom.

FNH USA participated in the 2011 Shooting Industry Master's Tournament. The industry-wide event raised more than \$32,000 for the NSSF First Shots program to promote the shooting sports to newcomers.

When it comes to supporting the shooting sports, FNH USA leads the way!



FNH USA IS PROUD TO WORK WITH THESE COMPANIES. ORGANIZATIONS AND CHARITABLE PROGRAMS:



















BROWNELLS



COMMERCIAL: **COMPETITION SHOTGUNS »**

SC1 OVER/UNDER





PERFORMANCE, STYLE AND TRADITION

The FN SC 1 Over/Under Shotgun is competition ready, right out of the box; designed with features that make it a contender across the entire array of competitive shotgun sports. Adjustable for comb height, cast, and length-of-pull and topped with a 10mm wide ventilated rib and fiber-optic front sight with brass mid-bead, the FN SC 1 O/U provides the ultimate sighting plane for flying targets. The 28" or 30" barrels are light weight and are back-bored and ported for ballistic performance and low recoil providing the perfect balance of speed and maneuverability.

THE FN SC 1 OVER/UNDER SHOTGUN FEATURES 28" OR 30" PORTED BARRELS WITH A FIBER-OPTIC FRONT SIGHT, AND A BLUE/GRAY LAMINATED STOCK WITH ADJUSTABLE COMB

SLP/SLP MK I COMPETITION

THE FN SLP COMPETITION SHOTGUN FEATURES A BLUE HARD-ANODIZED RECEIVER, 8+1 CAPACITY, 24" BACK-BORED VENT-RIB BARREL WITH FLIP-UP REAR SIGHT, FIBER-OPTIC FRONT SIGHT AND INTERCHANGEABLE INVECTOR-PLUS™ CHOKE TUBES MAKING IT IDEAL FOR 3-GUN PRACTICAL COMPETITION. THE FLIP-UP REAR SIGHT ENABLES PRECISE ENGAGEMENT WITH SLUGS AT FURTHER DISTANCES.



THE FN SLP MK I COMPETITION SHOTGUN FEATURES A BLUE HARD-ANODIZED RECEIVER, 8+1 CAPACITY, 22" CANTILEVER SCOPE BASE, ADJUSTABLE REAR SIGHT, FIBER-OPTIC FRONT SIGHT AND INTERCHANGEABLE STANDARD INVECTOR™ CHOKE TUBES FOR TRUE PERFORMANCE ON THE FIRING LINE.

ENGINEERED TO WIN

With legendary reliability and enhanced features ideal for practical shotgun sports, the FN SLP and SLP MK I Competition shotguns are engineered to win. Holding the enviable reputation as the world's fastest cycling shotgun, both models offer 3" chambers, extended magazine tubes, and interchangeable choke tubes.

COMMERCIAL: **COMPETITION HANDGUNS »**

FNS





What do you get from five years of development and more than 400,000 rounds of testing? Reliability, accuracy and speed: all driving factors for what you need to win. The FN FNS has been tested in every type of major shooting event, from high speed IPSC/USPSA and grueling 3-gun matches to precision bulls-eye and action events like the NRA Bianchi Cup. Match after match the FNS has shown that the years of testing has paid off. If you are looking for the edge in your next competition then search no more.





MODEL	COMMERCIAL PRODUCT NUMBER	CALIBER	OPERATION	FRAME COLOR	SLIDE FINISH	SIGHTS
FNS-9	66927	9mm	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-9	66928	9mm	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-9	66931	9mm	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-9	66932	9mm	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-9C	66772	9mm	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-9C	66773	9mm	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-9C	66776	9mm	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-9C	66777	9mm	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-40	66942	40 S&W	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-40	66943	40 S&W	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-40	66946	40 S&W	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-40	66947	40 S&W	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
FNS-40C	66782	40 S&W	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FNS-40C	66783	40 S&W	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
Five-seveN®	3868929120	5.7x28mm	SA	BLACK	MATTE BLACK	ADJUSTABLE 3-DOT
Five-seveN®	3868929230	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	ADJUSTABLE 3-DOT
Five-seveN®	3868929130	5.7x28mm	SA	BLACK	MATTE BLACK	ADJUSTABLE 3-DOT
Five-seveN®	3868929250	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	ADJUSTABLE 3-DOT
Five-seveN®	3868929122	5.7x28mm	SA	BLACK	MATTE BLACK	FIXED 3-DOT
Five-seveN®	3868929232	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	FIXED 3-DOT
Five-seveN®	3868929132	5.7x28mm	SA	BLACK	MATTE BLACK	FIXED 3-DOT
Five-seveN®	3868929252	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	FIXED 3-DOT
FNX-9	66822	9mm	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-9	66826	9mm	DA/SA	BLACK	MATTE SILVER	FIXED 3-DOT
FNX-9	66836	9mm	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-9	66838	9mm	DA/SA	BLACK	MATTE SILVER	STANDARD
FNX-40	66852	40 S&W	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-40	66856	40 S&W	DA/SA	BLACK	MATTE SILVER	STANDARD
FNX-40	66874	40 S&W	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-40	66876	40 S&W	DA/SA	BLACK	MATTE SILVER	STANDARD
FNX-45	66960	45 ACP	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT
FNX-45	66962	45 ACP	DA/SA	BLACK	MATTE SILVER	FIXED 3-DOT
FNX-45	66961	45 ACP	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-45	66963	45 ACP	DA/SA	BLACK	MATTE SILVER	STANDARD
FNX-45C	66950	45 ACP	DA/SA .	BLACK	MATTE BLACK	STANDARD
FNX-45C	66952	45 ACP	DA/SA	BLACK	MATTE SILVER	STANDARD
FNX-45C	66951	45 ACP	DA/SA	BLACK	MATTE BLACK	STANDARD
FNX-45C	66953	45 ACP	DA/SA	BLACK	MATTE SILVER	STANDARD

MAGAZINE CAPACITY	WEIGHT	WIDTH	HEIGHT	BARREL LENGTH	OVERALL LENGTH	TWIST RATE (IN.)
17-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
17-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
10-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
10-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
12-ROUND	23 Oz.	1.55" (1.35")	4.6"	3.565"	6.7"	1:10 RH TWIST
12-ROUND	23 Oz.	1.55" (1.35")	4.6"	3.565"	6.7"	1:10 RH TWIST
10-ROUND	23 Oz.	1.55" (1.35")	4.6"	3.565"	6.7"	1:10 RH TWIST
10-ROUND	23 Oz.	1.55" (1.35")	4,6"	3,565"	6.7"	1:10 RH TWIST
14-ROUND	27.5 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:16 RH TWIST
14-ROUND	27.5 Oz.	1.55" (1.35")	5,5"	4"	7.25"	1:16 RH TWIST
10-ROUND	27.5 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:16 RH TWIST
10-ROUND	27.5 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:16 RH TWIST
10-ROUND	23 Oz.	1.55" (1.35")	4.6"	3.565"	6.7"	1:16 RH TWIST
10-ROUND	23 Oz.	1.55" (1.35")	4.6"	3.565"	6.7"	1:16 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
10-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
10-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
10-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
10-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
17-ROUND	21.9 Oz.	1.55"	5.4"	4"	7.4"	1:10 RH TWIST
17-ROUND	21.9 Oz.	1.55"	5.4"	4"	7.4"	1:10 RH TWIST
10-ROUND	21.9 Oz.	1.55"	5.4"	L.	7.4"	1:10 RH TWIST
10-ROUND	21.9 Oz.	1.55"	5.4"	4"	7.4"	1:10 RH TWIST
14-ROUND	24.4 Oz.	1.55"	5,4"	"	7.4"	1:16 RH TWIST
14-ROUND	24.4 Oz.	1.55"	5.4"	4"	7.4"	1:16 RH TWIST
10-ROUND	24.4 Oz.	1.55"	5.4"	4"	7.4"	1:16 RH TWIST
10-ROUND	24.4 Oz.	1.55"	5.4"	4"	7.4"	1:16 RH TWIST
15-ROUND	33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
15-ROUND	a 33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
10-ROUND	33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
10-ROUND	33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
12-ROUND	30 Oz.	1.55"	5.2"	3.875"	7.2"	1:16 RH TWIST
15-ROUND	30 Oz.	1.55"	5.2"	3.875"	7.2"	1:16 RH TWIST
12-ROUND	30 Oz.	1.55"	5.2"	3.875"	7.2"	1:16 RH TWIST
TO-ROUND	30 Oz.	1.55"	5.2"	3.875"	7.2"	1:16 RH TWIST
						The state of the s

Fix. SET. LECTLEX. 6496.8 6456.P 0.1/5.4 BLACK MATERIACK PERSON OF PROTECTION FOR. SET. STATEMENT 5456.P 0.956.M PART DORS CONT. LAT DORS REARTH CHEST DORS FINISH FIRS. 3 6973. 0.978.M 0.04 0.1.00 MATERIACK PIKED-100 TIME FIRS. 4 6973. 0.979.M 0.04 0.1.00 MATERIACK PIKED-100 TIME FIRS. 4 6973. 0.998.M 0.04 0.04 0.00 MATERIACK PIKED-100 TIME FIRS. 4 6949. 0.40 0.05 0.0 0.0 0.0 MATERIACK MATERIACK PIKED-100 TIME FIRS. 40 4.40 0.0 0.0 0.0 0.0 MATERIACK MATERIACK PIKED-100 TIME FIRS. 40 4.40 0.0 0.0 0.0 0.0 0.0 0.0 FIRS. 40 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	MODEL	COMMERCIAL PRODUCT NUMBER	CALIBER	OPERATION	FRAME COLOR	SLIDE FINISH	SIGHTS
MODEL LAW SENTONCEMENT PRODUCT NUMBER CALIBER OPERATION FAME COLOR SLIDE FINISM SLOWTS PRS-5 4873 Minism DA BLACK MATTE BLACK FLKB3-DOT NIGHT PRS-6 4874 MINISM DA BLACK MATTE BLACK FLKB3-DOT NIGHT PRS-10 4894 4958 DA BLACK MATTE BLACK FLKB3-DOT NIGHT PRS-10 48947 4958 DA BLACK MATTE BLACK FLKB3-DOT NIGHT PRS-10 489479212 57,28mm SA BLACK MATTE BLACK FLKB3-DOT NIGHT Pice-sexell* 388479223 57,28mm SA BLACK MATTE BLACK PLKB3-DOT NIGHT Pice-sexell* 388497923 57,28mm SA PLAT DARK EARTH MATTE BLACK PLKB3-DOT Pice-sexell* 388497921 57,28mm SA PLAT DARK EARTH MATTE BLACK PLKB3-DOT NIGHT Pice-sexell* 388497921 57,28mm SA PLAT DARK EARTH MATTE BLACK PLKB3-DOT NIGHT <td>FNX-45 TACTICAL</td> <td>66966</td> <td>45ACP</td> <td>DA/SA</td> <td>BLACK</td> <td>MATTE BLACK</td> <td>FIXED 3-DOT NIGHT</td>	FNX-45 TACTICAL	66966	45ACP	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
PNS-9 4939 mm DA BLACK MATTE BLACK PRICE OF THISITY PNS-10 4954 mm DA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40 4954 4658 DA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40 4954 4658 DA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40 348997123 5.728mm SA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40491 348997123 5.728mm SA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40491 348997123 5.728mm SA BLACK MATTE BLACK PRED-DOT HIGHT PNS-40491 34899723 5.728mm SA BLACK MATTE BLACK PRED-DOT HIGHT PNS-404 34890723 5.728mm SA BLACK MATTE BLACK ADJUSTABLE-DOT PNS-40 34890723 5.728mm DA/SA BLACK MATTE BLACK ADJUSTABLE-DOT PNS-40 46842 9m	FNX-45 TACTICAL	66968	45ACP	DA/SA	FLAT DARK EARTH	FLAT DARK EARTH	FIXED 3-DOT NIGHT
FNS-9 40/934 PMM DA BLACK MATTE SLAVER FDE-0-0 THIGHT FNS-40 4958 4058 4058 DA BLACK MATTE SLAVER FEXE-0-0 THIGHT FNS-40 40600 40580 40580 BLACK MATTE SLAVER FEXE-0-0 THIGHT FNS-40-WIND 34987173 5.728mm SA BLACK MATTE BLACK FEXE-0-0 THIGHT FNS-40-WIND 368897215 5.728mm SA BLACK MATTE BLACK FEXE-0-0 THIGHT FNS-40-WIND 368897213 5.728mm SA BLACK MATTE BLACK FEXE-0-0 THIGHT FNS-40-WIND 368897213 5.728mm SA BLACK MATTE BLACK PEXE-0-0 THIGHT FNS-40 48682 7mm OA/5A BLACK MATTE BLACK PEXE-0-0 THIGHT FNX-40 486842 40590 DA/5A BLACK MATTE BLACK FEXE-0-0 THIGHT FNX-40 486842 40590 DA/5A BLACK MATTE BLACK FEXE-0-0 THIGHT FNX-40	MODEL	LAW ENFORCEMENT PRODUCT NUMBER	CALIBER	OPERATION	FRAME COLOR	SLIDE FINISH	SIGHTS
FNS-40 6868 4689 40 SeW DA BLCK MATTERLAKE PIKED-DOTNORIT FNS-20 4690 4690 4690 15 Call BLCK MATTERLAKE PIKED-DOTNORIT FNS-2007 888879123 57 Zelman 5 Call BLACK MATTERLAKE PIKED-DOTNORIT FNS-2007 3888979125 57 Zelman 5 Call BLACK MATTERLAKE PIKED-DOTNORIT FNS-2007 3888979125 57 Zelman 5 Call BLACK MATTERLAKE ADJUSTABLE-DOT FNS-2008 388897912 57 Zelman 5 Call BLACK MATTERLAKE ADJUSTABLE-DOT FNS-40 388897921 57 Zelman 5 Call BLACK MATTERLAKE ADJUSTABLE-DOT FNS-40 48442 50 Zelman DASA BLACK MATTERLAKE PIKED-DOT FNS-40 48442 50 Zelman DASA BLACK MATTERLAKE MATTERLAKE PIKED-DOT FNS-45 CHEA 48442 5 Call DASA BLACK MATTERLAKE <td< td=""><td>FNS-9</td><td>66933</td><td>9mm</td><td>DA</td><td>BLACK</td><td>MATTE BLACK</td><td>FIXED 3-DOT NIGHT</td></td<>	FNS-9	66933	9mm	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
FN-64 6407 4508 4508 BLC MATE SILVER PECT-000 NRTH SILVER	FNS-9	66934	9mm	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
Five-serwN4 568979123 57.28mm 54.00mm	FNS-40	66948	40 S&W	DA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
Five-sewN4 388787233 5.728mm SA IATORK RARTH MATTE BLACK PKD-0-001 Five-sewN4 38892725 5.728mm 5.428mm 81.40Km MATTE BLACK PKD-0-001 NIGHT Five-sewN4 38892721 5.728mm 5.728mm BLACK MATTE BLACK ADJUSTABLE 3-00T NIGHT Five-sewN4 38892721 5.728mm 5.728mm BLACK MATTE BLACK ADJUSTABLE 3-00T NIGHT Five-sewN4 388927231 5.728mm 5.728mm BLACK MATTE BLACK ADJUSTABLE 3-00T NIGHT Five-sewN4 4842 mm 0.752mm BLACK MATTE BLACK ADJUSTABLE 3-00T NIGHT Five-3 6842 mm 0.752mm BLACK MATTE BLACK PKD-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0	FNS-40	66949	40 S&W	DA	BLACK	MATTE SILVER	FIXED 3-DOT NIGHT
Five-seven** 38897215 5.728mm SA BLACK MATTE BLACK FIXED-DOT NIGHT Five-seven** 38697235 5.728mm 5.4 FLAT DARK EARTH MATTE BLACK FXD-DOT NIGHT Five-seven** 38697231 5.728mm SA BLACK MATTE BLACK ADJUSTABLE 3-DOT Five-seven** 38697221 5.728mm SA FLAT DARK EARTH MATTE BLACK ADJUSTABLE 3-DOT FIX-4 4862 9mm OA/5A BLACK MATTE BLACK FIXED 3-DOT FIX-4 4862 9mm OA/5A BLACK MATTE BLACK FIXED 3-DOT FIX-4 4864 4058W OA/5A BLACK MATTE BLACK FIXED 3-DOT FIX-4 46849 40 50 W OA/5A BLACK MATTE BLACK FIXED 3-DOT FIX-4.5 4979 45 CP DA/5A BLACK MATTE BLACK FIXED 3-DOT NIGHT FIX.4.5 TACTICAL 4979 50 CP DA/5A BLACK MATTE BLACK FIXED 3-DOT NIGHT FIX.4.5 TA	Five-seveN®	3868929123	5.7x28mm	SA .	BLACK	MATTE BLACK	FIXED 3-DOT
FVe-seven** 388972925 57.28mm 56. FLAT DARK EARTH MATTE BLACK CRUE D-30TRIGHT FVe-seven*** 388972911 57.28mm 56. BLCK MATTE BLACK ADJUSTABLE 3-DOT FVe-seven*** 388972921 57.22mm 50.4 HAT DARK EARTH MATTE BLACK ADJUSTABLE 3-DOT FWX-9 4842 9mm 0A/5A BLACK MATTE BLACK FIXED 3-DOT FWX-9 48482 9mm 0A/5A BLACK MATTE BLACK FIXED 3-DOT FWX-40 48482 45.0 0A/5A BLACK MATTE BLACK FIXED 3-DOT FWX-40 46497 45.0 0A/5A BLACK MATTE BLACK FIXED 3-DOT FWX-45 CHILL 46998 45.0P 0A/5A BLACK MATTE BLACK FIXED 3-DOT 6-DOT FWX-45 TACITICAL 46997 45.0P 0A/5A BLACK MATTE BLACK FIXED 3-DOT 10HT FWX-45 TACITICAL 46998 45.0P 0A/5A BLACK MATTE BLACK PIXED 3-DOT 10HT	Five-seveN®	3868929233	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	FIXED 3-DOT
Five-seven®1 986979121 5.728mm 5.40mm BLACK MATTE BLACK ADJUSTABLE 3-DOT Five-seven®2 986929231 9.728mm 5.40mm FLAT DAKE ARTH MATTE BLACK ADJUSTABLE 3-DOT FIX-9 68482 9mm DA/SA BLACK MATTE BLACK FKDB 3-DOT FIX-40 68482 0.58mm DA/SA BLACK MATTE BLACK FKDB 3-DOT FIX-40 68482 0.58mm 0.58mm BLACK MATTE BLACK FKDB 3-DOT FIX-40 68482 0.58mm 0.58mm BLACK MATTE BLACK FKDB 3-DOT FIX-42 64972 0.58mm 0.5/SA BLACK MATTE BLACK FKDB 3-DOT FIX-45 FACTICAL 64972 5ACP DA/SA BLACK MATTE BLACK FKDB 3-DOT HIGH FIX-45 FACTICAL 64979 5ACP DA/SA BLACK MATTE BLACK FKDB 3-DOT HIGH FIX-45 FACTICAL 6497 5ACP DA/SA BLACK MATTE BLACK FKDB 3-DOT HIGH FIX-45 FACTI	Five-seveN®	3868929125	5.7x28mm	SA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
Fixe-seventh 686929231 5.728mm S.A. FLAT DARK EARTH MATTE BLACK ADJUSTABLE 3-DOT FIX.9 64842 9mm DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4 64842 9mm DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4 64848 45849 DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4 64949 45849 ASA DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4.5 64994 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4.5 64996 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FIX.4.5 6497 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT HIGH FIX.4.5 1640 997 45ACP DA/SA BLACK MATTE BLACK MATT	Five-seveN®	3868929235	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	FIXED 3-DOT NIGHT
FN-9 6882 9mm DA/SA BLCK MATTE BLCK [XED 3-DOT FNX-9 48842 9mm DA/SA BLACK MATTE BLCK 1KED 3-DOT FNX-40 68888 4058W DA/SA BLACK MATTE BLCK FIXED 3-DOT FNX-45 6897 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 6998 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 TACITICAL 6998 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 TACITICAL 6998 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 TACITICAL 6997 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 TACITICAL 6998 15 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT SLP MAI TACITICAL 8999 15 AL DALE BLACK MATTE BLACK MATTE BLACK PIXED 3-DOT SLP MIN LINE TACITICAL 9899	Five-seveN®	3868929121	5.7x28mm	SA	BLACK	MATTE BLACK	ADJUSTABLE 3-DOT
FN-9 46842 9mm DA/SA BLACK MATTE SILVER FXED 3-DOT FNX-40 68488 4958W DA/SA BLACK MATTE SILVER FXED 3-DOT FNX-40 68497 4958W DA/SA BLACK MATTE BLACK FXED 3-DOT FNX-45 6994 45 ACP DA/SA BLACK MATTE BLACK FXED 3-DOT FNX-45 TACTICAL 6996 45 ACP DA/SA BLACK MATTE BLACK FXED 3-DOT NIGHT FNX-45 TACTICAL 4997 45ACP DA/SA BLACK MATTE BLACK FXED 3-DOT NIGHT FNX-45 TACTICAL 4997 45ACP DA/SA BLACK MATTE BLACK FXED 3-DOT NIGHT FNX-45 TACTICAL 4997 45ACP DA/SA BLACK MATTE BLACK FXED 3-DOT NIGHT SLP MIA 308829102 12-6AUBE SARREL LENGTH & CHOKE TUBE TUBE TUBE TUBE TUBE TUBE TUBE TUB	Five-seveN®	3868929231	5.7x28mm	SA	FLAT DARK EARTH	MATTE BLACK	ADJUSTABLE 3-DOT
FN-40 66868 40 58W DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-40 64897 40 58W 40 58W 10 A/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 65994 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 CATCAL 65998 45 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT FNX-45 TACTICAL 6997 56 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT FNX-45 TACTICAL 6997 56 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT FNX-45 TACTICAL 6997 56 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT SP MIL 4 STATICAL 6997 56 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT SP MIL 4 STATICAL 6997 56 ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT MIGHT SP MIL 4 STATICAL 69989022 CALIBRY BARCELENT 1 STATICAL FIXED 3-DOT MIGHT BLACK	FNX-9	66842	9mm	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT
FNX-40 6849 46849 4058W 4058W 5A5CP	FNX-9	66842	9mm	DA/SA	BLACK	MATTE SILVER	FIXED 3-DOT
FNX-45 66994 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT FNX-45 6998 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT NIGHT FNX-45 TACTICAL 6996 45ACP DA/SA BLACK MATTE BLACK FIXED 3-DOT NIGHT FNX-45 TACTICAL 6997 45ACP DA/SA FLAT DARK BATH FLAT DARK BATH FIXED 3-DOT NIGHT SLP MI 308892902 CALIBR SARREL LENGTH & CHOKE TUBE TUBE GVERAL LENGTH SIGHS SLP MI I AND AGD I VILLED 12-GAUGE 2° WITH STANDARD INVECTOR TUBE TUBE 30.5° HIGH PROFILE/ADJ. REAR SLP TACTICAL 3088929163 12-GAUGE 2° WITH STANDARD INVECTOR TUBE TUBE TUBE TUBE TUBE TUBE TUBE TUBE	FNX-40	66848	40 S&W	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT
FNX-45 66998 45 ACP DA/SA BLACK MATTE SILVER FIXED 3-DOT FNX-45 TACTICAL 66996 456AP DA/SA BLACK MATTE BLACK FIXED 3-DOT NIGHT FNX-45 TACTICAL 66997 45ACP DA/SA FLAT DARK EARTH FLAT DARK EARTH FIXED 3-DOT NIGHT MOBEL COMBECIAL PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE 3-TEV OVERALL LENGTH SIGHTS SLP MK I 308892022 12-GAUGE 22" WITH STANDARD INVECTOR 3-TEV 43" LOW PROFILE/ADJ. REAR SLP STANDARD 3088929150 12-GAUGE 18" WITH STANDARD INVECTOR 3-TEV 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929145 12-GAUGE 18" WITH STANDARD INVECTOR PLUS EXTENDED 46.38" HIGH PROFILE/ADJ. REAR SC 1 0/U 8000 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 1.375" ADJUSTABLE 1.4.375"-14.425 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE 1-TEV OVERALL LENGTH SIGHTS SLP STANDARD 3088929013 12-GAUGE 18" WITH S	FNX-40	66849	40 S&W	DA/SA	BLACK	MATTE SILVER	FIXED 3-DOT
FNX-45 TACTICAL 66996 45ACP DA/5A BLACK MATTE BLACK FIXED 3-DOT NIGHT FNX-45 TACTICAL 66997 45ACP DA/5A FLAT DARK EARTH FLAT DARK EARTH FIXED 3-DOT NIGHT MODEL COMMERCIAL PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE STATE VERALL LENGTH SIGHTS SLP MK I 3088929022 12-GAUGE 22* WITH STANDARD INVECTOR TO ADDRED INVECTOR TO ADDRED T	FNX-45	66994	45 ACP	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT
FNX-45 TACTICAL 66997 45CP DA/SA FLAT DARK EARTH FLAT DARK EARTH FIXED 3-DOT NIGHT MODEL COMMERCIAL PRODUCT NUMBER CALIBER BARREL LENOTH & CHOKE TUBE SYTEM OVERALL LENGTH SIGHTS SLP STANDARD 3088929022 12-GAUGE 22" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK IT ACTICAL 3088929150 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR SLP TACTICAL 3088929145 12-GAUGE 18" WITH STANDARD INVECTOR PLUS EXTENDED 39" HIGH PROFILE/ADJ. REAR SC 10 //U 89000 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 1.375" ADJUSTABLE 14.375-14.625 ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOWN	FNX-45	66998	45 ACP	DA/SA	BLACK	MATTE SILVER	FIXED 3-DOT
MODEL COMMERCIAL PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH SIGHTS SLP MK I 3088929022 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP STANDARD 3088929101 12-GAUGE 18" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929145 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR SC 1 0/U 89000 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9" N/A 1.375" ADJUSTABLE 14.375-14.625 ADJUSTABLE SLP STANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP STANDARD 3088929013 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I 3088929023 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I 3088929023 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH P	FNX-45 TACTICAL	66996	45ACP	DA/SA	BLACK	MATTE BLACK	FIXED 3-DOT NIGHT
SLP MK I 3088929022 12-GAUGE 22*WITH STANDARD INVECTOR 38.75** LOW PROFILE/ADJ. REAR SLP STANDARD 3088299100 12-GAUGE 18*WITH STANDARD INVECTOR 38.75** HIGH PROFILE/ADJ. REAR SLP MK I TACTICAL 3088929150 12-GAUGE 22*WITH STANDARD INVECTOR 43** LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929145 12-GAUGE 18*WITH STANDARD INVECTOR 39** HIGH PROFILE/ADJ. REAR SC 1 O/U 89000 12-GAUGE 28*WITH INVECTOR PLUS EXTENDED 46.38** FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9** N/A 1.375** ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER 2ALIBER BARREL LENGTH & CHOKE TUBE SYSTEM 58.75** HIGH PROFILE/ADJ. REAR SLP MK I 3088929011 12-GAUGE 18** WITH STANDARD INVECTOR 38.75** HIGH PROFILE/ADJ. REAR SLP MK I 3088929013 12-GAUGE 18** WITH STANDARD INVECTOR 39** HIGH PROFILE/ADJ. REAR SLP MK I 3088929014 12-GAUGE 18** WITH STANDARD INVECTOR 39** HIGH PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-GAUGE 18** WITH STANDARD INVECTOR 39** HIGH PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-GAUGE 18** WITH STANDARD INVECTOR 39** HIGH PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-GAUGE 18** WITH STANDARD INVECTOR 39**	FNX-45 TACTICAL	66997	45ACP	DA/SA	FLAT DARK EARTH	FLAT DARK EARTH	FIXED 3-DOT NIGHT
SLP STANDARD 3088299010 12-6AUGE 18"WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I TACTICAL 3088929150 12-6AUGE 22"WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929145 12-6AUGE 18"WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR SC 1 0/U 89000 12-6AUGE 28"WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9 N/A 1.375" ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH SIGHTS SLP STANDARD 3088929011 12-6AUGE 18"WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MKI 3088929023 12-6AUGE 22"WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-6AUGE 18"WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	MODEL	COMMERCIAL PRODUCT NUMBER	CALIBER	BARREL LENGTH & CHO	KE TUBE SYSTEM	OVERALL LENGTH	SIGHTS
SLP MK I TACTICAL 3088929150 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR 5LP TACTICAL 3088929145 12-GAUGE 18" WITH STANDARD INVECTOR 20" MITH STANDARD INVECTOR 5LD VILLE 3D" MA 500 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9 N/A 1,375" ADJUSTABLE 14.375-14.625 ADJUSTABLE	SLPMKI	3088929022	12-GAUGE	22" WITH STANDARD IN	VECTOR	43"	LOW PROFILE/ADJ. REAR
SLP TACTICAL 3088929145 12-GAUGE 18" WITH STANDARD INVECTOR 28" WITH INVECTOR PLUS EXTENDED 39" HIGH PROFILE/ADJ. REAR 5C1 0/U 89000 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9 N/A 1.375" ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER SARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR 5LP STANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR 5LP MK I 3088929023 12-GAUGE 12" WITH STANDARD INVECTOR 30" 30" HIGH PROFILE/ADJ. REAR 5LP TACTICAL 3088929146 12-GAUGE 18" WITH STANDARD INVECTOR 30" 39" HIGH PROFILE/ADJ. REAR	SLP STANDARD	3088299010	12-GAUGE	18" WITH STANDARD IN	VECTOR	38.75"	HIGH PROFILE/ADJ. REAR
SC 1 0/U 89000 12-GAUGE 28" WITH INVECTOR PLUS EXTENDED 46.38" FIBER OPTIC FRONT BEAD BRAS MID-BEAD ACTION N/A 7.9 N/A 1.375" ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH CHOKE TUBE SYSTEM SUBSTANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR 5LP MK I 3088929023 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR 5LP TACTICAL 3088929146 12-GAUGE 18" WITH STANDARD INVECTOR 30" HIGH PROFILE/ADJ. REAR 16" HIGH PROFILE/ADJ. REAR 1	SLP MK I TACTICAL	3088929150	12-GAUGE	22" WITH STANDARD INVECTOR		43"	LOW PROFILE/ADJ. REAR
ACTION N/A 7.9 N/A N/A 1.375"ADJUSTABLE 14.375-14.625 ADJUSTABLE MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH SIGHTS SLP STANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I 3088929023 12-GAUGE 12" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	SLP TACTICAL	3088929145	12-GAUGE	18" WITH STANDARD INVECTOR		39"	HIGH PROFILE/ADJ. REAR
MODEL LAW ENFORCEMENT PRODUCT NUMBER CALIBER BARREL LENGTH & CHOKE TUBE SYSTEM OVERALL LENGTH SIGHTS SLP STANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I 3088929023 12-GAUGE 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	SC 1 0/U	89000	12-GAUGE	28" WITH INVECTOR PLUS EXTENDED		46.38"	FIBER OPTIC FRONT BEAD BRAS MID-BEAD
SLP STANDARD 3088929011 12-GAUGE 18" WITH STANDARD INVECTOR 38.75" HIGH PROFILE/ADJ. REAR SLP MK I 3088929023 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	ACTION	N/A	7.9	N/A		1.375" ADJUSTABLE	14.375-14.625 ADJUSTABLE
SLP MK I 3088929023 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR SLP TACTICAL 3088929146 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	MODEL	LAW ENFORCEMENT PRODUCT NUMBER	CALIBER	BARREL LENGTH & CHO	KE TUBE SYSTEM	OVERALL LENGTH	SIGHTS
SLP TACTICAL 3088929146 12-GAUGE 18" WITH STANDARD INVECTOR 39" HIGH PROFILE/ADJ. REAR	SLP STANDARD	3088929011	12-GAUGE	18" WITH STANDARD INVECTOR		38.75"	HIGH PROFILE/ADJ. REAR
	SLPMKI	3088929023	12-GAUGE	22" WITH STANDARD IN	VECTOR	43"	LOW PROFILE/ADJ. REAR
SLP MK I TACTICAL 3088929151 12-GAUGE 22" WITH STANDARD INVECTOR 43" LOW PROFILE/ADJ. REAR	SLP TACTICAL	3088929146	12-GAUGE	18" WITH STANDARD INVECTOR		39"	HIGH PROFILE/ADJ. REAR
	SLP MK I TACTICAL	3088929151	12-GAUGE	22" WITH STANDARD IN	VECTOR	43"	LOW PROFILE/ADJ. REAR

MAGAZINE CAPACITY	WEIGHT	WIDTH	HEIGHT	BARREL LENGTH	OVERALL LENGTH	TWIST RATE (IN.)
15-ROUND	33.6 Oz.	1.58"	6.5"	5.3"	7.4"	1:16 RH TWIST
15-ROUND	33.6 Oz.	1.58"	6.5"	5.3"	7.4"	1:16 RH TWIST
MAGAZINE CAPACITY	WEIGHT	WIDTH	HEIGHT	BARREL LENGTH	OVERALL LENGTH	TWIST RATE (IN.)
17-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
17-ROUND	25.2 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:10 RH TWIST
14-ROUND	27.5 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:16 RH TWIST
14-ROUND	27.5 Oz.	1.55" (1.35")	5.5"	4"	7.25"	1:16 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
20-ROUND	20.8 Oz.	1.4"	5.7"	4.8"	8.2"	1:9 RH TWIST
17-ROUND	21.9 Oz.	1.55"	5.4"	4"	7.4"	1:10 RH TWIST
17-ROUND	21.9 Oz.	1.55"	5.4"	4"	7.4"	1:10 RH TWIST
14-ROUND	24.4 Oz.	1.55"	5.4"	4"	7.4"	1:16 RH TWIST
14-ROUND	24.4 Oz.	1.55"	5.4"	4"	7.4"	1:16 RH TWIST
15-ROUND	33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
15-ROUND	33.2 Oz.	1.58"	6.3"	4.5"	7.9"	1:16 RH TWIST
15-ROUND	33.6 Oz.	1.58"	6.5"	5.3"	7.4"	1:16 RH TWIST
15-ROUND	33.6 Oz.	1.58"	6.5"	5.3	7.4"	1:16 RH TWIST
AMMUNITION CAPACITY	WEIGHT	ACTION	WIDTH	HEIGHT	DROP AT COMB	LENGTH OF PULL
8+1	8.2 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.375"	14"
6+1	7.7 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.375"	14"
8+1	7.9 Lbs.	SEMI-AUTOMATIC	2.4"	7.4"	1.25" W/ MEDIUM INSERT	14.25" W/ MEDIUM RECOIL PAD
6+1	7.7 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.375"	14"
2	8.2 Lbs.	O/U BREAK	1.35"	5.5"	1.25"-1.5"	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A
AMMUNITION CAPACITY	WEIGHT	ACTION	WIDTH	HEIGHT	DROP AT COMB	LENGTH OF PULL
6+1	7.7 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.375"	14"
8+1	8.2 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.375"	14"
6+1	7.4 Lbs.	SEMI-AUTOMATIC	2.4"	7.9"	1.25" W/ MEDIUM INSERT	14.25" W/ MEDIUM RECOIL PAD
8+1	7.9 Lbs.	SEMI-AUTOMATIC	2.4"	7.4"	1.25" W/ MEDIUM INSERT	14.25" W/ MEDIUM RECOIL PAD

MODEL	COMMERCIAL PRODUCT NUMBER	FINISH	CALIBER	ACTION LENGTH	BARREL LENGTH & TYPE	OVERALL LENGTH
TSR XP USA	75404	BLACK OXIDE	223 REM.	ULTRA SHORT	20" FLUTED	39.5"
TSRXP	75412	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" FLUTED	40.5"
TSRXP	75416	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" FLUTED	44:5"
TSRXP	75424	BLACK OXIDE	300 WSM.	SHORT MAGNUM	24" FLUTED	44.5"
SPR A1	75502	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY NON-FLUTED	44",
SPR A1a	75510	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" HEAVY FLUTED	40"
SPR A5M	75538	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY FLUTED	43.5"-44.75" ADJUSTABLE
SPR A5M	75540	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" HEAVY FLUTED	39.25"-40.75" ADJUSTABLE
SPR A5G	75544	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY FLUTED	43.25"-44.75" ADJUSTABLE
MODEL	LAW ENFORCEMENT PRODUCT NUMBER	FINISH	CALIBER	ACTION LENGTH	BARREL LENGTH & TYPE	OVERALL LENGTH
TSR XP USA	75560	BLACK OXIDE	223 REM.	ULTRA SHORT	20" FLUTED	39.5"
TSRXP	75561	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" FLUTED	40.5"
TSR XP	75562	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" FLUTED	44.5"
TSRXP	75563	BLACK OXIDE	300 WSM.	SHORT MAGNUM	24" FLUTED	44.5"
SPR A1	75550	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY NON-FLUTED	44"
SPR A1a	75551	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" HEAVY FLUTED	40"
SPR A5M	75553	BLACK OXIDE	308 WIN.	SHORT MAGNUM	20" HEAVY FLUTED	39.25"-40.75" ADJUSTABLE
SPR A5M	75554	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY FLUTED	43.5"-44.75" ADJUSTABLE
SPR A5M	75555	BLACK OXIDE	300 WSM.	SHORT MAGNUM	24" HEAVY FLUTED	43.25"-44.75" ADJUSTABLE
SPR A5G	75556	BLACK OXIDE	308 WIN.	SHORT MAGNUM	24" HEAVY FLUTED	43.25"-44.75" ADJUSTABLE
MODEL	COMMERCIAL PRODUCT NUMBER	FINISH	CALIBER	ACTION LENGTH	BARREL LENGTH & TYPE	OVERALL LENGTH
BALLISTA™	79001	MATTE BLACK	338 LAPUA MAGNUM	LONG MAGNUM	26" HEAVY FLUTED	37.0"-49.0" ADJUSTABLE
BALLISTA™	79002	MATTE BLACK	300 WINCHESTER MAGNUM	LONG MAGNUM	26" HEAVY FLUTED	37.0"-49.0" ADJUSTABLE
BALLISTA™	79003	MATTE BLACK	308 WINCHESTER	LONG MAGNUM	26" HEAVY FLUTED	37.0"-49.0" ADJUSTABLE
FNAR STANDARD	3108929320	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	16" STANDARD FLUTED	37.0"-37.5"
FNAR STANDARD	3108929310	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	16" STANDARD FLUTED	37.0"-37.5"
FNAR HEAVY	3108929150	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	20" HEAVY FLUTED	41.0"-41.5"
FNAR HEAVY	3108929100	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	20" HEAVY FLUTED	41.0"-41.5"
MODEL	LAW ENFORCEMENT PRODUCT NUMBER	FINISH	CALIBER	ACTION LENGTH	BARREL LENGTH & TYPE	OVERALL LENGTH
FNAR STANDARD	3108929311	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	16" STANDARD FLUTED	37.0"-37.5"
FNAR STANDARD	3108929321	PHOSPHATE STEEL, ANODIZED ALUMINUM	7.62x51mm (308 WIN.)	LongTrac	16" STANDARD FLUTED	37.0"-37.5"

MAGAZINE CAPACITY & TYPE	WEIGHT	TWIST RATE (IN.)	LENGTH OF PULL	STOCK TYPE	STOCK FINISH
6-ROUND FLP	8.25 Lbs.	1:9 RH TWIST	13.5"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
4-ROUND DBM	9.25 Lbs.	1:12 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
4-ROUND DBM	9.75 Lbs.	1:12 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
3-ROUND FLP	9.75 Lbs.	1:10 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
4-ROUND DBM	11.75 Lbs.	1:12 RH TWIST	13.5"	MCMILLAN A3 NON-ADJUSTABLE	BLACK
4-ROUND DBM	10 Lbs.	1:12 RH TWIST	13.5"	MCMILLAN A3 NON-ADJUSTABLE	BLACK
5-ROUND TBM	11.75 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	BLACK
5-ROUND TBM	11.5 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	BLACK
5-ROUND FLP	11.5 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	OLIVE DRAB GREEN
MAGAZINE CAPACITY & TYPE	WEIGHT	TWIST RATE (IN.)	LENGTH OF PULL	STOCKTYPE	STOCK FINISH
6-ROUND FLP	8.25 Lbs.	1:9 RH TWIST	13.5"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
4-ROUND DBM	9.25 Lbs.	1:12 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVÉ DRAB GREEN
4-ROUND DBM	9.75 Lbs.	1:12 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
3-ROUND FLP	9.75 Lbs.	1:10 RH TWIST	13.8"	HOGUE NON-ADJUSTABLE	OLIVE DRAB GREEN
4-ROUND DBM	11.75 Lbs.	1:12 RH TWIST	13.5"	MCMILLAN A3 NON-ADJUSTABLE	BLACK
4-ROUND DBM	10 Lbs.	1:12 RH TWIST	13.5"	MCMILLAN A3 NON-ADJUSTABLE	BLACK
5-ROUND TBM	11.5 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	BLACK
5-ROUND TBM	11.75 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	BLACK
3-ROUND FLP	11.5 Lbs.	1:10 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	BLACK
5-ROUND FLP	11.5 Lbs.	1:12 RH TWIST	12.5"-14.0"	MCMILLAN A5 ADJUSTABLE	OLIVE DRAB GREEN
MAGAZINE CAPACITY & TYPE	WEIGHT	TWIST RATE (IN.)	LENGTH OF PULL	STOCK TYPE	STOCK FINISH
6/9-ROUND DBM	15-15.8 Lbs.	1:10 RH TWIST	N/A	MODULAR ADJUSTABLE	BLACK
8/12-ROUND DBM	15-15.8 Lbs.	1:10 RH TWIST	N/A	MODULAR ADJUSTABLE	BLACK
9/13-ROUND DBM	15-15.8 Lbs.	1:10 RH TWIST	N/A	MODULAR ADJUSTABLE	BLACK
10-ROUND DBM	8.2 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK
20-ROUND DBM	8.75 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK
10-ROUND DBM	9.5 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK
20-ROUND DBM	9.75 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK
MAGAZINE CAPACITY & TYPE	* WEIGHT	TWIST RATE (IN.)	LENGTH OF PULL	STOCKTYPE	STOCK FINISH
20-ROUND DBM	8.75 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK
10-ROUND DBM	8.2 Lbs.	1:12 RH TWIST	13.75"-14.25"	TWO-PIECE POLYMER ADJUSTABLE	BLACK

MODEL	COMMERCIAL PRODUCT NUMBER	STOCK COLOR	CALIBER	BARREL LENGTH	OVERALL LENGTH
SCAR® 16S	98601	FLAT DARK EARTH	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 16S	98501	FLAT DARK EARTH	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 16S	98621	BLACK	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 16S	98521	BLACK	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 17S	98641	FLAT DARK EARTH	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
SCAR® 17S	98541	FLAT DARK EARTH	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
SCAR® 17S	98661	BLACK	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
SCAR® 17S	98561	BLACK	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
PS90 STANDARD	3848950460	BLACK	5.7x28mm	16.04"	26.23"
PS90 STANDARD	3818950460	OLIVE DRAB GREEN	5.7x28mm	16.04"	26.23"
PS90 STANDARD	3848950440	BLACK	5.7x28mm	16.04"	26.23" (27.23")
PS90 STANDARD	3818950440	OLIVE DRAB GREEN	5.7x28mm	16.04"	26.23" (28.23")
FS2000 TACTICAL	3830000100	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 TACTICAL	383000000	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 TACTICAL	3835980060	BLACK	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 TACTICAL	3835980040	BLACK	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 CQB	3830000500	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 CQB	3830000510	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 CQB	3835980500	BLACK	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 CQB	3835980510	BLACK	5.56x45mm (223 REM.)	17.44"	29.25"
MODEL	LAW ENFORCEMENT PRODUCT NUMBER	STOCK COLOR	CALIBER	BARREL LENGTH	OVERALL LENGTH
SCAR® 16S	98531	BLACK	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 16S	98511	FLAT DARK EARTH	5.56x45mm (223 REM.)	16.25"	27.5"-37.5" ADJUSTABLE/FOLDING
SCAR® 17S	98552	FLAT DARK EARTH	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
SCAR® 17S	98571	BLACK	7.62x51mm (308 WIN.)	16.25"	28.5"-38.5" ADJUSTABLE/FOLDING
PS90 STANDARD	3848950461	BLACK	5.7x28mm	16.04"	26.23"
PS90 STANDARD	3818950461	OLIVÉ DRAB GREEN	5.7x28mm	16.04"	26.23"
FS2000 TACTICAL	3830000002	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 TACTICAL	3835980041	BLACK	5.56x45mm (223 REM.)	17.44"	29.25"
FS2000 CQB	3830000501	OLIVE DRAB GREEN	5.56x45mm (223 REM.)	17.44"	29.25"
MODEL	COMMERCIAL PRODUCT NUMBER	BARREL LENGTH & CHOKE TUBE SYSTEM	OVERALL LENGTH	SIGHTS	AMMUNITION CAPACITY
SLP MK I COMPETITION	3088929122	22" WITH STANDARD INVECTOR	43"	LOW PROFILE/ADJ. REAR	8+1

	MAGAZINE CAPACITY & TYPE	WEIGHT	TWIST RATE (IN.)
	10-ROUND	7.25 Lbs.	1:7 RH TWIST
1000	30-ROUND	7.25 Lbs.	1:7 RH TWIST
4	10-ROUND	7.25 Lbs.	1:7 RH TWIST
	30-ROUND	7.25 Lbs.	1:7 RH TWIST
	10-ROUND	8 Lbs.	1:12 RH TWIST
	20-ROUND	8 Lbs.	1:12 RH TWIST
	10-ROUND	8 Lbs.	1:9 RH TWIST
1000	20-ROUND	8 Lbs.	1:9 RH TWIST
	30-ROUND	6.28 Lbs.	1:9 RH TWIST
	30-ROUND	6.28 Lbs.	1:9 RH TWIST
	10-ROUND	6.28 Lbs.	1:9 RH TWIST
	10-ROUND	6.28 Lbs.	1:9 RH TWIST
	10-ROUND	7.86 Lbs.	1:7 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST
	10-ROUND	7.86 Lbs.	1:7 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST
	10-ROUND	7.86 Lbs.	1:7 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST
	10-ROUND	7.86 Lbs.	1:7 RH TWIST
	MAGAZINE CAPACITY & TYPE	WEIGHT	TWIST RATE (IN.)
	30-ROUND	7.25 Lbs.	1:7 RH TWIST
	30-ROUND	7.25 Lbs.	1:7 RH TWIST
	20-ROUND	8 Lbs.	1:12 RH TWIST
	20-ROUND	8 Lbs.	1:9 RH TWIST
	30-ROUND	6.28 Lbs.	1:9 RH TWIST
	30-ROUND	6.28 Lbs.	1:9 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST
	30-ROUND	7.86 Lbs.	1:7 RH TWIST

7.86 Lbs.

ACTION

SEMI-AUTOMATIC

1:7 RH TWIST

WIDTH

HEIGHT

7.9"

30-ROUND

WEIGHT

8.2 Lbs.

FN products are manufactured in the U.S. by FN Manufacturing, LLC., Columbia, SC, and in Belgium by FN Herstal S.A. Its corporate mission is to expand its global leadership position in defense, law enforcement and commercial markets by delivering superior products and the finest in training and logistical support. This catalog represents FN's product offerings for military, law enforcement and commercial markets. Photos of U.S. military personnel are used courtesy of the U.S. Department of Defense.

Every reasonable effort has been made to ensure that all product photographs, descriptions and specifications in this catalog are accurate. However, inadvertent errors may occur, and changes in design or materials, due to our continual effort to improve products, may result in some changes in specifications before subsequent publications are issued. FN Herstal S.A. reserves the right to modify or change specifications without notice. Some FN products shown in action photos in this catalog may be equipped with user-supplied, optional accessories. If you have any questions regarding FN products, please visit www.fnhusa.com or contact us directly.

Copyright© 2011 FNH USA, LLC. All rights reserved. No part of this catalog, including documents, information, photographs, specifications, technical diagrams or other material may be reproduced, adapted, translated, entered into a database or released to the public in part or entirely without the prior written permission of FN Herstal S.A.

DROP @ COMB

1.375"

LENGTH OF PULL



FNH USA PO Box 9424, McLean, VA 22102 **United States of America** Phone: (703) 288-1292 Web: www.fnhusa.com