



# HEWLETT-PACKARD JOURNAL

TECHNICAL INFORMATION FROM THE -hp- LABORATORIES

PUBLISHED BY THE HEWLETT-PACKARD COMPANY, 1501 PAGE MILL ROAD, PALO ALTO, CALIFORNIA

**VOLS. 1 - 13**  
**SEPTEMBER, 1949 - AUGUST, 1962**

## PART I CHRONOLOGICAL INDEX

**RECEIVED**  
APR 15 1963  
JAN 28 1963  
STILES ASSOCIATES, INC.  
P. O. BOX 8457  
ST. PETERSBURG 8, FLA.

### VOLUME 1, SEPT., 1949 - AUG., 1950

### VOLUME 2, SEPT., 1950 - AUG., 1951

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 1 Sept., 1949	A New Amplifier for Milli-Microsecond Pulses, <i>N. B. Schrock</i>	No. 1 Sept., 1950	A 3800-7600 MC Signal Generator Using A Parallel-Plane Type Resonator, <i>W. D. Myers</i>
No. 2 Oct., 1949	A New Frequency Standard and Time Interval Generator, <i>Brunton Bauer</i>	No. 2 Oct., 1950	A 10 MC Scaler for Nuclear Counting and Frequency Measurement, <i>A. S. Bagley</i>
No. 3 Nov., 1949	Design Notes on the Resistance-Capacity Oscillator Circuit (I), <i>Brunton Bauer</i>	No. 3 Nov., 1950	The 700 Megacycle Voltmeter and its Applications, <i>J. R. Petrak</i>
No. 4 Dec., 1949	Design Notes on the Resistance-Capacity Oscillator Circuit (II), <i>Brunton Bauer</i>	No. 4 Dec., 1950	A New Low-Power Klystron Supply, <i>J. R. Petrak</i> Balanced Load Measurements with VHF Bridge, <i>W. B. Wholey</i>
No. 5 Jan., 1950	Greater Reliability in UHF Impedance Measurements, <i>W. B. Wholey</i>		Repair of Hewlett-Packard Instruments
No. 6 Feb., 1950	A New 0.07-10 Microsecond General-Purpose Pulse Generator, <i>G. S. Kan</i>	No. 5 Jan., 1951	The High-Speed Frequency Counter—A New Solution to Old Problems, <i>A. S. Bagley</i>
No. 7 Mar., 1950	A New 10-500 Megacycle A-M Signal Generator, <i>H. E. Overacker</i>	No. 6 Feb., 1951	The -hp- Program for Waveguide Type Measuring Equipment, <i>N. B. Schrock</i>
No. 8 Apr., 1950	Direct Measurement of Impedance in the 50-500 MC Range, <i>Arthur Fong</i> 10-500 MC VHF Detector	No. 7-8 Mar.-Apr., 1951	Power Measurements from 10 to 12,400 Megacycles, <i>B. P. Hand</i> and <i>N. B. Schrock</i>
No. 9 May, 1950	Direct Reading UHF Power Measurements, <i>B. P. Hand</i>	No. 9 May, 1951	Inexpensive Quality
No. 10 June, 1950	The Explanation for Certain Cathode-Follower Effects, <i>Brunton Bauer</i> Extended-Range Metered Power Supply	No. 10 June, 1951	A New Generator of Frequencies Down to 0.01 CPS, <i>R. H. Brunner</i>
No. 11 July, 1950	New 125-Volt Fast Pulse Amplifier, <i>N. B. Schrock</i>	No. 11 July, 1951	Accuracy in -hp- Voltmeters and Oscillators, <i>Brunton Bauer</i> and <i>R. M. Demere</i>
No. 12 Aug., 1950	A New Monitor for FM Communications Services, <i>J. E. Stiles</i> New Aural and Video Monitors for TV Stations	No. 12 Aug., 1951	-hp- Distortion Measuring Equipment, <i>Brunton Bauer</i>

**BACK ISSUES ARE PRESENTLY IN PRINT FOR BOTH VOLUMES 12 AND 13  
SPECIFIED ISSUES FROM THESE TWO VOLUMES AVAILABLE ON REQUEST**

## CHRONOLOGICAL INDEX (Continued)

### VOLUME 3, SEPT., 1951 – AUG., 1952

No. and Date of Issue	Title and Author
No. 1 Sept., 1951	Good Practice in Slotted Line Measurements (Part I), <i>W. B. Wholey</i>
No. 2 Oct., 1951	Two New Test Sets for SHF Measurements Good Practice in Slotted Line Measurements (Conclusion), <i>W. B. Wholey</i>
No. 3 Nov., 1951	Recent Developments in -hp- Waveguide Type Measuring Equipment, <i>J. K. Hunton</i> and <i>N. B. Schrock</i>
No. 4 Dec., 1951	Oscillators for Many Purposes
No. 5-6 Jan.-Feb., 1952	Simplified Microwave Frequency Measurements Using the 10-MC Frequency Counter, <i>W. D. Myers</i> The 'Perfect Load' and The Null Shift—Aids in VSWR Measurements, <i>J. K. Hunton</i> and <i>W. B. Wholey</i>
No. 7-8 Mar.-Apr., 1952	A Precision Directional Coupler Using Multi-Hole Coupling, <i>E. F. Barnett</i> and <i>J. K. Hunton</i>
No. 9-10 May-June, 1952	The -hp- Direct-Reading UHF Signal Generators, <i>Arthur Fong</i> and <i>W. D. Myers</i>
No. 11 July, 1952	A Novel Impedance-Measuring System Using Standard -hp- Instruments
No. 12 Aug., 1952	The -hp- Audio Signal Generators

### VOLUME 4, SEPT., 1952 – AUG., 1953

No. 1-2 Sept.-Oct., 1952	Greater Flexibility in the -hp- 3800-7600 MC Signal Generator, <i>W. D. Myers</i> Measuring Large Resistances with the -hp- 410 VTVM Checking Klystron Linearity with -hp- Equipment
No. 3 Nov., 1952	A New 100 KC Counter for Use in Electronics and Industry, <i>E. A. Hilton</i>
No. 4 Dec., 1952	Those New -hp- Oscillators, <i>Brunton Bauer</i> and <i>B. M. Oliver</i> Greater Power Capacity for the 8.5-10 KMC Test Set, <i>P. D. Lacy</i>
No. 5-6 Jan.-Feb., 1953	More About the -hp- Precision Directional Couplers, <i>E. F. Barnett</i>
No. 7-8 Mar.-Apr., 1953	A New Signal Generator for Aeronautical Radio and UHF Television, <i>H. E. Overacker</i> Field Repair Stations

### No. and Date of Issue

### Title and Author

No. 9-10 May-June, 1953	The -hp- TV Monitor, <i>Robert Grimm</i>
No. 11-12 July-Aug., 1953	Measurements to 100 Megacycles with the -hp- Frequency Counter, <i>Dexter Hartke</i>

### VOLUME 5, SEPT., 1953 – AUG., 1954

No. 1-2 Sept.-Oct., 1953	Time Interval Measurements with the -hp- Electronic Counter, <i>E. A. Hilton</i> and <i>D. R. Scott</i>
No. 3-4 Nov.-Dec., 1953	A New 60-Cycle Per Revolution Generator for Precision Tachometry Measurements, <i>Wm. Girdner</i> Table of Important Transforms, <i>B. M. Oliver</i> (Also printed in separate form with expanded explanatory notes.)
No. 5-6 Jan.-Feb., 1954	A. New Signal Generator for the 7,000 to 11,000 MC Range, <i>Arthur Fong</i> Hewlett Elected IRE President
No. 7-8 Mar.-Apr., 1954	Frequency and Time Measurements with the New -hp- High Speed Counter, <i>Alan S. Bagley</i> , <i>Dexter Hartke</i> , and <i>Wm. D. Myers</i>
No. 9 May, 1954	Wider Range and Higher Stability in the new -hp- 4 MC Voltmeter, <i>John Zevenbergen</i>
No. 10 June, 1954	The -hp- 500-Volt, 200-MA Metered Power Supply, <i>Don Broderick</i> A Convenient Source of Multiple Pulses
No. 11 July, 1954	New Conveniences for Microwave Power Measurements, <i>Wm. Gallagber</i> and <i>B. P. Hand</i>
No. 12 Aug., 1954	Advanced Performance in Two New VHF Signal Generators, <i>H. E. Overacker</i>

### VOLUME 6, SEPT., 1954 – AUG., 1955

No. 1-2 Sept.-Oct., 1954	The -hp- Microwave Reflectometers, <i>J. K. Hunton</i> and <i>N. L. Pappas</i>
No. 3-4 Nov.-Dec., 1954	New Broadband Microwave Power Amplifiers Using Helix-Coupled TWT's, <i>P. D. Lacy</i> and <i>D. E. Wheeler</i> A New Helix-Forming Machine with Micro-Inch Error
No. 5 Jan., 1955	A Precision Wave Guide Attenuator Which Obeys a Mathematical Law, <i>B. P. Hand</i> A New Precision Wave Guide Phase Shifter, <i>E. F. Barnett</i>

## CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 6 Feb., 1955	A New 10 MC to 12 KMC Coaxial Crystal Detector Mount, <i>N. B. Schrock</i> New Plug-In Decade Counters of Refined Design, <i>Marvin Willrodt</i> Two New Transformers for Measurements on Balanced Systems	No. 4 Dec., 1955	An Enhanced Accuracy High Readability VTVM, <i>John Zevenbergen</i> Use of the "Notch Wattmeter" with -hp- Signal Generators
No. 7 Mar., 1955	A New Standing Wave Indicator with an Expanded VSWR Scale, <i>Brunton Bauer</i> More Conveniences in the -hp- Microwave Power Meter, <i>Don Carmean</i> Notes On Bolometer Elements	No. 5 Jan., 1956	New TWT Amplifiers with Provision for Simulating Special Microwave Signals, <i>Peter D. Lacy</i> and <i>Geo. W. C. Mathers</i>
No. 8 Apr., 1955	A New 10 CPS-600 KC High Stability VTVM, <i>John Zevenbergen</i> Some Effects of Waveform on VTVM Readings (I), <i>B. M. Oliver</i>	No. 6 Feb., 1956	Three New -hp- Audio Oscillators, <i>Brunton Bauer</i> The -hp- Balanced R-C Oscillator Circuit, <i>B. M. Oliver</i>
No. 9 May, 1955	A New 1 CPS-1 MC Square Wave Generator with a 20-Millimicrosecond Rise Time, <i>Don Broderick</i> Some Effects of Waveform on VTVM Readings (II), <i>B. M. Oliver</i>	No. 7 Mar., 1956	A New DC-300 KC High-Sensitivity Oscilloscope with Triggered Sweep, <i>Duane Dunwoodie</i> and <i>Dick Reynolds</i>
No. 10 June, 1955	The New -hp- 15-21 KMC 10 MW Signal Generator, <i>Wm. D. Myers</i> Some Effects of Waveform on VTVM Readings (Conclusion), <i>B. M. Oliver</i>	No. 8 Apr., 1956	A New DC-10 MC Oscilloscope with Dual-Trace and High-Gain Preamplifiers, <i>Robert A. Grimm</i> and <i>Norman B. Schrock</i>
No. 11 July, 1955	A New 120 KC Industrial Counter for Measuring RPM, Velocity, Quantity, Flow, Etc., <i>Frank Koziuk</i> Summary of -hp- Electronic Counters	No. 9-10 May-June, 1956	A New 10-15.5 KMC 10 MW Signal Generator, <i>Wm. D. Myers</i> A Simple 0-500 Volt Metered Power Supply, <i>Brunton Bauer</i> Balanced Output from the -hp- Square Wave Generator.
No. 12 Aug., 1955	A Simple Precision System for Measuring CW and Pulsed Frequencies Up to 12,400 MC, <i>Dexter Hartke</i>	No. 11-12 July-Aug., 1956	A 0-1.1 MC Frequency Counter with Time Interval Markers, <i>Jeffrey B. Wolfington</i> The -hp- Readout System Summary of -hp- Electronic Counters

### VOLUME 7, SEPT., 1955 — AUG., 1956

No. 1 Sept., 1955	A New 3 CPS-100 KC Electronic Frequency Meter With Discriminator Output and Expandable Scale, <i>Duane Marshall</i>
No. 2 Oct., 1955	High-Directivity Coaxial Directional Couplers and Reflectometers, <i>J. K. Hunton, H. C. Poulter</i> and <i>C. S. Reis</i>
No. 3 Nov., 1955	Square Wave and Pulse Testing of Linear Systems, <i>B. M. Oliver</i>

### VOLUME 8, SEPT., 1956 — AUG., 1957

No. 1-2 Sept.-Oct., 1956	A Micrometric 12-40 KMC Waveguide Slotted Line with Interchangeable Sections and Untuned Probe, <i>J. K. Hunton</i>
No. 3-4 Nov.-Dec., 1956	A New Adjustable Gate Time Counter from a New -hp- Affiliate Flow Measurements Dynac, Inc. — A New Service For Specialized Instrumentation Radar Signal Simulators
No. 5 Jan., 1957	An RC Oscillator that Covers the 20 CPS-20 KC Range in a Single Dial Sweep Design Principles of the 1000:1 Range Single-Band RC Oscillator, <i>Nicholas Kovalevski</i> and <i>B. M. Oliver</i>

## CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 6 Feb., 1957	A New 8-12 KMC Voltage-Tuned Sweep Oscillator for Faster Microwave Evaluations, <i>P. D. Lacy</i> and <i>Daniel E. Wheeler</i> Backward Wave Oscillator Tubes	No. 7 Mar., 1958	An Increased-Sensitivity Micro Volt-Ammeter Using a Photo-conductive Chopper, <i>John M. Cage</i>
No. 7 Mar., 1957	A Fast Digital Recorder with Analog Output for Automatic Data Plotting, <i>Alan S. Bagley</i> and <i>Ed A. Hilton</i> Operation of the Digital Recorder	No. 8 Apr., 1958	A Precision Delayed-Pulse Generator for Measuring and Generating Short Time Intervals, <i>Don Broderick</i> , <i>Dexter Hartke</i> , and <i>Marvin Willrodt</i>
No. 8 Apr., 1957	A 250 CPS-100 KC Oscillator for High Stability Applications, <i>Albert Ennor</i> and <i>Edna MacLean</i> How Model 200T Stability Curves Were Plotted Higher Accuracy in Measuring Audio and Sub-Audio Frequencies, <i>Albert Ennor</i>	No. 9 May, 1958	A Fast, Automatic Printer for Digital Type Data Devices, <i>Ed A. Hilton</i> A Current-Limiting Regulated Power Supply for Transistor Work, <i>Donald F. Schulz</i>
No. 9-10 May-June, 1957	A Note on Measuring Coaxial Coupler Directivity, <i>Howard C. Poulter</i> High DB-Resolution Meter Scales for -hp- VTVM's	No. 10-11 June-July, 1958	A Clip-On DC Milliammeter for Measuring Tube and Transistor Circuit Currents, <i>Arndt Bergh</i> , <i>Charles O. Forge</i> , and <i>George S. Kan</i> -hp- Board of Directors Enlarged
No. 11 July, 1957	A Small, Convenient Frequency Counter for General-Purpose Use, <i>Frank Koziuk</i> Some Handy Uses for the -hp- 650A Test Oscillator, <i>Arthur Fong</i>	No. 12 Aug., 1958	An Automatic DC to X-Band Power Meter for the Medium Power Range, <i>B. P. Hand</i>
No. 12 Aug., 1957	A Rack-Mounting DC-300KC Oscilloscope With Expandable Sweep, <i>Duane Dunwoodie</i> and <i>Dick Reynolds</i>	<b>VOLUME 10, SEPT., 1958 — AUG., 1959</b>	
<b>VOLUME 9, SEPT., 1957 — AUG., 1958</b>		No. 1-2 Sept.-Oct., 1958	A Dual-Trace Automatic Base Line Oscilloscope For The DC — Several Hundred KC Range, <i>John Strathman</i> Two High-Performance Attenuators For The DC-500 MC Range, <i>Arthur Fong</i> and <i>Harley L. Halverson</i>
No. 1-2 Sept.-Oct., 1957	Permanent Record and Oscilloscope Techniques with the Microwave Sweep Oscillator, <i>Peter D. Lacy</i> and <i>Daniel E. Wheeler</i>	No. 3-4 Nov.-Dec., 1958	5x10 <sup>-8</sup> /Week Time Base Accuracy in the 10 MC Frequency Counter, <i>LaThare N. Bodily</i> , <i>Leonard S. Cutler</i> Assuring Time Base Performance
(Supplement)	Sputnik's Doppler Shift Measured and Recorded with -hp- Counter and Digital Recorder	No. 5 Jan., 1959	A New Digital DC Voltmeter with Automatic Range and Polarity Selection, <i>Theodore C. Anderson</i> and <i>Noel M. Pace</i>
No. 3-4 Nov.-Dec., 1957	An Improved Method for Measuring Losses in Short Waveguide Lengths, <i>Peter D. Lacy</i> and <i>Kenneth E. Miller</i> How Doppler Shift Records Provide Satellite Range and Height Data	No. 6-7 Feb.-Mar., 1959	Additional Conveniences for Noise Figure Measurement, <i>Marco R. Negrete</i>
No. 5 Jan., 1958	An Automatic Noise Figure Meter for Improving Microwave Device Performance, <i>Howard C. Poulter</i> Noise Figure and Its Measurement, <i>B. M. Oliver</i>	No. 8 Apr., 1959	Special-Purpose Performance in a General-Purpose 50 KC-65 MC Signal Generator, <i>Arthur Fong</i> Friis Becomes Consultant Gaither Elected to -hp- Board of Directors
No. 6 Feb., 1958	Increased Operational Simplicity in a New DC-Several Hundred KC Oscilloscope, <i>Duane Dunwoodie</i> New -hp- Research and Development Divisions	No. 9-10 May-June, 1959	A Clip-On Oscilloscope Probe for Measuring and Viewing Current Waveforms, <i>Robert R. Wilke</i>
		No. 11-12 July-Aug., 1959	A Precision DC Vacuum-Tube Voltmeter with Extended Sensitivity and High Stability, <i>Donald Norgaard</i>

## CHRONOLOGICAL INDEX (Continued)

### VOLUME 11, SEPT., 1959 – AUG., 1960

No. and Date of Issue	Title and Author
No. 1-2 Sept.-Oct., 1959	A New 20 CPS-50 KC Wave Analyzer with High Selectivity and Simplified Tuning, <i>J. R. Petrak</i> Measuring Microwave Tube Electrode Coefficients with an Audio Wave Analyzer, <i>Harley L. Halverson</i>
No. 3-4 Nov.-Dec., 1959	A New Clock for Improving the Accuracy of Local Frequency and Time Standards, <i>Dexter Hartke</i>
No. 5-7 Jan.-Mar., 1960	A Versatile New DC-500 MC Oscilloscope with High Sensitivity and Dual Channel Display, <i>Roderick Carlson</i>
No. 8-10 Apr.-June, 1960	The Effect of $\mu$ -Circuit Non-Linearity on the Amplitude Stability of RC Oscillators, <i>Bernard M. Oliver</i> De Gaulle Visits -hp- Plant Utilizing VLF Standard Broadcasts with the -hp- Frequency Divider and Clock
No. 11-12 July-Aug., 1960	A New Clip-On Oscilloscope/Voltmeter Probe for 25~20 MC Current Measurements, <i>Charles O. Forge</i> The Value of AC Current Measurements

### VOLUME 12, SEPT., 1960 – AUG., 1961

No. 1 Sept., 1960	A New RF Millivoltmeter for Convenient Measurements to 1 Kmc, <i>Theodore C. Anderson</i>
No. 2 Oct., 1960	A Voltage-to-Frequency Converter for Greater Flexibility in Data Handling, <i>R. A. Andersen</i> Dymec—An -hp- Service for Special Instrumentation Situations
No. 3 Nov., 1960	A New Frequency/Time Standard with $5 \times 10^{-10}$ /Day Stability, <i>Leonard S. Cutler</i>
No. 4 Dec., 1960	Improved Sweep Frequency Techniques for Broadband Microwave Testing, <i>J. K. Hunton and Elmer Lorence</i>
No. 5 Jan., 1961	A New Frequency Counter Plug-In Unit for Direct Frequency Measurements to 510 MC Two New Microwave Frequency Doublers for Extending Signal Sources to the 18-40 KMC Range, <i>Russell B. Riley</i>
No. 6 Feb., 1961	Two Versatile New Power Supplies for High Power Semiconductor Work, <i>E. Robert Aiken</i>
No. 7 Mar., 1961	Increased Accuracy in -hp- Meters Through Servo Calibrating Methods, <i>Bernard M. Oliver</i>
No. 8 Apr., 1961	Two New Militarized Oscilloscopes Having Both Horizontal and Vertical Plug-Ins, <i>George F. Fredrick</i>
No. 9 May, 1961	Two New Transistorized Frequency Counters with Increased Readout and Low-Frequency Capabilities

### No. and Date of Issue

### Title and Author

No. 10 June, 1961	A Microwave Power Meter with a Hundred-fold Reduction of Thermal Drift, <i>R. F. Pramann</i> A New Low-Cost DC Fan For Cabinet Cooling
No. 11-12 July-Aug., 1961	A Parallax-Free No-Glare CRT For -hp- Oscilloscopes, <i>Bertrand W. Squier, Jr.</i> A New DC-450 KC Oscilloscope Using the Internal-Graticule CRT, <i>Robert L. DeVries</i>

### VOLUME 13, SEPT., 1961 – AUG., 1962

No. 1-2 Sept.-Oct., 1961	A New SWR Meter with High Gain-Stability, <i>Darwin L. Howard</i>
No. 3-4 Nov.-Dec., 1961	Broader Information Capabilities in the Clip-On DC Milliammeter, <i>Donald E. Barkely and Arndt Bergh</i> Large Aperture Clip-On Probe Magnetic Ink Testing An Instrument for Automatic Measuring Frequencies from 200 mc to 12.4 gc, <i>Albert Benjaminson</i>
No. 5 Jan., 1962	The Transistorized RC Oscillator, <i>David S. Cochran</i> New One Watt TWT Amplifiers for more Rapid Microwave Measurements, <i>George W. C. Mathers</i>
No. 6 Feb., 1962	A New Digital Voltmeter Having High Rejection of Hum and Noise, <i>R. A. Andersen</i> A Versatile Digital Recorder for BCD Data, <i>Ed. A. Hilton</i> A Digital-to-Analog Converter with High Output Resolution, <i>Ed. A. Hilton</i>
No. 7 Mar., 1962	A New Scope Plug-In for Convenient Measuring of Fast Switching Times, <i>Kay B. Magleby</i> The Kilomegacycle Sampling Oscilloscope, <i>Roderick Carlson</i> A Digital System For Automatic Measurements of Switching Times, <i>H. C. Stansch</i>
No. 8 Apr., 1962	A New 50 MC Oscilloscope Based on an Advanced CRT Design, <i>Floyd C. Siegel</i> Vertical Plug-Ins Horizontal Plug-Ins
No. 9-10 May-June, 1962	A Phase-Locking Synchronizer for Stabilizing Reflex Klystrons, <i>Albert Benjaminson</i> A New Wide-Application Klystron Power Supply, <i>Robert C. Allan</i> An Oscilloscope Camera with "Black Light" Graticule Illumination, <i>James A. Chesebrough</i>
No. 11 July, 1962	The Present Attainments of Adjustable Power Supplies
No. 12 Aug., 1962	A DC-500 KC Oscilloscope with Extended Measurement Capabilities, <i>John Strathman</i>

## PART II SUBJECT INDEX

### A

Issue Vol.	Issue No.		Model
11	11-12	AC current measurements, value of	---
1	1	Accessories, amplifier, pulse	---
1	11	" " "	---
12	8	Accessories, oscilloscope	---
2	3	Accessories, voltmeter	---
5	9	" "	---
12	1	Accessory probes, voltmeters, RF	---
2	11	Accuracy in voltmeters and oscillators	---
12	7	Accuracy, meter, increased by servo scale calibration	---
3	3	Adapter, waveguide-coax	281A
9	10-11	Ammeter, DC milliamps, clip-on	428A
1	10	Amplifier, bridging	451A
10	9-10	Amplifier/current probe for oscilloscope use	154A
11	11-12	Amplifier/current probe, general use	456A
1	1	Amplifier, distributed	460A
1	11	" " "	460B
7	8	Amplifier, dual channel	152A
11	5-7	Amplifier, dual trace	187A
13	7	" " "	187B
6	3-4	Amplifiers, microwave, traveling wave	490A, 491A
7	5	" " "	492A, 494A
12	8	Amplifiers, plug-in, dual	162A
13	8	Amplifier, plug-in, dual trace	1750A
12	8	Amplifier, plug-in, fast rise	162F
13	8	" " " "	1753A
13	8	Amplifier, plug-in, high sensitivity	1752A
12	8	Amplifier, plug-in, vertical, high gain	162D
1	1	Amplifier, pulse, accessories	---
1	11	" " "	---
1	1	Amplifier, pulse, wide band	460A
1	11	" " " "	460B
13	5	Amplifiers, TWT, 1 gc to 12.4 gc	489A, 491C, 493A, 495A
5	7-8	Amplifier, 10 cps-10 mc	526A
9	3-4	Analysis methods, satellite doppler shift	---
11	1-2	Analyzer, wave, 20 cps-50 kc	302A
10	3-4	Assuring time base performance	---
6	1-2	Attenuator, precision, waveguide, variable	X382A
6	5	" " "	382A
6	1-2	Attenuator, variable flap	375A
2	7-8	Attenuators, waveguide, fixed	370
6	1-2	" " "	---
10	1-2	Attenuators, DC to 500 mc	355A, B
		Audio oscillator; see "oscillator"	---

### B

Issue Vol.	Issue No.		Model
7	9-10	Balanced output from square wave generator	211A
6	6	Balanced systems measurement	AC-60A, B
2	4	Balanced VHF bridge measurements	---
9	10-11	Board of directors of -hp- enlarged	---
6	7	Bolometer elements, notes on	---
6	7	Bolometer, mounts, tabulation	---
1	9	Bolometer mount, tunable	475A, B
2	6	" " "	440A
2	7-8	Bolometer mount, untuned, coaxial	476A
1	8	Bridge, VHF	803A
2	4	Bridge, VHF, balanced measurements with	---

### C

Issue Vol.	Issue No.		Model
9	8	Calibration, delay line, using pulse duration generator	218A, 219B, C
12	7	Calibration, servo, of -hp- meter scales	---
6	12	Calibration, wavemeter	---
13	9-10	Camera, Oscilloscope	196B
1	10	Cathode-follower effects, explanation for	451A
11	3-4	Clock and frequency divider	113AR
11	8-10	" " " "	---
8	9-10	Coaxial coupler directivity, measurement of	764D, 765D, 766D, 767D
7	2	Coaxial dual directional coupler	764D, 765D, 766D, 767D
5	11	Coaxial thermistor mount, 10 mc-10kmc	477A
12	10	" " "	478A
12	9	Converter, digital-analog	580A
13	6	" " "	580A
4	11-12	Converter, frequency, 100 kc to 100 kmc	512A
12	5	Converter Unit, frequency	525C
12	2	Converter, voltage-to-frequency	DY-2210, DY-2211A, B
8	3-4	Counter, adjustable gate time	DY-2500
6	6	Counter, decade, plug-in unit	AC-4A
10	3-4	Counter, electronic, decade readout	524D
5	7-8	Counter, electronic, high-speed	524B
6	12	" " " "	---
10	3-4	Counter, electronic, in-line readout	524C
7	11-12	Counter, electronic, readout system	---

## PART II

### SUBJECT INDEX (Continued)

Issue Vol. No.	Model	Issue Vol. No.	Model
6 11	Counters, electronic, summary of . . .	5 11	Detector mount, coaxial, thermistor . . . . . 477A
7 11-12	" " " "	2 6	Detector mount, tunable . . . . . 440A
4 3	Counter, electronic, 100 kc . . . . . 522A, B	6 12	" " "
5 1-2	" " " "	6 1-2	Detector mount, waveguide . . . . . S485A
6 11	Counter, electronic, 120 kc . . . . . 521A	2 7-8	" " " " . . . . . S485A
12 9	Counter, electronic, 300 kc . . . . . 5212A, 5512A	2 7-8	" " " " . . . . . 485B
7 11-12	Counter, electronic, 1.1 mc . . . . . 523B	3 3	" " " "
12 9	Counter, electronic, 1.2 mc . . . . . 5232A 5532A	6 1-2	Detector mounts, waveguide, crystal . . . . . X421A
8 3-4	Counter, frequency and time interval DY-2500, DY-5020	5 11	Detector mount, waveguide, thermistor . . . . . 487A
7 11	Counter, frequency, 0 to 120 kc . . . . . 521C	1 8	Detector, VHF . . . . . 417A
2 5	Counter, frequency, 10 mc . . . . . 524A	12 5	Detector, waveguide, crystal . . . . . K/R422A
4 11-12	" " " "	9 9	Digital printer . . . . . 565A
8 3-4	Counter, telemetering . . . . . DY-5020	8 7	Digital recorder . . . . . 560A
7 2	Coupler, directional, coaxial, dual . . . . . 764D, 765D 766D, 767D	10 5	" " " " . . . . . 560A
6 1-2	Coupler, directional, reflectometer use . . . . . 752	9 9	" " " " . . . . . 561A
12 11-12	CRT uses internal graticule . . . . . ---	10 5	" " " " . . . . . H01 561B
6 6	Crystal detector mount, coaxial 10 mc to 12 kmc . . . . . 420A	12 9	" " " " . . . . . 562A
11 11-12	Current measurements, AC, the value of . . . . . ---	7 2	Directional coupler, dual, coaxial . . . . . 764D
13 3-4	Current Measurements, DC, Clip-On . . . . . 428B	7 2	" " " " . . . . . 765D
11 11-12	Current probe, clip-on AC . . . . . 456A	7 2	" " " " . . . . . 766D
10 9-10	Current waveform probe, clip-on, oscilloscope . . . . . 154A	7 2	" " " " . . . . . 767D
<b>D</b>			
9 3-4	Data, deviation of, from doppler shift records . . . . . ---	3 7-8	Directional coupler, cross-guide . . . . . 750
12 10	DC Fan . . . . . 8-1003	4 5-6	" " " " " " . . . . . ---
6 6	Decade counter, plug-in unit . . . . . AC-4A	3 7-8	Directional coupler, multi-hole . . . . . 752
8 9-10	Decibel-emphasizing voltmeters . . . . . 400H-DB 400D-DB	6 1-2	" " " " " " . . . . . ---
11 8-10	DeGaulle visits -hp- plant . . . . . ---	4 5-6	Directional coupler, multi-hole, application data . . . . . 752
8 5	Design notes, audio sweep oscillator . . . . . 207A	6 1-2	Directional coupler, multi-hole, reflectometer use . . . . . 752
8 6	Design notes, backward-wave oscillator tube . . . . . ---	2 12	Distortion analyzer . . . . . 320A, B
12 4	Design notes, Broadband micro- wave tests . . . . . ---	2 12	" " " " . . . . . 330B, C, D
1 3	Design notes, RC oscillator . . . . . ---	2 12	Distortion measuring equipment . . . . . ---
1 4	" " " " . . . . . ---	11 3-4	Divider, frequency, and clock . . . . . 113AR
11 8-10	Design notes, RC oscillator ampli- tude stability . . . . . ---	11 8-10	" " " " " " . . . . . ---
7 6	Design notes, RC oscillator balanced circuit . . . . . ---	9 3-4	Doppler shift data analysis . . . . . ---
6 6	Detector mount, coaxial crystal 10 mc to 12 kmc . . . . . 420A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 523B 560A
<b>E</b>			
(Supp)			
12 5	Doublers, frequency . . . . . 938A, 940A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 523B 560A
7 8	Dual trace amplifier . . . . . 152A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A
11 5-7	" " " " . . . . . 187A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A
8 3-4	Dymec, Inc. (formerly Dynac, Inc.) announcement and purpose . . . . . ---	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A
12 2	Dymec, Inc. description of pur- pose and capabilities . . . . . ---	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A
3 3	E-H tuners . . . . . 880A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A
11 1-2	Electrode coefficients, microwave tube, measurement of . . . . . 302A	9 1-2	Doppler shift measurement methods " " " " " " . . . . . 560A

## PART II

### SUBJECT INDEX (Continued)

Issue		F	Model	Issue		Model	
Vol.	No.			Vol.	No.		
12	10	Fan, DC .....	8-1003	12	8	Generator, marker .....	166B
8	3-4	Flow measurements, using adjustable gate time counter .....	DY-2500	13	3-4	"    "	1783A
5	3-4	Fourier transforms, table of .....	---	1	6	Generator, pulse, 0.07-10 micro-second .....	212A
5	7-8	Frequency and time measurements ..	524B, etc.			Generator, signal; see "Signal Generator"	
5	7-8	Frequency converter, 10 to 100 mc	525A	6	9	Generator, square wave, 1 cps-1 mc	211A
5	7-8	Frequency converter, 100 to 220 mc	525B	12	8	Generator, sweep delay .....	166D
12	5	Frequency converter, 100 to 510 mc	525C	13	8	"    "    "	1781A
6	11	Frequency counters, electronic, summary of .....	---	5	3-4	Generator, tachometer .....	508A, B
4	3	Frequency counter, electronic, 100 kc	522A, B	6	11	"    "	
5	1-2	"    "    "    "    "	522B	8	11	"    "	
8	11	Frequency counter, electronic, 120 kc	521C				
12	9	Frequency counter, electronic, 300 kc	5212A, 5512A	13	6	Guarded DC Measurements .....	DY-2401A
12	9	Frequency counter, electronic, 1.2 mc	5232A, 5532A				
2	5	Frequency counter, high speed ...	524A				
5	7-8	"    "    "    "    "	524B				
7	11-12	Frequency counter, high speed, with time interval markers .....	523B				
7	11-12	Frequency counter readout system ..	---	5	5-6	Hewlett elected IRE president .....	---
11	3-4	Frequency divider and clock .....	113AR	9	10-11	-hp- board of directors enlarged .....	---
11	8-10	"    "    "    "    "		6	3-4	Helix-forming machine .....	---
12	5	Frequency doublers .....	938A, 940A	7	8	High gain amplifier .....	151A
13	3-4	Frequency Measurements, Automatic, 200 mc to 12.4 gc .....	DY-5796				
3	5-6	Frequency measurement, microwave	---				
1	2	Frequency measurements using secondary standard .....	100C, D				
4	3	Frequency measurements, to 100 kc	522A, B	3	11	Impedance measurements, audio frequency .....	---
5	1-2	"    "    "    "    "	522B	1	8	Impedance measurements, direct, 50-500 mc .....	803A
2	5	Frequency measurements to 10 mc ..	524A	1	5	Impedance measurements, UHF, greater reliability in .....	805A, B 415A
4	11-12	Frequency measurement, 100 mc ...	512A, 524A				
5	7-8	Frequency measurements to 220 mc	524B	3	1	Impedance measurement, UHF .....	---
6	12	Frequency measurements to 12 kmc	540A, etc.	3	2	"    "    "	---
7	1	Frequency meter, electronic .....	500B	8	11	Impedance measurements, using test oscillator .....	650A
3	3	Frequency meters, waveguide .....	530A	2	9	Inexpensive quality .....	---
		Frequency standard; see also "Frequency Counter"		13	3-4	Ink Testing, Magnetic .....	428B
12	3	Frequency standard .....	103AR				
1	2	Frequency standard and time interval generator .....	100D				
10	8	Friis becomes consultant .....	---				
2	10	Function generator, low frequency	202A				
5	12	Fuse, signal generator output .....	608A-95A				

### G

10	8	Gaither elected to -hp- board of directors .....	---
9	8	Generator, delayed-pulse .....	218A
2	10	Generator, low frequency .....	202A

### K

4	1-2	Klystron linearity, measurement of	---
7	1	Klystron residual F-M, measurement of .....	500B
13	9-10	Klystron Stabilized by Synchronizer .....	DY-2650A





## PART II

### SUBJECT INDEX (Continued)

Issue Vol. No.	Model	Issue Vol. No.	Model
11 5-7	Oscilloscope, DC-500 mc. ....	185A	
13 7	Oscilloscope, DC-1000 mc. ....	185B	
<b>P</b>			
12 11-12	Parallax-Free CRT .....	---	
2 5	Period measurements .....	524A	
4 3	" "	522A, B	
5 7-8	" "	524B	
5 1-2	Phase delay measurements .....	522B	
6 5	Phase shifter, precision, wave- guide, variable .....	X885A	
8 3-4	Photo-electric tachometry transducer	DY-2504A	
6 11	Pick-up, optical, tachometer .....	506A	
8 11	" " "		
12 8	Plug-in amplifiers, oscilloscope ...	---	
6 6	Plug-in decade counter .....	AC-4A	
2 7-8	Power measurements, bolometer mounts for .....	---	
7 4	Power measurements, low power, using "notch wattmeter" method	---	
5 11	Power measurements, microwave, modulated and unmodulated ...	430B, etc.	
1 9	Power measurements, UHF .....	430A, 475A, B	
2 7-8	Power measurements, 10 mc to 12.4 kmc .....	---	
9 12	Power meter, calorimetric, DC to 12.4 kmc .....	434A	
1 9	Power meter, microwave .....	430A	
2 7-8	" " "	430B	
5 11	" " "	430B	
6 7	" " "	430C	
12 10	" " "	431A	
13 11	Power Supplies, Adjustable .....	HL-520A HL-810B, etc.	
9 9	Power supply, current-limiting .....	721A 722AR, 723A	
12 6	" " " "	726AR	
2 4	Power supply, klystron .....	715A	
13 9-10	" " "	716A	
6 1-2	" " "	717A	
1 10	Power supply, metered, regulated ..	712A	
7 9-10	Power supply, regulated 500 v, 100 ma .....	711A	
5 10	Power supply regulated, 500 v 200 ma .....	712B	
7 8	Preamplifiers, plug-in, oscilloscope.	151A, 152A	
9 9	Printer, digital .....	565A	
2 6	Probe, broadband .....	442A	
11 11-12	Probe, clip-on, AC current .....	456A	
10 9-10	Probe, clip-on, oscilloscope, current waveform reading .....	154A	
10 9-10	Probe, clip-on, voltage dividing ...	AC-21	
13 3-4	Probe, Current, Large Aperture...	3528A	
2 6	Probe, untuned .....	444A	
3 3	" " " "		
8 1-2	" " " "	446A	
9 8	Pulse-duration unit, digital .....	219C	
1 6	Pulse generator, 0.07-10 micro- second .....	212A	
9 8	Pulse measurements, using delayed pulse generator .....	218A	
9 8	Pulse unit, dual .....	219B	
6 12	Pulsed carrier measurements .....	540A, etc.	
5 10	Pulses, multiple, a convenient source of .....	212A	
<b>Q</b>			
9 1-2	Q measurements using sweep oscillator .....	684A, 685A 686A, 687A	
<b>R</b>			
8 3-4	Radar signal simulation .....	---	
6 1-2	Ratio meter .....	416A	
	RC Oscillator: see "Oscillator" ....		
7 11-12	Readout system, frequency counter..	---	
9 6	R & D divisions of -hp- described..	---	
	Receiver, VHF: see "Detector, VHF"		
8 7	Recorder, digital .....	560A	
9 9	Recorder, digital .....	561A	
10 5	" "	H01 561B	
10 5	" "	560A	
12 9	" "	562A	
13 6	" "		
9 1-2	Recording, satellite frequency (supp) doppler shift .....	523B, 560A	
4 5-6	Reflection coefficient, measure- ment of .....	---	
6 1-2	" " " "	---	
7 2	Reflectometer measurements, co- axial, couplers for .....	---	
6 1-2	Reflectometers, microwave .....	---	
2 4	Repair of -hp- instruments .....	---	
4 7-8	Repair stations, field .....	---	
4 1-2	Resistances, large, measurement of	410	
2 9	Resistor card machine .....	---	
7 11	Resonance measurements, using test oscillator .....	650A	

## PART II

### SUBJECT INDEX (Continued)

S		Issue		Model
Vol.	No.	Vol.	No.	Model
11	5-7		7 9-10	Square wave generator, modification for balanced output . . . . . 211A
13	7		6 9	Square wave generator, 1 cps-1 mc 211A
9	1-2		11 8-10	Stability, amplitude, in RC Oscillators . . . . . ---
(Supp)				
9	3-4			Satellite frequency, measurement and recording . . . . . 523B, 560A
2	2		1 2	Satellite microwave data analysis . . . . . ---
12	8		12 3	Scaler, 10 mc . . . . . 520A
13	8		6 1-2	Scanner, display . . . . . 166C
			1 5	" " " . . . . . 1782A
			6 7	" " " . . . . . 415A
3	2		13 1-2	" " " . . . . . 415B
3	3			SHF test sets . . . . . 623B, 624A
6	1-2		6 1-2	Shorts, waveguide, adjustable . . . . . 920A
			9 1-2	" " " . . . . . ---
3	12		6 1-2	Standing-wave measurement . . . . . ---
5	11		9 1-2	Standing-wave measurements using sweep oscillator . . . . . 684A, 685A, 686A, 687A
3	12			Signal generator, audio . . . . . 205A, AG, 206A
10	8		12 4	Signal generator output fuse . . . . . 608A-95A
5	12		13 7	Signal generator, supersonic . . . . . 205AH
5	12		13 7	Signal generator, 50 kc to 65 mc . . . . . 606A
1	7		13 7	Signal generator, 10 to 420 mc . . . . . 608D
4	7-8		13 9-10	Signal generator, 10 to 480 mc . . . . . 608C
3	9-10			Signal generator, 10 to 500 mc . . . . . 608A
3	9-10			Signal generator, 450 to 1230 mc . . . . . 612A
2	1			Signal generator, 800 to 2100 mc . . . . . 614A
4	1-2			Signal generator, 1800 to 4000 mc . . . . . 616A
				Signal generator, 3800 to 7600 mc . . . . . 618A
				" " " " " " . . . . . 618B
5	5-6			Signal generator, 7000 to 11,000 mc . . . . . 620A
7	9-10		5 3-4	Signal generator, 10-15.5 kmc . . . . . 626A
6	10		5 3-4	Signal generator, 15 to 21 kmc . . . . . 628A
8	3-4		6 11	Signal simulation, radar . . . . . ---
3	5-6		8 11	Sliding load . . . . . X914A
2	6			Slotted line, carriage assembly . . . . . 809B
7	1-2		4 3	Slotted line carriage assembly micrometric . . . . . 814A
1	5		7 1	Slotted line, coaxial . . . . . 805A, B
2	6		6 11	" " " . . . . . 806B
3	3		8 11	" " " . . . . . ---
			5 3-4	Tachometer head . . . . . 506B
3	1		6 11	Tachometer indicator, electronic . . . . . 500C
3	2			Tachometer pickup, optical . . . . . 506A
2	6		5 3-4	Tachometry measurements . . . . . 508A, B
8	1-2		6 11	" " " . . . . . ---
9	3-4		8 3-4	Slotted line measurements, good practice in . . . . . ---
9	1-2			" " " " " " . . . . . ---
2	6		8 3-4	Slotted line probe . . . . . 442A
2	6		10 8	Slotted line probe, untuned . . . . . 444A
8	1-2		2 7-8	" " " " " " . . . . . 446A
				Termination, waveguide, high power . . . . . 912A
2	6		2 6	Test equipment, waveguide . . . . . ---
8	1-2		7 3	Tests, linear system, using transient response . . . . . ---
9	3-4		3 2	Tachometry transducer, photoelectric . . . . . DY-2504A
9	1-2		4 4	Termination, output . . . . . 606A-34
(supp)				Test set, 8.5 to 10 kmc, increased power range . . . . . 624B
7	3		13 7	Tester, Switching Time . . . . . 185A/B
			13 7	" " " . . . . . 186A
			6 7	Thermistor mounts, broadband . . . . . ---
			4 11	Thermistor mount, coaxial . . . . . 477A
			12 10	" " " . . . . . 478A
				Square wave and pulse testing of linear systems . . . . . ---

## T

## PART II

### SUBJECT INDEX (Continued)

Issue Vol. No.	Model	Issue Vol. No.	Model
12 10	Thermistor mount, waveguide . . . . . 486A	2 3	Voltmeter accessories . . . . . ---
5 11	Thermistor mount, waveguide, broadband . . . . . 487A	5 9	" " . . . . . ---
10 3-4	Time base control and test pro- cedures . . . . . ---	12 1	Voltmeter accessory probes . . . . . ---
4 3	Time interval measurement . . . . . 522A, B	2 11	Voltmeters and oscillators, accu- racy in, calibration of . . . . . ---
5 1-2	" " " . . . . . 522B	10 5	Voltmeter, digital, DC, automatic . . 405AR
5 7-8	" " " . . . . . 524B, 526B	13 6	Voltmeter, digital, DC, guarded . . . DY-2401A
5 7-8	Time interval unit . . . . . 526B	10 11-12	Voltmeter, DC, precision . . . . . 412A
4 3	Time ratio measurements . . . . . 522A, B	9 7	Voltmeter, DC, microvolts . . . . . 425A
6 6	Transformers, measurement, for balanced systems . . . . . AC-60A, B	2 11	Voltmeters, field checking of . . . . . ---
3 4	Transformer, universal matching . . 912-17	7 4	Voltmeter, high accuracy . . . . . 400H
5 3-4	Transforms, table of . . . . . ---	8 9-10	Voltmeter, high db resolution . . . . 400H-DB 400D-DB
7 3	Transient response testing linear systems . . . . . ---	2 3	Voltmeter, multiplier, DC- 30,000 volts . . . . . 459A
6 3-4	Traveling wave tube amplifier . . . . 490A, 491A	12 1	Voltmeter, RF, 10 mv to 10 v . . . . 411A
7 5	" " " " . . . . . 492A, 494A	6 8	Voltmeters, waveform effect on (I, II, III) . . . . . ---
6 3-4	Traveling wave tubes, precision manufacture of . . . . . ---	6 9	" " " " . . . . .
9 8	Trigger unit, dual . . . . . 219A	6 10	" " " " . . . . .
3 3	Tuner, E-H . . . . . 880A	6 8	Voltmeter, 10 cps-600 kc . . . . . 400AB
6 1-2	Tuner, slide screw . . . . . 870A	5 9	Voltmeter, 4 mc . . . . . 400D
		2 3	Voltmeter, 700 mc . . . . . 410B
		3 5-6	VSWR measurement aids . . . . . X914A
<b>U</b>			
1 5	UHF impedance measurement, greater reliability in . . . . . 805A, B, 415A		
1 9	UHF power measurements . . . . . 430A, 475A, B		
<b>V</b>			
1 7	VHF signal generator, 10 to 500 mc . . . . . 608A		
11 8-10	VLF broadcasts, use of for time- comparison . . . . . ---		
2 3	Voltage divider, 2 kilovolt . . . . . 453A		
2 3	Voltage divider, 25 kilovolt . . . . . 452A		
2 3	Voltage measurements, high fre- quency . . . . . 410B		
12 2	Voltage-to-frequency converters . . . . . DY-2210, DY-2211A, B		
<b>W</b>			
11 1-2	Wave analyzer, 20 cps-50 kc . . . . . 302A		
6 8	Waveform effect on Voltmeters (I, II, III) . . . . . ---		
6 9	" " " " . . . . .		
6 10	" " " " . . . . .		
13 7	Waveform Measuring System, Automatic . . . . . 185B/187B		
13 7	" " " " . . . . . DY-5844C		
2 7-8	Waveguide attenuators . . . . . 370A, B, C		
6 5	Waveguide attenuator, precision, variable . . . . . 382A		
2 7-8	Waveguide detector mounts . . . . . 485A, B		
6 1-2	Waveguide detector mounts, crystal . . X421A		
6 1-2	Waveguide detector mounts, un- tuned . . . . . S485A		

## PART II

### SUBJECT INDEX (Continued)

Issue Vol. No.	Model	Issue Vol. No.	Model
9 3-4	Waveguide losses, small, measurement of . . . . . ---	2 6	Waveguide slotted section . . . . . S810A 810B, 806B
2 6	Waveguide measuring equipment . . . . . ---	8 1-2	" " " . . . . . 815A
3 3	" " " . . . . .	12 10	Waveguide thermistor mounts . . . . . 486A
8 1-2	" " " . . . . .	5 11	Waveguide thermistor mounts, broadband . . . . . 487A
6 5	Waveguide phase shifter, precision, variable . . . . . X885A	6 12	Wavemeter calibration method . . . . . ---
		1 11	Wide band amplifier . . . . . 460A, B,

## PART III

### INDEX BY MODEL NUMBER

(Model Numbers of Dymec and Harrison Laboratories Instruments listed at end)

Model	Instrument	Issue Vol. No.	Model	Instrument	Issue Vol. No.
100C	Low Frequency Standard . . . . .	1 2	185B	Sampling Oscilloscope . . . . .	13 7
100D	Low Frequency Standard . . . . .	1 2	186A	Switching Time Tester . . . . .	13 7
103AR	Frequency Standard . . . . .	12 3	187A	Dual Trace Amplifier . . . . .	11 5-7
113AR	Frequency Divider and Clock . . . . .	11 3-4 11 8-10	187B	Dual Trace Amplifier . . . . .	13 7
120A	0-200 KC Oscilloscope . . . . .	9 6	196B	Oscilloscope Camera . . . . .	13 9-10
120B	0-450 KC Oscilloscope . . . . .	12 11-12	200A	Audio Oscillator . . . . .	3 4
122A	Dual Trace Oscilloscope . . . . .	10 1-2	200AB	Audio Oscillator . . . . .	4 4
130A	DC-300 KC Oscilloscope . . . . .	7 7	200B	Audio Oscillator . . . . .	3 4
130BR	DC-300 KC Oscilloscope . . . . .	8 12	200C	Audio Oscillator . . . . .	3 4
130C	DC-500 KC Oscilloscope . . . . .	13 12	200CD	Audio Oscillator . . . . .	4 4
150A	DC-10 MC Oscilloscope . . . . .	7 8	200D	Audio Oscillator . . . . .	3 4
151A	High Gain Amplifier . . . . .	7 8	200H	Audio Oscillator . . . . .	3 4
152A	Dual Channel Amplifier . . . . .	7 8	200I	Audio Oscillator . . . . .	3 4
154A	Voltage/Current Amplifier With AC-21F Clip-On Probe . . . . .	10 9-10	200J	Audio Oscillator . . . . .	7 6
160B	Oscilloscope . . . . .	12 8	200T	Test Oscillator . . . . .	8 8
162A	Plug-In Amplifier . . . . .	12 8	201B	Audio Oscillator . . . . .	3 4
162D	High Gain Vertical Amplifier . . . . .	12 8	201C	Audio Oscillator . . . . .	7 6
162F	Fast Rise Preamplifier . . . . .	12 8	202A	Low Frequency Function Generator . . . . .	2 10 3 4
166B	Marker Generator . . . . .	12 8	202B	Low Frequency Oscillator . . . . .	3 4
166C	Display Scanner . . . . .	12 8	202C	Low Frequency Oscillator . . . . .	7 6
166D	Sweep Delay Generator . . . . .	12 8	202D	Low Frequency Oscillator . . . . .	3 4
170A	Oscilloscope . . . . .	12 8	204A	Audio Oscillator . . . . .	3 4
175A	Oscilloscope . . . . .	13 8	204B	5 CPS-500 KC Oscillator . . . . .	13 5
185A	Oscilloscope . . . . .	11 5-7	205A, AG	Audio Signal Generators . . . . .	3 12
			205AH	Supersonic Signal Generator . . . . .	3 12

## PART III

### INDEX BY MODEL NUMBER (Continued)

Model	Instrument	Issue		Model	Instrument	Issue	
		Vol.	No.			Vol.	No.
206A	Audio Signal Generator	3	12	420A	Wide Band Crystal Detector Mount	6	6
207A	Audio Sweep Oscillator	8	5	X421A	Waveguide Crystal Detector Mount	6	1-2
211A	Square Wave Generator	6	9	K/R422A	Waveguide Crystal Detectors	12	5
		7	9-10	425A	DC Micro Volt-Ammeter	9	7
212A	Pulse Generator	1	6	428A	Clip-On DC Milliammeter	9	10-11
		5	10	428B	Clip-On DC Milliammeter	13	3-4
		7	4	430A	Microwave Power Meter	1	9
		9	8	430B	Microwave Power Meter	2	7-8
218A	Digital Delay Generator	9	8			5	11
219A	Dual Trigger Unit	9	8	430C	Microwave Power Meter	6	7
219B	Dual Pulse Unit	9	8	431A	Power Meter	12	10
219C	Digital Pulse-Duration Unit	9	8	434A	Calorimetric Power Meter	9	12
230A	Audio Oscillator	3	4	440A	Detector Mount	2	6
231A	Audio Oscillator	3	4			6	12
232A	Audio Oscillator	3	4	442A	Broadband Probe	2	6
233A	Audio Oscillator	3	4	444A	Untuned Probe	2	6
281A	Waveguide-Coax Adapter	3	3			3	3
300A	Harmonic Wave Analyzer	2	12	446A	Untuned Probe	8	1-2
302A	Wave Analyzer	11	1-2	451A	Bridging Amplifier	1	10
320A, B	Distortion Analyzers	2	12	452A	Capacitive Voltage Divider	2	3
330B, C, D	Distortion Analyzers	2	12	456A	AC current Probe	11	11-12
335A, B	Attenuators	10	1-2	460A	Wide Band Amplifier	1	1
335C, D	Television Aural Channel Monitors	1	12	460B	Wide Band Amplifier	1	11
335E	TV Monitor	4	9-10	475A	Tunable Bolometer Mount	1	9
336C, D	Video Carrier Frequency Monitors	1	12	475B	Tunable Bolometer Mount	1	9
337A, B	FM Monitors	1	12	476A	Untuned Bolometer Mount	2	7-8
340A	Noise Figure Meter	9	5	477A	Coaxial Thermistor Mount	5	11
340B	Noise Figure Meter	10	6-7	478A	Coaxial Thermistor Mount	12	10
342A	Noise Figure Meter	10	6-7	S485A	Untuned Detector Mount	2	7-8
343A	VHF Noise Source	10	6-7			3	3
345A	IF Noise Source	9	5			6	1-2
345B	IF Noise Source	10	6-7	485B	Tuned Detector Mounts	2	7-8
347A	Waveguide Noise Source	9	5			3	3
		10	6-7	486A	Thermistor Mounts	12	10
370A, B, C	Fixed Waveguide Attenuators	2	7-8	487A	Broadband Waveguide Thermistor Mount	5	11
		6	1-2	489A	Microwave Amplifier	13	5
375A	Variable Flap Attenuator	6	1-2	490A	Microwave Amplifier	6	3-4
382A	Variable Attenuator	6	5	491A	Microwave Amplifier	6	3-4
X382A	Precision Attenuator	6	1-2	491C	Microwave Amplifier	13	5
400AB	Vacuum Tube Voltmeter	6	8	492A	Microwave Amplifier	7	5
400D	Vacuum Tube Voltmeter	5	9	493A	Microwave Amplifier	13	5
400D-DB	Vacuum Tube Voltmeter	8	9-10	494A	Microwave Amplifier	7	5
				495A	Microwave Amplifier	13	5
400H	High Accuracy Vacuum Tube Voltmeter	7	4	500B	Electronic Frequency Meter	7	1
400H-DB	Vacuum Tube Voltmeter	8	9-10	500C	Electronic Tachometer Indicator	7	1
405AR	Automatic DC Digital Voltmeter	10	5	506A	Optical Pickup	6	11
410B	High Frequency VTVM	2	3			8	11
411A	RF Millivoltmeter	12	1	506B	Tachometer Head	4	3
412A	DC Vacuum Tube Voltmeter	10	11-12	508A, B	Tachometer Generator	5	3-4
415A	Standing Wave Indicator	1	5			6	11
415B	Standing Wave Indicator	6	7			8	11
415C	SWR Meter	13	1-2	512A	Frequency Converter	4	11-12
416A	Ratio Meter	6	1-2				
417A	VHF Detector	1	8				

# PART III

## INDEX BY MODEL NUMBER (Continued)

Model	Instrument	Issue		Model	Instrument	Issue	
		Vol.	No.			Vol.	No.
520A	High Speed Decimal Scaler .....	2	2	687A	Sweep Oscillator .....	9	1-2
521A	Industrial Electronic Counter .....	6	11	711A	Power Supply .....	7	9-10
521C	Electronic Counter .....	8	11	712A	Regulated Power Supply .....	1	10
522A	Electronic Counter .....	4	3	712B	Regulated Power Supply .....	5	10
522B	Electronic Counter .....	4	3	715A	Klystron Power Supply .....	2	4
		5	1-2	716A	Klystron Power Supply .....	13	9-10
523B	Electronic Counter .....	7	11-12	717A	Klystron Power Supply .....	6	1-2
524A	Electronic Counter .....	2	5	721A	Power Supply .....	9	9
		3	5-6	722AR	DC Power Supply .....	12	6
		4	11-12	723A	DC Power Supply .....	12	6
524B	Electronic Counter .....	5	7-8	726AR	DC Power Supply .....	12	6
		6	12	750	Directional Couplers .....	3	7-8
524C	Electronic Counter .....	10	3-4			4	5-6
524D	Electronic Counter .....	10	3-4	752	Directional Couplers .....	3	7-8
525A	Frequency Converter .....	5	7-8			4	5-6
525B	Frequency Converter .....	5	7-8			6	1-2
525C	Frequency Converter Unit .....	12	5	764D	Coaxial Dual Directional Coupler...	7	2
526A	Video Amplifier .....	5	7-8			8	9-10
526B	Time Interval Unit .....	5	7-8	765D	Coaxial Dual Directional Coupler...	7	2
526C	Period Multiplier Unit .....	8	8			8	9-10
530A	Waveguide Frequency Meters .....	3	3	766D	Coaxial Dual Directional Coupler...	7	2
540A	Transfer Oscillator .....	6	12			8	9-10
560A	Digital Recorder .....	8	7	767D	Coaxial Dual Directional Coupler...	7	2
		10	5			8	9-10
561A	Digital Recorder .....	9	9	803A	VHF Bridge .....	1	8
H01-561B	Digital Recorder .....	10	5	805A, B	Slotted Line .....	1	5
562A	Digital Recorder .....	12	9	806B	Coaxial Slotted Section .....	2	6
		13	6			3	3
565A	Digital Printer .....	9	9	809B	Carriage Assembly .....	2	6
580A	Digital Analog Converter .....	12	9	S810A	Waveguide Slotted Section .....	2	6
		13	6	810B	Waveguide Slotted Sections .....	2	6
606A	Signal Generator .....	10	8	814A	Universal Probe Carriage .....	8	1-2
608A	VHF Signal Generator .....	1	7	815A	Waveguide Slotted Sections .....	8	1-2
608C, D	VHF Signal Generators .....	5	12	870A	Slide Screw Tuners .....	6	1-2
612A	UHF Signal Generator .....	4	7-8	880A	E-H Tuners .....	3	3
614A	UHF Signal Generator .....	3	9-10	X885A	Waveguide Phase Shifter .....	6	5
616A	UHF Signal Generator .....	3	9-10	912A	High Power Waveguide		
618A	SHF Signal Generator .....	2	1		Terminations .....	2	7-8
618B	SHF Signal Generator .....	4	1-2	914A	Moving Loads .....	6	1-2
620A	SHF Signal Generator .....	5	5-6	X914A	Sliding Load .....	3	5-6
623B	SHF Test Set .....	3	2	X916A	Standard Reflections .....	6	1-2
624A	SHF Test Set .....	3	2	920A	Adjustable Waveguide Shorts .....	3	3
624B	SHF Test Set .....	4	4			6	1-2
626A	SHF Signal Generator .....	7	9-10	938A	Frequency Doubler Set .....	12	5
628A	SHF Signal Generator .....	6	10	940A	Frequency Doubler Set .....	12	5
650A	Test Oscillator .....	3	4	1750A	Dual Trace Amplifier .....	13	8
		8	11	1752A	High Gain Vertical Amplifier .....	13	8
670HM	SHF Oscillator .....	6	1-2	1753A	Single Channel Vertical Amplifier...	13	8
670SM	UHF Oscillator .....	6	1-2	1780A	Auxiliary Plug-In .....	13	8
684A	Sweep Oscillator .....	9	1-2	1781A	Sweep Delay Generator .....	13	8
685A	Sweep Oscillator .....	9	1-2	1782A	Display Scanner .....	13	8
686A	Sweep Oscillator .....	8	6	1783A	Time Mark Generator .....	13	8
		9	1-2	3528A	Large Aperture Clip-On Probe .....	13	3-4

## PART III

### INDEX BY MODEL NUMBER (Continued)

Model	Instrument	Issue	
		Vol.	No.
5212A	Electronic Counter .....	12	9
5232A	Electronic Counter .....	12	9
5512A	Electronic Counter .....	12	9
5532A	Electronic Counter .....	12	9
<i>Accessories</i>			
AC-4A	Plug-In Decade Counter .....	6	6
AC-21	Voltage Division Probe .....	10	9-10
AC-60A	Line Matching Transformer .....	5	9
		6	6
AC-60B	Bridging Transformer .....	6	6
42A-95G	Diode Replacement Kit for 410A....	2	3
46A-16A	Patch Cord .....	1	1
		1	11
46A-16B	Patch Cord .....	1	1
		1	11
46A-95A	Panel Jack .....	1	1
		1	11
46A-95B	Cable Plug .....	1	1
		1	11
46A-95C	50 Ohm Adapter .....	1	1
		1	11
46A-95D	Voltmeter Probe Adapter .....	1	1
		2	3
46A-95E	Connector Sleeve .....	1	1
		1	11
46A-95F	Adapter .....	1	11
46A-95G	Adapter .....	1	11
411A-21C	VHF Probe .....	12	1
411A-21D	Type N "Tee" Probe Tip .....	12	1
411A-21E	BNC Open Circuit Probe Tip .....	12	1
411A-21F	100:1 Capacity Divider Probe Tip...	12	1
452A	Voltage Divider, 25 kv .....	5	9
453A	Capacitive Voltage Divider .....	2	3
454A	Voltage Divider, 1500 v .....	5	9
455A	Coaxial "T" .....	2	3
458A	"N" Adapter .....	2	3
459A	DC Voltage Multiplier .....	2	3
470 (A-F)	Shunt Resistors .....	5	9
606A-34	Output Termination .....	10	8
608A-95A	Signal Generator Output Fuse .....	5	12
812-52	Cable .....	1	1
		1	11
912-17	Universal Matching Transformer...	3	4
Paeco 8-1003	DC Fan .....	12	10

Model	Instrument	Issue	
		Vol.	No.
<b>DYMEC MODEL NUMBERS</b>			
DY-2200	5 CPS-5 KC Sweep Oscillator .....	8	3-4
DY-2210	Voltage-to-Frequency Converter ...	12	2
DY-2211A, B	Voltage-to-Frequency Converter ...	12	2
DY-2401A	Integrating Digital Voltmeter .....	13	6
DY-2410A	AC/Ohms Converter .....	13	6
DY-2500	Adjustable Gate Time Counter ...	8	3-4
DY-2504A	Photo-Electric Tachometry Transducer .....	8	3-4
DY-2650A	Oscillator Synchronizer .....	13	9-10
DY-5020	Telemetering Counter .....	8	3-4
DY-5796	Synchronizer .....	13	3-4
DY-5844C	Automatic Waveform Measuring System .....	13	7
DY-5854	Frequency Measuring System .....	13	3-4

#### HARRISON LABORATORIES MODEL NUMBERS

HL-520A	Regulated Power Supply .....	13	11
HL-721A	Regulated Power Supply .....	13	11
HL-723A	Regulated Power Supply .....	13	11
HL-726AR	Regulated Power Supply .....	13	11
HL-801C	Regulated Power Supply .....	13	11
HL-802B	Regulated Power Supply .....	13	11
HL-809A	Regulated Power Supply .....	13	11
HL-810B	Regulated Power Supply .....	13	11
HL-814A	Regulated Power Supply .....	13	11
HL-850	Regulated Power Supply .....	13	11
HL-855B	Regulated Power Supply .....	13	11
HL-865B	Regulated Power Supply .....	13	11
HL-880	Regulated Power Supply .....	13	11
HL-881A	Regulated Power Supply .....	13	11
HL-890A	Regulated Power Supply .....	13	11
HL-895A	Regulated Power Supply .....	13	11
HL-896A	Regulated Power Supply .....	13	11
HL-6224A	Regulated Power Supply .....	13	11
HL-6242A	Regulated Power Supply .....	13	11
HL-6346A	Regulated Power Supply .....	13	11
HL-6455A	Regulated Power Supply .....	13	11