



*NBS standard time
Vol. 17, NO 3, Pg. 10.*

INDEX

VOLUMES 14-16

SEPTEMBER, 1962 – AUGUST, 1963

(A supplement to the index for vols. 1-13)

PART I

CHRONOLOGICAL INDEX

VOLUME 14, SEPT., 1962–AUG., 1963

No. and Date of Issue	Title and Author
No. 1 Sept., 1962	A New Generation of High-Speed Frequency Counters, <i>Charles M. Hill and Tracy S. Storer</i> Counter Plug-ins
No. 2 Oct., 1962	A New Pulse Generator with Very Fast Rise Time, <i>Charles O. Forge</i> Measuring Small, Stray L and C with Nano-second Pulses, <i>Charles O. Forge</i>
No. 3-4 Nov.-Dec., 1962	A Solid-State Operational Amplifier of High Stability, <i>Robert J. Strehlow</i> Amplifier Plug-ins A Portable Frequency-Response Test Set, <i>Don A. Wick</i>
No. 5-6 Jan.-Feb., 1963	A Versatile Wave Analyzer for the 1 kc to 1.5 Mc Range, <i>Stanley McCarthy</i> A Quick, Convenient Method for Measuring Loop Gain, <i>Philip Spohn</i>
No. 7-8 Mar.-Apr., 1963	A New Microwave Modulator, <i>Nicholas J. Kuhn</i> A Convenient Probe for Sensing Magnetic Fields, <i>Arndt Bergh</i> Using the Smith Chart with Negative Real-Part Impedances or Admittances, <i>Luiz Peregrino and Harley L. Halverson</i> New Submultiple Prefixes
No. 9-10 May-June, 1963	A New Multi-Function Voltmeter for General Laboratory Use, <i>Paul G. Baird</i> A Guarded Amplifier for Increasing Digital Voltmeter Sensitivity, <i>Donald H. Jenkins</i>

No. and Date of Issue

Title and Author

No. 11 July, 1963	An 800-2400 Mc Signal Generator with Automatically-Leveled Output Power, <i>James R. Ferrell</i> A Variable-Frequency AC Power Supply for General-Purpose Testing, <i>Duane P. Lingafelter</i> Acknowledgment (Negative Real-Part Impedances and the Smith Chart)
No. 12 Aug., 1963	A Wide-Range RC Oscillator with Push-Button Frequency Selection, <i>Robert W. Colpitts</i> Special Push-Button Audio Oscillator for Telephone Testing, <i>Robert W. Colpitts</i> A Tunnel-Diode Pulse Generator with 0.1 Nano-second Risetime, <i>Roderick Carlson</i> Visit <i>hp</i> at WESCON

VOLUME 15, SEPT., 1963–AUG., 1964

No. 1 Sept., 1963	A Basic New Wide-Band Oscilloscope with Planned Anti-Obsolescence, <i>Richard E. Monnier</i> The Time Domain Reflectometer, <i>Lee R. Moffitt</i> The Radial Field Cathode-Ray Tube Amplifier Plug-ins Sweep Generator Plug-ins
No. 2 Oct., 1963	A General Purpose Pulse Generator Producing High-Power, Fast-Rise Pulses, <i>George Kan and Johan Blokker</i> A Clip-On Current Probe for Wide-Band Oscilloscope Measurements, <i>John G. Tatum</i> NBS Inaugurates Higher Power VLF Standard Frequency Broadcasts

WHEN REQUESTING BACK ISSUES, PLEASE SPECIFY BY NUMBER AND DATE OF ISSUE.

CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 3 Nov., 1963	A New Multi-Purpose Digital Voltmeter, <i>David S. Cochran</i> and <i>Charles W. Near</i> Voltmeter Plug-ins A New Coaxial Crystal Detector with Extremely Flat Frequency Response, <i>Russell B. Riley</i> Tangential Sensitivity of the Model 423A Detector	No. 10 June, 1964	Precision Plug-in Frequency Measurements to 3000 Mc, <i>Charles M. Hill</i> Changes in Standard Broadcasts A New Oscilloscope Plug-in with Four 40-Mc Channels, <i>James R. Pettit</i>
No. 4 Dec., 1963	A New Series of Microwave Sweep Oscillators with Flexible Modulation and Leveling, <i>Robert L. Dudley</i> Examination of the Atomic Spectral Lines of a Cesium Beam Tube with the $-hp-$ Frequency Synthesizer, <i>Leonard S. Cutler</i>	No. 11 July, 1964	A New Performance of the "Flying Clock" Experiment, <i>Alan S. Bagley</i> and <i>Leonard S. Cutler</i> A Measurement of the Ratio of the Zero-Field Hyperfine Splittings of Cesium 133 and Hydrogen, <i>Leonard S. Cutler</i> Plant Distribution of a One-Volt DC Standard, <i>Richard Bean</i>
No. 5 Jan., 1964	An RMS-Responding Voltmeter with High Crest Factor Rating, <i>Gregory Justice</i> The Significance of Crest Factor Long-Term Stability of the $-hp-$ 130C Sensitive DC-500 kc Oscilloscope, <i>John Strathman</i> Precision of the United States Frequency Standard $-hp-$ Factory Training Seminars	No. 12 Aug., 1964	A New Microwave Spectrum Analyzer, <i>Harley L. Halverson</i> Spectrum Signatures EMC/RFI Broad Spectrum Displays Spectrum Surveillance
VOLUME 16, SEPT., 1964—AUG., 1965			
No. 6 Feb., 1964	Time Domain Reflectometry, <i>B. M. Oliver</i> Time Domain Reflectometry with a Plug-in for the 140A Oscilloscope TDR with $-hp-$ Sampling Scopes	No. 1 Sept., 1964	Our Preparations at Hewlett-Packard for the Instrumentation of Tomorrow, <i>Frank J. Burkhard</i>
No. 7 Mar., 1964	Broadband, Solid-State Amplifiers, <i>Alfred F. Gort</i> Papers Sought for Conference on Automotive Electronics Modifications in NBS Standard Frequency and Time Broadcasts An Air-Bearing Spindle for Highly Precise Machining, <i>Edward H. Phillips</i> International System of Units	No. 2 Oct., 1964	A VLF Comparator for Relating Local Frequency to U. S. Standards, <i>Dexter Hartke</i> Frequency Calibration Using LF Standard Broadcasts Tunable VLF Comparator, <i>Albert Benjaminson</i> and <i>Cleaborn Riggins</i>
No. 8 Apr., 1964	A New Instrument for Measuring Microwave Frequencies with Counter Accuracy, <i>Rudolph F. Pasos</i> A New DC-4000 Mc Sampling 'Scope Plug-in with Signal Feed-Through Capability, <i>Wayne M. Grove</i> New Time Information Added to WWV/WWVH Broadcasts Crest Factor and Pulse Trains . . .	No. 3 Nov., 1964	Absorption Modulators for Simple or Complex Microwave Modulation, <i>Douglas A. Gray</i> New Microwave Signal Sources with Signal Generator Capabilities, <i>Douglas A. Gray</i>
No. 9 May, 1964	A 0-50 Mc Frequency Synthesizer with Excellent Stability, Fast Switching, and Fine Resolution, <i>Victor E Van Duzer</i> Digital Frequency Synthesis, <i>Bernard M. Oliver</i> 1 and 10 Mc Synthesizers Notes on the Application of Frequency Synthesizers, <i>Victor E Van Duzer</i> Spectrum Extension to Above 500 Mc	No. 4 Dec., 1964	Microwave Harmonic Generation and Nanosecond Pulse Generation with the Step-Recovery Diode, <i>Robert D. Hall</i> and <i>Stewart M. Kraukauer</i> hpa Diode Application Notes
		No. 5 Jan., 1965	A New Instrumentation-Class Tape Transport of Simplified Design, <i>Walter T. Selsted</i> New Tape Transport in Sanborn Magnetic Data Recording Systems Bernard Oliver Elected IEEE President Senior Staff Engineers Appointed by $-hp-$ Board of Directors
		No. 6 Feb., 1965	New Coaxial Couplers for Reflectometers, Detection, and Monitoring, <i>Robert Prickett</i> New Waveguide Crystal Detectors with Flat Response, <i>Robert Prickett</i> and <i>Lawrence Renihan</i> Atomic Time Adopted for WWVB

CHRONOLOGICAL INDEX (Continued)

No. and Date of Issue	Title and Author	No. and Date of Issue	Title and Author
No. 7 Mar., 1965	The Linear Quartz Thermometer — a New Tool for Measuring Absolute and Difference Temperatures, <i>Albert Benjaminson</i>	No. 10 June, 1965	A New 10 c/s–10 Mc/s Test Oscillator with Enhanced Output Capabilities, <i>Myles A. Judd</i>
	The Linear Coefficient Quartz Resonator, <i>Donald L. Hammond</i>		A Low-Distortion Amplifier Supplying 10 Watts Peak from DC to Beyond 1 Mc/s, <i>Robert J. Strehlow</i>
	The Influence of Transistor Parameters on Transistor Noise Performance — a Simplified Presentation, <i>Rolly Hassun and Michael C. Swiontek</i>		Cycles Per Second and Hertz, <i>Editor</i>
No. 8 April, 1965	Correlating Time from Europe to Asia with Flying Clocks, <i>LaThare N. Bodily</i>	No. 11 July, 1965	A Low-Frequency Oscillator with Variable-Phase Outputs for Gain-Phase Evaluations, <i>Richard Crawford</i>
			Extraterrestrial and Ionospheric Sounding with Synthesized Frequency Sweeps, <i>G. H. Barry and R. B. Fenwick</i> , Radioscience Laboratory, Stanford University
No. 9 May, 1965	A Combined DC Voltage Standard and Differential Voltmeter for Precise Calibration Work, <i>Robert E. Watson</i>		Voltage and TDR Measurements to be Discussed at WESCON/65 Technical Session
	Phase Comparisons with LF Standard Broadcasts Controlled by "Atomic Time"	No. 12 Aug., 1965	A Fast-Reading Digital Voltmeter with 0.005% Accuracy and Integrating Capability, <i>William McCullough</i>
	Time Phase Adjustment		Guarded Measurements with a Floating Voltmeter
	Tone Transmissions Changed		Cable Testing with Time Domain Reflectometry

PART II SUBJECT INDEX

Issue Vol. No.	A	Model	Issue Vol. No.	Model
16 3	Absorption modulators, P-I-N.....	8730 Series	14 3-4	Amplifier, operational.....
15 5	AC current measurements, rms.....	3400A	16 9	Amplifier, precision.....
15 2	AC current measurements, wide-band	1110A	16 10	Amplifier, wideband, power.....
14 11	AC power supply, variable frequency	4301A	15 7	Amplifier, pulse.....
14 9-10	AC voltage measurements, high frequency	410C	14 1	Amplifier, video plug-in.....
15 5	AC voltage measurements, rms.....	3400A	15 12	Analyzer, spectrum.....
15 8	AC voltage measurements, crest factor	(3400A)	14 5-6	Analyzer, wave.....
15 1	Accessories, oscilloscope.....	(140A)	15 11	Atomic clocks.....
15 2	" "	1110A	16 8	" "
15 8	" "	1103A	15 4	Atomic spectral lines, examination of
14 5-6	Accessory probes.....	(AC-21F)	16 6	Atomic time on WWVB.....
14 7-8	" "	3529A	16 9	Atomic Time LF phase comparisons
15 2	" "	1110A	14 3-4	Audio Oscillator, battery-powered
15 7	Air-bearing spindle.....	—		
15 7	Amplifier, broadband.....	461A		
15 2	Amplifier, current probe.....	1111A		
14 9-10	Amplifier, guarded data.....	DY-2411A		
				B
			14 3-4	Battery-powered audio oscillator..
			15 7	Broadband amplifier.....

PART II
SUBJECT INDEX (Continued)

Issue Vol. No.	C	Model	Issue Vol. No.	F	Model
16 12	Cable testing with TDR.....	(1415A)	15 5	Factory training seminars.....	—
16 9	Calibration, voltage, instrument for	740A	15 8	Feedthrough sampling channel.....	188A
15 1	Cathode-ray tube, radial-field.....	(140A)	15 7	Feedthrough termination (50 ohm)	11048A
15 4	Cesium beam, spectral lines.....	(5060A)	16 12	Floating voltmeter, measurements with	3460A
15 11	Cesium beam frequency standard..	5060A	15 11	Flying clock experiment.....	(5060A)
16 8	" " " " " " ..	"	16 8	" " " " No. 2.....	(5060A)
15 11	Cesium 133 and hydrogen, ratio of ..	(5060A)	15 8	FM, frequency measurement.....	2590A
16 11	Chirp radar ionospheric sounding..	(5100A/5110A)	16 2	Frequency calibration using VLF broadcast	117A
15 11	Clock synchronization, U. S. and Switzerland	(5060A)	15 11	Frequency comparisons, international	(5060A)
16 8	Clock synchronization, world-wide ..	(5060A)	16 8	Frequency comparisons, international	(5060A)
15 3	Coaxial crystal detector.....	423A	15 8	Frequency converter, Microwave..	2590A
16 6	Coaxial couplers for reflectometers, detection, etc.....	774D, etc.	14 1	Frequency converter, plug-in.....	5251A-5253A
15 8	Converter, Microwave.....	2590A	15 10	" " " "	5254A
15 11	Clock experiment, flying.....	5060A	14 1	Frequency counter.....	5243L
16 8	Clock experiment No. 2, flying.....	5060A	14 1	" "	5245L
14 1	Counter, frequency.....	5243L	15 9	Frequency (spectrum) extension..	10511A
14 1	" "	5245L	14 1	Frequency measurements.....	(5245L)
15 8	Counter, microwave measurements with.....	2590A	15 8	Frequency measurements, microwave	2590A
14 1	Counter, plug-ins.....	5251A-5262A	15 10	Frequency measurements, UHF... ..	5254A
15 10	" "	5254A	14 3-4	Frequency-response Test Set, portable	3550A
16 6	Couplers, coaxial.....	774D, 786D, 796D, etc.	15 4	Frequency Standard, cesium beam ..	5060A
15 5	Crest factor, significance of.....	(3400A)	15 11	" " " " " " ..	"
15 8	" " " " " " ..	"	16 8	" " " " " " ..	"
15 2	Current measurements, AC, wideband	1110A	15 5	Frequency standard, U. S.....	—
15 5	Current measurements, AC, rms.....	3400A	16 11	Frequency sweep, synthesized.....	(5100A/5110A)
14 9-10	" " " " " " DC.....	410C	15 9	Frequency Synthesizer.....	5100A/5110A
15 2	Current probe, clip-on.....	1110A	15 4	Frequency Synthesizer application ..	(5100A/5110A)
16 10	Cycles per second and Hertz.....	—	15 9	" " " " " " ..	"
	D		16 11	" " " " " " ..	"
15 3	Detector, coaxial crystal.....	423A	16 11	Function Generator, variable phase	203A
16 6	Detector, crystal, waveguide.....	424A			
16 6	Detector, directional.....	786D, etc.		G	
15 9	Digital frequency synthesis.....	5100A/5110A			
15 3	Digital recording.....	562A			
16 9	DC Differential Voltmeter.....	740A	14 5-6	Gain, loop, measuring.....	(310A)
16 12	Digital Voltmeter, guarded, integrating potentiometric.....	3460A	16 11	Generator, function, variable phase ..	203A
15 3	Digital Voltmeter, multipurpose....	3440A	14 2	Generator, pulse, fast rise.....	215A
16 9	DC Standard/Differential Voltmeter	740A	15 2	Generator, pulse, high power.....	214A
14 7-8	Diode, P-I-N Modulator.....	8714A	14 12	Generator, pulse, tunnel-diode....	213B
16 4	Diode, step recovery.....	—	14 11	Generator, signal, 800-2400 Mc/s..	8614A
16 6	Directional couplers, coaxial.....	796D, etc.	14 9-10	Guarded Data Amplifier.....	DY-2411A
16 6	Directional detectors.....	786D, etc.	16 12	Guarded Digital Voltmeter.....	3460A
15 11	Distribution of 1-volt dc standard..	(2460A)	16 12	Guarded measurements with a floating VM	3460A
16 6	Dual directional couplers.....	774D, etc.			
	E			H	
15 12	EMC/RFI with spectrum analyzer	8551A/851A	16 4	Harmonic generation with step-recovery diodes.....	—

PART II
SUBJECT INDEX (Continued)

Issue			Issue		
Vol.	No.	Model	Vol.	No.	Model
16	10	Hertz, cycles per second and.....	16	4	Nanosecond pulse generation.....
15	2	High power pulse generator.....	15	7	National Bureau of Standards
15	2	Higher power VLF, NBS.....			broadcast changes.....
16	1	Hewlett-Packard, preparations for	15	8	" " "
		the future.....	15	10	" " "
16	5	-hp- board appoints senior staff	16	6	" " "
		engineers	16	9	" " "
16	11	-hp- sessions at WESCON '65.....	15	10	Navy, VLF broadcasts.....
			15	2	NBS higher power VLF.....
			16	9	(NBS) Time phase adjustments...
			16	9	(NBS) Tone transmissions
					changed
			16	7	Noise performance, influence of
					transistors on.....
					O
16	5	IEEE, Oliver elected president.....			
16	7	Influence of transistors on noise....			
16	12	Integrating/potentiometric digital			
		voltmeter	16	5	Oliver, B. M., elected IEEE
					president
15	7	International system of units.....	15	11	One-volt DC plant standard.....
16	10	International system of units,	14	3-4	Operational Amplifier.....
		Hertz	14	3-4	Oscillator, audio, battery-powered
16	11	Ionospheric sounding.....	16	11	Oscillator, low frequency, variable
					phase
			14	12	Oscillator, RC, push-button.....
			15	4	Oscillator, sweep, microwave.....
			16	10	Oscillator, test, 10 c/s-10 Mc/s....
			15	8	Oscillator, transfer.....
			15	1	Oscilloscope plug-in, TDR.....
			15	6	" " "
			15	8	Oscilloscope plug-in, dual trace
					sampling
			15	10	Oscilloscope plug-in, 4-channel.....
			15	5	Oscilloscope, stability of.....
			15	1	Oscilloscope, universal.....
			15	8	Oscilloscope trigger countdown.....
					P
			15	8	Phase-locked transfer oscillator....
			16	11	Phase measurements, low
					frequency
16	5	Magnetic-tape Recorders.....	14	7-8	P-I-N Diode Modulator.....
14	7-8	Magnetometer Probe	16	3	" " "
15	7	Matching transformer.....	15	1	Plug-in amplifiers, oscilloscope....
15	8	Microwave frequency,	15	10	Plug-in amplifiers, 4-channel.....
		measurement of.....	14	1	Plug-in, frequency counter.....
16	4	Microwave harmonic generation....			5251A, 5253A
14	7-8	Microwave Modulator.....	15	10	5261A, 5262A
16	3	Microwave Signal Sources.....	14	3-4	5254A, 5253B
15	12	Microwave Spectrum Analyzer.....	15	6	Plug-in, operational amplifier.....
14	7-8	Milliammeter	15	6	Plug-in, TDR, oscilloscope.....
15	4	Microwave Sweep Oscillator.....	15	6	" " "
16	3	Modulator	15	8	Plug-in, TDR, sampling scope.....
14	7-8	Modulator, P-I-N diode.....	15	3	Plug-in, voltmeter.....
16	3	" " "	16	10	Power Amplifier, wideband.....
14	9-10	Multi-function Voltmeter.....	14	7-8	Power leveling, RF.....
15	3	Multi-purpose Digital Voltmeter..	14	11	" " "
			15	4	" " "

PART II

SUBJECT INDEX (Continued)

Issue Vol. No.	Model	Issue Vol. No.	Model
14 11	Power supply, AC, variable frequency 4301A	15 12	Spectrum Analyzer..... 8551A/851A
16 10	Power supply/amplifier 467A	15 9	Spectrum extension..... 10511A
15 5	Precision of U. S. Frequency Standard —	15 12	Spectrum signatures..... (8551/851A)
14 7-8	Prefixes, submultiple..... —	15 12	Spectrum surveillance..... (8551/851A)
16 1	Preparations at $-h_p-$ for instru- mentation of tomorrow..... —	15 7	Spindle, air-bearing..... —
14 7-8	Probe, magnetometer..... 3529A	15 5	Stability of $-h_p-$ 130C, long-term.. 130C
15 2	Probe, current, clip-on..... 1110A	16 6	Standard broadcasts, atomic time.. —
15 7	Pulse Amplifier..... 462A	15 2	" " " VLF..... —
16 4	Pulse generation with step recovery diodes..... —	15 7	" " " changes..... —
14 2	Pulse generator, fast rise..... 215A	15 10	" " " "..... —
15 2	Pulse generator, high power..... 214A	16 9	" " " "..... —
14 12	Pulse generator, tunnel-diode..... 213B	16 2	Standard broadcasts, phase comparisons to..... 117A
15 8	Pulsed rf, frequency measurement 2590A	16 9	" " " "..... —
14 12	Push-button RC oscillator..... 241A	15 8	Standard broadcasts, time changes —
	Q	16 9	Standard, DC..... 740A
16 7	Quartz resonator, linear..... —	15 11	Standard voltage, distribution of... —
16 7	Quartz thermometer..... 2800A, 2801A	16 4	Step-recovery diodes..... —
	R	14 2	Stray L and C measurement..... (215A)
16 11	Radar, FM, for sounding..... —	14 7-8	Submultiple prefixes..... —
15 11	Ratio of Cesium 133 and Hydrogen (5060A)	16 11	Sweep-frequency ionospheric sounding (5100A/5110A)
16 5	Recording systems, magnetic tape 3900	15 4	Sweep oscillator, microwave..... 690 Series
15 11	Reference voltage, distribution of.. (2460A)	16 11	Synthesized frequency sweep..... (5100A/5110A)
15 6	Reflectometer plug-in, time domain 1415A	15 9	Synthesizer, frequency..... 5100A/5110A
16 6	Reflectometers, coaxial..... 774D, etc.	15 4	Synthesizer, frequency, application (5100A/5110A)
15 6	Reflectometry, time domain..... —	15 9	" " " "..... (5100A/5110A)
16 12	" " " "..... (1415A)	15 7	System of units, international..... —
14 9-10	Resistance measurements..... 410C	16 10	System of units, use of Hertz..... —
15 5	RMS-responding voltmeter..... 3400A		T
15 8	RMS voltage measurements, crest factor (3400A)	16 5	Tape transport..... 3520A, 3521A
	S	16 7	Temperature measurements..... 2800A
15 8	Sampling scope plug-in, 4000 Mc/s 188A	14 3-4	Telephone Test Set..... 3550A
16 5	Sanborn tape recording systems... 3900 Series	14 12	Telephone testing..... HO1-241A
15 5	Seminars, factory training..... —	15 7	Termination, 50-ohm feedthrough.. 11048A
16 5	Senior staff engineers appointed... —	14 3-4	Test Set, frequency-response, portable 3550A
14 11	Signal Generator, 800-2400 Mc/s.. 8614A	16 10	Test Oscillator, 10 c/s-10 Mc/s.... 651A
16 3	Signal Sources, microwave..... 8614B, 8616B	16 7	Thermometer, linear quartz..... 2800A, 2801A
15 5	Significance of crest factor..... —	16 6	Time, atomic for WWVB..... —
15 8	" " " "..... —	15 8	Time changes, standard broadcasts —
14 7-8	Smith chart, with negative Z..... —	15 11	Time comparison, international... (5060A)
16 11	Sounding, ionospheric and extraterrestrial —	16 8	" " " "..... —
		15 6	Time domain reflectometry..... —
		16 12	" " " "..... —
		15 8	Time information, WWV/WWVH..... —
		14 1	Time interval plug-in..... 5262A
		16 9	Time phase adjustment, NBS..... —
		15 5	Training seminars, factory..... —
		15 8	Transfer oscillator..... 2590A
		15 7	Transformer, matching..... 11038A
		16 7	Transistor parameters, influence on noise..... —

PART II

SUBJECT INDEX (Continued)

Issue Vol. No.		Model	Issue Vol. No.		Model		
15	8	Trigger count down, oscilloscope.....	1103A	16	9	Voltage calibration.....	740A
14	12	Tunnel-diode pulse generator.....	213B	14	9-10	Voltage measurements, AC high-frequency	410C
U							
15	7	Units, international system of.....	—	15	5	Voltage measurements, AC rms....	3400A
15	5	U. S. frequency standard, precision of.....	—	16	9	Voltage measurements, DC, differential	740A
V							
16	11	Variable Phase Function Generator	203A	15	3	Voltage measurements, DC.....	3440A
16	2	VLF broadcasts for frequency calibration	(117A)	16	12	Voltage measurements, DC guarded	3460A
15	2	VLF broadcasts, higher power.....	—	16	9	Voltage standard, DC.....	740A
16	2	VLF comparator.....	117A	15	11	Voltage standard, distribution of..	(2460A)
16	9	" "	"	16	9	Voltmeter, differential.....	740A
16	2	VLF comparator, tunable.....	DY-2365A	16	12	Voltmeter, guarded digital.....	3460A
W							
				14	5-6	Wave Analyzer 1 kc/s to 1.5 Mc/s	310A
				16	6	Waveguide crystal detectors.....	424A
				16	11	WESCON '65, technical session....	—

PART III

INDEX BY MODEL NUMBER

(Model Numbers of Dymec, hpa, and Sanborn Instruments listed at end)

Model	Instrument	Issue Vol. No.	Model	Instrument	Issue Vol. No.
117A	VLF Comparator.....	16 2	423A	Crystal Detector	15 3
		16 9	424A	Waveguide Crystal Detectors.....	16 6
130C	DC-500 KC Oscilloscope.....	15 5	428B	Milliammeter	14 7-8
140A	Universal Oscilloscope	15 1	461A	Broadband Amplifier.....	15 7
188A	Dual Trace Amplifier, Sampling....	15 6	462A	Pulse Amplifier	15 7
		15 8	467A	Power Amplifier	16 10
203A	Variable Phase Function Generator	16 11	651A	Test Oscillator, 10 c/s-10 Mc/s.....	16 10
HO7-204B	Audio Oscillator, battery-powered	14 3-4	691A, B	to	
213B	Tunnel-Diode Pulse Generator.....	14 12	697A	Microwave Sweep Oscillator.....	15 4
214A	Pulse Generator.....	15 2	740A	DC Standard/Differential Voltmeter	16 9
215A	Fast rise Generator.....	14 2	774D	to	
241A	Push-Button Oscillator.....	14 12	777D	Dual Directional Coupler.....	16 6
HO1-241A	Push-Button Oscillator.....	14 12	X781A	Directional Detector.....	16 6
310A	Wave Analyzer, 1 kc/s to 1.5 Mc/s	14 5-6	786D	to	
353A	Patch Panel, Telephone Test Set....	14 3-4	789C	Directional Detector	16 6
403B	AC Voltmeter.....	14 3-4			
410C	Electronic Voltmeter	14 9-10			

PART III

INDEX BY MODEL NUMBER (Continued)

Model	Instrument	Issue Vol. No.	Model	Instrument	Issue Vol. No.
796D	Directional Coupler	16 6	8614A	800-2400 Mc Signal Generator.....	14 11
797D	Directional Coupler	16 6	8614B	800-2400 Mc/s Signal Source.....	16 3
798C	Directional Coupler	16 6	8616B	1800-4500 Mc/s Signal Source.....	16 3
851A	Spectrum Analyzer Display Section	15 12	8714A	P-I-N Diode Modulator.....	14 7-8
1400A	Plug-in Differential Amplifier.....	15 1	8731A, B to	P-I-N Diode Modulator.....	16 3
1401A	Plug-in Dual Trace Amplifier.....	15 1	8735A, B		
1402A	Plug-in Dual Trace Amplifier.....	15 1			
1403A	Plug-in AC Differential Amplifier	15 1			
1415A	Time Domain Reflectometer.....	15 1			
1420A	Plug-in Time Base Generator.....	15 1	AC-21F	AC Current Probe.....	14 5-6
1421A	Plug-in Time Base and Delay Generator	15 1	1103A	Trigger Countdown.....	15 8
1754A	Plug-in Four-Channel Amplifier...	15 10	1110A	AC Current Probe.....	15 2
2590A	Microwave Frequency Converter..	15 8	1111A	Amplifier (Current Probe).....	15 2
3400A	RMS Voltmeter	15 5	11038A	50-200 Ohm Matching Transformer	15 7
3440A	DC Digital Voltmeter.....	15 3	11048A	50-Ohm Feedthrough Termination	15 7
3441A	Plug-in Manual Range Selector...	15 3			
3442A	Plug-in Automatic Range Selector	15 3			
3460A	Guarded DC Digital Voltmeter.....	16 12			
3520A	Tape Transport	16 5			
3521A	Tape Transport	16 5			
3529A	Magnetometer Probe	14 7-8			
3550A	Frequency Response Test Set.....	14 3-4			
4301A	Variable Frequency Power Supply	14 11			
5060A	Cesium Beam Frequency Standard	15 4 15 11			
5100A/5110A	Frequency Synthesizer	15 4 15 9 16 11			
5243L	20-Mc Electronic Counter.....	14 1			
5245L	50-Mc Electronic Counter.....	14 1			
5251A	Plug-in Frequency Converter, 20-100 Mc/s	14 1	0103		
5253A	Plug-in Frequency Converter, 100-512 Mc/s	14 1	0106		
5253B	Plug-in Frequency Converter, 50-500 Mc/s	15 10	0112	Step Recovery Diode.....	16 4
5254A	Plug-in Frequency Converter, 0.3-3.0 Gc/s	15 10	0151		
5261A	Plug-in Video Amplifier.....	14 1	0253		
5262A	Plug-in Time Interval Unit.....	14 1			
8403A	Modulator	16 3	3900 Series	Magnetic Data Recording Systems	16 5
8551A	Spectrum Analyzer RF Section.....	15 12			

ACCESSORIES

DYMEC MODEL NUMBERS

DY-2015	Data Acquisition Systems.....	16 12
DY-2365B	Tunable VLF Phase Comparator..	16 2
DY-2401A	Integrating Digital Voltmeter.....	14 9-10
		15 11
DY-2411A	Guarded Data Amplifier.....	14 9-10
DY-2460A	Operational Amplifier.....	14 3-4
DY-2460A	Operational Amplifier, application	15 11
DY-2461A-	Amplifier Plug-Ins.....	14 3-4
DY-2800A	Quartz Thermometer.....	16 7
DY-2801A	Quartz Thermometer.....	16 7

hpa MODEL NUMBERS

0112	Step Recovery Diode.....	16 4
------	--------------------------	------

SANBORN MODEL NUMBERS

3900 Series	Magnetic Data Recording Systems	16 5
-------------	--	------