

HEWLETT-PACKARD JOURNAL INDEX

Volume 42 January 1991 through December 1991

Hewlett-Packard Company, P.O. Box 51827, Palo Alto, California 94303-0724 U.S.A.
Yokogawa-Hewlett-Packard Ltd., Suginami-Ku Tokyo 168 Japan
Hewlett Packard (Canada) Ltd. 6877 Goreway Drive, Mississauga, Ontario L4V 1M8 Canada

Part 1: Chronological Index

February 1991

High-Speed Lightwave Component Analysis to 20 GHz, *Roger W. Wong, Paul R. Herday, and Daniel R. Harkins*

Design of a 20-GHz Lightwave Component Analyzer, *Paul R. Herday, Geraldine A. Conrad, Michael G. Hart, and Rollin F. Rawson*

Measurement Capabilities of the HP 8703A Lightwave Component Analyzer and the HP 71400C Lightwave Signal Analyzer

20-GHz Lightwave Test Set and Accessories, *Joel P. Dunsmore and John V. Valletunga*

Accuracy Considerations and Error Correction Techniques for 20-GHz Lightwave Component Analysis, *Daniel R. Harkins and Michael A. Heinzelman*

Development of an Optical Modulator for a High-Speed Lightwave Component Analyzer, *Roger L. Jungerman and David J. McQuate*

High-Performance Optical Isolator for Lightwave Systems, *Kok-Wai Chang, Siegmar Schmidt, Wayne V. Sorin, Jimmie L. Yarnell, Harry Chou, and Steven A. Newton*

A Broadband, General-Purpose Instrumentation Lightwave Converter, *Christopher M. Miller and Roberto A. Collins*

A Lightwave Multimeter for Basic Fiber Optic Measurements, *Bernd Maisenbacher and Wolfgang Reichert*

Design of a Series of High-Performance Lightwave Power Sensor Modules, *Jochen Rivoir, Horst Schweikardt, and Emmerich Müller*

Calibration of Fiber Optic Power Meters, *Christian Hentschel*

Semiconductor Laser Sources with Superior Stability for Optical Loss Measurements, *Frank A. Maier*

Lightwave Multimeter Firmware Design, *Wilfried Pless, Michael Pott, and Robert Jahn*

A Visual User Interface for the HP-UX and Domain Operating Systems, *Mark A. Champine*

Open Dialogue

HP Visual User Interface, Version 2.0

April 1991

A Family of High-Performance Synthesized Sweepers, *Roger P. Oblad, John R. Regazzi, and James E. Bossaller*

Designing for Low Cost of Ownership

Strife Testing the Alphanumeric Display

Front Panel Designed for Manufacturability

Built-in Synthesized Sweeper Self-Test and Adjustments, *Michael J. Seibel*

Automatic Frequency Span Calibration

Accessing a Power Meter for Calibration

A High-Performance Sweeper Output Power Leveling System, *Glen M. Baker, Mark N. Davidson, and Lance E. Haag*

Mismatch Error Calculation for Relative Power Measurements with Changing Source Match

A 0.01-to-40-GHz Switched Frequency Doubler, *James R. Zellers*

A High-Speed Microwave Pulse Modulator, *Mary K. Koenig*

New technology in Synthesized Sweeper Microcircuits, *Richard S. Bischof, Ronald C. Blanc, and Patrick B. Harper*

Modular Microwave Breadboard System

Quasi-Elliptic Low-Pass Filters

DC-to-50-GHz Programmable Step Attenuators, *David R. Veteran*

50-to-110-GHz High-Performance Millimeter-Wave Source Modules, *Mohamed M. Sayed and Giovonnae F. Anderson*

The Use of the HP Microwave Design system in the W-Band Tripler Design

The use of HP ME 10/30 in the W-Band Tripler Design

Flatness Correction

High-Power W-Band Source Module

An Instrument for Testing North American Digital Cellular Radios, *David M. Hoover*

HP 11846A Filtering Technique

Measuring the Modulation Accuracy of $\pi/4$ DQPSK Signals for Digital Cellular Transmitters, *Raymond A. Birgenheier*

A Test Verification Tool for C and C++ Programs, *David L. Neuder*

June 1991

HP 48SX Scientific Expandable Calculator: Innovation and Evolution, *William C. Wickes and Charles M. Patton*

The HP 48SX Interfaces and Applications, *Ted W. Beers, Diana K. Byrne, Gabe L. Eisenstein, Robert W. Jones, and Patrick J. Megowan*

HP Solve Equation Library Application Card, *Eric L. Vogel*

Hardware Design of the HP 48SX Scientific Expandable Calculator, *Mark A. Smith, Lester S. Moore, Preston D. Brown, James P. Dickie, David L. Smith, Thomas B. Lindberg, and M. Jack Muranami*

Industrial Design of the HP 48SX Calculator

HP 48SX Custom Integrated Circuit

Mechanical Design of the HP 48SX Memory Card and Memory Card Connector

The HP 48SX Calculator Input/Output System, *Steven L. Harper and Robert S. Worsley*

Manufacturing the HP48SX Calculator, *Richard W. Riper*

A 10-Hz-to-150-MHz Spectrum Analyzer with a Digital IF Section, *Kirsten C. Carlson, James H. Cauthorn, Timothy L. Hillstrom, Roy L. Mason, Joseph F. Tarantino, Jay M. Wardle, and Eric J. Wicklund*

Spectrum Analyzer Self-Calibration

Adaptive Data Acquisition

Help System with Hypertext

User Interface Compiler

Easy-to-Use Performance Tools with a Consistent User Interface across HP Operating Systems, *Rex A. Backman*

Design Prototyping for HP GlancePlus

The Performance Tool Quadrant

Improving the Product Development Process, *Spencer B. Graves, William P. Carmichael, Douglas Daetz, and Edith Wilson*

DSEE: A Software Configuration Management Tool, *David C. Lubkin*

A Mechanism to Support Parallel Development via RCS, *John W. Goodnow*

Building and Managing an Integrated Project Support Environment, *Ronald F. Richardson*

October 1991

- Introduction to the HP Component Monitoring System, *Christoph Westerteicher*
Medical Expectations of Today's Patient Monitors
Component Monitoring System Hardware Architecture, *Christoph Westerteicher and Werner E. Heim*
Component Monitoring System Software Architecture, *Martin Reiche*
Component Monitoring System Software
Component Monitoring System Software Development Environment
Component Monitoring System Parameter Module Interface, *Winfried Kaiser*
Measuring the ECG Signal with a Mixed Analog-Digital Application-Specific IC, *Wolfgang Grossbach*
A Very Small Noninvasive Blood Pressure Measurement Device, *Rainer Rometsch*
A Patient Monitor Two-Channel Stripchart Recorder, *Leslie Bank*
Patient Monitor Human Interface Design, *Gerhard Tivig and Wilhelm Meier*
Globalization Tools and Processes in the HP Component Monitoring System, *Gerhard Tivig*
The Physiological Calculation Application in the HP Component Monitoring System, *Steven J. Weisner and Paul Johnson*
Mechanical Implementation of the HP Component Monitoring System, *by Karl Daumüller and Erwin Flachsländer*
An Automated Test Environment for a Medical Patient Monitoring System, *Dieter Göring*
Production and Final Test of the HP Component Monitoring System, *Otto Schuster and Joachim Weller*
Calculating the Real Cost of Software Defects, *William T. Ward*
A Case Study of Code Inspections, *Frank W. Blakely and Mark E. Boles*
The HP Vectra 486 Personal Computer, *Larry Shintaku*
The HP Vectra 486 EISA SCSI Subsystem
The HP Vectra 486/33T

The EISA Connector, *Michael B. Raynham and Douglas M. Thom*

EISA Configuration Software

The HP Vectra 486 Memory Controller, *Marilyn J. Lang and Gary W. Lum*

The HP Vectra 486 Basic I/O System, *Viswanathan S. Narayanan, Thomas Tom, Irvin R. Jones, Jr., Philip Garcia, and Christophe Grosthor*

Performance Analysis of Personal Computer Workstations, *David W. Blevins, Christopher A. Bartholomew, and John D. Graf*

December 1991

- HP Software Integration Sockets: A Tool for Linking Islands of Automation, *Mitchell J. Amino, Cynthia Givens, Mark Ikemoto, Alan C. Miranda, Scott A. Gulland, Kathleen A. Fulton, and Irene S. Smith*
Configuration Files
Performance in the HP Sockets Domain
HP Sockets Gateway
Rigorous Software Engineering: A Method for Preventing Software Defects, *Stephen P. Bear and Tony W. Rush*
Specifying an Electronic Mail System with HP-SL, *Patrick G. Goldsack and Tony W. Rush*
Specification of State in HP-SL
Specifying Real-Time Behavior in HP-SL, *Paul D. Harry and Tony W. Rush*
History Specifications
Using Formal Specification for Product Development, *B. Robert Ladeau and Curtis W. Freeman*
Formal Specification and Structured Design in Software Development, *Judith L. Cyrus, J. Daren Bledsoe and Paul D. Harry*
Telecommunications Network Monitoring System, *Nicola De Bello, Giuseppe Mazzucato, Antonio Posenato, and Marco Silvestri*

Part 2: Subject Index

| Subject | Page/Month |
|--|---------------------|
| | A |
| Absorption bands | 50/Apr. |
| Abstract data type | 32/Dec. |
| Access routines, HP Sockets | 9/Dec. |
| Adapters, HP Sockets | 9/Dec. |
| Adaptive data acquisition | 51/June |
| Administration node, HP Sockets | 15/Dec. |
| Alarm monitor | 40/Dec. |
| Alarms | 16, 32/Oct. |
| ALC | 30/Feb. |
| ALC, sweeper | 24/Apr. |
| Amplifier doubler, R-band | 58/Apr. |
| Amplifier doubler, V-band | 56/Apr. |
| Amplifier tripler, W-band | 54/Apr. |
| Analyzer, lightwave component | 13/Feb. |
| Application management, HP 48SX | 9/June |
| Array of choices | 34/Oct. |
| ASICs | 11, 22, 23/Oct. |
| ASN.1 | 21/Dec. |
| Atmospheric windows | 50/Apr. |
| Attenuators, programmable, step | 47/Apr. |
| AUTOMAN keypusher | 50/Oct. |
| AUTOTEST | 49/Oct. |
| | B |
| Basic Encoding Rules (BER) | 21/Dec. |
| BIOMON (backplane I/O activity monitor) | 94/Oct. |
| BIOS (Basic I/O System), Vectra 486 | 83/Oct. |
| Birefringent crystals | 46/Feb. |
| Bismuth-substituted YIG films | 46/Feb. |
| Blood pressure | 6, 25/Oct. |
| Bondless microcircuits | 38/Apr. |
| Bottom case assembly, HP 48SX | 30/June |
| Branch analysis | 83/Apr. |
| Branches, DSEE | 78/June |
| Breadboard system, microwave | 41/Apr. |
| Break-even time (BET) | 71/June |
| Build management | 85/June |
| Burst-mode read, Vectra 486 | 81/Oct. |
| Bus master | 73/Oct. |
| | C |
| C++, HP Branch Validator | 91/Apr. |
| Cache memory, Vectra 486 | 78/Oct. |
| Cache simulator | 95/Oct. |
| Calculation evaluator | 42/Oct. |
| Calculator, scientific expandable | 6/June |
| | D |
| Calibration, lightwave analyzer | 20, 34/Feb. |
| Calibration, optical power meter | 70/Feb. |
| Calibration, self, spectrum analyzer | 47/June |
| Calibration, sweeper | 19, 21, 22, 26/Apr. |
| Call record | 60/Dec. |
| Cardiac work (LCW/RCW) | 41/Oct. |
| Cellular system (NADMCS) | 65/Apr. |
| Central plane | 7, 12/Oct. |
| Central unit, network monitor | 62/Dec. |
| Check out and check in | 87/June |
| Chromatic dispersion | 9/Feb. |
| Circular interpolation | 32/Feb. |
| Client server model | 20/Dec. |
| Code inspections | 58/Oct. |
| Common data representation | 20/Dec. |
| Communication model | 16/Oct. |
| Communication protocol | 20/Oct. |
| Compiler (mtc) | 15/Oct. |
| Compiler, NLS text | 39/Oct. |
| Compiler, user interface | 57/June |
| Component Monitoring System | 6/Oct. |
| Computer module | 7/Oct. |
| Computing environment | 90/June |
| Computing support model | 94/June |
| Configuration, automated | 17/Oct. |
| Configuration files | 13/Dec. |
| Configuration threads, DSEE | 80/June |
| Converter, lightwave | 51/Feb. |
| Cost of ownership, sweeper | 10/Apr. |
| Coupler detectors, V and W bands | 53/Apr. |
| CPU cards | 7/Oct. |
| Crossover frequency, amplifier | 52/Feb. |
| Customization, HP 48SX | 15/June |
| | E |
| ECG waves | 46/Dec. |
| Edgeline attenuator design | 47/Apr. |
| EISA configuration software | 75, 84/Oct. |
| EISA connector | 73, 75/Oct. |
| EISA consortium | 74/Oct. |
| EISA (Extended Industry Standard Architecture) | 69, 73/Oct. |
| EISA initialization | 84/Oct. |
| Elaboration, network data | 63/Dec. |
| Electrocardiogram (ECG) | 6, 21/Oct., 40/Dec. |
| Electronic mail system, HP-SL | 32/Dec. |
| Equation library card | 22/June |
| EquationWriter application | 15/June |
| Error correction, lightwave | 21, 34/Feb. |
| Error vector magnitude | 73/Apr. |
| Event types | 41/Dec. |
| Exception-based reporting | 66/June |
| Execution model | 16/Oct. |
| Execution trees | 16/Oct. |
| Extension, Command Set 80 | 81/Feb. |
| Extinction ratio | 44/Feb. |
| | F |
| Fabry-Perot sensors | 11/Feb. |
| Feedforward ALC | 25/Apr. |
| Filtering, HP 11846A | 71/Apr. |
| Filters, quasi-elliptic | 42, 44/Apr. |
| FIR filter, HP 11846A | 69/Apr. |
| Firmware, lightwave multimeter | 77/Feb. |
| Firmware, patient monitor | 14/Oct. |
| Firmware, spectrum analyzer | 57/June |
| Flatness correction | 59/Apr. |
| Formal specification | 46, 51/Dec. |
| Formal specification language | 26/Dec. |

- Function cards 7/Oct.
 Functions, HP-SL 29/Dec.

G

- Gate array, power sensor 68/Feb.
 Globalization 37/Oct.
 Graded-index lens 63/Feb.
 Graphics, HP 48SX 17/June

H

- Hardware architecture,
 patient monitor 10/Oct.
 Hardware design, HP 48SX 25/June
 Harmonic analysis 60/Apr.
 Help, context sensitive 32/Oct.
 Heterogeneous configuration
 management 81/June
 Heterogeneous environment,
 HP Sockets 8/Dec.
 Hexpander 39/Oct.
 Hifsim 30/Oct.
 High-resolution ADC 67/Feb.
 History specifications 43/Dec.
 History types, HP-SL 41/Dec.
 HP Specification Language
 (HP-SL) 27/Dec.
 HP StarLan 10 91/June
 HP Sockets management
 daemon (SMD) 14/Dec.
 HP VUE 2.0 97/Feb.
 Human interface, patient monitor 29/Oct.
 Hypertext help system 53/June

I

- IF amplifier 42/Apr.
 Indexes, network quality 64/Dec.
 In-process project retrospective
 reviews 73/June
 Input/output system, HP48SX 35/June
 Integral contacts 38/Apr.
 Integration, test system 53/Oct.
 Intel486 69, 78/Oct.
 Interface, parameter module 17, 19/Oct.
 Interfaces, HP 48SX 36, 37/June
 ISA (Industry Standard
 Architecture) 73/Oct.
 Isolator, optical 16/Feb.

J

K

- Kermit protocol 36, 39/June
 Keypad, patient monitor 34/Oct.

L

- Laser FM response 9/Febr.
 Laser source 59, 73/Febr.

- Lightwave component analysis,
 20-GHz 6/Feb.
 Lightwave multimeter 58/Feb.
 Lightwave receiver 19, 30/Feb.
 Lightwave source 7, 15, 29, 73/Feb.
 Lightwave test set 15, 23/Feb.
 Lithium niobate 42/Feb.
 LO amplifier 40/Apr.
 LO feedthrough nulling 47/June
 Local oscillator, spectrum
 analyzer 50/June
 Localization 37/Oct.
 Loss measurements, optical 60/Feb.
 Low-band microcircuit 36, 39/Apr.

M

- Mach-Zender interferometer 42/Feb.
 Magnetooptic isolator 46/Feb.
 Mainline 77, 84/June
 Manufacturing, HP 48SX 40/June
 Manufacturing, patient monitor 52/Oct.
 Maps, HP-SL 28/Dec.
 Master CPU 60/Dec.
 Material flow, vertical 52/Oct.
 Measurement interface model 68/June
 Mechanical design,
 patient monitor 44/Oct.
 Memory architecture, Vectra 486 79/Oct.
 Memory card and connector 32/June
 Memory controller, Vectra 486 78/Oct.
 Memory initialization,
 Vectra 486 90/Oct.
 Memory subsystem simulator 95/Oct.
 Message classes 16/Oct.
 Message passing bus 8, 11/Oct.
 Metrics database 55/Oct.
 Microcircuit design techniques 36/Apr.
 Micro-DIN 87/Oct.
 Microwave design system 53/Apr.
 Mismatch error 28/Apr.
 Mixer, triple balanced 40/Apr.
 Modsplitter, microcircuit 36, 43/Apr.
 Modulator, optical 18, 41/Febr.
 Modulator, pulse 34/Apr.
 Module rack 7/Oct.
 Module specifications 53/Dec.
 Module tables 17/Oct.
 Monitor configuration table 17/Oct
 Monitor, patient 6/Oct.
 Monitor, telephone network 59/Dec.
 Multimeter, lightwave 58/Feb.
 Multiple equation solver 23/June
 Multiplying DAC 66/Febr.
 Multiprocessor system 10/Oct.

N

- Network interface 12/Dec.

- Network monitoring system,
 telephone 59/Dec.
 North American dual-mode
 I-Q diagrams 66/Apr.
 NLS database 38/Oct.
 NLS tools 39/Oct.
 Nulling, LO feedthrough 47/June

O

- Object types, RPL 8/June
 Open Dialogue, HP VUE 93/Febr.
 Optical launch measurement 10/Febr.
 Optical power measurements 58/Feb.
 Optical reflection and transmission
 measurements 9, 25/Febr.
 OSF/Motif, HP VUE 90/Febr.

P

- $\pi/4$ DQPSK modulation 65/Apr.
 Pace pulse detection circuit 23/Oct.
 Parameter modules 7, 19, 47/Oct.
 Parameterized outer loop 13/June
 Patient monitoring system 6/Oct.
 Patient simulators 50/Oct.
 Performance, HP Sockets 16/Dec.
 Performance, software 65/June
 Performance tool quadrant 70/June
 Performance, Vectra 486 92/Oct.
 Peripheral units 60/Dec.
 Personal computer, Vectra 486 69/Oct.
 Physiological calculations 40/Oct.
 Plotting, HP 48SX 17/June
 Plug-in management, HP 48SX 9/June
 PMON (process activity
 monitor) 92/Oct.
 Poiseuille's law 41/Oct.
 Polarization controller 17/Febr.
 Post-introduction product
 reviews 72/June
 Power leveling, sweeper 24/Apr.
 Power measurements, optical 58/Feb.
 Power sensors, optical 63/Febr.
 Precision, HP-SL 48/Dec.
 Preprocessors, HP Branch
 Validator 84/Apr.
 Printed circuit assembly, HP 48SX 29/June
 Printhead control 28/Oct.
 Process specification, HP-SL 54/Dec.
 Product development process 71/June
 Programmable-gain amplifier 66/Febr.
 Project management, DSEE 79/June
 Pulmonary vascular resistance
 (PVR) 41/Oct.
 Pulse oximeter (SaO_2) 6/Oct.
 Pump assembly 25/Oct.

Q

- QPSK modulation 67/Apr.
 Quadratic gradient constant 64/Feb.
 Quality function deployment (QFD) 74/June
 Quality, manufacturing process 54/Oct.
 Quasi-elliptic low-pass filters 42, 44/Apr.

R

- R2 signaling system 59/Dec.
 Rack interface controller 20/Oct.
 RCS (revision control system) 84/June
 Real-time specifications, HP-SL 40/Dec.
 Receiver, lightwave 19, 30/Febr.
 Receiver, spectrum analyzer 45/June
 Recorder, stripchart 26/Oct.
 Reference/trigger section, spectrum analyzer 53/June
 Refinement, HP-SL 38/Dec.
 Reflection measurements, lightwave 11/Febr.
 Remapping, Vectra 486 89/Oct.
 Report generator, HP Branch Validator 88/Apr.
 Resolution bandwidth filters, sweeping 55/June
 Resting display 33/Oct.
 RF deck, sweeper 8/Apr.
 RF test set 13/Febr.
 Rigorous software engineering 25/Dec.
 ROMPART 9/June
 ROMPTR 10/June
 RPL operating system 7/June
 Rutile crystals 47/Febr.

S

- Satellite module rack 7/Oct.
 Scan table 20/Oct.
 Screen cookbook 31/Oct.
 SCPI 16/Apr.
 SCPI driver 81/Febr.
 SCSI-2 (Small Computer System Interface), Vectra 486 73/Oct.
 Security, Vectra 486 87/Oct.
 Self-test design, sweeper 17/Apr.
 Sequences, HP-SL 28/Dec.
 Serial distribution network (SDN) 11/Oct.
 Shadowing, Vectra 486 88/Oct.
 Signal processing, HP 11847A 74/Apr.

- SIMM (single in-line memory module) 78/Oct.
 Simulation tool 30/Oct.
 Slave module 61/Dec.
 Slotline-to-microstrip transition 32/Apr.
 SoftBench interface, HP Branch Validator 89/Apr.

- Software architecture, patient monitor 13/Oct.
 Software configuration management 77, 79, 84/June
 Software defects 55, 58, 91/Oct.
 Software defect costs 55/Oct.
 Software defect profit loss calculation 57/Oct.
 Software development environment 84/June, 15/Oct.
 Software integration, HP Sockets 6/Dec.
 Software lifecycle 24/Dec.
 Software metrics 55, 58/Oct.
 Software performance tools 65, 70/June
 Solve, HP 48SX 22/June
 Source, lightwave 7, 15, 29, 73/Febr.
 Source match, changing 28/Apr.
 Source, millimeter-wave 50/Apr.
 Source, spectrum analyzer 52/June
 Source temperature control 16/Feb.
 Spectrum analyzer, 150-MHz 44/June
 Split-band amplifier 52/Febr.
 SS#7 59/Dec.
 ST segments 46/Dec.
 Standard display 34/Oct.
 Standard parameter interface 17, 19/Oct.
 Startup and shutdown, HP Sockets 14/Dec.
 State histories 41/Dec.
 State specifications 38/Dec.
 Strife testing, display 13/Apr.
 Stroke index (SI) 41/Oct.
 Structure chart 53/Dec.
 Structured analysis 53/Dec.
 Structured design 53/Dec.
 Sweep dynamics, spectrum analyzer 55/June
 Sweepers, to 50 GHz 6/Apr.
 Symbolic identification 16/Oct.
 Syntax checker 39/Oct.

- System administration 93/June
 System integrator, HP Sockets 8/Dec.
 System invariants, HP-SL 37/Dec.
 Systemic vascular resistance (SVR) 41/Oct.

T

- TAB ICs 41/June
 Tagged queuing 70/Oct.
 Task windows 35/Oct.
 Telephone network monitoring system 59/Dec.
 Test automation, HP Branch Validator 83/Apr.
 Test environment, automated 49/Oct.
 Test opportunities, HP Branch Validator 83/Apr.
 Test sets, RF and lightwave 13, 20/Febr.
 Testing, software 83/Apr., 91/Oct.
 Topcase assembly, HP 48SX 26/June
 Transimpedance amplifier 65/Febr.
 Translation tool 40/Oct.
 Transmission measurements, lightwave 11/Febr.
 Types, HP-SL 27/Dec.

U

- Unequally spaced diodes 34/Apr.
 Usability tests 31/Oct.
 User interface compiler 57/June
 User interface, lightwave analyzer 19/Febr.
 User interface, patient monitor 29/Oct.
 User interface, sweeper 12/Apr.

V

- Values, HP-SL 27/Dec.
 Variable speed control 85/Oct.
 Ventricular stroke work (LVSW/RVSW) 41/Oct.
 Version control 77/June
 Virtual processor 15/Oct.
 Vision, automated 43/June
 Visual shell (vsh) 89/Febr.

W

- Walk-off 46/Febr.

Part 3: Product Index

| | | | |
|---|------|---|------|
| Domain software engineering environment (DSEE) | June | HP 83425A lightwave CW source | Feb. |
| HP 11846A $\pi/4$ DQPSK I-Q generator | Apr. | HP 83557A millimeter-wave source module | Apr. |
| HP 11847A $\pi/4$ DQPSK modulation measurement software | Apr. | HP 83558A millimeter-wave source module | Apr. |
| HP 11982A lightwave converter | Feb. | HP 8360 Series synthesized sweepers | Apr. |
| HP 33324M attenuator | Apr. | HP 83620A synthesized sweeper | Apr. |
| HP 33326M attenuator | Apr. | HP 83621A synthesized sweeper | Apr. |
| HP 33327M attenuator | Apr. | HP 83622A synthesized sweeper | Apr. |
| HP 3588A spectrum analyzer | June | HP 83623A synthesized sweeper | Apr. |
| HP 48SX scientific expandable calculator | June | HP 83624A synthesized sweeper | Apr. |
| HP 81210LI isolator | Feb. | HP 83630A synthesized sweeper | Apr. |
| HP 81310LI isolator | Feb. | HP 83631A synthesized sweeper | Apr. |
| HP 81520A detector | Feb. | HP 83640A synthesized sweeper | Apr. |
| HP 81521B detector | Feb. | HP 83642A synthesized sweeper | Apr. |
| HP 8153A lightwave multimeter | Feb. | HP 83650A synthesized sweeper | Apr. |
| HP 81530A power sensor | Feb. | HP 83651A synthesized sweeper | Apr. |
| HP 81531A power sensor | Feb. | HP 83810A lightwave signal analyzer | Feb. |
| HP 81532A power sensor | Feb. | HP 8703A lightwave component analyzer | Feb. |
| HP 81536A power sensor | Feb. | HP Branch Validator | Apr. |
| HP 81533A head adapter | Feb. | HP Component Monitoring System | Oct. |
| HP 81551MM laser source | Feb. | HP E3500A network monitoring system | Dec. |
| HP 81552SM laser source | Feb. | HP GlancePlus/UX | June |
| HP 81553SM laser source | Feb. | HP GlancePlus/V | June |
| HP 81554SM laser source | Feb. | HP GlancePlus/XL | June |
| HP 83420A lightwave test set | Feb. | HP Sockets Gateway | Dec. |
| HP 83421A lightwave source | Feb. | HP Software Integration Sockets | Dec. |
| HP 83422A lightwave modulator | Feb. | HP Vectra 486/25T | Oct. |
| HP 83423A lightwave receiver | Feb. | HP Vectra 486/33T | Oct. |
| HP 83424A lightwave CW source | Feb. | HP VUE 1.0 | Feb. |

Part 4: Author Index

| | | | | | |
|-----------------------------|------|---------------------------|------|--------------------------|------|
| Amino, Mitchell J. | Dec. | Grosthor, Christophe | Oct. | Pless, Wilfried | Feb. |
| Anderson, Giovonnae F. | Apr. | Gulland, Scott A. | Dec. | Posenato, Antonio | Dec. |
| Backman, Rex A. | June | Haag, Lance E. | Apr. | Pott, Michael | Feb. |
| Baker, Glen M. | Apr. | Harkins, Daniel R. | Feb. | Rawson, Rollin F. | Feb. |
| Bank, Leslie | Oct. | Harper, Patrick B. | Apr. | Raynham, Michael B. | Oct. |
| Bartholomew, Christopher A. | Oct. | Harper, Steven L. | June | Regazzi, John R. | Apr. |
| Bear, Stephen P. | Dec. | Harry, Paul D. | Dec. | Reiche, Martin | Oct. |
| Beers, Ted W. | June | Hart, Michael G. | Feb. | Reichert, Wolfgang | Feb. |
| Birgenheier, Raymond A. | Apr. | Heim, Werner E. | Oct. | Richardson, Ronald F. | June |
| Bischof, Richard S. | Apr. | Heinzelman, Michael A. | Feb. | Riper, Richard W. | June |
| Blakely, Frank W. | Oct. | Hentschel, Christian | Feb. | Rivoir, Jochen | Feb. |
| Blanc, Ronald C. | Apr. | Hernday, Paul R. | Feb. | Rochlitzer, Frank | Oct. |
| Bledsoe, J. Daren | Dec. | Hillstrom, Timothy L. | June | Rometsch, Rainer | Oct. |
| Blevins, David W. | Oct. | Hoover, David M. | Apr. | Rush, Tony W. | Dec. |
| Boles, Mark E. | Oct. | Ikemoto, Mark | Dec. | Sayed, Mohamed M. | Apr. |
| Bossaller, James E. | Apr. | Jahn, Robert | Feb. | Schmidt, Siegmar | Feb. |
| Brown, Preston D. | June | Jerbic, Mike | Oct. | Schuster, Otto | Oct. |
| Byrne, Diana K. | June | Johnson, Paul | Oct. | Schweikardt, Horst | Feb. |
| Carlson, Kirsten C. | June | Jones, Irvin R., Jr. | Oct. | Seibel, Michael J. | Apr. |
| Carmichael, William P. | June | Jones, Robert W. | June | Shintaku, Larry | Oct. |
| Cauthorn, James H. | June | Jungerman, Roger L. | Feb. | Silvestri, Marco | Dec. |
| Champine, Mark A. | Feb. | Kaiser, Winfried | Oct. | Sorin, Wayne V. | Feb. |
| Chang, Kok-Wai | Feb. | Koenig, Mary K. | Apr. | Smith, David L. | June |
| Chou, Harry | Feb. | Ladeau, B. Robert | Dec. | Smith, Irene S. | Dec. |
| Collins, Roberto A. | Feb. | Lang, Marilyn J. | Oct. | Smith, Mark A. | June |
| Conrad, Geraldine A. | Feb. | Lindberg, Thomas B. | June | Smith, Mark M. | June |
| Cyrus, Judith L. | Dec. | Linsky, Mark | Oct. | Stead, James R. | Apr. |
| Daetz, Douglas | June | Lubkin, David C. | June | Tarantino, Joseph F. | June |
| Daumüller, Karl | Oct. | Lum, Gary W. | Oct. | Thom, Douglas M. | Oct. |
| Davidson, Mark N. | Apr. | Maier, Frank A. | Feb. | Thomas, Joe | June |
| Dearden, Lon | Apr. | Maisenbacher, Bernd | Feb. | Tivig, Gerhard | Oct. |
| DeBello, Nicola | Dec. | Marcilionis, Roy M. | Apr. | Tom, Thomas | Oct. |
| Derocher, Michael | June | Mason, Roy L. | June | Vallelunga, John V. | Feb. |
| Dickie, James P. | June | Mazzucato, Giuseppe | Dec. | Veteran, David R. | Apr. |
| Dowden, Tony | Oct. | McQuate, David J. | Feb. | Vogel, Eric L. | June |
| Dunsmore, Joel P. | Feb. | Megowan, Patrick J. | June | Ward, William T. | Oct. |
| Dupre, Jack | Feb. | Meier, Wilhelm | Oct. | Wardle, Jay M. | June |
| Eisenstein, Gabe L. | June | Miller, Christopher M. | Feb. | Weisner, Steven J. | Oct. |
| Flachslander, Erwin | Oct. | Miranda, Alan C. | Dec. | Weller, Joachim | Oct. |
| Freeman, Curtis W. | Dec. | Moore, Lester S. | June | Westerteicher, Christoph | Oct. |
| Fulton, Kathleen A. | Dec. | Müller, Emmerich | Feb. | Wickes, William C. | June |
| Garcia, Philip | Oct. | Muranami, M. Jack | June | Wicklund, Eric J. | June |
| Givens, Cynthia | Dec. | Murray, Bryan P. | June | Williams, David A. | Feb |
| Goldsack, Patrick G. | Dec. | Narayanan, Viswanathan S. | Oct. | Wilson, Edith | June |
| Goodnow, John W. | June | Neuder, David L. | Apr. | Wong, Roger W. | Feb. |
| Göring, Dieter | Oct. | Newton, Steven A. | Feb. | Worsley, Robert S. | June |
| Graf, John D. | Oct. | Oblad, Roger P. | Apr. | Yarnell, Jimmie L. | Feb. |
| Graves, Spencer B. | June | Patton, Charles M. | June | Zellers, James R. | Apr. |
| Grossbach, Wolfgang | Oct. | | | | |