Specifications Guide

Agilent Technologies ESA-L Series Spectrum Analyzers

This manual provides documentation for the following instruments:

Agilent Technologies E4403B (9 kHz - 6.7 GHz) E4408B (9 kHz - 26.5 GHz) E4411B (9 kHz - 1.5 GHz)



Manufacturing Part Number: E4403-90013
Printed in USA
November 2000

Supersedes: E4401-90193

© Copyright 2000 Agilent Technologies

The information contained in this document is subject to change without notice.

Agilent Technologies makes no warranty of any kind with regard to this material, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Agilent Technologies shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

The following safety symbols are used throughout this manual. Familiarize yourself with the symbols and their meaning before operating this instrument.

WARNING

Warning denotes a hazard. It calls attention to a procedure which, if not correctly performed or adhered to, could result in injury or loss of life. Do not proceed beyond a warning note until the indicated conditions are fully understood and met.

WARNING

This is a Safety Class 1 Product (provided with a protective earthing ground incorporated in the power cord). The mains plug shall only be inserted in a socket outlet provided with a protected earth contact. Any interruption of the protective conductor inside or outside of the product is likely to make the product dangerous. Intentional interruption is prohibited.

WARNING

If this product is not used as specified, the protection provided by the equipment could be impaired. This product must be used in a normal condition (in which all means for protection are intact) only.

CAUTION

Caution denotes a hazard. It calls attention to a procedure that, if not correctly performed or adhered to, could result in damage to or destruction of the instrument. Do not proceed beyond a caution sign until the indicated conditions are fully understood and met.

WARNING	This is a Safety Class 1 Product (provided with a protective earthing ground incorporated in the power cord. The mains plug shall only be inserted in a socket outlet provided with a protective earth contact. Any interruption of the protective conductor inside or outside of the product is likely to make the product dangerous. Intentional interruption is prohibited.
WARNING	If this product is not used as specified, the protection provided by the equipment could be impaired. This product must be used in a normal condition (in which all means for protection are intact) only.
CAUTION	Always use the three-prong ac power cord supplied with this product. Failure to ensure adequate earth grounding by not using this cord may cause product damage.
CAUTION	This instrument has autoranging line voltage input, be sure the supply voltage is within the specified range.

Warranty

This Agilent Technologies instrument product is warranted against defects in material and workmanship for a period of one year from date of shipment. During the warranty period, Agilent Technologies Company will, at its option, either repair or replace products which prove to be defective.

For warranty service or repair, this product must be returned to a service facility designated by Agilent Technologies. Buyer shall prepay shipping charges to Agilent Technologies and Agilent Technologies shall pay shipping charges to return the product to Buyer. However, Buyer shall pay all shipping charges, duties, and taxes for products returned to Agilent Technologies from another country.

Agilent Technologies warrants that its software and firmware designated by Agilent Technologies for use with an instrument will execute its programming instructions when properly installed on that instrument. Agilent Technologies does not warrant that the operation of the instrument, or software, or firmware will be uninterrupted or error-free.

LIMITATION OF WARRANTY

The foregoing warranty shall not apply to defects resulting from improper or inadequate maintenance by Buyer, Buyer-supplied software or interfacing, unauthorized modification or misuse, operation outside of the environmental specifications for the product, or improper site preparation or maintenance.

NO OTHER WARRANTY IS EXPRESSED OR IMPLIED. AGILENT TECHNOLOGIES SPECIFICALLY DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

EXCLUSIVE REMEDIES

THE REMEDIES PROVIDED HEREIN ARE BUYER'S SOLE AND EXCLUSIVE REMEDIES. AGILENT TECHNOLOGIES SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER BASED ON CONTRACT, TORT, OR ANY OTHER LEGAL THEORY.

Where to Find the Latest Information

Documentation is updated periodically. For the latest information about Agilent Spectrum Analyzers, including firmware upgrades and application information, please visit the following Internet URL: http://www.agilent.com/go/esa.

Contents

1. Agnetic £4405b Specifications and Characteristics	
About This Chapter	1-2
Frequency	1-4
Amplitude	1-8
Options	-15
Tracking Generator (Option 1DN)	-15
General	-19
Inputs and Outputs	-23
Front Panel 1	-23
Rear Panel	-24
Regulatory Information	28
Declaration of Conformity	29
2. Agilent E4408B Specifications and Characteristics	
About This Chapter	2-2
Frequency	
Amplitude	
Options	
Tracking Generator (Option 1DN)	
General	
Inputs and Outputs	2-26
Front Panel 2	2-26
Rear Panel	2-27
Regulatory Information	2-31
Declaration of Conformity	2-32
3. Agilent E4411B Specifications and Characteristics	
About This Chapter	3-2
Frequency	
Amplitude	3-8
Options	3-17
Tracking Generator (Option 1DN or 1DQ)	3-17
General 3	3-21
Inputs and Outputs	3-25
Internal 3	3-25
Front Panel 3	3-25
Rear Panel 3	3-26
Regulatory Information	3-30
Declaration of Conformity	3_31

1 Agilent E4403B Specifications and Characteristics

About This Chapter

This chapter contains specifications and characteristics for the Agilent E4403B spectrum analyzer. The distinction between specifications and characteristics is described as follows.

- Specifications describe the performance of parameters covered by the product warranty. (The temperature range is 0 °C to 55 °C, unless otherwise noted.)
- Characteristics describe product performance that is useful in the application of the product, but is not covered by the product warranty.
- Typical performance describes additional product performance information that is not covered by the product warranty. It is performance beyond specification that 80% of the units exhibit with a 95% confidence level over the temperature range 20 to 30 °C.
 Typical performance does not include measurement uncertainty.
- Nominal values indicate the expected performance, or describe product performance that is useful in the application of the product, but is not covered by the product warranty.

The following conditions must be met for the analyzer to meet its specifications.

- ☐ The analyzer is within the one year calibration cycle.☐ If Auto Align All is selected:
 - After 2 hours of storage within the operating temperature range.
 - 5 minutes after the analyzer is turned on with sweep times less than 4 seconds.
 - After the front-panel amplitude reference is connected to the INPUT, and Align Now RF has been run, after the analyzer is turned on. And, once every 24 hours, or if ambient temperature changes more than 30 $^{\circ}$ C.
- ☐ If Auto Align Off is selected:
 - When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
 - After the analyzer is turned on for a minimum of 90 minutes, the front panel amplitude reference has been connected to the INPUT, and Align Now All has been run.
 - When Align Now All is run:
 - Every hour

1-2 Chapter 1

- If the ambient temperature changes more than 3 °C
- If the 10 MHz reference changes
- When Align Now RF is run (with the front-panel amplitude reference connected to the INPUT):
 - Every 24 hours
 - If the ambient temperature changes more than 30 °C

☐ If Auto Align All but RF is selected:

- When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
- After the analyzer is turned on for a minimum of 90 minutes, the front panel amplitude reference has been connected to the INPUT, and Align Now RF has been run.
- When Align Now RF is run (with the front-panel amplitude reference connected to the INPUT):
 - Every hour
 - If the ambient temperature changes more than 3 °C

Frequency

	Specifications	Supplemental Information
Frequency Range		
	9 kHz to 3 GHz	

	Specifications	Supplemental Information
Frequency Reference		
Aging Rate	$\pm 2 \times 10^{-6}$ /year	$\pm 1.0 \times 10^{-7}$ /day, characteristic
Settability	$= \pm 5 \times 10^{-7}$	
Temperature Stability	$\pm 5 imes 10^{-6}$	

	Specifications	Supplemental Information
Frequency Readout Accuracy		
(Start, Stop, Center, Marker)	±((frequency indication × frequency reference error ^a) + 0.75% of span + 15% of RBW + 10 Hz)	

a. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).

	Specifications	Supplemental Information
Marker Frequency Counter		
Resolution	Selectable from 1 Hz to 100 kHz	
Accuracy ^a	±(marker frequency × frequency reference error ^b + counter resolution)	

- a. Marker level to displayed noise level > 25 dB, RBW/ Span ≥ 0.002 , frequency offset = 0 Hz.
- b. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).

1-4 Chapter 1

	Specifications	Supplemental Information
Frequency Span		
Range	0 Hz (zero span), 100 Hz to 3 GHz	
Resolution	2 Hz	
Accuracy	±1.0% of span	

	Specifications	Supplemental Information
Sweep Time		
Range	4 ms to 4000 s ^a	
Tracking Generator On (Option 1DN)		50 ms is the minimum sweep time
Accuracy (Span = 0 Hz)		
4 ms to 4000 s ^a	±1%	
Sweep Trigger ^b	Free Run, Single, Line, Video, External, Delayed, Offset ^c	
Delayed Trigger ^d		
Range	1 μs to 400 s	
Resolution	delay in seconds 65000 rounded up to nearest μs	
Accuracy	±(500 ns + (0.01% of delay))	
Offset Trigger ^c		
Resolution	sweep time 400	
Range	±327 ms to ±323 ks	Where ST = sweep time $\frac{-32766 \times ST}{400} \text{ to } \frac{32365 \times ST}{400}$

- a. For firmware revisions prior to A.04.00, 5 ms to 2000 s.
- b. Auto align is suspended in video, external, and delayed trigger modes while waiting for a trigger event to occur.
- c. For firmware revision A.04.00 or later.
- d. Delayed trigger is available with line and external trigger.


	Specifications	Supplemental Information
Sweep (trace) Points	401	

	Specifications	Supplemental Information
Resolution Bandwidth (RBW)		
Range		
–3 dB bandwidth	1 kHz to 3 MHz, in 1-3-10 sequence, 5 MHz	
–6 dB bandwidth (EMI)	9 kHz and 120 kHz	
Accuracy		
1 kHz to 3 MHz RBW	±15%	
5 MHz RBW	±30%	
Shape		
1 kHz to 5 MHz RBW		Synchronously tuned four poles, approximately Gaussian shape
Selectivity (60 dB/3 dB bandwidth ratio)		
1 kHz to 5 MHz RBW		<15:1, characteristic

	Specifications	Supplemental Information
Video Bandwidth (VBW) (-3 dB)		
Range	30 Hz to 1 MHz in 1-3-10 sequence	3 MHz, characteristic
Accuracy		±30%, characteristic
Shape		Post detection, single pole low- pass filter used to average displayed noise

1-6 Chapter 1

	Specifications	Supplemental Information
Stability		
Noise Sidebands (Offset from CW signal with 1 kHz RBW, 30 Hz VBW and sample detector)		
≥10 kHz	≤ −90 dBc/Hz	≤ –94 dBc/Hz, typical
≥20 kHz	≤ -100 dBc/Hz	≤-105 dBc/Hz, typical
≥30 kHz	≤ -106 dBc/Hz	≤-112 dBc/Hz, typical
≥100 kHz	≤ -119 dBc/Hz	≤-122 dBc/Hz, typical
Residual FM		
1 kHz RBW, 1 kHz VBW	≤150 Hz p−p in 100 ms	
System-Related Sidebands, offset from CW signal		
≥30 kHz	≤ -65 dBc	



Amplitude

Amplitude specifications do not apply for the negative peak detector mode.

	Specifications	Supplemental Information
Measurement Range	Displayed Average Noise Level to Maximum Safe Input Level	
Input Attenuator Range	0 to 65 dB, in 5 dB steps	0 to 75 dB, in 5 dB steps, characteristic

	Specifications	Supplemental Information
Maximum Safe Input Level		
Average Continuous Power	+30 dBm (1 W)	
(Input attenuator setting ≥5 dB)		
Peak Pulse Power (for <10 µsec pulse width, <1% duty cycle, and input attenuation ≥30 dB)	+50 dBm (100 W)	
dc	100 Vdc	

	Specifications	Supplemental Information
1 dB Gain Compression		
Total power at input mixer ^{a,b}		
50 MHz to 3.0 GHz	0 dBm	

a. Mixer power level (dBm) = input power (dBm) – input attenuation (dB).

1-8 Chapter 1

b. For resolution bandwidths 1 kHz to 30 kHz, the maximum input signal amplitude must be \leq reference level +10 dB.

	Specifications	Supplemental Information
Displayed Average Noise Level		
(Input terminated, 0 dB attenuation, sample detector, Reference Level = -70 dBm)		
	1 kHz RBW, 30 Hz VBW	1 kHz RBW, 30 Hz VBW
1 MHz to 10 MHz		≤ –117 dBm, characteristic
10 MHz to 1.0 GHz	≤ –117 dBm	
1.0 GHz to 2.0 GHz	≤ –116 dBm	
2.0 GHz to 3.0 GHz	≤ –114 dBm	

	Specifications	Supplemental Information
Display Range		
Log Scale	Ten divisions displayed; 0.1, 0.2, 0.5 dB/division and 1 to 20 dB/division in 1 dB steps Calibrated 0 to –85 dB from Reference Level	
Linear Scale	Ten divisions	
Scale Units	dBm, dBmV, dBμV, V, and W	

	Specifications	Supplemental Information
Marker Readout Resolution		
Log scale		
0 to -85 dB from ref level	0.04 dB	
Linear scale	0.01% of Reference Level	

Agilent E4403B Specifications and Characteristics **Amplitude**

	Specifications	Supplemental Information
Frequency Response		
Absolute ^a /Relative		
10 dB attenuation		
9 kHz to 3.0 GHz		
20 to 30 °C	±0.5 dB	
0 to 55 °C	±1.0 dB	

a. Absolute flatness values are referenced to the amplitude at $50\ MHz$.

	Specifications	Supplemental Information
Input Attenuation Switching Uncertainty at 50 MHz		
Attenuator Setting		
0 dB to 5 dB	±0.3 dB	
10 dB	Reference	
15 dB	±0.3 dB	
20 to 65 dB attenuation	$\pm (0.1 \text{ dB} + 0.01 \times \text{Attenuator})$ Setting)	

Attenuation Accuracy Relative to the 10 dB Attenuator Setting, Characteristic		
	Frequency Range	
Attenuation	dc-3.0 GHz	
0 dB	±0.3 dB	
5 dB	±0.3 dB	
10 dB	Reference	
15 dB	±0.4 dB	
20 dB	±0.4 dB	
25 dB	±0.5 dB	
30 dB	±0.5 dB	
35 dB	±0.6 dB	
40 dB	±0.6 dB	
45 dB	±0.7 dB	

1-10 Chapter 1

Attenuation Accuracy Relative to the 10 dB Attenuator Setting, Characteristic		
	Frequency Range	
Attenuation	dc-3.0 GHz	
50 dB	±0.7 dB	
55 dB	±0.9 dB	
60 dB	±0.9 dB	
65 dB	±1.0 dB	

	Specifications	Supplemental Information
Absolute Amplitude Accuracy		
At reference settings ^a	±0.4 dB	
Overall Amplitude Accuracy ^b		
20 to 30 °C	± (0.6 dB + Absolute Frequency Response)	

- a. Settings are: reference level -20 dBm; input attenuation 10 dB; center frequency 50 MHz; RBW 1 kHz; VBW 1 kHz; scale linear or log; span 2 kHz; sweep time coupled, signal at reference level.
- b. For reference level 0 to -50 dBm; input attenuation 10 dB; RBW 1 kHz; VBW 1 kHz; scale log, log range 0 to -50 dB from reference level; sweep time coupled; signal input 0 to -50 dBm; span ≤ 20 kHz.

	Specifications	Supplemental Information
RF Input VSWR (at tuned frequency)		
Attenuator setting 0 dB		
100 kHz to 3 GHz		≤3.0:1, characteristic
Attenuator setting 5 dB		
100 kHz to 3 GHz		≤1.6:1, characteristic
Attenuator setting 10 to 65 dB		
9 kHz to 100 kHz		≤2.0:1, characteristic
100 kHz to 3 GHz		≤1.4:1, characteristic

Agilent E4403B Specifications and Characteristics **Amplitude**

	Specifications	Supplemental Information
Auto Alignment ^a		
Sweep-to-sweep variation		±0.1 dB, characteristic

a. Set $\operatorname{Auto}\nolimits$ Align to $\operatorname{Off}\nolimits$ and use $\operatorname{Align}\nolimits$ Now, $\operatorname{All}\nolimits$ to eliminate this variation.

	Specifications	Supplemental Information
Resolution Bandwidth Switching Uncertainty (at Reference Level)		
1 kHz RBW	Reference	
3 kHz to 3 MHz RBW	±0.3 dB	
5 MHz RBW	±0.6 dB	

	Specifications	Supplemental Information
Reference Level		
Range	-149.9 dBm to maximum mixer level + attenuator setting	
Resolution		
Log Scale	±0.1 dB	
Linear Scale	±0.12% of Reference Level	
Accuracy (at a fixed frequency, a fixed attenuator, and referenced to -30 dBm)		
Reference Level (dBm) – input attenuator setting (dB)		
-10 dBm to > -60 dBm	±0.3 dB	
-60 dBm to > -85 dBm	±0.5 dB	
-85 dBm to -90 dBm	±0.7 dB	


	Specifications	Supplemental Information
Display Scale Switching Uncertainty		
Switching between Linear and Log	±0.15 dB at Reference Level	
Log Scale Switching	No error	

1-12 Chapter 1

	Specifications	Supplemental Information
Display Scale Fidelity		
Log Maximum Cumulative		
0 to 85 dB Below reference level	$\pm (0.3 \text{ dB} + 0.01 \times \text{dB from}$ reference level)	
Log Incremental Accuracy		
0 to 80 dB below reference level	±0.4 dB/4 dB	
Linear Accuracy	±2% of Reference Level	

	Specifications	Supplemental Information
Spurious Responses		
Second Harmonic Distortion		
Input Signal		
10 MHz to 500 MHz	< -60 dBc for -30 dBm signal at input mixer ^a	+30 dBm SHI (second harmonic intercept)
500 MHz to 1.5 GHz	< -70 dBc for -30 dBm signal at input mixer ^a	+40 dBm SHI
Third Order Intermodulation Distortion		
10 MHz to 100 MHz		+5 dBm TOI (third order intercept), characteristic
100 MHz to 3 GHz	< -75 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation	+7.5 dBm TOI
Other Input Related Spurious		
>30 kHz offset	< -65 dBc for -20 dBm signal at input mixer ^a	

a. Mixer power level (dBm) = input power (dBm – input attentuation (dB) $\,$



	Specifications	Supplemental Information
Residual Responses (Input terminated and 0 dB attenuation)		
150 kHz to 3 GHz	< -90 dBm	

1-14 Chapter 1

Options

Tracking Generator (Option 1DN)

The spectrum analyzer/tracking generator combination will meet its specification after a cable (8120-5148) and adapter are connected between RF OUT and INPUT and Align Now, TG has been run.

	Specifications	Supplemental Information
Warmup	5 minutes	

	Specifications	Supplemental Information
Output Frequency Range	9 kHz to 3.0 GHz	

	Specifications	Supplemental Information
Output Power Level		
Range	−2 to −66 dBm	
Resolution	0.1 dB	
Absolute Accuracy (at 50 MHz with coupled source attenuator, referenced to –20 dBm)	± 0.75 dB	
Vernier		
Range	8 dB	
Accuracy (with coupled source attenuator, 50 MHz, –20 dBm)		
Incremental	±0.2 dB/dB	
Cumulative	±0.5 dB, total	
Output Attenuator Range	0 to 56 dB in 8 dB steps	

	Specifications	Supplemental Information
Maximum Safe Reverse Level		+30 dBm (1 W), 50 Vdc, characteristic

	Specifications	Supplemental Information
Output Power Sweep		
Range	(-10 to -2 dBm) – (Source Attenuator Setting)	
Resolution	0.1 dB	
Accuracy (zero span)	<1 dB peak-to-peak	

	Specifications	Supplemental Information
Output Flatness		
Referenced to 50 MHz, -20 dBm		
9 kHz to 10 MHz	±3 dB	
10 MHz to 3 GHz	±2 dB	

	Specifications	Supplemental Information
Spurious Outputs		
(-2 dBm output)		
Harmonic Spurs		
TG Output 9 kHz to 20 kHz	≤ –15 dBc	
TG Output 20 kHz to 3 GHz	≤ -25 dBc	
Non-harmonic Spurs		
TG Output 9 kHz to 2 GHz	≤-27 dBc	
TG Output 2 GHz to 3 GHz	≤ –23 dBc	
LO Feedthrough		
LO Frequency 3.921409 GHz to 6.9214 GHz	≤-16 dBm	

1-16 Chapter 1

	Specifications	Supplemental Information
Dynamic Range	Maximum Output Power Level - Displayed Average Noise Level	

	Specifications	Supplemental Information
Output Tracking		
Drift		1.5 kHz/5 minute, characteristic
Swept Tracking Error		Usable in 1 kHz RBW after 5 minutes of warmup

	Specifications	Supplemental Information
RF Power-Off Residuals		
9 kHz to 3 GHz		< –120 dBm, characteristic

	Specifications	Supplemental Information
Output Attenuator Repeatability		
9 kHz to 300 MHz		±0.1 dB, characteristic
300 MHz to 2 GHz		±0.2 dB, characteristic
2 GHz to 3 GHz		±0.3 dB, characteristic

	Specifications	Supplemental Information
Output VSWR		
0 dB attenuation		<2.0:1, characteristic
≥8 dB attenuation		<1.5:1, characteristic

	Specifications	Supplemental Information
Output Attenuator Accuracy		
0 dB		±0.5 dB, characteristic
8 dB		±0.5 dB, characteristic
16 dB	Reference	
24 dB		±0.5 dB, characteristic

Agilent E4403B Specifications and Characteristics **Options**

	Specifications	Supplemental Information
32 dB		±0.6 dB, characteristic
40 dB		±0.8 dB, characteristic
48 dB		±1.0 dB, characteristic
56 dB		±1.1 dB, characteristic

Tracking Generator Output Accuracy

Relative Accuracy (Referred to –20 dBm) = Output Attenuator Accuracy + Vernier Accuracy + Output Flatness

 $Ab solute\ Accuracy = \\ Relative\ Accuracy\ (Referred\ to\ -20\ dBm)\ +\ Ab solute\ Accuracy\ at\ 50\ MHz$

1-18 Chapter 1

General

	Specifications	Supplemental Information
Temperature Range		
Operating	0 to 55 °C	Floppy disk 10 to 40 °C
Storage	−40 to 75 °C	

	Specifications	Supplemental Information
Audible Noise (ISO 7779)		
Sound Pressure at 25 °C		<40 dBa, (<4.6 Bels power)

	Specifications	Supplemental Information
Military Specification	Has been type tested to the environmental specifications of MIL-PRF-28800F class 3.	

	Specifications	Supplemental Information
EMI Compatibility	Conducted and radiated emission is in compliance with CISPR Pub. 11/1990 Group 1 Class A.	

	Specifications	Supplemental Information
Immunity Testing		
Radiated Immunity		Testing was done at 3 V/m according to IEC 801-3/1984. When the analyzer tuned frequency is identical to the immunity test signal frequency there may be signals of up to -60 dBm displayed on the screen.
Electrostatic Discharge		Air discharges of up to 8 kV were applied according to IEC 801-2/1991. Discharges to center pins of any of the connectors may cause damage to the associated circuitry.

	Specifications	Supplemental Information
Power Requirements		
ac Operation		
Voltage, frequency	90 to 132 Vrms, 47 to 440 Hz	
	195 to 250 Vrms, 47 to 66 Hz	
Power Consumption, On	<300 W	
Power Consumption, Standby	<5 W	
dc Operation		
Voltage	12 to 20 Vdc	
Power Consumption	<200 W	

	Specifications	Supplemental Information
Measurement Speed		
Local Measurement and Display Update rate ^a		≥ 30/s, characteristic
Remote Measurement and GPIB Transfer Rate ^{b,c} (Option A4H)		≥30/s, characteristic
RF Center Frequency Tune, Measure, and GPIB Transfer Time ^{bd} (Option A4H)		≤ 90 ms, characteristic


- a. Factory preset, auto align Off, fixed center frequency, RBW = 1 MHz, and spans >10 MHz and \leq 600 MHz.
- b. Display Off (:DISPlay:ENABle OFF), and 32-bit integer data format (:FORMat:DATA INT,32), if *Option A4J* is installed, disable sweep ramp, (:SYSTem:PORTs:IFVSweep:ENABle OFF), markers Off, single sweep, measured with IBM compatible PC with 550 MHz Pentium® III running Windows® NT 4.0, one meter GPIB cable, National Instruments PCI-GPIB card and NI-488.2 DLL.
- c. Factory preset, auto align Off, RBW = 1 MHz, span= 20 MHz, fixed center frequency, average of 100 measurements.
- d. Factory preset, auto align Off, RBW = 1 MHz, span= 20 MHz, and center frequency tune step size = 50 MHz.

1-20 Chapter 1

	Specifications	Supplemental Information
Data Storage		
Internal		200 Traces or States
External (10 to 40 °C) 3.5" 1.44 MB, MS-DOS [®] compatible floppy disk		200 Traces or States

	Specifications	Supplemental Information
Demod Tune and Listen		Internal speaker, front-panel earphone jack and front-panel volume control.
Demod	AM	
(Option A4J)		An uncalibrated demodulated signal is available on the AUX VIDEO OUT connector at the rear panel.

	Specifications	Supplemental Information
Weight (without options)		
Net		15.5 kg (34.2 lb), characteristic
Shipping		27.4 kg (60.4 lb), characteristic



1-22 Chapter 1

Inputs and Outputs

Front Panel

	Specifications	Supplemental Information
INPUT 50 Ω		
Connector	Type-N female	
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
RF OUT 50 Ω , (Option 1DN)		
Connector	Type-N female	
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
AMPTD REF OUT ^a		Amplitude Reference
Connector	BNC female	
Impedance		50 Ω, nominal
Frequency		50 MHz
Frequency Accuracy		Frequency reference error ^b
50 Ω Amplitude ^c		–20 dBm, nominal

- a. Turn the amplitude reference on/off by pressing the keys: Input/Output, Amptd Ref Out.
- b. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).
- c. The internal amplitude reference actual power is stored internally.

	Specifications	Supplemental Information
PROBE POWER		
Voltage/Current		+15 Vdc, ±7% at 150 mA max., characteristic -12.6 Vdc ±10% at 150 mA max., characteristic

Agilent E4403B Specifications and Characteristics Inputs and Outputs

	Specifications	Supplemental Information
EXT KEYBOARD ^a		Used for entering screen titles and filenames only. Interface compatible with most IBM-compatible PC keyboards.
Connector	6-pin mini-DIN	

a. The feature is not implemented in firmware revisions prior to $\ensuremath{\text{A.04.00}}.$

	Specifications	Supplemental Information
Speaker		Front panel knob controls volume

	Specifications	Supplemental Information
Headphone		Front panel knob controls volume
Connector	3.5 mm (1/8 inch) miniature audio jack	
Power Output		0.2 W into 4 Ω , characteristic

Rear Panel

	Specifications	Supplemental Information
10 MHz REF OUT		
Connector	BNC female	
Impedance		50 Ω, nominal
Output Amplitude		>0 dBm, characteristic

1-24 Chapter 1

	Specifications	Supplemental Information
10 MHz REF IN		
Connector	BNC female	Note: Analyzer noise sidebands and spurious response performance may be affected by the quality of the external reference used.
Impedance		50 Ω, nominal
Input Amplitude Range		-15 to +10 dBm, characteristic
Frequency		10 MHz, nominal

	Specifications	Supplemental Information
GATE TRIG/EXT TRIG IN		
Connector	BNC female	
External Trigger Input		
Trigger Level		Selectable positive or negative edge initiates sweep in EXT TRIG mode (5 V TTL)

	Specifications	Supplemental Information
GATE/HI SWP OUT		
Connector	BNC female	
High Sweep Output		
Level		High = sweep ^a ; Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

	Specifications	Supplemental Information
VGA OUTPUT		
Connector	VGA compatible, 15-pin mini D-SUB	
Format		VGA (31.5 kHz horizontal, 60 Hz vertical sync rates, non-interlaced) Analog RGB
Resolution	640 × 480	

	Specifications	Supplemental Information
AUX IF OUT (Option A4J)		
Connector	BNC female	
Frequency		21.4 MHz, nominal
Amplitude (for signal at reference level and for reference levels – input attenuation of –10 to –70 dBm)		–10 dBm (uncorrected), characteristic
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
AUX VIDEO OUT (Option A4J)		
Connector	BNC female	
Amplitude Range (into $>10~k\Omega$)		0 to 1 V (uncorrected), characteristic

	Specifications	Supplemental Information
HI SWP IN (Option A4J)		
Connector	BNC female	
Input		Open collector, low resets and holds the sweep (5 V TTL)

	Specifications	Supplemental Information
HI SWP OUT (Option A4J)		
Connector	BNC female	
Output		High = sweep ^a , Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

1-26 Chapter 1

	Specifications	Supplemental Information
SWP OUT (Option A4J)		
Connector	BNC female	
Amplitude		0 to +10 V ramp, characteristic

	Specifications	Supplemental Information
GPIB Interface (Option A4H)		
Connector	IEEE-488 bus connector	
GPIB Codes		SH1, AH1, T6, SR1, RL1, PP0, DC1, C1, C2, C3 and C28

	Specifications	Supplemental Information
Serial Interface (Option 1AX)		
Connector	9-pin D-SUB male	RS-232

	Specifications	Supplemental Information
Parallel Interface (Option A4H or 1AX)		Printer port only
Connector	25-pin D-SUB female	

	Regulatory Information
CAUTION	This product is designed for use in Installation Category II and Pollution Degree 2 per IEC 1010 and 664 respectively.
NOTE	This product has been designed and tested in accordance with IEC Publication 1010, Safety Requirements for Electronic Measuring Apparatus, and has been supplied in a safe condition. The instruction documentation contains information and warnings which must be followed by the user to ensure safe operation and to maintain the product in a safe condition.
C€	The CE mark is a registered trademark of the European Community (if accompanied by a year, it is the year when the design was proven).
•	The CSA mark is the Canadian Standards Association safety mark.
ISM 1-A	This is a symbol of an Industrial Scientific and Medical Group 1 Class A product. (CISPR 11, Clause 4)

1-28 Chapter 1

Declaration of Conformity

DECLARATION OF CONFORMITY

According to ISO/IEC Guide 22 and CEN/CENELEC EN 45014

Manufacturer's Name: Agilent Technologies, Inc.

Manufacturer's Address: 1400 Fountaingrove Parkway

Santa Rosa, CA 95403-1799

USA

Declares that the products

Product Name: Spectrum Analyzer

Model Number: E4401B, E4402B, E4403B, E4404B,

E4405B, E4407B, E4408B, E4411B

Product Options: This declaration covers all options of the above

products.

Conform to the following product specifications:

EMC: IEC 61326-1:1997+A1:1998 / EN 61326-1:1997+A1:1998

Standard Limit CISPR 11:1990 / EN 55011-1991 Group 1, Class A IEC 61000-4-2:1995+A1998 / EN 61000-4-2:1995 4 kV CD, 8 kV AD IEC 61000-4-3:1995 / EN 61000-4-3:1995 3 V/m, 80 - 1000 MHz IEC 61000-4-4:1995 / EN 61000-4-4:1995 0.5 kV sig., 1 kV power IEC 61000-4-5:1995 / EN 61000-4-5:1996 0.5 kV L-L, 1 kV L-G 3 V. 0.15 – 80 MHz IEC 61000-4-6:1996 / EN 61000-4-6:1998 IEC 61000-4-11:1994 / EN 61000-4-11:1998 1 cycle, 100%

Safety: IEC 61010-1:1990 + A1:1992 + A2:1995 / EN 61010-1:1993 +A2:1995

CAN/CSA-C22.2 No. 1010.1-92

Supplementary Information:

The products herewith comply with the requirements of the Low Voltage Directive 73/23/EEC and the EMC Directive 89/336/EEC and carry the CE-marking accordingly.

Santa Rosa, CA, USA 17 April 2000

Greg Pfeiffer/Quality Engineering Manager

For further information, please contact your local Agilent Technologies sales office, agent or distributor.

2 Agilent E4408B Specifications and Characteristics

About This Chapter

This chapter contains specifications and characteristics for the Agilent E4408B spectrum analyzer. The distinction between specifications and characteristics is described as follows.

- Specifications describe the performance of parameters covered by the product warranty. (The temperature range is 0 $^{\circ}$ C to 55 $^{\circ}$ C, unless otherwise noted.)
- Characteristics describe product performance that is useful in the application of the product, but is not covered by the product warranty.
- Typical performance describes additional product performance information that is not covered by the product warranty. It is performance beyond specification that 80% of the units exhibit with a 95% confidence level over the temperature range 20 to 30 °C.
 Typical performance does not include measurement uncertainty.
- Nominal values indicate the expected performance, or describe product performance that is useful in the application of the product, but is not covered by the product warranty.

The following conditions must be met for the analyzer to meet its specifications.

The analyzer is within the one year calibration cycle.	
If Auto Align All is selected:	

- After 2 hours of storage within the operating temperature range.
- 5 minutes after the analyzer is turned on with sweep times less than 4 seconds.
- After the front-panel amplitude reference is connected to the INPUT, and Align Now RF has been run, after the analyzer is turned on. And, once every 24 hours, or if ambient temperature changes more than 30 $^{\circ}$ C.

☐ If Auto Align Off is selected:

- When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
- After the analyzer is turned on for a minimum of 90 minutes, the front panel amplitude reference has been connected to the INPUT, and Align Now All has been run.
- When Align Now All is run:
 - Every hour

2-2 Chapter 2

- If the ambient temperature changes more than 3 °C
- If the 10 MHz reference changes
- When Align Now RF is run (with the front-panel amplitude reference connected to the INPUT):
 - Every 24 hours
 - If the ambient temperature changes more than 30 °C

☐ If Auto Align All but RF is selected:

- When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
- After the analyzer is turned on for a minimum of 90 minutes, the front panel amplitude reference has been connected to the INPUT, and Align Now RF has been run.
- When Align Now RF is run (with the front-panel amplitude reference connected to the INPUT):
 - Every hour
 - If the ambient temperature changes more than 3 $^{\circ}\text{C}$

Frequency

	Specifications	Supplemental Information
Frequency Range		
	9 kHz to 26.5 GHz	
Band		Harmonic Mixing Mode (Na)
0	9 kHz to 3.0 GHz	1-
1	2.85 GHz to 6.7 GHz	1-
2	6.2 GHz to 13.2 GHz	2-
3	12.8 GHz to 19.2 GHz	4-
4	18.7 GHz to 26.5 GHz	4-

a. N is the harmonic mixing mode. For negative mixing modes (as indicated by the "-"), the desired 1st LO harmonic is higher than the tuned frequency by the 1st IF (3.9214 for the 9 kHz to 3 GHz band, 321.4 MHz for all other bands).

	Specifications	Supplemental Information
Frequency Reference		
Aging Rate	$\pm 2 \times 10^{-6}$ /year	$\pm 1.0 \times 10^{-7}$ /day, characteristic
Settability	$= \pm 5 \times 10^{-7}$	
Temperature Stability	$\pm 5 \times 10^{-6}$	

	Specifications	Supplemental Information
Frequency Readout Accuracy		
(Start, Stop, Center, Marker)	$\begin{array}{l} \pm ((frequency\ indication \times \\ frequency\ reference\ error^a) \\ + 0.75\%\ of\ span \\ + 15\%\ of\ RBW \\ + 10\ Hz + 1\ Hz \times N^b) \end{array}$	

a. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).

b. N is the harmonic mixing mode.

2-4 Chapter 2

	Specifications	Supplemental Information
Marker Frequency Counter		
Resolution	Selectable from 1 Hz to 100 kHz	
Accuracy ^a	±(marker frequency × frequency reference error ^b + counter resolution) ^c	

- a. Marker level to displayed noise level > 25 dB, RBW/ Span ≥ 0.002 , frequency offset = 0 Hz.
- b. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).
- c. For firmware revisions prior to A.03.00, add 1 Hz x N, where N is the harmonic mixing mode.

	Specifications	Supplemental Information
Frequency Span		
Range	0 Hz (zero span), 100 Hz to 26.5 GHz	
Resolution	2 Hz x N ^a	
Accuracy	±1.0% of span	

a. N is the harmonic mixing mode.

	Specifications	Supplemental Information
Sweep Time		
Range	4 ms to 4000 s ^a	
Tracking Generator On (Option 1DN)		50 ms is the minimum sweep time
Accuracy (Span = 0 Hz)		
4 ms to 4000 s ^a	±1%	
Sweep Trigger ^b	Free Run, Single, Line, Video, External, Delayed, Offset ^c	
Delayed Trigger ^d		
Range	1 μs to 400 s	
Resolution	delay in seconds 65000 rounded up to nearest μs	

Agilent E4408B Specifications and Characteristics **Frequency**

	Specifications	Supplemental Information
Accuracy	±(500 ns + (0.01% of delay))	
Offset Trigger ^c		
Resolution	sweep time 400	
Range	±327 ms to ±323 ks	Where ST = sweep time $\frac{-32766 \times ST}{400} \text{ to } \frac{32365 \times ST}{400}$

- a. For firmware revisions prior to A.04.00, 5 ms to 2000 s.
- b. Auto align is suspended in video, external, and delayed trigger modes while waiting for a trigger event to occur.
- c. For firmware revision A.04.00 or later.
- d. Delayed trigger is available with line and external trigger.

	Specifications	Supplemental Information
Sweep (trace) Points	401	


	Specifications	Supplemental Information
Resolution Bandwidth (RBW)		
Range		
–3 dB bandwidth	1 kHz to 3 MHz, in 1-3-10 sequence, 5 MHz	
-6 dB bandwidth (EMI)	9 kHz and 120 kHz	
Accuracy		
1 kHz to 3 MHz RBW	±15%	
5 MHz RBW	±30%	
Shape		
1 kHz to 5 MHz RBW		Synchronously tuned four poles, approximately Gaussian shape
Selectivity (60 dB/3 dB bandwidth ratio)		
1 kHz to 5 MHz RBW		<15:1, characteristic

2-6 Chapter 2

	Specifications	Supplemental Information
Video Bandwidth (VBW) (-3 dB)		
Range	30 Hz to 1 MHz in 1-3-10 sequence	3 MHz, characteristic
Accuracy		±30%, characteristic
Shape		Post detection, single pole low- pass filter used to average displayed noise

	Specifications	Supplemental Information
Stability		
Noise Sidebands (Offset from CW signal with 1 kHz RBW, 30 Hz VBW and sample detector)		
≥10 kHz	≤ −90 dBc/Hz ^a	≤ –94 dBc/Hz ^a , typical
≥20 kHz	≤-100 dBc/Hz ^a	≤-105 dBc/Hz ^a , typical
≥30 kHz	≤-106 dBc/Hz ^a	≤-112 dBc/Hz ^a , typical
≥100 kHz	$\leq -119 \text{ dBc/Hz}^a$	≤ –122 dBc/Hz ^a , typical
Residual FM		
1 kHz RBW, 1 kHz VBW	≤150 Hz × N p−p in 100 ms	
System-Related Sidebands, offset from CW signal		
≥30 kHz	\leq -65 dBc ^a	

a. Add 20 Log(N) for frequencies $> 6.7\,$ GHz



2-8 Chapter 2

Amplitude

Amplitude specifications do not apply for the negative peak detector mode.

	Specifications	Supplemental Information
Measurement Range	Displayed Average Noise Level to Maximum Safe Input Level	
Input Attenuator Range	0 to 65 dB, in 5 dB steps	

	Specifications	Supplemental Information
Maximum Safe Input Level		
Average Continuous Power	+30 dBm (1 W)	
(Input attenuator setting ≥5 dB)		
Peak Pulse Power (for <10 μsec pulse width, <1% duty cycle, and input attenuation ≥30 dB)	+50 dBm (100 W)	
dc	0 Vdc	

	Specifications	Supplemental Information
1 dB Gain Compression		
Total power at input mixer ^{ab}		
50 MHz to 3.0 GHz	0 dBm	
3.0 GHz to 6.7 GHz	0 dBm	
6.7 GHz to 13.2 GHz	-3 dBm	
13.2 GHz to 26.5 GHz	−5 dBm	

a. Mixer power level (dBm) = input power (dBm) – input attenuation (dB).

b. For resolution bandwidths 1 kHz to 30 kHz, the maximum input signal amplitude must be \leq reference level +10 dB.

	Specifications	Supplemental Information
Displayed Average Noise Level		
(Input terminated, 0 dB attenuation, sample detector, Reference Level = -70 dBm)		
	1 kHz RBW, 30 Hz VBW	1 kHz RBW, 30 Hz VBW
1 MHz to 10 MHz		≤ –116 dBm, characteristic
10 MHz to 1.0 GHz	≤ –116 dBm	
1.0 GHz to 2.0 GHz	≤-115 dBm	
2.0 GHz to 3.0 GHz	≤ −112 dBm	
3.0 GHz to 6.0 GHz	≤ –112 dBm	
6.0 GHz to 12 GHz	≤-110 dBm	
12 GHz to 22 GHz	≤ -107 dBm	
22 GHz to 26.5 GHz	≤-101 dBm	

	Specifications	Supplemental Information
Display Range		
Log Scale	Ten divisions displayed; 0.1, 0.2, 0.5 dB/division and 1 to 20 dB/division in 1 dB steps Calibrated 0 to –85 dB from Reference Level	
Linear Scale	Ten divisions	
Scale Units	dBm, dBmV, dBμV, V, and W	

	Specifications	Supplemental Information
Marker Readout Resolution		
Log scale		
0 to -85 dB from ref level	0.04 dB	
Linear scale	0.01% of Reference Level	

2-10 Chapter 2

	Specifications	Supplemental Information
Frequency Response		
Absolute ^a /Relative		
10 dB attenuation		
9 kHz to 3.0 GHz		
20 to 30 °C	±0.5 dB	
0 to 55 °C	±1.0 dB	
Preselector centered for frequency >3.0 GHz		
10 dB attenuation		
3.0 GHz to 6.7 GHz		
Absolute ^a		
20 to 30 $^{\circ}\mathrm{C}$	±1.5 dB	
0 to 55 °C	±2.5 dB	
Relative		
20 to 30 °C	±1.3 dB	
0 to 55 °C	±1.5 dB	
6.7 GHz to 13.2 GHz		
Absolute ^a		
20 to 30 °C	±2.0 dB	
0 to 55 °C	±3.0 dB	
Relative		
20 to 30 °C	±1.8 dB	
0 to 55 °C	±2.0 dB	
13.2 GHz to 26.5 GHz		
Absolute ^a		
20 to 30 °C	±2.0 dB	
0 to 55 °C	±3.0 dB	
Relative		
20 to 30 °C	±1.8 dB	
0 to 55 °C	±2.0 dB	

a. Absolute flatness values are referenced to the amplitude at $50\ \text{MHz}$.

	Specifications	Supplemental Information
Input Attenuation Switching Uncertainty at 50 MHz		
Attenuator Setting		
0 dB to 5 dB	±0.3 dB	
10 dB	Reference	
15 dB	±0.3 dB	
20 to 65 dB attenuation	$\pm (0.1 \text{ dB} + 0.01 \times \text{Attenuator})$ Setting)	

Attenuation Accuracy Relative to the 10 dB Attenuator Setting, Characteristic					
	Frequency Range				
Attenuation	dc-3 GHz	3.0-13.2 GHz	13.2-19 GHz	19-22 GHz	22-26.5 GHz
0 dB	±0.3 dB	±0.5 dB	±0.8 dB	±0.9 dB	±1.0 dB
5 dB	±0.3 dB	±0.5 dB	±0.8 dB	±0.9 dB	±1.0 dB
10 dB	Reference	Reference	Reference	Reference	Reference
15 dB	±0.4 dB	±0.5 dB	±0.8 dB	±1.0 dB	±1.5 dB
20 dB	±0.4 dB	±0.5 dB	±0.8 dB	±1.0 dB	±1.5 dB
25 dB	±0.5 dB	±0.6 dB	±0.8 dB	±1.2 dB	±2.0 dB
30 dB	±0.5 dB	±0.6 dB	±0.8 dB	±1.2 dB	±2.0 dB
35 dB	±0.6 dB	±0.7 dB	±1.0 dB	±1.8 dB	±3.0 dB
40 dB	±0.6 dB	±0.7 dB	±1.0 dB	±1.8 dB	±3.0 dB
45 dB	±0.7 dB	±1.0 dB	±1.3 dB	±2.2 dB	±3.4 dB
50 dB	±0.7 dB	±1.0 dB	±1.3 dB	±2.2 dB	±3.4 dB
55 dB	±0.9 dB	±1.1 dB	±1.6 dB	±2.7 dB	±3.5 dB
60 dB	±0.9 dB	±1.1 dB	±1.6 dB	±2.7 dB	±3.5 dB
65 dB	±1.0 dB	±1.6 dB	±2.0 dB	±3.2 dB	±3.8 dB

2-12 Chapter 2

	Specifications	Supplemental Information
Absolute Amplitude Accuracy		
At reference settings ^a	±0.4 dB	
Overall Amplitude Accuracy ^b		
20 to 30 °C	± (0.6 dB + Absolute Frequency Response)	

- a. Settings are: reference level –20 dBm; input attenuation 10 dB; center frequency 50 MHz; RBW 1 kHz; VBW 1 kHz; scale linear or log; span 2 kHz; sweep time coupled, signal at reference level.
- b. For reference level 0 to -50 dBm; input attenuation 10 dB; RBW 1 kHz; VBW 1 kHz; scale log, log range 0 to -50 dB from reference level; sweep time coupled; signal input 0 to -50 dBm; span ≤ 20 kHz.

	Specifications	Supplemental Information
RF Input VSWR (at tuned frequency)		
Attenuator setting 0 dB		
9 kHz to 26.5 GHz		≤3.0:1, characteristic
Attenuator setting 5 dB		
9 kHz to 100 kHz		≤2.0:1, characteristic
100 kHz to 6.7 GHz		≤1.4:1, characteristic
6.7 GHz to 13.2 GHz		≤1.7:1, characteristic
13.2 GHz to 22.0 GHz		≤2.3:1, characteristic
22.0 GHz to 26.5 GHz		≤2.6:1, characteristic
Attenuator setting 10 to 65 dB		
9 kHz to 6.7 GHz		≤1.3:1, characteristic
6.7 GHz to 13.2 GHz		≤1.5:1, characteristic
13.2 GHz to 22.0 GHz		≤2.0:1, characteristic
22.0 GHz to 26.5 GHz		≤2.2:1, characteristic

Agilent E4408B Specifications and Characteristics **Amplitude**

	Specifications	Supplemental Information
Auto Alignment ^a		
Sweep-to-sweep variation		±0.1 dB, characteristic

a. Set $\operatorname{Auto}\nolimits$ Align to $\operatorname{Off}\nolimits$ and use $\operatorname{Align}\nolimits$ Now, $\operatorname{All}\nolimits$ to eliminate this variation.

	Specifications	Supplemental Information
Resolution Bandwidth Switching Uncertainty (at Reference Level)		
1 kHz RBW	Reference	
3 kHz to 3 MHz RBW	±0.3 dB	
5 MHz RBW	±0.6 dB	

	Specifications	Supplemental Information
Reference Level		
Range	-149.9 dBm to maximum mixer level + attenuator setting	
Resolution		
Log Scale	±0.1 dB	
Linear Scale	±0.12% of Reference Level	
Accuracy (at a fixed frequency, a fixed attenuator, and referenced to -30 dBm)		
Reference Level (dBm) – input attenuator setting (dB)		
-10 dBm to > -60 dBm	±0.3 dB	
-60 dBm to > -85 dBm	±0.5 dB	
-85 dBm to -90 dBm	±0.7 dB	

	Specifications	Supplemental Information
Display Scale Switching Uncertainty		
Switching between Linear and Log	±0.15 dB at Reference Level	
Log Scale Switching	No error	

2-14 Chapter 2

	Specifications	Supplemental Information
Display Scale Fidelity		
Log Maximum Cumulative		
0 to 85 dB Below reference level	$ \begin{array}{c} \pm (0.3 \; dB + 0.01 \times dB \; from \\ reference \; level) \end{array} $	
Log Incremental Accuracy		
0 to 80 dB below reference level	±0.4 dB/4 dB	
Linear Accuracy	±2% of Reference Level	


	Specifications	Supplemental Information
Spurious Responses		
Second Harmonic Distortion		
Input Signal		
10 MHz to 500 MHz	< -60 dBc for -30 dBm signal at input mixer ^a	+30 dBm SHI (second harmonic intercept)
500 MHz to 1.5 GHz	< -70 dBc for -30 dBm signal at input mixer ^a	+40 dBm SHI
1.5 GHz to 2.0 GHz	< -80 dBc for -10 dBm signal at input mixer ^a	+70 dBm SHI
2.0 GHz to 3.35 GHz	< –95 dBc ^b for –10 dBm signal at input mixer ^a	+85 dBm SHI
3.35 GHz to 6.6 GHz	< –95 dBc ^b for –10 dBm signal at input mixer ^a	+85 dBm SHI
6.6 GHz to 13.25 GHz	< –95 dBc ^b for –10 dBm signal at input mixer ^a	+85 dBm SHI
Third Order Intermodulation Distortion		
10 MHz to 100 MHz		+5 dBm TOI (third order intercept), characteristic
100 MHz to 3 GHz	< -75 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation	+7.5 dBm TOI
3.0 GHz to 6.7 GHz	< -75 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation	+7.5 dBm TOI

Agilent E4408B Specifications and Characteristics **Amplitude**

	Specifications	Supplemental Information
6.7 GHz to 13.2 GHz	< -70 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation	+5.0 dBm TOI
13.2 GHz to 26.5 GHz	< -70 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation	+5.0 dBm TOI
Other Input Related Spurious		
Inband Responses		
>30 kHz offset	< -65 dBc for -20 dBm signal at input mixer ^a	
Out-of-band Responses	< -80 dBc for -10 dBm signal at input mixer ^a	

a. Mixer power level (dBm) = input power (dBm – input attentuation (dB)) b. or signal below displayed average noise level.

2-16 Chapter 2



	Specifications	Supplemental Information
Residual Responses (Input terminated and 0 dB attenuation)		
150 kHz to 6.7 GHz	< -90 dBm	

Options

Tracking Generator (Option 1DN)

The spectrum analyzer/tracking generator combination will meet its specification after a cable (8120-5148) and adapter are connected between RF OUT and INPUT and Align Now, TG has been run.

	Specifications	Supplemental Information
Warmup	5 minutes	

	Specifications	Supplemental Information
Output Frequency Range	9 kHz to 3.0 GHz	

	Specifications	Supplemental Information
Output Power Level		
Range	−2 to −66 dBm	
Resolution	0.1 dB	
Absolute Accuracy (at 50 MHz with coupled source attenuator, referenced to –20 dBm)	± 0.75 dB	
Vernier		
Range	8 dB	
Accuracy (with coupled source attenuator, 50 MHz, –20 dBm)		
Incremental	±0.2 dB/dB	
Cumulative	±0.5 dB, total	
Output Attenuator Range	0 to 56 dB in 8 dB steps	

	Specifications	Supplemental Information
Maximum Safe Reverse Level		+30 dBm (1 W), 50 Vdc, characteristic

2-18 Chapter 2

	Specifications	Supplemental Information
Output Power Sweep		
Range	(-10 to -2 dBm) – (Source Attenuator Setting)	
Resolution	0.1 dB	
Accuracy (zero span)	<1 dB peak-to-peak	

	Specifications	Supplemental Information
Output Flatness		
Referenced to 50 MHz, -20 dBm		
9 kHz to 10 MHz	±3 dB	
10 MHz to 3 GHz	±2 dB	

	Specifications	Supplemental Information
Spurious Outputs		
(-2 dBm output)		
Harmonic Spurs		
TG Output 9 kHz to 20 kHz	≤ –15 dBc	
TG Output 20 kHz to 3 GHz	≤ –25 dBc	
Non-harmonic Spurs		
TG Output 9 kHz to 2 GHz	≤-27 dBc	
TG Output 2 GHz to 3 GHz	≤ -23 dBc	
LO Feedthrough		
LO Frequency 3.921409 GHz to 6.9214 GHz	≤-16 dBm	

	Specifications	Supplemental Information
Dynamic Range	Maximum Output Power Level - Displayed Average Noise Level	

	Specifications	Supplemental Information
Output Tracking		
Drift		1.5 kHz/5 minute, characteristic
Swept Tracking Error		Usable in 1 kHz RBW after 5 minutes of warmup

	Specifications	Supplemental Information
RF Power-Off Residuals		
9 kHz to 3 GHz		< -120 dBm, characteristic

	Specifications	Supplemental Information
Output Attenuator Repeatability		
9 kHz to 300 MHz		±0.1 dB, characteristic
300 MHz to 2 GHz		±0.2 dB, characteristic
2 GHz to 3 GHz		±0.3 dB, characteristic

	Specifications	Supplemental Information
Output VSWR		
0 dB attenuation		<2.0:1, characteristic
≥8 dB attenuation		<1.5:1, characteristic

	Specifications	Supplemental Information
Output Attenuator Accuracy		
0 dB		±0.5 dB, characteristic
8 dB		±0.5 dB, characteristic
16 dB	Reference	
24 dB		±0.5 dB, characteristic
32 dB		±0.6 dB, characteristic
40 dB		±0.8 dB, characteristic
48 dB		±1.0 dB, characteristic
56 dB		±1.1 dB, characteristic

2-20 Chapter 2

Tracking Generator Output Accuracy

 $Relative\ Accuracy\ (Referred\ to\ -20\ dBm) = \\ Output\ Attenuator\ Accuracy\ +\ Vernier\ Accuracy\ +\ Output\ Flatness$

 $Absolute\ Accuracy = \\ Relative\ Accuracy\ (Referred\ to\ -20\ dBm)\ +\ Absolute\ Accuracy\ at\ 50\ MHz$

General

	Specifications	Supplemental Information
Temperature Range		
Operating	0 to 55 °C	Floppy disk 10 to 40 °C
Storage	−40 to 75 °C	

	Specifications	Supplemental Information
Audible Noise (ISO 7779)		
Sound Pressure at 25 °C		<40 dBa, (<4.6 Bels power)

	Specifications	Supplemental Information
Military Specification	Has been type tested to the environmental specifications of MIL-PRF-28800F class 3.	

	Specifications	Supplemental Information
EMI Compatibility	Conducted and radiated emission is in compliance with CISPR Pub. 11/1990 Group 1 Class A.	

	Specifications	Supplemental Information
Immunity Testing		
Radiated Immunity		Testing was done at 3 V/m according to IEC 801-3/1984. When the analyzer tuned frequency is identical to the immunity test signal frequency, there may be signals of up to -60 dBm displayed on the screen.
Electrostatic Discharge		Air discharges of up to 8 kV were applied according to IEC 801-2/1991. Discharges to center pins of any of the connectors may cause damage to the associated circuitry.

2-22 Chapter 2

	Specifications	Supplemental Information
Power Requirements		
ac Operation		
Voltage, frequency	90 to 132 Vrms, 47 to 440 Hz	
	195 to 250 Vrms, 47 to 66 Hz	
Power Consumption, On	<300 W	
Power Consumption, Standby	<5 W	
dc Operation		
Voltage	12 to 20 Vdc	
Power Consumption	<200 W	

	Specifications	Supplemental Information
Measurement Speed		
Local Measurement and Display Update rate ^a		≥ 28/s, characteristic
Remote Measurement and GPIB Transfer Rate ^{b,c} (Option A4H)		≥ 28/s, characteristic
RF Center Frequency Tune, Measure, and GPIB Transfer Time ^{b,d} (Option A4H)		≤ 90 ms, characteristic

- a. Factory preset, auto align Off, fixed center frequency, RBW = 1 MHz, spans >10 MHz and \leq 600 MHz, and stop frequency \leq 3 GHz.
- b. Display Off (:DISPlay:ENABle OFF), and 32-bit integer data format (:FORMat:DATA INT,32), if *Option A4J* is installed, disable sweep ramp, (:SYSTem:PORTs:IFVSweep:ENABle OFF), markers Off, single sweep, measured with IBM compatible PC with 550 MHz Pentium® III running Windows® NT 4.0, one meter GPIB cable, National Instruments PCI-GPIB card and NI-488.2 DLL
- c. Factory preset, auto align Off, fixed center frequency, RBW = 1 MHz, and span = 20 MHz, stop frequency \leq 3 GHz, average of 100 measurements.
- d. Factory preset, auto align Off, RBW = 1 MHz, span= 20 MHz, stop frequency ≤3 GHz, center frequency tune step size = 50 MHz.


	Specifications	Supplemental Information
Data Storage		
Internal		200 Traces or States
External (10 to 40 °C) 3.5" 1.44 MB, MS-DOS [®] compatible floppy disk		200 Traces or States

Agilent E4408B Specifications and Characteristics **General**

	Specifications	Supplemental Information
Demod Tune and Listen		Internal speaker, front-panel earphone jack and front-panel volume control.
Demod	AM	
(Option A4J)		An uncalibrated demodulated signal is available on the AUX VIDEO OUT connector at the rear panel.

	Specifications	Supplemental Information
Weight (without options)		
Net		17.1 kg (37.7 lb), characteristic
Shipping		31.9 kg (70.3 lb), characteristic

2-24 Chapter 2



Inputs and Outputs

Front Panel

	Specifications	Supplemental Information
INPUT 50 Ω		
Connector	Type-N female	
(Option BAB)	APC 3.5 male	
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
RF OUT 50 Ω, (Option 1DN)		
Connector	Type-N female	
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
AMPTD REF OUT ^a		Amplitude Reference
Connector	BNC female	
Impedance		50 Ω, nominal
Frequency		50 MHz
Frequency Accuracy		Frequency reference error ^b
50 Ω Amplitude ^c		–20 dBm, nominal

- a. Turn the amplitude reference on/off by pressing the keys: Input/Output, Amptd Ref Out.
- b. Frequency reference error = (aging rate × period of time since adjustment + settability + temperature stability).
- c. The internal amplitude reference actual power is stored internally.

	Specifications	Supplemental Information
PROBE POWER		
Voltage/Current		+15 Vdc, ±7% at 150 mA max., characteristic
		-12.6 Vdc ±10% at 150 mA max., characteristic

2-26 Chapter 2

	Specifications	Supplemental Information
EXT KEYBOARD ^a		Used for entering screen titles and filenames only. Interface compatible with most IBM-compatible PC keyboards.
Connector	6-pin mini-DIN	

a. The feature is not implemented in firmware revisions prior to $A.04.00.\,$

	Specifications	Supplemental Information
Speaker		Front panel knob controls volume

	Specifications	Supplemental Information
Headphone		Front panel knob controls volume
Connector	3.5 mm (1/8 inch) miniature audio jack	
Power Output		0.2 W into 4 Ω , characteristic

Rear Panel

	Specifications	Supplemental Information
10 MHz REF OUT		
Connector	BNC female	
Impedance		50 Ω, nominal
Output Amplitude		>0 dBm, characteristic

	Specifications	Supplemental Information
10 MHz REF IN		
Connector	BNC female	Note: Analyzer noise sidebands and spurious response performance may be affected by the quality of the external reference used.
Impedance		50 Ω, nominal
Input Amplitude Range		-15 to +10 dBm, characteristic
Frequency		10 MHz, nominal

	Specifications	Supplemental Information
GATE TRIG/EXT TRIG IN		
Connector	BNC female	
External Trigger Input		
Trigger Level		Selectable positive or negative edge initiates sweep in EXT TRIG mode (5 V TTL)

	Specifications	Supplemental Information
GATE/HI SWP OUT		
Connector	BNC female	
High Sweep Output		
Level		High = sweep ^a ; Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

	Specifications	Supplemental Information
VGA OUTPUT		
Connector	VGA compatible, 15-pin mini D-SUB	
Format		VGA (31.5 kHz horizontal, 60 Hz vertical sync rates, non-interlaced) Analog RGB
Resolution	640×480	

2-28 Chapter 2

	Specifications	Supplemental Information
AUX IF OUT (Option A4J)		
Connector	BNC female	
Frequency		21.4 MHz, nominal
Amplitude (for signal at reference level and for reference levels – input attenuation of –10 to –70 dBm)		–10 dBm (uncorrected), characteristic
Impedance		50 Ω, nominal

	Specifications	Supplemental Information
AUX VIDEO OUT (Option A4J)		
Connector	BNC female	
Amplitude Range (into $>10 \text{ k}\Omega$)		0 to 1 V (uncorrected), characteristic

	Specifications	Supplemental Information
HI SWP IN (Option A4J)		
Connector	BNC female	
Input		Open collector, low resets and holds the sweep (5 V TTL)

	Specifications	Supplemental Information
HI SWP OUT (Option A4J)		
Connector	BNC female	
Output		High = sweep ^a , Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

	Specifications	Supplemental Information
SWP OUT (Option A4J)		
Connector	BNC female	
Amplitude		0 to +10 V ramp, characteristic

	Specifications	Supplemental Information
PRESEL TUNE OUTPUT		
Connector	BNC female	
Load Impedance (dc coupled)		> 10 kΩ, nominal
Range		0 to +10 V, characteristic
Sensitivity		0.33 V/GHz of tuned frequency > 3 GHz, characteristic

	Specifications	Supplemental Information
GPIB Interface (Option A4H)		
Connector	IEEE-488 bus connector	
GPIB Codes		SH1, AH1, T6, SR1, RL1, PP0, DC1, C1, C2, C3 and C28

	Specifications	Supplemental Information
Serial Interface (Option 1AX)		
Connector	9-pin D-SUB male	RS-232

	Specifications	Supplemental Information
Parallel Interface (Option A4H or 1AX)		Printer port only
Connector	25-pin D-SUB female	

2-30 Chapter 2

	Regulatory Information
CAUTION	This product is designed for use in Installation Category II and Pollution Degree 2 per IEC 1010 and 664 respectively.
NOTE	This product has been designed and tested in accordance with IEC Publication 1010, Safety Requirements for Electronic Measuring Apparatus, and has been supplied in a safe condition. The instruction documentation contains information and warnings which must be followed by the user to ensure safe operation and to maintain the product in a safe condition.
Œ	The CE mark is a registered trademark of the European Community (if accompanied by a year, it is the year when the design was proven).
(P •	The CSA mark is the Canadian Standards Association safety mark.
ISM 1-A	This is a symbol of an Industrial Scientific and Medical Group 1 Class A product. (CISPR 11, Clause 4)

Declaration of Conformity

DECLARATION OF CONFORMITY

According to ISO/IEC Guide 22 and CEN/CENELEC EN 45014

Manufacturer's Name: Agilent Technologies, Inc.

Manufacturer's Address: 1400 Fountaingrove Parkway

Santa Rosa, CA 95403-1799

USA

Declares that the products

Product Name: Spectrum Analyzer

Model Number: E4401B, E4402B, E4403B, E4404B,

E4405B, E4407B, E4408B, E4411B

Product Options: This declaration covers all options of the above

products.

Conform to the following product specifications:

EMC: IEC 61326-1:1997+A1:1998 / EN 61326-1:1997+A1:1998

Standard Limit CISPR 11:1990 / EN 55011-1991 Group 1, Class A IEC 61000-4-2:1995+A1998 / EN 61000-4-2:1995 4 kV CD, 8 kV AD IEC 61000-4-3:1995 / EN 61000-4-3:1995 3 V/m, 80 - 1000 MHz IEC 61000-4-4:1995 / EN 61000-4-4:1995 0.5 kV sig., 1 kV power IEC 61000-4-5:1995 / EN 61000-4-5:1996 0.5 kV L-L. 1 kV L-G IEC 61000-4-6:1996 / EN 61000-4-6:1998 3 V, 0.15 – 80 MHz IEC 61000-4-11:1994 / EN 61000-4-11:1998 1 cycle, 100%

Safety: IEC 61010-1:1990 + A1:1992 + A2:1995 / EN 61010-1:1993 +A2:1995

CAN/CSA-C22.2 No. 1010.1-92

Supplementary Information:

The products herewith comply with the requirements of the Low Voltage Directive 73/23/EEC and the EMC Directive 89/336/EEC and carry the CE-marking accordingly.

Santa Rosa, CA, USA 17 April 2000

Greg Pfeiffer/Quality Engineering Manager

For further information, please contact your local Agilent Technologies sales office, agent or distributor.

2-32 Chapter 2

3 Agilent E4411B Specifications and Characteristics

About This Chapter

This chapter contains specifications and characteristics for the Agilent E4411B spectrum analyzer. The distinction between specifications and characteristics is described as follows.

- Specifications describe the performance of parameters covered by the product warranty. (The temperature range is 0 $^{\circ}$ C to 55 $^{\circ}$ C, unless otherwise noted.)
- Characteristics describe product performance that is useful in the application of the product, but is not covered by the product warranty.
- Typical performance describes additional product performance information that is not covered by the product warranty. It is performance beyond specification that 80% of the units exhibit with a 95% confidence level over the temperature range 20 to 30 °C.
 Typical performance does not include measurement uncertainty.
- Nominal values indicate the expected performance, or describe product performance that is useful in the application of the product, but is not covered by the product warranty.

The following conditions must be met for the analyzer to meet its specifications.

- □ The analyzer is within the one year calibration cycle.
 □ If Auto Align All is selected:

 After 2 hours of storage within the operating temperature range.
 5 minutes after the analyzer is turned on with sweep times less than 4 seconds.

 □ If Auto Align Off is selected:
 - When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
 - After the analyzer is turned on for a minimum of 90 minutes and Align Now All has been run.
 - When Align Now All is run:
 - Every hour
 - If the ambient temperature changes more than 3 $^{\circ}$ C
 - If the 10 MHz reference changes

3-2 Chapter 3

☐ If Auto Align All but RF is selected:

- When the analyzer is at a constant temperature, within the operating temperature range, for a minimum of 90 minutes.
- After the analyzer is turned on for a minimum of 90 minutes and Align Now RF has been run.
- When Align Now RF is run:
 - Every hour
 - If the ambient temperature changes more than 3 $^{\circ}\text{C}$

Chapter 3 3-3

Frequency

	Specifications	Supplemental Information
Frequency Range		
50 Ω	9 kHz to 1.5 GHz	
75 Ω (Option 1DP)	1 MHz to 1.5 GHz	

	Specifications	Supplemental Information
Frequency Reference		
Aging Rate	$\pm 2 \times 10^{-6}$ /year	$\pm 1.0 \times 10^{-7}$ /day, characteristic
Settability	$\pm 5 imes 10^{-7}$	
Temperature Stability	$\pm 5 imes 10^{-6}$	

	Specifications	Supplemental Information
Frequency Readout Accuracy		
(Start, Stop, Center, Marker)	±((frequency indication × frequency reference error ^a) + 0.75% of span + 15% of RBW + 10 Hz)	

a. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).

	Specifications	Supplemental Information
Marker Frequency Counter		
Resolution	Selectable from 1 Hz to 100 kHz	
Accuracy ^a	±(marker frequency × frequency reference error ^b + counter resolution)	

a. Marker level to displayed noise level > 25 dB, RBW/ Span ≥ 0.002 , frequency offset = 0 Hz.

3-4 Chapter 3

b. Frequency reference error = (aging rate \times period of time since adjustment + settability + temperature stability).

	Specifications	Supplemental Information
Frequency Span		
Range	0 Hz (zero span), 100 Hz to 1.5 GHz	
Resolution	2 Hz	
Accuracy	±1.0% of span	

	Specifications	Supplemental Information
Sweep Time		
Range	4 ms to 4000 s ^a	
Tracking Generator On (Option 1DN or 1DQ)		50 ms is the minimum sweep time
Accuracy (Span = 0 Hz)		
4 ms to 4000 s ^a	±1%	
Sweep Trigger ^b	Free Run, Single, Line, Video, External, Delayed, Offset ^c	
Delayed Trigger ^d		
Range	1 μs to 400 s	
Resolution	delay in seconds 65000 rounded up to nearest μs	
Accuracy	±(500 ns + (0.01% of delay))	
Offset Trigger ^c		
Resolution	sweep time 400	
Range	±327 ms to ±323 ks	Where ST = sweep time $\frac{-32766 \times ST}{400} \text{ to } \frac{32365 \times ST}{400}$

- a. For firmware revisions prior to A.04.00, 5 ms to 2000 s.
- b. Auto align is suspended in video, external, and delayed trigger modes while waiting for a trigger event to occur.
- c. For firmware revision A.04.00 or later.
- d. Delayed trigger is available with line and external trigger.

Chapter 3 3-5


	Specifications	Supplemental Information
Sweep (trace) Points	401	

	Specifications	Supplemental Information
Resolution Bandwidth (RBW)		
Range		
–3 dB bandwidth	1 kHz to 3 MHz, in 1-3-10 sequence, 5 MHz	
–6 dB bandwidth (EMI)	9 kHz and 120 kHz	
Accuracy		
1 kHz to 3 MHz RBW	±15%	
5 MHz RBW	±30%	
Shape		
1 kHz to 5 MHz RBW		Synchronously tuned four poles, approximately Gaussian shape
Selectivity (60 dB/3 dB bandwidth ratio)		
1 kHz to 5 MHz RBW		<15:1, characteristic

	Specifications	Supplemental Information
Video Bandwidth (VBW) (-3 dB)		
Range	30 Hz to 1 MHz in 1-3-10 sequence	3 MHz, characteristic
Accuracy		±30%, characteristic
Shape		Post detection, single pole low- pass filter used to average displayed noise

3-6 Chapter 3

	Specifications	Supplemental Information
Stability		
Noise Sidebands (Offset from CW signal with 1 kHz RBW, 30 Hz VBW and sample detector)		
≥10 kHz	≤ −93 dBc/Hz	≤ –95 dBc/Hz, typical
≥20 kHz	≤ -100 dBc/Hz	≤-102 dBc/Hz, typical
≥30 kHz	≤ -104 dBc/Hz	≤-106 dBc/Hz, typical
≥100 kHz	≤ -113 dBc/Hz	≤-116 dBc/Hz, typical
Residual FM		
1 kHz RBW, 1 kHz VBW	≤150 Hz p−p in 100 ms	
System-Related Sidebands, offset from CW signal		
≥30 kHz	≤ -65 dBc	



Amplitude

Amplitude specifications do not apply for the negative peak detector mode.

	Specifications	Supplemental Information
Measurement Range	Displayed Average Noise Level to Maximum Safe Input Level	
Input Attenuator Range	0 to 60 dB, in 5 dB steps	

	Specifications	Supplemental Information
Maximum Safe Input Level		
Input attenuator setting ≥15 dB		Signals > +33 dBm (2 W) or +79 dBmV (1 W) (Option 1DP)
Average Continuous Power or Peak Pulse Power		nominal may trigger input protection, which disconnects the input path.
50 Ω	+30 dBm (1 W)	
75 Ω (Option 1DP)	+75 dBmV (0.4 W)	
dc	100 Vdc	dc transients may momentarily trigger input protection
Input attenuator setting <15 dB		Signals > +6 dBm (4 mW) or +61 dBmV (15 mW)
Average Continuous Power or Peak Pulse Power		(Option 1DP) nominal may trigger input protection, which automatically increases
50 Ω	+3 dBm (2 mW)	input attenuation to 15 dB.
75 Ω (Option 1DP)	+59 dBmV (10 mW)	
dc	100 Vdc	dc transients may trigger input protection.

3-8 Chapter 3

	Specifications	Supplemental Information
1 dB Gain Compression		
Total power at input mixer ^{ab}		
50 MHz to 1.5 GHz		
50 Ω	0 dBm	
75 Ω (Option 1DP)	+46.75 dBmV	

- a. Mixer power level (dBm) = input power (dBm) input attenuation (dB).
- b. For resolution bandwidths 1 kHz to 30 kHz, the maximum input signal amplitude must be \leq reference level +10 dB. (Option 1DP: For resolution bandwidths 1 kHz to 30 kHz, the maximum input signal amplitude must be \leq reference level +5 dB).

	Specifications	Supplemental Information
Displayed Average Noise Level		
(Input terminated, 0 dB attenuation, sample detector, Reference Level = -70 dBm) (75 Ω: Reference Level = -21.24 dBmV)		
50 Ω	1 kHz RBW, 30 HzVBW	
400 kHz to 10 MHz	≤ –115 dBm	
10 MHz to 500 MHz	≤ –119 dBm	
500 MHz to 1.0 GHz	≤ –117 dBm	
1.0 GHz to 1.5 GHz	≤ –113 dBm	
75 Ω, (Option 1DP)	1 kHz RBW, 30 Hz VBW	
1 MHz to 10 MHz	≤ -63 dBmV	
10 MHz to 500 MHz	≤ -65 dBmV	
500 MHz to 1.0 GHz	≤ -60 dBmV	
1.0 GHz to 1.5 GHz	≤ -53 dBmV	

	Specifications	Supplemental Information
Display Range		
Log Scale	Ten divisions displayed; 0.1, 0.2, 0.5 dB/division and 1 to 20 dB/division in 1 dB steps Calibrated 0 to -85 dB from Reference Level	
Linear Scale	Ten divisions	
Scale Units	dBm, dBmV, dBμV, V, and W	

	Specifications	Supplemental Information
Marker Readout Resolution		
Log scale		
0 to -85 dB from ref level	0.04 dB	
Linear scale	0.01% of Reference Level	

	Specifications	Supplemental Information
Frequency Response		
50 Ω, Absolute ^a /Relative		
9 kHz to 1.5 GHz		
10 dB attenuation		
20 to 30 °C	±0.5 dB	
0 to 55 °C	±1.0 dB	
0 dB, 5 dB, 15 to 60 dB attenuation		±1.0 dB, characteristic
75 Ω, Absolute ^a /Relative (Option 1DP)		
1 MHz to 1.5 GHz		
10 dB attenuation		
20 to 30 °C	±0.5 dB	
0 to 55 °C	±1.0 dB	
0, 5, 15 to 50 dB attenuation		±1.0 dB, characteristic

3-10 Chapter 3

	Specifications	Supplemental Information
55 to 60 dB attenuation		
1 MHz to 1 GHz		±1.0 dB, characteristic
1 GHz to 1.5 GHz		±1.25 dB, characteristic

a. Absolute flatness values are referenced to the amplitude at 50 MHz.

	Specifications	Supplemental Information
Input Attenuation Switching Uncertainty at 50 MHz		
Attenuator Setting		
0 dB to 5 dB	±0.3 dB	
10 dB	Reference	
15 dB	±0.3 dB	
20 to 60 dB attenuation	\pm (0.1 dB + 0.01 × Attenuator Setting)	

	Specifications	Supplemental Information
Absolute Amplitude Accuracy		
At reference settings ^a	±0.4 dB	
Overall Amplitude Accuracy ^b		
20 to 30 °C	± (0.6 dB + Absolute Frequency Response)	

- a. Settings are: reference level –25 dBm; (75 Ω reference level +28.75 dBmV); input attenuation 10 dB; center frequency 50 MHz; RBW 1 kHz; VBW 1 kHz; scale linear or log; span 2 kHz; sweep time coupled, signal at reference level.
- b. For reference level 0 to -50 dBm; input attenuation 10 dB; RBW 1 kHz; VBW 1 kHz; scale log, log range 0 to -50 dB from reference level; sweep time coupled; signal input 0 to -50 dBm; span ≤ 20 kHz.

Agilent E4411B Specifications and Characteristics **Amplitude**

	Specifications	Supplemental Information
RF Input VSWR (at tuned frequency)		
Attenuator setting		
50 Ω		
0 to 5 dB attenuation		≤1.55:1, characteristic
10 to 60 dB attenuation		≤1.35:1, characteristic
75 Ω		
1 MHz to 1.1 GHz		
0 to 5 dB attenuation		≤1.55:1, characteristic
10 to 60 dB attenuation		≤1.35:1, characteristic
1.1 GHz to 1.5 GHz		
0 to 60 dB attenuation		≤2.0:1, characteristic
Input protection is tripped		Open input, characteristic
Amptd Ref is On		Open input, characteristic
Auto Align All is selected		Open input momentarily during retrace, characteristic

	Specifications	Supplemental Information
Auto Alignment ^a		
Sweep-to-sweep variation		±0.1 dB, characteristic

a. Set $\operatorname{Auto}\nolimits$ Align to $\operatorname{Off}\nolimits$ and use $\operatorname{Align}\nolimits$ Now, $\operatorname{All}\nolimits$ to eliminate this variation.

	Specifications	Supplemental Information
Resolution Bandwidth Switching Uncertainty (at Reference Level)		
1 kHz RBW	Reference	
3 kHz to 3 MHz RBW	±0.3 dB	
5 MHz RBW	±0.6 dB	

3-12 Chapter 3

	Specifications	Supplemental Information
Reference Level		
Range	-149.9 dBm to maximum mixer level + attenuator setting	
Resolution		
Log Scale	±0.1 dB	
Linear Scale	±0.12% of Reference Level	
50 Ω, Accuracy (at a fixed frequency, a fixed attenuator, and referenced to –35 dBm)		
Reference Level (dBm) – input attenuator setting (dB)		
-10 dBm to > -60 dBm	±0.3 dB	
-60 dBm to > -85 dBm	±0.5 dB	
-85 dBm to -90 dBm	±0.7 dB	
$75~\Omega$ (Option 1DP), Accuracy (at a fixed frequency, a fixed attenuator, and referenced to 18.75 dBmV)		
Reference Level (dBmV) – input attenuator setting (dB)		
38.75 dBmV to > -11.25 dBmV	±0.3 dB	
-11.25 dBmV to > -26.25 dBmV	±0.5 dB	
-26.25 dBmV to -41.25 dBmV	±0.7 dB	

	Specifications	Supplemental Information
Display Scale Switching Uncertainty		
Switching between Linear and Log	±0.15 dB at Reference Level	
Log Scale Switching	No error	

	Specifications	Supplemental Information
Display Scale Fidelity		
Log Maximum Cumulative		
0 to 85 dB below reference level	$ \begin{array}{c} \pm (0.3 \; dB + 0.01 \times dB \; from \\ reference \; level) \end{array} $	
Log Incremental Accuracy		
0 to 80 dB below reference level	±0.4 dB/4 dB	
Linear Accuracy	±2% of Reference Level	


	Specifications	Supplemental Information
Spurious Responses		
50 Ω		
Second Harmonic Distortion		
Input Signal		
2 MHz to 750 MHz	< -75 dBc for -40 dBm signal at input mixer ^a	+35 dBm SHI (second harmonic intercept)
Third Order Intermodulation Distortion		
2 MHz to 10 MHz		+14.5 dBm TOI (third order intercept), typical
10 MHz to 1.5 GHz	< -75 dBc for two -30 dBm signals at input mixer ^a and >50 kHz separation.	+7.5 dBm TOI
Other Input Related Spurious		
30 kHz ≤ offset ≤1200 MHz	< -65 dBc for -20 dBm signals at input mixer ^a ≤ 1.5 GHz.	
Offset >1200 MHz	< −45 dBc for −20 dBm signal at input mixer ^a ≤1.5 GHz.	
Noise Floor Degradation		
Input frequency = 1210.7 MHz ± RBW		< -62 dBc for -45 dBm signal at input mixer ^a

a. Mixer Power Level (dBm) = Input Power (dBm) – Input Attenuation (dB).

3-14 Chapter 3

	Specifications	Supplemental Information
Spurious Responses		
75 Ω, (Option 1DP)		
Second Harmonic Distortion Input signal		
2 MHz to 750 MHz	< -75 dBc for +8.75 dBmV signal at input mixer ^a	
Third Order Intermodulation Distortion		
10 MHz to 1.5 GHz	< -75 dBc for two +18.75 dBmV signals at input mixer ^a and >50 kHz separation.	
Other Input Related Spurious		
30 kHz ≤ offset ≤1200 MHz	< −65 dBc for +28.75 dBmV signal at input mixer ^a ≤1.5 GHz.	
Offset >1200 MHz	< -45 dBc, for +28.75 dBmV signal at input mixer ^a ≤1.5 GHz.	
Noise Floor Degradation		
Input frequency = 1210.7 MHz ± RBW		< -62 dBc, for +3.75 dBmV signal at input mixer ^a

a. Mixer Power Level (dBmV) = Input Power (dBmV) – Input Attenuation (dB)



	Specifications	Supplemental Information
Residual Responses (Input terminated and 0 dB attenuation)		
50 Ω		
150 kHz to 1.5 GHz	< -90 dBm	
75 Ω, (Option 1DP)		
1 MHz to 1.5 GHz	< -36 dBmV	

3-16 Chapter 3

Options

Tracking Generator (Option 1DN or 1DQ)

	Specifications	Supplemental Information
Warmup	5 minutes	

	Specifications	Supplemental Information
Output Frequency Range		
50 Ω (Option 1DN)	9 kHz to 1.5 GHz	
75 Ω (Option 1DQ)	1 MHz to 1.5 GHz	

	Specifications	Supplemental Information
Output Power Level		
20 to 30 °C		
Range		
50 Ω (Option 1DN)	0 to -70 dBm	
75 Ω (Option 1DQ)	+42.75 to -27.25 dBmV	
Resolution	0.1 dB	
Absolute Accuracy (at 50 MHz with coupled source attenuator)		
50 Ω <i>(Option 1DN)</i> referenced to 0 dBm	± 0.5 dB	
75 Ω (Option 1DQ) referenced to +42.75 dBmV	± 1.5 dB	
Vernier		
Range	10 dB	
Accuracy (with coupled source attenuator)		
50 Ω <i>(Option 1DN)</i> referenced to 0 dBm	±0.75 dB, for 0 to -10 dBm	
75 Ω <i>(Option 1DQ)</i> referenced to 42.75 dBmV	±0.9 dB, for +42.75 to +32.75 dBmV	
Output Attenuator Range	0 to 60 dB in 10 dB steps	

Agilent E4411B Specifications and Characteristics **Options**

	Specifications	Supplemental Information
Maximum Safe Reverse Level		
50 Ω (Option 1DN) ^a		+20 dBm (0.1 W), 100 Vdc, characteristic
75 Ω (Option 1DQ) ^a		+69 dBmV (0.1 W), 100 Vdc, characteristic

a. dc transients may trigger reverse power protection.

	Specifications	Supplemental Information
Output Power Sweep		
20 to 30 $^{\circ}\text{C}$		
Range		
50 Ω (Option 1DN)	(-15 to 0 dBm) – (Source Attenuator Setting)	
75 Ω (Option 1DQ)	(27.75 to 42.75 dBmV) – (Source Attenuator Setting)	
Resolution	0.1 dB	
Accuracy (zero span)		
50 Ω (Option 1DN)	<1.5 dB peak-to-peak	
75 Ω (Option 1DQ)	<1.8 dB peak-to-peak	

	Specifications	Supplemental Information
Output Flatness		
Referenced to 50 MHz, 0 dB attenuator		
50 Ω (Option 1DN)		
9 kHz to 10 MHz	±2 dB	
10 MHz to 1.5 GHz	±1.5 dB	
75 Ω (Option 1DQ)		
1 MHz to 10 MHz	±2.5 dB	
10 MHz to 1.5 GHz	±2 dB	

3-18 Chapter 3

	Specifications	Supplemental Information
Spurious Outputs		
50 Ω (Option 1DN) (0 dBm output)		
75 Ω (Option 1DQ) (+42.75 dBmV output)		
Harmonic Spurs		
9 kHz to 20 MHz	< -20 dBc	
20 MHz to 1.5 GHz	< -25 dBc	
Non-harmonic Spurs	< -35 dBc	

	Specifications	Supplemental Information
Dynamic Range	Maximum Output Power Level - Displayed Average Noise Level	

	Specifications	Supplemental Information
Output Tracking		
Drift		No error
Swept Tracking Error		No error for coupled sweep times

	Specifications	Supplemental Information
RF Power-Off Residuals		
50 Ω (Option 1DN) 100 kHz to 1.5 GHz		< –120 dBm, characteristic
75 Ω <i>(Option 1DQ)</i> 1 MHz to 1.5 GHz		< 65 dBmV, characteristic

	Specifications	Supplemental Information
Output Attenuator Repeatability		±0.2 dB, characteristic

	Specifications	Supplemental Information
Output VSWR		
50 Ω (Option 1DN)		<2.5:1, characteristic
75 Ω (Option 1DQ)		<2.0:1, characteristic

	Specifications	Supplemental Information
Output Attenuator Accuracy		
0 dB	Reference	
10 dB		±0.6 dB, characteristic
20 dB		±0.9 dB, characteristic
30 dB		±1.2 dB, characteristic
40 dB		±1.5 dB, characteristic
50 dB		±1.8 dB, characteristic
60 dB		±2.1 dB, characteristic

Tracking Generator Output Accuracy 50 Ω (Option 1DN)

Relative Accuracy (Referred to 0 dBm) = Output Attenuator Accuracy + Vernier Accuracy + Output Flatness

Absolute Accuracy =
Relative Accuracy (Referred to 0 dBm) + Absolute Accuracy at 50 MHz

Tracking Generator Output Accuracy 75 Ω (Option 1DQ)

Relative Accuracy (Referred to +42.75 dBmV) = Output Attenuator Accuracy + Vernier Accuracy + Output Flatness

Absolute Accuracy =
Relative Accuracy (Referred to +42.75 dBmV) + Absolute Accuracy at 50 MHz

3-20 Chapter 3

General

	Specifications	Supplemental Information
Temperature Range		
Operating	0 to 55 °C	Floppy disk 10 to 40 °C
Storage	−40 to 75 °C	

	Specifications	Supplemental Information
Audible Noise (ISO 7779)		
Sound Pressure at 25 °C		<40 dBa, (<4.6 Bels power)

	Specifications	Supplemental Information
Military Specification	Has been type tested to the environmental specifications of MIL-PRF-28800F class 3.	

	Specifications	Supplemental Information
EMI Compatibility	Conducted and radiated emission is in compliance with CISPR Pub. 11/1990 Group 1 Class A.	

	Specifications	Supplemental Information
Immunity Testing		
Radiated Immunity		Testing was done at 3 V/m according to IEC 801-3/1984. When the analyzer tuned frequency is identical to the immunity test signal frequency, there may be signals of up to -60 dBm displayed on the screen.
Electrostatic Discharge		Air discharges of up to 8 kV were applied according to IEC 801-2/1991. Discharges to center pins of any of the connectors may cause damage to the associated circuitry.

	Specifications	Supplemental Information
Power Requirements		
ac Operation		
Voltage, frequency	90 to 132 Vrms, 47 to 440 Hz	
	195 to 250 Vrms, 47 to 66 Hz	
Power Consumption, On	<300 W	
Power Consumption, Standby	<5 W	
dc Operation		
Voltage	12 to 20 Vdc	
Power Consumption	<200 W	

	Specifications	Supplemental Information
Measurement Speed		
Local Measurement and Display Update rate ^{a,b}		≥ 35/s, characteristic
Remote Measurement and GPIB Transfer Rate ^{b,c,d} (Option A4H)		≥ 30/s, characteristic
RF Center Frequency Tune, Measure, and GPIB Transfer Time ^{b,c,e} (Option A4H)		≤ 90 ms, characteristic


- a. Factory preset, auto align Off, fixed center frequency, RBW = 1 MHz, and spans >102 MHz and \leq 400 MHz.
- b. Sweeping through 425.6 MHz or 914.6 MHz will cause the measurement speed to degrade.
- c. Display Off (:DISPlay:ENABle OFF), and 32-bit integer data format (:FORMat:DATA INT,32), if *Option A4J* is installed, disable sweep ramp, (:SYSTem:PORTs:IFVSweep:ENABle OFF), markers off, single sweep, measured with IBM compatible PC with 550 MHz Pentium® III running Windows® NT 4.0, one meter GPIB cable, National Instruments PCI-GPIB card and NI-488.2 DLL.
- d. Factory preset, auto align Off, RBW = $1\,MHz$, span= $20\,MHz$, fixed center frequency, average of $100\,measurements$.
- e. Factory preset, auto align Off, RBW = 1 MHz, span= 20 MHz, and center frequency tune step size = 50 MHz.

3-22 Chapter 3

	Specifications	Supplemental Information
Data Storage		
Internal		200 Traces or States
External (10 to 40 °C) 3.5" 1.44 MB, MS-DOS [®] compatible floppy disk		200 Traces or States

	Specifications	Supplemental Information
Demod Tune and Listen		Internal speaker, front-panel earphone jack and front-panel volume control.
Demod	AM	
(Option A4J)		An uncalibrated demodulated signal is available on the AUX VIDEO OUT connector at the rear panel.

	Specifications	Supplemental Information
Weight (without options)		
Net		13.2 kg (29.1 lb), characteristic
Shipping		25.1 kg (55.4 lb), characteristic



3-24 Chapter 3

Inputs and Outputs

Internal

	Specifications	Supplemental Information
Amptd Ref ^a		Amplitude reference
Frequency		50 MHz
Frequency Accuracy		Frequency reference error ^b
50 Ω Amplitude		–25 dBm ^c , nominal
75 Ω Amplitude (Option 1DP)		+28.75 dBmV ^c , nominal

- a. Turn the amplitude reference signal on/off by pressing the keys: Input/Output, Amptd Ref.
- b. Frequency reference error = (aging rate × period of time since adjustment + settability + temperature stability).
- c. The internal amplitude reference actual power is stored internally.

Front Panel

	Specifications	Supplemental Information
INPUT 50 Ω		
Connector	Type-N female	
Impedance		50 Ω, nominal
INPUT 75 Ω (Option 1DP)		
Connector	BNC female	
Impedance		75 Ω, nominal

	Specifications	Supplemental Information
RF OUT 50 Ω, (Option 1DN)		
Connector	Type-N female	
Impedance		50 Ω, nominal
RF OUT 75 Ω , (Option 1DQ)		
Connector	BNC female	
Impedance		75 Ω, nominal

	Specifications	Supplemental Information
PROBE POWER		
Voltage/Current		+15 Vdc, ±7% at 150 mA max., characteristic
		-12.6 Vdc ±10% at 150 mA max., characteristic

	Specifications	Supplemental Information
EXT KEYBOARD ^a		Used for entering screen titles and filenames only. Interface compatible with most IBM-compatible PC keyboards.
Connector	6-pin mini-DIN	

a. The feature is not implemented in firmware revisions prior to A.04.00.

	Specifications	Supplemental Information
Speaker		Front panel knob controls volume

	Specifications	Supplemental Information
Headphone		Front panel knob controls volume
Connector	3.5 mm (1/8 inch) miniature audio jack	
Power Output		0.2 W into 4 Ω, characteristic

Rear Panel

	Specifications	Supplemental Information
10 MHz REF OUT		
Connector	BNC female	
Impedance		50 Ω, nominal
Output Amplitude		>0 dBm, characteristic

3-26 Chapter 3

	Specifications	Supplemental Information
10 MHz REF IN		
Connector	BNC female	Note: Analyzer noise sidebands and spurious response performance may be affected by the quality of the external reference used.
Impedance		50 Ω, nominal
Input Amplitude Range		-15 to +10 dBm, characteristic
Frequency		10 MHz, nominal

	Specifications	Supplemental Information
GATE TRIG/EXT TRIG IN		
Connector	BNC female	
External Trigger Input		
Trigger Level		Selectable positive or negative edge initiates sweep in EXT TRIG mode (5 V TTL)

	Specifications	Supplemental Information
GATE/HI SWP OUT		
Connector	BNC female	
High Sweep Output		
Level		High = sweep ^a ; Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

	Specifications	Supplemental Information
VGA OUTPUT		
Connector	VGA compatible, 15-pin mini D-SUB	
Format		VGA (31.5 kHz horizontal, 60 Hz vertical sync rates, non-interlaced) Analog RGB
Resolution	640 × 480	

	Specifications	Supplemental Information
AUX IF OUT (Option A4J)		
Connector	BNC female	
Frequency		21.4 MHz, nominal
Amplitude (for signal at reference level and for reference levels – input attenuation of –10 to –70 dBm)		–10 dBm (uncorrected), characteristic
Impedance		50 Ω , nominal

	Specifications	Supplemental Information
AUX VIDEO OUT (Option A4J)		
Connector	BNC female	
Amplitude Range (into $>10~k\Omega$)		0 to 1 V (uncorrected), characteristic

	Specifications	Supplemental Information
HI SWP IN (Option A4J)		
Connector	BNC female	
Input		Open collector, low resets and holds the sweep (5 V TTL)

	Specifications	Supplemental Information
HI SWP OUT (Option A4J)		
Connector	BNC female	
Output		High = sweep ^a , Low = retrace (5 V TTL)

a. High sweep may be high longer than the indicated sweep times. $\,$

3-28 Chapter 3

	Specifications	Supplemental Information
SWP OUT (Option A4J)		
Connector	BNC female	
Amplitude		0 to +10 V ramp, characteristic

	Specifications	Supplemental Information
GPIB Interface (Option A4H)		
Connector	IEEE-488 bus connector	
GPIB Codes		SH1, AH1, T6, SR1, RL1, PP0, DC1, C1, C2, C3 and C28

	Specifications	Supplemental Information
Serial Interface (Option 1AX)		
Connector	9-pin D-SUB male	RS-232

	Specifications	Supplemental Information
Parallel Interface (Option A4H or 1AX)		Printer port only
Connector	25-pin D-SUB female	

	Regulatory Information
CAUTION	This product is designed for use in Installation Category II and Pollution Degree 2 per IEC 1010 and 664 respectively.
NOTE	This product has been designed and tested in accordance with IEC Publication 1010, Safety Requirements for Electronic Measuring Apparatus, and has been supplied in a safe condition. The instruction documentation contains information and warnings which must be followed by the user to ensure safe operation and to maintain the product in a safe condition.
Œ	The CE mark is a registered trademark of the European Community (if accompanied by a year, it is the year when the design was proven).
P •	The CSA mark is the Canadian Standards Association safety mark.
ISM 1-A	This is a symbol of an Industrial Scientific and Medical Group 1 Class A product. (CISPR 11, Clause 4)

3-30 Chapter 3

Declaration of Conformity

DECLARATION OF CONFORMITY

According to ISO/IEC Guide 22 and CEN/CENELEC EN 45014

Manufacturer's Name: Agilent Technologies, Inc.

Manufacturer's Address: 1400 Fountaingrove Parkway

Santa Rosa, CA 95403-1799

USA

Declares that the products

Product Name: Spectrum Analyzer

Model Number: E4401B, E4402B, E4403B, E4404B,

E4405B, E4407B, E4408B, E4411B

Product Options: This declaration covers all options of the above

products.

Conform to the following product specifications:

EMC: IEC 61326-1:1997+A1:1998 / EN 61326-1:1997+A1:1998

Standard Limit CISPR 11:1990 / EN 55011-1991 Group 1, Class A IEC 61000-4-2:1995+A1998 / EN 61000-4-2:1995 4 kV CD, 8 kV AD IEC 61000-4-3:1995 / EN 61000-4-3:1995 3 V/m, 80 - 1000 MHz 0.5 kV sig., 1 kV power IEC 61000-4-4:1995 / EN 61000-4-4:1995 IEC 61000-4-5:1995 / EN 61000-4-5:1996 0.5 kV L-L. 1 kV L-G IEC 61000-4-6:1996 / EN 61000-4-6:1998 3 V, 0.15 – 80 MHz IEC 61000-4-11:1994 / EN 61000-4-11:1998 1 cycle, 100%

Safety: IEC 61010-1:1990 + A1:1992 + A2:1995 / EN 61010-1:1993 +A2:1995

CAN/CSA-C22.2 No. 1010.1-92

Supplementary Information:

The products herewith comply with the requirements of the Low Voltage Directive 73/23/EEC and the EMC Directive 89/336/EEC and carry the CE-marking accordingly.

Santa Rosa, CA, USA 17 April 2000

Greg Pfeiffer/Quality Engineering Manager

For further information, please contact your local Agilent Technologies sales office, agent or distributor.