

INDEX

- AA
 - Overlays in Memory Pool AA (Fig), 4-29
 - Relative Location in Memory of Memory Pool AA (Fig), 4-29
- Abbreviated Login, 3-9
- Abbreviation Processor, 3-20
- Abbreviations
 - Command Abbreviations, 3-20
- Absentee
 - Task Group and Task Functions Possible From Interactive and Absentee Modes (Tbl), 4-9
- Absolute Pathname, 2-12
- Access
 - Access Control, 2-22, 2-23
 - Access Control List (ACL), 2-22, 2-24, 2-47, g-6
 - Access Control/Concurrency Control Relationship (Tbl), 2-27
 - Access Rights, 2-24
 - Access Types, 2-22
 - Common Access Control List (CACL), 2-22, g-13
 - File Access Levels, 2-35
 - Initiating Remote File Access Operations, 2-47
 - Memory Pool Ring Access Rights Attribute, 4-16
 - Remote File Access, 2-44
 - Remote File Access Security, 2-47
 - Ring Access Rights, 4-16
 - Unified File Access System (UFAS), g-45
- Access Control, 2-22
 - Access Control, 2-23
 - Access Control List (ACL), 2-22, 2-24, 2-47, g-6
 - Common Access Control List (CACL), 2-22, g-13
- Access Rights, 2-24
 - Memory Pool Ring Access Rights Attribute, 4-16
 - Ring Access Rights, 4-16
- Access Types, 2-22
- Accessing the System, 3-8
- Accounting
 - Command Accounting, 3-21
- Achieving Command Level, 3-15
- Achieving Menu/Form Level, 3-12
- ACL
 - Access Control List (ACL), g-6
 - ACL, g-6
 - Directory ACL, 2-24
 - File ACL, 2-24
- Activated Lead Task, 3-10
- Activating Message Facility Task, 5-23
- Activation
 - Task Activation, 5-19
- Active
 - Active Strings and Active Functions, 3-19
 - Active Task State, 5-20
- Active Task State, 5-20
- Activity
 - Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
 - Level Activity Indicators, 5-3
- Address
 - High Memory Address (HMA), g-21
 - Swap Pool Task Address Space, 4-35
 - System Representation of Task Address Space, 4-36
 - Task Address Space in BMMU System (Fig), 4-38
 - Task Address Space in EMMU System (Fig), 4-40
 - Task Address Space in System With Basic Memory Management Unit, 4-37

INDEX

- Address (cont)
 - Task Address Space in System With Extended Memory Management Unit, 4-39
- Addressing
 - Immediate Memory Addressing (IMA), g-22
- After-Image, 6-11
- Allocation
 - Bound Unit Allocation, 4-33
 - Memory Allocation, 4-33
- Alternate Indexes, 2-20
- Application
 - Application Design Benefits of Task Group Use, 4-6
 - Application Task Logical Resource Numbers, 5-14
 - Assigning Priority Levels to Application Tasks, 5-13
 - User Applications, 3-11
- Area
 - Fixed System Area, 4-21
 - Interrupt Save Area (ISA), g-23
 - Interrupt Save Area, 5-5
 - Overlay Area Table (OAT), g-31
 - Overlay Area Table, 4-30
 - Sample Bound Unit Structure for Overlay Area Use (Fig), 4-30
 - Trap Save Area (TSA), g-45
 - User Stack Area, 4-35
- Areas
 - Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5
 - Overlay Areas, 4-30
- Arguments, 3-17
- ASCII
 - ASCII (American Standard Code for Information Interchange), g-7
- Assigning Priority Levels
 - Assigning Priority Levels to Application Tasks, 5-13
 - Assigning Priority Levels to Devices and System Tasks, 5-9
- Assignment
 - Checkpoint File Assignment, 6-13
- Assignments
 - Example of LRN Assignments for System Tasks and Devices (Fig), 5-14
 - Priority Level Assignments, 5-9
 - Sample Independent Pool Group Segment Assignments (Fig), 4-20
 - Sample Priority Level Assignments for Tasks and Devices (Tbl), 5-11
 - Sample Swap Pool Group Segment Assignments (Fig), 4-18
- Attributes
 - Memory Pool Attributes, 4-15
- Autoconfigurator, 3-5, g-8
- Automatic
 - Automatic Disk Volume Recognition, 2-16
 - Automatic Magnetic Tape Volume Recognition, 2-40
- Backup
 - File Backup and Reorganization, 6-4
 - System Backup Copy, 3-5
- Base
 - Base Priority Level, 5-13
 - Data Base Control Block (DBCBC), g-14
 - Data Base Control System (DBCS), g-14
- Base Priority Level, 5-13
- Basic Memory Management Unit
 - Segmentation With Basic Memory Management Unit, 4-12
 - Task Address Space in System With Basic Memory Management Unit, 4-37

INDEX

- aming
 - Command Beaming, 3-21
- fore-Images, 6-8
- ary Synchronous Communications (ASC), g-8
- ock, 2-38
 - Bound Unit Descriptor (BUD) Block, g-9
 - Buffer Control Block (BCB), g-10
 - Clock Request Block (CRB), g-11
 - Data Base Control Block (DBC), g-14
 - File Control Block (FCB), g-19
 - File Description Block (FDB), g-19
 - File Information Block (FIB), g-19
 - Indirect Request Block (IRB), g-22
 - Input/Output Request Block (IORB), g-22
 - Intermediate Request Block, g-23
 - Semaphore Request Block (SRB), g-39
 - Task Control Block (TCB), g-43
 - Task Request Block (TRB), g-43
- ocks
 - Request Blocks, 5-21
- 4U, g-8
 - Task Address Space in BMMU System (Fig), 4-38
- otstrap, 3-5
 - Loader, Bootstrap, g-26
 - ROM Bootstrap Loader, g-38
- nd Unit
 - Bound Unit, 4-35
 - Bound Unit Allocation, 4-33
 - Bound Unit Characteristics, 4-22
 - Bound Unit Descriptor (BUD) Block, g-9
 - Bound Unit Overlays, 4-26
 - Bound Unit Search Rules, 4-25
 - Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
- Bound Unit (cont)
 - General Bound Unit Characteristics, 4-22
 - Globally Shareable Bound Units, 4-24
 - Sample Bound Unit Structure for Overlay Area Use (Fig), 4-30
 - Shareable Bound Units, 4-23
 - Shareable Bound Units and Executive Extensions, 4-24
 - Shareable Bound Units in Independent Pools, 4-23
 - Shareable Bound Units in Swap Pools, 4-23
- Buffer Control Block (BCB), g-10
- Buffer Pool
 - Buffer Pool Statistics, 2-37
 - Buffer Pools, 2-35
 - File-Specific Buffer Pools, 2-36
 - Private Buffer Pools, 2-36
 - Public Buffer Pools, 2-36
- Buffering
 - Disk File Buffering, 2-35
 - Unit Record Device Buffering, 2-41
- CACL, g-10
 - Common Access Control List (CACL), g-13
 - Directory CACL, 2-24
 - File CACL, 2-24
- CALC Keys, 2-18
- Catalog
 - Remote File Catalog, 2-44
- Central
 - Central Processor Interrupt Priority Levels, 5-3
 - Connecting to the Central Processor, 3-8
 - Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
 - Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5

INDEX

- Channel Control Program (CCP), 9-10
- Characteristics
 - Bound Unit Characteristics, 4-22
 - Characteristics of Task Groups and Tasks, 4-10
- Checkpoint, 6-13
 - Checkpoint File Assignment, 6-13
 - Checkpoint Processing, 6-15
 - Checkpoint Restart, 6-12
 - Taking a Checkpoint, 6-14
- Cleanpoints
 - Taking Cleanpoints, 6-9
- CLM, 9-11
 - CLM User File, 3-5
 - Configuration Load Manager (CLM), 9-13
- CLM User File, 3-5
- Clock
 - Clock Manager, 1-6, 9-11
 - Clock Request Block (CRB), 9-11
- Clock Manager, 1-6, 9-11
- Code
 - ASCII (American Standard Code for Information Interchange), 9-7
- Command
 - Achieving Command Level, 3-15
 - Command Abbreviations, 3-20
 - Command Accounting, 3-21
 - Command Beaming, 3-21
 - Command Environment, 3-13
 - Command Format, 3-16
 - Command Level, 3-14
 - Command Level Processing, 3-15
 - Command Processor, 1-6, 3-13, 9-13
 - Message Facility Command Interface, 5-24
 - Spaces in Command Lines, 3-17
- Command Processor, 1-6, 3-13, 9-13
- Command-In File, 3-13
- Commands
 - System Commands, 3-11
- Comments
 - Disk File Comments, 2-16
- Commercial Instruction Processor (CIP), 9-13
- Commitment Unit, 2-48
- Common
 - Common Access Control List (CACL), 9-13
 - Common Access Control Lists, 2-22
 - Common Files, 5-21
- Common Access Control Lists, 2-22
- Communication
 - Intertask and Intratask Group Communication, 5-21
 - Intertask Communication, 4-6
- Communications
 - Binary Synchronous Communications (BSC), 9-8
 - Data Communications Software, 1-5
 - Dual-Line Communications Processor (DLCP), 9-17
 - Multiline Communications Processor (MLCP), 9-29
- Comparison
 - Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
- Compile Unit (CU), 9-13
- Concurrency
 - Disk File Concurrency Control (Tbl), 2-26
 - File Concurrency Control, 2-26
- Configuration
 - Configuration Load Manager (CLM), 9-13
 - System Configuration and Definition, 3-4

INDEX

Connecting
 Connecting to the Central
 Processor, 3-8
 Connecting to the Executive, 3-8

Containment, 4-15
 Memory Pool Containment
 Attribute, 4-15

Control
 Access Control, 2-22, 2-23
 Access Control List (ACL), 2-22,
 2-24, 2-47, g-6
 Access Control/Concurrency
 Control Relationship (Tbl), 2-27
 Buffer Control Block (BCB), g-10
 Channel Control Program (CCP),
 g-10
 Common Access Control List
 (CACL), 2-22, g-13
 Control Argument, 3-17
 Control Interval (CI), 2-21, g-14
 Data Base Control Block (DBCBC),
 g-14
 Data Base Control System (DBCS),
 g-14
 Device Media Control Language
 (DMCL), g-15
 Disk File Concurrency Control
 (Tbl), 2-26
 File Concurrency Control, 2-26
 File Control Block (FCB), g-19
 Resource Control Table (RCT),
 g-37
 System Control of Task Groups,
 4-7
 System Control Software, 1-6
 Task Control Block (TCB), g-43
 Task Step Control, 4-4

Control Argument, 3-17

Control Interval (CI), 2-21, g-14

Control/Concurrency
 Access Control/Concurrency
 Control Relationship (Tbl), 2-27

Copy
 System Backup Copy, 3-5

Creating
 Creating Mailboxes, 5-23
 Creating Print Request Mailboxes,
 5-28
 Creating Report Queues, 5-29
 Creating Task Group Request
 Queues, 5-27
 Creating the Print Daemon, 5-28

Creation
 Journal File Creation, 6-11
 Recovery File Creation, 6-8

Daemon
 Creating the Print Daemon, 5-28

Data Commitments, 2-48

Deadlock, 2-29

Deallocation
 Memory Deallocation, 4-34

Default Print Queue, 3-7

Deferred Processing Facilities, 5-26

Deferring Print Requests, 5-28

Deferring Task Group Requests, 5-27

Design Benefits
 Application Design Benefits of
 Task Group Use, 4-6

Designating Recoverable Files, 6-8

Designating Restorable Files, 6-11

Device
 Device Logical Resource Numbers,
 5-14
 Device Media Control Language
 (DMCL), g-15
 Disk Device Pathname
 Construction, 2-15
 Input/Output (I/O) Device, g-22
 Magnetic Tape Device Pathname
 Construction, 2-39
 Tape Device File Pathname
 Convention, 2-40

INDEX

- Device (cont)
 - Unit Record Device Buffering, 2-41
 - Unit Record Device File Conventions, 2-41
 - Unit Record Device Pathname Construction, 2-41
- Devices
 - Assigning Priority Levels to Devices and System Tasks, 5-9
 - Example of LRN Assignments for System Tasks and Devices (Fig), 5-14
 - Sample Priority Level Assignments for Tasks and Devices (Tbl), 5-11
 - Unit Record Devices, 2-3
- Dialup Connection, 3-8
- Direct Connection, 3-8
- Direct Login, 3-9
- Directories, 2-4
 - Intermediate Directories, 2-6
 - Restoring Files and Directories, 6-5
 - Saving Files and Directories, 6-5
- Directory, 2-4
 - Directory ACL, 2-24
 - Directory CACL, 2-24
 - Disk Directory and File Locations, 2-7
 - Disk Directory and File Naming Conventions, 2-8
 - Disk Directory Name Length, 2-9
 - Example of Disk Directory Structure (Fig), 2-4
 - Mailbox Root Directory, 5-23
 - Root Directory, 2-5
 - Sample Directory Structure (Fig), 2-6
 - System Root Directory, 2-5
 - User Root Directory, 2-5
 - Working Directory, 2-7
- Directory ACL, 2-24
- Directory CACL, 2-24
- Disk
 - Automatic Disk Volume Recognition, 2-16
 - Disk Device Pathname Construction, 2-15
 - Disk Directory and File Locations, 2-7
 - Disk Directory and File Naming Conventions, 2-8
 - Disk Directory Name Length, 2-9
 - Disk File Buffering, 2-35
 - Disk File Comments, 2-16
 - Disk File Concurrency Control (Tbl), 2-26
 - Disk File Conventions, 2-3
 - Disk File Name Length, 2-9
 - Disk File Organization, 2-17
 - Disk File Protection, 2-21
 - Disk File Structure, 2-21
 - Disk Volume Name Length, 2-9
 - Example of Disk Directory Structure (Fig), 2-4
 - Fixed Relative Disk File, 2-19
 - Multivolume Disk Files, 2-31
 - Non-UFAS Relative Disk File Organizations, 2-19
 - Shared Disk Files, 1-3
 - String Relative Disk File, 2-19
 - UFAS Dynamic Disk File Organization, 2-18
 - UFAS Indexed Disk File Organization, 2-18
 - UFAS Random Disk File Organization, 2-18
 - UFAS Relative Disk File Organization, 2-17
 - UFAS Sequential Disk File Organization, 2-17
- Disk Directory Name Length, 2-9
- Disk File Name Length, 2-9
- Disk Volume Name Length, 2-9
- Dispatcher, 5-6
- Dispatching
 - Monoprocessor Task Dispatching, 5-6
 - Multiprocessor Task Dispatching, 5-6
 - Task Dispatching, 1-3, 5-6

INDEX

- Distributed Systems Architecture 6 (DSA6), 1-4
- Distributed Systems Software, 1-4
- Dormant Task State, 5-20
- Dual-Line Communications Processor (DLCP), g-17
- EBCDIC, g-17
- EC
 - EC and START_UP.EC Files, 3-22
 - EC File, g-17
 - EC Files, 3-22
 - START_UP.EC Files, 3-24
- Edit Profile Utility, g-17
- EMMU, g-17
 - Task Address Space in EMMU System (Fig), 4-40
- Environment
 - Command Environment, 3-13
 - Menu Environment, 3-10
- Error Logging Facility, 1-7
- Error-Out File, 3-14
- Execution
 - System Features Affecting Task Execution, 5-9
- Executive
 - Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
 - Connecting to the Executive, 3-8
 - Shareable Bound Units and Executive Extensions, 4-24
- Extended Character Set, 2-8
- Extended Memory Management Unit
 - Segmentation With Extended Memory Management Unit, 4-13
 - Task Address Space in System With Extended Memory Management Unit, 4-39
- Extensions
 - Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
 - Shareable Bound Units and Executive Extensions, 4-24
- External File Name (EFN), g-18
- Failure
 - Recovering After System Failure, 6-10
- File
 - Checkpoint File Assignment, 6-13
 - CLM User File, 3-5
 - Command-In File, 3-13
 - Disk Directory and File Locations, 2-7
 - Disk Directory and File Naming Conventions, 2-8
 - Disk File Buffering, 2-35
 - Disk File Comments, 2-16
 - Disk File Concurrency Control (Tbl), 2-26
 - Disk File Conventions, 2-3
 - Disk File Name Length, 2-9
 - Disk File Organization, 2-17
 - Disk File Protection, 2-21
 - Disk File Structure, 2-21
 - EC File, g-17
 - Error-Out File, 3-14
 - External File Name (EFN), g-18
 - File, 2-3
 - File Access Levels, 2-35
 - File ACL, 2-24
 - File Backup and Reorganization, 6-4
 - File CACL, 2-24
 - File Concurrency Control, 2-26
 - File Control Block (FCB), g-19
 - File Description Block (FDB), g-19
 - File Information Block (FIB), g-19
 - File Recovery, 6-8
 - File Recovery Process, 6-9
 - File Restoration, 6-10
 - File Restoration Process, 6-12
 - File Section, 2-31
 - File System, g-20
 - File System Software, 1-5

INDEX

- File (cont)
 - Fixed Relative Disk File, 2-19
 - Initiating Remote File Access Operations, 2-47
 - Journal File Creation, 6-11
 - Logical File Number (LFN), g-26
 - Logical File Numbers, 5-15
 - Logical File Table (LFT), g-26
 - Magnetic Tape File and Volume Names, 2-39
 - Magnetic Tape File Conventions, 2-38
 - Magnetic Tape File Organization, 2-38
 - Non-UFAS Relative Disk File Organizations, 2-19
 - Online Multivolume File, 2-32
 - Profiles File, 3-6
 - Recovery File, 6-8
 - Recovery File Creation, 6-8
 - Remote File Access, 2-44
 - Remote File Access Security, 2-47
 - Remote File Catalog, 2-44
 - Serial Multivolume File, 2-34
 - Shared File Protection (Record Locking), 2-28
 - String Relative Disk File, 2-19
 - Tape Device File Pathname Convention, 2-40
 - Tape File Name Length, 2-39
 - Terminals File, 3-9
 - UFAS Dynamic Disk File Organization, 2-18
 - UFAS Indexed Disk File Organization, 2-18
 - UFAS Random Disk File Organization, 2-18
 - UFAS Relative Disk File Organization, 2-17
 - UFAS Sequential Disk File Organization, 2-17
 - Unified File Access System (UFAS), g-45
 - Unit Record Device File Conventions, 2-41
 - User-In File, 3-13
 - User-Out File, 3-14
- File ACL, 2-24
- File CACL, 2-24
- File Section, 2-31
- File-Specific Buffer Pools, 2-36
- Files
 - Common Files, 5-21
 - Designating Recoverable Files, 6-8
 - Designating Restorable Files, 6-11
 - EC Files, 3-22
 - Multivolume Disk Files, 2-31
 - Restoring Files and Directories, 6-5
 - Saving Files and Directories, 6-5
 - Shared Disk Files, 1-3
 - START_UP.EC Files, 3-24
- First-In/First-Out (FIFO), g-20
- Fixed Relative Disk File, 2-19
- Fixed System Area, 4-21
- Floatable
 - Nonfloatable and Floatable Overlays, 4-26
- Format
 - Command Format, 3-16
 - Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
 - Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5
- Forms Login, 3-9
- Full Login, 3-9
- Full Pathname, 2-12
- Functions
 - Active Strings and Active Functions, 3-19
 - Power Resumption Functions, 6-7
 - Task Group and Task Functions Possible From Interactive and Absentee Modes (Tbl), 4-9

INDEX

- General Ready Queue, 5-6
- Generating
 - Generating Task Groups and Tasks, 4-8
- Global
 - System Global Space, 4-36
- Globally Shareable Bound Units, 4-24
- Group
 - Application Design Benefits of Task Group Use, 4-6
 - Creating Task Group Request Queues, 5-27
 - Deferring Task Group Requests, 5-27
 - Group System Space, 4-36
 - Group Work Space, 4-36
 - Intertask and Intratask Group Communication, 5-21
 - Queuing Task Group Requests, 5-27
 - Sample Independent Pool Group Segment Assignments (Fig), 4-20
 - Sample Swap Pool Group Segment Assignments (Fig), 4-18
 - Task Group and Task Functions Possible From Interactive and Absentee Modes (Tbl), 4-9
 - Task Group Identification, 4-11
- Groups
 - Characteristics of Task Groups and Tasks, 4-10
 - Generating Task Groups and Tasks, 4-8
 - System Control of Task Groups, 4-7
 - Task Groups and Tasks, 4-3
- Handling
 - Task Handling, 5-18
 - Trap Handling, 5-8
- High Memory Address (HMA), g-21
- Input/Output (I/O) Device, g-22
- Identification
 - Task Group Identification, 4-11
- Immediate Memory Addressing (IMA), g-22
- Implementing the Power Resumption Facility, 6-6
- Independent Pools
 - Independent Pools, 4-19
 - Sample Independent Pool Group Segment Assignments (Fig), 4-20
 - Shareable Bound Units in Independent Pools, 4-23
- Indexed
 - UFAS Indexed Disk File Organization, 2-18
- Indexes
 - Alternate Indexes, 2-20
- Indirect Request Block (IRB), g-22
- Initiating Remote File Access Operations, 2-47
- Input/Output
 - Input/Output (I/O) Device, g-22
 - Input/Output Request Block (IORB), g-22
 - Physical Input/Output (PIO), g-33
- Installation
 - Installation Process, 3-4
 - System Installation, 3-4
- Interactive
 - Task Group and Task Functions Possible From Interactive and Absentee Modes (Tbl), 4-9
- Interface
 - Message Facility Command Interface, 5-24
 - Message Facility Macrocall Interface, 5-25
 - Operator Interface Manager (OIM), 1-6, g-31
- Intermediate Directories, 2-6
- Intermediate Request Block, g-23

INDEX

- Interrupt Priority Levels
 - Central Processor Interrupt Priority Levels, 5-3
 - Interrupt Priority Levels, 5-3
- Interrupt Save Area (ISA), 5-5, g-23
- Interrupt Vector, 5-5
- Interrupts, 5-3
- Intersystem Link (ISL), g-24
- Intertask
 - Intertask and Intratask Group Communication, 5-21
 - Intertask Communication, 4-6
- Interval
 - Control Interval (CI), 2-21, g-14
- Intratask
 - Intertask and Intratask Group Communication, 5-21
- Journal File Creation, 6-11
- Labeled Tape Pathnames, 2-40
- Labeled Tapes, 2-38
- Language
 - Data Description Language (DDL), g-15
 - Device Media Control Language (DMCL), g-15
- Lead Task
 - Activated Lead Task, 3-10
 - Lead Task, 4-6
- Level
 - Achieving Command Level, 3-15
 - Achieving Menu/Form Level, 3-12
 - Base Priority Level, 5-13
 - Command Level, 3-14
 - Command Level Processing, 3-15
 - Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
 - Level Activity Indicators, 5-3
 - Menu/Form Level, 3-12
- Level (cont)
 - Menu/Form Level Processing, 3-12
 - Priority Level Assignments, 5-9
 - Sample Priority Level Assignments for Tasks and Devices (Tbl), 5-11
- Level Activity Indicators
 - Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
 - Level Activity Indicators, 5-3
- Levels
 - Assigning Priority Levels to Application Tasks, 5-13
 - Assigning Priority Levels to Devices and System Tasks, 5-9
 - Central Processor Interrupt Priority Levels, 5-3
 - File Access Levels, 2-35
 - Interrupt Priority Levels, 5-3
 - Task Priority Levels, 5-18
- LFN, g-25
 - Logical File Number (LFN), g-26
- Line Protocol Handler (LPH), g-25
- Linker, g-25
- Links, 2-16
- Listener, 1-6, g-26
- Load Element, 4-22
- Loader, 1-6
 - Loader, g-26
 - Loader, Bootstrap, g-26
 - ROM Bootstrap Loader, g-38
- Local Mail Facility, 5-24
- Local Message Facility, 5-24
- Local Object, 2-45
- Location
 - Relative Location in Memory of Memory Pool AA (Fig), 4-29

INDEX

- Locations
 - Disk Directory and File Locations, 2-7
- Locking
 - Record Locking, 2-28, 2-47
 - Shared File Protection (Record Locking), 2-28
- Logical File
 - Logical File Number (LFN), 5-15, g-26
 - Logical File Table (LFT), g-26
- Logical Resource
 - Application Task Logical Resource Numbers, 5-14
 - Device Logical Resource Numbers, 5-14
 - Logical Resource Number (LRN), 5-13, g-26
 - Logical Resource Table (LRT), g-26
- Login
 - Abbreviated Login, 3-9
 - Direct Login, 3-9
 - Forms Login, 3-9
 - Full Login, 3-9
 - Login, g-26
 - Login Id, 3-6
 - Login Terminals, 3-9
- Login Id, 3-6
- LPH
 - Line Protocol Handler (LPH), g-25, g-27
- LRN
 - Example of LRN Assignments for System Tasks and Devices (Fig), 5-14
 - Logical Resource Number (LRN), g-26, g-27
- Macrocall
 - Message Facility Macrocall Interface, 5-25
- Magnetic Tape
 - Automatic Magnetic Tape Volume Recognition, 2-40
 - Magnetic Tape Device Pathname Construction, 2-39
 - Magnetic Tape File and Volume Names, 2-39
 - Magnetic Tape File Conventions, 2-38
 - Magnetic Tape File Organization, 2-38
- Mailbox Root Directory, 5-23
- Mailboxes
 - Creating Mailboxes, 5-23
 - Creating Print Request Mailboxes, 5-28
- Management
 - Data Management Software, 1-4
 - Memory Management and Protection, 4-12
 - Memory Management Unit (MMU), g-28
 - Segmentation With Basic Memory Management Unit, 4-12
 - Segmentation With Extended Memory Management Unit, 4-13
 - Task Address Space in System With Basic Memory Management Unit, 4-37
 - Task Address Space in System With Extended Memory Management Unit, 4-39
- Manager
 - Clock Manager, 1-6, g-11
 - Configuration Load Manager (CLM), g-13
 - Memory Manager, 1-6, g-28
 - Operator Interface Manager (OIM), 1-6, g-31
 - Task Manager, 1-6, g-43
 - Trap Manager, 1-6, g-45
- Master Menu, 3-10
- Megabus, g-28

INDEX

Memory

- High Memory Address (HMA), g-21
- Immediate Memory Addressing (IMA), g-22
- Memory Allocation, 4-33
- Memory Deallocation, 4-34
- Memory Management and Protection, 4-12
- Memory Management Unit (MMU), g-28
- Memory Manager, 1-6, g-28
- Memory Pool Attributes, 4-15
- Memory Pool Containment Attribute, 4-15
- Memory Pool Layout, 4-21
- Memory Pool Privilege Attribute, 4-15
- Memory Pool Protection Attribute, 4-15
- Memory Pool Ring Access Rights Attribute, 4-16
- Memory Pool Serial-Usage Attribute, 4-16
- Memory Pools, 4-14
- Memory Save and Autorestart Unit, 6-6
- Overlays in Memory Pool AA (Fig), 4-29
- Relative Location in Memory of Memory Pool AA (Fig), 4-29
- Segmentation With Basic Memory Management Unit, 4-12
- Segmentation With Extended Memory Management Unit, 4-13
- Selecting Memory Pool Types, 4-20
- Sharing Memory Pools, 4-14
- Task Address Space in System With Basic Memory Management Unit, 4-37
- Task Address Space in System With Extended Memory Management Unit, 4-39

Memory Manager, 1-6, g-28

Memory Pool

- Memory Pool Containment Attribute, 4-15
- Memory Pool Privilege Attribute, 4-15
- Memory Pool Protection Attribute, 4-15
- Memory Pool Ring Access Rights Attribute, 4-16
- Memory Pool Serial-Usage Attribute, 4-16

Memory Save and Autorestart Unit, 6-6

Menu

- Master Menu, 3-10
- Menu Environment, 3-10
- Menu Processor, 3-11, g-28
- Menu Subsystem, 1-6, 3-10
- Plus Menu, 3-10

Menu Subsystem, 1-6, 3-10

Menu/Form Level, 3-12

Message Facility

- Activating Message Facility Task, 5-23
- Local Message Facility, 5-24
- Message Facility, 1-7, 5-22
- Message Facility Command Interface, 5-24
- Message Facility Macrocall Interface, 5-25

Message Reporter, 1-7

MMU

- Memory Management Unit (MMU), g-28, g-29

Monoprocessor Task Dispatching, 5-6

Multiline Communications Processor (MLCP), g-29

Multiprocessor Task Dispatching, 5-6

Multiprogramming, 1-2, 4-4

Multitasking, 1-2, 4-5

INDEX

- Multivolume
 - Example of Online Multivolume Set (Fig), 2-33
 - Example of Serial Multivolume Set (Fig), 2-34
 - Multivolume Disk Files, 2-31
 - Multivolume Sets, 2-32
 - Online Multivolume File, 2-32
 - Online Multivolume Set, 2-32
 - Serial Multivolume File, 2-34
 - Serial Multivolume Set, 2-33
- Naming
 - Disk Directory and File Naming Conventions, 2-8
- Non-Login Terminals, 3-10
- Non-UFAS Relative Disk File Organizations, 2-19
- Nonfloatable and Floatable Overlays, 4-26
- Overlay Area Table (OAT), g-31
- Office Processing Software, 1-3
- OIM
 - OIM Log, g-30
 - Operator Interface Manager (OIM), g-31
- Online Multivolume File, 2-32
- Online Multivolume Set
 - Example of Online Multivolume Set (Fig), 2-33
 - Online Multivolume Set, 2-32
- Operating Facilities, 1-2
- Operator Interface Manager (OIM), 1-6, g-31
- Organization
 - Disk File Organization, 2-17
 - Magnetic Tape File Organization, 2-38
 - Non-UFAS Relative Disk File Organizations, 2-19
 - UFAS Dynamic Disk File Organization, 2-18
 - UFAS Indexed Disk File Organization, 2-18
 - UFAS Random Disk File Organization, 2-18
 - UFAS Relative Disk File Organization, 2-17
 - UFAS Sequential Disk File Organization, 2-17
- Overlay Area Table (OAT), 4-30, g-31
- Overlay Areas, 4-30
- Overlays
 - Bound Unit Overlays, 4-26
 - Nonfloatable and Floatable Overlays, 4-26
 - Overlays in Memory Pool AA (Fig), 4-29
- Parameters, 3-17
- Pathname
 - Absolute Pathname, 2-12
 - Disk Device Pathname Construction, 2-15
 - Full Pathname, 2-12
 - Magnetic Tape Device Pathname Construction, 2-39
 - Pathname Length, 2-9
 - Pathname Symbols, 2-10
 - Relative Pathname, 2-12
 - Simple Pathname, 2-13
 - Tape Device File Pathname Convention, 2-40
 - Unit Record Device Pathname Construction, 2-41

INDEX

Pathnames

- Absolute and Relative Pathnames, 2-12
- Labeled Tape Pathnames, 2-40
- Pathnames, 2-9
- Sample Pathnames (Fig), 2-14
- Symbols Used in Pathnames, 2-10
- Unlabeled Tape Pathnames, 2-39

Physical Input/Output (PIO), g-33

Pipe, 5-21

Pipes, 2-19

Pool

- Buffer Pool Statistics, 2-37
- I Pool, g-22
- Memory Pool Attributes, 4-15
- Memory Pool Containment Attribute, 4-15
- Memory Pool Layout, 4-21
- Memory Pool Privilege Attribute, 4-15
- Memory Pool Protection Attribute, 4-15
- Memory Pool Ring Access Rights Attribute, 4-16
- Memory Pool Serial-Usage Attribute, 4-16
- Overlays in Memory Pool Aa (Fig), 4-29
- Relative Location in Memory of Memory Pool AA (Fig), 4-29
- Sample Independent Pool Group Segment Assignments (Fig), 4-20
- Sample Swap Pool Group Segment Assignments (Fig), 4-18
- Selecting Memory Pool Types, 4-20
- Swap Pool Task Address Space, 4-35
- System Pool, 4-16

Pools

- Buffer Pools, 2-35
- File-Specific Buffer Pools, 2-36
- Independent Pools, 4-19
- Memory Pools, 4-14
- Private Buffer Pools, 2-36
- Public Buffer Pools, 2-36
- Shareable Bound Units in Independent Pools, 4-23
- Shareable Bound Units in Swap Pools, 4-23
- Sharing Memory Pools, 4-14
- Swap Pools, 4-17

Positional Argument, 3-17

Power

- Implementing the Power Resumption Facility, 6-6
- Power Resumption, 6-6
- Power Resumption Functions, 6-7

Print

- Creating Print Request Mailboxes, 5-28
- Creating the Print Daemon, 5-28
- Default Print Queue, 3-7
- Deferring Print Requests, 5-28
- Queuing Print Requests, 5-28

Priority Levels

- Assigning Priority Levels to Application Tasks, 5-13
- Assigning Priority Levels to Devices and System Tasks, 5-9
- Base Priority Level, 5-13
- Central Processor Interrupt Priority Levels, 5-3
- Interrupt Priority Levels, 5-3
- Priority Level Assignments, 5-9
- Sample Priority Level Assignments for Tasks and Devices (Tbl), 5-11
- Task Priority Levels, 5-18

Private Buffer Pools, 2-36

Privilege

- Memory Pool Privilege Attribute, 4-15
- Privilege, 4-15

INDEX

Processing

- Checkpoint Processing, 6-15
- Command Level Processing, 3-15
- Deferred Processing Facilities, 5-26
- Menu/Form Level Processing, 3-12
- Office Processing Software, 1-3
- Restart Processing, 6-18

Processor

- Abbreviation Processor, 3-20
- Central Processor Interrupt Priority Levels, 5-3
- Command Processor, 1-6, 3-13, g-13
- Commercial Instruction Processor (CIP), g-13
- Connecting to the Central Processor, 3-8
- Dual-Line Communications Processor (DLCP), g-17
- Format of Level Activity Indicators for Each Central Processor (Fig), 5-4
- Menu Processor, 3-11, g-28
- Multiline Communications Processor (MLCP), g-29
- Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5
- Scientific Instruction Processor (SIP), g-38

Profile

- Edit Profile Utility, g-17
- Report Queue Profile, 5-29
- User Profile, 3-6
- User Profile Sections, 3-7

Profiles File, 3-6

Program Development Software, 1-5

Protected String Designators, 3-18

Protection

- Disk File Protection, 2-21
- Memory Management and Protection, 4-12
- Memory Pool Protection Attribute, 4-15
- Protection, 4-15
- Segment Ring Protection, 4-13
- Shared File Protection (Record Locking), 2-28

Public Buffer Pools, 2-36

Queues

- Creating Report Queues, 5-29
- Creating Task Group Request Queues, 5-27

Queuing

- Queuing and Transcribing Reports, 5-29
- Queuing Print Requests, 5-28
- Queuing Report Requests, 5-30
- Queuing Task Group Requests, 5-27

Record, 2-21

- Record Locking, 2-28, 2-47
- Shared File Protection (Record Locking), 2-28
- Unit Record Device Buffering, 2-41
- Unit Record Device File Conventions, 2-41
- Unit Record Device Pathname Construction, 2-41
- Unit Record Devices, 2-3
- Unit Record Read Operations, 2-41
- Unit Record Write Operations, 2-43

Record Locking, 2-28

- Record Locking, 2-47
- Shared File Protection (Record Locking), 2-28

Recoverable

- Designating Recoverable Files, 6-8

Recovering After System Failure, 6-10

INDEX

Recovery

- File Recovery, 6-8
- File Recovery Process, 6-9
- Recovery File, 6-8
- Recovery File Creation, 6-8

Registration

- User Registration, 3-6

Relative

- Absolute and Relative Pathnames, 2-12
- Fixed Relative Disk File, 2-19
- Non-UFAS Relative Disk File Organizations, 2-19
- Relative Location in Memory of Memory Pool AA (Fig), 4-29
- Relative Pathname, 2-12
- String Relative Disk File, 2-19
- UFAS Relative Disk File Organization, 2-17

Relative Pathname, 2-12

Remote File Access

- Initiating Remote File Access Operations, 2-47
- Remote File Access, 2-44
- Remote File Access Security, 2-47
- Remote File Catalog, 2-44
- Remote Object, 2-44

Remote Object, 2-44

Report

- Creating Report Queues, 5-29
- Queuing Report Requests, 5-30
- Report Queue Profile, 5-29

Reports

- Queuing and Transcribing Reports, 5-29
- Transcribing Reports, 5-30

Request

- Clock Request Block (CRB), g-11
- Creating Print Request Mailboxes, 5-28
- Creating Task Group Request Queues, 5-27
- Indirect Request Block (IRB), g-22
- Input/Output Request Block (IORB), g-22
- Intermediate Request Block, g-23
- Request Blocks, 5-21
- Semaphore Request Block (SRB), g-39
- Task Request Block (TRB), g-43

Request Blocks, 5-21

Requesting

- Requesting a Restart, 6-17
- Requesting Rollback, 6-10

Requests

- Deferring Print Requests, 5-28
- Deferring Task Group Requests, 5-27
- Queuing Print Requests, 5-28
- Queuing Report Requests, 5-30
- Queuing Task Group Requests, 5-27
- Task Requests, 5-15

Resource

- Application Task Logical Resource Numbers, 5-14
- Device Logical Resource Numbers, 5-14
- Logical Resource Number (LRN), g-26
- Logical Resource Numbers, 5-13
- Logical Resource Table (LRT), g-26
- Resource Control Table (RCT), g-37
- Task and Resource Coordination, 5-15

Restart

- Checkpoint Restart, 6-12
- Requesting a Restart, 6-17
- Restart, 6-16
- Restart Processing, 6-18

INDEX

- Restorable Files
 - Designating Restorable Files, 6-11
- Restoration
 - File Restoration, 6-10
 - File Restoration Process, 6-12
- Restoring Files and Directories, 6-5
- Resumption
 - Implementing the Power Resumption Facility, 6-6
 - Power Resumption, 6-6
 - Power Resumption Functions, 6-7
- Rights
 - Access Rights, 2-24
 - Memory Pool Ring Access Rights Attribute, 4-16
 - Ring Access Rights, 4-16
- Ring
 - Memory Pool Ring Access Rights Attribute, 4-16
 - Ring Access Rights, 4-16
 - Segment Ring Protection, 4-13
- Rollback
 - Requesting Rollback, 6-10
- ROM Bootstrap Loader, g-38
- Root
 - Mailbox Root Directory, 5-23
 - Root Directory, 2-5
 - System Root Directory, 2-5
 - User Root Directory, 2-5
- Save
 - Interrupt Save Area (ISA), 5-5, g-23
 - Memory Save and Autorestart Unit, 6-6
 - Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5
 - Trap Save Area (TSA), g-45
- Scientific Instruction Processor (SIP), g-38
- Search
 - Bound Unit Search Rules, 4-25
- Security
 - Remote File Access Security, 2-47
- Segment
 - Sample Independent Pool Group Segment Assignments (Fig), 4-20
 - Sample Swap Pool Group Segment Assignments (Fig), 4-18
 - Segment Ring Protection, 4-13
- Segmentation, 4-12
 - Segmentation With Basic Memory Management Unit, 4-12
 - Segmentation With Extended Memory Management Unit, 4-13
- Segments
 - Dynamically Created Segments, 4-35
- Selecting Memory Pool Types, 4-20
- Semaphore Request Block (SRB), g-39
- Semaphores, 5-16
- Serial Multivolume File, 2-34
- Serial Multivolume Set
 - Example of Serial Multivolume Set (Fig), 2-34
 - Serial Multivolume Set, 2-33
- Serial Usage, 4-16
- Shareable
 - Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
 - Globally Shareable Bound Units, 4-24
 - Shareable Bound Units, 4-23
 - Shareable Bound Units and Executive Extensions, 4-24
 - Shareable Bound Units in Independent Pools, 4-23
 - Shareable Bound Units in Swap Pools, 4-23

INDEX

- Shared
 - Shared Disk Files, 1-3
 - Shared File Protection (Record Locking), 2-28
- Sharing Memory Pools, 4-14
- Simple Pathname, 2-13
- SIP
 - Scientific Instruction Processor (SIP), g-38, g-40
 - SIP Simulator, g-40
- Software
 - Data Communications Software, 1-5
 - Data Entry Software, 1-4
 - Data Management Software, 1-4
 - Distributed Systems Software, 1-4
 - File System Software, 1-5
 - Office Processing Software, 1-3
 - Program Development Software, 1-5
 - Software Facilities, 1-3
 - System Control Software, 1-6
 - Utility Software, 1-5
- Space
 - Group System Space, 4-36
 - Group Work Space, 4-36
 - Swap Pool Task Address Space, 4-35
 - System Global Space, 4-36
 - System Representation of Task Address Space, 4-36
 - Task Address Space in BMMU System (Fig), 4-38
 - Task Address Space in EMMU System (Fig), 4-40
 - Task Address Space in System With Basic Memory Management Unit, 4-37
 - Task Address Space in System With Extended Memory Management Unit, 4-39
- Spaces in Command Lines, 3-17
- Spooling, 5-29
- SRB
 - Semaphore Request Block (SRB), g-39, g-40
- Stack
 - User Stack Area, 4-35
- START_UP.EC
 - EC and START_UP.EC Files, 3-22
 - START_UP.EC Files, 3-24
- States
 - Task States, 5-20
- String Relative Disk File, 2-19
- Strings
 - Active Strings and Active Functions, 3-19
 - Protected Strings, 3-18
- Suspend Task State, 5-20
- Swap
 - Sample Swap Pool Group Segment Assignments (Fig), 4-18
 - Shareable Bound Units in Swap Pools, 4-23
 - Swap Pool Task Address Space, 4-35
 - Swap Pools, 4-17
- Swapper, 1-6
 - Swapper, g-42
- Symbols
 - Pathname Symbols, 2-10
 - Symbols Used in Pathnames, 2-10
- System
 - Accessing the System, 3-8
 - Assigning Priority Levels to Devices and System Tasks, 5-9
 - Data Base Control System (DBCS), g-14
 - Example of LRN Assignments for System Tasks and Devices (Fig), 5-14
 - File System, g-20
 - File System Software, 1-5
 - Fixed System Area, 4-21
 - Group System Space, 4-36
 - Recovering After System Failure, 6-10
 - System Backup Copy, 3-5
 - System Commands, 3-11

INDEX

System (cont)

- System Configuration and Definition, 3-4
- System Control of Task Groups, 4-7
- System Control Software, 1-6
- System Features Affecting Task Execution, 5-9
- System Global Space, 4-36
- System Installation, 3-4
- System Pool, 4-16
- System Representation of Task Address Space, 4-36
- System Root Directory, 2-5
- System Summary, 1-2
- Task Address Space in BMMU System (Fig), 4-38
- Task Address Space in EMMU System (Fig), 4-40
- Task Address Space in System With Basic Memory Management Unit, 4-37
- Task Address Space in System With Extended Memory Management Unit, 4-39
- Unified File Access System (UFAS); g-45

Systems

- Distributed Systems Architecture 6 (DSA6), 1-4
- Distributed Systems Software, 1-4
- Systems Network Architecture 6 (SNA6), 1-4

Systems Network Architecture 6 (SNA6), 1-4

Table

- Logical File Table (LFT), g-26
- Logical Resource Table (LRT), g-26
- Overlay Area Table (OAT), g-31
- Overlay Area Table, 4-30
- Resource Control Table (RCT), g-37

Tabulation Stops, 2-41

Tape

- Automatic Magnetic Tape Volume Recognition, 2-40
- Labeled Tape Pathnames, 2-40
- Magnetic Tape Device Pathname Construction, 2-39
- Magnetic Tape File and Volume Names, 2-39
- Magnetic Tape File Conventions, 2-38
- Magnetic Tape File Organization, 2-38
- Tape Device File Pathname Convention, 2-40
- Tape File Name Length, 2-39
- Tape Volume Id Convention, 2-40
- Tape Volume Name Length, 2-39
- Unlabeled Tape Pathnames, 2-39

Tape Device File Pathname Convention, 2-40

Tape File Name Length, 2-39

Tape Volume Id Convention, 2-40

Tape Volume Name Length, 2-39

Task

- Activated Lead Task, 3-10
- Activating Message Facility Task, 5-23
- Active Task State, 5-20
- Application Design Benefits of Task Group Use, 4-6
- Application Task Logical Resource Numbers, 5-14
- Characteristics of Task Groups and Tasks, 4-10
- Creating Task Group Request Queues, 5-27
- Deferring Task Group Requests, 5-27
- Dormant Task State, 5-20
- Generating Task Groups and Tasks, 4-8
- Lead Task, 4-6
- Monoprocessor Task Dispatching, 5-6
- Multiprocessor Task Dispatching, 5-6
- Queuing Task Group Requests, 5-27

INDEX

- Task (cont)
 - Suspend Task State, 5-20
 - Swap Pool Task Address Space, 4-35
 - System Control of Task Groups, 4-7
 - System Features Affecting Task Execution, 5-9
 - System Representation of Task Address Space, 4-36
 - Task Activation, 5-19
 - Task Address Space in BMMU System (Fig), 4-38
 - Task Address Space in EMMU System (Fig), 4-40
 - Task Address Space in System With Basic Memory Management Unit, 4-37
 - Task Address Space in System With Extended Memory Management Unit, 4-39
 - Task and Resource Coordination, 5-15
 - Task Control Block (TCB), g-43
 - Task Dispatching, 1-3, 5-6
 - Task Group and Task Functions Possible From Interactive and Absentee Modes (Tbl), 4-9
 - Task Group Identification, 4-11
 - Task Groups and Tasks, 4-3
 - Task Handling, 5-18
 - Task Manager, 1-6, g-43
 - Task Priority Levels, 5-18
 - Task Request Block (Trb), g-43
 - Task Requests, 5-15
 - Task States, 5-20
 - Task Step Control, 4-4
 - Task Termination, 5-19
 - Wait Task State, 5-20
- Task Manager, 1-6, g-43
- Tasks
 - Assigning Priority Levels to Application Tasks, 5-13
 - Assigning Priority Levels to Devices and System Tasks, 5-9
 - Characteristics of Task Groups and Tasks, 4-10
 - Example of Lrn Assignments for System Tasks and Devices (Fig), 5-14
- Tasks (cont)
 - Generating Task Groups and Tasks, 4-8
 - Sample Priority Level Assignments for Tasks and Devices (Tbl), 5-11
 - Task Groups and Tasks, 4-3
- Terminal
 - KSR-Like Terminal, g-24
 - Login Terminals, 3-9
 - Non-Login Terminals, 3-10
 - Terminals File, 3-9
- Terminals File, 3-9
- Termination
 - Task Termination, 5-19
- Transcribing
 - Queuing and Transcribing Reports, 5-29
 - Transcribing Reports, 5-30
- Trap
 - Trap Handling, 5-8
 - Trap Manager, 1-6, g-45
 - Trap Save Area (TSA), g-45
- Trap Manager, 1-6, g-45
- UFAS, g-45
 - UFAS Dynamic Disk File Organization, 2-18
 - UFAS Indexed Disk File Organization, 2-18
 - UFAS Random Disk File Organization, 2-18
 - UFAS Relative Disk File Organization, 2-17
 - UFAS Sequential Disk File Organization, 2-17
- Unified File Access System (UFAS), g-45

Unit

- Bound Unit, 4-35
- Bound Unit Allocation, 4-33
- Bound Unit Characteristics, 4-22
- Bound Unit Descriptor (BUD) Block, g-9
- Bound Unit Overlays, 4-26
- Bound Unit Search Rules, 4-25
- Commitment Unit, 2-48
- Compile Unit (CU), g-13
- General Bound Unit Characteristics, 4-22
- Memory Management Unit (MMU), g-28
- Memory Save and Autorestart Unit, 6-6
- Sample Bound Unit Structure for Overlay Area Use (Fig), 4-30
- Segmentation With Basic Memory Management Unit, 4-12
- Segmentation With Extended Memory Management Unit, 4-13
- Task Address Space in System With Basic Memory Management Unit, 4-37
- Task Address Space in System With Extended Memory Management Unit, 4-39
- Unit Record Device Buffering, 2-41
- Unit Record Device File Conventions, 2-41
- Unit Record Device Pathname Construction, 2-41
- Unit Record Devices, 2-3
- Unit Record Read Operations, 2-41
- Unit Record Write Operations, 2-43

Unit Record Devices, 2-3

Units

- Comparison of Executive Extensions and Shareable Bound Units (Tbl), 4-25
- Globally Shareable Bound Units, 4-24
- Shareable Bound Units, 4-23
- Shareable Bound Units and Executive Extensions, 4-24

Units (cont)

- Shareable Bound Units in Independent Pools, 4-23
- Shareable Bound Units in Swap Pools, 4-23

Unlabeled Tape

- Unlabeled Tape Pathnames, 2-39
- Unlabeled Tapes, 2-38

User Id, 2-23, 3-6

User Productivity Facility, 3-7, 3-11, g-46

User Profile, 3-6
User Profile Sections, 3-7

User-In File, 3-13

User-Out File, 3-14

Utility Software, 1-5

VDAM, g-47

Vectors

- Order of Interrupt Vectors and Format of Interrupt Save Areas for Each Central Processor (Fig), 5-5

VISION, g-47

Visual Information Projection (VIP), g-47

Volume

- Automatic Disk Volume Recognition, 2-16
- Automatic Magnetic Tape Volume Recognition, 2-40
- Disk Volume Name Length, 2-9
- Magnetic Tape File and Volume Names, 2-39
- Tape Volume Id Convention, 2-40
- Tape Volume Name Length, 2-39
- Volume, 2-3

Wait Task State, 5-20

Work Group Work Space, 4-36

INDEX

Working Directory, 2-7

Write
Unit Record Write Operations,
2-43