



Systems Reference Library

IBM System/360 Conversion Aids: FORTRAN IV-to-PL/I Language Conversion Program for IBM System/360 Operating System

Program Number 360C-CV-710

The System/360 FORTRAN IV-to-PL/I Language Conversion Program (LCP) assists in the transition to PL/I by converting FORTRAN IV programs into PL/I programs. The LCP is distributed in object module form for inclusion in the user's system library.

The user should have an understanding of the System/360 Operating System and be familiar with the following publications:

IBM System/360 Basic FORTRAN IV Language,
Form C28-6629

IBM System/360 Operating System, PL/I (F)
Programmer's Guide, Form C28-6594
A Guide to PL/I for FORTRAN Users, Form

C20-1637
IBM System/360, PL/I Reference Manual, Form C28-8201

















Second Edition (January 1973)

This is a revision of GC33-2002-1. It incorporates changes issued in the following Technical Newsletters:

N33-7002 (dated October 4, 1968) N33-7004 (dated January 15, 1969) GN33-7007 (dated August 13, 1970).

Specifications contained herein are subject to change from time to time. Any such change will be reported in subsequent revisions or Technical Newsletters.

This publication was prepared for production using an IBM computer to update the text and to control the page and line format. Page impressions for photo-offset printing were obtained from an IBM 1403 Printer using a special print chain.

Copies of this and other IBM publications can be obtained through IBM Branch Offices.

A form for reader's comments appears at the back of this publication. Address any additional comments concerning the contents of this publication to: IBM France, Centre d'Etudes et Recherches, Programming Publications, 06610 - La Gaude, France.

© Copyright International Business Machines Corporation

INTRODUCTION							
Source Language							•
Output Language							:
Output Language							
Sample Program							
Sample Program					-		
Control Information		Ĭ	Ī	•	•	•	,
Control Information		·	•	•	•	•	
Characteristics of FORTRAN Programs to be Converted	•	•	•	•	•	•	1
ICD Actions	. •	•	•	•	•	•	1/
LCP Actions	•	•	•	•	•	•	1
Performance	•	•	•	•	•	•	1
Notation Used in This Document	•	•	•	•	•	•	1
Notation used in this pocument	•	•	•	•	•	•	- 1
GENERAL PROBLEMS IN CONVERTING TO PL/I							1
FORTRAN Mathematical Function Subprogram	•	•	•	•	•	•	1
Promise of New Conflicts	•	•	•	•	•	•	1.
Prevention of Name Conflicts	•	•	•	•	•	•	1.
Arrangement of Arrays in Storage	•	•	•	•	•	•	1
CCNVERSION ACTIONS							4.
CONVERSION ACTIONS	•	•	•	•	•	•	13
Data Set Terminology	•	•	•	•	•	•	13
Form of Coding Examples	•	•	•	•	•	•	1:
General Considerations	•	•	•	•	•	٠	16
Blanks within Words		٠	•	•	•	•	1 (
Comments	•	•	•	•	•	•	16
Elements of the Language	•	•	•	•	•		1
Program Unit		•				•	17
Statement Numbers	•	•	•				17
Integer Constants							17
Real Constants							18
Complex Constants							18
Logical Constants	_	_	_	_			10
Literal Constants							19
Hexadecimal Constants						_	10
Subscripted Variables	_					-	19
Arithmetic Expressions	_			•	-	•	10
Logical Expressions	•	Ť	•	•	•	•	20
Logical Expressions	•	•	•	•	•	•	21
Arithmetic Assignment with Truncation from REAL to IN	TEG	. T :	₹.	•	•	•	21
Control Statements	110	ינויי		•	•	•	22
Unconditional GO TO Statement	•	•	•	•	•	•	22
Computed GO TO Statement	•	•	•	•	•	•	22
ASSIGN and Assigned GO TO Statements	•	•	•	•	•	•	2.2
Arithmetic IF Statement	•	•	•	•	•	•	2.3
Logical IF Statement	•	•	•	•	•	•	25
DO Statement	•	•	•	•	•	•	24
DO Statement	•	•	•	•	•	•	24
CONTINUE Statement	•	•	•	•	•	•	25
PAUSE Statement	•	•	•	•	•	•	25
STOP Statement	•	•	•	•	•	•	25
END Statement	•	•	•	•	•	•	26
Specification Statements	•	•	•	•	•	•	26
Predefined Specification							26
IMPLICIT Statement	•	•	•		•		26
Explicit Specification Statement	•			•	•		27
DIMENSION Statement							27
COMMON Statement						•	27
EQUIVALENCE Statement							28
Common Variables Appearing in an Equivalence Statement							29
Statement Functions							30

FUNCTION Subprograms	. 30	
SUBROUTINE Subprograms	. 31	•
ENTRY Statement	. 31	
RETURN Statement in a Subroutine Subprogram	. 31	
CALL Statement	. 32	
EVEEDNAL Statement	. 32	
BLOCK DATA Subprogram	. 33	
DATA Initialization Statement	33	
DOUBLE PRECISION Statement	• 33	
DOUBLE PRECISION Statement	• 33	
Service Subprograms	• 33	
Input/Output Statements	. 34	
READ Statements	. 34	
PRINT Statement	. 36	
PUNCH Statement	. 36	
WRITE Statement	. 36	
FORMAT Statement		
Numeric Format Items	37	
Scale Factor	37	
Logical Format Item	30	
Logical format item	• 30	
Character-String Format Item	. 38	
Generalized Format Item	. 38	
Hexadecimal Format Item	39	
Literal Data and H-Format Code	. 39	
Control Format Items	. 39	
END FILE Statement	. 40	
REWIND Statement	40	
BACKSPACE Statement	40	
DACKSFACE Statement	• • •	
CONVERSION OUTPUT AND MESSAGES	11.1	
CONVERSION OUTPUT AND MESSAGES	. 41	
Listing	. 41	
messages	. 41	
Messages	. 41	
	41	
	41	
	41	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	. 41	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	. 41	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS	41 . 42 . 43	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS	41 . 42 . 43 . 44 . 47	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS	41 . 42 . 43 . 44 . 47	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 . 42 . 43 . 44 . 47 49	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS	41 42 43 43 44 47 49	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 43 44 47 49 49	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 43 44 47 49 49 49 49	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 49 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 49 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 49 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50 50	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50 50 51	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50 50 51 52 52	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50 50 51 52 53	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 49 50 50 51 52 53 53	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS APPENDIX D. DISTRIBUTION OF THE LCP Programs on Disk Pack Contents of the Disk Pack Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options LCP Control Cards	41 42 43 44 47 49 49 49 50 50 51 52 53 53 54	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS APPENDIX D. DISTRIBUTION OF THE LCP Programs on Disk Pack Contents of the Disk Pack Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options LCP Control Cards	41 42 43 44 47 49 49 49 50 50 51 52 53 53 54	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS APPENDIX D. DISTRIBUTION OF THE LCP Programs on Disk Pack Contents of the Disk Pack Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options EXEC Card Options EXEC Control Cards Executing the PL/I Target Program	41 42 43 44 47 49 49 50 50 51 52 53 54 54	
Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options LCP Control Cards Executing the PL/I Target Program	41 42 43 44 47 49 49 50 50 51 52 53 54 54	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS	41 42 43 44 47 49 49 50 50 51 52 53 54 54	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS APPENDIX D. DISTRIBUTION OF THE LCP Programs on Disk Pack Contents of the Disk Pack Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options LCP Control Cards Executing the PL/I Target Program APPENDIX F. MESSAGES	41 42 43 44 47 49 49 50 50 51 52 53 54 54 55	
APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS APPENDIX C. LCP RESTRICTIONS APPENDIX D. DISTRIBUTION OF THE LCP Programs on Disk Pack Contents of the Disk Pack Creating the Load Module Programs on Tape Contents of the Tape Creating the Load Module Using the Function LBLNK APPENDIX E. OPERATING PROCEDURES Executing the LCP Control Card Options EXEC Card Options EXEC Card Options EXEC Control Cards Executing the PL/I Target Program	41 42 43 44 47 49 49 50 50 51 52 53 54 54 55	

TABLES

Table 1.	Logical Data Sets Required by the LCP for a
	Conversion Run
Table 2.	Type and Length Specification Conversion 2

The FORTRAN IV-to-PL/I Language Conversion Program, referred to in this publication as "the LCP," is a program provided by IBM to assist its customers in the transition from FORTRAN IV to PL/I. The LCP can be added to the user's System/360 Operating System program library to help him convert his FORTRAN IV source programs into PL/I programs. The resulting PL/I program is referred to as the PL/I "target" program.

The LCP does the following:

- It recognizes and converts FORTRAN IV statements into PL/I statements having the same meaning and effect.
- It detects and flags FORTRAN IV statements that have no PL/I equivalents or that cannot be meaningfully or unambiguously translated into PL/I statements.
- It produces an output listing of the PL/I program as well as messages providing information on the conversion actions. The user may specify that the listing also contain the original FORTRAN IV statements.
- It produces, when specified to do so by the user, the converted program on cards, or as card images on tape or on disk.

In certain programs, limited manual changes will be necessary to make the generated PL/I program compilable and faithful to the FORTRAN IV source program. In such cases, the user will be guided by outputlisting messages.

SOURCE LANGUAGE

The LCP processes programs written in System/360 Operating System FORTRAN IV language. It will, therefore, process the output of the current FORTRAN II to System/360 Operating System FORTRAN IV Language Conversion Programs for the IBM 1401 (see IBM_System/360_Conversion_Aids: FORTRAN II Language Conversion Program for the IBM 1401, Form C28-6560).

Moreover, the LCP will convert FORTRAN IV source programs written for current IBM systems other than the System/360. When such source programs are converted, however, the user should note the two following points:

- From the point of view of language, all FORTRAN IV source programs can be converted by the LCP, subject to the restrictions indicated in Appendix C.
- There is no guarantee that the converted programs will be correctly executed. This is due to differences in implementation between System/360 and other current IBM systems (storage allocation, magnitude of data, etc.).

OUTPUT LANGUAGE

The LCP converts source programs into System/360 Operating System PL/I language for compilation by the PL/I (F) compiler version 4 and the following versions.

DISTRIBUTION OF THE LCP

The LCP will be distributed in object module form for inclusion in user's system library.

SAMPLE PROGRAM

The disk pack or the tape distributed by IBM will contain, in addition to the LCP, a sample program, written in FORTRAN. This program is described in detail in Appendix H.

SYSTEM REQUIREMENTS

The machine requirements depend on the type of run to be made: a conversion run or a link-editing run for generating the LCP load module.

The minimum System/360 configuration required for a conversion run by the LCP is:

- One System/360 Model 40 with 128K bytes of main storage. The LCP itself needs a minimum of 70K bytes to operate in a PCP or MFT environment. The 70K bytes include the Data Management Poutines and buffers. To use the LCP with MVT, it is suggested that 6K be added to the SIZE chosen so as to obtain the REGION specification.
- Standard instruction set
- Decimal Arithmetic feature
- Floating-Point Arithmetic feature
- Minimum peripheral equipment required by the Operating System

The logical data sets used by the LCP are shown in Table 1. Note that when these data sets are on DASD, they may be placed on the same volume as the system residence.

Table 1. Logical Data Sets Required by the LCP for a Conversion Run

DATA SET	FUNCTION	DEVICE OPTIONS		
SYSTN	Source Input	Magnetic Tape Unit, Card Reader, Direct Access Storage Device (DASD)		
SYSIOERR	Message Output	Magnetic Tape Unit, Printer, DASD		
SYSPRNT	Listing Output	Magnetic Tape Unit, Printer, DASD		
SYSUT1 SYSUT2	Auxiliary Storage Auxiliary Storage	DASD DASD		
SYSPCH ¹ Deck Output Magnetic Tabe Unit, Card Punch, DASD				
SYSPCH is required only for punched-card output (or card image on magnetic tape or DASD) of the converted program.				

For generation of the LCP load module, an additional 2311 Disk Storage Drive or magnetic tape unit is required to run the distributed program.

In order to generate the LCP load module and/or execute a conversion run, the Operating System must include the modules for the PL/T (F) compiler and its library.

CONTROL INFORMATION

A conversion run requires control cards prepared by the user, specifying which of the options provided by the LCP he has chosen. The control cards required and the options available are described in Appendix E.

GENERAL DESCRIPTION OF THE LCP

The LCP is designed to do a maximum amount of conversion. It provides a number of options that permit the user to apply it effectively to a wide range of conversion needs.

The program is particularly versatile in the following respects:

- Messages in the output listing identify statements that cannot be converted and those that, once converted. may give incorrect results on execution.
- In addition to the printed listing, the converted output may also appear on cards, magnetic tape, or DASD.
- The PL/I program can be generated in either the 48- or the 60character set, depending on the character set used in the source program.
- Optionally, the FORTRAN source program can be listed.
- The user can specify the size of main storage available in the machine used for conversion.

 A character code option (BCD or EBCDIC) is provided, which remains the same for input and for output.

CHARACTERISTICS OF FORTRAN PROGRAMS TO BE CONVERTED

A source program to be converted by the LCP must be error-free; that is, source program statements <u>must</u> conform to the specifications for System/360 Operating System FORTRAN IV.

The source program can be in the form of punched cards or of 80-character (blocked or unblocked) card images on tape or on DASD.

Source programs should be converted by the LCP before any hand changes are made. This makes the best use of the LCP and avoids incorrect conversion caused by coding errors.

All FORTRAN source programs and subprograms are converted independently, except BLOCK DATA subprograms, which must immediately precede the main program to which they belong. Within a single given batch of FORTRAN programs, the user need not insert new LCP control statements unless he wishes to change original LCP control information.

LCP ACTIONS

The LCP analyzes each statement of the FORTRAN source program and takes one of three types of action:

- <u>Full Conversion</u>: The LCP converts the statement completely into a form acceptable to the PL/I (F) compiler.
- <u>Conversion</u>, <u>with Warning</u>: The statement is converted into a form acceptable to the PL/I (F) compiler. However, the execution of the target program may give results that are not equivalent to those obtained by the execution of the FORTRAN-compiled source program. A warning message is issued.
- <u>No Conversion</u>, <u>with Warning</u>: When a source program statement cannot be converted, a message identifies the statement and gives the reasons for non-conversion.
- A list of restrictions is given in Appendix C.

USE OF THE OUTPUT LISTING

The output listing from the LCP always contains the converted statements and all messages that have been generated. Optionally, it may also contain the source program statements.

Using the output listing, the programmer can analyze the conversion and determine whether any manual changes are required. The necessary modifications can be made in the output deck. The deck is then ready for compilation by the PL/I (F) compiler.

PERFORMANCE

On a System/360 Model 50 with 128K bytes of main storage, the average conversion time (T) for a FORTRAN program containing N cards is given in the following formula (in seconds):

T=55+37*S+0.75*N

where S is the number of subprograms

The time given is that which is applicable when the user has specified the options SOURCE and DECK in his EXEC card, thus requiring the source program to be listed on SYSPRNT and the target program to be punched on SYSPCH. The devices to be used are as follows:

2540 Card Read Punch for SYSIN

1403 Printer for SYSPRNT

2540 Card Read Punch for SYSPCH

When SYSIN, SYSPRNT and SYSPCH are 2401 Magnetic Tape Units (Model 3):

T=55+37*S+0.60*N

NOTATION USED IN THIS DOCUMENT

The object of this paragraph is to provide a simple way of describing the conversion process, and not a comprehensive theory of languages.

In order to present the general form of a source language statement, as well as that of its target language equivalent, the following syntactic notation is used.

A <u>syntactic variable</u> of a language is used to represent one element of a particular set of elements of the language that have the same syntactic function. The range of values of a syntactic variable is therefore the set of elements.

In FORTRAN, for example, the statement numbers constitute a set of elements that have the same syntactic function. The corresponding syntactic variable has as its range of values the set of all possible FORTRAN statement numbers (each a sequence of from one to five decimal digits).

For the purposes of this publication, a syntactic variable is given a name, made up of a finite sequence of characters, which is a mnemonic representation of the corresponding syntactic function, e.g.:

statement number

In order to differentiate between syntactic variables that are not part of the language and <u>basic symbols</u> of the language, syntactic variables are enclosed in corner brackets, e.g.:

<statement number>

In addition, some keywords of the language (GO TO, IF, etc.) are used in connection with syntactic variables. For example, the FORTRAN arithmetic IF statement is written as follows:

IF(<arithmetic expression>) <statement number>, <statement number>,
<statement number>

When it is necessary to specify different values of a given syntactic variable, numeral suffixes are used. In order to specify in the example shown above that the three statement numbers are different, the following notation is used:

IF (<arithmetic expression>) <statement number 1>, <statement number 2>,
<statement number 3>

The operator $\underline{\text{conv}}$ is used to denote the result of the conversion of a FORTRAN syntactic variable into its PL/I equivalent:

conv<FORTRAN syntactic variable>

For example, the format of the FORTRAN unconditional GO TO statement and that of its PL/I equivalent are represented as follows:

GO TO<statement number> and GO TO conv<statement number>

The operator "conv" is sometimes omitted when there is no risk of confusion.

Conversion from FORTRAN IV to PL/I involves several general problems due to differences between the two languages.

The sections that follow address these problems and note those which the LCP can solve.

FORTRAN MATHEMATICAL FUNCTION SUBPROGRAM

The table in Appendix B shows the correspondence between the PL/I builtin function names and the FORTRAN IV mathematical function subprogram names.

Normally, the name of each FORTRAN IV mathematical function subprogram in the source program is changed to the corresponding PL/I built-in function name, except when suppression of such conversion has been indicated in an LCP control card (see Appendix E). For example, the function IABS is normally converted to ABS wherever it appears.

PREVENTION OF NAME CONFLICTS

To avoid name conflicts, the LCP provides an LCP substitution name in the following cases:

- COMMON block name The name is lengthened 7 characters by concatenating the first characters of the word COMMON with the original common name (see the COMMON statement).
- Other symbolic name
 - The LCP checks each name written by the user against
 - a list of PL/I built-in function names which are different in FORTRAN or which are used for conversion by the LCP, namely, LOG, LOG10, TRUNC, MAX, MIN, FIXED, IMAG, BINARY
 - the operators of the 48-character set, if this option is selected, namely, GT, GE, NE, LT, LT, OR, AND, NOT, NL, NG, CAT, and PT

If they match, a suffix <name-tail> is added to the name specified by the user. The value given to <name-tail> is as many characters of the string VARFUN as are required to make the substitution name seven characters long. For example, LOG will become LOGVARF, and GE will become GEVARFU. Optionally, a list of such source names and their corresponding LCP substitution names can be provided in the output listing.

ARRANGEMENT OF ARRAYS IN STORAGE

The manner of storing arrays differs in FORTRAN and in PL/I.

The FORTRAN convention is that the elements of an array are stored in ascending locations, with the value of the first subscript varying most rapidly, and that of each succeeding subscript varying less rapidly than that of its predecessor. Thus, a two-dimensional array is stored column in ascending locations.

The PL/I convention is the inverse of that for FORTRAN: the elements of an array are stored in ascending locations, but the value of the first subscript varies least rapidly, and the value of each subscript varies more rapidly than that of its predecessor. Thus, a two-dimensional array is stored row by row in ascending locations.

To conform with the PL/I convention for array storage, the LCP makes the necessary conversion, as shown in the following example:

```
Original
DIMENSION A(3,4,5,6)

...
= A(1,2,3,4)

Converted
DECLARE A(6,5,4,3) FLOAT BINARY;
...
= A(4,3,2,1);
```

The components of the FORTRAN IV language are discussed in approximately the order in which they are described in the publication IBM System/360 Operating System FORTRAN IV, Form C28-6515, i.e., under the following headings:

- General considerations
- Elements of the Language (Constants, Variables, Arrays)
- Arithmetic Expressions
- Logical Expressions
- Assignment Statements
- Control Statements (DO, GO TO, IF, etc.)
- Specification Statements (COMMON, DIMENSION, EQUIVALENCE, etc.)
- Statement Functions
- Function and Subroutine Subprograms
- Other FORTRAN statements accepted by the System/360 Operating System FORTRAN IV compiler
- Service Subprograms
- Input/Output Statements (READ, WRITE, FORMAT, etc.)

The LCP does not convert certain FORTRAN statements that are incompatible with PL/I. These statements are identified in the discussion of the category to which they belong.

DATA SET TERMINOLOGY

The terms "data set" and "data set reference number" are used in the discussion of input/output statements. In System/360 Operating System programming, the term "data set" refers to a named collection of data. A given data set may reside on one or more input/output units. A "data set reference number" refers to the data set itself, without regard to the input/output unit (or units) on which it resides.

FORM OF CODING EXAMPLES

Coding examples illustrate how the LCP converts a statement. The format of these examples is:

FORTRAN coding as it would appear in the source program

Converted

Coding as it would appear in PL/I output from the LCP

Note that the LCP output displayed or discussed in this manual is assumed to be in the 60-character set version of PL/I. Thus, a semicolon is represented as it is on a standard typewriter keyboard, the relationship "less than" by the character < , etc. Each example or discussion, however, remains valid with respect to the 48-character set version of PL/I when all necessary replacements are made. For example, the following statement in the 60-character set:

A: IF X>Y THEN IF Z = W THEN IF W<P THEN Y = 1; ELSE P = Q; ELSE; ELSE X = 4; J : Z = 5;

would read, in the 48-character code version:

A.. IF X GT Y THEN IF Z = W THEN IF W LT P THEN Y = 1,. ELSE P = Q,. ELSE,. ELSE X = 4,. J.. Z = 5,.

GENERAL CONSIDERATIONS

BLANKS WITHIN WORDS

FORTRAN IV permits embedded blanks. The LCP removes such embedded blanks except when they occur within literal constants.

 $\frac{\text{Original}}{\text{T O TAL}} = A + B + 72 .01 92E-2$

Converted
TOTAL=A+B+72.0192E-2;

COMMENTS

All comments appearing in the FORTRAN program will be converted. The */character sequence, where it occurs in the source program, will be converted into the *- sequence. Note that card columns 73 through 80 are not significant to the FORTRAN compiler and may be used for various purposes. The LCP ignores the contents of these columns and inserts an identification number in the PL/I target program.

Original
C THIS IS A /*COMMENT*/

Converted
/* THIS IS A /*COMMENT*-*/

ELEMENTS OF THE LANGUAGE

PROGRAM UNIT

A FORTRAN main program is converted to a PL/I main procedure. The following PL/I statement is created first, even if BLOCK DATA subprograms are placed before the main program:

(NOZERODIVIDE): MAINPRO: PROCEDURE OPTIONS (MAIN);

A FORTRAN subprogram is converted to a PL/I external procedure (see FUNCTION and SUBROUTINE statements).

The condition NOZERODIVIDE is created to simulate the effect of FORTRAN division by zero.

STATEMENT NUMBERS

If <statement number> has as its value a source program statement number, the LCP converts it into the PL/I statement label:

conv<statement number>

where conv<statement number> is EXTLAB followed by <statement number> without leading zeros.

Original 02045 A=B**C

Converted EXTLAB2045: A=B**C:

INTEGER CONSTANTS

FORTRAN integer constants appear in the PL/I conversion in the same form as in the source text, after elimination of embedded blanks.

Original 5 2 31

Converted 5231

If FORTRAN integer constants appear as arguments passed to a subroutine or as arguments of a function, binary conversion is forced by using the built-in function BINARY at the time the function or subprogram is called.

<u>Original</u> CALL SUB (472)

Converted CALL SUB (BINARY (472)):

REAL CONSTANTS

The following rules apply in the conversion of real constants:

- Embedded blanks are suppressed.
- D is changed into E.
- Trailing zeros are added, where necessary, to double-precision constants to make up the required seven significant digits.
- The exponent EO is added as a suffix to decimal real constants with no exponent part.
- The built-in function FLOAT is used to force the conversion of FORTRAN single-precision real constants containing seven significant digits into PL/I single-precision floating-point constants.

<u>Original</u> 3857. 1517 92

Converted 3857.151792E0

Original . 7634 E- 7

Converted .7634E-7

Original
33671312.507941D+63

<u>Converted</u> 33671312.507941E+63

<u>Original</u> 1.234567

Converted
FLOAT (1.234567E0,6)

COMPLEX CONSTANTS

The same rules apply as for the conversion of real constants, with the following additions:

- A comma followed by a sign is suppressed, otherwise it is replaced by a + sign.
- The letter I is added as a final suffix.

<u>Original</u> (-4. 7D+2,1.9736148)

Converted
(-4.700000E+2+1.9736148E0I)

LOGICAL CONSTANTS

A FORTRAN logical constant has one of two forms:

.TRUE. or .FALSE.

.TRUE. is converted to '1'B, .FALSE. to '0'B.

Original A.AND..TRUE.

<u>Converted</u> A& 11B

LITERAL CONSTANTS

FORTRAN literal constants are reproduced without change in the PL/I output.

<u>Original</u> DON'T PRINT /X-COORDINATE

Converted 'DON''T PRINT /X-COORDINATE'

FORTRAN literal constants should not be passed as actual parameters to subprograms. Should this happen, however, a warning message will be issued to the user.

HEXADECIMAL CONSTANTS

Hexadecimal constants are not converted.

SUBSCRIPTED VARIABLES

If the operator / or ** or a left parenthesis appears in a subscript, a warning message will be issued. It is the user's responsibility to check whether the converted subscript is correct, e.g., insert TRUNC for integer division, invert the order of subscripts for a subscripted variable appearing in a subscript.

ARITHMETIC EXPRESSIONS

FORTRAN arithmetic expressions undergo the following modifications:

- Elimination of blanks embedded in constants and identifiers
- Generation of LCP substitution names, where necessary
- Conversion of the exponent D into the exponent E

- Addition of trailing zeros
- Addition of the exponent part EO, where necessary
- Use of built-in functions TRUNC, BINARY, FLOAT

Original CEIL**(ABE+2)/7 .98D- 1

<u>Converted</u> CEIL**(ABE+2) /7.980000E-1

The built-in PL/I function TRUNC is used to force the results of division of PL/I fixed-point expressions to be of the same precision as the results of division of FORTRAN IV integer expressions.

The results of arithmetic expressions may differ from the expected results, owing to differences in the implementation of (1) precisions and (2) conversion of mixed characteristics.

For exponentiation, FORTRAN IV produces type integer if base and exponent are integer items; this is not always the case with PL/I. Note that, in this case, the conversion of FORTRAN integer arithmetic expressions containing exponentiation is not always correct.

LOGICAL EXPRESSIONS

Owing to differences between FORTRAN and PL/I in the relative priorities of operators, the LCP always inserts an additional pair of parentheses around the converted form of the expression dependant on the FORTRAN .NOT. operator.

<u>Original</u> (E+9.5D2.GE.2*E).OR.(L.NE.3.14E-1)

<u>Converted</u> (E+9.500000E2>=2*E) | (L₁=3.14E-1)

Original
(A**F.GT.ROOT).AND..NOT.(I.EQ.E)

Converted
(A**F>ROOT) & ((I=E))

Original
A.GT.D**B.AND..NOT.L.OR.N

Converted A>D**B&7 (L) |N

Original .NOT.A.GT.B

Converted (A>B)

Original A.AND..NOT. X+Y*Z.LE. SIN(Z).OR.P Converted $\overline{A\mathcal{E}_1}$ (X+Y+Z<=SIN(Z)) | P Original A.AND..NOT. (B.OR..NOT.C.EQ.E) <u>Converted</u> A&7 ((B|7 (C=E))) Original .NOT. (A+B) .GT.C Converted $\neg ((A+B)>C)$ LOGICAL ASSIGNMENT STATEMENTS Original G=.TRUE. Converted G=11 B: Original BOOL(I,J) = (A**F.GT.ROOT).AND..NOT.P $\frac{\text{Converted}}{\text{BOOL}(J,I)} = (A**F>ROOT) \mathcal{E}_{1}(P);$ ARITHMETIC ASSIGNMENT STATEMENTS Original Y = C ** (-Y) /.3D-5Converted Y=C**(-Y)/.3000000E-5;Arithmetic Assignment with Truncation from REAL to INTEGER

The value of an expression of type REAL is obtained using implementation defined precision which gives an interval that includes the true value. If this interval contains an integer value, the result of truncation is undefined.

For example:

2.000001 will give 2

for a true value of 2

1.999998 will give 1

The above is valid when using a language for which there are several implementations. It is all the more applicable when going from one language to another with a different implementation defined precision, even if this difference is slight.

A warning message will be issued.

CONTROL STATEMENTS

UNCONDITIONAL GO TO STATEMENT

FORTRAN Syntax GO TO <statement number>

PL/I Syntax GO TO EXTLAB<statement number>;

COMPUTED GO TO STATEMENT

For each computed GO TO statement, the LCP creates a one-dimensional array of the same size as the argument vector of the GO TO, with elements that are, in order, the statement numbers themselves. Thus, for the i-th GO TO statement taking the form shown, an array BRANCHi is generated and a PL/I declaration is created giving the following information:

- The dimension (n) of BRANCHi
- The LABEL attribute for BRANCHi
- The values of the elements of BRANCHi; that is, the converted statement numbers

FORTRAN Syntax

GO TO (<statement number 1>,...,<statement number n>),<index>

where <index> has as its value an unsubscripted integer variable, with values ranging from 1 to n.

PL/I Syntax

<label part> IF(<index> LE n AND <index> GT 0) THEN GO TO BRANCHi(<index>),.

where <label part> is empty or takes the form EXTLABm.. (To avoid confusion, the above example is shown using the 48-character set.)

Thus, should the value of <index> fall outside the dimension of the array BRANCHi, the GO TO statement is not executed, and control passes to the following statement.

Original 2 GO TO (25,10,7), ITEM

Converted (48-character)

DECLARE BRANCH (3) LABEL INITIAL (EXTLAB25, EXTLAB10, EXTLAB7),.

EXTLAB..IF (ITEM LE 3 AND ITEM GE 0) THEN GOTO BRANCHO1(ITEM),.

ASSIGN AND ASSIGNED GO TO STATEMENTS

FORTRAN Syntax

ASSIGN <statement number>TO<unsubscripted integer variable>

. . .

GO TO <unsubscripted integer variable>, (<statement number 1>,..., <statement number n>)

PL/I Syntax

<unsubscripted integer variable>=EXTLAB<statement number>;

.

GO TO <unsubscripted integer variable>;

Note: <unsubscripted integer variable> is given the LABEL attribute in a generated declaration unless this item appears in a specification statement in the FORTRAN program. A conflict will result when this item is used as an integer variable elsewhere in the program. Warning messages to that effect are issued for the converted ASSIGN and assigned GOTO statements.

ARITHMETIC IF STATEMENT

FORTRAN Syntax

IF (<arithmetic expression>) <statement number 1>, <statement number 2>, <statement number 3>

PL/I Syntax

IF (<arithmetic expression>) =0 THEN GO TO conv<statement number 2>; ELSE IF (<arithmetic expression>)>0 THEN GO TO conv<statement number 3>; ELSE GO TO conv<statement number 1>;

If the label of the statement following the arithmetic IF statement is one of the three transfers, or if two of these three labels are the same, the conversion is optimized.

Original

٠

30 C=D**2

10 E = (F * B) / D + 1

Converted

IF (A(K,J)**3-B)<0 THEN GOTO EXTLABIO; ELSE IF (A(K,J)**3-B)>0 THEN GOTO EXTLABIO;

EXTLAB4: D=B+C;

•

LOGICAL IF STATEMENT

FORTRAN Syntax

IF (<logical expression>) <statement>

PL/I_Syntax

Note: If <statement> is STOP<integer part> and <integer part> is an integer constant, the PL/I Syntax is:

IF (<logical expression>) THEN DO; <statement>; END

DO STATEMENT

FORTRAN Syntax

DO<statement number><DO var>=<initial>,<final><increment> <statements within the range of the DO>

In either of the two cases illustrated below, <increment option> is empty if <increment> is empty, or is BY <step> if <increment> is ,<step>.

- Both <initial> and <final> have unsigned integer constants as their values.
 - a. <initial> does not exceed <final>.

PL/I_Syntax DO<DO var>=<initial>TO<final><increment option>; conv<statements within the range of the DO>; END;

b. <initial> exceeds <final>.

PL/I Syntax
DO<DO var>=<initial>;
conv<statements within the range of the DO>:
END;

Either <initial> or <final> has an integer variable as its value.

PL/I Syntax
DO<DO var>=<initial>TO MAX(<initial>,<final>)<increment option>;
conv<statements within the range of the DO>;
END:

Note: Whereas, in specific cases, FORTRAN allows a transfer out of the range of an innermost DO loop and a transfer back into the range of the loop, PL/I does not. (The PL/I (F) compiler will diagnose these transfers at compilation time.) The user should therefore ensure that his program contains no such transfer, and make the necessary hand changes.

CONTINUE STATEMENT

FORTRAN SYNTAX <statement number> CONTINUE

PL/I SYNTAX <label part><continue part>

where <label part> is empty, <continue part> is : and if <statement number> is empty. Otherwise, <label part> is EXTLAB<statement number>: and <continue part> is ;

PAUSE STATEMENT

FORTRAN Syntax PAUSE<message part>

where <message part> is either empty, or has as its value an unsigned integer constant or a literal constant. Thus, there are three cases to consider:

1. <message part> is empty.

PL/I Syntax DISPLAY ('PAUSE 00000') REPLY (NEXTSTA);

2. <message part> is an integer constant.

PL/I Syntax DISPLAY ('PAUSE <integer constant>') REPLY (NEXTSTA);

3. <message part> is '<character string>'...

PL/I Syntax DISPLAY (PAUSE <character string>') REPLY (NEXTSTA);

Note: The character variable NEXTSTA is declared with the CHARACTER attribute and a length of (60) and receives a string that is a message to be supplied by the operator.

STOP STATEMENT

FORTRAN Syntax STOP<integer part>

where <integer part> is either empty or has as its value an integer constant. Thus, there are two cases to consider:

1. <integer part> is empty.

In a main program:

PL/I Syntax RETURN:

In a subroutine or function:

PL/I Syntax STOP:

Table 2. Type and Length Specification Conversion

	TYPE			
LENGTH	LOGICAL	INTEGER	REAL	COMPLEX
1	BIT (1) 1	!		
2		FIXED BINARY		
4	BIT (1) 1	FIXED BINARY (31)	FLOAT BINARY	
8			PLOAT BINARY (53)	COMPLEY BINARY
16			! !	COMPLEX BINARY (53)

I'In PL/T, " the result of a comparison is a bit string of length one."

(See the section "Comparison Operations" in the PL/I language specifications manual.)

IMPLICIT STATEMENT

Original INTEGER + 2 (A-H), REAL + 8 (I-K), LOGICAL (L, M, N)

This page intentionally left blank

2. <integer part> is an integer constant.

In a main program:

PL/I Syntax
DISPLAY('N');
RETURN;

In a subroutine or function:

PL/I Syntax
DISPLAY('N');
STOP;

END STATEMENT

FORTRAN Syntax END

PL/I Syntax END:

SPECIFICATION STATEMENTS

The LCP collects and saves the information contained in each specification statement. Following completion of the source program scan, DECLARE statements will be generated, listing the variables referred to in all statements and giving their types, precisions, dimensions, initial values, etc.

Note that FORTRAN integers represented in the target PL/I program with the precision attribute (15,0) will occupy four bytes in the PL/T version 4-produced object code and two bytes in the later versions.

PREDEFINED SPECIFICATION

All variables, including the predefined FORTRAN variables, are declared by the LCP, as shown in Table 2.

Assume that the only variables in the source program affected by this statement are A, DF, J, and M. In this case, the conversion is done as follows:

Converted
DECLARF A PIXED BINARY STATIC, DE PIXED BINARY STATIC, J FLOAT BINARY (53)
STATIC, M BIT (1) STATIC;

In the case of a function name, the type will be declared in the RETURNS attribute.

If FUNCT is a function name, the conversion is as follows:

Converted
DECLARE FUNCT ENTRY RETURNS (FIXED BINARY);

EXPLICIT SPECIFICATION STATEMENT

<u>Original</u> INTEGER*2 ITEM/76/,A(2,2)/2*6,2*1/

Converted
DECLARE ITEM FIXED BINARY STATIC INITIAL (76), A (2,2) FIXED BINARY
STATIC INITIAL ((2)6, (2)1);

If the specification statement concerns a function name, the type appears in its associated RETURNS attribute.

Original REAL FUNCT*8

Converted
DECLARE FUNCT ENTRY RETURNS (FLOAT BINARY (53));

DIMENSION STATEMENT

Original DIMENSION A(10), APRAY(5,6,7)

CONVERTED (10) PLOAT BINARY STATIC, ARRAY (7, 6, 5) PLOAT BINARY STATIC;

COMMON STATEMENT

For each common block, the LCP creates a two-level structure of external scope, in which the first item of level 2 is a dummy element which serves to force alignment on a double word.

In the case of unlabeled common blocks, the name of the major structure created is UNLABCM, and the common blocks are processed backwards. Care should therefore be exercized when initializing common block variables using DO loops.

In the case of labeled common blocks, the name of the major structure created will be seven characters in length, and will be made up by concatenating the first n characters of the word COMMON to the original

common label, where n=7- (character length of the original label). The common label ST, for example, is converted into STCOMMO.

Original COMMON A, B, C/R/D, E/ST/F (10) //G, H/SI/I, J/R/P//W Converted DECLARE 1 SICOMMO ETTERNAL, 2 DUMITEM FLOAT BYNARY (53) , 2 F(10) PLOAT BINARY, ? I FIXED BTMARY (31), 2 J PIMED BINARY (31): DECLARE 1 RCOMMON FYTEPNAL, 2 DUMTTEM PLOAT BYNAPY (53) . 2 D FLOAT BINARY, ? E FLOAT BYHARY, 2 P FLCAT BINARY: DECLARE 1 UNLABOM ETTERNAL, 2 DUMTTEM FLOAT BINARY (53) . 2 A FLOAT BINARY, 2 B FLOAT BINARY, 2 C FLOAT BINARY, 2 G FLOAT BINARY, 2 H FLOAT BINARY, 2 W FLOAT BINARY:

Restrictions

In version 4, because of the implementation of the PL/T (F) compiler, the conversion of FORMPAN integer constants two bytes in length will result in incorrect addressing. The user will therefore have to make the necessary corrections.

Similar inconveniences will appear in the conversion of logical data and may appear for elements with the CHARACTER attribute.

A warning message will be issued.

EQUIVALENCE STATEMENT

In the following example:

DIMENSION A (15), C (20) EQUIVALENCE (A (2), B, C (12)), (D, E, F), (A (15), G)

each of (A(2),B,C(12)) and (D,E,F) and (A(15),G) form an equivalence group.

Furthermore, (A(2),B,C(12)) together with (A(15),G) form an "equivalence chain," since B, C(12), and G are made equivalent to an element of the array A. The group (P,E,F) on its own also forms an equivalence chain, since the elements D, F, and F are not made equivalent to any other element.

For each equivalence chain -- the j-th, say -- a one-dimensional array, EQUBLKj, is created. This array is placed within a structure to force alignment on a double word.

Each element of the equivalence chain is placed in a two-level structure defined using EQUBLKj, and made up of:

- A dummy element containing the position within the block
- The element itself, with its attributes

Note: In the interests of maximum efficiency, the method of conversion shown here takes advantage of the facility offered by the PL/I (F) compiler whereby, under certain circumstances, the attributes of the defined item may differ from those of the base identifier (see "Examples of Defining" in Section I of the PL/I reference manual).

Original DIMENSION A(10), B(5,8), C(4,6,9) EQUIVALENCE (A(3), B(2,3), C(3,4,5))

Converted:

DECLARE 1 EQUBLK01 STATIC. 2 DUMITEM FLOAT BINARY (53), 2 DUMBASE(216) FLOAT BINARY: DECLARE 1 ITEM001 DEFINED EQUBLK01, 2 DUMITEM (2) FLOAT BINARY, 2 C (9,6,4) FLOAT BINARY, 1 ITEM002 DEFINED EQUBLK01, 2 DUMITEM (101) FLOAT BINARY, 2 B(8,5) FLOAT BINARY, 1 ITEM003 DEFINED EQUBLK01, 2 DUMITEM (110) FLOAT BINARY, 2 A (10) FLOAT BINARY;

Restrictions:

- The PL/I (F) compiler does not accept initial values for DEFINED items. Initialization must, therefore, be done by the user.
- See "COMMON Statement."

COMMON VARIABLES APPEARING IN AN EQUIVALENCE STATEMENT

The one-dimensional array EQUBLKj is not created, and each element of the equivalence chain is placed in a two-level structure defined using the common name.

When the equivalence chain extends the size of the common block, a level 2 dummy one-dimensional array is added to the end of the common block.

Original COMMON A, B, C DIMENSION D (3) EQUIVALENCE (B, D(1))

Converted

DECLARE 1 UNLABCM EXTERNAL, 2 DUMITEM FLOAT BINARY (53), 2 A FLOAT BINARY, 2 B FLOAT BINARY, 2 C FLOAT BINARY, 2 DUMITEM 2 (1) FLOAT BINARY; DECLARE 1 ITEM001 DEFINED UNLABCM, 2 DUMITEM (3) FLOAT BINARY, 2 D(3) FLOAT BINARY;

Restrictions: See "EQUIVALENCE statement."

STATEMENT FUNCTIONS

END:

```
FORTRAN Syntax
<func>((arg1>,..., (argn>) = (expression>
PL/I Syntax
<func>: PROCEDURE (<arg 1>,..., <argn>) conv<type>conv<lengspec>;
       DECLARE(arg1)conv(type)conv(lengspec),
       ..., <arqn>conv<type>conv<lengspec>;
       RETURN(<expression>);
       END;
where conv<type> and conv<lengspec> are empty if <func> does not appear
in a specification statement.
FUNCTION SUBPROGRAMS
FCRTRAN Syntax
<type>FUNCTION<func><lengspec>(<arg1>,...,<argn>)
      <func>=<expression>
      RETURN
      . . .
      END
where <type> and <lengspec> are optional.
PL/I Syntax
(NOZERODIVIDE):<func>:PROCEDURE(<arg1>,..,<argn>,<func><name tail>);
      <func><name tail>=<expression>;
      RETURN:
```

Note that no attempt is made by the LCP to simulate a FORTRAN IV call by value; that is, a call by value of a FUNCTION or SUBROUTINE subprogram formal parameter is treated as a call of that parameter by name.

Note 1: <func><name tail> is an additional parameter, created by the LCP, that simulates the effect of a FORTRAN function call, thus taking advantage of the facilities of the PL/I (F) compiler. The value given to <name tail> is as many characters of the string VARFUN as are required to make the parameter name seven characters long. This parameter is declared according to the predefined specification or according to the <type> or <lengspec> specified (see Table 3).

If <func> itself is replaced by a substitution name, the procedure and the additional parameter have the same name (see "Prevention of Name Conflicts").

<u>Note 2</u>: The user should keep in mind that FORTRAN IV and PL/I do not handle adjustable dimensions in the same manner. In PL/I, the dimensions of an array passed as argument are those of the calling program.

Note 3: The number of dimensions of an array used in the list of parameters must be equal to that of the corresponding argument.

SUBROUTINE SUBPROGRAMS

<u>Original</u> SUBROUTINE SUB (X,*,/Y/,Z,*,R,/S/,*)

(NOZERODIVIDE):SUB:PROCEDURE (X, RETURNO 1, Y, Z, RETURNO 2, R, S, RETURNO 3);

Note: For conversion of the asterisks, see "RETURN Statement."

Original SUBROUTINE SETUP

Converted

(NOZERODIVIDE) : SETUP : PROCEDURE:

Adjustable Dimensions: See Note 2 under "Function Subprograms" above.

Array as Parameter: See Note 3 under "Function Subprograms" above.

ENTRY STATEMENT

Since initialization of parameters at primary and secondary entry points of a PL/I procedure is not generally performed in the same manner as in FORTRAN, conversion of each ENTRY statement will take place, but a warning message will be issued.

FORTRAN Syntax ENTRY <entry name><arglist>

PL/I Syntax <entry name>:ENTRY conv<arglist>;

where:

conv<arglist> takes exactly the same form as in the SUBROUTINE statement if the ENTRY statement appears in the body of a SUBROUTINE subprogram, or the same form as in the FUNCTION statement if the ENTRY statement appears in the body of a FUNCTION subprogram.

RETURN STATEMENT IN A SUBROUTINE SUBPROGRAM

FORTRAN Syntax RETURN<index>

where <index> is empty or has as its value an integer constant or an integer variable. If <index> is empty, then the converted statement is RETURN:

If <index> has an integer value, or an integer variable value, then a DECLARE statement is created which takes the form:

DECLARE RETARAY (p) LABEL, RETURNO1 LABEL, ..., RETURNP LABEL:

where p is the maximum number of * characters appearing in the SUBROUTINE or ENTRY statement parameter lists.

In addition, the RETURN <index> statement is converted to:

GC TO RETARAY (<index>);

Initialization of RETARAY is performed at the primary entry point as follows:

GO TO EXTLABS;

RETARAY (1) : GO TO RETURN 01;

RETARAY (p) : GO TO RETURNP;

EXTLABS::

The conversion shown takes advantage of the alternative method available for the initialization of elements of non-static variable arrays (see the PL/I language specifications manual, chapter 4, section entitled "Initial Attributes").

CALL STATEMENT

<u>FORTRAN_Syntax</u> CALL<sbrtn><arglist>

PL/I Syntax
CALL<sbrtn> conv<arglist>;

where conv<arglist> is empty if <arglist> was empty, or takes the form <arglist> if no statement number appears in <arglist>.

Otherwise, if &<statement number> appears, it is converted to:

EXTLAB<statement number>

Note that FORTRAN literal constants should not be passed as actual parameters to subprograms. In the event of this happening, a warning message is issued.

The name of the PL/I equivalent of certain FORTRAN mathematical function subprograms cannot be passed as an argument. The PL/I built-in function names which cannot be used as arguments are: FIXED, ABS, MOD, REAL, MAX, MIN, FLOAT, IMAG, TRUNC, COMPLEX, and CONJG. For other PL/I built-in function names passed as arguments, the user must specify the ENTRY attribute in order to describe their entry points properly.

Array as Parameter: See Note 3 under "Function Subprograms" above.

EXTERNAL STATEMENT

FORTRAN Syntax EXTERNAL < sbpgml>,..., < sbpgmp>

PL/I_Syntax
DECLARE<sbpgm1>ENTRY RETURNS(<type><length>),...,<sbpgmp>ENTRY RETURNS
(<type><length>);

BLOCK DATA SUBPROGRAM

FORTRAN Syntax BLOCK DATA

END

PL/I Syntax BEGIN;

END:

All BLOCK DATA subprograms must immediately precede the main program to which they belong.

DATA INITIALIZATION STATEMENT

Initial values appearing in a DATA statement are placed in the INITIAL attribute of the corresponding variables.

When the initial values are literals, the corresponding variables are declared as CHARACTER and must remain so throughout the program.

Note: Since the PL/I (F) compiler does not accept initial values for DEFINED items, the initialization of variables in EQUIVALENCE statements must be done by the user.

DOUBLE PRECISION STATEMENT

FORTRAN Syntax DOUBLE PRECISION <var1><dim1>,..., <varp><dimp>

where <vari> has as its value a variable, array, or function name, and where each <dimi> is either empty, or has as its value a subscript list in parentheses.

PL/I Syntax DECLARE<var1><dim1>FLOAT BINARY (53) STATIC,...,<varp><dimp>FLOAT BINARY (53) STATIC:

If <varj> is a function, the specification is given by RETURNS (<type>).

SERVICE SUBPROGRAMS

If a call to any of the following subprograms:

SLITE, SLITET, OVERFL, DVCHK, DUMP, PDUMP

occurs in the source program, it remains unchanged, but the LCP provides no corresponding external procedure

A call to the FORTRAN EXIT subprogram is converted directly to STOP, unless the subprogram name EXIT is followed by <arglist>. In this case, the converted statement takes the following form:

CALL EXIT (conv<arglist>);

A warning message is issued.

INPUT/OUTPUT STATEMENTS

Sequential input/output statements only are converted.

READ STATEMENTS

The LCP processes each of the three basic forms of the READ statement. The following syntactic variables are used in the discussion of READ statement conversion:

- <data set ref no>, which has as its value an unsigned integer constant or variable representing a data set reference number
- <formlist name>, which has as its value the statement number or array name of the FORMAT statement describing the data to be read, or a NAMELIST name
- <end err part>, which takes the form <end part><err part>, or <err part><end part>

where:

<end part> is empty or takes the form:

, END = <end statement no>

<err part> is empty or takes the form:

- , ERR = <err statement no>
- tat part>, which is empty, or is a list of variable or array names that may be indexed and incremented

Note: <data set ref no> is converted into FT<data set ref no>F01

For each of the three basic forms of the READ statement, the LCP processes the <end err part>, when present, as follows:

If END=<end statement no> is present, the LCP, just before converting the READ statement, generates the ON-condition statement:

ON ENDFILE (FT < data set ref no>F01) GO TO EXTLAB < end statement no>;

If ERR=<err statement no> is present, the LCP, just before converting the READ statement, generates the ON-condition statement:

ON TRANSMIT(FT<data set ref no>F01)GO TO EXTLAB<err statement no>;

In addition, if <end err part> is present, the LCP, immediately after the converted READ statement, generates the ON-condition statement:

ON<end err cond>(FT<data set ref no>F01) SYSTEM;

where <end err cond> is either ENDFILE or TRANSMIT.

If <formlist name> has the format <namelist name> associated with a NAMELIST statement, the LCP must process a statement of the form:

NAMELIST/<name 1>/<vararray list 1>/.../<name n>/<vararray list n>

where <namelist name> is a <name i>, and <vararray list i> is a list of variable or array names associated with <name i>.

For each <namelist name>, the LCP creates a table of the associated variable and array names to be referred to via the <namelist name> in a subsequently generated GET statement.

Note: If <formlist name> is an array name referring to a FORMAT statement, or if <data set ref no> is an integer variable, conversion does not take place and a warning message is issued.

Form READ (<data_set_ref_no><namelist_name><end_err_part>)

PL/I Syntax GET FILE (FT<data set rer no>F01) DATA (<vararray list i>);

A warning message is issued after conversion.

Note: In PL/I, no search is made for a specific name list. It is therefore the user's responsibility to ensure that the data is arranged in the correct sequence.

Form READ (<data_set_ref_no><format_name><end_err_part>) <list_part>

PL/I Syntax GET FILE (FT data set ref no>F01) EDIT (conv<list part>) (R(conv<format name>));

Source program variables within I/O lists may be indexed and incremented in the same manner as variables in a DO statement; the LCP treats them identically.

If the t part> of the READ statement contains indexed I/O lists and/or arrays a warning message is issued. If the FORMAT statement referred to contains literal data or an A- or H-format code, conversion of the literals or of the A- or H-format codes affecting the elements of the list included in and following the first array or indexed I/O list is incorrect.

Original

DIMENSION A (10), B (10) READ (5, 100) (A(I), B(I), I=1, 10)100 FORMAT ('A=',E12.5,'B=',E12.5)

Converted (with warning) DECLARE A (10) FLOAT BINARY STATIC, B (10) FLOAT BINARY STATIC; GET FILE (FT05F01) EDIT ((A(I), B(I) DO I=1 TO 10)) (R(EXTLAB100)); EXTLAB100: FORMAT (COLUMN (1), A (2), E (12, 5), A (2), E (12, 5));

Form READ (<data set ref no>) <list>

Since binary data cannot be directly transmitted in PL/I in the same manner as in FORTRAN, statements of this type are not converted; they are, however, identified by messages.

Form READ <format name>, list part>

PL/I Syntax GET FILE (SYSIN) EDIT (conv<list part>) (R (conv<format name>)); Original
READ 5, I
5 FORMAT (I5)

Converted
GET FILE (SYSIN) EDIT (I) (R(EXTLAB5));

EXTLAB5: FORMAT (COLUMN (1), F (5));

PRINT STATEMENT

Original PRINT 5,I 5 FORMAT (I5)

Converted
PUT FILE (SYSPRINT) EDIT(I) (R (EXTLAB5));
EXTLAB5:FORMAT(COLUMN(1),F(5));

PUNCH STATEMENT

Original PUNCH 5,I 5 FORMAT (I5)

Converted
PUT FILE (SYSPRINT) EDIT(I) (R(EXTLAB5));
EXTLAB5:FORMAT(COLUMN(1),F(5));

WRITE STATEMENT

Except for the absence of the parameters END and ERR, the LCP treats the WRITE statement in the same way as the READ statement, replacing GET by PUT.

<u>Note</u>: Differences in format will appear in the output from the converted program in the case of namelist transmission.

FORMAT STATEMENT

To force a new record each time that a FORMAT statement is used, the LCP inserts the control format item COLUMN(1) at the beginning of the converted format list.

Note that in PL/I, format items, even when they include control format items, are ignored if they appear after transmission of the last data list item. Differences in format may therefore appear in the output listing.

The following examples illustrate the conversion of the various forms of the FORTRAN FORMAT statement.

Numeric Format Items

I, F, E, D codes

Original
5 FORMAT (312, 4F11.4, 2E9.3, 3D20. 16

<u>Converted</u> EXTLAB5: FORMAT (COLUMN (1), 3 F(2), 4 F(11, 4), 2 E(9, 3), 3 E(20, 16));

The BLKZR control card option enables the user to call the function LBLNK. LBLNK will then appear in the converted format code. On input, this function modifies numeric data as follows:

- replaces & (plus sign in BCDIC) by +
- replaces D (double-precision) by E
- inserts a zero if the external data field is blank
- inserts + after E, if the character following E is a blank, and replaces other embedded and trailing blanks by zeros.

If the FORMAT statement is only used for PRINT files, LBLNK is not generated.

<u>Transmission of Complex Data</u>: FORTRAN requires an E-format specification for each part of a complex number. This format can be used in the same program for both complex and real numbers. It is user's responsibility to replace E-format specifications by PL/I C-format specifications.

Original
5 FORMAT(F5.3, E10.3)

Converted (with option BLKZR)
EXTLAB5:FORMAT(COLUMN(1), F(LBLNK(5),3),E(LBLNK(10),3));

Scale Factor

<integer constant>P<real item>

where <integer constant> may be positive or negative, and <real item> takes the form Fw.d.

<u>Original</u> 8 FORMAT (-1PF11.4, F11.4)

<u>Converted</u> EXTLAB8: FORMAT (COLUMN (1), F (11, 4, -1), F (11, 4, -1));

Since PL/I accepts the P-factor for F-format items only, the LCP does not convert this factor for E or D codes, and a warning message is

<u>Note</u>: The effect of the scale factor is dynamic in FORTRAN IV. The results of the PL/I target program may therefore differ from the expected results. If the format refers to an input statement, it is the user's responsibility to invert the sign of the P-factor.

Logical Format Item

<format code> is L.

Original 7 FORMAT (2L10)

Converted

EXTLAB7: FORMAT (COLUMN (1), 2 B(10));

The user should note that logical data in the external medium must be in a form acceptable to the PL/I compiler. Thus, the values .TRUE. and .FALSE. must be represented by 1 and 0 respectively, and may occur anywhere within the field of the size indicated in the FORMAT statement. On output, the truth values 1 and 0 will be left-adjusted within the indicated field. Thus, using the above example, external data for input might appear in the form:

 $\langle blank \rangle (2) 1 \langle blank \rangle (7) \langle blank \rangle 0 \langle blank \rangle (8)$

where <blank>(p) is a string of p consecutive <blank>'s.

Similarly, output of logical data would take the form:

1<blank>(9) 0<blank>(9)

A warning message is issued.

Character-String Format Item

<format code> is A.

<u>Original</u> 5 FORMAT (20A4)

Converted
EXTLAB5: FORMAT(COLUMN(1),20A(4));

Note 1: Using the A-format code, FORTRAN can read or write a character-string in a field having a variable name. This variable will be given the CHARACTER (4) attribute in the PL/I target program, except if it appears after an indexed list and/or an array. It, therefore, retains the CHARACTER (4) attribute throughout the program, i.e., it must not be used to contain numeric values. In particular, the user must check that the variable passed through the FORTRAN COMMON and CALL statements in both main program and subprograms has the same type of declaration in PL/I. Note also that, FORTRAN IV source programs written for current IBM systems other than System/360 may give incorrect results due to the number of characters that are transmitted.

Note 2: If the list part> of the corresponding input/output statement contains indexed lists and/or arrays, the variables of the list part> that are included in or follow the first indexed list or array, and that correspond to an A-format code, are not declared as CHARACTER.

Generalized Format Item

<format code> is G.

This format code is not converted; a message is issued.

Hexadecimal Format Item

<format code> is Z.

This format code is not converted; a message is issued.

Literal Data and H-Format Code

```
Original
98 FORMAT (' HEADING')
```

Converted
EXTLAB98:FORMAT(COLUMN(1),A(8));

Original
98 FORMAT (8H HEADING)

Converted
EXTLAB98:FORMAT(COLUMN(1),A(8));

In either case, a dummy variable containing the string 'HEADING' is created and transferred to the data list in the corresponding GET or PUT statement, and the remote format item R(EXTLAB98) is appended to the relevant statement.

For indexed I/O lists, the conversion of literals or of H-format code is incorrect (see READ statement).

Control Format Items

• Spacing Format Item:

```
Original 5 FORMAT (I10, 10x, 4I10)
```

Converted
EXTLAB5:FORMAT(COLUMN(1),F(10),X(10),4 F(10));

• Printing Format Item: <blank>,0,1,+,/.

Printer control characters are printed as output data characters and are included in the format code.

```
Original
5 FORMAT ('1NEXT PAGE', T15,'DATA'/' NEXT LINE'//// 'SKIP',
'FOUR LINES'/'ODOUBLE SPACING')
```

In addition, the literals apppearing in the source FORMAT statement are placed in dummy variables which are transferred, in order, to the data list of the generated PUT (or GET) statement whose remote format reference is R(EXTLAB5).

The format code + is converted into the format item SKIP(0).

Parentheses: When there are more data list items than format items, and in order to force the repetition of the format from the last-included left parenthesis, an additional pair of parentheses is required. Therefore, every time it encounters a pair of parentheses of level 2 in a FORMAT statement, the LCP automatically creates an additional pair of parentheses preceded by a repetition factor of 32767.

Original
5 FORMAT (I2, (F5.2, I4), I5)

<u>Converted</u> EXTLAB5: FORMAT (COLUMN (1), F(2), 32767 (1 (F(5,2), F(4)), F(5), SKIP (1)));

When the same FORMAT statement applies to PRINT and non-PRINT files, a warning message is issued.

<u>Note</u>: The first character of a string appearing at the beginning of a record is both converted as a control character <u>and</u> treated as data if one of the corresponding files is a PRINT file. When such a string contains only one character, it is converted as a control character if all the corresponding files are PRINT files.

END FILE STATEMENT

This statement is not converted; a warning message is issued in the output listing. However, if on the same data set an END FILE statement is dynamically followed by a REWIND statement, the effect may be the same as in FORTRAN.

REWIND STATEMENT

Original REWIND 6

Converted
CLOSE FILE(FT06F01);

<u>Note</u>: The conversion of a REWIND statement by a CLOSE statement may give different effects, for the data set will be repositioned at the beginning of the tape after writing an end-of-file mark. A warning message is issued.

BACKSPACE STATEMENT

This statement is not converted; a message is issued.

The LCP can generate two forms of conversion output:

- 1. A listing of the converted program
- 2. The converted program on punched cards or in card-image form

The listing of the converted program is always provided, but the punched-card (or card image) output is optional. The listing contains the converted program together with messages generated during conversion. Additionally, the user can specify that a listing of the source program be included.

LISTING

The listing contains two major sections:

- The optional source program listing
- 2. The converted program

The source program listing contains the original source statements exactly as they appeared in the input.

The listing of the converted program includes:

- ullet The converted program itself. This again is divided into two parts. One part contains converted statements, statements generated by the LCP, messages replacing statements that have not been converted (i.e., FORTRAN statements for which conversion is not possible or not practical), and warning message flags. The other contains messages showing either that the FORTRAN source statement cannot be converted or that conversion has taken place, but that fidelity to the source statement cannot be guaranteed.
- A table of source program statement function or subprogram names, each of which has been replaced either by an equivalent built-in function or procedure (see Appendix B), or by a function name that avoids conflict with PL/I built-in function names not available in FORTRAN. The changed or substituted name appears next to the function name it has replaced.
- A table of source program variable or array names that have been replaced by an LCP substitution name. The replacement appears next to the corresponding variable or array name.

MESSAGES

Messages in the output listing indicate clearly the statements in the converted program to which they apply, thus enabling the user to scan the program for statements that require manual changes.

A message appears with each output statement that falls into one of the following categories:

- The FORTRAN statement is not convertible into PL/I.
- The PL/I statement may not have the same effect as the corresponding FORTRAN source statement.

Using the output listing, the present manual, and the PL/I language specifications manual, the user can determine the hand changes required to make the PL/I program suitable for compilation.

OUTPUT

The punched cards (or card images) produced by the LCP contain converted statements, the form of which matches that in the listing.

Statements flagged with a warning message should, where necessary, be corrected before the PL/I program is submitted for compilation.

APPENDIX A. CORRESPONDING FORTRAN AND PL/I BASIC SYMBOLS

FORTRAN_IV_Symbol	PL/I 60-Character Set Symbol	<u>PL/1_48-Character</u> <u>Set_Symbol</u>
A-Z \$ 0-9 blank = or •EQ• + - * / ()	A-Z \$ 0-9 blank = + - * / ()	A-Z \$ 0-9 blank = + - * / ()
(apostrophe) •NOT• •AND• •OR• •GT• •LT• •GE• •NE• •LE•	(apostrophe) (c) (apostrophe) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	(apostrophe) NOT AND OR GT LT GE NE LE

APPENDIX B. CONVERSION OF FORTRAN MATHEMATICAL FUNCTION SUBPROGRAMS

In the following table, unless otherwise specified, the number of arguments associated with each FORTRAN function is the same as that for the corresponding PL/I function.

FORTRAN Function	PL/I Function
EXP	EXP
DEXP	EXP
CEXP	EXP
CDEXP	EXP
A LOG	LOG
DLOG	LOG
CLOG	LOG
CDLOG	LOG
ALOG10	LOG 10
DLOG10	LOG 10
A TAN DATAN ATAN 2 DA TAN 2	ATAN ATAN ATAN ATAN
SIN DSIN CSIN CDSIN	SIN SIN SIN
COS	COS
DCOS	COS
CCOS	COS
CDCOS	COS
SQRT	SQRT
DSQRT	SQRT
CSQRT	SQRT
CDSQRT	SQRT
TANH	TANH
DTANH	TANH
MOD	MOD
A MOD	MOD
DMOD	MOD }see Note 2
IABS	ABS
ABS	ABS
DABS	ABS
CABS	ABS
CDABS	ABS
INT	TRUNC
AINT	TRUNC
IDINT	TRUNC

FORTRAN Function	PL/1 Function
AMAXO	MAX
AMAX1	MAX
MAXO	MAX
MAX1	M A X
DMAX1	M A X
AMINO	MIN
AMIN1	MIN
MINO	MIN
MIN1	MIN
DMIN1	MIN
FLOAT	FLOAT
DFLOAT	FLOAT
IFIX	FIXED
HFIX	FIXED
SIGN ISIGN DSIGN	See Note 3 "
<pre>DIM(<arg1>,<arg2>) IDIM(<arg1>,<arg2>)</arg2></arg1></arg2></arg1></pre>	See Note 2
SNGL(<arg>)</arg>	n
REAL	REAL
AIMAG	IMAG
DBLE(<arg>)</arg>	See Note 2
CMPLX	COMPLEX
DCMPLX	COMPLEX
CONJG	CONJG
DCONJG	CONJG
TAN	TAN
DTAN	TAN
SINH	SINH
DSINH	SINH
COSH	COSH
DCOSH	COSH
ERF	ERF
DERF	ERF
ERFC	ERFC
DERFC	ERFC

If the source program contains subprogram names created by user that match FORTRAN IV mathematical function names, they must be specified in an LCP control card (see Appendix E) so as not to be converted to PL/I functions. Thus, if the assignment statement:

Y = E X P (X) + D E X P (Z)

appears in the source program, and DEXP is a user function name, this name must be listed in the LCP control card. The user can then provide his own DEXP FORTRAN function subprogram for conversion to PL/I.

Note 1

If a name created by the user (EXP, for example) coincides with one of the PL/I built-in function names listed above (except for COMPLEX and REAL), a conflict may arise if the name is also the PL/I equivalent of a FORTRAN function (DEXP, for example) used elsewhere in the program. In this case, the converted form of the assignment statement illustrated in the preceding paragraph would be:

Y = EXP(X) + EXP(Z)

Note 2

The following mathematical functions:

DIM, IDIM, SNGL, DBLE, ARSIN, DARSIN, ARCOS, DARCOS, COTAN, DCOTAN, GAMMA, DGAMMA, ALGAMMA, DLGAMMA

are not converted.

The conversion provided for the mathematical functions MOD, AMOD, and DMOD produces correct results only if the first argument is greater than zero.

Note_3

The LCP converts the functions SIGN, ISIGN, and DSIGN by providing an internal procedure for each.

For the SIGN function the procedure is:

SIGN: PROCEDURE (A1, A2) FLOAT BINARY;
DECLARE (A1, A2) FLOAT BINARY;
IF (A2<0) THEN RETURN (-ABS(A1));
ELSE RETURN (ABS(A1));
END;

In the ISIGN function, FLOAT BINARY is replaced wherever it appears by FIXED BINARY(31); in the DSIGN function, by FLOAT BINARY(53).

- 1. Hexadecimal and octal constants are not converted.
- The conversion of subscripts containing the operators /or **, mixed mode expressions, function references, or subscripted names may give incorrect results.
- The user must ensure that his program, in no event, uses an assigned variable for any purpose other than for the assigned GO TO statement.
- 4. The user must ensure that his program, in no event, contains a transfer back into a no loop.
- 5. When converting a COMMON statement, the user should ensure that common blocks in the various subprograms are the same, that is, the COMMON statements in the various subprogram must be identical.
- 6. In version 4, the conversion of FORTRAN integer constants two bytes in length, and of logical data items may give incorrect results.
 - 7. The number of dimensions of an array used in the list of parameters must be equal to that of the corresponding argument.
 - On entry to a function or to a subroutine, initialization of parameters made on a previous entry may be lost.
 - 9. In a DATA statement, when the initial values are literals, the corresponding variables are declared as CHARACTER by the LCP, and must remain so throughout the program, i.e., they must not be used to contain numeric values. In particular, the user must check that variables passed through the FORTRAN COMMON and CALL statements in both main program and subprograms have the same type of declaration in PL/I. An implied DO in a DATA statement is not converted.
- 10. FORTRAN literal constants should not be passed as arguments to a subprogram. The user should note that FOPTRAN IV and PL/I do not handle adjustable dimensions in the same manner, and that in PL/I the dimensions of an array passed as argument are those of the calling program.
- 11. Initial values assigned to variables in FOUIVALFNCE statements should be adjusted by the user.
- 12. The LCP does not provide PL/I external procedures to simulate the effect of FCFTRAN service subprograms OVEPPL, DVCHK, SLITE, SLITET, DUMP, and PDUMP.
- 13. The LCP does not provide external procedures to simulate the effect of the following FORTRAN mathematical function subprograms:
 - ARSIN, DARSIN, ARCOS, DARCOS, COMAN, DCOMAN, GAMMA, DGAMMA, ALGAMA, DLGAMA, DIM, IDIM, SNGL, DRLE.
- 14. A READ/WRITE statement is not converted if:
 - a. The statement applies to direct-access mode.
 - b. A FORMAT statement is referred to by an array name.

- c. Binary data transmission is indicated (no format reference).
- d. A data set reference number is an integer variable.
- 15. The following restrictions, due to differences in the implementation of PL/I, apply to the conversion of the FORMAT statement:
 - a. When an input/output statement contains arrays or indexed I/O lists, and the FORMAT statement referred to contains literal data, or an A- or H-format code, conversion of the literals or of the A- or H-format codes affecting the elements of the list included in and following the first array/indexed I/O list is incorrect.
 - b. In PL/I, format items, even when they include control format items, are ignored if they appear after transmission of the last data list item. Consequently, differences in format may appear in the output listing.
 - c. E-format codes associated with complex numbers must be changed into PL/I C-format codes.
 - d. P-scale factors associated with E- or D-format codes are not converted. Moreover, the effect of the scale factor associated with an F-format code may differ. If the format refers to an input statement, it is the user's responsibility to invert the sign of the P-scale factor.
 - e. G-, Z-, and O-format codes are not converted.
 - f. When a format refers to a PRINT file and/or a non-PRINT file, the first character of a string appearing at the beginning of a record is treated, in general, both as a control character and as data.
- 16. The BACKSPACE and END FILE statements are not converted.
- 17. The conversion of the REWIND statement by a CLOSE statement gives equivalent effects only if the REWIND statement applies to the first data set on the tape.
- 18. If a name created by the user coincides with a PL/I built-in function name, there may be conflict if the name is also to be the PL/I equivalent of a FORTRAN mathematical function used elsewhere in the program.
- 19. The name of the PL/I equivalent of certain FORTRAN mathematical function subprograms cannot be passed as an argument. These PL/I built-in function names which cannot be used as arguments are: FIXED, ABS, MOD, REAL, MAX, MIN, FLOAT, IMAG, TRUNC, COMPLEX, and CONJG. For other PL/I built-in function names passed as arguments, the user must specify the ENTRY attribute in order to describe their entry points properly.

The LCP is distributed by TBM in one of two forms:

- On a disk pack for users having no tape units
- On tape

PROGRAMS ON DISK PACK

CONTENTS OF THE DISK PACK

The following data sets are written on the disk pack with label FLCPPS:

- A sequential data set (DSNAMF=FOCCARD) containing the control cards reguired by the linkage editor to create a partitioned data set with one member: the LCP.
- Eighteen data sets containing the 18 modules of the LCP. These
 modules are in object form, being the output from the PL/I (F) compiler version 5, or from the System/360 Operating System (F)
 assembler.
- A sequential data set (DSNAME=SAMPLF) containing the sample program written in FORTRAN. (For use of the sample program, refer to Appendix H.)
- 4. One data set (DSNAME=LBLNK) containing the object module of the function, provided to process blank as zero in numeric data under the control of the option BLK7R.

CREATING THE LOAD MODULE

The user must perform the following steps:

Transfer the data set mentioned in (1) above to cards, to obtain the control cards required by the linkage editor. The following is an example of the control cards needed to do this:

```
4727, SMITH, MSGLEVEL=1
             JOB
//AB
//ABA
             EXEC
                     PGM=IEBPTPCH
                     SYSOUT=A
//SYSPRINT
             DD
//SYSUT2
                     SYSOUT=B
             DD
                     UNIT=2311,
                                                        C
//SYSUT1
             DD
                                                        C
                     DISP=OLD,
//
                     DSNAME=FOCCARD.
11
                     VOLUME=SER=FLCPRS
//SYSTN
             DD
 PUNCH
```

The control cards obtained contain all the information required by the linkage editor, i.e., names to be used for the load module to be created, overlay structure, etc.

- Modify the JOB card and the volume serial number in the //SYSLMOD DD... card in order to use his own label. In addition, the user may have to modify other cards, depending on:
 - The level of his linkage editor (The editor used here is the 44K E-level linkage editor.)
 - Any change that may be required in the names of the load module
- 3. Add a /* card to the control cards obtained, and create a partitioned data set (DSNAME=FORLCP) containing the LCP (member name=LCPFORT), using as input to the linkage editor the 18 data sets described under "Contents of the Disk Pack."

Note: The same procedure will be used when maintaining the LCP; in this case, the input to the linkage editor will consist of the updated modules, also delivered in object form.

PROGRAMS ON TAPE

CONTENTS OF THE TAPE

Four files are written on the tape, which is blocked with a blocksize of 2400 bytes:

- | File 1, which contains the 18 modules of the LCP and the overlay structure
 - File 2, which contains the control cards required by the linkage editor
 - File 3, which contains the sample program written in FORTRAN
 - File 4, which contains the object module LBLNK

CREATING THE LOAD MODULE

The user must perform the following steps:

 Transfer file 2 to cards to obtain the control cards required by the linkage editor. The following is an example of the cards needed to do this:

```
//ABC
            JOB
                     4727, SMITH, MSGLEVEL=1
//ABA
            EXEC
                     PGM=IEBPTPCH
//SYSPRINT
            DD
                     SYSOUT=A
//SYSUT1
            ממ
                     UNIT=2400, LABEL=(2,NL),
                     VOLUME=SER=888888, DISP=OLD,
//
                     DCB=(RECFM=FB, LRECL=80, BLKSIZE=2400)
//SYSUT2
            DD
                     SYSOUT=B
//SYSIN
            ממ
 PUNCH
/*
```

The control cards obtained contain all the information required by the linkage editor, i.e., names to be used for the load module to be created, etc.

- 2. Deblock file 1 using the IEBGFNEP utility program.
 - 3. Modify the control cards, if required. (See item 2 of the section "Creating the Load Modules" under "Programs on Disk Pack.")
 - 4. Add a /* card to the control cards obtained, and create a partitioned data set (DSNAME=FORLCP) containing the LCP (member name=LCPFORT), using the 18 modules in file 1 as input to the linkage editor.

<u>Note</u>: The same procedure will be used when maintaining the LCP; in this case, the input to the linkage editor will consist of the updated modules, also delivered in object form.

USING THE FUNCTION LBLNK

1

When executing the PL/I program and if the option PLKZR has been used during the conversion, file 4 must be copied onto a disk pack in order to be used. The following is an example of the cards needed to do this.

//AB	JOB	4727, SMITH, MSGLEVEL=1	
//A	EXEC	PG M=TEBGENER	
//SYSIN	DD	DUMMY	
//SYSPRINT	DD	SYSOUT=A	
//SYSUT2	ממ	DISP= (NEW, KFFP), UNIT=2311,	C
//		VOLUME=SER=XXXYYY, DSNAME=LBLNK,	C
//		DCB= (PFCFM=F,LPFCL=80,BLKSI"F=80),	С
//		SPACE= (TRK, (1, 1))	С
//SYSUT1	DD	UNIT=2400, LABEL= (4, NL),	C
//		VOLUME=SER=888888, DISP=OLD,	С
//		DCB=(RECFM=FR, LRECL=80, PLKSTZE=2400)	
/*			

APPENDIY F. OPERATING PROCEDURES

FRECUTING THE LCP

The following control cards must be supplied by the user to execute the LCP. The standard options are underlined.

```
JOP 4727, SMTTH, MSGLEVEL=1
| //AB
                     DS NAMF=FORLCP, DISP=OLD, UNIT=2311, VOLUMF=SER=XYYXYY
  //JOBLIB
                EXEC PG M= LCPPORT, PARM= 1 SOUPCE | NOSOURCE, DECK | MODECK, BCD | FBCDIC, EXTREE | NOEXTREE, CHAR48 | CHAR60,
                     BLKZRINOBLKZR, SIZE=YXXXXX
  //STSPCH
                חם
                     SYSOUT=B
                     SYSOUT=A
//SYSIOERP
                DD
  //SYSPRNT
                DD
                     SYSOUTEA, DCB= (RECEMEVA, BLKSIZE=129, LPECL=125)
                     Parameters defining a work data set. See also
  //SYSUT1
                DD
                     the note on the parameters SPACE and DCB.
                     As for SYSUT1
  //SYSUT2
                חח
                     Parameters defining source input data set
  //SYSIN
                ממ
           (Starting in column 7) List of subprogram names created by the
         user that match FORTRAN TV mathematical function names
         and of data-set-numbers to be declared PRINT. Names
         and numbers may be mixed, but must be separated by commas.
                    FORTPAN SOURCE PROGRAM
  /*
  Note:
      SYSUT1
             SPACE
                            This parameter depends on the length of the
                            FORTRAN source program to be converted
                            One cylinder is required for 120 cards of source
                            program or subprogram.
                            This parameter has the following form:
             DCB
                            DCB= (DSORG=DA, KEYLEN=9)
      SYSUT2
                            One cylinder is required for 500 cards
             SPACE
                            of source program
                            This parameter has the following form:
             DCB
                            DCB= (DSORG=DA)
```

Batch Processing: In batch processing, the spaces used on the disk are the same. Therefore, to estimate the number of cylinders required, the total number of cards in the batch should not be taken into consideration, but only the number of cards in the largest program in the batch.

CONTROL CARD OPTIONS

EXEC CARD OPTIONS

The following options can be specified in the PARM field of the EXEC card. If no option is specified, the standard option (underlined) is assumed.

The total length of the options indicated between apostrophes in the PARM field must not exceed 40 characters, commas included. Because of this limitation, the LCP accepts abbreviated options (indicated between parentheses in the following text):

- NOSOURCE or <u>SOURCE</u> (NS or <u>S</u>)
 This option specifies whether the FORTRAN source program is to be listed on the device indicated by the SYSPRNT DD card.
- DECK or NODECK (D or ND)
 This option specifies whether the PL/T program is to be punched on the device indicated by the SYSPCH DD card.
- BCD or <u>EBCDIC</u> (B or <u>FB</u>)
 This option specifies the character code of the FORTRAN source program and, consequently, that of the LCP output.
- CHAR48 or CHAR60 (C48 or C60)
 This option specifies which character set is to be used to list the converted program.
- EXTREF or <u>NOEXTREF</u> (E or <u>NE</u>)
 This option specifies whether the name changes in the FORTRAN source program are to be listed on the device indicated by the SYSPRNT DD card.
- BLKZR or <u>NOBLKZR</u> (B7 or <u>NBZ</u>)
 This option specifies whether the external form of numeric input data must be processed during execution of the PL/I program; if this is the case, the function LBENK is used for the conversion of E-, F- and I-format items.
- SIZE=xxxxx or <u>SIZE=71680</u>
 This option specifies the main storage size that is available to the LCP. The minimum size of main storage is 71680 bytes; this is the standard size for the purposes of this option. If the user:
 - 1. Specifies a smaller value, it is ignored and the standard size is assumed.
 - Specifies a value greater than 71680. This will result in an improvement in performance.

LCP CONTROL CARDS

These cards, if necessary, are placed after a SYSIN DD statement and between programs in batch processing. These cards contain:

- / in column 1
- Starting in column 7:
 - The subprogram names created by the user that match FORTRAN IV mathematical function names (from the list given in appendix B); these names are not changed by conversion.
 - 2. The data set numbers that he wishes declared with the PL/I attribute PRINT. Any numeric field of up to two digits is considered as a data set reference number. Note that the PL/I file FT06F01 (data set number=6) is automatically declared with the PRINT attribute. If the user wishes to override this declaration, he must specify 0 as the data set reference number.

EXECUTING THE PL/I TARGET PROGRAM

After any necessary hand changes are made, the converted PL/I target program may be used with a normal set of control cards for PL/I programs, for example, IBM supplied catalogged procedures such as PL1LFCLG.

If the user chooses the option BLKZR during the conversion run, he must link edit the LBLNK module when executing his target program. He will have to add the following control card for the link edit step:

//LKED.SYSIN DD DSNAME=LBLNK,DISP=OLD,UNIT=SYSDA,VOLUME=SER=XXXXXX

where xxxxxx is the volume serial number of the disk pack containing the LBLNK object module.

This appendix contains the list of messages that may be issued during the execution of the LCP. In each messages, xxxx represents an identification number of up to four digits which appears to the right of the converted line in the output listing and in the corresponding card image if the option DECK has been specified. The last digit of this number is that of the ten positions; the units position is not printed.

IPBOO1I READ OR WRITE STATEMENT
PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE XXXX

Explanation: If the READ or WRITE statement contains indexed I/O lists and/or arrays, and the FORMAT statement referred to contains literal data or an A- or H-format code, conversion of these items is incorrect.

In the conversion of a READ or WRITE statement using NAMELIST, it should be noted that:

- A DEFINED item cannot appear in the data list in PL/I.
- On input, no search is made for a specific NAMELIST name

Required Action: For transmission of a character string appearing among the values of an indexed list or of an array, the user should:

- On input, create a dummy variable containing the character string and insert it in the list.
- On output, either proceed as above, or insert the character string itself in the list.

For a DEFINED item appearing in a data-list, the user should replace this item by a dummy variable both in the data list and in the data.

| IPB002I ENTRY STATEMENT
PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE XXXX

<u>Explanation</u>: On entry to a function or a subroutine, initialization of parameter made on a previous entry may be lost.

Required Action: If needed, the user should insert additionnal dummy formal parameters or use dummy static variables.

I IPBOO3I ASSIGNED GOTO STATEMENT
PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE xxxx

Explanation: An assigned variable cannot be used for any purpose other than for the assigned GOTO statement.

Required Action: If a label used in an ASSIGN and in an assigned GOTO statement is also used as a variable elsewhere in the program, the label should be changed.

IPB004I COMMON/EQUIVALENCE STATEMENT PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE xxxx

<u>Explanation</u>: In general, the conversion of integer variables two bytes in length and of logical variables will result in incorrect addressing. This may also apply to elements with the CHARACTER attribute.

Required Action: The user should insert additional dummy variables to provide correct alignment.

IPBOO5I ARITHMETIC ASSIGNMENT STATEMENT PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE xxxx

<u>Explanation</u>: The right-hand part of the assignment statement is an expression of REAL type and the left-hand part is of INTEGER type. Due to difference of implementation, the results of the truncation may differ.

Required Action: It is the user's responsibility to check whether truncation due to conversion gives the expected result. The built-in function CEIL may be used if the expected result is not produced.

IPB006I SUBSCRIPT

PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE XXXX

Explanation: A subscript expression contains the operators **
and/or /, or a left parenthesis.

Required Action: If the subscript contains integer division, the user should insert the built-in function TRUNC. If it contains a subscripted variable, the user must reverse the order of the subscripts. The operation ** may give a result of FEAL type. The user must verify that the result of the truncation is correct.

IPB0071 FCRMAT STATEMENT

PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE XXXX

<u>Explanation</u>: PRINT and non-PRINT files have the same format, or one (or more) of the following items is detected:

- G-, Z- and O- format codes (not converted)
- P-scale factors associated with E- or D-format codes (not converted)
- L-format code.

Required Action:

1. PRINT and non-PRINT files:

The user must specify two FORMAT statements, one for PRINT files and another for non-PRINT files.

• G-, Z- and O-format codes:

The user must replace these format codes by a type acceptable to PL/I_{\bullet}

• P-scale factors:

The user should modify the corresponding data

• L-format code:

Logical data in the external medium must be in a form acceptable to PL/I.

IPB008I SERVICE SUBPROGRAMS
PL/I AND FORTRAN RESULTS MAY DIFFEP IN LINE xxxx

Explanation: This message is issued when a call to subprograms EXIT, DUMP, PDUMP, OVERFL, DVCHK, SLITE and SLITET is detected.

Required Action:

1. EXIT:

The CALL statement has been converted to STOP if EXIT has no argument list. If the user provides his own EXIT procedure, he must modify the converted statement. Otherwise, no action is required.

- 2. Other service subprograms: If the user provides his own procedures, no action is required. Otherwise, the user may
- For DUMP and PDUMP: use the procedure IHEDUMP (or a PUT statement).
- For OVERFL and DVCHK: use ON-condition OVERFLOW or ZERODIVIDE.

Required Action: The user should declare with the CHAPACTER(*) attribute the corresponding parameter in the called subprogram.

IPB010I HEXADECIMAL/OCTAL CONSTANT NOT CONVERTED IN LINE xxxx

<u>Required Action</u>: The user should modify the type of the constant.

IPB0111 MATHEMATICAL FUNCTION NOT CONVERTED IN LINE XXXX

Explanation: This message is issued when the mathematical FORTRAN functions DIM, IDIM, MOD, AMOD, DMOD, SNGLE, and DBLE are invoked.

Required Action:

1. SNGLE, DBLE: These functions should be replaced where they appear by the PL/I built-in function PRECISION.

2. DIM, IDIM: These functions should be replaced by the expression

conv<argument1>-MIN(conv<argument1>,conv<argument2>)

3. MOD, AMOD, DMOD:

These functions are converted using the PL/I built-in function MOD. If the first argument could be lower than zero, the user must replace the conversion by the expression:

conv<argument1>-TRUNC(conv<argument1>/conv<argument2>)
*conv<argument2>

IPB012I DATA SET REFERENCE NUMBER IS VARIABLE IN LINE XXXX

Explanation: A data set number in the FORTRAN statement is an integer variable. The statement is not converted.

<u>Required Action</u>: The user may simulate the effect of FORTRAN by using a series of IF statements to test the values of the data set reference number. For example:

FORTRAN WRITE(N,10) <data list>

PL/I

IF N=1 THEN PUT(FT01F01) EDIT(conv<data list>) (R(EXTLAB10));
IF N=2 THEN PUT(FT02F01) EDIT(conv<data list>) (R(EXTLAB10));

IF N=p THEN PUT(FT0pF01) EDIT(conv<data list>) (R(EXTLAB10));

where p is the maximum number of data sets

IPB013I FORMAT REFERENCE IS ARRAY NAME IN LINE XXXX

<u>Explanation</u>: A FORMAT statement is referred to by an array name. The statement is not converted.

Required Action: Attach the FORMAT statement to the input/output statement.

IPB0141 BINARY DATA TRANSMISSION IN LINE XXXX

<u>Explanation</u>: Binary data transmission is indicated in the FORTRAN statement. The statement is not converted.

Required Action: Use the PL/I RECORD I/O facility.

IPB0151 BACKSPACE, REWIND, OR END FILE AT LINE XXXX

Explanation: The FORTRAN statement is a BACKSPACE, REWIND, or END FILE statement. The statements BACKSPACE and END FILE are not converted; the statement REWIND is converted into the PL/I statement CLOSE, but the tape may be incorrectly positioned as a result.

Required Action: None.

IPB016I SYNTACTICAL ERROR IN LINE XXXX

Explanation: A FORTRAN statement is syntactically incorrect.
It is not converted.

Required Action: Suppress error.

IPB0171 EQUIVALENCE STATEMENT. CONVERSION WITH DEFINED THEM MAY PRODUCE MESSAGE AT COMPILATION.

<u>Fxplanation</u>: The conversion of the FOUIVALENCE statement uses a PL/I (F) compiler facility; at compilation time an error message may be issued if the attributes of the DEFINED item differ from those of the base item, but execution is not prevented.

Required Action: None.

IPB0181 THE FOLLOWING STRING NOT IDENTIFIED AS AN OPTION - YTYTYTY

<u>Explanation</u>: The LCP is processing the option list passed to it as a parameter, when it finds a character string that it cannot identify as an option. The unidentifiable character string is ignored.

Required Action: Correct the erroneous parameter.

IPB019I FILE SYSUT2-INEXPLICABLE J/O ERROR

Explanation: One of the following I/O errors has occurred:

- Space allocation for SYSUT2 insufficient
- Permanent I/O error on disk. (Hardware fault)

Required Action: In first case, increase SYSUT? space allocation. In second case, change disk or disk-drive.

Note: This message is always followed by the completion code ABEND 400.

APPENDIX G: PREPARATION OF DATA

The methods of entering data differ, in certain respects, in FORTRAN and in PL/I.

Where applicable, the user should therefore modify the data as follows:

- 1. For numeric data, the option BLKZR automatically makes the following alterations:
 - Plus sign in BCDIC (8) is replaced by +
 - D is changed to E
 - An all blank field is replaced by 0
 - If a blank appears after E, a + replaces it
 - Other embedded and trailing blanks are replaced by zeros.

For other types of data, the user must do his own modification. In particular, it must be noted that the PL/I (F) compiler does not accept an exponent of more than 2 digits.

- The items of FORTRAN logical data TRUE (or T) and FALSE (or F) should be changed into 1 and 0 respectively.
- 3. Data pertaining to a FORTRAN NAMELIST statement should be modified to ensure that:
 - The NAMELIST name is suppressed and the end-of-data group (SEND) is replaced by a semicolon.
 - The repetition factors, if any, are expanded, and each value in a data list assigned to the corresponding element of the array.
 - The order of subscripts attached to variables is reversed.
 - The data must be in EBCDIC.

The disk pack or the tape distributed by IBM contains, in addition to the LCP, a sample program written in PORTRAN IV. The purpose of the sample program is to demonstrate the working of the LCP and to illustrate the explanations given in the various sections of this manual.

Once the load module for the LCP has been created, there are three steps to be performed:

- Extraction of the sample program with its associated data from the disk pack or tape, and transfer onto punched cards
- 2. Execution of a conversion run for the program
- Execution of a compile, link, and go run with the PL/T compiler, using the output from step 2 and the data from step 1

These steps are described in detail in the paragraphs that follow.

Step 1. Extraction of Sample Program

a. For users receiving their program on disk pack: The FORTRAN TV program and its data are written on the disk pack as a single data set (DSNAME=SAMPLE). The following is an example of the control cards required to obtain the punched cards:

```
JOB
                          4727, SMITH, MSGLEVEL=1
١
      //AB
      //ABA
                   EXEC
                          PGM=IEBPTPCH
      //SYSPRINT DD
                          SYSOUT=A
      //SYSUT2
                  DD
                          SYSOUT=B
      //SYSUT1
                   DD
                          UNIT=2311,
                          DISP=OLD,
                          DS NA ME = SAMPLF.
                          VOLUME=SER=FLCPRS
      //SYSIN
                  DD
        PUNCH
```

```
/*
       <u>Por users receiving their program on tape</u>: The PORTRAN IV program and its data are written on tape as a single file. The following is an example of the control cards required to obtain the punched
        cards:
                                      4727, SMITH, MSGLEVEL=1
                          JOB
        //AB
        //ABA
                          EXEC
                                      PGM=IEBPTPCH
                                      SYSOUT=A
        //SYSPRINT DD
        //SYSUT1
                                      UNTT=2400, LABEL= (3, NL),
                                                                                                           С
                          DD
                                     VOLUMF=SER=888888,
DCB=(PECFM=FB,LRECL=80,BLKSIZE=2400)
                                                                                                           C
        //SYSUT2
                                      SYSOUT=P
                          DD
        //SYSIN
                          DD
           PUNCH
```

1

1

/*

Step 2. Program Conversion Run

The following is an example of the control cards required for a program conversion run:

```
4727, SMITH, MSGLEVEL= 1
1 //AB
              JOB
  //JOBLIB
                      DS NAME=FORLCP, DISP=OLD, UNIT=2311,
                                                                        C
                      VOLUME=SER=XXXXX
  //E
              EXFC
                      PG M= LCPFORT, PARM= SOURCE, DFCK, BLKTR
                      SYSOUT=A, DCB= (RECFM=VA, BLKSIZE=129, LRECL=125)
  //SYSPRNT
              DD
//SYSIOERR
                DD
                     SYSOUT=A
                     DSNAME=UT2, SPACE=(CYL, (5,)),
  //SYSUT1
              DD
                                                                        C
                     DCB= (DSORG=DA, KEYLEN=9), UNIT=2311
  //SYSUT2
              DD
                     DS NAME=UT 3, SPACE= (CYL, (2,)), DCB= (DSORG=DA),
                                                                        C
                     UNTT=2311
  //
//SYSPCH
                DD
                     SYSOUT=B
  //SYSIN
              DD
         The FORTRAN program cards: SAMPRO10 through SAMPR960
  ...
  • • •
  /*
```

Since the option SOURCE appears in the FYEC card, a listing of the FORTRAN source program and of its translation into PL/I should appear on the printer as follows:

FORTRAN IV TO PL/I LCP - V1L0

```
SIMULTANEOUS EQUATION ROUTINE
                                                                               SAMPRO 10
С
C
               THE FOLLOWING DATA SHOULD BE OUTPUT BY THE PROGRAM.
                                                                               SAMPRO20
                                                                               SAMPRO30
C
                       MATRIX A
C
    4.2150
              -1.2120
                          1.1050
                                                                               SAMPRO40
               3.5050
C
                                                                               SAMPRO50
   -2.1200
                         -1.6320
                                                                               SAMPROSO
C
    1.1220
              -1.3130
                          3.9860
                                                                               SAMPRO70
C
                       MATRIX B
C
    3.2160
                                                                               SAMPRO80
                                                                               SAMPRO90
    1.2470
C
                                                                               SAMPP100
C
    2.3456
C
                        A-INVERSE
                                                                               SAMPR110
                         -0.0467
               0.0833
                                                                               SAMPR120
C
    0.2916
C
    0-1632
               0.3836
                                                                               SAMPR130
                          0.1118
                                                                               SAMPR140
C
   -0.0283
               0.1029
                          0.3009
                                                                               SAMPR 150
C
                       SOLUTION MATRIX
C
    0.9321
                                                                               SAMPR160
                                                                               SAMPR170
C
    1.2655
                                                                               SAMPR180
    0.7429
      DIMENSION A (10,10), X (10), B (10)
                                                                               SAMPR190
  301 FORMAT (1H1, 10Y, 15HINCOMPATIBILITY)
                                                                               SAMPR200
  302 FORMAT (1H , 10x, 41 HMORE EQUATIONS THAN UNKNOWNS-NO SOLUTIONS)
                                                                               SAMPR210
  303 FORMAT (1H , 10Y, 46HMORE UNKNOWNS THAN EQUATIONS-SEVERAL SOLUTIONS) SAMPR220
                                                                               SAMPR230
  304 FORMAT (1HO, 10X, 15HSOLUTION MATRIX)
                                                                               SAMPR240
  305 FORMAT (1H1, 10X, 8HMATRIX A)
                                                                               SAMPR250
  306 FORMAT (1HO, 10X, 8HMATRIX B)
  307 FORMAT (1HO, 08X, 10H A-INVERSE)
                                                                               SAMPR260
  308 FORMAT (1H , 10X, 24HDIAGONAL ELEMENT IS ZERO)
                                                                               SAMPR270
                                                                               SAMPR 280
   12 FORMAT (6110)
       READ (5,12) M1, M2, L1, L2, N1, N2
                                                                               SAMPR290
                                                                               SAMPR300
      M1 = NO. OF ROWS OF A
                                                                               SAMPR310
      M2 = NO. OF COLS OF A
                                                                               SAMPR320
      L1 = NO. OF ROWS OF X
                                                                               SAMPR330
      L2 = NO. OF COLS OF X
                                                                               SAMPR340
      N1 = NO. OF ROWS OF B
      N2 = NO. OF COLS OF B
                                                                               SAMPR350
   13 FORMAT (7F10.4)
                                                                               SAMPR360
   17 FORMAT (10F10.4)
                                                                               SAMPR370
      IF (N2-1) 63,64,63
                                                                               SAMPR380
                                                                               SAMPR390
   64 IF (L2-1) 63,65,63
   65 IF (L1-M2) 63,66,63
                                                                               SAMPR400
   66 IF (M1-N1) 63,11,63
                                                                               SAMPR410
                                                                               SAMPR420
       WRITE (6,301)
      GO. TO 2
                                                                               SAMPR430
   11 N=M1
                                                                               SAMPR440
                                                                               SAMPR450
      N=M2
                                                                               CAMPR460
      IF (M1-M2) 91,14,93
```

91	WRITE (6,302)	SAMPR 470
	GC TO 2	SAMPR480
93	WRITE (6,303)	SAMPR 490
	GO TO 2	SAMPR500
14		SAMPR510
	DO 7C I=1.N	SAMPR520
	READ (5,13)(A(I,J),J=1,N)	SAMPR 530
	WRITE (6,17)(A(I,J),J=1,N)	SAMPR540
7.0	CONTINLE	SAMPR550
	FCRMAT (F10.4)	SAMPR 560
	WRITE (6,306)	SAMPR570
	READ (5,89)(B(I),I=1,N)	SAMPR 580
	WRITE (6,89)(B(I), I=1,N)	SAMPR590
20	DC 12C K=1, N	SAMPR600
	D=A(K,K)	SAMPR610
	IF(C)4C,200,40	SAMPR620
4 C	A(K,K)=1.C	SAMPR630
	CC 6C J=1.N	SAMPR640
	A(K,J)=A(K,J)/D	SAMPR650
	IF (K-N) 8C, 130, 130	SAMPR660
80	IK=K+1	SAMPR670
	DC 12C I=IK,N	SAMPR 68C
	C=A(I,K)	SAMPR690
	$A(I_{\bullet}K) = 0 \cdot C$	SAMPR7CO
	CC 12C J=1.N	SAMPR710
12C	A(I,J) = A(I,J) - (C*A(K,J))	SAMPR 72C
130	IK=N-1	SAMPR730
	DC 18C K=1,IK	SAMPR 740
14C	I1=K+1	SAMPR750
	DC 18C I=I1,N	SAMPR 760
	C= A(K, 1)	SAMPR770
	$\Delta(K,I)=0.0$	SAMPR780
17C	CC 18C J=1,N	SAMPR790
18C	A(K,J)=A(K,J)-(D*A(I,J))	SAMPR800
	GC TO 2C2	SAMPR810
2 C C	WRITE (6,308)	SAMPR 820
	GC TO 2	SAMPR830
2 C 2	WRITE (6,307)	SAMPR 840
	CC 201 I=1,N	SAMPR850
	WRITE (6,17)(A(I,J),J=1,N)	SAMPR 860
	CCNTINLE	SAMPR870
400	CC 21 I=1,N	SAMPR880
	X(I)=C.0	SAMPR890
2.1	CC 21 K=1,N	SAMPR900
	X(I)=X(I)+A(I,K)*B(K)	SAMPR910
461	hRITE(6,3C4)	SAMPR 920
3	WRITE (6,89)(X(I),I=1,N) CALL EXIT	SAMPR93 C
	STCP	SAMPR 940
	END	SAMPR950
		SAMPR960

```
(NCZERCCIVICE): MAINFRC: PROCEDURE OPTIONS(MAIN);
                                                                             MATCAALA
      DECLARE IK FIXED BINARY (31) STATIC, II FIXED BINARY (31) STATIC, N2 MAICO020
      FIXEC BINARY(31) STATIC, N1 FIXED BINARY(31) STATIC, L2
                                                                             MAI 00030
                                                                             MAI00040
      FIXED BINARY (31) STATIC, L1 FIXED BINARY (31) STATIC, M2
                                                                             MAT00050
      FIXED BINARY(31) STATIC, M1 FIXED BINARY(31) STATIC, D
      FLOAT BINARY STATIC, K FIXED BINARY(31) STATIC, J FIXED BINARY(31) MAIOOOGO
      STATIC, N FIXED BINARY(31) STATIC, I FIXED BINARY(31) STATIC, B(
                                                                             MAI00070
                                           10) FLOAT BINARY STATIC, A
                                                                             MAI CCOSO
          10) FLCAT BINARY STATIC, X(
                                                                             MATCCOSO
                  10) FLOAT BINARY STATIC;
          10,
      DECLARE DUMMOOS CHARACTER( 15) INITIAL ('INCOMPATIBILITY');
                                                                             MAT COLCO
      DECLARE DUMMCO7 CHARACTER( 41) INITIAL ( MCRE EQUATIONS THAN UNKNOMALOO110
                                                                             MAI00120
WNS-NO SCLUTIONS!);
      DECLARE DUMMOOG CHARACTER( 46) INITIAL ( MORE UNKNOWNS THAN EQUATIMATED 130
                                                                             MAI00140
CNS-SEVERAL SOLUTIONS 1);
      CECLARE DUMMOO5 CHARACTER( 15) INITIAL( 'SOLUTION MATRIX');
                                                                             MAI00150
      CECLARE CUMMCO4 CHARACTER( 8) INITIAL( MATRIX A );
CECLARE CUMMOO3 CHARACTER( 8) INITIAL( MATRIX B );
                                                                             MAIC0160
                                                                             MAT 00170
      DECLARE DUMMOO2 CHARACTER( 10) INITIAL( A-INVERSE );
                                                                             MAICC180
      DECLARE DUMMCOL CHARACTER( 24) INITIAL("DIAGONAL ELEMENT IS ZERO"MAICO190
                                                                             MAI00200
);
      CECLARE LBLNK ENTRY(FIXED BINARY) RETURNS(FIXED BINARY);
                                                                             MAI00210
                                                                             MAT 00220
      CECLAFE(FT06F01)PRINT FILE;
       SIMULTANEOUS EQUATION ROUTINE*/
                                                                             MAI 00230
/*
                THE FOLLOWING DATA SHOULD BE OUTPUT BY THE PROGRAM.*/
                                                                             MAI CO240
/*
                                                                             MAI00250
/*
                        MATRIX A*/
                                                                             MAI 00260
/ *
     4.215C
               -1.2120
                           1.1050*/
                          -1.6320#/
                                                                             MAI00270
/ *
    -2.12CC
                3.5050
                                                                             MAI00280
/*
               -1.313C
                           3.9860*/
     1.1220
                                                                             MAI00290
                        MATRIX B*/
/*
                                                                             00 ECO I AM
/ *
     3.2160*/
                                                                             MAI C0310
/*
     1.247C*/
                                                                             MAIC0320
/*
     2.3456*/
                                                                             MAI00330
                         A-INVERSE*/
/*
                                                                             MAI00340
                C.0833
                          -C.C467*/
/*
     C.2916
                                                                             MAI00350
/ *
     C.1632
                C.3836
                           C.1118*/
                                                                             MAI00360
                           C.3009*/
/*
    -C.C283
                0.1029
                        SCLUTION MATRIX*/
                                                                             MAI00370
/#
                                                                             MAI 00380
     0.9321*/
/*
                                                                             MAI 00390
/*
     1.2655*/
                                                                             MATC0400
/ *
     C.7429*/
                                                                             MAIOC410
EXTLAB3C1:FCRMAT(PAGE,X(1C),A(15));
EXTLAB302: FORMAT (COLUMN(1), X(10), A(41));
                                                                             MAI00420
EXTLAB303: FORMAT(COLUMN(1), X(10), A(46));
                                                                             MAI00430
EXTLAE304: FORMAT (SKIP(2), X(10), A(15));
                                                                             MAI00440
                                                                             MAT 00450
EXTLAB305: FCFMAT (PAGE, X(10), A(8));
EXTLAE306: FCFMAT (SKIF(2), X(10), A(8));
                                                                             MATCC46C
                                                                             MAIC0470
EXTLAB3C7:FCRMAT(SKIP(2),X(08),A(10));
EXTLAB3CE:FORMAT(COLLMN(1),X(10),A(24));
                                                                             MAIC0480
                                                                             MAI00490
EXTLAB12: FORMAT(COLUMN(1), 6 F(LBLNK(10)));
```

```
GET FILE(FTC5F01)EDIT(M1,M2,L1,L2,M1,M2)(P(EXTLAB12));
                                                                                   MA TOOSOO
        / ×
               M1 = NO. OF ROWS OF A*/
                                                                                   MATCOSIO
        / ×
                M2 = NC. CF CCLS OF A*/
                                                                                   MAICO520
        /*
                L1 = NC. CF RCWS CF X*/
                                                                                   MAICC530
        /*
                L2 = NC. CF CCLS CF X*/
                                                                                   MAICCE40
        /*
               N1 = NC. CF RCWS OF B*/
                                                                                   MAI00550
        / ×
               N2 = NO. CF CCLS OF B*/
                                                                                   MAI00560
        EXTLAB13: FORMAT (CGLUMN(1),7 F(LBLNK(10),4));
                                                                                   MAI00570
        EXTLAB17: FORMAT(COLUMN(1),1C F(10,4));
                                                                                   MAI00580
               IF(N2-1) = 0 THEN GO TO EXTLAB63;
                                                                                   MAI00590
        EXTLAB64: IF (L2-1) -= 0 THEN GO TO EXTLAB63;
                                                                                   MAT CO600
        EXTLAB65: IF (L1-M2) == 0 THEN GO TO EXTLAB63;
                                                                                   MAICO610
        EXTLABE6: IF (MI-NI) = 0 THEN GO TO EXTLABIL;
                                                                                   MAI00620
        EXTLAB63:PUT FILE(FT06F01)EDIT(DUMMOC6)(R(EXTLAB301));
                                                                                   MATOO630
              GOTO EXTLAb2;
                                                                                   MAI00640
        EXTLAB11:N=M1 ;
                                                                                   MAI00650
              N=M2 ;
                                                                                   MAICO660
               IF(M1-M2) = 0 THEN GO TO EXTLABIA; ELSE IF(M1-M2) > 0 THEN GO TO
                                                                                  M4100670
               EXTLAB93;
                                                                                   MAI 00680
        EXTLAB91: PUT FILE (FTC6F01) EDIT (DUMMO07) (R(EXTLAB302));
                                                                                   MAICCESC
              GCTC EXTLAB2;
                                                                                   MAI00700
        EXTLABS3:PLT FILE(FT06F01)EDIT(DUMMGG6)(R(EXTLAB303)):
                                                                                   MAT00710
               GUTO EXTLAB2;
                                                                                   MAI00720
        EXTLAB14:PLT FILE(FT06FC1)EDIT(DUMMCC4)(k(EXTLAB3C5));
                                                                                   MAICO730
               DC I=1 TC MAX(1,N);
                                                                                   MAIC0740
IPB001I
               GET_FILE(FT05F01)EDIT((A(J,I) DO J=1 TO MAX(1,N)))(R(EXTLAB13)); MAICO750
IPB001I
              PUT FILE(FT06F01)EDIT((A(J,I) CO J=1 TO MAX(1,N)))(R(EXTLAB17)); MAICO760
        EXTLABTC:;
                                                                                   MAI00771
              END;
                                                                                   MAI00780
        EXTLAB89:FORMAT(COLUMN(1),F(LBLNK(1C),4));
                                                                                   MAI00790
              PUT FILE(FTO6FC1)EDIT(DUMMCC3)(R(EXTLAB3C6));
                                                                                   MAICORCC
               GET FILE(FT05F01)EDIT((B(I) DO I=1 TO MAX(1,N)))(R(EXTLAB89));
IPB001I
                                                                                   MAI 00810
              PUT FILE(FT06F01)ECIT((B(I) DO I=1 TO MAX(1,N)))(R(EXTLAB89));
IPB001I
                                                                                   MAI 00820
        EXTLAB20:CC K=1 TC MAX(1,N);
                                                                                   MAI C0830
              D=A(K,K);
                                                                                   MAI COR40
               IF(C) = 0 THEN GO TO EXTLAB200;
                                                                                  MAI 00850
        EXTLAB4C:A(K,K)=1.0EC;
                                                                                  MAICO860
        EXTLAB50:CO J=1 TO MAX(1,N);
                                                                                  MAI00870
        EXTLAB60:A(J,K)=A(J,K)/D;
                                                                                  MAI00880
              ENC;
                                                                                  MAI 00890
              IF(K-N)>= 0 THEN GC TC EXTLAB130;
                                                                                   MAIGOSCO
        EXTLAB80: IK=K+1;
                                                                                  MAICOSIC
              DO I=IK TO MAX(IK,N);
                                                                                  MAI00920
              D=A(K,I);
                                                                                  MAI 00930
              A(K, I)=C.CEG;
                                                                                  MAI00940
              CC J=1 TC MAX(1,N);
                                                                                   MAICC950
        EXTLAB120: A(J,I)=A(J,I)-(C*A(J,K));
                                                                                  MAI 00960
              ENC;
                                                                                  MAI 00970
              ENC:
                                                                                  MAI CC980
              ENC:
                                                                                  MAICC590
```

```
MAI G1CCC
        EXTLABI3C: IK=N-1;
                                                                                     MAT01010
               DO K=1 TO MAX(1, IK);
                                                                                     MAI01020
         EXTLAB14C: I1=K+1;
                                                                                     MAI 01 03 0
               CO I= I1 TC MAX(I1,N);
                                                                                     MAI 01 040
               C=A(I,K);
        A(I,K)=0.0E0;
EXTLAB17C:DC J=1 TC MAX(1,N);
                                                                                     MAI 01050
                                                                                     MAI01C6C
                                                                                     MAI01070
         EXTLABLEC: A(J,K)=A(J,K)+(C*A(J,I));
                                                                                     MAI01080
               END:
                                                                                     MAI01090
               END;
                                                                                     MAI01100
               ENC;
                                                                                     MAI01110
               GUTO EXTLAB202;
                                                                                     MAI01120
         EXTLAB200: PUT FILE (FTC6 FO1) EDIT (DUMMOO1) (R(EXTLAB308));
                                                                                     MAI 01130
               GCTC EXTLAB2;
         EXTLAB202:PUT FILE(FT06F01)EDIT(CUMM002)(R(EXTLAB307));
                                                                                     MAI 01140
                                                                                     MAI01150
               DC I=1 TO MAX(1,N);
               PUT FILE(FTO6FC1)EDIT((A(J,I) DO J=1 TC MAX(1,N)))(R(EXTLAB17)); MAIO1160
IPB001I
                                                                                     MAI01170
         EXTLAB2C1:;
                                                                                     MAI01180
               ENC:
                                                                                     MAIC1190
         EXTLAE400: DC I=1 TC MAX(1,N);
                                                                                     MAI 01200
               X(I)=C.OEO;
                                                                                     MAIC1210
               DC K=1 TC MAX(1,N);
                                                                                     MAI01220
         EXTLAB21:X(I)=X(I)+A(K,I)*B(K);
                                                                                     MAI01230
               END;
                                                                                     MAI01240
               ENC:
         EXTLAB401: PUT FILE(FTC6F01) EDIT(DUMM CO5) (R(EXTLAB3C4));
                                                                                     MAI01250
               PUT FILE(FTO6F01)EDIT((X(I) DO I=1 TO MAX(1,N)))(R(EXTLAB89));
                                                                                     MAI01260
IPB001I
                                                                                     MAI 01270
IPB008I EXTLAB2:STCP;
                                                                                     MAI 01280
               DISFLAY('STCP ');STCP;
                                                                                     MAI C1290
               ENC;
```

WARNING MESSAGES

| IPBOO11 READ CR WRITE STATEMENT
PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE
0075,CC76,CC81,0C82,0116,0126

I IPBOO8I SERVICE SLBPROGRAMS
PL/I AND FORTRAN RESULTS MAY DIFFER IN LINE
C127

Step 3. Execution of PL/I Program

A normal compile, link, and go run can be performed, with or without the user's cataloged procedure. The following is a sample of the control cards when using a cataloged procedure:

```
JOB
                   2622, SMITH, MSGLEVEL=1
//AB
           EXEC
                   PL1LFCLG
11
//SYSIN
           DD
       Card output from step 2: cards MAI00010 through MAI01290
. . .
. . .
/*
                     DSNAME=LBLNK, DISP=OLD, UNIT=SYSDA
//LKED.SYSIN DD
                                                                     C
                     VOLUME=SER=XXXXXX
//
//GO.FT06F01 DD
                     SYSOUT=A, DCB= (BLKSIZE=129, LRECL=125, RECFM=VA)
//GO.FT05F01 DD
. . .
       The seven FORTRAN data cards: DATA0001 through DATA0007
. . .
/*
```

The output listed on FT06F01 (the printer specified in the above control cards) should read as follows:

MATRIX A

4.2150	-1.2120	1.1050
-2.1200	3.5050	-1.6320
1.1220	-1.3130	3.9860

MATRIX B

3.2160

1.2470 2.3456

A-INVERSE

0.2916	0.0833	-0.0467
0.1632	0.3836	0.1118
-0.0283	0.1029	0.3009

SOLUTION MATRIX

0.9321

1.2655

INDEX

Where more than one reference is given,	DOUBLE PRECISION statement
the first page number indicates the major	DUMP subprogram
reference.	Dychk Subprogram
actions, LCP	elements of the language 1
arithmetic expressions	END statement
arithmetic IF statement	END FILE statement 4
arrangement of arrays in storage 14	ENTRY statement
ASSIGN statement	EQUIVALENCE statement 28
assigned GO TO statement 23	examples, coding, form of
assignment	EXEC card options 53
statements 21	executing the LCP 52
statements, arithmetic 21	executing the PL/I target program 5
statements, logical 21	EXIT subprogram
	explicit specification statements 2
BACKSPACE statement	expressions, arithmetic
basic symbols, PL/I and FORTRAN	expressions, logical
corresponding43	EXTERNAL statement
blanks within words	6. at an anala
BLOCK DATA subprogram	factor, scale
	form of coding examples
CALL statement	format item
character-string format item 38	character-string
code, h-format	control
coding examples, form of	generalized
comments	hexadecimal
COMMON statement	logical 38
common variables in EQUIVALENCE	numeric 3
statement	FORMAT statement
complex constants	FORTRAN programs to be converted,
computed GO TO statement 22	characteristics
conflicts, name, prevention of 13	FORTRAN and PL/I, corresponding basic
constants	symbols4
complex	FORTRAN and PL/I, corresponding
hexadecimal	functions
integer	FUNCTION subprograms
literal	functions PL/I and FORTRAN corresponding 49
logical	PL/I and FORTRAN corresponding 40 statement 30
CONTINUE statement	LBLNK
control card options	
control cards, LCP	general problems in converting to PL/I 1.
control format items	generalized format item
control information 9	GO TO statement
control statements	assigned
conversion output	computed
conversion problems	unconditional
corresponding basic symbols, PL/I and	
FORTRAN43	hexadecimal constants 19
corresponding functions, PL/I and	hexadecimal format item 3
FORTRAN44	h-format code
creating the load module, disk 49	77 -1-1 1 1 1
creating the load module, tape 50	IF statement, arithmetic
3.1. 3.1	IF statement, logical
data, literal	IMPLICIT statement
DATA initialization statement	information, control
data set terminology	input/output statements
disk pack, programs on	character-string format item 3
distribution of the LCP	control format items
DO statement	qeneralized format item

hexadecimal format item	READ statement
integer constants	real constants 18
	restrictions, LCP 47
	RETURN statement
LCP	REWIND statement
actions 10	
control cards	sample program
distribution	scale factor
execution	service subprograms
general description 9	SLITE subprogram
notation used in this document 11	SLITET subprogram
output listings 10	source language
performance	specification, predefined
restrictions	specification statements
substitution names, form of	specification statements, explicit 27
language	statement
elements of	functions
output8	numbers
source	arithmetic IF
LBLNK 51	ASSIGN
listing	assigned GO TO
literal constants	BACKSPACE
literal data	CALL
load module, creating the disk	COMMON. 27
load module, creating the tape 50	computed GO TO
logical constants	CONFINUE
logical expressions	DATA
logical format item	DATA initialization
logical IF statement	DIMENSION
Togical if Statement.	DO
	DOUBLE PRECISION
mathematical function subprograms 13,44	END
messages	END FILE. 40
MFT8	
MVT8	
MV1	
name conflicts provention of	
name conflicts, prevention of	FORMAT 36
NOZERODIVIDE	FORMAT, character-string format item 38
numeric format items	FORMAT, control format items
numeric format frems	FORMAT, generalized format item 38 IMPLICIT 26
operating procedures	
options	PAUSE
control card	PRINT
EXEC	PUNCH
	READ.
output conversion41	RETURN
language8	REWIND.
listing41	STOP
statements	WRITE. 36
OVERFL subprogram	statements,
Ordard Susprogrames seemed as the seemed see	assignment
PAUSE statement	assignment, arithmetic
PCP	assignment, logical
PDUMP subprogram	control
performance of the LCP	specification
PL/I and FORTRAN	statement numbers
corresponding functions	STOP statement
corresponding basic symbols	storage, arrangement of arrays in 14
PL/I target program execution	subprogram
predefined specification	BLOCK DATA
prevention of name conflicts	DUMP
PRINT statement	DVCHK
problems, general conversion	EXIT
program unit	PDUMP
programs on disk	SLITE
programs on tape	SLITET
PUNCH statement	subprograms

FUNCTION	terminology, data settruncation, REAL to INTEGER	
SUBROUTINE subprograms	unconditional GO TO statementusing the function LBLNK	
symbols, basic, PL/I and FORTRAN corresponding	variables, subcriptedvariables,common,in EQUIVALENCE statement	
tape, programs on	words, blanks within	

International Business Machines Corporation
Data Processing Division
1133 Westchester Avenue, White Plains, New York 10604
[U.S.A. only]

IBM World Trade Corporation 821 United Nations Plaza, New York, New York 10017 [International]